

FOR OFFICIAL USE.

WEEKLY RETURN

OF

**BIRTHS AND DEATHS REGISTERED:—
LONDON AND
NINETY-FIVE OTHER GREAT TOWNS.**

~~~~~  
**By Authority of the Registrar General.**  
~~~~~

Printed under the Superintendence of His Majesty's Stationery Office

AND TO BE PURCHASED FROM H.M. STATIONERY OFFICE,
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C.; 37, PETER STREET, MANCHESTER;
AND 1, ST. ANDREW'S CRESCENT, CARDIFF.

No. 1. Vol. LXXXII. 1921. WEEK ENDED SATURDAY, JAN. 8.
[Price 1½d. Net.]

*General Register Office, Somerset House,
January 12th, 1921.*

NINETY-SIX GREAT TOWNS.

For the NINETY-SIX GREAT TOWNS of England and Wales each of which had a population of 50,000 or over at the Census of 1911, the births registered last week numbered 9,830, and corresponded to an annual rate of 27·5 per 1,000. The deaths* among the civilian population only numbered 4,964, and corresponded to an annual rate of 13·9 per 1,000 of their aggregate civilian population, which is provisionally estimated† at 18,554,878 persons in the year 1920. In the three weeks ended December 18th, December 25th, and January 1st, the rates had been 15·3, 15·1, and 16·6 respectively. The infant mortality was 86, against 119, 113, and 122 in the preceding three weeks. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks; it also shows for the week ended last Saturday the births and the deaths from certain individual causes. A column showing the number of deaths from influenza has been inserted in Table 1. The aggregate number of deaths from influenza in the 96 great towns in each of the last thirteen weeks is shown in Table 3A.

* Corrected as far as possible for deaths of non-residents and for those of residents occurring outside the area. Fully corrected figures will appear in the Registrar General's Annual Report.

† The estimates of population refer to the year 1920, and are based on the returns furnished under the scheme for rationing of food.

Measured by last week's mortality, the highest annual death-rates per 1,000 living were :—from *all causes*, 19·8 in South Shields, 19·9 in Newcastle-on-Tyne, 20·9 in Middlesbrough, 22·6 in Hastings, 23·2 in Halifax, and 24·5 in Sunderland; and from *measles*, 1·2 in Middlesbrough, and 1·4 in Smethwick. No death from *small-pox* was registered in any of the ninety-six towns.

LONDON.* (The Administrative County, including the City of London.)

For LONDON there were 2,373 BIRTHS, corresponding to a rate of 27·2 per 1,000, and 1,117 DEATHS of civilians, corresponding to a rate of 12·9, as against 16·0, 15·3, and 16·5 per 1,000 in the three weeks ended December 18th, December 25th, and January 1st. The death-rate in the four weeks ended last Saturday averaged 15·2 per 1,000. The infant mortality was 75, against 119, 98, and 115 in the preceding three weeks.

There was no death from *enteric fever*, against 0, 1, and 0 in the preceding three weeks, the average for the corresponding weeks of the previous five years being 2. There was 1 death from *measles*, against 0, 4, and 0 in the preceding three weeks, and an average of 23. The deaths from *scarlet fever*, which had been 11, 5, and 8 in the preceding three weeks, were again 8 last week, and were 6 above the average. The deaths from *whooping-cough*, which had been 7, 2, and 4 in the preceding three weeks, rose last week to 6, but were 9 below the average. The deaths from *diphtheria*, which had been 25, 27, and 22 in the preceding three weeks, rose last week to 24, and were 6 above the average; 9 deaths belonged to the Borough of Islington and 3 to Wandsworth. The deaths from *diarrhoea and enteritis under 2 years of age*, which had been 24, 17, and 20 in the preceding three weeks, fell last week to 17, and were equal to the average. The deaths from *influenza* numbered 21, as against 21, 14, and 20 in the preceding three weeks and an average of 37.

Different forms of violence caused 40 deaths, all of which were the subject of coroners' inquests. Of these 40 deaths, 13 were cases of suicide, and 2 of homicide, while the remaining 25 were attributed to other forms of violence. Ten of these latter were referred to vehicles in the streets, 2 to burns or scalds, 4 to drowning, and 1 of an infant under one year of age to suffocation in bed.

CASES OF INFECTIOUS DISEASE.†

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital, there were 20 cases of enteric fever, 1 of small-pox, 15 of measles, 4,608 of scarlet fever, 20 of whooping-cough, and 2,588 of diphtheria under treatment in these hospitals on Saturday last (Table 3). The admissions during

* See note * on first page.

† The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

the week, as compared with those in the preceding three weeks, were as follows:—Of enteric fever, 8 cases, against 3, 0, and 4; of small-pox, 0 case, against 0, 0, and 1; of measles, 2 cases, against 1, 10, and 3; of scarlet fever, 482 cases, against 503, 505, and 619; of whooping-cough, 3 cases, against 3, 1, and 2; and of diphtheria, 320 cases, against 300, 291 and 323. Table 9, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the county during the week ended January 1st, 1921.

TABLE 1.—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH RATES in the Week ended Saturday, 8th January, 1921, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.		DEATH-RATES from all Causes.		Week ended		Week ended		Week ended		The DEATHS in the Week include										TOWNS.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
		CIVILIAN		POPULATION,		MID. 1920 *		(Provisional.)		8th Jan., 1921.		BIRTHS.		DEATHS.		Deaths of		Deaths from								Inquest Cases.		Deaths in Public Institutions.		Uncertified Causes of Death.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
		18th Dec., 1920.	25th Dec., 1920.	1st Jan., 1921.	8th Jan., 1921.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	96 GREAT TOWNS.	COLS.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														</	

* See note † on first page of this return.

† For Greater London see end of Table.

‡ These towns are included within the area of Greater London.

Great Towns, &c. : Births, Deaths and Rates of Mortality

TOWNS.	ESTIMATED CIVILIAN POPULATION, MID. 1920.* (Provisional.)	DEATH-RATES from all Causes.				Week ended 8th Jan., 1921.		The DEATHS in the Week include											TOWNS.			
		Week ended				BIRTHS.	DEATHS.	Deaths of		Deaths from								Inquest Cases.		Deaths in Public Institutions.	Uncertified Causes of Death.	
		18th Dec., 1920.	25th Dec., 1920.	1st Jan., 1921.	8th Jan., 1921.			Persons aged under 1 Year of Age.	65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.					Violence
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
SOUTHEND ON SEA -	87,382	13.0	14.3	17.4	9.5	31	16	-	6	-	-	-	-	-	-	-	1	1	1	4	-	SOUTHEND ON SEA.
IPSWICH	81,119	8.7	7.4	15.4	7.7	35	12	2	1	-	-	-	-	-	-	-	-	-	2	1	-	IPSWICH.
GREAT YARMOUTH .	55,193	18.7	9.8	16.7	18.0	24	19	2	10	-	-	-	-	-	-	2	-	1	1	5	-	GREAT YARMOUTH.
NORWICH	124,774	18.3	13.0	17.4	14.6	69	35	6	8	-	-	-	-	-	1	1	-	1	3	18	-	NORWICH.
SWINDON	53,580	13.2	13.2	16.2	8.8	50	9	-	3	-	-	-	-	-	-	-	-	-	-	3	-	SWINDON.
EXETER	61,365	13.3	23.9	15.0	8.5	31	10	1	7	-	-	-	-	-	-	-	-	-	-	2	-	EXETER.
PLYMOUTH	189,213	12.9	21.2	19.5	12.7	101	46	14	18	-	-	-	-	-	-	2	-	1	4	13	-	PLYMOUTH.
BATH	68,546	21.4	11.9	27.7	15.2	32	20	3	9	-	-	-	-	-	-	-	1	1	1	6	-	BATH.
BRISTOL	375,641	17.2	13.3	17.9	12.6	185	91	13	36	-	-	-	-	-	-	2	1	1	6	25	-	BRISTOL.
GLOUCESTER	52,096	15.6	8.3	18.7	15.0	24	15	2	5	-	-	-	-	-	-	-	-	-	-	3	-	GLOUCESTER.
STOKE ON TRENT . .	248,852	14.8	14.6	17.4	14.5	139	69	14	14	-	-	-	-	-	1	6	1	7	7	12	-	STOKE ON TRENT.
WOLVERHAMPTON . .	102,324	13.2	14.3	22.8	14.3	55	28	7	9	-	-	-	-	-	-	1	2	-	2	7	-	WOLVERHAMPTON.
WALSALL	96,419	16.3	16.9	12.4	15.7	47	29	1	10	-	-	-	-	-	1	1	3	-	1	3	-	WALSALL.
WEST BROMWICH . .	72,684	12.7	18.6	22.4	12.2	39	17	5	3	-	-	-	-	-	1	-	-	-	-	3	1	WEST BROMWICH.
DUDLEY	56,169	9.7	17.4	9.7	16.7	37	18	2	9	-	-	-	-	-	-	2	-	2	2	2	-	DUDLEY.
BIRMINGHAM	895,915	15.7	14.8	16.3	12.3	483	212	25	72	1	-	-	2	-	3	3	1	6	9	69	2	BIRMINGHAM.
SMETHWICK	75,027	11.6	10.8	10.1	13.2	44	19	7	5	-	-	-	-	-	-	1	1	-	-	2	-	SMETHWICK.
COVENTRY	137,310	11.5	15.4	9.5	9.5	65	25	4	10	-	-	-	-	-	-	-	-	-	-	7	1	COVENTRY.
LEICESTER	245,465	17.0	13.0	17.9	10.8	144	51	13	19	-	-	-	-	1	1	-	-	2	5	12	1	LEICESTER.
LINCOLN†	67,543	12.0	12.0	17.2	13.1	42	17	3	4	-	-	-	-	-	-	-	-	1	2	1	1	LINCOLN.†
GRIMSBY	81,953	14.6	9.3	19.8	15.9	50	25	3	12	-	-	-	-	-	-	-	1	-	-	10	-	GRIMSBY.
NOTTINGHAM	267,836	16.0	16.0	17.2	14.6	139	75	9	29	-	-	-	-	1	-	-	1	2	4	17	-	NOTTINGHAM.
DERBY	128,868	18.1	13.9	16.8	12.5	76	31	7	9	-	-	-	1	-	1	3	1	4	9	9	-	DERBY.

† As extended on 9th November 1920.

* See note † on first page of this return.

TABLE 1 (cont.).—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH-RATE in the Week ended Saturday, 8th January, 1921, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	DEATH-RATES from all Causes.				Week-ended 8th Jan., 1921.		The DEATHS in the Week include!										TOWNS.					
	ESTIMATED CIVILIAN POPULATION MID. 1920.* (Provisional.)	Week ended			BIRTHS.	DEATHS.	Deaths of		Deaths from									Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes or Death.		
		18th Dec., 1920.	25th Dec., 1920.	1st Jan., 1921.			8th Jan., 1921.	Persons aged under 1 Year of Age.	Persons aged 65 Years and upwards.	Huterie Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).					Influenza.	Violence.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
STOCKPORT	130,635	12.5	14.5	19.1	12.0	57	30	3	6	-	-	-	-	-	1	-	-	-	-	10	-	STOCKPORT.
BIRKENHEAD	153,951	18.0	14.4	19.7	10.2	86	30	4	11	-	-	-	-	1	-	1	-	-	1	9	-	BIRKENHEAD.
WALLASEY	99,226	9.3	11.5	10.9	19.4	39	37	5	13	-	-	-	-	2	-	-	1	-	-	8	-	WALLASEY.
LIVERPOOL	803,452	21.4	19.1	22.1	17.3	508	266	54	79	-	-	1	-	-	2	4	2	8	20	108	4	LIVERPOOL.
BOOTLE	80,029	19.6	21.0	20.3	16.3	44	25	3	9	-	-	-	-	-	-	1	1	-	-	7	2	BOOTLE.
ST. HELENS	104,822	15.0	11.4	13.4	15.4	83	31	7	6	-	-	-	1	1	-	-	1	-	-	8	2	ST. HELENS.
SOUTHPORT	72,939	17.8	23.0	18.6	19.3	27	27	3	17	-	-	-	-	-	-	-	-	1	1	7	1	SOUTHPORT.
WIGAN	90,866	14.3	13.1	15.5	14.9	42	26	3	5	1	-	-	-	2	-	-	-	3	4	1	-	WIGAN.
WARRINGTON	77,989	13.9	15.3	14.6	14.0	42	21	3	6	-	-	1	-	1	-	-	-	-	-	4	-	WARRINGTON.
BOLTON	184,533	14.4	14.7	16.7	15.8	75	56	5	18	-	-	1	-	-	1	1	1	4	6	16	2	BOLTON.
BURY	56,410	14.4	22.1	16.3	7.4	33	8	-	3	-	-	-	-	-	-	-	-	-	-	1	-	BURY.
MANCHESTER	770,597	16.5	17.7	15.8	17.3	445	255	50	79	2	-	1	2	1	2	4	6	7	12	78	1	MANCHESTER.
SALFORD	235,239	12.4	16.4	17.1	15.3	138	69	13	17	-	-	-	-	-	-	-	-	3	5	21	-	SALFORD.
OLDHAM	143,154	20.5	16.7	20.5	16.4	69	45	9	11	-	-	-	-	-	-	-	1	5	5	10	-	OLDHAM.
ROCHDALE	93,639	15.6	16.2	16.2	16.1	49	29	6	8	-	-	-	1	-	-	-	2	1	2	9	-	ROCHDALE.
BURNLEY	105,030	13.9	16.0	19.1	13.9	54	28	10	6	-	-	-	-	-	2	1	1	-	1	7	-	BURNLEY.
BLACKBURN	131,012	14.1	15.7	17.8	15.9	55	40	3	13	-	-	-	-	-	-	-	-	3	6	10	-	BLACKBURN.
PRESTON	121,950	16.5	16.0	24.0	17.1	65	40	5	12	1	-	-	-	1	-	1	3	-	-	8	4	PRESTON.
BLACKPOOL	70,545	17.7	16.1	16.1	9.6	26	13	-	6	-	-	-	-	-	-	-	-	-	-	3	-	BLACKPOOL.
BARROW IN FURNESS	76,561	14.2	14.9	12.7	10.9	31	16	1	5	-	-	-	-	-	-	-	-	1	1	7	-	BARROW IN FURNESS.
HUDDERSFIELD	116,776	17.2	12.5	18.1	14.3	44	32	4	8	-	-	-	-	-	-	-	-	-	1	9	-	HUDDERSFIELD.
HALIFAX	105,847	12.8	10.8	20.0	23.2	45	47	7	20	-	-	-	-	-	-	-	-	1	3	11	-	HALIFAX.
BRADFORD	293,979	13.6	13.8	16.0	15.4	134	87	11	30	-	-	-	1	-	1	-	4	4	10	23	-	BRADFORD.
LEEDS	449,212	14.8	15.0	18.2	14.7	242	127	21	33	-	-	-	1	-	1	2	1	5	9	38	-	LEEDS.
DEWSBURY	55,080	11.8	16.7	15.8	10.4	24	11	2	3	-	-	-	-	-	-	-	1	-	-	2	-	DEWSBURY.
WAKEFIELD	51,169	18.0	12.7	17.0	11.2	24	11	1	4	-	-	-	-	-	1	1	-	-	-	3	-	WAKEFIELD.
BARNSELY	53,739	12.1	13.1	11.1	15.5	32	16	2	4	-	-	-	-	-	-	-	-	-	2	2	-	BARNSELY.

TOWNS.		ESTIMATED CIVILIAN POPULATION, MID. 1920.* (Provisional).		DEATH-RATES from all Causes.					Week-ended 8th Jan., 1921.		The DEATHS in the Week include																					
				Week ended					BIRTHS.		DEATHS.		Deaths of Infants under 1 Year of Age.		Persons aged 65 Years and upwards.		Deaths from								Inquest Cases.		Deaths in Public Institutions.		Uncertified Causes of Death.		TOWNS	
				18th Dec., 1920.	25th Dec., 1920.	1st Jan., 1921.	8th Jan., 1921.			6.	7.	8.	9.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.	Violence.	18.	19.	20.	21.						
Cols.	1.	2.	3.	4.	5.					10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.										
SHEFFIELD	492,570	16·6	14·6	16·8	13·7	295	129	24	37	-	-	5	1	2	-	-	4	5	3	7	44	-	SHEFFIELD.									
ROTHERHAM	71,785	13·6	15·1	12·1	6·5	29	9	1	2	-	-	-	-	-	-	-	-	-	-	-	5	-	ROTHERHAM.									
YORK	77,501	11·2	9·1	14·7	14·1	50	21	4	6	-	-	1	-	-	-	-	-	-	1	2	5	-	YORK.									
HULL	290,808	15·5	11·4	19·2	16·0	160	89	20	30	-	-	-	-	-	-	-	3	-	2	4	21	2	HULL.									
MIDDLESBROUGH	132,208	20·5	24·2	16·8	20·9	90	53	16	7	-	-	3	-	-	1	-	3	-	3	4	6	1	MIDDLESBROUGH.									
DARLINGTON	66,610	10·6	6·5	13·8	13·3	42	17	2	7	-	-	-	-	-	-	-	1	1	1	1	3	1	DARLINGTON.									
STOCKTON ON TEES	63,114	15·5	12·9	18·9	13·2	40	16	2	2	-	-	-	-	-	-	-	1	-	1	1	4	1	STOCKTON ON TEES.									
WEST HARTLEPOOL	68,126	18·3	11·9	13·5	16·1	40	21	4	8	-	-	-	-	-	-	-	1	-	1	2	2	3	WEST HARTLEPOOL.									
SUNDERLAND	155,211	16·4	20·3	24·8	24·5	108	73	24	24	-	-	-	1	1	-	-	1	2	1	1	13	-	SUNDERLAND.									
SOUTH SHIELDS	115,945	19·2	14·5	23·8	19·8	73	44	9	10	-	-	-	-	2	-	-	3	3	1	1	2	-	SOUTH SHIELDS.									
GATESHEAD	128,309	18·2	12·7	21·1	15·8	70	39	7	11	-	-	-	1	-	-	-	-	-	1	1	1	1	GATESHEAD.									
NEWCASTLE ON TYNE.	286,061	16·1	17·2	16·7	19·9	173	109	24	25	-	-	4	1	2	-	-	-	5	3	7	16	-	NEWCASTLE ON TYNE.									
TYNEMOUTH	60,318	21·6	22·5	18·0	17·3	37	20	6	7	-	-	-	-	-	-	-	-	-	-	1	3	2	TYNEMOUTH.									
CARLISLE	57,397	13·2	9·4	15·1	13·6	29	15	2	5	-	-	-	-	-	-	-	-	1	-	-	7	1	CARLISLE.									
NEWPORT (MON.)	90,728	11·4	16·7	16·1	12·6	36	22	7	3	-	-	-	-	-	1	-	-	-	-	1	5	-	NEWPORT (MON.).									
CARDIFF	212,582	12·2	13·3	14·8	15·7	131	64	18	19	-	-	-	1	-	-	-	2	-	2	4	11	-	CARDIFF.									
RHONDDA	184,999	13·2	17·3	11·7	12·4	117	44	11	6	-	-	-	-	1	1	1	1	3	3	6	4	-	RHONDDA.									
MERTHYR TYDFIL	74,493	21·8	16·7	18·2	14·7	57	21	3	5	-	-	-	-	-	1	-	-	1	-	-	3	-	MERTHYR TYDFIL.									
ABERDARE	53,431	13·2	21·3	16·2	13·7	36	14	2	1	-	-	-	-	-	-	-	-	-	3	3	1	-	ABERDARE.									
SWANSEA	167,218	13·6	16·2	17·5	13·1	79	42	5	12	-	-	-	-	-	-	-	-	-	2	5	13	-	SWANSEA.									
GREATER LONDON	7,548,647	14·5	14·2	15·0	12·0	3728	1735	270	633	1	-	1	10	7	37	28	35	53	127	732	2	2	GREATER LONDON.									
OUTER RING	3,016,676	12·3	12·6	12·8	10·7	1355	618	92	247	1	-	-	2	1	13	11	14	13	34	191	1	1	OUTER RING.									
14 GREAT TOWNS IN OUTER RING.	1,734,723	11·8	12·5	12·8	11·3	809	376	63	149	-	-	-	-	1	7	6	7	8	24	119	-	-	14 GREAT TOWNS IN OUTER RING.									
REMAINDER OF OUTER RING.	1,281,953	12·8	12·6	12·7	9·8	546	242	29	98	1	-	-	2	-	6	5	7	5	10	72	1	1	REMAINDER OF OUTER RING.									
EDINBURGH†	446,200	14·1	17·7	19·3	16·9	227	145	20	54	-	-	2	1	1	-	-	14	7	?	?	?	?	EDINBURGH.†									
GLASGOW†	1,100,400	17·0	15·8	17·6	13·1	646	382	72	78	-	2	1	1	11	3	6	4	16	?	?	?	?	GLASGOW.†									
DUBLIN (Registra- tion Area).†	423,000	20·2	17·7	26·9	17·1	248	139	22	34	2	-	-	-	1	2	3	4	12	10	49	5	5	DUBLIN (Registra- tion Area).†									
BELFAST†	420,000	15·9	17·2	21·0	19·5	244	157	33	43	-	-	-	-	1	3	6	3	10	11	42	2	2	BELFAST.†									

* See note † on first page of this return.

* See note † on first page of this return.
† Total populations relating to the year 1921. Deaths and the death-rates in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths reported from elsewhere in Scotland during the week: those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

TABLE 2. LONDON.—Births and Deaths registered during the FIRST Week of each of the Eleven Years, 1911-1921.

	1911.	1912.	1913.	1914.	1915.	1916.	1917.	1918.	1919	1920.	1921.
Births (as registered).	2246	2324	2675	2317	2320	2107	2234	1658	1571	3018	2373
Males	1103	1196	1405	1191	1190	1082	1127	829	802	1576	1217
Females	1143	1128	1270	1126	1130	1025	1107	829	769	1442	1156
Deaths (of residents only).	1328	1346	1405	1779	1737	1152*	1617*	1737*	1280*	1216*	1117*
Males	688	675	724	876	884	580	791	872	639	628	574
Females	640	671	681	903	853	572	826	865	641	588	543

* Deaths in civilian population only.

TABLE 3. LONDON.—BIRTHS AND DEATHS REGISTERED, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the last THIRTEEN WEEKS.

	Oct. 16.	Oct. 23.	Oct. 30.	Nov. 6.	Nov. 13.	Nov. 20.	Nov. 27.	Dec. 4.	Dec. 11.	Dec. 18.	Dec. 25.	1921. Jan. 1.	Jan. 8.
Births (as registered)	2036	2142	2284	1927	2057	2011	1900	1921	1902	1793	1733	2031	2373
Deaths (of residents only).	815	851	983	982	1244	1138	1178	1091	1078	1335	1279	1382	1117
Under 1 year	124	142	151	127	130	160	142	150	170	213	170	234	178
1-2 years	14	14	11	19	33	19	21	23	21	31	33	45	34
2-5 "	26	17	34	21	24	20	33	20	32	34	23	25	20
5-10 "	24	26	23	24	33	20	22	22	26	28	24	21	31
10-15 "	14	13	13	12	15	22	18	12	9	16	13	11	17
15-20 "	12	18	18	22	26	22	16	16	18	17	17	28	20
20-25 "	17	18	16	18	19	19	28	24	10	17	27	35	19
25-35 "	47	52	56	54	58	51	49	38	54	56	62	65	70
35-45 "	51	70	80	80	107	81	87	83	84	86	89	84	78
45-55 "	98	104	109	110	139	113	149	132	117	147	137	127	105
55-65 "	123	110	142	159	174	168	188	161	152	180	186	216	159
65-75 "	129	124	170	155	243	218	224	190	181	243	246	220	189
75 years and upwards	136	143	160	181	243	225	201	220	204	267	252	271	197
Deaths from—													
Enteric fever	—	—	1	—	—	1	2	—	—	—	1	—	—
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	4	—	1	2	2	2	4	—	3	—	4	—	1
Scarlet fever	2	6	3	3	7	7	7	4	6	11	5	8	8
Whooping cough	4	2	4	2	2	2	3	3	3	7	2	4	6
Diphtheria	14	14	18	25	26	20	21	22	22	25	27	22	24
Diarrhoea and enteritis (under 2 years).	35	36	34	26	29	24	16	13	16	24	17	20	17
Pulmonary tuberculosis . .	73	97	103	100	124	94	119	103	81	95	101	90	84
Influenza	3	8	5	12	14	13	15	13	13	21	14	20	21
Pneumonia (all forms) . .	34	48	60	59	88	111	104	106	116	149	165	171	141
Bronchitis	39	37	58	78	157	138	154	149	118	189	175	165	96
Other dis. of resp. system .	11	4	13	12	27	18	19	18	12	20	14	27	17
Dis. of circ. system . . .	153	161	173	179	229	190	196	177	163	207	209	208	184
Violence	46	40	36	31	43	38	44	34	39	39	42	50	40
Inquest cases	90	84	84	85	98	87	108	95	92	124	122	117	93

CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.

Enteric fever	16	20	19	21	14	16	18	21	18	19	18	18	20
Small-pox	—	—	—	—	—	—	—	—	—	—	—	1	1
Measles	27	22	24	24	21	15	13	14	17	15	19	18	15
Scarlet fever	4534	4859	5167	5373	5512	5610	5575	5438	5297	4994	4780	4817	4608
Whooping cough	26	27	28	25	26	25	25	24	25	27	22	17	20
Diphtheria	1975	2113	2301	2353	2474	2563	2626	2655	2654	2654	2547	2642	2588

* The Metropolitan Asylums Board and London Fever Hospitals. The figures do not refer to London exclusively.

TABLE 3A. 96 Great Towns.—DEATHS from INFLUENZA in the last THIRTEEN WEEKS.

	Oct. 16.	Oct. 23.	Oct. 30.	Nov. 6.	Nov. 13.	Nov. 20.	Nov. 27.	Dec. 4.	Dec. 11.	Dec. 18.	Dec. 25.	1921. Jan. 1.	Jan. 8.
Deaths from Influenza	34	30	35	29	42	60	69	65	61	75	81	89	101

TABLE 4. LONDON.—DEATHS REGISTERED in the FIRST Week of the Year 1921.

CAUSES OF DEATH.	Deaths in the 1st week of the year 1920.	DEATHS of PERSONS of the AGES													
		ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-10 years.	10-15 years.	15-20 years.	20-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and up- wards.
ALL CAUSES	1216	1117	178	34	20	31	17	20	19	70	78	105	159	189	197
Enteric fever	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	14	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever	4	8	-	1	1	5	1	-	-	-	-	-	-	-	-
Whooping cough	13	6	3	3	-	-	-	-	-	-	-	-	-	-	-
Diphtheria	31	24	3	3	6	10	2	-	-	-	-	-	-	-	-
Croup	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza	16	21	1	1	-	-	1	1	-	2	4	4	1	5	1
Erysipelas	5	4	1	-	-	-	-	-	-	-	1	-	-	1	1
Other epidemic diseases	3	2	-	-	-	-	-	-	-	-	-	-	1	1	-
Pyæmia and septicæmia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis :—															
Pulmonary tuberculosis	86	84	-	-	1	-	-	7	9	21	19	15	7	4	1
Tuberculous meningitis	6	12	2	4	2	1	2	-	-	-	-	-	1	-	-
Abdominal tuberculosis	1	2	1	-	-	-	1	-	-	-	-	-	-	-	-
Tuberculosis of the spine	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of the joints	-	2	-	-	-	-	-	1	-	-	1	-	-	-	-
Tuberculosis of other organs	3	1	-	-	-	-	-	-	1	-	-	-	-	-	-
Disseminated tuberculosis	-	4	-	-	-	-	1	1	-	-	1	-	-	1	-
Venereal diseases	9	3	1	1	-	-	-	-	-	-	-	1	-	-	-
Cancer	100	102	1	-	-	-	-	-	-	1	6	13	33	34	14
Tumour, situation undefined	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic fever	6	7	-	-	-	3	1	1	1	1	-	-	-	-	-
Diabetes	5	6	-	-	-	-	1	-	-	2	1	1	1	-	-
Anæmia, leucocythæmia	3	6	-	-	-	-	-	-	-	1	2	1	2	-	-
Other general diseases	6	8	-	1	-	-	-	1	-	-	-	-	2	3	1
Alcoholism	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic poisonings	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	4	8	2	-	-	2	-	-	-	1	1	-	1	-	1
Cerebral hæmorrhage, Apoplexy	64	34	-	-	-	-	-	-	-	-	-	7	5	11	11
Softening of brain	3	2	-	-	-	-	-	-	-	-	-	-	1	1	-
Paralysis, without specified cause	3	6	-	-	-	-	-	-	-	-	1	-	-	2	3
Epilepsy	8	6	-	-	-	-	1	2	-	2	1	-	-	-	-
"Convulsions" (not puerperal)	11	3	3	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system	24	21	-	-	-	1	-	-	1	3	4	3	5	2	2
Pericarditis	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute endocarditis	4	5	-	-	-	-	1	-	-	-	1	1	1	1	-
Organic disease of heart	147	128	-	-	1	1	1	1	3	9	4	15	28	29	36
Embolism and thrombosis (including cerebral).	9	4	-	-	-	-	-	-	-	-	-	-	1	-	3
Other diseases of circulatory system.	45	47	-	-	-	-	-	-	-	2	2	-	6	12	25
Diseases of the larynx	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis	124	96	13	4	1	-	-	-	-	-	1	5	12	23	37
Broncho-pneumonia	61	88	42	9	1	-	-	-	1	3	2	8	5	11	6
Lobar pneumonia	25	34	2	3	3	1	-	1	1	3	7	4	6	2	1
Pneumonia (type not distinguished)	22	19	5	-	-	1	1	2	-	1	2	2	3	2	-
Pleurisy	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Pulmonary congestion, Pulmonary apoplexy.	2	4	1	-	-	-	-	-	-	-	1	-	-	1	1
Other diseases of respiratory system.	12	12	-	-	-	1	-	-	-	1	2	1	4	3	-

TABLE 4 (*cont.*) LONDON.—DEATHS REGISTERED in the FIRST Week
of the Year 1921.

CAUSES OF DEATH.	Deaths in the 1st week of the year 1920.	DEATHS OF PERSONS OF THE AGES													
		ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-10 years.	10-15 years.	15-20 years.	20-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and up- wards.
Diseases of the pharynx, Tonsillitis	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of stomach	11	14	1	-	-	-	1	-	-	-	-	1	4	5	2
Diarrhoea and enteritis	28	22	16	1	-	-	-	-	-	1	1	1	-	2	1
Appendicitis and typhlitis	4	7	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia and Intestinal obstruction.	14	9	2	-	-	-	-	-	-	1	1	1	-	2	2
Cirrhosis of liver	7	4	-	-	-	-	-	-	-	-	-	1	1	2	-
Other diseases of liver	6	2	-	-	-	-	-	-	-	-	-	-	2	-	-
Peritonitis (cause unknown)	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of digestive system	5	3	-	-	-	-	-	-	-	1	-	1	1	-	-
Acute nephritis	6	2	-	-	-	-	-	-	-	-	-	1	1	-	-
Chronic Bright's disease	34	28	-	-	-	-	-	-	-	1	1	5	9	7	5
Urinary calculi	-	2	-	-	-	-	-	-	-	1	-	1	-	-	-
Uterine tumour (non-cancerous)	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-
Ovarian tumour (")	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of genito-urinary system.	12	11	-	-	-	-	-	-	-	-	1	1	3	4	2
Puerperal fever, &c.	6	2	-	-	-	-	-	-	-	2	-	-	-	-	-
Other causes incident to child-birth.	7	5	-	-	-	-	-	-	-	4	1	-	-	-	-
Diseases of skin and cellular tissues.	13	17	3	2	-	-	-	-	-	1	3	-	4	1	3
Diseases of locomotor system	-	5	1	-	1	-	-	1	-	-	1	1	-	-	-
Congenital malformations	11	9	9	-	-	-	-	-	-	-	-	-	-	-	-
Premature birth	34	27	27	-	-	-	-	-	-	-	-	-	-	-	-
Debility, atrophy marasmus (Infants).	25	17	17	-	-	-	-	-	-	-	-	-	-	-	-
Old age	53	47	-	-	-	-	-	-	-	-	-	-	-	11	36
ACCIDENT.															
Poisons or poisonous vapours.	-	3	-	-	-	-	-	-	1	-	1	-	-	1	-
Conflagration	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Burns and scalds	4	2	-	-	-	-	-	-	-	1	-	-	-	1	-
Drowning	-	4	-	-	-	-	-	-	-	-	1	2	-	1	-
Suffocation in bed	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Other deaths by accident	22	15	-	-	2	2	-	1	-	2	-	2	3	2	1
Total deaths from accident	29	25	1	-	2	2	-	1	1	3	2	4	3	5	1
Included in above are deaths in connection with:—															
Railways	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	8	10	-	-	2	2	-	1	-	1	-	-	2	2	-
Ships, boats, docks	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Building operations	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIOLENCE OTHER THAN ACCIDENTAL.															
Homicide	-	2	1	-	-	-	-	-	-	-	1	-	-	-	-
Suicide	4	13	-	-	-	-	-	-	1	-	1	5	4	1	1
Execution	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other specified diseases	14	21	18	1	1	-	-	-	-	1	-	-	-	-	-
Ill-defined Causes	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-

TABLE 5.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS. of Stillborn.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM							
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria and Croup.*	Diarrhoeal Diseases† (under 2 years).	Influenza.
LONDON† . .	4,531,971	1921. Jan. 8	2,373	1,117	12·9	-	-	1	8	6	24	17	21
CALCUTTA . .	896,067	1920. Nov. 27	-	763§	44·1	?	-	?	?	?	?	?	29
BOMBAY . .	979,445	„ 27	440	808	42·9	1	-	1	-	-	-	31	14
MADRAS . .	518,660	„ 27	465	521	52·2	1	-	1	-	2	-	51	8
PARIS . .	2,847,229	{ (10 days) Nov. 20 }	1,387	1,211	?	3	-	-	-	-	6	32	2
BRUSSELS . .	792,919	- - -	-	-	-	-	-	-	-	-	-	-	-
ANTWERP . .	333,593	Dec. 25	113	67	10·8	-	-	2	-	-	-	2	1
AMSTERDAM . .	654,179	„ 25	269	160	12·8	-	-	7	1	-	2	2	2
COPENHAGEN . .	571,000	„ 25	171	102	9·3	-	-	1	1	-	1	-	-
STOCKHOLM . .	415,201	„ 18	132	80	10·0	-	-	-	-	-	-	-	-
GÖTTENBURG . .	200,578	„ 11	-	-	-	-	-	-	-	-	-	-	-
CHRISTIANIA . .	260,904	„ 25	91	54	10·8	-	-	-	-	-	-	-	1
BERLIN . .	1,904,590	„ 11	533	509	13·9	-	?	1	3	1	2	14	4
BRESLAU . .	531,347	„ 11	259	188	18·4	2	?	-	2	-	3	4	3
COLOGNE . .	642,899	„ 11	266	193	15·6	-	?	11	-	3	2	2	?
DRESDEN . .	537,127	„ 11	212	144	13·9	-	?	-	-	-	1	1	?
HAMBOURG . .	435,103	„ 11	162	79	9·4	-	?	-	-	-	-	2	?
FRANKFURT- ON-MAIN. . .	1,002,933	„ 11	321	244	12·7	-	?	-	1	2	-	5	?
PRAGUE . .	610,686	„ 11	194	161	13·7	-	?	-	1	-	1	3	?
MUNICH . .	647,030	„ 11	230	177	14·2	-	?	1	-	-	8	6	?
VIENNA . .	1,842,005	„ 25	527	512	14·5	1	-	1	-	-	2	14	-
BUDAPEST . .	535,475	„ 4	127	142	13·8	-	-	-	-	-	1	5	-
TRIESTE . .	1,071,492	Oct. 2	321	322	15·6	4	-	26	7	-	2	18	-
CAIRO . .	761,300	Dec. 11	-	-	-	-	-	-	-	-	-	-	-
ALEXANDRIA . .	445,700	Nov. 4	596	365	24·9	3	-	1	-	?	7	34	?
NEW YORK . .	6,141,445	„ 4	368	207	24·2	-	-	-	-	?	1	19	?
CHICAGO . .	2,727,504	Dec. 11	2,302	1,144	9·7	5	-	2	13	1	18	16	9
		„ 18	-	-	-	-	-	-	-	-	-	-	-

Excluding deaths from croup in Bombay and Madras.
The deaths in this column relate to *all ages* for Bombay, Madras, Christiania, and Budapest, and to *children under 1 year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.
The estimated population and deaths refer to the civilian population only.
Including from *Asiatic cholera* 54 deaths in Calcutta.

TABLE 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 8th January, 1921.

(Supplied by the Meteorological Office.)

TOWNS.	Temperature of Air.*				Rainfall in Milli- metres.†	TOWNS.	Temperature of Air.*				Rainfall in Milli- metres.†
	Highest.	Lowest.	Mean Maxi- mum.	Mean Mini- mum.			Highest.	Lowest.	Mean Maxi- mum.	Mean Mini- mum.	
LONDON (Greenwich) }	54	37	51·9	44·7	15	BRADFORD . .	53	36	49·1	39·4	15
BRIGHTON . .	51	37	49·7	45·7	17	SHEFFIELD . .	53	37	49·1	42·3	6
PORTSMOUTH . .	53	36	51·3	45·0	25	YORK (Museum) . .	54	34	48·7	40·7	4
NORWICH (Eaton) . .	54	37	51·3	42·7	14	HULL (Pearson Park)	54	35	51·4	40·7	5
PLYMOUTH . .	53	38	52·0	45·6	22	TYNEMOUTH . .	55	36	51·0	39·0	17
BRISTOL (Clifton) . .	53	36	49·6	42·6	18	CARDIFF . .	53	35	50·3	43·3	30
BIRMINGHAM . .	52	34	48·4	41·6	11	EDINBURGH . .	54·0	35·0	48·6	37·7	10
NOTTINGHAM . .	54	33	50·3	40·7	8	GLASGOW . .	52·8	35·3	47·9	39·5	36
BIRKENHEAD (Bidston) }	55	36	51·9	42·0	13	DUBLIN :—					
MANCHESTER . .	54	36	49·9	42·6	11	Phoenix Park . .	55·3	32·0	52·4	37·6	15
BURNLEY . .	52	35	48·9	39·7	29	†Fitzwilliam Square	56·4	37·4	52·8	41·4	11
HUDDERSFIELD . .	54	36	48·4	41·7	13	BELFAST . .	57·0	31·5	52·1	39·7	25

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.

† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.

‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

TABLE 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 8th January 1921.

[Under the Superintendence of the Astronomer Royal.]

1921. MONTH AND DAY.		Phases of the Moon.	BARO- METER. Mean daily reading (cor- rected and re- duced to 32° Fahren- heit).	TEMPERATURE.					Difference between the Air Temperature and Dew Point Temperature.				De- gree of Hu- mid- ity (Satu- ration equals 100).	TEMPERATURE.		Wind as deduced from Anemometers.					Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
				Of the Air.				Of the Dew point.	Of Radiation.		Of the Earth 4 feet below the Surface.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
				High- est.	Low- est.	Daily Range.	Mean daily value.	De- parture from Average of 65 years.	Mean daily value.	Great- est.		Least.		Highest in Sun's Rays.	Lowest on the Grass.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
				General Direction.		Pressure on the Square Foot.		Robinson's.		Horizontal Movement of the Air on each Day.		Depart- ture from Average of 50 years.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
A.M.		P.M.		Great- est.	Least.	Mean of 24 hourly obs.	Miles.		Miles.		in.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
				°	°	°	°	°	°	°		°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°

DATE.		ELECTRICITY. (For explanation of symbols, see Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
JANUARY, 1921.					
SUNDAY	2	w.P. throughout	0·1	7·9	Overcast with few exceptions; partially cloudy interval 17h. to 18h. 30m.; occasional showers or damping 9h. to 15h. 30m. and 19h. 30m. to 22h. 30m.; brisk wind 4h. to 8h. Nearly overcast generally; few cloudy intervals before 4h. and between 10h. and 13h., with hazy sky; thin rain about 22h.
MONDAY	3	w.P. throughout	1·5	7·9	Overcast throughout; brisk wind generally 3h. to 15h.; rain or damping 18h. 30m. to 23h.
TUESDAY	4	w.P. throughout	0·0	7·9	Overcast generally; cloudless 18h. to 19h. and clearing up after 23h.; damping 2h.; gloom in forenoon.
WEDNESDAY	5	w.P. throughout	0·0	7·9	Cloudless till 2h., becoming overcast by 2h. 30m.; rain or damping generally from 19h. 30m.
THURSDAY	6	w.P. throughout	0·0	8·0	Overcast generally till 19h. 30m., with cloudy interval between 3h. and 6h.; few clouds after 20h. 30m.; damping 7h.; rain 8h. to 16h.
FRIDAY	7	w.P. throughout	0·0	8·0	Cloudless till 1h.; overcast by 1h. 30m.; cloudless by 6h. 30m., with haze and hoar frost, becoming overcast generally by 14h.; partial solar halo 13h.; damping from 20h.; brisk wind from 21h.
SATURDAY	8	w.P. throughout	0·7	8·0	
No. of Col.		26	Sum 2·3	Sum 55·6	
			27	28	

The results apply to the civil day, or from midnight to midnight. The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "higher," and - "lower," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·71 in. at the beginning of the week to 29·53 in. by noon on 2nd; increased to 30·05 in. by 11h. on 3rd; decreased to 29·60 in. by 1h. on 5th; increased to 29·97 in. by 23h. on the same day; decreased to 29·69 in. by 15h. on 7th; increased to 29·87 in. by 10h. on 8th, and decreased to 29·72 in. by midnight on the same day.

TABLE 8. LONDON.—DEATHS of PERSONS BELONGING to the several METROPOLITAN BOROUGHs REGISTERED in the Week ended 1st January, 1921.

BOROUGHs.	Deaths from									Deaths of Infants under 1 Year of Age.
	ALL CAUSES.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Pulmonary Tuberculosis.	
COUNTY OF LONDON .	1,382	-	-	-	8	4	22	20	90	234
Western										
PADDINGTON . . .	41	-	-	-	-	-	3	-	-	10
KENSINGTON . . .	64	-	-	-	-	1	1	-	2	10
HAMMERSMITH . . .	32	-	-	-	1	1	-	1	3	5
FULHAM	60	-	-	-	-	-	1	2	4	7
CHELSEA	21	-	-	-	-	-	-	-	2	2
CITY OF WESTMINSTER .	40	-	-	-	-	-	-	2	7	6
Northern.										
ST. MARYLEBONE . . .	26	-	-	-	-	-	-	-	2	2
HAMPSTEAD	20	-	-	-	1	-	-	-	2	2
ST. PANCRAS	77	-	-	-	-	-	1	1	3	12
ISLINGTON	104	-	-	-	-	-	4	3	2	26
STOKE NEWINGTON . . .	14	-	-	-	-	1	2	-	1	1
HACKNEY	67	-	-	-	-	-	-	1	5	10
Central.										
HOLBORN	10	-	-	-	1	-	-	-	2	1
FINSBURY	29	-	-	-	-	-	1	-	3	3
CITY OF LONDON . . .	4	-	-	-	-	-	-	-	-	-
Eastern.										
SHOREDITCH	35	-	-	-	1	-	-	-	4	10
BETHNAL GREEN	39	-	-	-	-	-	-	1	6	14
STEPNEY	87	-	-	-	1	-	1	1	5	14
POPLAR	49	-	-	-	-	-	1	-	1	7
Southern.										
SOUTHWARK	72	-	-	-	-	-	3	-	3	16
BERMONDSEY	44	-	-	-	-	-	-	2	1	9
LAMBETH	94	-	-	-	1	-	2	1	3	11
BATTERSEA	49	-	-	-	-	-	-	-	4	10
WANDSWORTH	91	-	-	-	-	-	-	1	8	11
CAMBERWELL	71	-	-	-	-	-	1	3	7	12
DEPTFORD	31	-	-	-	-	-	-	1	3	6
GREENWICH	19	-	-	-	-	-	-	-	3	5
LEWISHAM	55	-	-	-	1	-	1	-	1	4
WOOLWICH	37	-	-	-	1	1	-	-	3	8

The deaths in the above Table are, so far as concerns London as a whole, corrected by the exclusion of deaths of non-residents, and by the inclusion of those of residents occurring in the Outer Ring or in Metropolitan public institutions situated outside the County. As between individual Metropolitan Boroughs, however, correction is complete.

TABLE 9. LONDON.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED during the Week ended 1st January, 1921.*

BOROUGH.	ESTI- MATED CIVILIAN POPU- LATION, MID. 1920.† (Provi- sional.)	Enteric Fever.	Malaria.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Pneumonia.	Erysipelas.	Cerebro-Spinal Fever.	Puerperal Fever.	Ophthalmia Neonatorum.	Poliomylitis.	Dysentery.	Encephalitis Lethargica.	Anthrax.	Polio- encephalitis.
WESTERN.																	
Paddington . . .	149,673	-	-	-	-	16	9	2	1	-	2	-	-	-	-	-	-
Kensington . . .	164,177	2	-	-	-	21	6	1	1	-	-	-	-	-	-	-	-
Hammersmith . . .	136,200	-	1	-	-	34	10	3	4	-	-	1	-	1	-	-	-
Fulham . . .	158,621	1	-	-	-	28	9	11	3	-	1	-	-	-	-	-	-
Chelsea . . .	62,987	-	-	-	-	4	2	-	-	-	1	1	-	-	-	-	-
City of Westminster . . .	132,615	-	-	-	-	4	16	2	1	-	1	2	-	-	1	-	-
NORTHERN.																	
St. Marylebone . . .	101,856	-	-	-	-	10	2	-	3	-	-	-	-	-	-	-	-
Hampstead . . .	91,519	1	1	-	1	14	9	-	-	-	-	1	-	-	-	-	-
St. Pancras . . .	228,178	1	1	-	-	27	15	8	1	1	-	2	-	-	-	-	-
Islington . . .	335,907	-	-	-	-	49	53	-	1	-	-	-	-	-	-	-	-
Stoke Newington . . .	52,984	-	-	-	-	13	3	-	1	-	-	-	-	-	-	-	-
Hackney . . .	225,372	-	-	-	-	27	18	2	3	1	1	-	-	-	-	-	-
CENTRAL.																	
Holborn . . .	39,676	-	-	-	-	1	3	2	-	-	-	-	-	-	-	-	-
Finsbury . . .	78,291	-	-	-	-	17	4	-	1	-	-	-	-	-	-	-	-
City of London . . .	14,447	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
EASTERN.																	
Shoreditch . . .	102,044	1	-	-	-	11	10	4	1	1	-	4	-	-	-	-	-
Bethnal Green . . .	114,471	-	-	-	-	16	11	4	4	-	-	-	-	-	-	-	-
Stepney . . .	241,770	-	-	-	-	57	22	13	4	-	-	-	-	-	1	-	-
Poplar . . .	159,766	-	-	-	-	31	19	3	1	-	1	1	-	-	-	-	-
SOUTHERN.																	
Southwark . . .	187,142	-	-	-	-	15	9	8	6	-	-	-	-	-	-	-	-
Bermondsey . . .	129,189	-	-	-	-	29	8	-	1	-	1	-	-	-	-	-	-
Lambeth . . .	293,572	3	1	-	-	29	9	7	8	-	4	4	-	-	1	-	-
Battersea . . .	165,664	-	-	-	-	16	10	11	1	-	-	1	-	-	-	-	-
Wandsworth . . .	346,990	-	-	-	-	40	19	15	1	-	1	1	-	-	2	-	-
Camberwell . . .	284,712	2	-	-	-	41	18	-	4	-	-	1	-	-	1	-	-
Deptford . . .	115,636	-	-	-	-	30	10	1	2	-	-	-	-	-	1	-	-
Greenwich . . .	102,408	-	-	-	-	14	17	5	-	-	-	2	-	-	-	-	-
Lewisham . . .	174,438	-	-	-	-	20	15	2	2	-	2	-	-	-	-	-	-
Woolwich . . .	141,666	-	-	-	-	27	11	4	-	-	-	1	-	-	-	-	-
Port of London . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL . . .	4,531,971	11	4	-	1	641	349	108	55	3	14	22	-	1	7	-	-
AGES.																	
Ages 0-1 . . .	-	-	-	-	-	6	15	10	3	1	-	22	-	-	-	-	-
" 1-5 . . .	-	-	-	-	-	125	82	25	2	2	-	-	-	-	-	-	-
" 5- . . .	-	2	-	-	-	291	123	5	1	-	-	-	-	-	-	-	-
" 10- . . .	-	1	-	-	-	133	61	3	-	-	-	-	-	-	1	-	-
" 15- . . .	-	1	-	-	-	48	21	7	4	-	-	-	-	-	2	-	-
" 20- . . .	-	4	2	-	-	13	16	7	1	-	1	-	-	1	1	-	-
" 25- . . .	-	3	-	-	-	16	17	16	2	-	10	-	-	-	1	-	-
" 35- . . .	-	-	2	-	-	8	12	15	13	-	2	-	-	-	2	-	-
" 45- . . .	-	-	-	-	1	1	2	6	6	-	1	-	-	-	-	-	-
" 55- . . .	-	-	-	-	-	-	-	9	9	-	-	-	-	-	-	-	-
" 65- . . .	-	-	-	-	-	-	-	3	12	-	-	-	-	-	-	-	-
" 75 and upwards . . .	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-
Age not stated . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

† See note † on first page of this return.

LONDON:
PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S
STATIONERY OFFICE.

BY EYRE AND SPOTTISWOODE, LIMITED,
PRINTERS TO THE KING'S MOST EXCELLENT MAJESTY.

1921.

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS AND DEATHS REGISTERED:—

LONDON AND

NINETY-FIVE OTHER GREAT TOWNS.

~~~~~  
**By Authority of the Registrar General,**  
~~~~~

Printed under the Superintendence of His Majesty's Stationery Office

AND TO BE PURCHASED FROM H.M. STATIONERY OFFICE,
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C.; 37, PETER STREET, MANCHESTER;
AND 1, ST. ANDREW'S CRESCENT, CARDIFF.

No. 2. Vol. LXXXII. **1921.** WEEK ENDED SATURDAY, JAN. 15.
[Price 1½d. Net.]

*General Register Office, Somerset House,
January 18th, 1921.*

NINETY-SIX GREAT TOWNS.

For the NINETY-SIX GREAT TOWNS of England and Wales each of which had a population of 50,000 or over at the Census of 1911, the births registered last week numbered 8,534, and corresponded to an annual rate of 23·9 per 1,000. The deaths* among the civilian population only numbered 4,556, and corresponded to an annual rate of 12·8 per 1,000 of their aggregate civilian population, which is provisionally estimated† at 18,554,878 persons in the year 1920. In the three weeks ended December 25th, January 1st, and January 8th, the rates had been 15·1, 16·6, and 14·0 respectively. The infant mortality was 100, against 113, 122, and 86 in the preceding three weeks. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks; it also shows for the week ended last Saturday the births and the deaths from certain individual causes. A column showing the number of deaths from influenza has been inserted in Table 1. The aggregate number of deaths from influenza in the 96 great towns in each of the last thirteen weeks is shown in Table 3A.

* Corrected as far as possible for deaths of non-residents and for those of residents occurring outside the area. Fully corrected figures will appear in the Registrar General's Annual Report.

† The estimates of population refer to the year 1920, and are based on the returns furnished under the scheme for rationing of food.

Measured by last week's mortality, the highest annual death-rates per 1,000 living were:—from *all causes*, 19·3 in Middlesbrough, 19·9 in Dewsbury, 20·0 in Oldham, 21·7 in Merthyr Tydfil, 23·9 in Sunderland, and 24·2 in Tynemouth; and from *whooping cough*, 2·0 in Warrington. One death from *small-pox* was registered in Bristol, but none in any other of the ninety-six towns.

LONDON.* (The Administrative County, including the City of London.)

For LONDON there were 2,059 BIRTHS, corresponding to a rate of 23·6 per 1,000, and 1,099 DEATHS of civilians, corresponding to a rate of 12·6, as against 15·3, 16·5, and 12·9 per 1,000 in the three weeks ended December 25th, January 1st, and January 8th. The death-rate in the four weeks ended last Saturday averaged 14·3 per 1,000. The infant mortality was 90, against 98, 115, and 75 in the preceding three weeks.

There was one death from *enteric fever*, against 1, 0, and 0 in the preceding three weeks, the average for the corresponding weeks of the previous five years being 2. The deaths from *measles*, which had been 4, 0, and 1 in the preceding three weeks, rose last week to 3, but were 21 below the average. The deaths from *scarlet fever*, which had been 5, 8, and 8 in the preceding three weeks, fell last week to 2, and were 3 below the average. The deaths from *whooping-cough*, which had been 2, 4, and 6 in the preceding three weeks, fell last week to 2, and were 16 below the average. The deaths from *diphtheria*, which had been 27, 22, and 24 in the preceding three weeks, were 23 last week, and were 4 above the average; 5 deaths belonged to the Borough of Islington and 3 to Hackney. The deaths from *diarrhoea and enteritis under 2 years of age*, which had been 17, 20, and 17 in the preceding three weeks, rose last week to 20, the average being 21; 4 deaths belonged to Stepney, and 4 to Southwark. The deaths from *influenza* numbered 16, as against 14, 20, and 21 in the preceding three weeks and an average of 35.

Different forms of violence caused 34 deaths, all of which were the subject of coroners' inquests. Of these 34 deaths, 12 were cases of suicide, while the remaining 22 were attributed to other forms of violence. Six of these latter were referred to vehicles in the streets, 1 to burns or scalds, and 3 to drowning.

CASES OF INFECTIOUS DISEASE.†

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital, there were 17 cases of enteric fever, 1 case of small-pox, 13 of measles, 4,413 of scarlet fever, 20 of whooping-cough, and 2,597 of diphtheria under treatment in these hospitals on Saturday last (Table 3). The admissions during

* See note * on first page.

† The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

the week, as compared with those in the preceding three weeks, were as follows:—Of enteric fever, 1 case, against 0, 4, and 8; of small-pox, 0 case, against 0, 1, and 0; of measles, 3 cases, against 10, 3, and 2; of scarlet fever, 452 cases, against 505, 619, and 482; of whooping-cough, 2 cases, against 1, 2, and 3; and of diphtheria, 299 cases, against 291, 323, and 320. Table 9, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the county during the week ended January 8th, 1921.

TOWNS.		DEATH-RATES from all Causes.				Week ended		The DEATHS in the Week include															
		Week ended				15th Jan., 1921.		Deaths of		Deaths from									Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS	
		Week ended				15th Jan., 1921.																	
		25th Dec., 1920.	1st Jan., 1921.	8th Jan., 1921.	15th Jan., 1921.	BIRTHS.	DEATHS.	8.	9.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.	Violence.	18.	19.	20.	21.	Cols.
	1.	2.	3.	4.	5.	6.	7.																
		14·6	16·8	13·7	10·5	223	99	23	16	-	-	-	1	1	2	2	2	2	5	28	-	-	SHEFFIELD.
		15·1	12·1	6·5	6·5	30	9	1	4	-	-	-	-	-	1	-	-	1	1	4	-	-	ROTHERHAM.
		9·1	14·7	14·1	15·5	22	23	5	7	-	-	-	1	-	1	1	-	-	2	2	-	-	YORK.
		11·4	19·2	16·0	12·9	130	72	20	17	-	-	-	-	-	2	-	-	2	10	18	-	-	HULL.
		24·2	16·8	20·9	19·3	78	49	15	11	-	-	-	-	-	2	1	-	1	2	4	1	1	MIDDLESBROUGH.
		6·5	13·8	13·3	3·6	32	11	1	6	-	-	-	-	-	-	1	-	-	-	2	-	-	DARLINGTON.
		12·9	18·9	13·2	17·3	37	21	4	10	-	-	-	-	-	-	1	-	1	1	3	-	-	STOCKTON ON TEES.
		11·9	13·5	16·1	15·3	52	20	3	7	-	-	-	-	-	1	1	1	1	1	4	1	1	WEST HARTLEPOOL.
		20·3	24·8	24·5	23·9	87	71	20	18	-	-	-	-	-	-	2	2	-	2	14	-	-	SUNDERLAND.
		14·5	23·8	19·8	16·2	71	36	5	11	-	-	-	1	-	1	3	1	1	1	7	1	1	SOUTH SHIELDS.
		12·7	21·1	15·8	17·9	73	44	9	5	-	-	-	-	-	-	-	-	1	1	8	-	-	GATESHEAD.
		17·2	16·7	19·9	16·6	145	91	20	27	-	-	4	-	-	-	1	3	1	2	18	-	-	NEWCASTLE ON TYNE.
		22·5	18·0	17·3	24·2	35	28	4	7	-	-	-	-	-	-	2	-	-	-	4	-	-	TYNEMOUTH.
		9·4	15·1	13·6	11·8	27	13	5	5	-	-	-	-	-	-	2	2	-	-	1	-	-	CARLISLE.
		16·7	16·1	12·6	12·1	52	21	3	5	-	-	-	1	1	-	-	-	1	2	8	-	-	NEWPORT (MON.).
		13·3	14·8	15·7	11·0	104	45	13	15	-	-	-	-	-	-	-	1	2	4	9	-	-	CARDIFF.
		17·3	11·7	12·4	9·9	103	35	9	4	-	-	-	1	-	-	1	1	1	1	3	-	-	RHONDDA.
		16·7	18·2	14·7	21·7	37	31	5	11	-	-	-	1	-	1	-	1	1	1	6	1	1	MERTHYR TYDFIL.
		21·3	16·2	13·7	6·8	23	7	2	2	-	-	-	-	1	-	-	-	-	-	-	-	-	ABERDARE.
		16·2	17·5	13·1	10·6	79	34	9	6	-	-	-	-	2	1	2	-	-	-	5	-	-	SWANSEA.
		14·2	15·0	12·0	11·7	3319	1693	268	569	1	-	5	2	5	36	31	31	57	149	737	-	-	GREATER LONDON.
		12·6	12·8	10·7	10·4	1260	599	82	221	-	-	2	-	3	13	11	15	23	50	203	-	-	OUTER RING.
		12·5	12·8	11·3	10·4	766	347	48	114	-	-	2	-	1	8	9	10	13	29	130	-	-	14 GREAT TOWNS IN OUTER RING.
		12·6	12·7	9·8	10·3	494	252	34	107	-	-	-	-	2	5	2	5	10	21	73	-	-	REMAINDER OF OUTER RING.
		17·7	19·3	16·9	15·5	142	133	22	42	-	-	3	1	-	1	1	7	4	?	?	?	?	EDINBURGH.†
		15·8	17·6	13·1	15·6	587	329	73	88	-	1	1	1	4	5	11	3	9	?	?	?	?	GLASGOW.†
		17·7	26·9	17·1	17·9	209	145	27	45	-	-	-	-	-	-	4	3	5	4	59	4	4	DUBLIN (Registration Area).†
		17·2	21·0	19·5	18·1	243	146	30	38	-	-	-	-	2	-	-	-	2	5	42	6	6	BELFAST.†

* See note † on first page of this return.

† The populations are total populations and relate to 1921. Deaths and the death-rates in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

TABLE 2. LONDON.—Births and Deaths registered during the SECOND Week of each of the Eleven Years, 1911-1921.

	1911.	1912.	1913.	1914.	1915.	1916.	1917.	1918.	1919.	1920.	1921.
Births (as registered).	2355	2246	2289	2097	2284	1838	1720	1491	1508	2962	2059
Males	1174	1194	1174	1085	1129	914	878	742	738	1487	1037
Females	1181	1052	1115	1012	1155	924	842	749	770	1475	1022
Deaths (of residents only).	1437	1259	1329	1469	1701	1159*	1457*	1804*	1219*	1218*	1099*
Males	697	654	690	760	879	596	729	916	605	613	559
Females	740	605	639	709	822	563	728	888	614	605	540

* Deaths in civilian population only.

TABLE 3. LONDON.—BIRTHS and DEATHS REGISTERED, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the last THIRTEEN WEEKS.

	Oct. 23.	Oct. 30.	Nov. 6.	Nov. 13.	Nov. 20.	Nov. 27.	Dec. 4.	Dec. 11.	Dec. 18.	Dec. 25.	1921. Jan. 1.	Jan. 8.	Jan. 15.
Births (as registered) . . .	2142	2284	1927	2057	2011	1900	1921	1902	1793	1733	2031	2373	2059
Deaths (of residents only).	851	983	982	1244	1138	1178	1091	1078	1335	1279	1382	1117	1099
Ages { Under 1 year	142	151	127	130	160	142	150	170	213	170	234	178	186
1-2 years	14	11	19	33	19	21	23	21	31	33	45	34	28
2-5 "	17	34	21	24	20	33	20	32	34	23	25	20	26
5-10 "	26	23	24	33	20	22	22	26	28	24	21	31	30
10-15 "	13	13	12	15	22	18	12	9	16	13	11	17	17
15-20 "	18	18	22	26	22	16	16	18	17	17	28	20	29
at { 20-25 "	18	16	18	19	19	28	24	10	17	27	35	19	24
25-35 "	52	56	54	58	51	49	38	54	56	62	65	70	62
Death { 35-45 "	70	80	80	107	81	87	83	84	86	89	84	78	77
45-55 "	104	109	110	139	113	149	132	117	147	137	127	105	117
55-65 "	110	142	159	174	168	188	161	152	180	186	216	159	155
65-75 "	124	170	155	243	218	224	190	181	243	246	220	189	165
{ 75 years and upwards	143	160	181	243	225	201	220	204	267	252	271	197	183
Deaths from—													
Enteric fever	-	1	-	-	1	2	-	-	-	1	-	-	1
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	-	1	2	2	2	4	-	3	-	4	-	1	3
Scarlet fever	6	3	3	7	7	7	4	6	11	5	8	8	2
Whooping cough	2	4	2	2	2	3	3	3	7	2	4	6	2
Diphtheria	14	18	25	26	20	21	22	22	25	27	22	24	23
Diarrhoea and enteritis (under 2 years).	36	34	26	29	24	16	13	16	24	17	20	17	20
Pulmonary tuberculosis . . .	97	103	100	124	94	119	103	81	95	101	90	84	99
Influenza	8	5	12	14	13	15	13	13	21	14	20	21	16
Pneumonia (all forms) . . .	48	60	59	88	111	104	106	116	149	165	171	141	112
Bronchitis	37	58	78	157	138	154	149	118	189	175	165	96	116
Other dis. of resp. system . .	4	13	12	27	18	19	18	12	20	14	27	17	15
Dis. of circ. system	161	173	179	229	190	196	177	163	207	209	208	184	202
Violence	40	36	31	43	38	44	34	39	39	42	50	40	34
Inquest cases	84	84	85	98	87	108	95	92	124	122	117	93	99
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Enteric fever	20	19	21	14	16	18	21	18	19	18	18	20	17
Small-pox	-	-	-	-	-	-	-	-	-	-	1	1	1
Measles	22	24	24	21	15	13	14	17	15	19	18	15	13
Scarlet fever	4859	5167	5373	5512	5610	5575	5438	5297	4994	4780	4817	4608	4413
Whooping cough	27	28	25	26	25	25	24	25	27	22	17	20	20
Diphtheria	2113	2301	2353	2474	2563	2626	2655	2654	2654	2547	2642	2588	2597

* The Metropolitan Asylums Board and London Fever Hospitals. The figures do not refer to London exclusively.

TABLE 3A. 96 Great Towns.—DEATHS from INFLUENZA in the last THIRTEEN WEEKS.

	Oct. 23.	Oct. 30.	Nov. 6.	Nov. 13.	Nov. 20.	Nov. 27.	Dec. 4.	Dec. 11.	Dec. 18.	Dec. 25.	1921. Jan. 1.	Jan. 8.	Jan. 15.
Deaths from Influenza . . .	30	35	29	42	60	69	65	61	75	81	89	101	87

TABLE 4. LONDON.—DEATHS REGISTERED in the SECOND Week of the Year 1921.

CAUSES OF DEATH.	Deaths in the 2nd week of the year 1920.	DEATHS of PERSONS of the AGES													
		ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-10 years.	10-15 years.	15-20 years.	20-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and up- wards.
ALL CAUSES	1218	1099	186	28	26	30	17	29	24	62	77	117	155	165	183
Enteric fever	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	21	3	-	2	1	-	-	-	-	-	-	-	-	-	-
Scarlet fever	7	2	-	-	2	-	-	-	-	-	-	-	-	-	-
Whooping cough	19	2	1	-	-	1	-	-	-	-	-	-	-	-	-
Diphtheria	24	23	2	1	7	10	3	-	-	-	-	-	-	-	-
Croup	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza	19	16	1	1	-	1	-	2	1	1	2	2	3	1	1
Erysipelas	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Other epidemic diseases	2	5	-	-	-	-	-	-	-	-	-	1	3	-	1
Pyæmia and septicæmia	4	2	-	-	-	-	-	1	-	-	-	1	-	-	-
Tetanus	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis:—															
Pulmonary tuberculosis	78	99	-	1	2	2	3	11	10	16	23	16	11	3	1
Tuberculous meningitis	5	6	2	1	-	1	-	1	-	-	1	-	-	-	-
Abdominal tuberculosis	4	2	-	-	-	-	-	1	1	-	-	-	-	-	-
Tuberculosis of the spine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of the joints	3	2	-	-	-	-	-	-	-	-	-	2	-	-	-
Tuberculosis of other organs	1	5	-	-	3	-	-	-	-	-	1	-	1	-	-
Disseminated tuberculosis	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-
Venereal diseases	7	3	1	-	-	-	-	-	-	-	-	2	-	-	-
Cancer	106	92	-	-	-	-	-	1	-	5	7	20	22	27	10
Tumour, situation undefined	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Rheumatic fever	4	10	-	-	1	2	1	2	-	2	-	1	-	1	-
Diabetes	5	7	-	-	-	-	-	-	1	-	-	-	4	1	1
Anæmia, leucocythæmia	7	3	-	-	-	-	-	-	1	-	-	1	-	1	-
Other general diseases	6	11	-	-	-	1	-	-	-	1	-	1	2	1	5
Alcoholism	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Chronic poisonings	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	9	3	2	1	-	-	-	-	-	-	-	-	-	-	-
Cerebral hæmorrhage, Apoplexy	43	31	-	-	1	-	-	-	-	-	2	6	4	8	10
Softening of brain	2	2	-	-	-	-	-	-	-	-	1	-	-	1	-
Paralysis, without specified cause	7	6	-	-	-	-	-	-	-	-	1	1	1	2	1
Epilepsy	6	8	-	-	-	1	-	-	-	3	-	1	1	1	1
"Convulsions" (not puerperal)	7	6	6	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system	24	26	1	-	-	-	-	1	-	5	2	6	5	4	2
Pericarditis	3	2	-	-	-	-	1	-	-	1	-	-	-	-	-
Acute endocarditis	8	14	-	-	-	-	1	2	1	4	-	3	2	1	-
Organic disease of heart	151	133	1	-	-	2	2	2	-	6	3	10	25	43	39
Embolism and thrombosis (including cerebral).	6	11	-	-	-	-	-	-	-	-	2	-	2	1	6
Other diseases of circulatory system.	30	42	1	-	-	-	-	-	-	-	5	5	9	5	17
Diseases of the larynx	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Bronchitis	109	116	18	1	-	2	1	-	2	2	3	6	20	29	32
Broncho-pneumonia	65	72	44	11	5	1	-	-	-	-	2	2	1	3	3
Lobar pneumonia	28	16	1	1	-	-	1	-	1	-	2	2	3	4	1
Pneumonia (type not distinguished)	34	24	6	2	1	-	1	1	1	-	2	2	3	2	3
Pleurisy	3	5	1	1	1	-	-	1	-	-	-	1	-	-	-
Pulmonary congestion, Pulmonary apoplexy.	5	4	1	-	-	-	-	-	1	-	-	-	-	1	1
Other diseases of respiratory system.	3	5	1	-	-	-	-	-	-	1	-	-	-	3	-

TABLE 4 (cont.) LONDON.—DEATHS REGISTERED in the SECOND Week of the Year 1921.

CAUSES OF DEATH.	Deaths in the 2nd week of the year 1920.	DEATHS OF PERSONS OF THE AGES													
		ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-10 years.	10-15 years.	15-20 years.	20-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and up- wards.
Diseases of the pharynx, Tonsillitis	4	3	1	-	-	-	-	-	-	-	-	-	-	1	1
Diseases of stomach	11	8	2	-	-	-	-	-	-	2	2	1	1	1	-
Diarrhoea and enteritis	24	25	18	2	1	-	-	-	1	1	1	1	2	-	-
Appendicitis and typhlitis	3	8	-	-	-	-	-	-	1	1	1	1	2	-	-
Hernia and Intestinal obstruction.	16	12	2	-	-	-	-	1	-	2	1	6	-	-	-
Cirrhosis of liver	2	7	-	-	-	-	-	-	-	-	1	1	3	2	-
Other diseases of liver	6	3	-	-	-	-	-	-	-	-	1	1	1	-	1
Peritonitis (cause unknown)	6	2	-	-	-	-	-	-	-	2	-	-	-	-	-
Other diseases of digestive system	-	5	-	1	-	-	-	-	-	1	-	1	-	2	-
Acute nephritis	4	2	1	-	-	-	-	-	-	-	-	-	-	-	1
Chronic Bright's disease	33	24	-	-	-	-	-	1	1	1	4	6	4	7	-
Urinary calculi	2	2	-	-	-	-	-	-	-	-	1	1	-	-	-
Uterine tumour (non-cancerous)	2	3	-	-	-	-	-	-	-	1	2	-	-	-	-
Ovarian tumour	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-
Other diseases of genito-urinary system.	13	12	-	-	-	1	-	-	-	-	2	1	4	4	-
Puerperal fever, &c.	10	1	-	-	-	-	-	-	1	-	-	-	-	-	-
Other causes incident to child-birth.	8	1	-	-	-	-	-	1	-	-	-	-	-	-	-
Diseases of skin and cellular tissues.	7	8	-	-	-	-	-	-	-	-	1	2	3	2	-
Diseases of locomotor system	1	3	-	-	-	1	1	-	-	-	-	-	-	-	1
Congenital malformations	7	12	10	-	-	2	-	-	-	-	-	-	-	-	-
Premature birth	51	36	36	-	-	-	-	-	-	-	-	-	-	-	-
Debility, atrophy marasmus (Infants).	17	16	16	-	-	-	-	-	-	-	-	-	-	-	-
Old age	49	34	-	-	-	-	-	-	-	-	-	1	6	27	-
ACCIDENT.															
Poisons or poisonous vapours.	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-
Conflagration	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Burns and scalds	6	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Drowning	2	3	-	-	-	-	-	-	1	1	1	-	-	-	-
Suffocation in bed	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other deaths by accident	24	17	-	1	2	-	-	2	-	2	4	3	1	2	-
Total deaths from accident	41	22	-	1	1	2	-	2	2	3	5	3	1	2	-
Included in above are deaths in connection with:—															
Railways	-	2	-	-	-	-	-	1	-	-	1	-	-	-	-
Vehicles and horses	11	6	-	-	-	2	-	-	-	-	1	1	1	1	-
Ships, boats, docks	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Building operations	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIOLENCE OTHER THAN ACCIDENTAL.															
Homicide	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	7	12	-	-	-	-	-	-	4	2	4	2	-	-	-
Execution	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other specified diseases	16	10	9	-	-	-	1	-	-	-	-	-	-	-	-
Ill-defined Causes	2	2	-	1	-	-	-	-	-	1	-	-	-	-	-

TABLE 5.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM							
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria and Croup.*	Diarrhoeal Diseases† (under 2 years).	Influenza.
LONDON† . .	4,531,971	1921. Jan. 15	2,059	1,099	12·6	1	-	3	2	2	23	20	16
CALCUTTA . .	896,067	Dec. 4	-	768§	44·5	?	-	?	?	?	?	?	30
BOMBAY . .	979,445	,, 11	438	855§	45·4	2	1	1	-	-	1	55	7
MADRAS . .	518,660	,, 4	436	507	50·8	2	2	-	?	1	-	36	2
PARIS . .	2,847,229	(10 days) Nov. 30	1,423	1,251	?	3	-	-	3	-	6	18	3
BRUSSELS . .	792,919	- - -	-	-	-	-	-	-	-	-	-	-	-
ANTWERP . .	333,593	Jan. 1	127	94	15·1	-	-	2	-	-	1	8	2
AMSTERDAM . .	654,179	{ Dec. 31 (6 days)	217	134	12·5	5	-	10	-	2	1	1	-
COPENHAGEN . .	571,000	Jan. 1	268	111	10·1	-	-	-	-	-	1	1	3
STOCKHOLM . .	415,201	Dec. 25	122	107	13·4	-	-	-	-	-	1	-	-
GOTHENBURG . .	200,578	,, 11	-	49	12·7	1	-	-	-	-	-	1	-
CHRISTIANIA . .	260,904	Jan. 1	120	76	15·2	-	-	1	-	-	1	-	-
BERLIN . .	1,904,590	Dec. 18	620	431	11·8	2	?	2	-	2	3	11	3
BRESLAU . .	531,347	{ " 18 " 25	251 254	153 150	15·0 14·7	2 -	?	1 -	- -	1 -	1 2	4 3	1 1
COLOGNE . .	642,899	{ " 18 " 25	291 266	209 200	16·9 16·2	- -	?	11 8	2 -	5 -	1 4	7 5	? ?
DRESDEN . .	537,127	{ " 18 " 25	206 204	112 149	10·8 14·4	- -	?	- -	- -	1 -	1 1	2 2	? ?
FRANKFORT- ON-MAIN.	435,103	{ " 18 " 25	156 142	98 93	11·7 11·1	1 1	?	- -	- 1	- -	1 1	1 2	? ?
HAMBURG . .	1,002,933	{ " 18 " 25	372 339	256 248	13·3 12·9	1 -	?	1 -	- -	5 4	4 2	5 6	? ?
LEIPZIG . .	610,686	{ " 18 " 25	247 229	182 177	15·5 15·1	- -	?	- -	1 1	- 1	1 1	6 7	? ?
MUNICH . .	647,030	{ " 18 " 25	237 224	169 186	13·6 14·9	- -	?	- 1	1 -	2 3	1 3	12 4	? ?
VIENNA . .	1,842,005	Jan. 1	-	-	-	-	-	-	-	-	-	-	-
PRAQUE . .	535,475	Dec. 11	132	193	18·8	2	-	-	1	-	-	11	1
BUDAPEST . .	1,071,492	{ Oct. 9 " 16	338 319	348 353	16·9 17·1	5 3	-	5 14	15 21	1 1	8 9	29 33	2 -
TRIESTE . .	242,214	Dec. 11	104	74	16·0	1	-	-	1	-	-	3	-
CAIRO . .	761,300	Nov. 11	634	318	21·7	1	-	-	-	?	1	33	?
ALEXANDRIA . .	445,700	,, 11	334	193	22·5	-	-	-	-	?	-	16	?
NEW YORK . .	6,141,445	Dec. 18	2,589	1,268	10·8	2	-	3	12	6	29	25	11
CHICAGO . .	2,727,504	{ " 18 " 25	- -	557 578	10·6 11·0	1 -	- -	3 3	2 4	1 -	18 20	20 26	7 3

Excluding deaths from croup in Bombay and Madras.

The deaths in this column relate to *all ages* for Bombay, Madras, Christiania, and Budapest, and to *children under 1 year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

The estimated population and deaths refer to the civilian population only.

Including 2 deaths from *plague* in Bombay, and from *Asiatic cholera*, 34 deaths in Calcutta and 1 in Bombay.

TABLE 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 15th January, 1921.

(Supplied by the Meteorological Office.)

TOWNS.	Temperature of Air.*				Rainfall in Milli- metres.†	TOWNS.	Temperature of Air.*				Rainfall in Milli- metres.†
	Highest.	Lowest.	Mean Maxi- mum.	Mean Mini- mum.			Highest.	Lowest.	Mean Maxi- mum.	Mean Mini- mum.	
LONDON (Greenwich) }	55	29	47·6	38·3	13	BRADFORD . .	55	27	44·3	35·1	40
BRIGHTON . .	51	32	47·9	40·3	23	SHEFFIELD . .	57	29	45·9	36·0	22
PORTSMOUTH . .	54	32	49·1	39·9	21	YORK (Museum) . .	58	28	45·9	35·9	18
IPSWICH (Eaton) . .	56	30	46·7	37·7	11	HULL (Pearson Park)	57	27	46·4	35·7	24
PLYMOUTH . .	55	32	51·1	42·6	20	TYNEMOUTH . .	56	31	44·7	35·7	44
Bristol (Clifton) . .	54	28	48·1	38·3	20	CARDIFF . .	54	30	47·7	38·9	24
BIRMINGHAM . .	56	29	45·7	36·0	17	EDINBURGH . .	53·0	28·0	44·0	33·7	25
NOTTINGHAM . .	57	27	45·9	35·9	14	GLASGOW . .	52·4	28·8	42·6	35·0	34
WIRKSWORTH (Bidston) }	57	32	47·3	39·3	15	DUBLIN :—					
MANCHESTER . .	57	27	47·0	37·4	19	Phoenix Park . .	55·9	26·2	48·0	35·5	30
BURNLEY . .	54	24	44·6	35·6	47	†Fitzwilliam Square	56·9	31·3	48·1	38·3	25
RODDERSFIELD . .	55	27	45·4	35·6	23	BELFAST . .	55·0	29·5	47·8	37·8	48

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.

† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.

‡ 1 millimetre = ·04 inch nearly ; 1 inch = 25·4 millimetres exactly.

TABLE 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 15th January 1921.

[Under the Superintendence of the Astronomer Royal.]

1921. MONTH AND DAY.		Phases of the Moon.	BARO- METER. Mean daily reading (cor- rected and re- duced to 32° Fahren- heit).	TEMPERATURE.					Difference between the Air Temperature and Dew Point Temperature.				TEMPERATURE.			Wind as deduced from Anemometers.				Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
				Of the Air.				De- parture from Average of 65 years.	Of the Dew point.	De- gree of Hu- mid- ity (Satu- ration equals 100).			Of Radiation.		Of the Earth 4 feet below the Surface.	Osler's.		Robinson's.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
				High- est.	Low- est.	Daily Range.	Mean daily value.			Mean daily value.	Great- est.	Least.	Highest in Sun's Rays.	Lowest on the Grass.		A.M.	P.M.	Great- est.	Least. hourly obs.		Horizontal Movement of the Air on each Day.	Depar- ture from Average of 50 years.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
JANUARY.			in.	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°

DATE.		ELECTRICITY. (For explanation of symbols, see Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
JANUARY, 1921.					
SUNDAY	9	w.P. throughout	1·8	8·1	Overcast generally till noon: variably cloudy afterwards; brisk wind till 9h. and from 13h.
MONDAY	10	w.P. throughout	0·3	8·1	Overcast with few exceptions by about 1h.; frequent showers between 9h. and 22h.; brisk wind throughout, squall about 16h. 45m.
TUESDAY	11	v.P. till 2h. Loss of register till noon. v.P. till 19h., w.P. afterwards. w.P. throughout	4·1	8·1	Nearly cloudless by 1h.; clouding up from 13h. to overcast by 13h. 30m.; brisk wind till noon; hoar frost in morning; rain generally from 18h. 30m.
WEDNESDAY	12		0·4	8·1	Overcast till 2h.; nearly cloudless from 3h.; cloudy to overcast generally by 9h., with occasional rain; clearing partially about 15h.; nearly cloudless generally by 18h. 30m.
THURSDAY	13	w.P. throughout	0·1	8·2	Variably cloudy with overcast intervals till 10h., afterwards completely overcast; frequent rain throughout; great gloom between 14h. and 15h.
FRIDAY	14	w.P. generally, v.P. 10h. to 16h.	2·1	8·2	Overcast till 3h.; cloudless generally with little cloud at times from 4h. to 13h., becoming overcast generally by 14h.; nearly cloudless from 17h.; hazy throughout; hoar frost morning and evening.
SATURDAY	15	w.P. generally, m.P. and s.P. 13h. to 17h.	1·9	8·3	Nearly cloudless generally till 6h., with hoar frost; nearly overcast till 10h., then partially cloudy but hazy; little cloud till 17h., then cloudless; misty with hoar frost.
			Sum 10·7	Sum 57·1	
No. of Col.			27	28	

The results apply to the civil day, or from midnight to midnight. The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and - "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·72 in. at the beginning of the week to 29·67 in. by 6h. on 9th; increased to 29·79 in. by 22h. on the same day; decreased to 29·35 in. by 20h. on 10th; increased to 29·66 in. by 11h. on 11th; decreased to 29·06 in. by 5h. on 13th, and increased to 30·33 in. by midnight on 15th.

TABLE 8. LONDON.—DEATHS of PERSONS BELONGING to the several METROPOLITAN BOROUGHs REGISTERED in the Week ended 8th January, 1921.

BOROUGHs.	Deaths from									Deaths of Infants under 1 Year of Age.
	ALL CAUSES.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Pulmonary Tuberculosis.	
COUNTY OF LONDON -	1,117	-	-	1	8	6	24	17	84	178
Western										
PADDINGTON . . .	44	-	-	-	-	-	-	2	1	5
KENSINGTON . . .	53	-	-	-	-	1	1	1	3	9
HAMMERSMITH . . .	26	-	-	-	1	-	-	-	2	4
FULHAM . . .	34	-	-	-	-	-	-	-	4	4
CHELSEA . . .	25	-	-	-	-	-	1	-	-	1
CITY OF WESTMINSTER .	30	-	-	-	-	-	1	1	1	5
Northern.										
ST. MARYLEBONE . . .	22	-	-	-	-	1	-	-	1	4
HAMPSTEAD . . .	18	-	-	-	-	-	1	-	-	1
ST. PANCRAS . . .	51	-	-	-	-	-	-	2	2	10
ISLINGTON . . .	97	-	-	-	1	-	9	3	8	14
STOKE NEWINGTON . . .	14	-	-	-	-	-	-	-	-	2
HACKNEY . . .	41	-	-	-	1	-	1	1	5	5
Central.										
HOLBORN . . .	9	-	-	-	-	1	-	-	-	2
FINSBURY . . .	25	-	-	-	-	1	1	-	-	7
CITY OF LONDON . . .	3	-	-	-	-	-	-	-	-	-
Eastern.										
SHOREDITCH . . .	34	-	-	-	1	-	-	-	8	4
BETHNAL GREEN . . .	36	-	-	-	1	-	-	2	4	9
STEPNEY . . .	70	-	-	-	-	-	1	3	5	14
POPLAR . . .	23	-	-	-	-	-	1	-	2	3
Southern.										
SOUTHWARK . . .	63	-	-	-	-	-	2	-	8	10
BERMONDSEY . . .	39	-	-	-	1	-	-	-	3	10
LAMBETH . . .	76	-	-	-	1	-	2	1	6	8
BATTERSEA . . .	44	-	-	1	-	1	-	-	3	9
WANDSWORTH . . .	61	-	-	-	-	-	3	-	4	10
CAMBERWELL . . .	60	-	-	-	1	-	-	-	5	10
DEPTFORD . . .	28	-	-	-	-	-	-	1	1	7
GREENWICH . . .	19	-	-	-	-	-	-	-	1	2
LEWISHAM . . .	48	-	-	-	-	-	-	-	5	7
WOOLWICH . . .	24	-	-	-	-	1	-	-	2	2

The deaths in the above Table are, so far as concerns London as a whole, corrected by the exclusion of deaths of non-residents, and by the inclusion of those of residents occurring in the Outer Ring or in Metropolitan public institutions situated outside the County. As between individual Metropolitan Boroughs, however, correction is complete.

TABLE 9. LONDON.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED during the Week ended 8th January, 1921.*

BOROUGHES.	ESTI- MATED CIVILIAN POPU- LATION, MID. 1920.† (Provi- sional.)	Enteric Fever.	Malaria.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Group).	Pneumonia.	Erysipelas.	Cerebro-Spinal Fever.	Puerperal Fever.	Ophthalmia Neonatorum.	Poliomylitis.	Dysentery.	Encephalitis Lethargica.	Anthrax.	Polio- encephalitis.
WESTERN.																	
Addington . . .	149,673	-	1	-	-	13	16	2	2	-	-	1	-	-	-	-	-
Ansington . . .	164,177	-	-	-	-	14	9	4	2	-	1	-	-	-	2	-	-
Amersmith . . .	136,200	-	-	-	-	23	6	2	1	-	1	1	-	-	-	-	-
Alham . . .	158,621	1	-	-	-	23	17	6	1	1	-	-	-	-	-	-	-
Alsea . . .	62,987	-	-	-	-	3	2	3	1	-	-	2	-	-	-	-	-
City of Westminster . . .	132,615	-	-	-	-	8	9	-	3	-	-	1	-	-	-	-	-
NORTHERN.																	
Marylebone . . .	101,856	-	-	-	-	6	3	1	3	-	-	-	-	-	-	-	-
Hamstead . . .	91,519	-	-	-	-	15	9	1	-	-	-	-	-	1	-	-	-
Pancras . . .	228,178	-	-	-	-	14	7	12	2	1	-	4	-	-	2	-	-
Islington . . .	335,907	-	-	-	-	35	34	1	3	1	-	4	-	-	-	-	-
Stoke Newington . . .	52,984	-	-	-	-	4	4	-	1	-	-	-	-	-	-	-	-
St. Pancras . . .	225,372	-	-	-	-	30	21	-	6	1	-	2	-	-	-	-	-
CENTRAL.																	
St. Albans . . .	39,676	-	-	-	-	5	2	-	-	-	-	-	-	-	-	-	-
St. Paul . . .	78,291	-	-	-	-	7	4	-	-	-	-	1	-	-	-	-	-
City of London . . .	14,447	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EASTERN.																	
St. Dunstons . . .	102,044	1	-	-	-	11	6	1	3	-	-	2	-	-	-	-	-
St. Paul Green . . .	114,471	-	-	-	-	14	6	1	1	-	-	2	-	-	1	-	-
St. Paul . . .	241,770	-	-	-	-	36	10	26	4	-	1	1	-	-	-	-	-
St. Paul . . .	159,766	1	-	-	-	27	12	8	-	1	-	1	-	-	1	-	-
SOUTHERN.																	
St. Dunstons . . .	187,142	-	-	-	-	26	13	5	-	-	-	1	-	-	-	-	-
St. Dunstons . . .	129,189	1	-	-	-	21	10	-	1	-	-	-	-	-	1	-	-
St. Dunstons . . .	293,572	-	-	-	-	32	18	13	4	-	1	5	-	-	1	-	-
St. Dunstons . . .	165,664	-	-	-	-	13	4	6	2	-	-	1	-	-	3	-	-
St. Dunstons . . .	346,990	1	1	-	-	30	21	15	3	1	-	1	-	-	1	-	-
St. Dunstons . . .	284,712	1	2	-	-	26	22	6	3	-	-	3	-	2	1	-	-
St. Dunstons . . .	115,636	-	-	-	-	21	11	1	-	-	-	-	-	-	-	-	-
St. Dunstons . . .	102,408	1	1	-	-	21	23	2	4	-	1	-	-	-	-	-	-
St. Dunstons . . .	174,438	-	-	-	-	17	7	-	4	-	-	-	-	-	-	-	-
St. Dunstons . . .	141,666	-	-	-	-	21	8	8	2	-	1	-	-	-	-	-	-
City of London . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL . . .	4,531,971	7	5	-	-	516	314	124	56	6	6	33	-	3	13	-	-
AGES.																	
Ages 0-1 . . .		-	-	-	-	9	8	21	3	2	-	33	-	-	-	-	-
" 1-5 . . .		-	-	-	-	125	104	22	6	1	-	-	-	-	-	-	-
" 5- . . .		-	-	-	-	198	108	8	4	1	-	-	-	-	-	-	-
" 10- . . .		2	-	-	-	109	44	6	3	1	-	-	-	-	3	-	-
" 15- . . .		-	-	-	-	32	15	6	1	1	-	-	-	-	2	-	-
" 20- . . .		-	1	-	-	21	14	9	4	-	1	-	-	1	-	-	-
" 25- . . .		2	2	-	-	18	12	10	3	-	4	-	-	-	3	-	-
" 35- . . .		2	1	-	-	4	6	10	7	-	1	-	-	-	1	-	-
" 45- . . .		1	1	-	-	-	3	18	12	-	-	-	-	-	4	-	-
" 55- . . .		-	-	-	-	-	-	9	10	-	-	-	-	1	-	-	-
" 65- . . .		-	-	-	-	-	-	4	1	-	-	-	-	1	-	-	-
" 75 and upwards . . .		-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-
Age not stated . . .		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

† See note † on first page of this return.

LONDON:
PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S
STATIONERY OFFICE.

BY EYRE AND SPOTTISWOODE, LIMITED,
PRINTERS TO THE KING'S MOST EXCELLENT MAJESTY.

1921.

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS AND DEATHS REGISTERED:—
LONDON AND
NINETY-FIVE OTHER GREAT TOWNS.

~~~~~  
By Authority of the Registrar General,  
~~~~~

LONDON:

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
H.M. STATIONERY OFFICE at the following addresses:

IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and

28, ABINGDON STREET, LONDON, S.W. 1;

37, PETER STREET, MANCHESTER;

1, ST. ANDREW'S CRESCENT, CARDIFF;

23, FORTH STREET, EDINBURGH;

or from E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN.

No. 3. VOL. LXXXII. 1921. WEEK ENDED SATURDAY, JAN. 22
[Price 1½d. Net.]

*General Register Office, Somerset House,
January 25th, 1921.*

NINETY-SIX GREAT TOWNS.

For the NINETY-SIX GREAT TOWNS of England and Wales each of which had a population of 50,000 or over at the Census of 1911, the births registered last week numbered 8,472, and corresponded to an annual rate of 23·7 per 1,000. The deaths* among the civilian population only numbered 4,746, and corresponded to an annual rate of 13·3 per 1,000 of their aggregate civilian population, which is provisionally estimated† at 18,554,878 persons in the year 1920. In the three weeks ended January 1st, January 8th, and January 15th, the rates had been 16·6, 13·9, and 12·8 respectively. The infant mortality was 102, against 122, 86, and 100 in the preceding three weeks. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks; it also shows for the week ended last Saturday the births and the deaths from certain individual causes. A column showing the number of deaths

* Corrected as far as possible for deaths of non-residents and for those of residents occurring outside the area. Fully corrected figures will appear in the Registrar General's Annual Report.

† The estimates of population refer to the year 1920, and are based on the returns furnished under the scheme for rationing of food.

from influenza has been inserted in Table 1. The aggregate number of deaths from influenza in the 96 great towns in each of the last thirteen weeks is shown in Table 3A.

Measured by last week's mortality, the highest annual death-rates per 1,000 living were:—from *all causes*, 20·3 in Gateshead, 20·4 in Wakefield, 20·7 in Tynemouth, 21·8 in Preston and 22·5 in Middlesbrough; from *measles*, 3·2 in Middlesbrough; from *whooping cough*, 1·7 in Newport (Mon.); and from *diphtheria*, 1·0 in East Ham. No death from *small-pox* was registered in any of the ninety-six towns.

LONDON.* (The Administrative County, including the City of London.)

For LONDON there were 2,009 BIRTHS, corresponding to a rate of 23·0 per 1,000, and 1,121 DEATHS of civilians, corresponding to a rate of 12·9, as against 16·5, 12·9, and 12·6 per 1,000 in the three weeks ended January 1st, January 8th, and January 15th. The death-rate in the four weeks ended last Saturday averaged 13·7 per 1,000. The infant mortality was 88, against 115, 75, and 90 in the preceding three weeks.

There was one death from *enteric fever*, against 0, 0, and 1 in the preceding three weeks, the average for the corresponding weeks of the previous five years being 2. The deaths from *measles*, which had been 0, 1, and 3 in the preceding three weeks, fell last week to 2, and were 21 below the average. The deaths from *scarlet fever*, which had been 8, 8, and 2 in the preceding three weeks, rose last week to 5, and were 3 above the average. The deaths from *whooping-cough*, which had been 4, 6, and 2 in the preceding three weeks, rose last week to 8, but were 8 below the average. The deaths from *diphtheria*, which had been 22, 24, and 23 in the preceding three weeks, rose last week to 28, and were 11 above the average; 4 deaths belonged to the Borough of Islington, 4 to Camberwell, and 3 each to Paddington, Fulham, and Shoreditch. The deaths from *diarrhoea and enteritis under 2 years of age*, which had been 20, 17, and 20 in the preceding three weeks, were 19 last week, and were 2 above the average; 3 deaths belonged to St. Pancras. The deaths from *influenza* numbered 14, as against 20, 21, and 16 in the preceding three weeks and an average of 23.

Different forms of violence caused 35 deaths, all of which were the subject of coroners' inquests. Of these 35 deaths, 5 were cases of suicide, and 1 of homicide, while the remaining 29 were attributed to other forms of violence. Fourteen of these latter were referred to vehicles in the streets, 5 to burns or scalds, and 1 of an infant under one year of age to suffocation in bed.

CASES OF INFECTIOUS DISEASE.†

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital, there were 12 cases of enteric fever, 1 case of small-pox, 15 of measles, 4,350 of scarlet fever, 23 of whooping-cough, and 2,618 of diphtheria under treatment in these hospitals on Saturday last (Table 3). The admissions during

* See note * on first page.

† The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

the week, as compared with those in the preceding three weeks, were as follows:—Of enteric fever, 0 case, against 4, 8, and 1; of small-pox, 0 case, against 1, 0, and 0; of measles, 3 cases, against 3, 2, and 3; of scarlet fever, 540 cases, against 619, 482, and 452; of whooping-cough, 6 cases, against 2, 3, and 2; and of diphtheria, 319 cases, against 323, 320, and 299. Table 9, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the county during the week ended January 15th, 1921.

TABLE 1.—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS,—BIRTHS and DEATHS REGISTERED, and DEATH RATES in the Week ended Saturday, 22nd January, 1921, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	ESTIMATED CIVILIAN POPULATION, MID. 1920 * (Provisional.)	DEATH-RATES from all Causes.				Week ended 22nd Jan., 1921.		The DEATHS in the Week include										TOWNS.				
		1st Jan., 1921.	8th Jan., 1921.	15th Jan., 1921.	22nd Jan., 1921.	6.	7.	Deaths of		Deaths from									Inquest Cases.	Deaths in Public Institutions.	Unidentified Causes of Death.	
								Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.					Violence.
96 GREAT TOWNS.	18,554,878	16.6	13.9	12.8	13.3	8,472	4,746	863	1,513	4	-	29	12	35	72	71	66	140	313	1,509	40	96 GREAT TOWNS.
LONDON†	4,531,971	16.5	12.9	12.6	12.9	2009	1,121	176	378	1	-	2	5	8	28	19	14	35	81	547	1	LONDON.†
CROYDON.	191,580	14.4	14.2	10.6	11.2	61	41	5	17	-	-	-	-	-	-	-	-	-	2	10	-	CROYDON.
WIMBLEDON.	62,174	9.6	12.6	11.7	9.2	21	11	1	4	-	-	-	-	-	-	-	-	-	-	2	-	WIMBLEDON.
EALING.	76,129	12.1	14.4	4.8	6.2	26	9	1	5	-	-	-	-	-	-	-	-	-	-	4	-	EALING.
ACTON.	64,192	21.1	12.2	4.9	11.4	24	14	3	6	-	-	-	-	-	-	-	-	-	-	4	-	ACTON.
WILLESDEN.	167,328	11.3	10.0	13.1	12.8	86	41	9	11	-	-	-	-	-	1	1	1	-	3	21	-	WILLESDEN.
HORNSEY.	98,107	11.1	10.1	10.1	8.0	23	15	2	6	-	-	-	-	-	1	-	1	-	1	3	-	HORNSEY.
TOTTENHAM	146,970	15.1	12.4	10.6	12.1	54	34	9	10	-	-	-	-	-	1	3	-	4	6	14	-	TOTTENHAM.
EDMONTON.	73,529	11.8	8.5	12.1	6.4	41	9	2	-	-	-	-	1	-	-	1	-	1	1	4	-	EDMONTON.
ENFIELD.	60,771	16.1	7.7	12.0	12.0	30	14	4	3	-	-	-	-	-	1	-	-	-	1	3	-	ENFIELD.
WEST HAM.	299,440	15.2	12.5	12.2	12.7	172	73	16	14	-	-	-	-	-	3	1	1	2	6	31	-	WEST HAM.
EAST HAM	150,207	8.3	11.8	12.8	12.8	68	37	4	11	-	-	-	-	-	3	-	1	-	2	19	-	EAST HAM.
LEYTON.	128,832	10.5	13.0	10.1	12.1	54	30	6	11	-	-	-	-	-	1	-	1	-	3	8	-	LEYTON.
WALTHAMSTOW	132,771	13.1	6.7	8.2	9.0	53	23	6	8	-	-	-	-	-	-	-	-	2	4	6	-	WALTHAMSTOW.
ILFORD.	82,693	7.9	7.6	3.8	10.7	29	17	2	7	-	-	-	-	-	-	-	-	2	3	2	-	ILFORD.
GILLINGHAM.	45,233	14.4	19.6	9.2	12.7	16	11	1	4	-	-	-	-	-	-	-	-	-	-	3	1	GILLINGHAM.
HASTINGS.	59,972	27.1	22.6	10.4	17.4	11	20	-	11	-	-	-	-	-	-	-	2	-	-	4	-	HASTINGS.
EASTBOURNE	50,354	11.8	18.6	8.3	11.4	16	11	-	7	-	-	-	-	-	-	-	-	-	-	5	-	EASTBOURNE
BRIGHTON.	137,685	16.5	12.5	10.2	14.8	52	39	6	20	-	-	-	-	-	-	-	1	2	2	14	-	BRIGHTON.
PORTSMOUTH.‡	235,998	14.8	14.1	9.3	11.0	100	50	5	29	-	-	-	-	-	-	-	2	3	8	11	-	PORTSMOUTH.‡
BOURNEMOUTH.	85,919	15.1	13.4	14.0	7.9	24	13	1	6	-	-	-	-	-	-	-	-	2	3	2	-	BOURNEMOUTH.
SOUTHAMPTON	162,388	13.7	14.8	11.9	10.3	71	32	8	12	-	-	-	-	-	-	-	-	-	3	9	-	SOUTHAMPTON.
READING.	95,006	10.3	14.8	11.5	9.3	43	17	3	7	-	-	-	-	-	-	-	-	1	1	3	-	READING.
OXFORD.	59,963	8.1	8.7	6.1	9.6	10	11	-	8	-	-	-	-	-	-	-	-	-	1	2	-	OXFORD.
NORTHAMPTON.	92,483	12.3	12.4	10.7	11.3	40	20	2	8	-	-	-	-	-	-	-	-	1	1	2	-	NORTHAMPTON.
CAMBRIDGE.	60,154	19.8	10.4	8.7	17.3	21	20	1	7	-	-	-	-	-	1	-	-	-	1	4	-	CAMBRIDGE.

* See note † on first page of this return.

† For Greater London see end of Table.

‡ These towns are included within the area of Greater London.

§ As extended on 9th November 1920.

in the Week ended Saturday, 22nd January 1921, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	ESTIMATED CIVILIAN POPULATION. MID. 1920.* (Provisional.)	DEATH-RATES from all Causes.				Week ended 22nd Jan., 1921.		The DEATHS in the Week include											TOWNS.				
		Week ended				BIRTHS. DEATHS.		Deaths of Infants under 1 Year of Age.		Persons aged 65 Years and upwards.		Deaths from								Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	
		Week ended										Deaths from											
		1st Jan., 1921.	8th Jan., 1921.	15th Jan., 1921.	22nd Jan., 1921.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.		15.	16.	17.	18.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.	
SOUTHEND ON SEA.	87,332	17.4	9.5	11.3	14.9	38	25	1	8	-	-	1	-	-	-	-	-	-	-	-	3	-	SOUTHEND ON SEA.
IPSWICH.	81,119	15.4	7.7	12.2	4.5	31	7	-	4	-	-	-	-	-	-	-	-	-	-	-	1	-	IPSWICH.
GREAT YARMOUTH.	55,193	16.7	18.0	9.4	18.0	33	19	4	4	-	-	-	-	-	-	1	-	-	-	-	5	-	GREAT YARMOUTH.
NORWICH.	124,774	17.4	14.6	10.4	9.2	42	22	3	9	-	-	-	-	-	1	-	-	-	1	-	9	-	NORWICH.
SWINDON.	53,580	16.2	8.8	13.6	6.8	20	7	2	1	-	-	-	-	1	-	-	-	-	-	-	1	-	SWINDON.
EXETER.	61,365	15.0	8.5	13.6	9.3	16	11	1	6	-	-	-	-	-	-	1	-	-	1	-	4	-	EXETER.
PLYMOUTH.	189,218	19.5	12.7	17.4	13.0	75	47	5	21	-	-	-	1	1	-	-	-	2	6	-	9	-	PLYMOUTH.
BATH.	68,546	25.3	12.9	15.2	13.7	12	18	1	12	-	-	-	-	-	-	-	-	-	-	-	3	-	BATH.
BRISTOL.	375,641	17.9	12.6	10.4	13.2	175	95	18	34	-	-	-	-	1	1	2	1	4	10	27	-	-	BRISTOL.
GLOUCESTER.	52,096	18.7	15.0	10.0	11.0	21	11	2	3	-	-	-	-	-	-	-	-	-	-	3	-	-	GLOUCESTER.
STOKE ON TRENT.	248,852	17.4	14.5	16.3	17.2	144	82	21	18	-	-	-	-	-	-	6	1	1	3	15	-	-	STOKE ON TRENT.
WOLVERHAMPTON.	102,324	22.8	14.3	13.8	16.8	51	33	7	9	-	-	-	-	-	-	1	-	-	-	9	-	-	WOLVERHAMPTON.
WALSALL.	96,419	12.4	15.7	14.6	10.8	47	20	4	6	-	-	1	-	-	1	-	-	1	1	5	-	-	WALSALL.
WEST BROMWICH.	72,684	22.4	12.2	15.1	12.9	41	18	2	4	-	-	1	-	-	-	-	2	-	-	4	-	-	WEST BROMWICH.
DUDLEY.	56,169	9.7	16.7	13.9	13.9	36	15	3	7	-	-	-	-	-	1	-	-	-	-	1	-	-	DUDLEY.
BIRMINGHAM.	895,915	16.3	12.3	11.8	14.1	467	242	55	70	-	-	8	-	-	6	4	1	9	11	83	2	9	BIRMINGHAM.
SMETHWICK.	75,027	10.1	13.2	11.8	11.1	35	16	5	3	-	-	1	-	-	1	1	1	-	1	2	-	-	SMETHWICK.
COVENTRY.	137,310	9.5	9.5	9.5	8.0	59	21	3	7	-	-	-	-	-	-	-	-	-	1	7	-	-	COVENTRY.
LEICESTER.	245,465	17.9	10.8	10.4	15.3	96	72	14	32	-	-	-	-	1	1	1	2	3	5	22	2	2	LEICESTER.
LINCOLN†.	67,543	17.2	13.1	13.1	14.7	23	19	2	9	-	-	-	-	-	-	-	-	-	-	2	-	-	LINCOLN.†
GRIMSBY.	81,953	19.8	15.9	10.2	10.2	51	16	4	6	-	-	-	-	-	-	-	-	-	-	4	1	1	GRIMSBY.
NOTTINGHAM.	267,836	17.2	14.3	13.6	14.2	116	73	14	26	-	-	-	-	2	2	-	2	2	5	24	-	-	NOTTINGHAM.
DERBY.	128,868	16.8	12.5	7.3	11.3	64	28	3	10	-	-	-	-	-	1	-	-	-	1	9	-	-	DERBY.

* See note † on first page of this return.

† As extended on 9th November 1920.

TABLE 1 (cont.).—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH-RATE in the Week ended Saturday, 22nd January, 1921, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	ESTIMATED CIVILIAN POPULATION MID. 1920.* (Provisional.)	DEATH-RATES from all Causes.				Week ended 22nd Jan., 1921.		The DEATHS in the Week include!										TOWNS.											
		Week ended				1st Jan., 1921.	8th Jan., 1921.	15th Jan., 1921.	22nd Jan., 1921.	BIRTHS.	DEATHS.	Deaths from																	
		2.	3.	4.	5.							Deaths of	Deaths from							Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.							
		1.										Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Dip. theria.	Diarrhoea and Enteritis (under 2 years).	Influenza.	Violence.	18.	19.	20.	21.	Cols.		
STOCKPORT	130,635	19.1	12.0	18.0	11.6	52	29	6	7	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.	STOCKPORT.	2	5	-	-	STOCKPORT.	
BIRKENHEAD	153,931	19.7	10.2	13.2	10.5	78	31	5	12	1	2	-	-	-	-	1	-	-	3	4	12	-	BIRKENHEAD.	4	12	-	-	BIRKENHEAD.	
WALLASEY	99,226	10.9	19.4	7.9	7.9	30	15	1	4	-	-	-	-	1	-	1	-	-	-	1	6	-	WALLASEY.	1	6	-	-	WALLASEY.	
LIVERPOOL	803,452	22.1	17.3	15.0	15.3	456	236	53	56	-	2	-	-	2	2	4	1	8	15	79	3	-	LIVERPOOL.	15	79	3	-	LIVERPOOL.	
BOOTLE	80,029	20.3	16.3	16.3	12.4	30	19	3	4	-	-	-	-	-	-	-	-	1	1	5	5	-	BOOTLE.	1	5	-	-	BOOTLE.	
ST. HELENS	104,822	13.4	15.4	18.4	13.4	55	27	5	9	-	-	-	-	-	-	-	-	2	2	6	6	1	ST. HELENS.	2	6	6	1	ST. HELENS.	
SOUTHPORT	72,939	18.6	19.3	10.7	11.4	18	16	-	8	-	-	-	-	-	-	-	-	1	1	3	3	-	SOUTHPORT.	1	3	-	-	SOUTHPORT.	
WIGAN	90,866	15.5	14.9	11.5	18.4	51	32	4	6	1	-	-	-	1	1	-	-	1	2	8	8	-	WIGAN.	2	8	-	-	WIGAN.	
WARRINGTON	77,939	14.6	14.0	15.4	13.4	38	20	5	6	-	-	-	-	-	-	-	-	-	-	6	6	1	WARRINGTON.	-	6	9	-	WARRINGTON.	
BOLTON	184,533	16.7	15.8	10.2	13.6	84	48	8	19	-	-	-	1	-	1	-	-	3	6	9	9	-	BOLTON.	6	9	-	-	BOLTON.	
BURY	56,410	16.3	7.4	12.9	14.8	19	16	2	6	-	-	-	-	-	-	-	-	-	-	3	3	-	BURY.	1	3	-	-	BURY.	
MANCHESTER	770,597	15.8	17.3	14.2	14.5	365	214	49	54	-	-	-	2	2	2	4	2	5	12	75	1	MANCHESTER.	12	75	1	-	MANCHESTER.		
SALFORD	235,239	17.1	15.3	12.9	12.2	119	55	10	15	-	-	-	-	-	-	1	-	2	7	18	-	SALFORD.	7	18	-	-	SALFORD.		
OLDHAM	143,154	20.5	16.4	20.0	13.5	62	37	9	13	-	-	-	-	-	-	-	-	1	2	6	-	OLDHAM.	2	6	-	-	OLDHAM.		
ROCHDALE	93,639	16.2	16.1	11.7	8.9	44	16	1	6	-	-	-	-	-	-	-	-	2	2	4	-	ROCHDALE.	2	4	-	-	ROCHDALE.		
BURNLEY	105,030	19.1	13.9	16.4	12.4	41	25	5	7	-	-	-	-	-	-	1	2	1	1	7	-	BURNLEY.	1	7	-	-	BURNLEY.		
BLACKBURN	131,012	17.3	15.9	13.5	13.5	34	34	3	12	-	-	-	-	-	1	-	-	-	-	6	6	1	BLACKBURN.	4	6	-	-	BLACKBURN.	
PRESTON	121,950	24.0	17.1	11.5	21.8	70	51	9	16	-	-	-	-	-	-	-	-	-	1	10	2	PRESTON.	1	10	2	-	PRESTON.		
BLACKPOOL	70,545	16.1	9.6	15.5	17.0	21	23	1	9	-	-	-	-	-	1	-	-	2	2	4	-	BLACKPOOL.	2	4	-	-	BLACKPOOL.		
BARROW IN FURNESS	76,561	12.7	10.9	12.9	16.3	38	24	6	4	-	-	1	-	-	-	-	-	1	2	3	1	BARROW IN FURNESS.	2	3	-	-	BARROW IN FURNESS.		
HUDDERSFIELD	116,776	18.1	14.3	8.9	10.3	37	23	2	8	-	-	-	-	-	-	-	1	-	-	4	-	HUDDERSFIELD.	-	4	-	-	HUDDERSFIELD.		
HALIFAX	105,847	20.0	23.2	13.8	7.4	29	15	1	8	-	-	-	-	-	-	-	-	1	1	4	-	HALIFAX.	-	1	-	-	HALIFAX.		
BRADFORD	293,979	16.0	15.4	14.7	14.7	107	83	12	26	-	-	-	1	-	2	2	1	1	5	29	-	BRADFORD.	5	29	-	-	BRADFORD.		
LEEDS	449,212	18.2	14.7	15.3	13.3	209	115	24	27	-	-	-	-	-	-	-	-	4	7	37	-	LEEDS.	7	37	-	-	LEEDS.		
DEWSBURY	55,080	15.8	10.4	19.9	14.2	22	15	2	3	-	-	-	-	-	-	-	-	-	3	1	-	DEWSBURY.	3	1	-	-	DEWSBURY.		
WAKEFIELD	51,169	17.0	11.2	12.2	20.4	17	20	3	9	-	-	-	-	-	-	-	-	-	3	4	-	WAKEFIELD.	3	4	-	-	WAKEFIELD.		
BARNLEY	53,739	11.1	15.5	7.8	10.7	25	11	3	3	-	-	-	-	-	-	-	-	-	-	-	1	-	BARNLEY.	-	-	-	-	BARNLEY.	

* See note † on first page of this return.

TOWNS.	ESTIMATED CIVILIAN POPULATION, MID. 1920.* (Provisional).	Causes.					Week ended 22nd Jan., 1921.		Deaths of		Deaths from								Deaths in Public Institutions.		Uncertified Causes of Death.		TOWNS	
		Week ended					22nd Jan., 1921.		Infants under 1 Year and upwards.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	20.	21.		Cols.
		Week ended					22nd Jan., 1921.																	
		1st Jan., 1921.	8th Jan., 1921.	15th Jan., 1921.	22nd Jan., 1921.		BIRTHS.	DEATHS.																
1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.				
SHEFFIELD.	492,570	16·8	13·7	10·5	13·7	243	21	36	-	-	3	-	4	1	-	1	4	12	37	-	SHEFFIELD.			
ROTHERHAM.	71,785	12·1	6·5	6·5	8·7	33	-	3	-	-	-	-	-	-	-	-	-	-	1	-	ROTHERHAM.			
YORK.	77,501	14·7	14·1	15·5	14·8	38	5	11	-	-	-	-	1	-	-	1	-	3	4	-	YORK.			
HULL.	290,808	19·2	16·0	12·9	13·3	193	13	29	-	-	-	-	-	1	2	-	1	3	15	4	HULL.			
MIDDLESBROUGH.	132,208	16·8	20·9	19·3	22·5	76	25	10	-	-	8	-	-	-	4	-	-	-	8	-	MIDDLESBROUGH.			
DARLINGTON.	66,610	13·8	13·3	8·6	16·4	39	7	8	-	-	-	-	-	-	-	-	1	1	1	1	DARLINGTON.			
STOCKTON ON TEES.	63,114	18·9	13·2	17·3	17·3	34	3	7	-	-	-	-	-	-	-	-	2	2	2	-	STOCKTON ON TEES.			
WEST HARTLEPOOL.	68,126	13·5	16·1	15·3	14·5	38	5	5	-	-	-	-	1	-	-	1	-	1	6	-	WEST HARTLEPOOL.			
SUNDERLAND.	155,211	24·8	24·5	23·9	18·8	83	10	16	1	-	-	-	1	1	1	2	1	2	15	-	SUNDERLAND.			
SOUTH SHIELDS.	115,945	23·8	19·8	16·2	19·8	65	12	12	-	-	-	-	2	-	-	1	-	-	6	2	SOUTH SHIELDS.			
GATESHEAD.	128,309	21·1	15·8	17·9	20·3	79	14	14	-	-	-	-	-	-	-	1	1	2	7	5	GATESHEAD.			
NEWCASTLE ON TYNE.	286,061	16·7	19·9	16·6	19·3	139	15	32	-	-	2	-	1	1	-	5	4	8	31	1	NEWCASTLE ON TYNE.			
TYNEMOUTH.	60,318	18·0	17·3	24·2	20·7	36	7	8	-	-	-	-	-	-	-	1	1	1	4	1	TYNEMOUTH.			
CARLISLE.	57,397	15·1	13·6	11·8	10·0	22	1	2	-	-	-	-	-	1	-	-	-	-	2	1	CARLISLE.			
NEWPORT (MON.)	90,728	16·1	12·6	12·1	16·7	41	11	4	-	-	-	-	3	-	1	1	1	1	5	-	NEWPORT (MON.).			
CARDIFF.	212,582	14·8	15·7	11·0	9·6	89	6	9	-	-	-	-	-	-	1	-	2	5	7	-	CARDIFF.			
RHONDDA.	184,999	11·7	12·4	9·9	13·5	93	14	7	-	-	1	1	1	-	2	-	1	3	2	-	RHONDDA.			
MERTHYR TYDFIL.	74,493	18·2	14·7	21·7	13·3	32	2	3	-	-	-	-	-	1	1	-	-	-	4	-	MERTHYR TYDFIL.			
ABERDARE.	53,431	16·2	13·7	6·8	15·6	22	6	6	-	-	-	-	-	-	-	-	3	3	-	-	ABERDARE.			
SWANSEA.	167,218	17·5	13·1	10·6	15·3	78	7	15	-	-	-	-	1	-	-	-	-	-	8	1	SWANSEA.			
GREATER LONDON.	7,548,647	15·0	12·0	11·7	12·0	3221	279	605	1	-	2	7	11	44	26	21	54	130	739	2	GREATER LONDON.			
OUTER RING.	3,016,676	12·8	10·7	10·4	10·7	1212	103	227	-	-	-	2	3	16	7	7	19	49	192	1	OUTER RING.			
14 GREAT TOWNS IN OUTER RING.	1,734,723	12·8	11·3	10·4	11·1	742	70	113	-	-	-	1	-	11	6	5	11	32	131	-	14 GREAT TOWNS IN OUTER RING.			
REMAINDER OF OUTER RING.	1,281,953	12·7	9·8	10·3	10·3	470	33	114	-	-	-	1	3	5	1	2	8	17	61	1	REMAINDER OF OUTER RING.			
EDINBURGH†.	446,200	19·3	16·9	15·5	17·5	150	17	56	-	-	3	-	-	2	2	4	5	?	?	?	EDINBURGH.†			
GLASGOW†.	1,100,400	17·6	13·1	15·6	15·6	538	59	92	1	2	2	1	8	4	3	1	11	?	?	?	GLASGOW.†			
DUBLIN (Registra- tion Area).†	423,000	26·9	17·1	17·9	16·6	201	28	39	-	-	-	-	2	2	2	-	2	2	60	3	DUBLIN (Registra- tion Area).†			
BELFAST†.	420,000	21·0	19·5	18·1	18·5	173	41	35	-	-	2	-	6	-	3	-	4	5	33	1	BELFAST.†			

* See note † on first page of this return.

† The populations are total populations and relate to 1921. Deaths and the death-rates in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week: those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

TABLE 2. LONDON.—Births and Deaths registered during the THIRD Week of each of the Eleven Years, 1911-1921.

	1911.	1912.	1913.	1914.	1915.	1916.	1917.	1918.	1919.	1920.	1921.
Births (as registered).	2289	1937	2101	2072	1791	1857	1740	1441	1391	2971	2009
Males - - - - -	1194	987	1078	1052	905	939	880	720	717	1532	986
Females - - - - -	1095	950	1023	1020	886	918	860	721	674	1439	1023
Deaths (of residents only).	1613	1215	1432	1574	1596	1162*	1359*	1670*	1142*	1163*	1121*
Males - - - - -	814	618	729	783	841	581	695	823	574	628	544
Females - - - - -	799	597	703	791	755	581	664	847	568	535	577

* Deaths in civilian population only.

TABLE 3. LONDON.—BIRTHS and DEATHS REGISTERED, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the last THIRTEEN WEEKS.

	Oct. 30.	Nov. 6.	Nov. 13.	Nov. 20.	Nov. 27.	Dec. 4.	Dec. 11.	Dec. 18.	Dec. 25.	1921. Jan. 1.	Jan. 8.	Jan. 15.	Jan. 22.
Births (as registered) . -	2284	1927	2057	2011	1900	1921	1902	1793	1733	2031	2373	2059	2009
Deaths (of residents only).	983	982	1244	1138	1178	1091	1078	1335	1279	1382	1117	1099	1121
Ages													
Under 1 year	151	127	130	160	142	150	170	213	170	234	178	186	176
1-2 years	11	19	33	19	21	23	21	31	33	45	34	28	35
2-5 "	34	21	24	20	33	20	32	34	23	25	20	26	32
5-10 "	23	24	33	20	22	22	26	28	24	21	31	30	23
10-15 "	13	12	15	22	18	12	9	16	13	11	17	17	16
15-20 "	18	22	26	22	16	16	18	17	17	28	20	29	19
at 20-25 "	16	18	19	19	28	24	10	17	27	35	19	24	20
25-35 "	56	54	58	51	49	38	54	56	62	65	70	62	44
Death 35-45 "	80	80	107	81	87	83	84	86	89	84	78	77	77
45-55 "	109	110	139	113	149	132	117	147	137	127	105	117	118
55-65 "	142	159	174	168	188	161	152	180	186	216	159	155	183
65-75 "	170	155	243	218	224	190	181	243	246	220	189	165	193
75 years and upwards	160	181	243	225	201	220	204	267	252	271	197	183	185
Deaths from--													
Enteric fever	1	-	-	1	2	-	-	-	1	-	-	1	1
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	1	2	2	2	4	-	3	-	4	-	1	3	2
Scarlet fever	3	3	7	7	7	4	6	11	5	8	8	2	5
Whooping cough	4	2	2	2	3	3	3	7	2	4	6	2	8
Diphtheria	18	25	26	20	21	22	22	25	27	22	24	23	28
Diarrhoea and enteritis (under 2 years).	34	26	29	24	16	13	16	24	17	20	17	20	19
Pulmonary tuberculosis . .	103	100	124	94	119	103	81	95	101	90	84	99	100
Influenza	5	12	14	13	15	13	21	21	14	20	21	16	14
Pneumonia (all forms) . .	60	59	88	111	104	106	116	149	165	171	141	112	117
Bronchitis	58	78	157	138	154	149	118	189	175	165	96	116	101
Other dis. of resp. system .	13	12	27	18	19	18	12	20	14	27	17	15	7
Dis. of circ. system . . .	173	179	229	190	196	177	163	207	209	208	184	202	178
Violence	36	31	43	38	44	34	39	39	42	50	40	34	35
Inquest cases	84	85	98	87	108	95	92	124	122	117	93	99	81
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Enteric fever	19	21	14	16	18	21	18	19	18	18	20	17	12
Small-pox	-	-	-	-	-	-	-	-	-	1	1	1	1
Measles	24	24	21	15	13	14	17	15	19	18	15	13	15
Scarlet fever	5167	5373	5512	5610	5575	5438	5297	4994	4780	4817	4608	4413	4350
Whooping cough	28	25	26	25	25	24	25	27	22	17	20	20	23
Diphtheria	2301	2353	2474	2563	2626	2655	2654	2654	2547	2642	2588	2597	2618

* The Metropolitan Asylums Board and London Fever Hospitals. The figures do not refer to London exclusively.

TABLE 3A. 96 Great Towns.—DEATHS from INFLUENZA in the last THIRTEEN WEEKS.

	Oct. 30.	Nov. 6.	Nov. 13.	Nov. 20.	Nov. 27.	Dec. 4.	Dec. 11.	Dec. 18.	Dec. 25.	1921. Jan. 1.	Jan. 8.	Jan. 15.	Jan. 22.
Deaths from Influenza . .	35	29	42	60	69	65	61	75	81	89	101	87	66

TABLE 4. LONDON.—DEATHS REGISTERED in the THIRD Week of the
Year 1921.

CAUSES OF DEATH.	Deaths in the 3rd week of the year 1920.	DEATHS of PERSONS of the AGES													
		ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-10 years.	10-15 years.	15-20 years.	20-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and up-wards.
ALL CAUSES	1163	1121	176	35	32	23	16	19	20	44	77	118	183	193	185
Enteric fever	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	19	2	1	1	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever	3	5	-	1	4	-	-	-	-	-	-	-	-	-	-
Whooping cough	18	8	2	4	2	-	-	-	-	-	-	-	-	-	-
Diphtheria	28	28	3	3	12	8	2	-	-	-	-	-	-	-	-
Croup	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Influenza	24	14	1	-	-	-	-	1	-	-	-	1	7	4	-
Erysipelas	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Other epidemic diseases	1	2	-	-	-	-	-	-	-	2	-	-	-	-	-
Pyæmia and septicæmia	5	2	1	-	-	-	-	-	-	1	-	-	-	-	-
Tetanus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis :—															
Pulmonary tuberculosis	85	100	1	-	-	4	3	8	10	15	27	18	9	5	-
Tuberculous meningitis	9	5	1	3	-	1	-	-	-	-	-	-	-	-	-
Abdominal tuberculosis	4	1	-	-	-	-	-	1	-	-	-	-	-	-	-
Tuberculosis of the spine	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Tuberculosis of the joints	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of other organs	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Disseminated tuberculosis	5	3	-	-	-	1	-	1	1	-	-	-	-	-	-
Venereal diseases	6	8	8	-	-	-	-	-	-	-	-	-	-	-	-
Cancer	106	108	1	-	-	-	-	1	-	1	6	25	29	30	15
Tumour, situation undefined	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Rheumatic fever	6	8	-	-	1	1	-	-	2	3	1	-	-	-	-
Diabetes	7	20	-	-	-	-	-	-	-	-	2	2	6	9	1
Anæmia, leucocythaemia	4	4	-	-	-	-	-	-	-	-	-	2	-	2	-
Other general diseases	9	4	-	-	-	-	-	-	-	-	-	-	1	3	-
Alcoholism	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic poisonings	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	6	6	1	-	1	1	1	-	-	-	1	-	-	-	1
Cerebral hæmorrhage, Apoplexy	45	43	-	-	-	-	-	-	-	-	2	1	14	12	14
Softening of brain	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Paralysis, without specified cause	3	2	-	-	-	-	-	-	-	-	-	-	-	1	1
Epilepsy	5	3	-	-	-	-	-	-	-	-	-	1	1	1	-
"Convulsions" (not puerperal)	9	5	4	1	-	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system	24	38	-	-	-	1	-	-	1	2	6	11	9	8	-
Pericarditis	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
Acute endocarditis	5	6	-	-	-	-	1	-	1	1	-	1	2	-	-
Organic disease of heart	123	122	1	-	1	-	2	1	-	3	6	11	33	43	21
Embolism and thrombosis (including cerebral).	9	8	-	-	-	-	-	-	-	-	-	-	-	4	4
Other diseases of circulatory system.	39	41	1	-	-	-	-	-	-	-	1	3	10	9	17
Diseases of the larynx	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis	102	101	17	1	-	-	-	-	-	-	3	12	17	14	37
Broncho-pneumonia	73	74	43	13	3	-	1	-	-	1	-	2	2	4	5
Lobar pneumonia	25	17	3	-	1	-	-	-	-	-	2	3	4	3	1
Pneumonia (type not distinguished)	28	26	10	2	2	-	-	2	-	2	2	-	1	2	3
Pleurisy	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Pulmonary congestion, Pulmonary apoplexy.	4	2	-	-	-	-	-	-	-	-	-	-	-	2	-
Other diseases of respiratory system.	6	3	-	-	-	-	-	-	-	-	-	-	3	-	-

TABLE 5.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM								
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria and Croup.*	Diarrhoeal Diseases† (under 2 years).	Influenza.	
LONDON† . .	4,531,971	1921. Jan. 22	2,009	1,121	12·9	1	-	2	5	8	29	19	14	
CALCUTTA . .	896,067	Dec. 11	-	858§	49·5	-	2	?	?	?	?	?	30	
BOMBAY . .	979,445	„ 18	410	923§	49·0	2	-	1	-	-	-	59	6	
MADRAS . .	518,660	„ 11	469	556§	55·7	2	1	-	-	2	-	49	8	
CHRISTIANIA . .	2,847,229	(10 days) Dec. 10	1,423	1,222	?	7	-	-	1	2	-	22	1	
BRUSSELS . .	792,919	- - -	-	-	-	-	-	-	-	-	-	-	-	
ROTTERDAM . .	341,815	Jan. 8	124	70	11·2	-	-	5	1	-	-	9	1	
AMSTERDAM . .	654,179	- - -	-	-	-	-	-	-	-	-	-	-	-	
COPENHAGEN . .	571,000	Jan. 8	266	161	15·2	-	-	-	1	-	3	5	3	
STOCKHOLM . .	415,201	„ 1	191	87	10·9	-	-	-	-	-	3	-	-	
GÖTHENBERG . .	200,578	Dec. 18	-	43	11·1	-	-	-	1	-	1	-	-	
CHRISTIANIA . .	260,904	Jan. 8	81	80	15·9	-	-	-	-	-	1	-	-	
BERLIN . .	1,904,590	„ 1	619	482	13·2	-	-	7	2	2	7	16	4	
BRATISLAVA . .	531,347	„ 1	243	176	17·2	-	-	-	-	2	4	3	5	
LOGNON . .	642,899	„ 1	266	208	16·8	-	-	9	2	3	7	4	?	
BRESDEN . .	537,127	„ 1	199	131	12·7	-	-	-	-	-	1	1	?	
ST. LOUIS . .	435,103	„ 1	171	78	9·3	-	-	-	-	-	1	3	?	
ST. LOUIS . .	435,103	„ 1	171	78	9·3	-	-	-	-	-	1	3	?	
HAMBURG . .	1,002,933	„ 1	382	282	14·6	1	-	-	1	6	2	9	?	
LEIPZIG . .	610,686	„ 1	266	163	13·9	-	-	-	-	-	-	4	?	
MUNICH . .	647,030	„ 1	-	-	-	-	-	-	-	-	-	-	?	
VIENNA . .	1,842,005	„ 1	524	666	18·8	3	-	-	1	-	4	20	2	
PRAGUE . .	535,475	Dec. 18	157	185	18·0	-	-	-	-	-	1	5	1	
BUDAPEST . .	1,071,492	Oct. 23	302	325	15·8	7	-	9	22	6	5	14	-	
TRIESTE . .	242,214	Dec. 18	130	86	18·6	1	-	-	1	-	-	2	-	
CAIRO . .	761,300	Nov. 18	591	331	22·6	3	-	-	-	-	2	29	?	
ALEXANDRIA . .	445,700	„ 18	373	257	30·0	2	-	-	-	-	-	22	?	
NEW YORK . .	6,141,445	Dec. 25	1,105	1,208	10·3	2	-	1	8	4	23	30	3	
CHICAGO . .	2,727,504	Jan. 1	-	579	11·1	-	-	2	6	2	20	27	5	

Excluding deaths from croup in Bombay and Madras.

The deaths in this column relate to *all ages* for Bombay, Madras, Christiania, and Budapest, and to *children under 1 year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

The estimated population and deaths refer to the civilian population only.

Including 1 death from *plague* in Bombay and 1 in Madras, and from *Asiatic cholera*, 28 deaths in Calcutta.

TABLE 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 22nd January, 1921.
(Supplied by the Meteorological Office.)

TOWNS.	Temperature of Air.*				Rainfall in Milli- metres.†	TOWNS.	Temperature of Air.*				Rainfall in Milli- metres.†
	Highest.	Lowest.	Mean Maxi- mum.	Mean Mini- mum.			Highest.	Lowest.	Mean Maxi- mum.	Mean Mini- mum.	
LONDON (Greenwich) }	54	29	51·1	39·6	6	BRADFORD . .	50	28	48·4	38·7	53
RIGHTON . .	53	34	49·4	42·7	5	SHEFFIELD . .	53	33	49·6	40·3	28
PORTSMOUTH . .	55	32	51·6	42·4	7	YORK (Museum) . .	51	33	48·0	40·3	
DERBY (Eaton) . .	54	29	50·1	38·6	7	HULL (Pearson Park)	54	34	50·0	39·6	2
PLYMOUTH . .	54	44	51·4	46·1	11	TYNEMOUTH . .	51	30	48·7	39·3	10
Bristol (Clifton) . .	51	33	48·9	42·3	13	CARDIFF . .	52	38	49·3	41·6	24
BIRMINGHAM . .	53	36	49·4	39·7	6	EDINBURGH . .	52·0	33·0	47·6	39·4	23
NOTTINGHAM . .	54	27	50·9	39·0	12	GLASGOW . .	50·6	35·4	48·0	40·9	3
BLACKENHEAD (Bidston) }	54	34	50·7	42·4	11	DUBLIN :—					
MANCHESTER . .	53	36	50·1	40·7	34	Phoenix Park . .	55·9	37·1	52·1	41·5	11
WIMBORNE . .	50	29	47·0	39·0	61	†Fitzwilliam Square	54·1	39·1	52·3	43·4	9
WIDERSFIELD . .	51	32	48·9	39·9	63	BELFAST . .	53	30	50·7	39·	

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.

† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.

‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

TABLE 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 22nd January 1921.

[Under the Superintendence of the Astronomer Royal.]

1921. MONTH AND DAY.		Phases of the Moon.	BARO- METER. Mean daily reading (cor- rected and re- duced to 32° Fahren- heit).	TEMPERATURE.					Difference between the Air Temperature and Dew Point Temperature.		De- gree of Hu- mid- ity (Satu- ration equals 100).	TEMPERATURE.			Wind as deduced from Anemometers.					Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
				Of the Air.				Of the Dew point.	De- parture from Average of 65 years.			Of Radiation.	Of the Earth 4 feet below the Surface.	Osler's.		Robinson's.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
				High- est.	Low- est.	Daily Range.	Mean daily value.		De- parture from Average of 65 years.	General Direction.				A.M.	P.M.	Great- est.	Least.	Mean of 24 of the Air on each Day.	Horizontal Movement of the Air Average of 50 years.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
JANUARY.			in.	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°

DATE.		ELECTRICITY. (For explanation of symbols, see Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
JANUARY, 1921.					
SUNDAY	16	w.P. till noon, v.P. till 21h., w.P. afterwards.	5.4	8.3	Cloudless till 13h., then becoming cloudy to overcast by 20h.; slight rain between 20h. and 22h.; hoar frost in morning.
MONDAY	17	w.P. throughout	0.0	8.4	Overcast except for a small break at 14h. 30m.; frequent rain or damping; brisk wind from 11h.
TUESDAY	18	w.P. generally, v.P. 13h. to 17h.	2.0	8.4	Overcast generally till about noon, then fine with variably cloudy intervals, overcast at times; occasional showers between 8h. and 20h.; brisk wind generally, rising to gale force at times.
WEDNESDAY	19	w.P. generally, a little m.P. in evening.	1.8	8.4	Cloudless generally till 8h. 30m.; cloudy to overcast generally by about noon; brisk wind till 15h.
THURSDAY	20	w.P. throughout	1.8	8.5	Variably cloudy with cloudless intervals till 5h. 30m., becoming overcast by 6h., clearing partially from 11h.; nearly cloudless 17h. 30m. to 18h. 30m., becoming overcast by 19h. 30m.
FRIDAY	21	w.P. throughout	2.9	8.5	Nearly overcast generally with frequent cloudy intervals; brisk wind from 14h.
SATURDAY	22	w.P. generally, s.P. 17h. to 23h.	0.0	8.6	Overcast generally till 15h., then very cloudy; clouds thinner from 21h.; lunar halo after 22h. 30m.; brisk wind till 15h.; damping at times till 5h.
No. of Col.		26	Sum 13.9	Sum 59.1	
			27	28	

The results apply to the civil day, or from midnight to midnight. ⁷ The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level. Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables. The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916. In reading columns 9 and 24 it will be borne in mind that + indicates "higher," and - "lower," than the average. The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined. The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable. The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day. The reading of the barometer increased from 30.33 in. at the beginning of the week to 30.39 in. by 10h. on 16th; decreased to 29.25 in. by 11h. on 18th; increased to 30.32 in. by 11h. on 21st; decreased to 29.91 in. by 14h. on 22nd, and increased to 30.07 in. by midnight on the same day.

The results apply to the civil day, or from midnight to midnight.
The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.
Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.
The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.
In reading columns 9 and 24 it will be borne in mind that + indicates "higher," and - "lower," than the average.
The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.
The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.
The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.
The reading of the barometer increased from 30.33 in. at the beginning of the week to 30.39 in. by 10h. on 16th; decreased to 29.25 in. by 11h. on 18th; increased to 30.32 in. by 11h. on 21st; decreased to 29.91 in. by 14h. on 22nd, and increased to 30.07 in. by midnight on the same day.

TABLE 8. LONDON.—DEATHS OF PERSONS BELONGING to the several METROPOLITAN BOROUGHs REGISTERED in the Week ended 15th January, 1921.

BOROUGHs.	Deaths from									Deaths of Infants under 1 Year of Age.
	ALL CAUSES.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Pulmonary Tuberculosis.	
COUNTY OF LONDON .	1,099	1	-	3	2	2	23	20	99	186
Western										
PADDINGTON . . .	41	-	-	1	-	-	1	-	-	7
KENSINGTON . . .	49	-	-	-	-	-	-	1	5	15
HAMMERSMITH . . .	35	-	-	-	-	-	-	-	4	4
FULHAM	36	-	-	-	-	-	2	-	5	2
CHELSEA	20	-	-	-	-	-	-	-	1	2
CITY OF WESTMINSTER .	28	-	-	-	-	-	1	-	-	1
Northern.										
ST. MARYLEBONE . . .	19	-	-	-	-	-	-	-	1	1
HAMPSTEAD	18	-	-	-	-	-	-	-	-	2
ST. PANCRAS	43	-	-	-	-	-	-	-	1	9
ISLINGTON	84	-	-	1	-	-	5	2	9	11
STOKE NEWINGTON . . .	20	-	-	-	-	-	-	-	2	2
HACKNEY	59	-	-	-	-	1	3	-	8	7
Central.										
HOLBORN	10	-	-	-	-	-	-	-	1	-
FINSBURY	17	-	-	-	-	-	1	-	4	4
CITY OF LONDON . . .	4	-	-	-	-	-	-	-	1	-
Eastern.										
SHOREDITCH	38	-	-	-	-	-	-	2	3	6
BETHNAL GREEN . . .	22	-	-	-	-	-	-	1	1	7
STEPNEY	71	-	-	-	1	-	-	4	7	14
POPLAR	55	1	-	1	1	-	2	2	7	7
Southern.										
SOUTHWARK	49	-	-	-	-	-	2	4	6	12
BERMONDSEY	31	-	-	-	-	-	1	-	3	8
LAMBETH	62	-	-	-	-	-	1	1	6	10
BATTERSEA	42	-	-	-	-	-	1	-	1	7
WANDSWORTH	67	-	-	-	-	-	1	2	9	15
CAMBERWELL	62	-	-	-	-	1	1	-	5	14
DEPTFORD	21	-	-	-	-	-	-	-	3	4
GREENWICH	28	-	-	-	-	-	-	-	2	8
LEWISHAM	38	-	-	-	-	-	1	1	1	6
WOOLWICH	30	-	-	-	-	-	-	-	3	1

The deaths in the above Table are, so far as concerns London as a whole, corrected by the exclusion of deaths of non-residents, and by the inclusion of those of residents occurring in the Outer Ring or in Metropolitan public institutions situated outside the County. As between individual Metropolitan Boroughs, however, correction is complete.

TABLE 9. LONDON.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED during the Week ended 15th January, 1921.*

BOROUGHs.	ESTI- MATED CIVILIAN POPU- LATION, MID. 1920.† (Provi- sional.)	Enteric Fever.	Malaria.	Continued Fever.	Small- pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Pneumonia.	Erysipelas.	Cerebro-Spinal Fever.	Puerperal Fever.	Ophthalmia Neonatorum.	Poliomyelitis.	Dysentery.	Encephalitis Lethargica.	Anthrax.	Polio- encephalitis.
WESTERN.																	
Paddington . . .	149,673	-	-	-	-	13	6	4	2	-	-	1	-	-	-	-	-
Kensington . . .	164,177	-	-	-	-	9	3	3	2	-	-	2	-	-	-	-	-
Hammersmith . . .	136,200	-	-	-	-	13	6	7	-	-	-	2	-	-	1	-	-
Fulham . . .	158,621	-	1	-	-	15	12	5	-	-	2	-	-	-	1	-	-
Chelsea . . .	62,987	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
City of Westminster . . .	132,615	-	-	-	-	6	8	-	1	-	-	1	-	-	-	-	-
NORTHERN.																	
St. Marylebone . . .	101,856	-	-	-	-	6	5	-	-	-	-	1	-	-	1	-	-
Hampstead . . .	91,519	1	-	-	-	5	4	3	1	-	-	1	-	-	2	-	-
St. Pancras . . .	228,178	1	2	-	-	25	6	23	5	-	-	4	-	-	1	-	-
Islington . . .	335,907	1	-	-	-	46	52	-	2	-	-	4	-	-	1	-	-
Stoke Newington . . .	52,984	-	-	-	-	7	2	-	-	-	-	-	-	-	-	-	-
Hackney . . .	225,372	1	1	-	-	23	17	-	2	1	2	-	-	-	1	-	-
CENTRAL.																	
Holborn . . .	39,676	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
Finsbury . . .	78,291	-	-	-	-	4	4	-	1	-	-	1	-	-	-	-	-
City of London . . .	14,447	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EASTERN.																	
Shoreditch . . .	102,044	-	-	-	-	15	4	4	1	-	1	-	-	-	-	-	-
Bethnal Green . . .	114,471	-	-	-	-	15	7	2	1	-	-	-	-	-	1	-	-
Stepney . . .	241,770	-	-	-	-	32	14	14	2	-	-	1	-	-	-	-	-
Poplar . . .	159,766	-	-	-	-	29	10	4	3	-	-	1	-	-	-	-	-
SOUTHERN.																	
Southwark . . .	187,142	-	-	-	-	16	9	3	2	-	-	-	-	-	1	-	-
Bermondsey . . .	129,189	-	-	-	-	20	12	-	-	-	-	-	-	-	-	-	-
Lambeth . . .	293,572	-	-	-	-	20	9	2	4	-	-	1	-	-	1	-	-
Battersea . . .	165,664	-	-	-	-	23	8	9	2	-	-	2	-	-	1	-	-
Wandsworth . . .	346,990	-	-	-	-	40	23	11	4	-	-	1	-	-	-	-	-
Camberwell . . .	284,712	-	1	-	-	26	22	3	1	-	-	3	-	1	1	-	-
Deptford . . .	115,636	-	-	-	-	19	7	1	1	-	-	1	-	-	-	-	-
Greenwich . . .	102,408	-	-	-	-	11	9	-	-	-	-	1	-	-	-	-	-
Lewisham . . .	174,438	1	1	-	-	13	13	2	2	-	-	-	-	-	-	-	-
Woolwich . . .	141,666	-	-	-	-	28	8	10	1	-	1	-	-	-	1	-	-
Port of London . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL . . .	4,531,971	5	6	-	-	479	283	110	40	1	6	28	-	1	14	-	-
AGES.																	
Ages 0-1 . . .		-	-	-	-	3	9	35	2	1	-	28	-	-	-	-	-
" 1-5 . . .		-	-	-	-	109	80	30	-	-	-	-	-	-	-	-	-
" 5- . . .		-	-	-	-	200	99	10	1	-	-	-	-	-	1	-	-
" 10- . . .		1	-	-	-	98	49	5	2	-	-	-	-	-	-	-	-
" 15- . . .		1	-	-	-	35	12	2	2	-	-	-	-	-	-	-	-
" 20- . . .		1	1	-	-	14	12	1	-	-	-	-	-	-	3	-	-
" 25- . . .		2	3	-	-	10	9	8	4	-	5	-	-	1	5	-	-
" 35- . . .		-	1	-	-	10	7	6	7	-	1	-	-	-	3	-	-
" 45- . . .		-	1	-	-	-	5	6	8	-	-	-	-	-	2	-	-
" 55- . . .		-	-	-	-	-	1	5	9	-	-	-	-	-	-	-	-
" 65- . . .		-	-	-	-	-	-	2	4	-	-	-	-	-	-	-	-
" 75 and upwards . . .		-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Age not stated . . .		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

† See note † on first page of this return.

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS AND DEATHS REGISTERED:—

LONDON AND

NINETY-FIVE OTHER GREAT TOWNS.

~~~~~  
By Authority of the Registrar General.  
~~~~~

LONDON:

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
H.M. STATIONERY OFFICE at the following addresses:

IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and

28, ABINGDON STREET, LONDON, S.W. 1;

37, PETER STREET, MANCHESTER;

1, ST. ANDREW'S CRESCENT, CARDIFF;

23, FORTH STREET, EDINBURGH;

or from E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN.

No. 4. Vol. LXXXII. 1921. WEEK ENDED SATURDAY, JAN. 29.
[Price 1½d. Net.]

*General Register Office, Somerset House,
February 1st, 1921.*

NINETY-SIX GREAT TOWNS.

For the NINETY-SIX GREAT TOWNS of England and Wales each of which had a population of 50,000 or over at the Census of 1911, the births registered last week numbered 8,503, and corresponded to an annual rate of 23·8 per 1,000. The deaths* among the civilian population only numbered 4,360, and corresponded to an annual rate of 12·3 per 1,000 of their aggregate civilian population, which is provisionally estimated† at 18,554,878 persons in the year 1920. In the three weeks ended January 8th, January 15th, and January 22nd, the rates had been 13·9, 12·8, and 13·3 respectively. The infant mortality was 92, against 86, 100, and 102 in the preceding three weeks. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks; it also shows for the week ended last Saturday the births and the deaths from certain individual causes. A column showing the number of deaths

* Corrected as far as possible for deaths of non-residents and for those of residents occurring outside the area. Fully corrected figures will appear in the Registrar General's Annual Report.

† The estimates of population refer to the year 1920, and are based on the returns furnished under the scheme for rationing of food.

from influenza has been inserted in Table 1. The aggregate number of deaths from influenza in the 96 great towns in each of the last thirteen weeks is shown in Table 3A.

Measured by last week's mortality, the highest annual death-rates per 1,000 living were:—from *all causes*, 18·6 in Oldham, 19·6 in Merthyr Tydfil, 19·7 in Middlesbrough, 19·8 in Sunderland, and 21·3 in Barnsley; from *measles*, 1·2 in Middlesbrough; from *whooping cough*, 1·6 in Willesden; and from *diphtheria*, 2·6 in Ipswich, and 2·9 in Barnsley. No death from *small-pox* was registered in any of the ninety-six towns.

LONDON.* (The Administrative County, including the City of London.)

For LONDON there were 2,039 BIRTHS, corresponding to a rate of 23·4 per 1,000, and 1,011 DEATHS of civilians, corresponding to a rate of 11·6, as against 12·9, 12·6, and 12·9 per 1,000 in the three weeks ended January 8th, January 15th, and January 22nd. The death-rate in the four weeks ended last Saturday averaged 12·5 per 1,000. The infant mortality was 78, against 75, 90, and 88 in the preceding three weeks.

There was one death from *enteric fever*, against 0, 1, and 1 in the preceding three weeks, the average for the corresponding weeks of the previous five years being 1. There was one death from *measles*, against 1, 3, and 2 in the preceding three weeks, and an average of 21. The deaths from *scarlet fever*, which had been 8, 2, and 5 in the preceding three weeks, rose last week to 8, and were 5 above the average. The deaths from *whooping-cough*, which had been 6, 2, and 8 in the preceding three weeks, fell last week to 4, and were 16 below the average. The deaths from *diphtheria*, which had been 24, 23, and 28 in the preceding three weeks, fell last week to 19, and were equal to the average; 4 deaths belonged to the City of Westminster and 3 each to the Boroughs of Paddington and Islington. The deaths from *diarrhoea and enteritis under 2 years of age*, which had been 17, 20, and 19 in the preceding three weeks, were 18 last week, and were 2 above the average. The deaths from *influenza* numbered 6, as against 21, 16, and 14 in the preceding three weeks and an average of 22.

Different forms of violence caused 40 deaths, of which 39 were the subject of coroners' inquests. Of these 40 deaths, 6 were cases of suicide, while the remaining 34 were attributed to other forms of violence. Five of these latter were referred to vehicles in the streets, 4 to a conflagration, 3 to burns or scalds, 3 to drowning, and 2 of infants under one year of age to suffocation in bed.

CASES OF INFECTIOUS DISEASE.†

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital, there were 11 cases of enteric fever, 1 of small-pox, 15 of measles, 4,171 of scarlet fever, 27 of whooping-cough, and 2,682 of diphtheria under treatment in these hospitals on Saturday last (Table 3). The admissions during

* See note * on first page.

† The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

the week, as compared with those in the preceding three weeks, were as follows :—Of enteric fever, 2 cases, against 8, 1, and 0; of measles, 4 cases, against 2, 3, and 2; of scarlet fever, 512 cases, against 482, 452, and 540; of whooping-cough, 5 cases, against 3, 2, and 6; and of diphtheria, 360 cases, against 320, 299, and 319. Table 9, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the county during the week ended January 22nd, 1921.

TABLE 1.--98 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH RATES in the Week ended Saturday, 29th January, 1921, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	ESTIMATED CIVILIAN POPULAT. ON, MID. 1920 * (Provisional.)	DEATH-RATES from all Causes.				Week ended 29th Jan., 1921.		The DEATHS in the Week include										TOWNS.†				
		Week ended				BIRTHS.	DEATHS.	Deaths from														
		Deaths of						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.	Violence.						
		Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	10.	11.												12.		13.	14.	15.	16.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
96 GREAT TOWNS.	18,554,878	13·9	12·8	13·3	12·3	8,503	4,360	779	1,353	2	-	23	22	33	80	90	61	159	276	1,437	25	96 GREAT TOWNS.
LONDON†	4,531,971	12·9	12·6	12·9	11·6	2,039	1,011	160	321	1	-	1	8	4	19	18	6	40	74	503	1	LONDON.†
(CROYDON.	191,580	14·2	10·6	11·2	7·6	70	28	6	8	-	-	-	-	1	-	-	-	2	4	7	-	(CROYDON.
WIMBLEDON.	62,174	12·6	11·7	9·2	10·9	21	13	1	5	-	-	-	-	-	1	-	1	-	-	3	-	WIMBLEDON.
EALING.	76,129	14·4	4·8	6·2	12·3	27	18	1	6	-	-	-	-	-	-	-	1	1	1	3	-	EALING.
ACTON.	64,192	12·2	4·9	11·4	9·7	18	12	2	3	-	-	-	-	-	-	1	-	-	-	2	-	ACTON.
WILLESDEN.	167,328	10·0	13·1	12·8	13·1	65	42	10	8	-	-	-	1	3	1	-	-	2	3	14	-	WILLESDEN.
HORNSEY.	98,107	10·1	10·1	8·0	11·2	28	21	2	9	-	-	-	-	-	-	1	1	-	1	6	-	HORNSEY.
TOTTENHAM	146,970	12·4	10·6	12·1	8·9	64	25	3	6	-	-	-	-	-	2	1	-	1	2	11	-	TOTTENHAM.
† EDMONTON.	73,529	8·5	12·1	6·4	7·8	32	11	1	5	-	-	-	-	-	-	-	-	-	-	4	-	† EDMONTON.
ENFIELD.	60,771	7·7	12·0	12·0	10·3	26	12	4	3	-	-	-	-	-	1	-	1	-	-	3	-	ENFIELD.
WEST HAM.	299,440	12·5	12·2	12·7	13·2	161	76	17	21	-	-	-	-	-	1	-	1	6	7	26	-	WEST HAM.
EAST HAM	150,207	11·8	12·8	12·8	7·3	57	21	4	8	-	-	-	-	-	1	1	1	1	2	10	-	EAST HAM.
LEYTON.	128,882	13·0	10·1	12·1	8·5	63	21	2	8	-	-	-	-	-	-	-	1	-	-	10	-	LEYTON.
WALTHAMSTOW	132,771	6·7	8·2	9·0	7·5	56	19	3	7	-	-	-	-	-	1	1	-	2	3	7	-	WALTHAMSTOW.
(ILFORD.	82,693	7·6	3·8	10·7	6·9	23	11	3	5	-	-	-	-	-	-	-	-	-	-	3	-	(ILFORD.
GILLINGHAM.	45,233	19·6	9·2	12·7	13·8	18	12	1	3	-	-	-	-	-	1	-	-	-	-	4	-	GILLINGHAM.
HASTINGS.	59,972	22·6	10·4	17·4	11·3	25	13	1	8	-	-	-	-	-	-	-	1	1	1	2	-	HASTINGS.
EASTBOURNE.	50,354	18·6	8·3	11·4	9·3	24	9	2	4	-	-	-	-	-	-	-	-	-	-	2	-	EASTBOURNE.
BRIGHTON.	137,685	12·5	10·2	14·8	12·5	45	33	3	16	-	-	-	-	1	1	-	-	-	4	7	-	BRIGHTON.
PORTSMOUTH§.	235,998	14·1	9·3	11·0	10·6	108	48	5	24	-	-	-	-	-	-	-	3	-	2	10	-	PORTSMOUTH.§
BOURNEMOUTH.	85,919	13·4	14·0	7·9	12·1	32	20	1	13	-	-	-	-	-	-	-	1	1	2	2	-	BOURNEMOUTH.
SOUTHAMPTON .	162,388	14·8	11·9	10·3	10·0	77	31	4	16	-	-	-	-	-	1	-	-	3	4	13	-	SOUTHAMPTON.
READING.	95,006	14·8	11·5	9·3	6·6	34	12	-	5	-	-	-	-	-	-	-	-	2	3	4	1	READING.
OXFORD.	59,963	8·7	6·1	9·6	13·0	23	15	3	7	-	-	-	-	-	-	-	-	-	1	3	-	OXFORD.
NORTHAMPTON.	92,483	12·4	10·7	11·3	10·7	36	19	2	9	-	-	-	-	-	-	-	-	-	-	2	-	NORTHAMPTON.
CAMBRIDGE.	60,154	10·4	8·7	17·3	6·9	18	8	1	3	-	-	-	-	-	-	-	-	-	-	3	1	CAMBRIDGE.

* See note † on first page of this return.
§ As extended on 1st October, 1920.

† For Greater London see end of Table.
‡ These towns are included within the area of Greater London.
|| As extended on 9th November 1920.

TABLE 1 (cont.).—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH-RATES in the Week ended Saturday, 29th January 1921, and DEATH-RATES in each of the preceding three Weeks.

Great Towns, &c.: Births, Deaths and Rates of Mortality.

TOWNS.	ESTIMATED CIVILIAN POPULATION, MID. 1920.* (Provisional.)	DEATH-RATES from all Causes.					Week ended 29th Jan., 1921.		The DEATHS in the Week include										TOWNS.			
		Week ended					BIRTHS.	DEATHS.	Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from									Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
		Week ended									Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.	Violence.				
		8th Jan., 1921.	15th Jan., 1921.	22nd Jan., 1921.	29th Jan., 1921.																	
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
SOUTHEND ON SEA .	87,332	9.5	11.3	14.9	17.3	33	29	3	10	-	-	-	-	-	-	1	1	2	3	3	-	SOUTHEND ON SEA.
IPSWICH	81,119	7.7	12.2	4.5	15.4	33	24	4	9	-	-	-	-	-	4	-	-	1	1	9	-	IPSWICH.
GREAT YARMOUTH .	55,193	18.0	9.4	18.0	17.0	23	18	-	14	-	-	-	-	-	-	-	1	3	3	8	-	GREAT YARMOUTH.
NORWICH	124,774	14.6	10.4	9.2	15.5	53	37	6	16	-	-	-	-	-	-	-	-	2	4	12	-	NORWICH.
SWINDON	53,580	8.8	13.6	6.8	10.7	29	11	2	6	-	-	-	-	-	-	-	-	-	1	2	-	SWINDON.
EXETER	61,365	8.5	13.6	9.3	10.2	21	12	-	7	-	-	-	-	-	-	-	-	-	-	2	1	EXETER.
PLYMOUTH . . .	189,218	12.7	17.4	13.0	13.5	84	49	9	25	-	1	-	-	1	2	-	1	-	-	11	-	PLYMOUTH.
BATH	68,546	12.9	15.2	13.7	12.2	20	16	1	9	-	-	-	-	-	1	-	1	-	-	8	-	BATH.
BRISTOL	375,641	12.6	10.4	13.2	10.0	132	72	7	24	-	-	-	-	-	5	-	2	-	1	25	-	BRISTOL.
GLOUCESTER . .	52,096	15.0	10.0	11.0	9.0	23	9	-	2	-	-	-	-	-	-	-	-	-	-	6	-	GLOUCESTER.
STOKE ON TRENT .	248,852	14.5	16.3	17.2	14.7	125	70	20	13	-	-	-	1	-	-	6	1	2	4	13	1	STOKE ON TRENT.
WOLVERHAMPTON .	102,324	14.3	13.8	16.8	11.2	48	22	-	8	-	-	-	-	-	-	-	3	1	2	7	-	WOLVERHAMPTON.
WALSALL	96,419	15.7	14.6	10.8	15.7	48	29	11	7	-	-	1	-	-	-	-	-	-	1	3	-	WALSALL.
WEST BROMWICH .	72,684	12.2	15.1	12.9	15.8	54	22	4	6	-	-	1	-	-	-	-	-	-	-	6	-	WEST BROMWICH.
DUDLEY	56,169	16.7	13.9	13.9	13.0	31	14	4	5	-	-	-	-	-	-	2	-	-	1	1	-	DUDLEY.
BIRMINGHAM . .	895,915	12.3	11.8	14.1	10.8	513	185	41	53	-	-	8	1	3	2	7	1	7	7	56	5	BIRMINGHAM.
SMETHWICK . . .	75,027	13.2	11.8	11.1	11.8	37	17	3	4	-	-	-	-	-	2	-	-	2	2	3	-	SMETHWICK.
COVENTRY . . .	137,310	9.5	9.5	8.0	8.4	56	22	2	5	-	-	-	-	-	1	-	-	-	-	7	-	COVENTRY.
LEICESTER . . .	245,465	10.8	10.4	15.3	8.9	104	42	8	15	-	-	-	-	1	1	-	1	-	1	6	-	LEICESTER.
LINCOLN† . . .	67,543	13.1	13.1	14.7	9.3	26	12	2	6	-	-	-	-	-	-	-	-	1	1	1	-	LINCOLN.†
GRIMSBY	31,953	15.9	10.2	10.2	10.8	36	17	4	1	-	-	-	-	-	-	-	-	1	1	1	1	GRIMSBY.
NOTTINGHAM . .	267,836	14.3	13.6	14.2	15.2	127	78	15	32	-	-	-	-	-	3	2	3	3	5	21	-	NOTTINGHAM.
DERBY	128,868	12.5	7.3	11.3	14.6	46	36	9	13	-	-	1	-	-	-	1	1	2	3	13	-	DERBY.

* See note † on first page of this return.

† As extended on 9th November 1920.

TABLE 1 (cont.).—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH-RATE in the Week ended Saturday, 29th January, 1921, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	DEATH-RATES from all Causes.				Week ended		Week ended		The DEATHS in the Week include										TOWNS			
	ESTIMATED CIVILIAN POPULATION MID. 1920.* (Provisional.)	Week ended				29th Jan., 1921.		Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from								Inquest Cases.		Deaths in Public Institutions.	Uncertified Causes or Death.	
		8th Jan., 1921.	15th Jan., 1921.	22nd Jan., 1921.	29th Jan., 1921.	6.	7.			10.	11.	12.	13.	14.	15.	16.	17.					18.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
STOCKPORT	130,635	12·0	18·0	11·6	7·2	54	18	4	6	-	-	-	-	-	1	-	1	-	-	5	-	STOCKPORT.
BIRKENHEAD	153,951	10·2	13·2	10·5	8·8	97	26	7	4	-	-	-	-	1	-	3	-	-	-	10	-	BIRKENHEAD.
WALLASEY	99,226	19·4	7·9	7·9	10·5	30	20	3	9	-	-	-	-	-	-	-	1	2	2	5	-	WALLASEY.
LIVERPOOL	803,452	17·3	15·0	15·3	13·8	423	212	39	56	-	-	-	2	1	3	10	1	11	17	101	1	LIVERPOOL.
BOOTLE	80,029	16·3	16·3	12·4	5·9	57	9	3	2	-	-	-	-	-	-	1	-	-	-	3	-	BOOTLE.
ST. HELENS	104,822	15·4	18·4	13·4	15·9	67	32	12	5	-	-	-	-	1	-	-	-	-	-	7	-	ST. HELENS.
SOUTHPORT	72,939	19·3	10·7	11·4	10·0	18	14	3	7	-	-	-	-	-	-	1	-	-	-	2	-	SOUTHPORT.
WIGAN	90,866	14·9	11·5	18·4	14·9	48	26	3	3	-	-	-	-	-	-	1	-	3	3	3	-	WIGAN.
WARRINGTON	77,939	14·0	15·4	13·4	16·7	41	25	7	4	-	-	-	-	1	-	-	-	1	1	9	-	WARRINGTON.
BOLTON	184,533	15·8	10·2	13·6	10·5	77	37	10	9	-	-	-	-	-	-	1	-	-	1	4	-	BOLTON.
BURY	56,410	7·4	12·9	14·8	12·0	14	13	2	3	-	-	-	-	-	-	-	-	-	-	-	-	BURY.
MANCHESTER	770,597	17·3	14·2	14·5	13·9	338	205	40	51	-	-	-	2	1	1	2	1	9	15	78	-	MANCHESTER.
SALFORD	235,239	15·3	12·9	12·2	14·6	109	66	15	19	-	-	-	-	-	1	3	1	2	6	22	-	SALFORD.
OLDHAM	143,154	16·4	20·0	13·5	18·6	70	51	11	14	-	-	-	-	-	-	1	-	1	3	13	-	OLDHAM.
ROCHDALE	93,639	16·1	11·7	8·9	15·0	41	27	4	8	-	-	-	-	-	-	-	1	-	-	9	-	ROCHDALE.
BURNLEY	105,030	13·9	16·4	12·4	8·4	41	17	5	3	-	-	-	-	-	-	1	-	1	3	3	-	BURNLEY.
BLACKBURN	131,012	15·9	13·5	13·5	11·9	47	30	6	13	-	-	-	-	-	-	2	-	1	2	7	-	BLACKBURN.
PRESTON	121,950	17·1	11·5	21·8	16·7	56	39	9	10	-	-	-	-	-	-	2	-	-	-	10	2	PRESTON.
BLACKPOOL	70,545	9·6	15·5	17·0	9·6	24	13	1	6	-	-	-	-	-	-	-	-	1	1	4	1	BLACKPOOL.
BARROW IN FURNESS	76,561	10·9	12·9	16·3	10·2	29	15	2	7	-	-	-	-	-	-	-	-	-	-	2	1	BARROW IN FURNESS.
HUDDERSFIELD	116,776	14·3	8·9	10·3	8·0	34	18	1	6	-	-	1	1	-	1	-	-	1	2	8	-	HUDDERSFIELD.
HALIFAX	105,847	23·2	13·8	7·4	9·9	26	20	3	10	-	-	-	-	-	-	1	-	1	2	4	-	HALIFAX.
BRADFORD	293,979	15·4	14·7	14·7	11·9	114	67	8	23	-	-	-	1	-	-	-	1	2	5	25	-	BRADFORD.
LEEDS	449,212	14·7	15·3	13·3	13·3	196	115	13	40	-	-	-	1	-	6	-	3	6	12	33	-	LEEDS.
DEWSBURY	55,080	10·4	19·9	14·2	11·4	20	12	2	4	-	-	-	-	-	2	-	-	-	-	3	-	DEWSBURY.
WAKEFIELD	51,169	11·2	12·2	20·4	11·2	31	11	1	4	-	-	-	-	-	-	-	-	-	1	3	-	WAKEFIELD.
BARNLEY	53,739	15·5	7·8	10·7	21·3	44	22	5	5	-	-	-	-	-	3	-	1	2	3	6	-	BARNLEY.

TOWNS.	CIVILIAN POPULATION, MID. 1920.* (Provisional).	Week ended				29th Jan., 1921.		Deaths of		Deaths from										Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS
						BIRTHS.	DEATHS.	Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.	Violence.					
		Week ended																					
		8th Jan., 1921.	15th Jan., 1921.	22nd Jan., 1921.	29th Jan., 1921.																		
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.	
SHEFFIELD	492,570	13·7	10·5	13·7	11·8	240	111	25	30	-	-	1	-	1	2	2	1	5	6	40	-	SHEFFIELD.	
ROTHERHAM	71,785	6·5	6·5	8·7	14·5	40	20	3	3	-	-	1	-	-	-	-	1	-	-	3	-	ROTHERHAM.	
YORK	77,501	14·1	15·5	14·8	9·4	29	14	1	4	-	-	-	-	-	-	-	1	1	2	1	-	YORK.	
HULL	290,808	16·0	12·9	13·3	13·6	141	76	13	17	-	-	-	-	-	2	2	1	5	7	22	1	HULL.	
MIDDLESBROUGH	132,208	20·9	19·3	22·5	19·7	86	50	15	10	-	-	3	-	-	-	2	-	1	3	16	-	MIDDLESBROUGH.	
DARLINGTON	66,610	13·3	8·6	16·4	12·5	22	16	2	7	-	-	-	-	-	-	-	-	-	-	2	-	DARLINGTON.	
STOCKTON ON TEES	63,114	13·2	17·3	17·3	15·7	37	19	2	8	-	-	-	-	-	-	-	-	1	1	3	-	STOCKTON ON TEES.	
WEST HARTLEPOOL	68,126	16·1	15·3	14·5	16·1	33	21	9	4	-	-	-	-	-	-	1	1	2	3	2	-	WEST HARTLEPOOL.	
SUNDERLAND	155,211	24·5	23·9	18·8	19·8	93	59	17	12	-	-	-	1	1	-	1	1	1	1	7	-	SUNDERLAND.	
SOUTH SHIELDS	115,945	19·8	16·2	19·8	17·1	68	38	3	8	-	-	-	-	2	-	1	3	2	2	4	3	SOUTH SHIELDS.	
GATESHEAD	128,309	15·8	17·9	20·3	15·8	57	39	6	10	-	-	2	-	-	1	-	1	-	-	8	3	GATESHEAD.	
NEWCASTLE ON TYNE.	286,061	19·9	16·6	19·3	17·9	151	98	20	30	-	-	3	1	1	1	1	3	-	3	20	1	NEWCASTLE ON TYNE.	
TYNEMOUTH	60,318	17·3	24·2	20·7	11·2	33	13	2	3	-	-	-	-	-	-	-	1	-	-	2	1	TYNEMOUTH.	
CARLISLE	57,397	13·6	11·8	10·0	10·9	25	12	3	5	-	-	-	-	-	-	-	-	-	1	2	-	CARLISLE.	
NEWPORT (MON.)	90,728	12·6	12·1	16·7	17·2	54	30	8	7	-	-	-	-	-	1	-	-	-	-	7	-	NEWPORT (MON.).	
CARDIFF	212,582	15·7	11·0	9·6	12·3	105	50	8	12	-	-	-	-	-	-	1	-	2	5	8	-	CARDIFF.	
RHONDDA	184,999	12·4	9·9	13·5	15·8	105	56	15	11	-	-	-	2	3	-	5	1	2	2	6	-	RHONDDA.	
MERTHYR TYDFIL	74,493	14·7	21·7	13·3	19·6	44	28	4	6	-	-	-	-	1	2	-	-	2	4	6	-	MERTHYR TYDFIL.	
ABERDARE	53,431	13·7	6·8	15·6	12·7	26	13	2	4	-	-	-	-	-	-	2	-	-	-	2	-	ABERDARE.	
SWANSEA	167,218	13·1	10·6	15·3	10·3	73	33	5	10	-	-	-	-	1	2	1	1	2	2	7	-	SWANSEA.	
GREATER LONDON	7,548,647	12·0	11·7	12·0	10·9	3251	1581	254	507	1	-	2	11	13	32	26	14	63	113	679	1	GREATER LONDON.	
OUTER RING	3,016,676	10·7	10·4	10·7	9·9	1212	570	94	186	-	-	1	3	9	13	8	8	23	39	174	-	OUTER RING.	
14 GREAT TOWNS IN OUTER RING.	1,734,723	11·3	10·4	11·1	9·9	711	330	59	102	-	-	-	1	6	8	5	7	15	23	109	-	14 GREAT TOWNS IN OUTER RING.	
REMAINDER OF OUTER RING.	1,281,953	9·8	10·3	10·3	9·8	501	240	35	84	-	-	1	2	3	5	3	1	8	16	65	-	REMAINDER OF OUTER RING.	
EDINBURGH†	446,200	16·9	15·5	17·5	18·7	166	160	40	52	-	-	4	-	1	1	3	4	9	?	?	?	EDINBURGH.†	
GLASGOW†	1,100,400	18·1	15·6	15·6	15·3	559	323	69	74	-	2	1	1	10	4	8	5	12	?	?	?	GLASGOW.†	
DUBLIN (Registration Area).†	423,000	17·1	17·9	16·6	15·8	198	128	25	34	-	-	-	-	2	1	4	1	3	2	53	2	DUBLIN (Registration Area).†	
BELFAST†	420,000	19·5	18·1	18·5	16·9	183	136	38	22	1	-	-	1	6	1	3	1	4	4	33	1	BELFAST.†	

* See note † on first page of this return.
† The populations are total populations and relate to 1921. Deaths and the death-rates in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week: those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

TABLE 2. LONDON.—Births and Deaths registered during the FOURTH Week of each of the Eleven Years, 1911–1921.

	1911.	1912.	1913.	1914.	1915.	1916.	1917.	1918.	1919	1920.	1921.
Births (as registered).	2277	2213	2197	2198	2282	2018	1828	1503	1340	2715	2039
Males - - - - -	1185	1124	1118	1127	1181	1032	906	764	711	1399	1035
Females - - - - -	1092	1089	1079	1071	1101	986	922	739	629	1316	1004
Deaths (of residents only).	1538	1375	1543	1556	1757	1202*	1521*	1378*	1091*	1297*	1011*
Males - - - - -	794	711	764	753	914	619	769	696	547	691	490
Females - - - - -	744	664	779	803	843	583	752	682	544	606	521

* Deaths in civilian population only.

TABLE 3. LONDON.—BIRTHS and DEATHS REGISTERED, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the last THIRTEEN WEEKS.

	Nov. 6.	Nov. 13.	Nov. 20.	Nov. 27.	Dec. 4.	Dec. 11.	Dec. 18.	Dec. 25.	1921. Jan. 1.	Jan. 8.	Jan. 15.	Jan. 22.	Jan. 29.
Births (as registered) - -	1927	2057	2011	1900	1921	1902	1793	1733	2031	2373	2059	2009	2039
Deaths (of residents only).	982	1244	1138	1178	1091	1078	1335	1279	1382	1117	1099	1121	1011
Ages at Death													
Under 1 year - - - - -	127	130	160	142	150	170	213	170	234	178	186	177	160
1-2 years - - - - -	19	33	19	21	23	21	31	33	45	34	28	34	31
2-5 " - - - - -	21	24	20	33	20	32	34	23	25	20	26	32	24
5-10 " - - - - -	24	33	20	22	22	26	28	24	21	31	30	23	19
10-15 " - - - - -	12	15	22	18	12	9	16	13	11	17	17	16	14
15-20 " - - - - -	22	26	22	16	16	18	17	17	28	20	29	19	24
20-25 " - - - - -	18	19	19	28	24	10	17	27	35	19	24	20	19
25-35 " - - - - -	54	58	51	49	38	54	56	62	65	70	62	44	47
35-45 " - - - - -	80	107	81	87	83	84	86	89	84	78	77	77	78
45-55 " - - - - -	110	139	113	149	132	117	147	137	127	105	117	118	125
55-65 " - - - - -	159	174	168	188	161	152	180	186	216	159	155	183	149
65-75 " - - - - -	155	243	218	224	190	181	243	246	220	189	165	193	146
75 years and upwards	181	243	225	201	220	204	267	252	271	197	183	185	175
Deaths from—													
Enteric fever - - - - -	-	-	1	2	-	-	-	1	-	-	1	1	1
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	2	2	2	4	-	3	-	4	-	1	3	2	1
Scarlet fever - - - - -	3	7	7	7	4	6	11	5	8	8	2	5	8
Whooping cough - - - - -	2	2	2	3	3	3	7	2	4	6	2	8	4
Diphtheria - - - - -	25	26	20	21	22	22	25	27	22	24	23	28	19
Diarrhoea and enteritis (under 2 years).	26	29	24	16	13	16	24	17	20	17	20	19	18
Pulmonary tuberculosis -	100	124	94	119	103	81	95	101	90	84	99	100	98
Influenza - - - - -	12	14	13	15	13	13	21	14	20	21	16	14	6
Pneumonia (all forms) -	59	88	111	104	106	116	149	165	171	141	112	117	92
Bronchitis - - - - -	78	157	138	154	149	118	189	175	165	96	116	101	95
Other dis. of resp. system -	12	27	18	19	18	12	20	14	27	17	15	7	16
Dis. of circ. system - -	179	229	190	196	177	163	207	209	208	184	202	178	181
Violence - - - - -	31	43	38	44	34	39	39	42	50	40	34	35	40
Inquest cases - - - - -	85	98	87	108	95	92	124	122	117	93	99	81	74
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Enteric fever - - - - -	21	14	16	18	21	18	19	18	18	20	17	12	11
Small-pox - - - - -	-	-	-	-	-	-	-	-	1	1	1	1	1
Measles - - - - -	24	21	15	13	14	17	15	19	18	15	13	14	15
Scarlet fever - - - - -	5373	5512	5610	5575	5438	5297	4994	4780	4817	4608	4413	4350	4171
Whooping cough - - - - -	25	26	25	25	24	25	27	22	17	20	20	23	27
Diphtheria - - - - -	2353	2474	2563	2626	2655	2654	2654	2547	2642	2588	2597	2618	2632

* The Metropolitan Asylums Board and London Fever Hospitals. The figures do not refer to London exclusively.

TABLE 3A. 96 Great Towns.—DEATHS from INFLUENZA in the last THIRTEEN WEEKS.

	Nov. 6.	Nov. 13.	Nov. 20.	Nov. 27.	Dec. 4.	Dec. 11.	Dec. 18.	Dec. 25.	1921. Jan. 1.	Jan. 8.	Jan. 15.	Jan. 22.	Jan. 29.
Deaths from Influenza - -	29	42	60	69	65	61	75	81	89	101	87	66	61

TABLE 4. LONDON.—DEATHS REGISTERED in the FOURTH Week of the Year 1921.

CAUSES OF DEATH.	Deaths in the 4th week of the year 1920.	DEATHS of PERSONS of the AGES													
		ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-10 years.	10-15 years.	15-20 years.	20-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and up- wards.
ALL CAUSES	1297	1011	160	31	24	19	14	24	19	47	78	125	149	146	175
Enteric fever	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	18	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever	5	8	-	4	1	2	1	-	-	-	-	-	-	-	-
Whooping cough	28	4	1	3	-	-	-	-	-	-	-	-	-	-	-
Diphtheria	37	19	1	2	10	5	1	-	-	-	-	-	-	-	-
Croup	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza	15	6	-	1	-	-	-	2	-	-	-	2	1	-	-
Erysipelas	-	2	1	-	-	-	-	-	-	-	-	-	-	-	1
Other epidemic diseases	2	2	1	-	-	-	-	-	-	1	-	-	-	-	-
Pyæmia and septicæmia	1	2	-	-	-	1	-	-	-	-	1	-	-	-	-
Tetanus	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-
Tuberculosis :—															
Pulmonary tuberculosis	86	98	2	2	-	1	3	11	6	16	29	19	8	1	-
Tuberculous meningitis	10	6	1	-	3	1	-	1	-	-	-	-	-	-	-
Abdominal tuberculosis	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-
Tuberculosis of the spine	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-
Tuberculosis of the joints	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-
Tuberculosis of other organs	3	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Disseminated tuberculosis	2	5	-	-	1	1	-	-	-	1	1	-	1	-	-
Venereal diseases	10	2	-	-	-	-	-	-	-	1	-	-	1	-	-
Cancer	110	87	-	-	-	-	1	-	-	1	5	28	26	17	9
Tumour, situation undefined	-	2	-	-	-	-	-	-	1	-	-	-	1	-	-
Rheumatic fever	2	3	-	-	-	-	-	-	-	1	-	-	-	1	1
Diabetes	3	9	-	-	-	-	-	-	1	-	-	-	3	4	1
Anæmia, leucocythæmia	6	9	1	-	-	-	-	-	1	2	3	-	1	1	-
Other general diseases	6	8	2	1	-	-	-	-	-	-	-	3	-	-	2
Alcoholism	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic poisonings	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	5	6	4	1	-	-	-	-	-	-	-	1	-	-	-
Cerebral hæmorrhage, Apoplexy	43	37	-	-	-	-	-	-	-	-	-	6	5	16	10
Softening of brain	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Paralysis, without specified cause	8	4	-	-	-	-	-	-	-	-	-	1	-	1	2
Epilepsy	6	1	-	-	-	-	-	-	-	-	-	-	1	-	-
"Convulsions" (not puerperal)	11	2	2	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system	30	32	-	-	-	1	-	2	-	5	3	11	6	2	2
Pericarditis	3	2	-	-	-	-	1	-	-	-	-	-	1	-	-
Acute endocarditis	5	4	-	-	-	-	-	-	-	1	1	-	1	1	-
Organic disease of heart	139	130	-	-	-	2	3	-	4	1	10	12	32	27	39
Embolism and thrombosis (including cerebral).	6	13	-	-	-	-	-	-	-	-	-	-	4	4	5
Other diseases of circulatory system.	29	32	-	-	-	-	-	-	-	-	-	5	5	9	13
Diseases of the larynx	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis	139	95	13	-	1	-	-	-	-	-	2	6	17	22	34
Broncho-pneumonia	108	56	34	12	1	1	-	-	-	-	1	1	2	1	3
Lobar pneumonia	30	23	3	2	2	-	-	2	2	1	1	5	3	1	1
Pneumonia (type not distinguished)	38	13	4	2	-	-	-	-	-	1	-	2	2	2	-
Pleurisy	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Pulmonary congestion, Pulmonary apoplexy.	1	6	-	-	-	-	1	-	-	-	-	-	1	3	1
Other diseases of respiratory system.	5	9	-	-	-	-	-	-	1	-	2	2	2	2	-

TABLE 4 (cont.) LONDON.—DEATHS REGISTERED in the FOURTH Week of the Year 1921.

CAUSES OF DEATH.	Deaths in the 4th week of the year 1920.	DEATHS of PERSONS of the AGES													
		ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-10 years.	10-15 years.	15-20 years.	20-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and up- wards.
Diseases of the pharynx, Tonsillitis	3	1	-	-	-	-	-	-	-	1	-	-	-	-	-
Diseases of stomach	11	11	1	-	-	-	-	-	-	1	1	2	3	4	-
Diarrhoea and enteritis	21	24	18	-	-	-	1	-	-	1	1	-	-	2	-
Appendicitis and typhlitis	2	10	-	-	1	-	-	2	1	2	1	3	-	-	-
Hernia and Intestinal obstruction.	13	10	-	-	-	-	-	-	-	1	3	-	2	2	2
Cirrhosis of liver	5	4	-	-	-	-	-	-	-	-	-	1	1	2	-
Other diseases of liver	-	5	-	-	-	-	-	-	-	1	1	-	3	-	-
Peritonitis (cause unknown)	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Other diseases of digestive system	6	5	-	-	-	-	-	-	-	-	-	1	1	3	-
Acute nephritis	-	3	-	-	-	-	-	-	-	1	1	1	-	-	-
Chronic Bright's disease	31	20	-	-	-	-	-	-	-	2	1	3	5	2	7
Urinary calculi	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Uterine tumour (non-cancerous)	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1
Ovarian tumour (")	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of genito-urinary system.	7	13	-	-	-	-	-	-	-	-	1	2	1	5	4
Puerperal fever, &c.	7	1	-	-	-	-	-	-	1	1	-	-	-	-	-
Other causes incident to child-birth.	7	7	-	-	-	-	-	-	1	3	3	-	-	-	-
Diseases of skin and cellular tissues.	14	4	1	-	-	-	-	-	-	-	-	1	1	-	1
Diseases of locomotor system	5	3	1	-	1	-	-	-	-	-	-	-	-	1	-
Congenital malformations	11	8	7	-	-	1	-	-	-	-	-	-	-	-	-
Premature birth	49	34	34	-	-	-	-	-	-	-	-	-	-	-	-
Debility, atrophy marasmus (Infants).	25	16	16	-	-	-	-	-	-	-	-	-	-	-	-
Old age	68	34	-	-	-	-	-	-	-	-	-	-	-	7	27
ACCIDENT.															
Poisons or poisonous vapours.	1	3	-	-	-	-	1	1	-	1	-	-	-	-	-
Conflagration	-	4	1	-	1	-	-	1	-	-	1	-	-	-	-
Burns and scalds	5	3	-	-	2	-	-	-	-	-	-	-	-	1	-
Drowning	2	3	-	-	-	-	-	-	-	-	-	1	2	-	-
Suffocation in bed	5	2	2	-	-	-	-	-	-	-	-	-	-	-	-
Other deaths by accident	22	19	1	-	-	2	-	-	1	1	1	2	3	2	6
Total deaths from accident	35	34	4	-	3	2	1	2	1	2	2	3	5	3	6
Included in above are deaths in connection with:—															
Railways	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	8	5	-	-	-	1	-	-	1	-	-	1	-	2	-
Ships, boats, docks	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-
Building operations	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-
VIOLENCE OTHER THAN ACCIDENTAL.															
Homicide	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	5	6	-	-	-	-	-	-	-	-	4	1	-	-	1
Execution	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other specified diseases	9	9	7	-	-	1	1	-	-	-	-	-	-	-	-
Ill-defined Causes	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-

TABLE 5.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM							
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria and Croup.*	Diarrhoeal Diseases† (under 2 years).	Influenza.
LONDON† . .	4,531,971	1921. Jan. 29	2,039	1,011	11·6	1	-	1	8	4	19	18 .	6
ALBUHUTTA . .	896,067	Dec. 18	-	694§	40·2	-	-	?	?	?	?	?	29
BOMBAY . .	979,445	" 25	402	963§	51·1	-	1	3	-	-	1	64	17
MADRAS . .	518,660	" 18	386	547§	54·8	-	-	1	-	4	-	46	13
CHENNAI . .	2,847,229	(10 days) Dec. 20	1,321	1,193	?	6	-	2	-	1	7	36	3
COCHIN . .	792,919	- - -	-	-	-	-	-	-	-	-	-	-	-
AMSTERDAM . .	341,815	Jan. 15	115	70	11·2	-	-	3	-	-	1	3	-
ROTTERDAM . .	654,179	- - -	-	-	-	-	-	-	-	-	-	-	-
COPENHAGEN . .	571,000	Jan. 15	276	121	11·0	-	-	-	1	1	-	1	-
STOCKHOLM . .	415,201	" 8	123	116	14·5	-	-	-	1	-	1	1	1
GÖTEBORG . .	200,578	Dec. 25	-	39	10·1	-	-	-	-	-	-	-	-
OSLO . .	260,904	Jan. 15	104	51	10·2	-	-	-	-	-	-	1	-
BERLIN . .	1,934,000	" 8	563	729	19·6	-	?	6	2	-	5	17	13
BRUSSELS . .	540,000	" 8	282	163	15·7	-	?	1	-	1	2	6	1
PARIS . .	660,000	" 8	284	192	15·1	-	?	9	1	3	-	1	9
AMSTERDAM . .	538,000	" 8	184	156	15·1	-	?	-	-	2	1	5	3
ANTWERP . .	463,000	" 8	140	81	9·1	-	?	-	1	-	1	1	3
FRANKFURT-ON-MAIN . .	996,000	" 8	-	-	-	-	-	-	-	-	-	-	-
PRAGUE . .	624,000	" 8	263	160	13·3	-	?	-	-	1	-	3	3
VIENNA . .	670,000	" 8	258	187	14·5	-	?	1	2	1	3	7	5
BUDAPEST . .	1,842,005	" 8	320	596	16·8	-	-	-	1	-	3	21	7
VIENNA . .	535,475	Dec. 25	164	157	15·3	-	-	-	1	-	-	6	2
BUDAPEST . .	1,071,492	Oct. 30	304	362	17·6	9	-	10	23	2	9	16	-
VIENNA . .	242,214	Dec. 25	139	88	19·0	-	-	-	1	-	-	1	-
VIENNA . .	761,300	Jan. 1	112	92	20·1	1	-	-	-	-	-	4	-
VIENNA . .	Nov. 25	583	358	24·5	1	-	2	-	-	-	3	27	-
ALEXANDRIA . .	445,700	" 25	358	254	29·6	1	-	1	1	-	-	18	-
NEW YORK . .	6,141,445	Jan. 1	2,257	1,386	11·5	2	-	4	13	6	35	22	13
CHICAGO . .	2,727,504	" 8	-	671	12·6	-	-	2	4	3	22	29	2

including deaths from croup in Bombay and Madras.

Deaths in this column relate to *all ages* for Bombay, Madras, Christiania, and Budapest, and to *children under 5 years of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

Estimated population and deaths refer to the civilian population only.

Including 1 death from *plague* in Bombay, and from *Asiatic cholera*, 37 deaths in Calcutta, and 1 in Madras.

TABLE 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 29th January, 1921.

(Supplied by the Meteorological Office.)

TOWNS.	Temperature of Air.*				Rainfall in Milli- metres.†	TOWNS.	Temperature of Air.*				Rainfall in Milli- metres.†
	Highest.	Lowest.	Mean Maxi- mum.	Mean Mini- mum.			Highest.	Lowest.	Mean Maxi- mum.	Mean Mini- mum.	
LONDON (Greenwich) }	54	37	51·6	42·3	2	BRADFORD . .	52	36	48·9	40·7	20
NOTTINGHAM . .	50	39	49·1	43·7	3	SHEFFIELD . .	54	38	52·0	42·1	13
SOUTHAMPTON . .	53	41	51·7	44·7	4	YORK (Museum) . .	54	37	51·0	41·7	7
WIMBORNE (Eaton) . .	54	35	51·0	40·7	13	HULL (Pearson Park)	55	37	52·1	42·3	11
POWELL (Clifton) . .	55	43	52·7	48·1	8	TYNEMOUTH . .	55	35	50·7	40·1	26
WOLVERHAMPTON . .	52	41	51·0	45·4	10	CARDIFF . .	52	38	50·9	45·7	18
GLASGOW . .	53	39	50·7	43·9	4	EDINBURGH . .	53·0	30·0	48·6	38·9	40
GLASGOW . .	55	38	52·7	41·6	3	GLASGOW . .	52·1	30·7	48·4	39·8	45
GLASGOW (Bidston) }	54	42	52·7	44·7	7	DUBLIN :—					
CHESTER . .	54	40	51·7	42·9	27	Phoenix Park . .	56·8	42·5	54·2	46·4	8
LEEDS . .	52	38	49·4	41·7	44	†Fitzwilliam Square	56·0	39·9	54·3	47·3	4
DERBY . .	52	37	50·3	41·3	25	BELFAST . .	54	37·6	51	42	19

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.

† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.

‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

TABLE 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 29th January 1921.

[Under the Superintendence of the Astronomer Royal.]

1921. MONTH AND DAY.		Phases of the Moon.	BARO- METER. Mean daily reading (cor- rected and re- duced to 32° Fahren- heit).	TEMPERATURE.					Difference between the Air Temperature and Dew Point Temperature.			De- gree mid- ity (Satu- ration equals 100).	TEMPERATURE.		Wind as deduced from Anemometers.				Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
				Of the Air.					Of the Dew point.		Of Radiation.								
				High- est.	Low- est.	Daily Range.	Mean daily value.	De- parture from Average of 65 years.	Mean daily value.	Mean Great- est.	Least.		Highest in Sun's Rays.	Lowest on the Grass.					
				Of the Earth 4 feet below the Surface.		Osler's.		Robinson's.											

DATE.		ELECTRICITY. (For explanation of symbols, see Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
JANUARY, 1921.					
SUNDAY	23	w.P. throughout	0·3	8·6	Variably cloudy till 2h., nearly cloudless 5h. to 8h., becoming overcast generally soon after 9h.; cloud thinning 19h.; lunar halo 20h.; brisk wind from 2h.
MONDAY	24	w.P. throughout	0·0	8·7	Overcast throughout; damping 6h. 30m.; brisk wind till 10h.
TUESDAY	25	w.P. throughout	0·0	8·7	Overcast with slight exceptions till 20h., nearly overcast afterwards; occasional damping or slight rain till 15h.
WEDNESDAY	26	w.P. till 17h., m.P. afterwards.	0·3	8·8	Overcast generally with occasional showers till 3h., then cloudy to overcast soon after 9h.; cloudy again after 23h.; occasional misty rain on damping.
THURSDAY	27	m.P. throughout	0·0	8·8	Fine generally till 7h., overcast or nearly overcast till 15h.; little cloud till 21h., becoming nearly overcast by 23h.; hoar frost noted at 21h.
FRIDAY	28	m.P. generally, w.P. about 4h.	0·8	8·9	Overcast with slight exception between 12h. and 13h., until 21h., then clearing to nearly cloudless by 23h.; rain 3½h. to 4h.; damping from 5h. to 9h.; brisk wind between 13h. and 20h.
SATURDAY	29	Loss of register till 9½h., m.P. afterwards.	0·0	8·9	Few thin clouds generally till 4h., afterwards overcast; frequent damping between 10½h. and 21h.
No. of Col.		26	Sum 1·4	Sum 61·4	
			27	28	

The results apply to the civil day, or from midnight to midnight. The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1903, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "higher," and - "lower," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 30·07 in. at the beginning of the week to 30·15 in. by 11h. on 23rd; decreased to 29·91 in. by 7h. on 24th; increased to 30·04 in. by 4h. on 25th; decreased to 29·72 in. by 19h. on 26th; increased to 30·12 in. by 22h. on 27th, decreased generally afterwards, and was 29·72 in. at midnight on 29th.

TABLE 8. LONDON.—DEATHS OF PERSONS BELONGING to the several METROPOLITAN BOROUGHs REGISTERED in the Week ended 22nd January, 1921.

BOROUGHs.	Deaths from									Deaths of Infants under 1 Year of Age.
	ALL CAUSES.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Pulmonary Tuberculosis.	
COUNTY OF LONDON -	1,121	1	-	2	5	8	28	19	100	177
Western										
PADDINGTON . . .	43	-	-	-	-	1	3	2	5	7
KENSINGTON . . .	51	-	-	1	-	-	1	1	1	11
HAMMERSMITH . . .	43	-	-	-	-	-	-	1	2	5
FULHAM	31	-	-	-	-	-	3	2	2	9
CHELSEA	19	-	-	-	-	-	-	-	-	1
CITY OF WESTMINSTER .	25	-	-	-	-	-	-	-	3	3
Northern.										
ST. MARYLEBONE . . .	25	-	-	-	-	-	1	-	3	2
HAMPSTEAD	18	-	-	-	-	-	-	-	2	-
ST. PANCRAS	68	-	-	-	-	2	2	3	6	18
ISLINGTON	95	-	-	-	1	-	4	-	6	15
STOKE NEWINGTON . . .	9	-	-	-	-	-	1	-	-	-
HACKNEY	50	-	-	-	-	-	-	1	5	4
Central.										
HOLBORN	9	-	-	-	-	-	-	-	-	-
FINSBURY	19	-	-	-	-	-	-	-	2	2
CITY OF LONDON . . .	1	-	-	-	-	-	-	-	-	-
Eastern.										
SHOREDITCH	26	-	-	-	-	-	3	-	1	5
BETHNAL GREEN . . .	33	-	-	-	-	-	-	1	5	4
STEPNEY	76	-	-	1	2	-	2	1	12	10
POPLAR	45	-	-	-	-	1	2	1	5	14
Southern.										
SOUTHWARK	61	-	-	-	1	-	-	1	6	12
BERMONDSEY	33	-	-	-	-	-	1	-	3	8
LAMBETH	63	-	-	-	-	-	-	-	4	8
BATTERSEA	27	1	-	-	-	1	-	1	1	3
WANDSWORTH	83	-	-	-	-	2	1	1	11	14
CAMBERWELL	66	-	-	-	1	1	4	2	3	9
DEPTFORD	25	-	-	-	-	-	-	-	3	4
GREENWICH	13	-	-	-	-	-	-	-	-	6
LEWISHAM	35	-	-	-	-	-	-	-	2	2
WOOLWICH	29	-	-	-	-	-	-	1	7	1

The deaths in the above Table are, so far as concerns London as a whole, corrected by the exclusion of deaths of non-residents, and by the inclusion of those of residents occurring in the Outer Ring or in Metropolitan public institutions situated outside the County. As between individual Metropolitan Boroughs, however, correction is complete.

TABLE 9. LONDON.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED during the Week ended 22nd January, 1921.*

BOROUGHES.	ESTI- MATED CIVILIAN POPU- LATION, MID. 1920.† (Provi- sional.)	Enteric Fever.	Malaria.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Group).	Pneumonia.	Erysipelas.	Cerebro-Spinal Fever.	Puerperal Fever.	Ophthalmia Neonatorum.	Poliomyelitis.	Dysentery.	Encephalitis Lethargica.	Anthrax.	Polio- encephalitis.
WESTERN.																	
Paddington . . .	149,673	-	-	-	-	13	8	1	1	-	-	-	-	-	1	-	-
Kensington . . .	164,177	1	1	-	-	18	10	-	3	-	1	-	-	-	1	-	-
Hammersmith . . .	136,200	-	-	-	-	27	8	4	1	-	1	1	-	-	1	-	-
Fulham . . .	158,621	-	-	-	-	22	13	3	4	-	1	-	-	1	2	-	-
Chelsea . . .	62,987	-	-	-	-	4	4	-	-	-	-	-	-	-	-	-	-
City of Westminster . . .	132,615	-	-	-	-	4	4	-	2	-	-	1	-	-	1	-	-
NORTHERN.																	
St. Marylebone . . .	101,856	-	-	-	-	6	3	1	-	-	-	1	1	-	-	-	-
Hampstead . . .	91,519	-	-	-	-	5	5	-	-	-	-	-	-	-	-	-	-
St. Pancras . . .	228,178	1	-	-	-	19	18	14	1	-	-	-	-	-	1	-	-
Islington . . .	335,907	-	1	-	-	28	50	-	-	-	-	2	-	-	1	-	-
Stoke Newington . . .	52,984	-	-	-	-	10	1	-	-	-	-	-	-	-	-	-	-
Hackney . . .	225,372	-	-	-	-	30	16	1	1	-	1	1	-	-	1	-	-
CENTRAL.																	
Holborn . . .	39,676	-	-	-	-	2	2	-	1	-	-	-	-	-	-	-	-
Finsbury . . .	78,291	-	-	-	-	12	1	-	2	-	-	-	-	-	-	-	-
City of London . . .	14,447	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
EASTERN.																	
Shoreditch . . .	102,044	-	-	-	-	21	10	4	1	-	-	1	-	1	-	-	-
Bethnal Green . . .	114,471	-	-	-	-	26	10	3	2	-	1	-	-	-	-	-	-
Stepney . . .	241,770	-	-	-	-	28	17	-	1	-	-	-	-	-	5	-	-
Poplar . . .	159,766	-	-	-	-	29	17	11	3	-	-	-	-	-	-	-	-
SOUTHERN.																	
Southwark . . .	187,142	-	-	-	-	23	11	5	3	1	-	3	-	-	2	-	-
Bermondsey . . .	129,189	-	-	-	-	20	9	2	1	-	1	-	-	-	-	-	-
Lambeth . . .	293,572	-	1	-	-	32	12	5	2	-	1	3	-	-	2	-	-
Battersea . . .	165,664	1	-	-	-	26	7	6	1	-	1	3	-	1	-	-	-
Wandsworth . . .	346,990	1	1	-	-	26	16	9	2	-	-	2	-	-	1	-	-
Camberwell . . .	284,712	1	-	-	-	34	24	4	4	-	3	-	-	-	-	-	-
Deptford . . .	115,636	-	-	-	-	17	7	1	-	-	1	-	-	-	1	-	-
Greenwich . . .	102,408	-	-	-	-	9	15	1	1	-	1	-	-	-	-	-	-
Lewisham . . .	174,438	-	-	-	-	18	12	1	1	1	-	-	-	-	1	-	-
Woolwich . . .	141,666	-	-	-	-	29	10	3	-	-	-	1	-	-	-	-	-
Port of London . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL . . .	4,531,971	5	4	-	-	540	320	79	38	2	13	19	1	3	21	-	-
AGES.																	
0-1 . . .	-	-	-	-	-	7	16	17	3	-	-	19	-	-	-	-	-
" 1-5 . . .	-	-	-	-	-	102	94	23	3	1	-	-	-	-	-	-	-
" 5- . . .	-	1	-	-	-	249	116	3	1	1	-	-	1	-	1	-	-
" 10- . . .	-	-	-	-	-	125	55	4	1	-	-	-	-	-	3	-	-
" 15- . . .	-	1	-	-	-	30	9	4	1	-	-	-	-	-	5	-	-
" 20- . . .	-	-	-	-	-	12	9	2	3	-	2	-	-	1	3	-	-
" 25- . . .	-	1	2	-	-	9	11	4	3	-	8	-	-	1	4	-	-
" 35- . . .	-	-	2	-	-	5	7	11	6	-	3	-	-	1	-	-	-
" 45- . . .	-	-	-	-	-	1	2	3	6	-	-	-	-	-	1	-	-
" 55- . . .	-	2	-	-	-	-	1	4	4	-	-	-	-	-	3	-	-
" 65- . . .	-	-	-	-	-	-	-	2	4	-	-	-	-	-	1	-	-
" 75 and upwards . . .	-	-	-	-	-	-	-	2	3	-	-	-	-	-	-	-	-
Age not stated . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

† See note † on first page of this return.

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS AND DEATHS REGISTERED:—

LONDON AND

NINETY-FIVE OTHER GREAT TOWNS.

~~~~~  
By Authority of the Registrar General,  
~~~~~

LONDON:

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from

H.M. STATIONERY OFFICE at the following addresses:

IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and

28, ABINGDON STREET, LONDON, S.W. 1;

37, PETER STREET, MANCHESTER;

1, ST. ANDREW'S CRESCENT, CARDIFF;

23, FORTH STREET, EDINBURGH;

or from E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN.

No. 5. Vol. LXXXII. 1921. WEEK ENDED SATURDAY, FEB. 5.
[Price 1½d. Net.]

*General Register Office, Somerset House,
February 8th, 1921.*

NINETY-SIX GREAT TOWNS.

For the NINETY-SIX GREAT TOWNS of England and Wales each of which had a population of 50,000 or over at the Census of 1911, the births registered last week numbered 7,989, and corresponded to an annual rate of 22·4 per 1,000. The deaths* among the civilian population only numbered 4,649, and corresponded to an annual rate of 13·1 per 1,000 of their aggregate civilian population, which is provisionally estimated† at 18,554,878 persons in the year 1920. In the three weeks ended January 15th, January 22nd, and January 29th, the rates had been 12·8, 13·3, and 12·3 respectively. The infant mortality was 108, against 100, 102, and 92 in the preceding three weeks. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks; it also shows for the week ended last Saturday the births and the deaths from certain individual causes. A column showing the number of deaths

* Corrected as far as possible for deaths of non-residents and for those of residents occurring outside the area. Fully corrected figures will appear in the Registrar General's Annual Report.

† The estimates of population refer to the year 1920, and are based on the returns furnished under the scheme for rationing of food.

from influenza has been inserted in Table 1. The aggregate number of deaths from influenza in the 96 great towns in each of the last thirteen weeks is shown in Table 3A.

Measured by last week's mortality, the highest annual death-rates per 1,000 living were:—from *all causes*, 18·2 in York, 18·3 in Gateshead, 18·4 in South Shields, 20·1 in Warrington, 20·7 in West Hartlepool, and 26·8 in Tynemouth; from *measles*, 1·2 in Middlesbrough, and 1·4 in Smethwick; from *whooping cough*, 2·0 in Warrington, and 2·3 in Wigan; and from *diphtheria*, 1·9 in Ilford. No death from *small-pox* was registered in any of the ninety-six towns.

LONDON.* (The Administrative County, including the City of London.)

For LONDON there were 1,856 BIRTHS, corresponding to a rate of 21·3 per 1,000, and 1,158 DEATHS of civilians, corresponding to a rate of 13·3, as against 12·6, 12·9, and 11·6 per 1,000 in the three weeks ended January 15th, January 22nd, and January 29th. The death-rate in the four weeks ended last Saturday averaged 12·6 per 1,000. The infant mortality was 102, against 90, 88, and 78 in the preceding three weeks.

There was no death from *enteric fever*, against 1, 1, and 1 in the preceding three weeks, the average for the corresponding weeks of the previous five years being 1. There was no death from *measles*, against 3, 2, and 1 in the preceding three weeks, and an average of 20. The deaths from *scarlet fever*, which had been 2, 5, and 8 in the preceding three weeks, were again 8 last week, and were 3 above the average. The deaths from *whooping-cough*, which had been 2, 8, and 4 in the preceding three weeks, rose last week to 6, but were 17 below the average. The deaths from *diphtheria*, which had been 23, 28, and 19 in the preceding three weeks, rose last week to 28, and were 8 above the average; 4 deaths belonged to the Borough of St. Pancras and 4 to Islington. The deaths from *diarrhoea and enteritis under 2 years of age*, which had been 20, 19, and 18 in the preceding three weeks, rose last week to 22, and were 5 above the average; 3 deaths belonged to Shoreditch. The deaths from *influenza* numbered 9, as against 16, 14, and 6 in the preceding three weeks and an average of 28.

Different forms of violence caused 49 deaths, of which 48 were the subject of coroners' inquests. Of these 49 deaths, 10 were cases of suicide, while the remaining 39 were attributed to other forms of violence. Fourteen of these latter were referred to vehicles in the streets, 4 to burns or scalds, and 4 to drowning.

CASES OF INFECTIOUS DISEASE.†

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital, there were 7 cases of enteric fever, 1 of small-pox, 17 of measles, 4,018 of scarlet fever, 26 of whooping-cough, and 2,767 of diphtheria under treatment in these hospitals on Saturday last (Table 3). The admissions during

* See note * on first page.

† The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

the week, as compared with those in the preceding three weeks, were as follows :—Of enteric fever, 1 case, against 1, 0, and 2; of measles, 2 cases, against 3, 2, and 4; of scarlet fever, 441 cases, against 452, 540, and 512; of whooping-cough, 3 cases, against 2, 6, and 5; and of diphtheria, 383 cases, against 299, 319, and 360. Table 9, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the county during the week ended January 29th, 1921.

TABLE 1.--96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH RATES in the Week ended Saturday, 5th February, 1921, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	ESTIMATED CIVILIAN POPULATION, MID. 1920* (Provisional.)	DEATH-RATES from all Causes.					Week ended 5th Feb., 1921.		The DEATHS in the Week include										TOWNS.					
		Week ended					BIRTHS.	DEATHS.	Deaths from											Inquest Cases.	Deaths in Public Institutions.	Unidentified Causes of Death.		
		15th Jan., 1921.	22nd Jan., 1921.	29th Jan., 1921.	5th Feb., 1921.				Infants under 1 Year of Age.	Persons aged 45 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.		Violence.				
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.		
96 GREAT TOWNS.	18,554,878	12·8	13·3	12·3	13·1	7,989	4,649	863	1,481	2	-	19	14	56	65	82	61	160	312	1,435	36	96 GREAT TOWNS.		
LONDON†	4,531,971	12·6	12·9	11·6	13·3	1,856	1,158	189	377	-	-	-	8	6	28	22	9	49	99	566	3	LONDON.†		
CROYDON.	191,580	10·6	11·2	7·6	9·8	71	36	8	10	-	-	-	-	1	1	-	-	1	3	10	-	CROYDON.		
WIMBLEDON.	62,174	11·7	9·2	10·9	9·2	14	11	-	4	-	-	-	-	-	-	-	1	1	2	2	-	WIMBLEDON.		
EALING.	76,129	4·8	6·2	12·3	7·5	20	11	2	5	-	-	-	-	-	-	-	-	-	1	-	-	EALING.		
ACTON.	64,192	4·9	11·4	9·7	6·5	19	8	6	1	-	-	-	-	-	-	-	-	1	1	-	-	ACTON.		
WILLESDEN.	167,328	13·1	12·8	13·1	10·6	51	34	8	12	-	-	-	-	1	1	-	-	1	1	13	-	WILLESDEN.		
HORNSEY.	98,107	10·1	8·0	11·2	9·6	20	18	2	8	-	-	-	1	1	-	-	-	1	-	7	-	HORNSEY.		
TOTTENHAM	146,970	10·6	12·1	8·9	7·8	48	22	-	10	-	-	-	1	-	1	-	-	3	4	9	-	TOTTENHAM.		
EDMONTON.	73,529	12·1	6·4	7·8	9·9	43	14	3	2	-	-	-	-	-	1	-	-	-	1	4	-	EDMONTON.		
ENFIELD.	60,771	12·0	12·0	10·3	8·6	27	10	1	5	-	-	-	-	-	-	-	-	1	1	2	-	ENFIELD.		
WEST HAM.	299,440	12·2	12·7	13·2	11·7	170	67	10	26	-	-	-	-	-	1	-	-	4	6	28	-	WEST HAM.		
EAST HAM	150,207	12·8	12·8	7·3	9·4	55	27	5	11	-	-	-	-	-	-	-	-	1	3	7	-	EAST HAM.		
LEYTON.	128,822	10·1	12·1	8·5	13·0	55	32	6	13	-	-	-	-	-	1	1	-	-	2	12	-	LEYTON.		
WALTHAMSTOW	132,771	8·2	9·0	7·5	10·6	52	27	6	8	-	-	-	-	-	1	1	1	2	3	10	-	WALTHAMSTOW.		
ILFORD.	82,693	3·8	10·7	6·9	11·3	31	18	2	5	-	-	-	-	-	3	-	1	1	1	6	-	ILFORD.		
GILLINGHAM.	45,233	9·2	12·7	13·8	17·3	33	15	2	4	-	-	-	-	-	-	-	-	1	2	2	-	GILLINGHAM.		
HASTINGS.	59,972	10·4	17·4	11·3	16·5	13	19	-	10	-	-	-	-	-	1	-	1	-	2	4	-	HASTINGS.		
EASTBOURNE.	50,354	8·3	11·4	9·3	7·2	18	7	3	2	-	-	-	-	-	-	-	-	-	-	1	-	EASTBOURNE.		
BRIGHTON.	137,685	10·2	14·8	12·5	13·3	34	35	3	23	-	-	-	-	-	1	-	2	3	7	7	-	BRIGHTON.		
PORTSMOUTH.	235,998	9·3	11·0	10·6	13·7	113	62	9	29	-	-	-	-	-	-	-	5	-	2	20	-	PORTSMOUTH.		
BOURNEMOUTH.	85,919	14·0	7·9	12·1	11·5	14	19	1	12	-	-	-	-	-	-	-	-	-	1	2	-	BOURNEMOUTH.		
SOUTHAMPTON.	162,388	11·9	10·3	10·0	12·5	78	39	5	14	-	-	-	-	-	-	1	-	1	3	10	-	SOUTHAMPTON.		
READING.	95,006	11·5	9·3	6·6	11·0	31	20	3	9	-	-	-	-	-	2	-	-	1	2	7	-	READING.		
OXFORD.	59,963	6·1	9·6	13·0	13·0	17	15	-	8	-	-	-	-	-	-	-	-	-	-	3	-	OXFORD.		
NORTHAMPTON.	92,483	10·7	11·3	10·7	9·0	34	16	6	2	-	-	-	-	1	-	-	-	-	-	-	-	NORTHAMPTON.		
CAMBRIDGE.	60,154	8·7	17·3	6·9	6·9	21	8	-	4	-	-	-	-	-	-	-	-	2	2	3	-	CAMBRIDGE.		

* See note † on first page of this return.

† For Greater London see end of Table.

‡ These towns are included within the area of Greater London.

TABLE 1 (cont.).—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH-RATES in the Week ended Saturday, 5th February 1921, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	ESTIMATED CIVILIAN POPULATION, MID. 1920.* (Provisional.)	DEATH-RATES from all Causes.				Week ended 5th Feb., 1921.		The DEATHS in the Week include										TOWNS.				
		Week ended				BIRTHS.	DEATHS.	Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from									Inquest Cases.	Deaths in Public Institutions.	Uncertified (Causes of Death).	
										Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.	Violence.						
		15th Jan., 1921.	22nd Jan., 1921.	29th Jan., 1921.	5th Feb., 1921.												Buttic Fever.					Small-pox.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
SOUTHEND ON SEA -	87,332	11·3	14·9	17·3	10·1	29	17	2	7	-	-	-	-	-	-	-	-	-	-	4	-	SOUTHEND ON SEA.
IPSWICH	81,119	12·2	4·5	15·4	12·2	22	19	2	10	-	-	-	-	-	-	-	-	1	2	5	-	IPSWICH.
GREAT YARMOUTH -	55,193	9·4	18·0	17·0	14·2	20	15	-	9	-	-	-	-	1	-	-	1	-	-	5	-	GREAT YARMOUTH.
NORWICH	124,774	10·4	9·2	15·5	15·9	53	38	3	12	-	-	-	-	-	-	-	-	2	3	11	-	NORWICH.
SWINDON	53,580	13·6	6·8	10·7	16·5	15	17	2	3	-	-	1	-	-	1	-	-	-	1	2	-	SWINDON.
EXETER	61,365	13·6	9·3	10·2	9·3	33	11	3	5	-	-	-	-	-	-	1	-	-	-	5	-	EXETER.
PLYMOUTH	189,218	17·4	13·0	13·5	10·7	88	39	6	19	-	-	-	-	1	-	1	-	1	1	12	-	PLYMOUTH.
BATH	68,546	15·2	13·7	12·2	15·2	31	20	5	8	-	-	-	-	2	-	-	1	1	1	9	-	BATH.
BRISTOL	375,641	10·4	13·2	10·0	11·5	145	83	11	30	-	-	-	-	1	2	1	-	2	6	26	-	BRISTOL.
GLOUCESTER	52,096	10·0	11·0	9·0	11·0	31	11	2	4	-	-	-	-	-	-	1	1	-	-	2	-	GLOUCESTER.
STOKE ON TRENT -	248,852	16·3	17·2	14·7	14·7	139	70	16	16	-	-	-	-	-	-	3	3	3	7	16	2	STOKE ON TRENT.
WOLVERHAMPTON -	102,324	13·8	16·8	11·2	11·7	58	23	6	8	-	-	-	-	-	-	-	1	-	1	9	-	WOLVERHAMPTON.
WALSALL	96,419	14·6	10·8	15·7	15·7	54	29	6	4	-	-	-	-	2	2	-	-	1	2	6	-	WALSALL.
WEST BROMWICH -	72,684	15·1	12·9	15·8	9·3	47	13	2	7	-	-	-	-	-	-	-	-	-	-	1	3	WEST BROMWICH.
DUDLEY	56,169	13·8	13·9	13·0	13·9	25	15	6	3	-	-	-	-	-	1	-	1	-	-	1	-	DUDLEY.
BIRMINGHAM	895,915	11·8	14·1	10·8	12·8	377	220	56	59	-	-	7	1	1	5	7	3	3	3	69	12	BIRMINGHAM.
SMETHWICK	75,027	11·8	11·1	11·8	17·4	31	25	7	11	-	-	2	-	-	-	-	1	-	-	1	-	SMETHWICK.
COVENTRY	137,310	9·5	8·0	8·4	12·5	52	33	8	7	-	-	-	-	-	-	1	-	1	2	10	-	COVENTRY.
LEICESTER	245,465	10·4	15·3	8·9	8·9	102	42	9	15	-	-	-	-	1	-	1	-	-	2	10	3	LEICESTER.
LINCOLN	67,543	13·1	14·7	9·3	11·6	23	15	3	8	-	-	-	-	-	-	-	1	-	-	1	-	LINCOLN.
GRIMSBY	31,953	10·2	10·2	10·8	16·5	39	26	4	9	-	-	-	-	-	-	1	-	-	-	2	-	GRIMSBY.
NOTTINGHAM	267,836	13·6	14·2	15·2	15·3	102	80	14	31	-	-	-	-	2	-	1	-	1	3	23	-	NOTTINGHAM.
DERBY	128,863	7·3	11·3	14·6	11·7	43	29	4	11	-	-	-	-	-	-	1	-	1	2	8	-	DERBY.

* See note † on first page of this return.

TABLE 1 (cont.).—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED and DEATH-RATE in the Week ended Saturday, 5th February, 1921, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	DEATH-RATES from all Causes.					Week ended 5th Feb., 1921.		The DEATHS in the Week include										TOWNS.					
	ESTIMATED CIVILIAN POPULATION MID. 1920.* (Provisional.)	Week ended			5th Feb., 1921.	BIRTHS.	DEATHS.	Deaths of		Deaths from									Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.		
		15th Jan., 1921.	22nd Jan., 1921.	29th Jan., 1921.				5th Feb., 1921.	Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Butteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphteria.	Diarrhoea and Enteritis (under 2 years).					Influenza.	Violence.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.	
STOCKPORT	130,635	18.0	11.6	7.2	10.0	50	25	1	10	-	-	-	-	-	-	-	-	1	1	5	-	STOCKPORT.	
BIRKENHEAD	153,951	13.2	10.5	8.8	12.9	67	38	7	8	-	-	-	-	-	-	1	-	4	4	12	-	BIRKENHEAD.	
WALLASEY	99,226	7.9	7.9	10.5	10.0	24	19	1	13	-	-	-	-	-	-	-	1	-	1	2	-	WALLASEY.	
LIVERPOOL	803,452	15.0	15.3	13.8	14.1	382	218	46	53	-	-	2	-	4	-	5	3	3	13	85	2	LIVERPOOL.	
BOOTLE	80,029	16.3	12.4	5.9	12.4	40	19	5	5	-	-	-	-	-	-	-	-	1	1	5	-	BOOTLE.	
ST. HELENS	104,822	18.4	13.4	15.9	11.9	57	24	7	4	-	-	-	-	-	-	1	-	-	-	11	1	ST. HELENS.	
SOUTHPORT	72,939	10.7	11.4	10.0	14.3	29	20	2	11	-	-	-	-	-	-	-	-	-	-	4	-	SOUTHPORT.	
WIGAN	90,866	11.5	18.4	14.9	16.1	46	28	10	7	-	-	-	-	4	-	-	-	1	1	3	-	WIGAN.	
WARRINGTON	77,939	15.4	13.4	16.7	20.1	46	30	10	7	-	-	-	-	3	-	1	-	-	-	2	1	WARRINGTON.	
BOLTON	184,533	10.2	13.6	10.5	13.6	70	48	14	15	-	-	-	-	2	-	-	-	2	4	8	-	BOLTON.	
BURY	56,410	12.9	14.8	12.0	12.0	20	13	4	3	-	-	1	-	-	-	1	-	-	-	2	-	BURY.	
MANCHESTER	770,597	14.2	14.5	13.9	12.3	311	182	32	42	-	-	-	-	2	3	2	4	5	12	63	-	MANCHESTER.	
SALFORD	235,239	12.9	12.2	14.6	13.3	107	60	11	17	-	-	-	1	1	1	1	1	4	4	16	-	SALFORD.	
OLDHAM	143,154	20.0	13.5	18.6	13.8	57	38	6	10	-	-	-	1	-	1	1	1	1	3	7	-	OLDHAM.	
ROCHDALE	93,639	11.7	8.9	15.0	13.4	29	24	6	11	-	-	-	-	-	-	-	-	1	1	4	-	ROCHDALE.	
BURNLEY	105,030	16.4	12.4	8.4	15.9	45	32	6	10	-	-	-	-	2	-	-	1	-	3	5	-	BURNLEY.	
BLACKBURN	131,012	13.5	13.5	11.9	11.5	38	29	9	10	-	-	-	-	-	-	-	-	-	-	4	-	BLACKBURN.	
PRESTON	121,950	11.5	21.8	16.7	15.8	55	37	7	10	-	-	-	-	-	1	-	-	1	1	5	1	PRESTON.	
BLACKPOOL	70,545	15.5	17.0	9.6	11.8	24	16	3	4	-	-	-	-	-	-	-	-	-	-	1	1	BLACKPOOL.	
BARROW IN FURNESS	76,561	12.9	16.3	10.2	15.0	40	22	6	6	-	-	-	-	-	-	1	-	2	2	3	2	BARROW IN FURNESS.	
HUDDERSFIELD	116,776	8.9	10.3	8.0	10.3	45	23	3	8	-	-	-	-	-	-	-	-	-	1	6	-	HUDDERSFIELD.	
HALIFAX	105,847	13.8	7.4	9.9	11.3	33	23	4	8	-	-	-	-	-	-	-	-	2	2	1	-	HALIFAX.	
BRADFORD	293,979	14.7	14.7	11.9	12.8	113	72	10	25	-	-	-	-	1	-	1	-	4	7	20	-	BRADFORD.	
LEEDS	449,212	15.3	13.3	13.3	12.5	225	108	18	38	-	-	1	-	2	-	-	1	6	12	26	-	LEEDS.	
DEWSBURY	55,080	19.9	14.2	11.4	16.1	30	17	2	7	-	-	-	-	-	-	-	-	1	1	2	-	DEWSBURY.	
WAKEFIELD	51,169	12.2	20.4	11.2	13.2	15	13	1	4	-	-	-	-	1	-	-	-	1	1	5	-	WAKEFIELD.	
BARNSELEY	53,739	7.8	10.7	21.3	8.7	30	9	1	-	-	-	-	-	-	-	-	-	-	1	1	-	BARNSELEY.	

* See note † on first page of this return.

TOWNS.	CIVILIAN POPULATION, MID. 1920.* (Provisional).	Week ended				5th Feb., 1921.,		Deaths of		Deaths from								Deaths in Public Institutions.		Uncertified (Causes of Death.	TOWNS					
						BIRTHS.		DEATHS.		Infants under 1 Year of Age.		Persons aged 65 Years and upwards.										Inquest Cases.	20.	21.		
		15th Jan., 1921.	22nd Jan., 1921.	29th Jan., 1921.	5th Feb., 1921.	6.	7.	8.	8.	10.	11.	12.	13.	14.	15.	16.	17.	18.								
1.	2.	3.	4.	5.	6.	7.	8.	8.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.					
SHEFFIELD	492,570	10.5	13.7	11.8	13.4	213	127	30	30	-	1	-	3	-	4	3	2	10	35	1	SHEFFIELD.					
ROTHERHAM	71,785	6.5	8.7	14.5	5.8	41	8	3	2	-	-	-	-	-	-	-	1	1	1	-	ROTHERHAM.					
YORK	77,501	15.5	14.8	9.4	18.2	40	27	5	10	-	-	-	-	-	-	2	2	3	7	-	YORK.					
HULL	290,808	12.9	13.3	13.6	16.7	125	93	12	29	-	-	-	-	-	2	3	4	7	27	1	HULL.					
MIDDLESBROUGH	132,208	19.3	22.5	19.7	14.6	71	37	12	7	-	3	-	-	-	3	-	1	4	5	-	MIDDLESBROUGH.					
DARLINGTON	66,610	8.6	16.4	12.5	12.5	30	16	2	2	-	-	-	-	-	-	-	2	2	3	-	DARLINGTON.					
STOCKTON ON TEES	63,114	17.3	17.3	15.7	12.4	38	15	1	5	-	-	-	-	-	1	-	1	1	3	-	STOCKTON ON TEES.					
WEST HARTLEPOOL	68,126	15.3	14.5	16.1	20.7	44	27	9	9	-	-	-	1	-	-	1	-	1	1	-	WEST HARTLEPOOL.					
SUNDERLAND	155,211	23.9	18.8	19.8	17.8	102	53	12	17	-	-	-	-	-	1	2	-	-	13	-	SUNDERLAND.					
SOUTH SHIELDS	115,945	16.2	19.8	17.1	18.4	64	41	6	10	-	-	-	1	1	1	3	1	2	4	1	SOUTH SHIELDS.					
GATESHEAD	128,309	17.9	20.3	15.8	18.3	60	45	11	16	-	-	-	-	-	1	-	3	3	3	2	GATESHEAD.					
NEWCASTLE ON TYNE.	286,061	16.6	19.3	17.9	17.9	164	98	15	32	-	1	-	-	-	4	2	3	8	23	-	NEWCASTLE ON TYNE.					
TYNEMOUTH	60,318	24.2	20.7	11.2	26.8	41	31	3	10	-	-	-	-	-	1	1	-	-	4	-	TYNEMOUTH.					
CARLISLE	57,397	11.8	10.0	10.9	11.8	21	13	2	3	-	-	-	-	-	-	-	1	1	3	-	CARLISLE.					
NEWPORT (MON.)	90,728	12.1	16.7	17.2	16.1	56	28	8	7	-	-	-	2	-	-	-	-	-	3	-	NEWPORT (MON.).					
CARDIFF	212,582	11.0	9.6	12.3	11.3	89	46	8	17	-	-	-	1	-	1	-	4	6	8	-	CARDIFF.					
RHONDDA	184,999	9.9	13.5	15.8	15.2	99	54	24	4	-	-	1	2	2	-	1	3	3	1	-	RHONDDA.					
MERTHYR TYDFIL	74,493	21.7	13.3	19.6	12.6	48	18	3	2	-	-	-	-	-	-	-	-	1	1	-	MERTHYR TYDFIL.					
ABERDARE	53,431	6.8	15.6	12.7	17.6	40	18	4	5	-	-	-	-	-	1	1	1	1	-	-	ABERDARE.					
SWANSEA	167,218	10.6	15.3	10.3	9.0	70	29	4	8	-	-	-	3	-	1	-	1	1	4	-	SWANSEA.					
GREATER LONDON	7,548,647	11.7	12.0	10.9	11.9	2979	1726	291	584	-	-	11	9	42	29	15	74	146	744	5	GREATER LONDON.					
OUTER RING	3,016,676	10.4	10.7	9.9	9.8	1123	568	102	207	-	-	3	3	14	7	6	25	47	178	2	OUTER RING					
14 GREAT TOWNS IN OUTER RING.	1,734,723	10.4	11.1	9.9	10.1	676	335	59	129	-	-	2	3	11	3	3	17	29	110	-	14 GREAT TOWNS IN OUTER RING.					
REMAINDER OF OUTER RING.	1,281,953	10.3	10.3	9.8	9.6	447	233	43	87	-	-	1	-	3	4	3	8	18	68	2	REMAINDER OF OUTER RING.					
EDINBURGH†	446,200	15.5	17.5	18.7	17.3	178	148	23	49	-	1	2	-	2	2	5	7	?	?	?	EDINBURGH.†					
GLASGOW†	1,100,400	15.6	15.6	15.3	14.5	547	307	56	80	-	-	1	16	4	9	2	8	?	?	?	GLASGOW.†					
DUBLIN (Registration Area).†	423,000	17.9	16.6	15.8	14.1	231	114	23	32	-	-	1	-	3	2	-	1	1	37	5	DUBLIN (Registration Area).†					
BELFAST†	420,000	18.1	18.5	16.9	14.2	225	114	20	35	-	-	-	6	2	1	1	1	2	27	-	BELFAST.†					

* See note † on first page of this return.

† The populations are total populations and relate to 1921. Deaths and the death-rates in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week: those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

TABLE 2. LONDON.—Births and Deaths registered during the FIFTH Week of each of the Eleven Years, 1911-1921.

	1911.	1912.	1913.	1914.	1915.	1916.	1917.	1918.	1919.	1920.	1921.
Births (as registered).	2132	2121	2124	2235	2191	1862	1732	1369	1250	2966	1856
Males	1089	1098	1083	1087	1134	981	896	716	641	1521	973
Females	1073	1023	1041	1148	1057	881	836	653	609	1445	883
Deaths (of residents only).	1516	1539	1610	1440	1859	1205*	1637*	1298*	1304*	1332*	1158*
Males	766	742	805	713	932	619	831	676	645	666	586
Females	750	797	805	727	927	586	806	622	659	666	572

* Deaths in civilian population only.

TABLE 3. LONDON.—BIRTHS and DEATHS REGISTERED, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the last THIRTEEN WEEKS.

	Nov. 13.	Nov. 20.	Nov. 27.	Dec. 4.	Dec. 11.	Dec. 18.	Dec. 25.	1921. Jan. 1.	Jan. 8.	Jan. 15.	Jan. 22.	Jan. 29.	Feb. 5.
Births (as registered) . . .	2057	2011	1900	1921	1902	1793	1733	2031	2373	2059	2009	2039	1856
Deaths (of residents only).	1244	1138	1178	1091	1078	1335	1279	1382	1117	1099	1121	1011	1158
Ages													
Under 1 year	130	160	142	150	170	213	170	234	178	186	177	160	189
1-2 years	33	19	21	23	21	31	33	45	34	28	34	31	49
2-5 "	24	20	33	20	32	34	23	25	20	26	32	24	34
5-10 "	33	20	22	22	26	28	24	21	31	30	23	19	28
10-15 "	15	22	18	12	9	16	13	11	17	17	16	14	13
15-20 "	26	22	16	16	18	17	17	28	20	29	19	24	23
at													
20-25 "	19	19	28	24	10	17	27	35	19	24	20	19	25
Death													
25-35 "	58	51	49	38	54	56	62	65	70	62	44	47	51
35-45 "	107	81	87	83	84	86	89	84	78	77	77	78	75
45-55 "	139	113	149	132	117	147	137	127	105	117	118	125	125
55-65 "	174	168	188	161	152	180	186	216	159	155	183	149	169
65-75 "	243	218	224	190	181	243	246	220	189	165	193	146	192
75 years and upwards	243	225	201	220	204	267	252	271	197	183	185	175	185
Deaths from—													
Enteric fever	-	1	2	-	-	-	1	-	-	1	1	1	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	2	2	4	-	3	-	4	-	1	3	2	1	-
Scarlet fever	7	7	7	4	6	11	5	8	8	2	5	8	8
Whooping cough	2	2	3	3	3	7	2	4	6	2	8	4	6
Diphtheria	26	20	21	22	22	25	27	22	24	23	28	19	28
Diarrhoea and enteritis (under 2 years).	29	24	16	13	16	24	17	20	17	20	19	18	22
Pulmonary tuberculosis . . .	124	94	119	103	81	95	101	90	84	99	100	98	105
Influenza	14	13	15	13	13	21	14	20	21	16	14	6	9
Pneumonia (all forms) . . .	88	111	104	106	116	149	165	171	141	112	117	92	128
Bronchitis	157	138	154	149	118	189	175	165	96	116	101	95	98
Other dis. of resp. system . .	27	18	19	18	12	20	14	27	17	15	7	16	14
Dis. of circ. system	229	190	196	177	163	207	209	208	184	202	178	181	194
Violence	43	38	44	34	39	39	42	50	40	34	35	40	49
Inquest cases	98	87	108	95	92	124	122	117	93	99	81	74	99

CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.

Enteric fever	14	16	18	21	18	19	18	18	20	17	12	11	7
Small-pox	-	-	-	-	-	-	-	1	1	1	1	1	1
Measles	21	15	13	14	17	15	19	18	15	13	14	15	17
Scarlet fever	5512	5610	5575	5438	5297	4994	4780	4817	4608	4413	4350	4171	4018
Whooping cough	26	25	25	24	25	27	22	17	20	20	23	27	26
Diphtheria	2474	2563	2626	2655	2654	2654	2547	2642	2588	2597	2618	2682	2767

* The Metropolitan Asylums Board and London Fever Hospitals. The figures do not refer to London exclusively.

TABLE 3A. 96 Great Towns.—DEATHS from INFLUENZA in the last THIRTEEN WEEKS.

	Nov. 13.	Nov. 20.	Nov. 27.	Dec. 4.	Dec. 11.	Dec. 18.	Dec. 25.	1921. Jan. 1.	Jan. 8.	Jan. 15.	Jan. 22.	Jan. 29.	Feb. 6.
Deaths from Influenza . . .	42	60	69	65	61	75	81	89	101	87	66	61	61

TABLE 4. LONDON.—DEATHS REGISTERED in the FIFTH Week of the Year 1921.

CAUSES OF DEATH.	Deaths in the 5th week of the year 1920.	DEATHS of PERSONS of the AGES													
		ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-10 years.	10-15 years.	15-20 years.	20-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and up- wards.
ALL CAUSES	1332	1158	189	49	34	28	13	23	25	51	75	125	169	192	185
Enteric fever	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	26	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever	9	8	2	-	3	2	-	-	-	-	1	-	-	-	-
Whooping cough	26	6	1	4	1	-	-	-	-	-	-	-	-	-	-
Diphtheria	32	28	1	5	10	11	1	-	-	-	-	-	-	-	-
Croup	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza	20	9	1	-	-	-	-	1	1	-	2	2	1	-	1
Erysipelas	5	3	-	-	-	-	-	-	-	-	-	3	-	-	-
Other epidemic diseases	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pyæmia and septicæmia	5	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Tetanus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis :—															
Pulmonary tuberculosis	73	105	1	3	1	1	1	6	10	24	19	18	15	3	3
Tuberculous meningitis	6	12	3	2	5	-	2	-	-	-	-	-	-	-	-
Abdominal tuberculosis	2	2	1	-	-	-	-	1	-	-	-	-	-	-	-
Tuberculosis of the spine	2	3	-	-	-	-	-	-	1	-	1	-	1	-	-
Tuberculosis of the joints	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-
Tuberculosis of other organs	3	2	-	-	-	-	-	1	-	-	1	-	-	-	-
Disseminated tuberculosis	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-
Venereal diseases	8	7	3	-	-	-	-	-	-	-	-	1	3	-	-
Cancer	104	120	-	-	-	1	-	-	1	6	3	31	35	27	16
Tumour, situation undefined	-	2	-	-	-	-	-	-	-	-	-	1	-	1	-
Rheumatic fever	8	7	-	-	-	3	2	-	-	-	-	-	1	-	1
Diabetes	6	4	-	-	-	1	-	-	-	1	-	-	-	2	-
Anæmia, leucocythæmia	5	5	-	-	-	-	-	-	-	-	-	1	3	1	-
Other general diseases	5	7	2	-	-	-	-	-	-	-	1	1	1	2	-
Alcoholism	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Chronic poisonings	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	5	13	3	4	-	1	-	-	-	-	1	1	2	-	1
Cerebral hæmorrhage, Apoplexy	51	50	-	-	-	-	-	-	-	-	2	5	9	20	14
Softening of brain	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1
Paralysis, without specified cause	3	2	-	-	-	-	-	-	-	-	-	1	1	-	-
Epilepsy	4	4	-	-	1	-	-	1	-	-	1	-	-	-	1
“Convulsions” (not puerperal)	8	6	5	1	-	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system	21	20	1	-	-	-	-	1	-	1	3	5	2	7	-
Pericarditis	-	3	-	-	-	-	-	1	-	-	-	-	-	1	1
Acute endocarditis	6	13	-	-	-	1	1	3	1	-	4	3	-	-	-
Organic disease of heart	124	133	-	-	-	3	2	2	2	2	7	17	23	42	33
Embolism and thrombosis (including cerebral).	10	10	-	-	-	-	-	-	1	-	2	-	-	3	4
Other diseases of circulatory system.	40	35	1	-	-	-	-	-	-	-	2	2	9	12	9
Diseases of the larynx	-	2	-	-	1	1	-	-	-	-	-	-	-	-	-
Bronchitis	151	98	12	-	1	-	-	-	-	1	2	8	14	27	33
Broncho-pneumonia	130	91	47	20	4	1	-	-	-	-	2	1	8	6	2
Lobar pneumonia	29	20	4	-	1	-	-	1	-	1	1	4	4	1	3
Pneumonia (type not distinguished)	46	17	8	-	-	1	-	-	-	-	-	1	3	1	3
Pleurisy	3	3	-	-	-	-	-	1	-	1	-	-	-	1	-
Pulmonary congestion, Pulmonary apoplexy.	5	4	-	-	-	-	-	1	-	-	-	-	1	1	1
Other diseases of respiratory system.	12	5	-	-	-	-	-	-	-	-	4	1	-	-	-

TABLE 5.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM							
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria and Croup.*	Diarrhoeal Diseases† (under 2 years).	Influenza.
ON† . .	4,531,971	1921. Feb. 5	1,856	1,158	13·3	-	-	-	8	6	28	22	9
UTTA . .	896,067	Dec. 25	-	729§	42·3	?	-	?	?	?	?	?	24
AY . .	979,445	Jan. 1	361	1,110§	59·0	2	1	4	-	-	-	62	14
RAS . .	518,660	Dec. 25	-	-	-	-	-	-	-	-	-	-	-
S . .	2,847,229	(11 days) Dec. 31	1,651	1,415	?	4	-	1	4	-	3	13	4
SELS . .	792,919	-	-	-	-	-	-	-	-	-	-	-	-
VERP . .	333,884	Jan. 22	127	69	11·0	1	-	-	1	-	1	4	-
ERDAM . .	688,136	(8 days) Jan. 8	325	152	9·9	1	-	8	1	-	1	4	2
NHAGEN . .	571,000	Jan. 22	252	131	12·0	-	-	-	1	1	1	1	-
KHOLM . .	415,201	15	129	105	13·8	-	-	-	-	-	-	-	-
ENBURG . .	200,578	" 1	-	-	-	-	-	-	-	-	-	-	-
STIANIA . .	260,904	" 22	82	54	10·8	-	-	-	-	-	-	-	-
IN . .	1,934,000	" 15	565	444	11·9	-	?	4	1	-	4	8	15
LAU . .	540,000	" 15	266	176	17·0	-	?	-	-	-	1	4	6
AGNE . .	660,000	" 15	313	192	15·1	2	?	6	-	-	5	4	12
EDEN . .	538,000	" 15	201	135	13·1	-	?	-	-	-	2	4	6
KFORT- N-MAIN.	463,000	" 15	162	78	8·8	-	?	-	-	-	2	-	-
BURG . .	996,000	" 15	391	271	14·2	-	?	-	-	2	-	6	6
ZIG . .	624,000	" 15	262	145	12·1	-	?	-	-	-	-	5	3
ICH . .	670,000	" 15	257	171	13·3	-	?	1	-	-	2	2	3
NA . .	1,842,005	" 15	514	574	16·2	3	-	-	2	1	-	15	5
UE . .	535,475	(6 days) Dec. 31	165	134	15·2	3	-	-	-	-	1	6	1
PEST . .	1,071,492	Nov. 13	326	465	22·6	4	-	25	21	5	15	22	5
STE . .	243,487	Jan. 8	131	101	21·7	-	-	-	-	-	-	-	2
O . .	761,300	Dec. 2	569	355	24·2	3	-	3	-	?	-	17	?
ANDRIA . .	445,700	" 2	354	229	26·7	2	-	1	-	?	-	8	?
YORK . .	6,141,445	Jan. 8	-	-	-	-	-	-	-	-	-	-	-
AGO . .	2,727,504	" 15	-	707	13·3	-	-	2	3	2	25	30	4

cluding deaths from croup in Bombay and Madras.

deaths in this column relate to *all ages* for Bombay, Madras, Christiania, and Budapest, and to *children under*

year of age for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

estimated population and deaths refer to the civilian population only.

cluding 1 death from *plague* in Bombay, and from *Asiatic cholera*, 27 deaths in Calcutta.

TABLE 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 5th February, 1921.

(Supplied by the Meteorological Office.)

TOWNS.	Temperature of Air.*				Rainfall in Milli- metres.†	TOWNS.	Temperature of Air.*				Rainfall in Milli- metres.†
	Highest.	Lowest.	Mean Maxi- mum.	Mean Mini- mum.			Highest.	Lowest.	Mean Maxi- mum.	Mean Mini- mum.	
ON (Greenwich) }	51	27	46·1	34·9	3	BRADFORD . .	46	30	40·6	35·3	3
HTON . .	50	32	46·0	38·6	10	SHEFFIELD . .	49	31	41·7	34·6	4
SMOUTH . .	51	33	45·9	39·6	21	YORK (Museum) . .	50	23	42·3	32·7	1
VICH (Eaton) . .	52	26	44·6	34·3	2	HULL (Pearson Park)	51	26	43·7	33·0	1
OUTH . .	52	36	48·7	40·3	17	TYNEMOUTH . .	47	29	43·3	35·1	2
OL (Clifton) . .	48	33	43·3	36·4	22	CARDIFF . .	50	33	44·1	36·6	15
INGHAM . .	49	30	42·1	34·4	11	EDINBURGH . .	53·0	52·0	43·6	35·0	12
INGHAM . .	50	26	42·4	33·1	4	GLASGOW . .	50·0	32·6	42·7	36·2	12
ENHEAD (Bidston) }	49	34	42·3	37·4	12	DUBLIN :—					
CHESTER . .	51	29	44·0	34·3	17	Phoenix Park . .	51·9	32·5	46·7	38·4	7
LEY . .	48	29	41·0	35·0	12	†Fitzwilliam Square	53·0	35·8	47·0	40·3	8
ERSFIELD . .	49	29	41·6	33·7	7	BELFAST . .					

Not received.

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.

† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.

‡ 1 millimetre = ·04 inch nearly ; 1 inch = 25·4 millimetres exactly.

TABLE 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 5th February 1921.

[Under the Superintendence of the Astronomer Royal.]

1921. MONTH AND DAY.		Phases of the Moon.	BARO- METER. Mean daily reading (cor- rected and re- duced to 32° Fahren- heit).	TEMPERATURE.					Difference between the Air Temperature and Dew Point Temperature.			De- gree of Hu- mid- ity (Satu- ration equals 100).	TEMPERATURE.			Wind as deduced from Anemometers.					Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
				Of the Air.				Of the Dew point.	Of Radiation.		Of the Earth 4 feet below the Surface.		Osler's.		Robinson's.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
				High- est.	Low- est.	Daily Range.	Mean daily value.		Mean daily value.	De- parture from Average of 65 years.			Mean daily value.	Great- est.	Least.	General Direction.	Pressure on the Square Foot.	Horizontal Movement of the Air on each Day.	Depar- ture from Average of 50 years.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
JANUARY.				in.	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°</

DATE.		ELECTRICITY. (For explanation of symbols, see Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
JANUARY, 1921.					
SUNDAY	30	m.P. generally till 8h., v.P. and v.N. till 15h., s.P. till 20h., v.P. and v.N. afterwards.	0·0	9·0	Overcast with few exceptions; frequent damping or slight rain.
MONDAY	31	s.P. generally, v.N. 3h. to 5h. and at times in afternoon.	0·9	9·0	Nearly overcast generally till 19h., with few cloudy intervals; fine and partially cloudy from 19h. 30m.; rain about 4h. and misty rain about 14h.
FEBRUARY. TUESDAY	1	s.P. generally till 9h., v.N. afterwards.	4·3	9·1	Very little cloud generally till noon; nearly overcast till 19h. 30m., becoming nearly cloud- less after 21h.; light showers in afternoon; hoar frost morning and evening with mist.
WEDNESDAY	2	v.P. and v.N. afterwards, w.P. throughout	2·0	9·1	Cloudless generally till noon, but foggy from 3h. 30m., becoming very cloudy by 14h.; nearly cloudless by 16h. 30m.; nearly overcast 20h. to 23h., then clearing; hazy in evening with hoar frost.
THURSDAY	3	w.P. till 15h., m.P. and s.P. afterwards.	3·5	9·2	Nearly cloudless throughout, but foggy from 3h. 30m. to 11h.; misty or hazy in evening; hoar frost in morning and at night.
FRIDAY	4	m.P. and s.P. generally.	3·7	9·3	Becoming overcast by 1h., with few excep- tions; variably cloudy from 11h., with over- cast intervals.
SATURDAY	5	w.P. till 6h., m.P. generally afterwards.	1·1	9·3	Fine with cloudy intervals till 7h., then overcast generally.
			Sum 15·5	Sum 64·0	
No. of Col.		26	27	28	

The results apply to the civil day, or from midnight to midnight.
The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.
Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.
The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.
In reading columns 9 and 24 it will be borne in mind that + indicates "higher," and - "lower," than the average.
The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.
The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.
The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.
The reading of the barometer decreased from 29·72 in. at the beginning of the week to 29·03 in. by 9h. on Jan. 31st; increased to 29·93 in. by 8h. on Feb. 4th; decreased to 29·78 in. by 4h. on Feb. 5th, and increased to 30·00 in. by midnight on the same day.

TABLE 8. LONDON.—DEATHS OF PERSONS BELONGING to the several METROPOLITAN BOROUGHs REGISTERED in the Week ended 29th January, 1921.

BOROUGHs.	Deaths from									Deaths of Infants under 1 Year of Age.
	ALL CAUSES.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years). *	Pulmonary Tuberculosis.	
COUNTY OF LONDON -	1,011	1	-	1	8	4	19	18	98	160
Western										
PADDINGTON - . . .	27	-	-	-	-	-	3	-	-	7
KENSINGTON - . . .	46	-	-	-	-	-	-	-	5	5
HAMMERSMITH - . . .	26	-	-	-	1	-	-	1	-	6
FULHAM -	36	-	-	-	-	-	-	1	2	4
CHELSEA -	15	-	-	-	-	-	-	-	-	1
CITY OF WESTMINSTER -	33	-	-	-	-	-	4	1	3	4
Northern.										
ST. MARYLEBONE - . .	32	-	-	-	-	-	1	-	4	3
HAMPSTEAD - . . .	18	-	-	-	-	-	-	-	1	1
ST. PANCRAS - . . .	50	-	-	-	1	-	-	2	7	8
ISLINGTON -	75	-	-	-	-	-	3	-	9	11
STOKE NEWINGTON - . .	6	-	-	-	-	-	1	-	-	-
HACKNEY -	43	-	-	-	1	-	-	-	5	5
Central.										
HOLBORN -	8	-	-	-	-	-	-	-	-	2
FINSBURY -	25	-	-	-	-	-	-	1	3	1
CITY OF LONDON - . .	1	-	-	-	-	-	-	-	-	-
Eastern.										
SHOREDITCH - . . .	22	-	-	-	-	2	-	-	2	5
BETHNAL GREEN - . .	22	-	-	-	-	-	-	1	2	5
STEPNEY -	64	-	-	-	1	-	1	1	4	8
POPLAR -	43	-	-	1	-	-	-	-	3	10
Southern.										
SOUTHWARK - . . .	46	-	-	-	-	-	-	1	9	8
BERMONDSEY - . . .	40	-	-	-	1	-	1	1	6	8
LAMBETH -	60	-	-	-	1	1	2	-	8	8
BATTERSEA - . . .	36	-	-	-	-	-	1	2	2	8
WANDSWORTH - . . .	67	-	-	-	-	1	1	1	9	9
CAMBERWELL - . . .	52	-	-	-	-	-	1	1	4	9
DEPTFORD -	31	-	-	-	2	-	-	2	2	6
GREENWICH - . . .	26	-	-	-	-	-	-	-	4	4
LEWISHAM -	30	1	-	-	-	-	-	2	1	7
WOOLWICH -	31	-	-	-	-	-	-	-	3	7

The deaths in the above Table are, so far as concerns London as a whole, corrected by the exclusion of deaths of non-residents, and by the inclusion of those of residents occurring in the Outer Ring or in Metropolitan public institutions situated outside the County. As between individual Metropolitan Boroughs, however, correction is complete.

TABLE 9. LONDON.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED during the Week ended 29th January, 1921.*

BOROUGHS.	ESTI- MATED CIVILIAN POPU- LATION, MID. 1920.† (Provi- sional.)	Enteric Fever.	Malaria.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Pneumonia.	Erysipelas.	Cerebro-Spinal Fever.	Puerperal Fever.	Ophthalmia Neonatorum.	Polio-myelitis.	Dysentery.	Encephalitis Lethargica.	Anthrax.	Polio- encephalitis.
WESTERN.																	
Paddington . . .	149,673	-	1	-	-	12	25	1	-	-	2	-	-	1	-	-	-
Kensington . . .	164,177	-	-	-	-	17	6	-	-	-	-	-	-	-	-	-	-
Hammersmith . . .	136,200	-	-	-	-	31	14	4	-	-	1	-	-	-	-	-	-
Fulham . . .	158,621	-	1	-	-	21	11	5	2	1	3	3	-	-	-	-	-
Chelsea . . .	62,987	-	-	-	-	5	3	1	1	-	-	1	-	-	-	-	-
City of Westminster . . .	132,615	-	-	-	-	3	3	1	3	-	-	-	-	-	-	-	-
NORTHERN.																	
St. Marylebone . . .	101,856	1	-	-	-	6	5	2	-	-	-	-	-	-	-	-	-
Hampstead . . .	91,519	1	-	-	-	8	9	-	-	-	-	-	-	-	1	-	-
St. Pancras . . .	228,178	-	-	-	-	27	10	8	1	-	-	4	-	-	-	-	-
Islington . . .	335,907	-	-	-	-	29	34	2	3	-	1	1	-	-	-	-	-
Stoke Newington . . .	52,984	-	-	-	-	11	7	-	1	-	-	-	-	-	-	-	-
Hackney . . .	225,372	-	-	-	-	29	19	2	4	-	1	1	-	1	4	-	-
CENTRAL.																	
Holborn . . .	39,676	-	-	-	-	2	6	-	-	-	-	-	-	-	-	-	-
Finsbury . . .	78,291	-	-	-	-	6	6	1	3	-	-	-	-	-	1	-	-
City of London . . .	14,447	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
EASTERN.																	
Shoreditch . . .	102,044	1	-	-	-	13	11	2	1	-	-	2	-	-	2	-	-
Bethnal Green . . .	114,471	-	-	-	-	36	16	3	3	1	1	1	-	-	1	-	-
Stepney . . .	241,770	1	-	-	-	36	9	25	2	-	-	1	-	-	1	-	-
Poplar . . .	159,766	-	-	-	-	27	17	2	-	-	-	1	-	-	1	-	-
SOUTHERN.																	
Southwark . . .	187,142	-	-	-	-	24	7	7	1	-	-	-	-	-	1	-	-
Bermondsey . . .	129,189	-	-	-	-	25	13	1	1	-	-	-	-	-	1	-	-
Lambeth . . .	293,572	-	1	-	-	17	15	3	-	-	-	1	-	-	5	-	-
Battersea . . .	165,664	-	1	-	-	16	17	8	3	-	-	3	-	-	1	-	-
Wandsworth . . .	346,990	-	-	-	-	36	27	6	3	-	1	2	-	2	2	-	-
Camberwell . . .	284,712	-	-	-	-	28	15	5	2	-	1	1	-	-	1	-	-
Deptford . . .	115,636	-	-	-	-	30	9	2	1	-	-	-	-	-	-	-	-
Greenwich . . .	102,408	-	1	-	-	20	14	2	1	-	-	-	-	-	-	-	-
Lewisham . . .	174,438	-	-	-	-	13	10	1	1	-	-	1	-	-	4	-	-
Woolwich . . .	141,666	-	-	-	-	38	14	11	3	-	1	1	-	-	3	-	-
TOTAL . . .	4,531,971	4	5	-	-	567	353	105	40	2	12	24	-	4	29	-	-
AGES.																	
Ages 0-1 . . .		-	-	-	-	7	12	31	1	1	-	24	-	-	-	-	-
" 1-5 . . .		-	-	-	-	103	93	33	-	-	-	-	-	-	-	-	-
" 5- . . .		2	-	-	-	265	132	4	1	1	-	-	-	1	3	-	-
" 10- . . .		-	-	-	-	118	59	1	2	-	-	-	-	-	4	-	-
" 15- . . .		-	-	-	-	26	16	4	3	-	-	-	-	-	5	-	-
" 20- . . .		2	1	-	-	15	16	1	3	-	4	-	-	-	2	-	-
" 25- . . .		-	1	-	-	26	15	9	4	-	5	-	-	3	4	-	-
" 35- . . .		-	3	-	-	5	7	4	5	-	3	-	-	-	2	-	-
" 45- . . .		-	-	-	-	1	3	9	8	-	-	-	-	-	7	-	-
" 55- . . .		-	-	-	-	-	-	4	8	-	-	-	-	-	1	-	-
" 65- . . .		-	-	-	-	-	-	4	2	-	-	-	-	-	-	-	-
" 75 and upwards . . .		-	-	-	-	1	-	1	3	-	-	-	-	-	1	-	-
Age not stated . . .		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

† See note † on first page of this return.

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS AND DEATHS REGISTERED:—

LONDON AND

NINETY-FIVE OTHER GREAT TOWNS

~~~~~  
**By Authority of the Registrar General,**  
~~~~~

LONDON:

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
H.M. STATIONERY OFFICE at the following addresses:

IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and

28, ABINGDON STREET, LONDON, S.W. 1;

37, PETER STREET, MANCHESTER;

1, ST. ANDREW'S CRESCENT, CARDIFF;

23, FORTH STREET, EDINBURGH;

or from E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN.

No. 6. Vol. LXXXII. 1921. WEEK ENDED SATURDAY, FEB. 12.
[Price 1½d. Net.]

*General Register Office, Somerset House,
February 15th, 1921.*

NINETY-SIX GREAT TOWNS.

For the NINETY-SIX GREAT TOWNS of England and Wales each of which had a population of 50,000 or over at the Census of 1911, the births registered last week numbered 8,305, and corresponded to an annual rate of 23·2 per 1,000. The deaths* among the civilian population only numbered 4,997, and corresponded to an annual rate of 14·0 per 1,000 of their aggregate civilian population, which is provisionally estimated† at 18,554,878 persons in the year 1920. In the three weeks ended January 22nd, January 29th, and February 5th, the rates had been 13·3, 12·3, and 13·1 respectively. The infant mortality was 105, against 102, 92, and 108 in the preceding three weeks. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks; it also shows for the week ended last Saturday the births and the deaths from certain individual causes. A column showing the number of deaths

* Corrected as far as possible for deaths of non-residents and for those of residents occurring outside the area. Fully corrected figures will appear in the Registrar General's Annual Report.

† The estimates of population refer to the year 1920, and are based on the returns furnished under the scheme for rationing of food.

from influenza has been inserted in Table 1. The aggregate number of deaths from influenza in the 96 great towns in each of the last thirteen weeks is shown in Table 3A.

Measured by last week's mortality, the highest annual death-rates per 1,000 living were:—from *all causes*, 21·5 in York, 22·0 in Gloucester, 22·3 in Stockton-on-Tees, 23·0 in West Hartlepool, 23·4 in South Shields, and 25·7 in Southport; from *whooping cough*, 1·2 in Swansea and 1·7 in Wigan; and from *diphtheria*, 2·2 in West Bromwich. No death from *small-pox* was registered in any of the ninety-six towns.

LONDON.* (The Administrative County, including the City of London.)

For LONDON there were 2,058 BIRTHS, corresponding to a rate of 23·6 per 1,000, and 1,147 DEATHS of civilians, corresponding to a rate of 13·2, as against 12·9, 11·6, and 13·3 per 1,000 in the three weeks ended January 22nd, January 29th, and February 5th. The death-rate in the four weeks ended last Saturday averaged 12·8 per 1,000. The infant mortality was 88, against 88, 78, and 102 in the preceding three weeks.

There was one death from *enteric fever*, against 1, 1, and 0 in the preceding three weeks, the average for the corresponding weeks of the previous five years being 0. There was no death from *measles*, against 2, 1, and 0 in the preceding three weeks, and an average of 22. The deaths from *scarlet fever*, which had been 5, 8, and 8 in the preceding three weeks, were 7 last week, and were 5 above the average. The deaths from *whooping-cough*, which had been 8, 4, and 6 in the preceding three weeks, rose last week to 15, but were 12 below the average; 3 deaths belonged to the Borough of Islington. The deaths from *diphtheria*, which had been 28, 19, and 28 in the preceding three weeks, were again 28 last week, and were 9 above the average; 5 deaths belonged to Wandsworth, and 3 each to Kensington, St. Pancras, Bermondsey, and Camberwell. The deaths from *diarrhoea and enteritis under 2 years of age*, which had been 19, 18, and 22 in the preceding three weeks, fell last week to 18, but were 3 above the average. The deaths from *influenza* numbered 13, as against 14, 6, and 9 in the preceding three weeks and an average of 33.

Different forms of violence caused 32 deaths, all of which were the subject of coroners' inquests. Of these 32 deaths, 6 were cases of suicide, while the remaining 26 were attributed to other forms of violence. Six of these latter were referred to vehicles in the streets, 3 to burns or scalds, 2 to drowning, and 2 of infants under one year of age to suffocation in bed.

CASES OF INFECTIOUS DISEASE.†

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital, there were 9 cases of enteric fever, 18 of measles, 3,945 of scarlet fever, 26 of whooping-cough, and 2,770 of diphtheria under treatment in these hospitals on Saturday last (Table 3). The admissions during the week,

* See note * on first page.

† The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

as compared with those in the preceding three weeks, were as follows :—Of enteric fever, 2 cases, against 0, 2, and 1; of measles, 4 cases, against 2, 4, and 2; of scarlet fever, 472 cases, against 540, 512, and 441; of whooping-cough, 1 case, against 6, 5, and 3; and of diphtheria, 304 cases, against 319, 360, and 383. Table 9, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the county during the week ended February 5th, 1921.

TABLE 1.—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS—BIRTHS and DEATHS REGISTERED, and DEATH RATES in the Week ended Saturday, 12th February, 1921, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	The DEATHS in the Week include										Week ended		DEATH-RATES from all Causes				POPULATION.		Cols.
	Deaths from										12th Feb., 1921.		Week ended				MID. 1920 * (Provisional.)		
	Deaths of										BIRTHS.		29th Jan., 1921.				MID. 1920 * (Provisional.)		
	Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric fever.	Small-pox.	Measles.	Scarlet fever.	Whooping Cough.	Diphtheria.	Dysentery and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	22nd Jan., 1921.	5th Feb., 1921.	12th Feb., 1921.	1.	
96 GREAT TOWNS.	870	1,668	4	-	19	24	60	71	72	93	142	337	1,568	37	13.3	12.3	13.1	14.0	18,554,878
LONDON.†	181	432	1	-	-	7	15	28	18	13	32	90	547	3	12.9	11.6	13.3	13.2	4,531,971
CROYDON.	6	21	-	-	-	-	1	-	-	-	1	6	11	-	11.2	7.6	9.8	12.2	191,580
WIMBLEDON.	1	6	-	-	-	-	-	-	-	1	-	2	4	-	9.2	10.9	9.2	11.7	62,174
EALING.	1	5	-	-	-	1	-	-	-	-	-	-	5	-	6.2	12.3	7.5	7.5	76,129
ACTON.	4	8	-	-	-	-	-	-	-	-	-	1	5	-	11.4	9.7	6.5	17.1	64,192
WILLESDEN.	14	11	-	-	-	-	1	2	-	-	-	3	22	-	12.8	13.1	10.6	15.0	167,328
HORNSEY.	4	11	-	-	-	-	-	-	-	-	-	1	8	-	8.0	11.2	9.6	12.8	98,107
TOTTENHAM.	3	12	-	-	-	-	-	2	-	-	1	2	16	-	12.1	8.9	7.8	11.4	146,970
EDMONTON.	3	4	-	-	-	-	-	-	-	-	-	2	9	-	6.4	7.8	9.9	15.6	73,529
ENFIELD.	3	8	-	-	-	-	-	-	-	-	-	2	4	-	12.0	10.3	8.6	15.4	60,771
WEST HAM.	10	22	-	-	-	-	-	1	1	1	5	9	26	-	12.7	13.2	11.7	13.2	299,440
EAST HAM.	2	12	-	-	-	-	-	-	-	-	-	2	9	-	12.8	7.3	9.4	11.5	150,207
LEYTON.	5	12	-	-	-	-	-	1	-	1	-	1	9	-	12.1	8.5	13.0	10.1	128,832
WALTHAMSTOW.	6	10	-	-	-	-	-	-	-	-	-	3	6	-	9.0	7.5	10.6	9.8	132,771
ILFORD.	3	8	-	-	-	-	-	1	-	-	-	1	5	-	10.7	6.9	11.3	12.0	82,693
GILLINGHAM.	3	2	-	-	-	-	-	-	-	1	-	-	2	-	12.7	13.8	17.3	10.4	45,233
HASTINGS.	1	9	-	-	-	-	-	-	-	1	-	-	6	-	17.4	11.3	16.5	12.2	59,972
EASTBOURNE	2	2	-	-	-	-	-	-	-	-	-	-	-	-	11.4	9.3	7.2	4.1	50,354
BRIGHTON.	18	18	-	-	-	-	1	-	-	1	2	4	16	-	14.8	12.5	13.3	15.9	137,685
PORTSMOUTH.	38	38	1	-	-	-	-	-	-	4	2	5	15	-	11.0	10.6	13.7	15.5	235,998
BOURNEMOUTH.	3	15	-	-	-	-	-	-	-	27	-	3	5	-	7.9	12.1	11.5	16.4	85,919
SOUTHAMPTON.	16	16	-	-	-	-	-	-	2	37	-	5	17	-	10.3	10.0	12.5	11.9	162,388
READING.	9	9	-	-	-	-	-	-	1	18	1	3	5	-	9.3	6.6	11.0	9.9	95,006
OXFORD.	7	7	-	-	-	-	-	-	1	10	-	1	2	-	9.6	13.0	13.0	8.7	59,963
NORTHAMPTON.	8	8	-	-	-	-	-	-	-	18	-	2	5	-	11.3	10.7	9.0	10.1	92,483
CAMBRIDGE.	5	5	-	-	-	-	-	-	-	17	-	1	2	-	17.3	6.9	6.9	14.7	60,154

* See note † on first page of this return.

† For Greater London see end of Table.

‡ These towns are included within the area of Greater London.

TABLE 1 (cont.).—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH-RATES in the Week ended Saturday, 12th February 1921, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	ESTIMATED CIVILIAN POPULATION, MID. 1920.* (Provisional.)	DEATH-RATES from all Causes.					Week ended 12th Feb., 1921.		The DEATHS in the Week include										TOWNS.			
		Week ended					BIRTHS.	DEATHS.	Deaths of		Deaths from									Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
		22nd Jan., 1921.	29th Jan., 1921.	5th Feb., 1921.	12th Feb., 1921.	Infants under 1 Year of Age.			Persons aged 65 Years and upwards.	Typhoid Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Typhus and Enteritis (under 2 years).	Influenza.	Violence				
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
SOUTHEND ON SEA -	87,332	14·9	17·3	10·1	16·1	30	27	3	12	-	-	-	-	1	-	1	-	-	1	6	1	SOUTHEND ON SEA.
IPSWICH -	81,119	4·5	15·4	12·2	12·2	28	19	3	10	-	-	-	-	-	-	-	1	-	-	4	-	IPSWICH.
GREAT YARMOUTH -	55,193	18·0	17·0	14·2	13·2	16	14	2	5	-	-	-	-	-	1	1	-	1	2	5	-	GREAT YARMOUTH.
NORWICH -	124,774	9·2	15·5	15·9	12·5	45	30	7	9	-	-	-	-	2	-	-	-	-	-	7	-	NORWICH.
SWINDON -	53,580	6·8	10·7	16·5	12·7	21	13	2	2	-	-	-	-	-	-	-	-	-	-	1	-	SWINDON.
EXETER -	61,365	9·3	10·2	9·3	18·7	17	22	6	8	-	-	-	-	-	-	-	-	2	4	1	-	EXETER.
PLYMOUTH -	189,218	13·0	13·5	10·7	13·0	81	47	9	17	-	-	-	-	-	1	-	-	1	3	9	-	PLYMOUTH.
BATH -	68,546	13·7	12·2	15·2	8·4	13	11	2	4	-	-	1	-	-	-	-	1	-	-	2	-	BATH.
BRISTOL -	375,641	13·2	10·0	11·5	14·0	170	101	14	36	-	-	-	-	3	2	1	-	3	8	27	-	BRISTOL.
GLOUCESTER -	52,036	11·0	9·0	11·0	22·0	20	22	4	6	-	-	-	-	-	-	-	-	1	3	5	-	GLOUCESTER.
STOKE ON TRENT -	248,852	17·2	14·7	14·7	16·8	136	80	19	22	-	-	-	1	-	-	3	6	6	9	18	1	STOKE ON TRENT.
WOLVERHAMPTON -	102,324	16·8	11·2	11·7	18·3	69	35	7	6	-	-	-	-	-	-	2	1	1	2	10	-	WOLVERHAMPTON.
WALSALL -	96,419	10·8	15·7	15·7	15·7	49	29	9	10	-	-	-	-	1	-	2	-	-	-	4	-	WALSALL.
WEST BROMWICH -	72,684	12·9	15·8	9·3	19·4	47	27	10	5	-	-	1	-	-	3	-	1	1	2	5	-	WEST BROMWICH.
DUDLEY -	56,169	13·9	13·0	13·9	11·1	21	12	3	5	-	-	-	-	-	-	-	-	-	-	2	1	DUDLEY.
BIRMINGHAM -	895,915	14·1	10·8	12·8	13·9	423	239	54	61	-	-	5	1	3	3	4	2	5	6	84	6	BIRMINGHAM.
SMETHWICK -	75,027	11·1	11·8	17·4	12·5	45	18	6	8	-	-	1	-	-	1	1	1	-	1	-	-	SMETHWICK.
COVENTRY -	137,310	8·0	8·4	12·5	11·8	60	31	4	12	-	-	-	-	-	1	-	-	-	-	10	-	COVENTRY.
LEICESTER -	245,465	15·3	8·9	8·9	13·4	90	63	5	16	-	-	1	-	2	1	1	1	1	3	15	-	LEICESTER.
LINCOLN -	67,543	14·7	9·3	11·6	15·4	37	20	9	5	-	-	-	-	-	1	1	-	-	2	2	1	LINCOLN.
GRIMSBY -	31,953	10·2	10·8	16·5	10·2	46	16	4	5	-	-	-	-	-	-	1	1	1	3	-	1	GRIMSBY.
NOTTINGHAM -	267,836	14·2	15·2	15·6	19·1	130	98	26	31	-	-	-	-	3	2	1	3	4	5	31	-	NOTTINGHAM.
DERBY -	128,868	11·3	14·6	11·7	10·1	56	25	5	10	-	-	-	-	1	1	1	-	1	4	5	-	DERBY.

* See note † on first page of this return.

TABLE 1 (cont.).—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED and DEATH-RATE in the Week ended Saturday, 12th February, 1921, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	ESTIMATED CIVILIAN POPULATION MID. 1920.* (Provisional.)	DEATH-RATES from all Causes.				Week ended 12th Feb., 1921.		The DEATHS in the Week include										TOWNS.						
		Week ended				BIRTHS. DEATHS.		Deaths of Infants under 1 Year of Age.		Deaths from										Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes or Death.		
		Week ended								Deaths from														
		22nd Jan., 1921.	29th Jan., 1921.	5th Feb., 1921.	12th Feb., 1921.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.		14.	15.	16.	17.	18.	19.
STOCKPORT	130,635	11·6	7·2	10·0	13·2	28	33	2	12	-	-	-	-	-	-	-	-	-	-	2	2	13	-	STOCKPORT.
BIRKENHEAD	153,951	10·5	8·8	12·9	14·2	69	42	7	10	-	-	-	-	-	2	-	-	2	-	5	5	20	-	BIRKENHEAD.
WALLASEY	99,226	7·9	10·5	10·0	7·9	27	15	2	6	-	-	-	-	-	-	-	-	-	-	-	2	3	-	WALLASEY.
LIVERPOOL	803,452	15·3	13·8	14·1	14·0	423	216	29	53	-	-	-	-	-	2	1	2	5	2	5	20	85	3	LIVERPOOL.
BOOTLE	80,029	12·4	5·9	12·4	13·0	51	20	4	3	-	-	-	-	-	1	-	-	-	-	1	1	11	1	BOOTLE.
ST. HELENS	104,822	13·4	15·9	11·9	13·4	59	27	5	6	-	-	-	-	-	1	-	-	-	1	-	-	10	1	ST. HELENS.
SOUTHPORT	72,939	11·4	10·0	14·3	25·7	23	36	7	21	-	-	-	-	-	-	-	-	-	1	-	-	-	-	SOUTHPORT.
WIGAN	90,866	18·4	14·9	16·1	17·8	46	31	10	10	-	-	-	-	-	-	3	-	-	-	2	3	7	-	WIGAN.
WARRINGTON	77,939	13·4	16·7	20·1	9·4	37	14	3	-	-	-	-	-	-	-	1	-	-	1	-	-	5	-	WARRINGTON.
BOLTON	184,533	13·6	10·5	13·6	13·0	72	46	12	12	-	-	-	-	-	-	1	1	1	1	1	3	5	1	BOLTON.
BURY	56,410	14·8	12·0	12·0	12·0	16	13	2	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	BURY.
MANCHESTER	770,597	14·5	13·9	12·3	13·1	323	193	22	66	-	-	-	-	-	2	1	3	3	3	6	10	70	-	MANCHESTER.
SALFORD	235,239	12·2	14·6	13·3	14·2	106	64	14	18	-	-	-	-	-	2	-	-	-	-	-	6	21	-	SALFORD.
OLDHAM	143,154	13·5	18·6	13·8	13·5	65	37	8	10	-	-	-	-	-	1	1	-	-	1	1	1	6	-	OLDHAM.
ROCHDALE	98,639	8·9	15·0	13·4	13·4	35	24	2	8	-	-	-	-	-	-	-	-	-	2	-	-	6	-	ROCHDALE.
BURNLEY	105,030	12·4	8·4	15·9	12·9	46	26	3	8	-	-	-	-	-	-	-	-	-	-	2	3	4	-	BURNLEY.
BLACKBURN	131,012	13·5	11·9	11·5	14·3	48	36	12	7	-	-	-	-	-	-	-	-	-	-	1	1	8	-	BLACKBURN.
PRESTON	121,950	21·8	16·7	15·8	15·4	49	36	7	12	-	-	-	-	-	-	-	1	-	1	-	-	3	1	PRESTON.
BLACKPOOL	70,545	17·0	9·6	11·8	11·8	26	16	1	9	-	-	-	-	-	-	-	-	-	-	-	-	1	-	BLACKPOOL.
BARROW IN FURNESS	76,561	16·3	10·2	15·0	14·3	40	21	6	7	-	-	-	-	-	-	-	-	-	1	-	1	1	1	BARROW IN FURNESS.
HUDDERSFIELD	116,776	10·3	8·0	10·3	15·2	34	34	6	9	-	-	-	-	-	-	-	-	-	-	1	2	11	-	HUDDERSFIELD.
HALIFAX	105,847	7·4	9·9	11·3	14·3	36	29	8	8	-	-	-	-	-	-	-	-	3	-	1	2	8	-	HALIFAX.
BRADFORD	293,979	14·7	11·9	12·8	16·0	94	90	15	29	-	-	-	-	-	-	-	1	-	-	3	11	33	-	BRADFORD.
LEEDS	449,212	13·3	13·3	12·5	16·7	193	144	23	49	-	-	-	-	-	-	2	1	-	2	9	14	39	-	LEEDS.
DEWSBURY	55,080	14·2	11·4	16·1	5·7	27	6	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	DEWSBURY.
WAKEFIELD	51,169	20·4	11·2	13·2	9·2	30	9	2	1	-	-	-	-	-	-	-	-	-	-	1	2	4	-	WAKEFIELD.
BARNLEY	53,739	10·7	21·3	8·7	15·5	24	16	2	1	-	-	-	-	-	-	1	-	-	2	1	1	6	-	BARNLEY.

* See note † on first page of this return.

TOWNS.	CIVILIAN POPULATION, MID. 1920 * (Provisional).	Week ended				12th Feb., 1921.		Deaths of		Deaths from								Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS		
						BIRTHS. DEATHS.		Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.	Violence.						
		22nd Jan., 1921.	29th Jan., 1921.	5th Feb., 1921.	12th Feb., 1921.	6.	7.															8.	9.
SHEFFIELD	492,570	13.7	11.8	13.4	16.8	243	159	25	51	-	-	-	3	-	5	2	6	3	7	13	48	-	SHEFFIELD.
ROTHERHAM	71,785	8.7	14.5	5.8	15.3	29	21	2	6	-	-	-	-	-	1	-	-	-	1	1	4	1	ROTHERHAM.
YORK	77,501	14.8	9.4	18.2	21.5	41	32	7	7	-	-	-	-	-	1	-	-	1	-	1	9	-	YORK.
HULL	290,808	13.3	13.6	16.7	14.2	122	79	16	24	-	-	-	-	1	-	-	2	1	1	5	17	1	HULL.
MIDDLESBROUGH	132,208	22.5	19.7	14.6	17.0	82	43	10	8	-	-	-	-	-	-	-	1	-	-	1	4	2	MIDDLESBROUGH.
DARLINGTON	66,610	16.4	12.5	12.5	12.5	29	16	3	4	-	-	-	-	-	-	-	-	1	-	-	2	1	DARLINGTON.
STOCKTON ON TEES	63,114	17.3	15.7	12.4	22.3	44	27	10	10	-	-	-	-	-	-	-	-	-	1	1	4	-	STOCKTON ON TEES.
WEST HARTLEPOOL	68,126	14.5	16.1	20.7	23.0	45	30	13	4	-	-	-	-	-	-	1	-	3	-	-	3	-	WEST HARTLEPOOL.
SUNDERLAND	155,211	18.8	19.8	17.8	20.5	76	61	6	16	-	-	-	1	-	-	1	1	1	3	5	21	1	SUNDERLAND.
SOUTH SHIELDS	115,945	19.8	17.1	18.4	23.4	68	52	10	14	-	-	-	-	-	-	-	1	6	1	1	6	2	SOUTH SHIELDS.
GATESHEAD	128,309	20.3	15.8	18.3	19.1	75	47	9	14	-	-	-	2	1	-	2	-	1	-	1	12	5	GATESHEAD.
NEWCASTLE ON TYNE.	286,061	19.3	17.9	17.9	13.2	134	100	12	34	-	-	-	1	-	2	-	-	8	6	10	16	-	NEWCASTLE ON TYNE.
TYNEMOUTH	60,318	20.7	11.2	26.8	14.7	39	17	4	7	-	-	-	-	-	-	-	1	3	-	-	6	1	TYNEMOUTH.
CARLISLE	57,397	10.0	10.9	11.8	12.7	30	14	1	9	-	-	-	-	-	-	-	-	-	-	-	1	-	CARLISLE.
NEWPORT (MON.)	90,728	16.7	17.2	16.1	12.6	57	22	1	9	-	-	-	-	-	-	-	-	-	-	-	4	-	NEWPORT (MON.).
CARDIFF	212,582	9.6	12.3	11.3	12.8	100	52	10	16	-	-	-	-	-	1	1	-	1	1	2	2	-	CARDIFF.
RHONDDA	184,999	13.5	15.8	15.2	14.7	78	52	20	6	-	-	-	-	-	-	1	1	-	-	-	5	-	RHONDDA.
MERTHYR TYDFIL	74,493	13.3	19.6	12.6	14.0	43	20	2	8	-	-	-	-	-	1	1	-	-	-	-	2	1	MERTHYR TYDFIL.
ABERDARE	53,431	15.6	12.7	17.6	13.7	33	14	3	6	-	-	-	-	-	-	1	-	-	1	1	-	-	ABERDARE.
SWANSEA	167,218	15.3	10.3	9.0	12.2	84	39	5	8	-	-	-	-	-	4	-	-	-	2	6	7	-	SWANSEA.
GREATER LONDON	7,548,647	12.0	10.9	11.9	12.9	3195	1866	300	710	-	1	-	1	9	20	43	22	25	51	152	769	4	GREATER LONDON.
OUTER RING	3,016,676	10.7	9.9	9.8	12.4	1137	719	119	278	-	-	-	1	2	5	15	4	12	19	62	222	1	OUTER RING.
14 GREAT TOWNS IN OUTER RING.	1,734,723	11.1	9.9	10.1	12.4	681	413	65	150	-	-	-	-	1	2	7	3	8	9	35	139	-	14 GREAT TOWNS IN OUTER RING.
REMAINDER OF OUTER RING.	1,281,953	10.3	9.3	9.6	12.4	456	306	51	128	-	-	-	1	1	3	8	1	4	10	27	83	1	REMAINDER OF OUTER RING.
EDINBURGH†	446,200	17.5	18.7	17.3	17.5	173	150	28	56	-	1	-	2	1	3	4	-	7	2	?	?	?	EDINBURGH.†
GLASGOW†	1,100,400	15.6	15.3	14.5	18.0	535	380	86	98	-	-	1	-	1	36	5	8	4	14	?	?	?	GLASGOW.†
DUBLIN (Registration Area).†	423,000	16.6	15.8	14.1	18.9	169	153	21	44	-	-	-	-	1	-	4	4	2	4	5	63	5	DUBLIN (Registration Area).†
BELFAST†	420,000	18.5	16.9	14.2	15.9	201	128	41	21	-	-	-	-	-	13	-	-	1	3	4	33	1	BELFAST.†

* See note † on first page of this return.
† The populations are total populations and relate to 1921. Deaths and the death-rates in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week : those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

TABLE 2. LONDON.—Births and Deaths registered during the SIXTH Week of each of the Eleven Years, 1911–1921.

	1911.	1912.	1913.	1914.	1915.	1916.	1917.	1918.	1919.	1920.	1921.
Births (as registered).	2400	2287	2310	2115	2280	1993	1682	1462	1168	2793	2058
Males - - - - -	1212	1189	1148	1065	1102	1015	867	724	593	1455	1013
Females - - - - -	1188	1098	1162	1050	1178	978	815	738	575	1338	1045
Deaths (of residents only).	1629	1762	1499	1251	1695	1238*	1831*	1359*	1561*	1423*	1147*
Males - - - - -	801	892	791	627	845	640	968	734	835	722	588
Females - - - - -	828	870	708	624	850	598	863	625	726	701	559

* Deaths in civilian population only.

TABLE 3. LONDON.—BIRTHS and DEATHS REGISTERED, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the last THIRTEEN WEEKS.

	Nov. 20.	Nov. 27.	Dec. 4.	Dec. 11.	Dec. 18.	Dec. 25.	1921. Jan. 1.	Jan. 8.	Jan. 15.	Jan. 22.	Jan. 29.	Feb. 5.	Feb. 12.
Births (as registered) . -	2011	1900	1921	1902	1793	1733	2031	2373	2059	2009	2039	1856	2058
Deaths (of residents only).	1138	1178	1091	1078	1335	1279	1382	1117	1099	1121	1011	1158	1147
Ages { Under 1 year	160	142	150	170	213	170	234	178	186	177	160	189	181
1-2 years	19	21	23	21	31	33	45	34	28	34	31	49	43
2-5 "	20	33	20	32	34	23	25	20	26	32	24	34	29
5-10 "	20	22	22	26	28	24	21	31	30	23	19	28	34
at { 10-15 "	22	18	12	9	16	13	11	17	17	16	14	13	17
15-20 "	22	16	16	18	17	17	28	20	29	19	24	23	20
20-25 "	19	28	24	10	17	27	35	19	24	20	19	25	19
Death { 25-35 "	51	49	38	54	56	62	65	70	62	44	47	51	44
35-45 "	81	87	83	84	86	89	84	78	77	77	78	75	54
45-55 "	113	149	132	117	147	137	127	105	117	118	125	125	121
55-65 "	168	188	161	152	180	186	216	159	155	183	149	169	153
65-75 "	218	224	190	181	243	246	220	189	165	193	146	192	207
75 years and upwards	225	201	220	204	267	252	271	197	183	185	175	185	225
Deaths from—													
Enteric fever	1	2	-	-	-	1	-	-	1	1	1	-	1
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	2	4	-	3	-	4	-	1	3	2	1	-	-
Scarlet fever	7	7	4	6	11	5	8	8	2	5	8	8	7
Whooping cough	2	3	3	3	7	2	4	6	2	8	4	6	15
Diphtheria	20	21	22	22	25	27	22	24	23	28	19	28	28
Diarrhoea and enteritis (under 2 years).	24	16	13	16	24	17	20	17	20	19	18	22	18
Pulmonary tuberculosis .	94	119	103	81	95	101	90	84	99	100	98	105	74
Influenza	13	15	13	13	21	14	20	21	16	14	6	9	13
Pneumonia (all forms) .	111	104	106	116	149	165	171	141	112	117	92	128	104
Bronchitis	138	154	149	118	189	175	165	96	116	101	95	98	153
Other dis. of resp. system .	18	19	18	12	20	14	27	17	15	7	16	14	10
Dis. of circ. system . .	190	196	177	163	207	209	208	184	202	178	181	194	218
Violence	38	44	34	39	39	42	50	40	34	35	40	49	32
Inquest cases	87	108	95	92	124	122	117	93	99	81	74	99	90

CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.

Enteric fever	16	18	21	18	19	18	18	20	17	12	11	7	9
Small-pox	-	-	-	-	-	-	1	1	1	1	1	1	-
Measles	15	13	14	17	15	19	18	15	13	14	15	17	18
Scarlet fever	5610	5575	5438	5297	4994	4780	4817	4608	4413	4350	4171	4018	3945
Whooping cough	25	25	24	25	27	22	17	20	20	23	27	26	26
Diphtheria	2563	2626	2655	2654	2654	2547	2642	2588	2597	2618	2682	2767	2770

* The Metropolitan Asylums Board and London Fever Hospitals. The figures do not refer to London exclusively.

TABLE 3A. 96 Great Towns.—DEATHS from INFLUENZA in the last THIRTEEN WEEKS.

	Nov. 20.	Nov. 27.	Dec. 4.	Dec. 11.	Dec. 18.	Dec. 25.	1921. Jan. 1.	Jan. 8.	Jan. 15.	Jan. 22.	Jan. 29.	Feb. 5.	Feb. 12.
Deaths from Influenza . . .	60	69	65	61	75	81	89	101	87	66	61	61	93

TABLE 4. LONDON.—DEATHS REGISTERED in the SIXTH Week of the Year 1921.

CAUSES OF DEATH.	Deaths in the 6th week of the year 1920.	DEATHS of PERSONS of the AGES													
		ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-10 years.	10-15 years.	15-20 years.	20-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and up- wards.
ALL CAUSES	1423	1147	181	43	29	34	17	20	19	44	54	121	153	207	225
Enteric fever	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	35	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever	3	7	-	1	4	1	-	1	-	-	-	-	-	-	-
Whooping cough	37	15	6	5	4	-	-	-	-	-	-	-	-	-	-
Diphtheria	29	28	-	5	9	8	6	-	-	-	-	-	-	-	-
Croup	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza	25	13	-	1	2	2	-	-	-	-	-	2	1	2	3
Erysipelas	3	3	-	-	-	-	1	-	-	-	-	1	1	-	-
Other epidemic diseases	5	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Pyæmia and septicæmia	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-
Tetanus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis :—															
Pulmonary tuberculosis	104	74	-	1	-	2	1	5	5	20	16	14	7	1	2
Tuberculous meningitis	9	4	1	1	2	-	-	-	-	-	-	-	-	-	-
Abdominal tuberculosis	5	3	-	-	-	1	1	-	1	-	-	-	-	-	-
Tuberculosis of the spine	1	3	-	-	-	-	-	-	-	-	2	-	1	-	-
Tuberculosis of the joints	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-
Tuberculosis of other organs	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
Disseminated tuberculosis	4	4	1	-	-	1	-	1	1	-	-	-	-	-	-
Venereal diseases	7	10	7	-	-	-	-	-	-	-	-	1	-	2	-
Cancer	98	112	-	1	-	-	-	-	1	-	5	24	36	29	16
Tumour, situation undefined	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-
Rheumatic fever	2	2	-	-	-	1	-	-	1	-	-	-	-	-	-
Diabetes	3	5	-	-	-	-	-	-	1	-	-	-	2	2	-
Anæmia, leucocythæmia	5	4	-	-	-	-	-	1	1	-	-	-	-	2	-
Other general diseases	9	3	1	-	-	-	-	-	-	1	-	1	-	-	-
Alcoholism	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic poisonings	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	5	8	6	-	-	1	-	-	-	-	-	-	-	-	1
Cerebral hæmorrhage, Apoplexy	51	35	-	-	-	-	-	-	-	-	2	3	6	11	13
Softening of brain	-	2	-	-	-	-	-	-	-	-	-	-	-	1	1
Paralysis, without specified cause	4	8	-	-	-	-	-	-	-	-	-	1	2	2	3
Epilepsy	4	1	-	-	-	-	-	-	-	-	-	1	-	-	-
"Convulsions" (not puerperal)	5	5	5	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system	26	18	1	-	-	-	2	-	1	2	1	6	3	2	-
Pericarditis	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute endocarditis	11	2	-	-	-	-	-	-	-	-	-	1	1	-	-
Organic disease of heart	137	153	-	-	-	1	2	2	1	6	6	14	21	47	53
Embolism and thrombosis (including cerebral).	7	11	-	-	-	-	-	-	-	-	2	1	2	2	4
Other diseases of circulatory system.	23	52	-	-	-	1	-	-	-	-	1	4	10	20	16
Diseases of the larynx	2	3	-	-	1	2	-	-	-	-	-	-	-	-	-
Bronchitis	193	153	21	5	1	-	-	-	-	-	-	13	24	39	50
Broncho-pneumonia	154	67	37	14	2	5	1	-	-	-	-	2	-	4	2
Lobar pneumonia	30	23	3	2	1	1	-	-	1	2	2	5	5	1	-
Pneumonia (type not distinguished)	38	14	3	-	1	-	-	1	1	1	1	2	2	1	1
Pleurisy	6	1	-	-	-	-	-	-	-	-	-	1	-	-	-
Pulmonary congestion, Pulmonary apoplexy.	5	2	-	-	-	-	-	-	-	-	-	-	-	1	1
Other diseases of respiratory system.	8	4	-	-	-	-	-	-	-	-	-	2	2	-	-

TABLE 4 (cont.) LONDON.—DEATHS REGISTERED in the SIXTH Week of the Year 1921.

CAUSES OF DEATH.	Deaths in the 6th week of the year 1920.	DEATHS OF PERSONS OF the AGES													
		ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-10 years.	10-15 years.	15-20 years.	20-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards.
Diseases of the pharynx, Tonsillitis	1	4	1	2	-	-	-	-	-	1	-	-	-	-	-
Diseases of stomach	7	7	-	-	-	-	-	-	-	-	-	2	2	2	1
Diarrhoea and enteritis	28	23	15	3	-	-	-	-	-	-	-	2	1	-	-
Appendicitis and typhlitis	3	5	-	-	2	-	-	-	1	-	1	1	-	-	-
Hernia and Intestinal obstruction.	9	14	2	1	-	1	-	-	-	1	1	3	-	2	3
Cirrhosis of liver	7	3	-	-	-	-	-	-	-	1	1	-	-	1	-
Other diseases of liver	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1
Peritonitis (cause unknown)	1	3	-	-	-	1	-	-	-	-	-	-	1	1	-
Other diseases of digestive system	-	4	3	-	-	-	-	-	-	-	-	-	-	1	-
Acute nephritis	2	7	-	-	-	-	1	-	1	1	-	1	2	1	-
Chronic Bright's disease	33	35	-	-	-	-	1	-	1	1	3	6	9	7	7
Urinary calculi	2	4	-	-	-	-	-	1	-	-	-	1	-	2	-
Uterine tumour (non-cancerous)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ovarian tumour (")	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1
Other diseases of genito-urinary system.	10	10	-	1	-	-	-	-	-	1	-	-	3	2	3
Puerperal fever, &c.	4	3	-	-	-	-	-	-	-	1	1	1	-	-	-
Other causes incident to child-birth.	2	8	-	-	-	-	-	-	-	4	4	-	-	-	-
Diseases of skin and cellular tissues.	13	9	2	-	-	-	-	2	-	-	-	-	-	2	3
Diseases of locomotor system	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-
Congenital malformations	15	8	8	-	-	-	-	-	-	-	-	-	-	-	-
Premature birth	56	39	39	-	-	-	-	-	-	-	-	-	-	-	-
Debility, atrophy marasmus (Infants).	16	15	15	-	-	-	-	-	-	-	-	-	-	-	-
Old age	55	47	-	-	-	-	-	-	-	-	-	-	-	13	34
ACCIDENT.															
Poisons or poisonous vapours.	-	2	-	-	-	-	-	1	-	-	-	-	1	-	-
Conflagration	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Burns and scalds	4	3	-	-	-	1	-	1	-	-	-	-	-	-	1
Drowning	4	2	-	-	-	-	-	1	1	-	-	-	-	-	-
Suffocation in bed	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-
Other deaths by accident	20	17	-	-	-	3	-	-	-	1	1	-	5	2	5
Total deaths from accident	34	26	2	-	-	4	-	3	1	1	1	-	6	2	6
Included in above are deaths in connection with:—															
Railways	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
Vehicles and horses	7	6	-	-	-	3	-	-	-	-	-	-	1	1	1
Ships, boats, docks	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Building operations	1	2	-	-	-	-	-	-	-	-	1	-	1	-	-
VIOLENCE OTHER THAN ACCIDENTAL.															
Homicide	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	9	6	-	-	-	-	-	-	-	-	2	2	1	1	-
Execution	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other specified diseases	15	5	2	-	-	1	-	1	-	-	-	1	-	-	-
Ill-defined Causes	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-

TABLE 5.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM							
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria and Croup.*	Diarrhoeal Diseases† (under 2 years).	Influenza.
LONDON†	4,531,971	1921. Feb. 12	2,058	1,147	13·2	1	-	-	7	15	28	18	13
BOMBAY	896,067	Jan. 1	-	731§	42·4	?	-	?	?	?	?	?	20
MADRAS	979,445	" 8	445	1,089	57·8	3	2	4	-	-	-	65	16
CHENNAI	518,660	Dec. 25	374	465§	46·6	-	-	1	?	2	-	38	9
COCHIN	2,847,229	(10 days) Jan. 10	1,480	1,104	?	3	-	1	1	1	6	29	4
DELHI	792,919	-	-	-	-	-	-	-	-	-	-	-	-
RAIPUR	333,884	Jan. 29	-	-	-	-	-	-	-	-	-	-	-
AMSTERDAM	688,156	" 15	284	127	9·6	-	-	7	-	1	-	1	1
COPENHAGEN	571,000	" 29	243	115	10·5	-	-	-	1	-	1	1	2
STOCKHOLM	415,201	" 22	129	95	13·2	-	-	-	-	-	1	-	-
GÖTEBORG	200,578	" 1	-	39	10·1	-	-	-	1	-	-	3	-
CHRISTIANIA	260,904	" 29	94	59	11·8	-	-	1	-	-	-	-	-
BUENOS AIRES	1,934,000	" 22	609	647	17·4	-	?	1	1	3	12	11	13
SAO PAULO	540,000	" 22	274	226	21·8	1	?	-	-	2	2	3	5
BRISBANE	660,000	" 22	320	184	14·5	-	?	8	1	1	3	6	-
SYDNEY	538,000	" 22	248	138	13·3	-	?	-	-	-	1	-	4
WELLINGTON	463,000	" 22	175	80	9·0	-	?	-	-	-	2	2	5
MELBOURNE	996,000	" 22	356	205	10·7	-	?	-	2	-	1	7	4
PERTH	624,000	" 22	271	168	14·0	-	?	-	-	-	1	5	9
GLASGOW	670,000	" 22	266	182	14·1	-	?	-	-	-	-	8	4
EDINBURGH	1,842,005	" 22	556	589	16·6	2	-	-	-	-	2	12	5
LIVERPOOL AND MANCHESTER	726,381	(8 days) Jan. 8	262	198	?	1	-	-	-	-	1	6	1
GLASGOW	1,071,492	Nov. 20	295	446	21·6	3	-	27	18	2	7	20	4
GLASGOW	243,487	Jan. 15	145	81	17·4	-	-	-	1	-	-	2	-
GLASGOW	761,300	" 22	129	84	17·9	1	-	-	-	-	-	1	2
GLASGOW	445,700	Dec. 9	593	376	25·7	4	-	-	-	?	4	20	?
GLASGOW	6,141,445	" 9	381	253	29·5	-	-	1	-	?	1	20	?
NEW YORK	6,141,445	Jan. 8	-	-	-	-	-	-	-	-	-	-	-
NEW YORK	2,727,504	" 22	-	670	12·6	1	-	3	3	4	15	35	2

including deaths from croup in Bombay and Madras.

Deaths in this column relate to all ages for Bombay, Madras, Christiania, and Budapest, and to children under 5 years of age for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

Estimated population and deaths refer to the civilian population only.

Including 3 deaths from plague in Madras, and from Asiatic cholera, 30 deaths in Calcutta.

TABLE 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 12th February, 1921.

(Supplied by the Meteorological Office.)

TOWNS.	Temperature of Air.*				Rainfall in Milli- metres.†	TOWNS.	Temperature of Air.*				Rainfall in Milli- metres.†
	Highest.	Lowest.	Mean Maxi- mum.	Mean Mini- mum.			Highest.	Lowest.	Mean Maxi- mum.	Mean Mini- mum.	
NEW GREENWICH	46	33	41·7	35·3	1	BRADFORD	45	41	41·0	33·3	1
NEW TON	46	35	42·0	36·4	0	SHEFFIELD	45	33	41·3	35·7	1
NEW MOUTH	46	34	42·6	35·7	0·3	YORK (Museum)	43	31	42·1	35·1	1
NEW CH (Eaton)	44	30	41·1	34·7	5	HULL (Pearson Park)	49	32	44·7	35·3	7
NEW TH	49	34	44·9	35·3	0	TYNEMOUTH	45	33	42·0	34·3	4
NEW L (Clifton)	46	31	42·3	34·3	0	CARDIFF	47	31	42·6	34·1	0
NEW GHAM	45	30	41·3	34·0	0	EDINBURGH	46·0	33·0	41·9	35·0	0
NEW GHAM	46	33	42·1	34·1	0·4	GLASGOW	47·3	28·4	42·1	33·3	1
NEW HEAD (Bidston)	46	33	41·9	34·9	1	DUBLIN :—					
NEW RSTER	49	26	42·4	33·3	1	Phoenix Park	48·4	29·5	44·7	36·1	6
NEW EY	45	25	40·9	30·9	0·3	†Fitzwilliam Square	48·9	31·2	44·9	35·6	4
NEW RSRFIELD	45	31	41·0	34·4	0	BELFAST	48·0	27·0	44·7	34·8	5

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.

† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.

‡ 1 millimetre = ·04 inch nearly ; 1 inch = 25·4 millimetres exactly.

TABLE 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 12th February 1921.

[Under the Superintendence of the Astronomer Royal.]

1921.			Phases of the Moon.	BARO- METER. Mean daily reading (cor- rected and re- duced to 32° Fahren- heit).	TEMPERATURE.					Difference between the Air Temperature and Dew Point Temperature.			De- gree of Hu- mid- ity (Satu- ration equals 100).	TEMPERATURE.			Wind as deduced from Anemometers.				Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
MONTH AND DAY.	Of the Air.				Of the Dew point.	Difference between the Air Temperature and Dew Point Temperature.		Of Radiation.	Of the Earth 4 feet below the Surface.	Oster's.		Robinson's,																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
	High- est.	Low- est.				Daily Range.	Mean daily value.			De- parture from Average of 65 years.	Mean Great- est.	Least.		P.M.	Great- est.	Mean of 24 hourly obs.	Horizontal Movement of the Air on each Day.	Depart- ture from Average of 50 years.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
																			General Direction.	Pressure on the Square Foot.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
					in.	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°</

DATE.		ELECTRICITY. (For explanation of symbols, see Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
FEBRUARY.					
SUNDAY	6	m. P. and s. P. generally.	0.0	9.4	Overcast throughout; frequent damping or frozen rain.
MONDAY	7	s. P. generally, a little m. P. in evening.	0.0	9.5	Overcast throughout; occasional damping or frozen rain.
TUESDAY	8	s. P. generally	0.0	9.5	Overcast with slight exceptions.
WEDNESDAY	9	s. P. generally till 8h., then m. P.	0.0	9.6	Overcast generally, with few cloudy intervals; nearly cloudless by 22h.; hazy and misty 6h. to 16h.
THURSDAY	10	s. P. and m. P. generally; loss of register 16h. to 21h.	1.7	9.6	Nearly cloudless generally with hoar frost till 6h., becoming very cloudy by 6h. 30m.; nearly overcast generally from 15h.; slight rain about 21h.
FRIDAY	11	s. P. generally.	0.0	9.7	Overcast or nearly overcast generally; fine interval about 3h.
SATURDAY	12	s. P. generally, a little v. P. and v. N. at times.	1.3	9.7	Overcast generally; fine interval 5h. 30m., and variably cloudy between noon and 17h.; shower at 7h. 30m. and occasional damping or slight rain in forenoon.
No. of Col.		26	Sum 3.0	Sum 67.0	
			27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "higher," and - "lower," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased generally from 30.00 in. at the beginning of the week to 30.51 in. by 2h. on 10th, and decreased generally to 30.34 in. by midnight on 12th.

The results apply to the civil day, or from midnight to midnight. The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "higher," and - "lower," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased generally from 30.00 in. at the beginning of the week to 30.51 in. by 2h. on 10th, and decreased generally to 30.34 in. by midnight on 12th.

TABLE 8. LONDON.—DEATHS of PERSONS BELONGING to the several METROPOLITAN BOROUGHs REGISTERED in the Week ended 5th February, 1921.

BOROUGHs.	Deaths from									Deaths of Infants under 1 Year of Age.
	ALL CAUSES.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Pulmonary Tuberculosis.	
COUNTY OF LONDON .	1,158	-	-	-	8	6	28	22	105	189
Western										
PADDINGTON . . .	41	-	-	-	-	-	-	-	3	8
KENSINGTON . . .	55	-	-	-	1	2	-	-	2	14
HAMMERSMITH . . .	27	-	-	-	-	-	2	-	4	5
FULHAM . . .	39	-	-	-	-	-	1	1	4	8
CHELSEA . . .	15	-	-	-	-	-	-	-	-	-
CITY OF WESTMINSTER .	31	-	-	-	-	-	-	-	1	2
Northern.										
ST. MARYLEBONE . . .	22	-	-	-	-	-	-	1	2	5
HAMPSTEAD . . .	26	-	-	-	-	-	-	1	4	1
ST. PANCRAS . . .	56	-	-	-	-	-	4	1	7	5
ISLINGTON . . .	118	-	-	-	-	2	4	1	6	23
STOKE NEWINGTON . . .	16	-	-	-	-	-	1	1	-	2
HACKNEY . . .	46	-	-	-	-	-	-	1	2	5
Central.										
HOLBORN . . .	11	-	-	-	1	-	-	-	2	3
FINSBURY . . .	24	-	-	-	-	-	-	-	3	4
CITY OF LONDON . . .	3	-	-	-	-	-	-	-	-	-
Eastern.										
SHOREDITCH . . .	22	-	-	-	-	1	1	3	4	4
BETHNAL GREEN . . .	50	-	-	-	1	-	1	1	9	7
STEPNEY . . .	70	-	-	-	-	-	-	2	9	10
POPLAR . . .	48	-	-	-	-	-	1	-	4	13
Southern.										
SOUTHWARK . . .	44	-	-	-	-	-	-	1	5	8
BERMONDSEY . . .	31	-	-	-	-	-	2	2	1	7
LAMBETH . . .	71	-	-	-	1	-	1	1	4	7
BATTERSEA . . .	47	-	-	-	-	-	2	2	3	8
WANDSWORTH . . .	78	-	-	-	-	1	2	2	9	11
CAMBERWELL . . .	60	-	-	-	-	-	2	1	4	8
DEPTFORD . . .	22	-	-	-	2	-	1	-	2	7
GREENWICH . . .	25	-	-	-	-	-	2	-	2	7
LEWISHAM . . .	33	-	-	-	-	-	1	-	5	5
WOOLWICH . . .	27	-	-	-	2	-	-	-	4	2

The deaths in the above Table are, so far as concerns London as a whole, corrected by the exclusion of deaths of non-residents, and by the inclusion of those of residents occurring in the Outer Ring or in Metropolitan public institutions situated outside the County. As between individual Metropolitan Boroughs, however, correction is complete.

TABLE 9. LONDON.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED during the Week ended 5th February, 1921.*

BOROUGH.	ESTI- MATED CIVILIAN POPU- LATION, MID. 1920.† (Provi- sional.)	Enteric Fever.	Malaria.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Group).	Pneumonia.	Erysipelas.	Cerebro-Spinal Fever.	Puerperal Fever.	Ophthalmia Neonatorum.	Poliomyelitis.	Dysentery.	Encephalitis Lethargica.	Anthrax.	Polio- encephalitis.
WESTERN.																	
Paddington . . .	149,673	2	-	-	-	9	16	1	2	-	-	-	-	-	-	-	-
Kensington . . .	164,177	-	-	-	-	14	7	-	2	-	-	-	-	-	2	-	-
Hammersmith . . .	136,200	-	-	-	-	11	9	5	1	-	-	1	-	-	-	-	-
Fulham . . .	158,621	-	1	-	-	14	19	9	3	-	1	-	-	-	1	-	-
Chelsea . . .	62,987	-	-	-	-	2	8	-	-	-	-	-	-	-	-	-	-
City of Westminster . . .	132,615	-	-	-	-	5	2	-	-	-	-	1	-	-	1	-	-
NORTHERN.																	
St. Marylebone . . .	101,856	-	-	-	-	8	7	3	1	-	-	1	-	-	-	-	-
Hampstead . . .	91,519	-	-	-	-	4	3	-	-	-	-	-	-	-	2	-	-
St. Pancras . . .	228,178	-	-	-	-	26	17	7	-	-	-	4	-	-	-	-	-
Islington . . .	335,907	-	1	-	-	15	37	4	-	-	2	3	-	-	1	-	-
Stoke Newington . . .	52,984	-	-	-	-	1	2	-	-	-	-	-	-	-	1	-	-
Hackney . . .	225,372	-	-	-	-	16	12	-	-	-	-	-	-	1	-	-	-
CENTRAL.																	
Holborn . . .	39,676	-	-	-	-	2	1	-	-	-	-	1	-	-	-	-	-
Finsbury . . .	78,291	-	-	-	-	12	3	-	1	1	-	1	-	-	2	-	-
City of London . . .	14,447	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
EASTERN.																	
Shoreditch . . .	102,044	-	-	-	-	13	13	3	1	1	-	2	-	-	-	-	-
Bethnal Green . . .	114,471	-	-	-	-	18	20	3	2	-	-	2	-	-	-	-	-
Stepney . . .	241,770	1	-	-	-	37	8	4	1	-	2	-	-	-	1	-	-
Poplar . . .	159,766	-	-	-	-	22	16	6	6	1	1	-	-	-	3	-	-
SOUTHERN.																	
Southwark . . .	187,142	-	1	-	-	27	8	8	2	1	-	-	-	-	-	-	-
Bermondsey . . .	129,189	-	-	-	-	6	16	-	-	-	-	-	-	-	-	-	-
Lambeth . . .	293,572	-	-	-	-	26	7	4	4	1	-	3	-	-	3	-	-
Battersea . . .	165,664	-	-	-	-	24	23	7	1	-	-	1	-	1	1	-	-
Wandsworth . . .	346,990	-	1	-	-	37	41	5	1	-	-	1	-	-	1	-	-
Camberwell . . .	284,712	-	2	-	-	28	35	-	-	-	-	-	-	-	2	-	-
Deptford . . .	115,636	-	-	-	-	7	19	2	1	1	-	1	-	-	-	-	-
Greenwich . . .	102,408	-	-	-	-	10	18	3	1	-	-	-	-	-	-	-	-
Lewisham . . .	174,438	-	-	-	-	6	11	1	-	-	-	-	-	-	-	-	-
Woolwich . . .	141,666	-	-	-	-	22	8	5	1	-	-	-	-	-	1	-	-
TOTAL . . .	4,531,971	3	6	-	-	424	388	80	31	6	6	22	-	2	22	-	-
Ages																	
0-1 . . .		-	-	-	-	7	11	21	1	3	-	22	-	-	-	-	-
" 1-5 . . .		-	-	-	-	85	97	15	-	1	-	-	-	-	2	-	-
" 5- . . .		-	-	-	-	181	165	15	1	1	-	-	-	-	4	-	-
" 10- . . .		-	-	-	-	95	69	3	1	-	-	-	-	-	2	-	-
" 15- . . .		-	-	-	-	23	19	1	1	-	-	-	-	-	4	-	-
" 20- . . .		1	1	-	-	7	8	4	2	1	-	-	-	-	3	-	-
" 25- . . .		2	2	-	-	18	11	7	5	-	2	-	-	1	2	-	-
" 35- . . .		-	3	-	-	6	5	4	7	-	3	-	-	1	3	-	-
" 45- . . .		-	-	-	-	1	2	5	4	-	1	-	-	-	1	-	-
" 55- . . .		-	-	-	-	1	-	4	5	-	-	-	-	-	1	-	-
" 65- . . .		-	-	-	-	-	1	-	3	-	-	-	-	-	-	-	-
" 75 and upwards . . .		-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
Age not stated . . .		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

† See note † on first page of this return.

1900

1901

1902

1903

1904

1905

1906

1907

1908

1909

1910

1911

1912

1913

1914

1915

1916

1917

1918

1919

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS AND DEATHS REGISTERED:—

LONDON AND

NINETY-FIVE OTHER GREAT TOWNS.

~~~~~  
By Authority of the Registrar General.  
~~~~~

LONDON:

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from

H.M. STATIONERY OFFICE at the following addresses:

IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and

28, ABINGDON STREET, LONDON, S.W. 1;

37, PETER STREET, MANCHESTER;

1, ST. ANDREW'S CRESCENT, CARDIFF;

23, FORTH STREET, EDINBURGH;

or from E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN.

No. 7. VOL. LXXXII. 1921. WEEK ENDED SATURDAY, FEB. 19.
[Price 1½d. Net.]

*General Register Office, Somerset House,
February 22nd, 1921.*

NINETY-SIX GREAT TOWNS.

For the NINETY-SIX GREAT TOWNS of England and Wales each of which had a population of 50,000 or over at the Census of 1911, the births registered last week numbered 8,346, and corresponded to an annual rate of 23·4 per 1,000. The deaths* among the civilian population only numbered 5,488, and corresponded to an annual rate of 15·4 per 1,000 of their aggregate civilian population, which is provisionally estimated† at 18,554,878 persons in the year 1920. In the three weeks ended January 29th, February 5th, and February 12th, the rates had been 12·3, 13·1, and 14·0 respectively. The infant mortality was 125, against 92, 108, and 105 in the preceding three weeks. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks; it also shows for the week ended last Saturday the births and the deaths from certain individual causes. A column showing the number of deaths

* Corrected as far as possible for deaths of non-residents and for those of residents occurring outside the area. Fully corrected figures will appear in the Registrar General's Annual Report.

† The estimates of population refer to the year 1920, and are based on the returns furnished under the scheme for rationing of food.

from influenza has been inserted in Table 1. The aggregate number of deaths from influenza in the 96 great towns in each of the last thirteen weeks is shown in Table 3A.

Measured by last week's mortality, the highest annual death-rates per 1,000 living were:—from *all causes*, 21·2 in Rochdale, 21·3 in Barnsley, 21·9 in Gillingham, 22·2 in West Hartlepool, 22·8 in Sunderland, and 23·7 in Bournemouth and in Dewsbury; from *measles*, 2·4 in Middlesbrough; and from *whooping cough*, 2·0 in Warrington. No death from *small-pox* was registered in any of the ninety-six towns.

LONDON.* (The Administrative County, including the City of London.)

For LONDON there were 2,041 BIRTHS, corresponding to a rate of 23·4 per 1,000, and 1,232 DEATHS of civilians, corresponding to a rate of 14·2, as against 11·6, 13·3, and 13·2 per 1,000 in the three weeks ended January 29th, February 5th, and February 12th. The death-rate in the four weeks ended last Saturday averaged 13·1 per 1,000. The infant mortality was 103, against 78, 102, and 88 in the preceding three weeks.

There was no death from *enteric fever*, against 1, 0, and 1 in the preceding three weeks, the average for the corresponding weeks of the previous five years being 1. The deaths from *measles*, which had been 1, 0, and 0 in the preceding three weeks, were 3 last week and were 27 below the average. The deaths from *scarlet fever*, which had been 8, 8, and 7 in the preceding three weeks, were again 7 last week, and were 3 above the average. The deaths from *whooping-cough*, which had been 4, 6, and 15 in the preceding three weeks, fell last week to 13, and were 17 below the average. The deaths from *diphtheria*, which had been 19, 28, and 28 in the preceding three weeks, fell last week to 9, and were 6 below the average; 3 deaths belonged to the Borough of Battersea. The deaths from *diarrhoea and enteritis under 2 years of age*, which had been 18, 22, and 18 in the preceding three weeks, rose last week to 23, and were 6 above the average. The deaths from *influenza* numbered 12, as against 6, 9, and 13 in the preceding three weeks and an average of 76.

Different forms of violence caused 32 deaths, of which 31 were the subject of coroners' inquests. Of these 32 deaths, 4 were cases of suicide, while the remaining 28 were attributed to other forms of violence. Six of these latter were referred to vehicles in the streets, 3 to burns or scalds, and 3 of infants under one year of age to suffocation in bed.

CASES OF INFECTIOUS DISEASE.†

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital, there were 10 cases of enteric fever, 23 of measles, 3,919 of scarlet fever, 24 of whooping-cough, and 2,808 of diphtheria under treatment in these hospitals on Saturday last (Table 3). The admissions during the week,

* See note * on first page.

† The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

as compared with those in the preceding three weeks, were as follows :—Of enteric fever, 1 case, against 2, 1, and 2; of measles, 7 cases, against 4, 2, and 4; of scarlet fever, 496 cases, against 512, 441, and 472; of whooping-cough, 2 cases, against 5, 3, and 1; and of diphtheria, 341 cases, against 360, 383, and 304. Table 9, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the county during the week ended February 12th, 1921.

TABLE 1.—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH RATES in the Week ended Saturday, 19th February, 1921, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	ESTIMATED CIVILIAN POPULATION, MID. 1920 * (Provisional.)	DEATH-RATES from all Causes.					Week ended 19th Feb., 1921.		The DEATHS in the Week include										TOWNS.			
		Week ended					BIRTHS.	DEATHS.	Deaths of													
		29th Jan., 1921.	5th Feb., 1921.	12th Feb., 1921.	19th Feb., 1921.	Deaths from																
						Infants under 1 Year of Age.			Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.	Violence.				
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
96 GREAT TOWNS.	18,554,878	12·3	13·1	14·0	15·4	8,346	5,488	1,044	1,851	2	-	26	21	47	65	78	103	160	354	1,655	33	96 GREAT TOWNS.
LONDON†	4,531,971	11·6	13·3	13·2	14·2	2,041	1,232	211	459	-	-	3	7	13	9	23	12	32	86	554	3	LONDON.†
(CROYDON.	191,580	7·6	9·8	12·2	15·5	63	57	12	15	-	-	-	-	2	1	1	-	3	11	9	-	(CROYDON.
WIMBLEDON.	62,174	10·9	9·2	11·7	7·5	14	9	-	2	-	-	-	-	-	1	-	-	-	-	2	-	WIMBLEDON.
EALING.	76,129	12·3	7·5	7·5	15·1	25	22	6	8	-	-	-	-	2	-	-	-	-	1	3	-	EALING.
ACTON.	64,192	9·7	6·5	17·1	13·0	17	16	2	9	-	-	-	-	-	-	-	-	-	-	6	-	ACTON.
WILLESDEN.	167,328	13·1	10·6	15·0	13·7	71	14	10	13	-	-	1	-	2	2	1	5	-	1	15	-	WILLESDEN.
HORNSEY.	98,107	11·2	9·6	12·8	17·0	30	32	-	17	-	-	-	-	-	-	-	1	-	1	9	-	HORNSEY.
TOTTENHAM	146,970	8·9	7·8	11·4	11·7	56	33	4	14	-	-	-	-	-	1	-	-	1	2	17	-	TOTTENHAM.
EDMONTON.	73,529	7·8	9·9	15·6	12·1	39	17	1	7	1	-	-	-	-	2	-	-	-	-	11	-	EDMONTON.
ENFIELD.	60,771	10·3	8·6	15·4	9·4	27	11	1	2	-	-	-	-	1	1	-	3	-	-	2	-	ENFIELD.
WEST HAM.	299,440	13·2	11·7	13·2	16·9	197	97	16	35	-	-	-	-	-	1	3	1	1	6	34	1	WEST HAM.
EAST HAM	150,207	7·3	9·4	11·5	8·3	52	24	6	9	-	-	-	-	-	-	1	1	1	1	12	-	EAST HAM.
LEYTON.	128,832	8·5	13·0	10·1	8·9	54	22	5	3	-	-	-	-	-	-	-	1	1	4	9	-	LEYTON.
WALTHAMSTOW	132,771	7·5	10·6	9·8	12·2	51	31	3	12	-	-	-	1	-	-	-	1	4	3	13	-	WALTHAMSTOW.
(ILFORD.	82,693	6·9	11·3	12·0	17·7	32	28	4	12	-	-	-	1	-	-	-	2	1	1	7	-	(ILFORD.
GILLINGHAM.	45,233	13·8	17·3	10·4	21·9	23	19	1	11	-	-	-	-	-	1	-	2	-	-	6	-	GILLINGHAM.
HASTINGS.	59,972	11·3	16·5	12·2	18·3	14	21	1	15	-	-	-	-	-	-	-	2	1	1	5	-	HASTINGS.
EASTBOURNE	50,354	9·3	7·2	4·1	16·6	13	16	5	8	-	-	-	-	-	-	-	2	-	-	1	-	EASTBOURNE
BRIGHTON.	137,685	12·5	13·3	15·9	16·7	49	44	7	18	-	-	-	-	-	-	-	2	2	2	11	-	BRIGHTON.
PORTSMOUTH.	235,998	10·6	13·7	15·5	16·8	93	76	8	35	-	-	-	-	-	-	1	10	4	10	20	-	PORTSMOUTH.
BOURNEMOUTH.	85,919	12·1	11·5	16·4	23·7	25	39	3	21	-	-	-	-	-	-	-	2	1	2	6	-	BOURNEMOUTH.
SOUTHAMPTON.	162,388	10·0	12·5	11·9	11·2	63	35	8	13	-	-	-	-	-	1	-	-	1	3	8	-	SOUTHAMPTON.
READING.	95,006	6·6	11·0	9·9	11·5	40	21	5	7	-	-	1	-	-	-	-	1	1	1	6	1	READING.
OXFORD.	59,963	13·0	13·0	8·7	15·7	13	18	-	11	-	-	-	-	-	-	-	-	-	-	4	-	OXFORD.
NORTHAMPTON.	92,483	10·7	9·0	10·1	14·7	38	26	2	10	-	-	-	-	-	1	-	-	-	-	8	-	NORTHAMPTON.
CAMBRIDGE.	60,154	6·9	6·9	14·7	13·9	12	16	1	-	-	-	-	1	-	-	-	-	1	1	6	-	CAMBRIDGE.

TOWNS.	ESTIMATED CIVILIAN POPULATION, MID. 1920.* (Provisional.)	DEATH-RATES from all Causes.					Week ended 19th Feb., 1921.		Deaths of		The DEATHS in the Week include										TOWNS.			
		Week ended					BIRTHS.	DEATHS.	Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from											Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
		Week ended																						
		29th Jan., 1921.	5th Feb., 1921.	12th Feb., 1921.	19th Feb., 1921.						Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.	Violence.						
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.		
SOUTHEND ON SEA.	87,382	17.3	10.1	16.1	20.9	34	35	3	16	-	-	1	-	-	-	-	1	4	5	5	-	SOUTHEND ON SEA.		
IPSWICH.	81,119	15.4	12.2	12.2	17.4	29	27	8	14	-	-	-	-	-	-	-	-	-	-	7	-	IPSWICH.		
GREAT YARMOUTH.	55,193	17.0	14.2	13.2	13.2	30	14	1	9	-	-	-	-	-	-	-	-	-	1	5	-	GREAT YARMOUTH.		
NORWICH.	124,774	15.5	15.9	12.5	14.2	51	34	8	12	-	-	-	-	-	-	-	-	-	1	13	-	NORWICH.		
SWINDON.	53,580	10.7	16.5	12.7	9.7	24	10	1	3	-	-	-	-	-	-	-	-	-	-	5	-	SWINDON.		
EXETER.	61,365	10.2	9.3	18.7	15.3	20	18	4	10	-	-	-	-	-	-	-	-	-	1	4	-	EXETER.		
PLYMOUTH.	189,218	13.5	10.7	13.0	11.8	91	43	7	18	-	-	-	-	-	-	-	-	1	5	7	-	PLYMOUTH.		
BATH.	68,546	12.2	15.2	8.4	14.5	16	19	2	10	-	-	-	1	-	-	-	-	-	2	6	-	BATH.		
BRISTOL.	375,641	10.0	11.5	14.0	13.3	144	96	14	36	-	-	-	-	1	-	-	-	3	6	28	-	BRISTOL.		
GLOUCESTER.	52,096	9.0	11.0	22.0	19.0	25	19	-	5	-	-	-	1	-	-	-	-	1	1	1	-	GLOUCESTER.		
STOKE ON TRENT.	248,852	14.7	14.7	16.8	16.1	138	77	19	18	-	-	-	-	-	-	-	1	2	4	20	1	STOKE ON TRENT.		
WOLVERHAMPTON.	102,324	11.2	11.7	18.3	16.8	47	33	7	10	-	-	-	-	-	-	-	1	1	2	7	-	WOLVERHAMPTON.		
WALSALL.	96,419	15.7	15.7	15.7	20.5	49	38	7	12	-	-	-	-	-	2	-	1	4	6	11	-	WALSALL.		
WEST BROMWICH.	72,684	15.8	9.3	19.4	12.9	39	18	4	3	-	-	-	-	-	1	-	-	1	1	5	-	WEST BROMWICH.		
DUDLEY.	56,169	13.0	13.9	11.1	19.5	36	21	6	6	-	-	-	-	-	-	-	-	-	1	2	-	DUDLEY.		
BIRMINGHAM.	895,915	10.8	12.8	13.9	17.1	446	293	48	93	1	-	10	-	-	15	-	1	15	17	97	7	BIRMINGHAM.		
SMETHWICK.	75,027	11.8	17.4	12.5	17.4	36	25	12	6	-	-	2	-	-	-	-	-	-	1	-	-	SMETHWICK.		
COVENTRY.	137,310	8.4	12.5	11.8	9.9	50	26	3	9	-	-	-	-	-	-	-	-	2	4	5	-	COVENTRY.		
LEICESTER.	245,465	8.9	8.9	13.4	18.1	90	85	19	26	-	-	1	-	3	1	1	3	1	3	20	2	LEICESTER.		
LINCOLN.	67,543	9.3	11.6	15.4	8.5	40	11	-	4	-	-	-	-	-	1	-	-	-	-	2	-	LINCOLN.		
GRIMSBY.	31,953	10.8	16.5	10.2	16.5	32	26	5	10	-	-	-	-	-	-	-	-	2	2	4	-	GRIMSBY.		
NOTTINGHAM.	267,836	15.2	15.6	19.1	18.1	124	93	16	41	-	-	-	-	1	1	1	6	1	2	19	1	NOTTINGHAM.		
DERBY.	128,863	14.6	11.7	10.1	18.2	63	45	10	17	-	-	-	-	-	1	1	1	1	2	15	-	DERBY.		

See note † on first page of this return.

TOWNS.	ESTIMATED CIVILIAN POPULATION, MID. 1920.* (Provisional).	Causes.				Week ended 19th Feb., 1921.		Deaths of		Deaths from								Inquest Cases.		Deaths in Public Institutions.		Uncertified Causes of Death.		TOWNS
		Week ended				19th Feb., 1921.		Persons aged 65 Years and upwards.		Deaths from								Violence.	19.	20.	21.			
		29th Jan., 1921.	5th Feb., 1921.	12th Feb., 1921.	19th Feb., 1921.	BIRTHS.	DEATHS.	Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.							
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.		
SHEFFIELD	492,570	11·8	13·4	16·8	16·0	233	151	41	44	-	-	1	-	1	1	3	-	6	10	39	-	SHEFFIELD.		
ROTHERHAM	71,785	14·5	5·8	15·3	11·6	35	16	4	6	-	-	-	-	-	-	-	-	-	-	2	-	ROTHERHAM.		
YORK	77,501	9·4	18·2	21·5	17·5	53	26	5	11	-	-	-	-	-	-	-	1	-	1	4	-	YORK.		
HULL	290,808	13·6	16·7	14·2	16·9	157	94	12	34	-	-	-	-	-	1	2	6	1	1	33	1	HULL.		
MIDDLESBROUGH	132,208	19·7	14·6	17·0	18·9	94	48	16	7	-	-	6	-	-	-	1	-	2	5	6	3	MIDDLESBROUGH.†		
DARLINGTON	66,610	12·5	12·5	12·5	18·8	34	24	6	10	-	-	-	-	-	-	1	1	1	2	2	-	DARLINGTON.		
STOCKTON ON TEES	63,114	15·7	12·4	22·3	14·0	44	17	6	4	-	-	-	-	-	-	-	-	-	-	1	-	STOCKTON ON TEES.		
WEST HARTLEPOOL	68,126	16·1	20·7	23·0	22·2	32	29	9	4	-	-	-	-	-	-	1	5	2	2	2	-	WEST HARTLEPOOL.		
SUNDERLAND	155,211	19·8	17·8	20·5	22·8	85	68	19	16	-	-	-	1	-	-	1	1	1	2	20	-	SUNDERLAND.		
SOUTH SHIELDS	115,945	17·1	18·4	23·4	19·8	64	44	9	10	-	-	-	-	-	2	-	8	-	-	9	-	SOUTH SHIELDS.		
GATESHEAD	128,309	15·8	18·3	19·1	17·5	79	43	4	18	-	-	-	-	-	1	1	2	-	-	9	1	GATESHEAD.		
NEWCASTLE ON TYNE.	286,061	17·9	17·9	13·2	15·3	153	84	12	26	-	-	-	-	1	-	2	5	-	6	16	-	NEWCASTLE ON TYNE.		
TYNEMOUTH	60,318	11·2	26·8	14·7	13·8	32	16	3	7	-	-	-	-	-	-	1	-	2	2	2	-	TYNEMOUTH.		
CARLISLE	57,397	10·9	11·8	12·7	12·7	20	14	1	6	-	-	-	-	-	-	-	1	-	-	3	1	CARLISLE.		
NEWPORT (MON.)	90,728	17·2	16·1	12·6	14·4	44	25	6	7	-	-	-	-	2	1	-	2	-	-	4	-	NEWPORT (MON.).		
CARDIFF	212,582	12·3	11·3	12·8	11·8	110	48	9	17	-	-	-	-	-	-	-	1	2	4	8	-	CARDIFF.		
RHONDDA	184,999	15·8	15·2	14·7	15·8	90	56	19	15	-	-	-	1	2	-	1	-	1	1	9	-	RHONDDA.		
MERTHYR TYDFIL	74,493	19·6	12·6	14·0	13·3	48	19	5	5	-	-	-	-	-	-	-	-	1	1	2	1	MERTHYR TYDFIL.		
ABERDARE	53,431	12·7	17·6	13·7	15·6	31	16	4	5	-	-	-	-	-	-	-	-	-	-	1	-	ABERDARE.		
SWANSEA	167,218	10·3	9·0	12·2	15·0	84	48	8	13	-	-	-	-	1	1	1	-	3	8	6	-	SWANSEA.		
GREATER LONDON	7,548,647	10·9	11·9	12·9	13·8	3242	2002	322	767	1	-	4	10	23	26	32	39	50	136	790	5	GREATER LONDON.		
OUTER RING	3,016,676	9·9	9·8	12·4	13·3	1201	770	111	308	1	-	1	3	10	17	9	27	18	50	236	2	OUTER RING.		
14 GREAT TOWNS IN OUTER RING.	1,734,723	9·9	10·1	12·4	13·3	728	443	70	158	1	-	1	2	7	10	7	15	12	31	149	1	14 GREAT TOWNS IN OUTER RING.		
REMAINDER OF OUTER RING.	1,281,953	9·8	9·6	12·4	13·3	473	327	41	150	-	-	-	1	3	7	2	12	6	19	87	1	REMAINDER OF OUTER RING.		
EDINBURGH†	446,200	18·7	17·3	17·5	16·7	173	143	29	53	-	-	5	2	1	1	2	11	-	?	?	?	EDINBURGH.†		
GLASGOW†	1,100,400	15·3	14·5	18·0	18·7	615	394	84	104	-	-	1	1	36	7	7	6	9	?	?	?	GLASGOW.†		
DUBLIN (Registra- tion Area).†	423,000	15·8	14·1	18·9	18·2	214	148	31	38	-	-	-	-	-	1	2	1	4	2	55	8	DUBLIN (Registra- tion Area).†		
BELFAST†	420,000	16·9	14·2	15·9	18·5	223	149	44	35	-	-	-	-	13	-	2	2	3	2	32	5	BELFAST.†		

* See note † on first page of this return.
† The populations are total populations and relate to 1921. Deaths and the death-rates in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week: those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

TABLE 2. LONDON.—Births and Deaths registered during the SEVENTH Week of each of the Eleven Years, 1911-1921.

	1911.	1912.	1913.	1914.	1915.	1916.	1917.	1918.	1919.	1920.	1921.
Births (as registered).	2275	2359	2216	2168	2189	1850	1747	1513	1262	2746	2041
Males -	1124	1227	1146	1082	1118	940	901	766	629	1416	1076
Females -	1151	1132	1070	1086	1071	910	846	747	633	1330	965
Deaths (of residents only).	1613	1565	1571	1229	1801	1318*	1919*	1154*	2104*	1384*	1232*
Males -	791	765	801	631	902	664	1019	590	1042	688	597
Females -	822	800	770	598	899	654	900	564	1062	696	635

* Deaths in civilian population only.

TABLE 3. LONDON.—BIRTHS and DEATHS REGISTERED, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the last THIRTEEN WEEKS.

	Nov. 27.	Dec. 4.	Dec. 11.	Dec. 18.	Dec. 25.	1921. Jan. 1.	Jan. 8.	Jan. 15.	Jan. 22.	Jan. 29.	Feb. 5.	Feb. 12.	Feb. 19.
Births (as registered) . .	1900	1921	1902	1793	1733	2031	2373	2059	2009	2039	1856	2058	2041
Deaths (of residents only).	1178	1091	1078	1335	1279	1382	1117	1099	1121	1011	1158	1147	1232
Ages { Under 1 year	142	150	170	213	170	234	178	186	177	160	189	181	211
1-2 years	21	23	21	31	33	45	34	28	34	31	49	43	39
2-5 "	33	20	32	34	23	25	20	26	32	24	34	29	23
5-10 "	22	22	26	28	24	21	31	30	23	19	28	34	24
10-15 "	18	12	9	16	13	11	17	17	16	14	13	17	20
15-20 "	16	16	18	17	17	28	20	29	19	24	23	20	16
at { 20-25 "	28	24	10	17	27	35	19	24	20	19	25	19	25
25-35 "	49	38	54	56	62	65	70	62	44	47	51	44	50
Death { 35-45 "	87	83	84	86	89	84	78	77	77	78	75	54	91
45-55 "	149	132	117	147	137	127	105	117	118	125	125	121	104
55-65 "	188	161	152	180	186	216	159	155	183	149	169	153	170
65-75 "	224	190	181	243	246	220	189	165	193	146	192	207	215
75 years and upwards	201	220	204	267	252	271	197	183	185	175	185	225	244
Deaths from—													
Enteric fever	2	-	-	-	1	-	-	1	1	1	-	1	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	4	-	3	-	4	-	1	3	2	1	-	-	3
Scarlet fever	7	4	6	11	5	8	8	2	5	8	8	7	7
Whooping cough	3	3	3	7	2	4	6	2	8	4	6	15	13
Diphtheria	21	22	22	25	27	22	24	23	28	19	28	28	9
Diarrhoea and enteritis (under 2 years).	16	13	16	24	17	20	17	20	19	18	22	18	23
Pulmonary tuberculosis .	119	103	81	95	101	90	84	99	100	98	105	74	102
Influenza	15	13	13	21	14	20	21	16	14	6	9	13	12
Pneumonia (all forms) .	104	106	116	149	165	171	141	112	117	92	128	104	131
Bronchitis	154	149	118	189	175	165	96	116	101	95	98	153	158
Other dis. of resp. system .	19	18	12	20	14	27	17	15	7	16	14	10	23
Dis. of circ. system . .	196	177	163	207	209	208	184	202	178	181	194	218	223
Violence	44	34	39	39	42	50	40	34	35	40	49	32	32
Inquest cases	108	95	92	124	122	117	93	99	81	74	99	90	86
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Enteric fever	18	21	18	19	18	18	20	17	12	11	7	9	10
Small-pox	-	-	-	-	-	1	1	1	1	1	1	-	-
Measles	13	14	17	15	19	18	15	13	14	15	17	18	23
Scarlet fever	5575	5438	5297	4994	4780	4817	4608	4413	4350	4171	4018	3945	3919
Whooping cough	25	24	25	27	22	17	20	20	23	27	26	26	24
Diphtheria	2626	2655	2654	2654	2547	2642	2588	2597	2618	2682	2767	2770	2808

* The Metropolitan Asylums Board and London Fever Hospitals. The figures do not refer to London exclusively.

TABLE 3A. 96 Great Towns.—DEATHS from INFLUENZA in the last THIRTEEN WEEKS.

	Nov. 27.	Dec. 4.	Dec. 11.	Dec. 18.	Dec. 25.	1921. Jan. 1.	Jan. 8.	Jan. 15.	Jan. 22.	Jan. 29.	Feb. 5.	Feb. 12.	Feb. 19.
Deaths from Influenza . .	69	65	61	75	81	89	101	87	66	61	61	93	103

TABLE 4. LONDON.—DEATHS REGISTERED in the SEVENTH Week of the Year 1921.

CAUSES OF DEATH.	Deaths in the 7th week of the year 1920.	DEATHS OF PERSONS OF THE AGES													
		ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-10 years.	10-15 years.	15-20 years.	20-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and up- wards.
ALL CAUSES	1384	1232	211	39	23	24	20	16	25	50	91	104	170	215	244
Enteric fever	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	49	3	-	2	1	-	-	-	-	-	-	-	-	-	-
Scarlet fever	-	7	1	-	2	2	1	-	-	-	1	-	-	-	-
Whooping cough	42	13	3	7	2	1	-	-	-	-	-	-	-	-	-
Diphtheria	16	9	1	-	2	5	1	-	-	-	-	-	-	-	-
Croup	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza	37	12	-	-	-	1	-	-	-	-	1	4	1	4	1
Erysipelas	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other epidemic diseases	4	3	-	1	-	-	-	-	-	1	1	-	-	-	-
Pyæmia and septicæmia	1	3	-	-	-	-	-	1	-	-	-	1	1	-	-
Tetanus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis :—															
Pulmonary tuberculosis	97	102	2	2	-	-	5	7	10	16	30	16	12	1	1
Tuberculous meningitis	9	14	5	2	1	3	2	-	-	-	-	-	1	-	-
Abdominal tuberculosis	4	1	-	-	-	-	-	-	-	-	-	1	-	-	-
Tuberculosis of the spine	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Tuberculosis of the joints	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of other organs	3	1	-	-	-	-	-	-	-	1	-	-	-	-	-
Disseminated tuberculosis	2	3	-	-	-	-	1	-	1	-	-	1	-	-	-
Venereal diseases		5	4	-	-	-	-	-	-	-	-	-	-	1	-
Cancer	119	109	-	-	-	-	-	-	1	3	5	27	40	25	8
Tumour, situation undefined	4	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Rheumatic fever	9	6	-	-	-	1	-	1	-	1	2	-	-	1	-
Diabetes	10	11	-	-	-	-	1	-	-	1	1	2	1	5	-
Anæmia, leucocythæmia	4	9	-	-	1	-	2	-	-	-	1	1	1	2	1
Other general diseases	8	9	-	1	-	-	-	-	-	1	-	-	4	1	2
Alcoholism	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic poisonings	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	4	9	6	2	1	-	-	-	-	-	-	-	-	-	-
Cerebral hæmorrhage, Apoplexy	37	49	-	-	-	-	-	-	-	-	2	5	8	21	13
Softening of brain	1	2	-	-	-	-	-	-	-	-	-	-	-	1	1
Paralysis, without specified cause	5	3	-	-	-	-	-	-	-	1	1	-	1	-	-
Epilepsy	3	6	-	-	-	-	1	-	1	2	-	1	-	1	-
"Convulsions" (not puerperal)	10	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system	28	15	-	-	1	-	-	-	1	2	2	2	1	5	1
Pericarditis	1	4	-	-	-	3	-	-	-	-	-	-	1	-	-
Acute endocarditis	9	8	1	-	-	-	1	-	-	2	2	1	1	-	-
Organic disease of heart	135	156	-	-	-	2	1	1	1	7	6	17	27	47	47
Embolism and thrombosis (including cerebral).	4	12	-	-	-	-	-	-	-	-	-	-	3	3	6
Other diseases of circulatory system.	53	43	-	-	-	1	-	-	-	2	3	1	10	9	17
Diseases of the larynx	2	3	1	1	-	-	-	-	-	-	-	-	-	1	-
Bronchitis	147	158	25	1	1	-	1	2	-	-	6	7	11	45	59
Broncho-pneumonia	117	78	42	10	6	2	1	1	-	-	2	2	1	4	7
Lobar pneumonia	36	27	1	2	1	-	-	1	-	2	5	3	8	3	1
Pneumonia (type not distinguished)	36	26	7	5	1	-	1	-	-	-	2	4	3	3	-
Pleurisy	4	3	-	1	-	-	-	-	-	1	1	-	-	-	-
Pulmonary congestion, Pulmonary apoplexy.	4	1	-	-	-	-	-	-	-	-	-	-	-	-	1
Other diseases of respiratory system.	5	16	1	-	-	-	-	-	1	1	2	3	4	3	1

TABLE 4 (cont.) LONDON.—DEATHS REGISTERED in the SEVENTH Week of the Year 1921.

CAUSES OF DEATH.	Deaths in the 7th week of the year 1920.	DEATHS OF PERSONS OF THE AGES													
		ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-10 years.	10-15 years.	15-20 years.	20-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and up- wards.
Diseases of the pharynx, Tonsillitis	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Diseases of stomach	7	5	2	-	-	-	-	-	1	-	-	-	-	1	-
Diarrhoea and enteritis	24	28	23	-	1	-	-	-	-	1	-	1	-	-	1
Appendicitis and typhlitis	3	3	-	-	-	-	1	-	-	-	1	1	-	-	-
Hernia and Intestinal obstruction.	16	8	1	-	-	-	-	-	-	-	-	-	3	2	2
Cirrhosis of liver	3	3	-	-	-	-	-	-	-	-	-	-	2	-	1
Other diseases of liver	6	2	-	-	-	-	-	1	-	-	-	-	-	-	1
Peritonitis (cause unknown)	1	2	-	-	1	-	-	-	1	-	-	-	-	-	-
Other diseases of digestive system	3	5	1	1	-	-	-	-	-	-	-	-	2	-	1
Acute nephritis	1	2	-	-	-	1	-	-	-	-	-	-	1	-	-
Chronic Bright's disease	25	30	-	-	-	-	-	-	1	5	1	13	4	6	-
Urinary calculi	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Uterine tumour (non-cancerous)	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
Ovarian tumour (-	1	-	-	-	-	-	-	-	-	-	1	-	-	-
Other diseases of genito-urinary system.	11	10	-	-	-	-	-	-	-	-	-	2	3	5	-
Puerperal fever, &c.	5	5	-	-	-	-	-	2	-	3	-	-	-	-	-
Other causes incident to child-birth.	4	3	-	-	-	-	-	-	1	2	-	-	-	-	-
Diseases of skin and cellular tissues.	6	5	-	-	-	-	-	-	-	-	-	1	1	3	-
Diseases of locomotor system	1	2	-	-	-	1	-	-	1	-	-	-	-	-	-
Congenital malformations	11	12	10	-	-	-	-	1	-	-	1	-	-	-	-
Premature birth	45	32	32	-	-	-	-	-	-	-	-	-	-	-	-
Debility, atrophy, marasmus (Infants).	17	25	25	-	-	-	-	-	-	-	-	-	-	-	-
Old age	60	60	-	-	-	-	-	-	-	-	-	-	8	52	-
ACCIDENT.															
Poisons or poisonous vapours.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Conflagration	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Burns and scalds	4	3	-	1	-	-	-	-	-	1	-	1	-	-	-
Drowning	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suffocation in bed	4	3	3	-	-	-	-	-	-	-	-	-	-	-	-
Other deaths by accident	25	22	2	1	1	1	1	4	1	1	-	1	4	5	-
Total deaths from accident	33	28	5	1	1	1	1	4	1	2	-	2	4	5	-
Included in above are deaths in connection with:—															
Railways	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	12	6	-	-	1	1	-	2	-	1	-	-	1	-	-
Ships, boats, docks	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Building operations	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIOLENCE OTHER THAN ACCIDENTAL.															
Homicide	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	11	4	-	-	-	-	-	-	-	-	-	2	2	-	-
Execution	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other specified diseases	17	11	11	-	-	-	-	-	-	-	-	-	-	-	-
Ill-defined Causes	-	2	-	-	-	-	-	-	-	-	1	-	1	-	-

TABLE 5.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM							
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria and Croup.*	Diarrhoeal Diseases† (under 2 years).	Influenza.
LONDON† . .	4,531,971	1921. Feb. 19	2,041	1,232	14·2	-	-	3	7	13	9	23	12
Calcutta . .	896,067	Jan. 8	-	666§	38·6	?	2	?	?	?	?	?	22
Bombay . .	979,445	" 15	390	1,201	63·8	5	1	4	-	-	1	76	18
Madras . .	518,660	" 1	362	565§	56·6	-	-	-	?	2	-	53	16
Rangoon . .	2,847,229	(10 days) Jan. 20	1,385	1,197	?	3	-	2	2	-	6	17	2
Brussels . .	792,919	- - -	-	-	-	-	-	-	-	-	-	-	-
Antwerp . .	333,884	Jan. 29	128	63	10·1	-	-	1	-	-	1	6	-
Amsterdam . .	688,156	" 22	286	140	10·6	-	-	11	-	1	-	1	-
		" 29	307	128	9·7	-	-	6	-	3	1	-	-
Copenhagen . .	571,000	Feb. 5	245	127	11·6	-	-	-	-	-	2	3	1
Stockholm . .	415,201	Jan. 29	119	103	13·1	-	-	-	-	-	-	1	1
Gothenburg . .	205,494	" 8	-	42	10·6	-	-	-	-	-	-	1	-
Christiania . .	260,904	Feb. 5	107	39	7·8	-	-	-	-	-	-	-	-
Berlin . .	1,934,000	Jan. 29	605	529	14·2	-	?	5	1	2	6	9	9
Poznań . .	540,000	" 29	290	179	17·2	-	?	-	-	-	3	4	3
Lyon . .	660,000	" 29	345	162	12·8	-	?	4	-	2	2	4	4
London . .	538,000	" 29	186	126	12·2	-	?	-	-	-	-	-	5
London . .	463,000	" 29	145	84	9·4	-	?	-	-	-	1	-	6
Bombay . .	996,000	" 29	283	262	13·7	1	?	1	-	2	3	4	4
Munich . .	624,000	" 29	240	150	12·5	-	?	-	-	-	1	6	6
Nuremberg . .	670,000	" 29	258	199	15·4	-	?	1	-	-	2	7	3
Vienna . .	1,842,005	" 29	473	568	16·0	-	-	1	2	2	1	12	1
Warsaw . .	726,381	" 15	259	186	13·4	2	-	-	1	-	1	5	2
Bombay . .	1,071,492	Nov. 27	317	437	21·2	4	-	27	14	3	7	13	5
Bombay . .	243,487	Jan. 29	144	122	26·0	2	-	-	-	-	-	2	1
Bombay . .	761,300	Dec. 16	645	427	29·2	2	-	-	-	?	2	25	?
Alexandria . .	445,700	" 16	383	224	26·1	1	-	-	-	?	-	15	?
New York . .	6,276,096	Jan. 22	2,441	1,364	11·3	2	-	2	17	3	24	22	12
Chicago . .	2,780,655	" 29	-	718	13·5	1	-	-	3	1	12	35	8

Excluding deaths from croup in Bombay and Madras.

The deaths in this column relate to *all ages* for Bombay, Madras, Christiania, and Budapest, and to *children under 1 year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

The estimated population and deaths refer to the civilian population only.

Including 2 deaths from *plague* in Madras, and from *Asiatic cholera*, 28 deaths in Calcutta and 1 in Madras.

TABLE 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 19th February, 1921.

(Supplied by the Meteorological Office.)

TOWNS.	Temperature of Air.*				Rainfall in Milli- metres.†	TOWNS.	Temperature of Air.*				Rainfall in Milli- metres.†
	Highest.	Lowest.	Mean Maxi- mum.	Mean Mini- mum.			Highest.	Lowest.	Mean Maxi- mum.	Mean Mini- mum.	
LONDON (Greenwich) }	53	32	48·7	38·4	0·3	BRADFORD . .	52	32	46·4	39·6	1
LIGHTON . .	54	33	49·4	40·0	0	SHEFFIELD . .	51	36	47·4	41·0	0·2
PORTSMOUTH . .	53	34	49·7	40·1	0	YORK (Museum) .	57	35	49·6	40·1	0
IPSWICH (Eaton) .	52	34	47·6	39·1	1	HULL (Pearson Park)	56	33	50·0	39·7	0
PLYMOUTH . .	57	37	50·9	41·1	0	TYNEMOUTH . .	54	38	48·4	40·9	0
BIRMINGHAM	53	37	47·1	39·4	0	CARDIFF . .	55	34	49·4	39·9	0
BIRMINGHAM	51	34	47·3	39·6	0·2	EDINBURGH . .	54·0	36·0	47·4	39·1	0
NOTTINGHAM	53	33	48·6	39·0	0·2	GLASGOW . .	51·2	32·7	47·4	40·4	2
BRISTOL (Clifton) .	49	35	47·1	40·0	1	DUBLIN :—					
MANCHESTER	50	34	48·0	40·6	1	Phoenix Park .	52·0	31·5	48·9	40·0	1
WIMBORNE	48	28	45·3	39·3	6	†Fitzwilliam Square	51·7	37·2	49·3	42·3	3
LEEDS	51	33	46·9	39·7	1	BELFAST . .	52·5	33·5	50·2	41·4	2

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.

† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.

‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

TABLE 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 19th February 1921.

[Under the Superintendence of the Astronomer Royal.]

1921.		Phases of the Moon.	BARO- METER. Mean daily reading (cor- rected and re- duced to 32° Fahren- heit).	TEMPERATURE.					Difference between the Air Temperature and Dew Point Temperature.			TEMPERATURE.		Wind as deduced from Anemometers.				Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
MONTH AND DAY.	Of the Air.					Of the Dew point.	De- gree of Hu- mid- ity (Satu- ration equals 100).		Of Radiation.		Osler's.		Robinson's.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
	High- est.			Low- est.	Daily Range.		Mean daily value.	De- parture from Average of 65 years.	Mean daily value.	Great- est.	Mean daily value.	Highest in Sun's Rays.	Lowest on the Grass.	A.M.	P.M.	Pressure on the Square Foot.			Horizontal Movement of the Air on each Day.	Depart- ture from Average of 50 years.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
																lbs.	lbs.				lbs.	Miles.	Miles.	in.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
FEBRUARY.			in.	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°

DATE.		ELECTRICITY. (For explanation of symbols, see Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
FEBRUARY.					
SUNDAY	13	s.P. generally, m.P. at times. Loss of register 4h. to 11h. s.P. generally.	0·0	9·8	Overcast throughout; damping about noon; misty in afternoon.
MONDAY	14	s.P. generally.	0·6	9·9	Overcast till 5h., and with cloudy intervals till 15h; thin cloud and haze prevalent till 20h., afterwards cloudless with dew.
TUESDAY	15	m.P. generally, a little s.P.,	0·0	9·9	Cloudless generally till 6h.; thin cloud pre- valent till 8h. 30m., afterwards overcast generally; few breaks in evening and moon frequently visible through cloud.
WEDNESDAY	16	m.P. generally till noon, s.P. afterwards.	0·0	10·0	Overcast generally; fine interval between 4h. and 7h.; cloudy after 23h.
THURSDAY	17	s.P. generally	1·2	10·1	Becoming overcast by 1h. 30m.; fine inter- val between 13h. 30m. and 17h. 30m.; nearly cloudless 15h. to 17h.; overcast generally from 18h.
FRIDAY	18	s.P. generally	0·0	10·1	Overcast with thin cloud till 2h., becoming cloudless with hoar frost from 3h.; hazy and misty from 7h.; clouding up at 8h.; overcast generally afterwards.
SATURDAY	19	v.P. throughout	0·0	10·2	Overcast generally; few breaks about 3h. and after 20h.; damping between 3h. and 9h.
No. of Col.		26	Sum 1·8	Sum 70·0	
			27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "higher," and - "lower," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 30·34 in. at the beginning of the week to 30·05 in. by 6h. on 14th; increased to 30·23 in. by midnight on the same day; decreased to 29·93 in. by 17h. on 17th; increased to 30·21 in. by 11h. on 19th, and decreased to 30·14 in. by midnight on the same day.

TABLE 8. LONDON.—DEATHS of PERSONS BELONGING to the several METROPOLITAN BOROUGHs REGISTERED in the Week ended 12th February, 1921.

BOROUGHs.	Deaths from									Deaths of Infants under 1 Year of Age.
	ALL CAUSES.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Pulmonary Tuberculosis.	
COUNTY OF LONDON .	1,147	1	-	-	7	15	28	18	74	181
Western										
PADDINGTON . . .	36	-	-	-	-	1	-	-	1	8
KENSINGTON . . .	76	-	-	-	-	2	3	2	6	14
HAMMERSMITH . . .	31	1	-	-	-	-	-	-	1	6
FULHAM	34	-	-	-	-	-	1	1	2	4
CHELSEA	21	-	-	-	-	-	-	2	-	4
CITY OF WESTMINSTER .	38	-	-	-	-	1	-	-	3	3
Northern.										
ST. MARYLEBONE . . .	23	-	-	-	-	1	1	-	-	2
HAMPSTEAD	21	-	-	-	-	-	-	-	1	1
ST. PANCRAS	61	-	-	-	-	1	3	-	2	6
ISLINGTON	86	-	-	-	-	3	2	1	8	12
STOKE NEWINGTON . . .	20	-	-	-	-	-	-	-	-	6
HACKNEY	56	-	-	-	1	-	1	1	6	5
Central.										
HOLBORN	16	-	-	-	-	-	-	-	1	3
FINSBURY	19	-	-	-	-	-	-	-	3	4
CITY OF LONDON . . .	7	-	-	-	-	-	-	-	-	1
Eastern.										
SHOREDITCH	31	-	-	-	1	-	-	-	5	5
BETHNAL GREEN	32	-	-	-	1	-	-	-	3	2
STEPNEY	63	-	-	-	1	-	-	-	3	13
POPLAR	38	-	-	-	-	-	1	1	3	13
Southern.										
SOUTHWARK	48	-	-	-	1	1	-	1	1	9
BERMONDSEY	43	-	-	-	-	-	3	2	4	10
LAMBETH	54	-	-	-	1	2	1	2	6	5
BATTERSEA	35	-	-	-	-	1	1	-	2	6
WANDSWORTH	73	-	-	-	-	1	5	2	2	11
CAMBERWELL	56	-	-	-	-	-	3	1	4	8
DEPTFORD	26	-	-	-	-	-	1	2	1	6
GREENWICH	28	-	-	-	-	1	2	-	2	6
LEWISHAM	42	-	-	-	-	-	-	-	2	3
WOOLWICH	33	-	-	-	1	-	-	-	2	5

The deaths in the above Table are, so far as concerns London as a whole, corrected by the exclusion of deaths of non-residents, and by the inclusion of those of residents occurring in the Outer Ring or in Metropolitan public institutions situated outside the County. As between individual Metropolitan Boroughs, however, correction is complete.

TABLE 9. LONDON.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED during the Week ended 12th February, 1921.*

BOROUGHS.	ESTI- MATED CIVILIAN POPU- LATION, MID. 1920.† (Provi- sional.)	Enteric Fever.	Malaria.	Continued Fever.	Small- pox.	Scarlet Fever.	Diphtheria (including Membranous Group).	Pneumonia.	Erysipelas.	Cerebro-Spinal Fever.	Puerperal Fever.	Ophthalmia Neonatorum.	Poliomylitis.	Dysentery.	Encephalitis Lethargica.	Anthrax.	Polio- encephalitis.
WESTERN.																	
Paddington . . .	149,673	-	-	-	-	15	21	4	1	1	-	-	-	-	-	-	-
Kensington . . .	164,177	-	-	-	-	23	8	1	3	-	-	1	-	-	1	-	-
Hammersmith . . .	136,200	-	-	-	-	26	3	3	1	-	1	-	-	-	1	-	-
Fulham . . .	158,621	-	-	-	-	18	17	4	2	-	-	-	-	-	-	-	-
Chelsea . . .	62,987	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-
City of Westminster . . .	132,615	-	-	-	-	4	2	-	1	-	-	-	-	-	-	-	-
NORTHERN.																	
St. Marylebone . . .	101,856	-	-	-	-	9	2	1	2	-	-	-	-	-	-	-	-
Hampstead . . .	91,519	-	-	-	-	6	8	-	1	-	-	1	-	-	-	-	-
St. Pancras . . .	228,178	-	2	-	-	24	11	5	1	-	-	3	-	-	1	-	-
Islington . . .	335,907	-	-	-	-	33	34	4	2	-	1	1	-	-	2	-	-
Stoke Newington . . .	52,984	-	-	-	-	11	2	-	-	-	-	-	-	-	-	-	-
Hackney . . .	225,372	-	-	-	-	30	19	-	-	-	-	-	1	-	2	-	-
CENTRAL.																	
Holborn . . .	39,876	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	-
Finsbury . . .	78,291	-	-	-	-	8	3	-	2	-	-	1	-	-	1	-	-
City of London . . .	14,447	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
EASTERN.																	
Shoreditch . . .	102,044	-	-	-	-	7	15	-	-	-	-	2	-	-	-	-	-
Bethnal Green . . .	114,471	1	-	-	-	24	14	-	3	1	-	-	-	-	-	-	-
Stepney . . .	241,770	1	-	-	-	41	16	4	5	1	-	1	-	-	2	-	-
Poplar . . .	159,766	-	-	-	-	28	13	4	2	-	-	1	-	-	1	-	-
SOUTHERN.																	
Southwark . . .	187,142	-	-	-	-	16	10	2	1	-	-	1	-	-	1	-	-
Bermondsey . . .	129,189	-	-	-	-	22	10	-	1	-	-	-	-	-	-	-	-
Lambeth . . .	293,572	-	-	-	-	22	5	5	2	-	-	2	-	-	-	-	-
Battersea . . .	165,664	-	-	-	-	20	19	7	3	-	1	3	-	-	1	-	-
Wandsworth . . .	346,990	1	-	-	-	22	35	13	5	1	-	1	-	-	-	-	-
Camberwell . . .	284,712	-	1	-	-	25	24	4	2	-	-	-	-	-	-	-	-
Deptford . . .	115,636	-	-	-	-	14	4	-	1	-	3	-	-	-	-	-	-
Greenwich . . .	102,408	-	-	-	-	11	6	6	-	-	-	-	-	-	1	-	-
Lewisham . . .	174,458	-	-	-	-	8	11	4	1	-	-	-	-	-	2	-	-
Woolwich . . .	141,666	-	-	-	-	18	5	11	2	-	-	-	-	-	-	-	-
TOTAL . . .	4,531,971	3	3	-	-	488	320	84	44	5	6	18	1	-	16	-	-
Ages																	
0-1 . . .		-	-	-	-	7	6	14	-	2	-	18	-	-	-	-	-
" 1-5 . . .		-	1	-	-	83	91	13	1	1	-	-	1	-	1	-	-
" 5- . . .		-	-	-	-	229	131	16	-	-	-	-	-	-	1	-	-
" 10- . . .		2	-	-	-	105	49	3	4	-	-	-	-	-	2	-	-
" 15- . . .		-	-	-	-	23	14	4	4	-	-	-	-	-	2	-	-
" 20- . . .		-	-	-	-	15	12	2	3	-	2	-	-	-	1	-	-
" 25- . . .		-	2	-	-	17	10	9	3	2	2	-	-	-	3	-	-
" 35- . . .		1	-	-	-	7	5	5	3	-	2	-	-	-	3	-	-
" 45- . . .		-	-	-	-	2	2	7	12	-	-	-	-	-	1	-	-
" 55- . . .		-	-	-	-	-	-	7	6	-	-	-	-	-	2	-	-
" 65- . . .		-	-	-	-	-	-	3	6	-	-	-	-	-	-	-	-
" 75 and upwards . . .		-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-
Age not stated . . .		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

† See note † on first page of this return.

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS AND DEATHS REGISTERED:—

LONDON AND
NINETY-FIVE OTHER GREAT TOWNS.

~~~~~  
By Authority of the Registrar General.  
~~~~~

LONDON:

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from

H.M. STATIONERY OFFICE at the following addresses:

IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and

28, ABINGDON STREET, LONDON, S.W. 1;

37, PETER STREET, MANCHESTER;

1, ST. ANDREW'S CRESCENT, CARDIFF;

23, FORTH STREET, EDINBURGH;

or from E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN.

No. 8. Vol. LXXXII. 1921. WEEK ENDED SATURDAY, FEB. 26.
[Price 1½d. Net.]

*General Register Office, Somerset House,
March 1st, 1921.*

NINETY-SIX GREAT TOWNS.

For the NINETY-SIX GREAT TOWNS of England and Wales each of which had a population of 50,000 or over at the Census of 1911, the births registered last week numbered 8,066, and corresponded to an annual rate of 22·6 per 1,000. The deaths* among the civilian population only numbered 5,516, and corresponded to an annual rate of 15·5 per 1,000 of their aggregate civilian population, which is provisionally estimated† at 18,554,878 persons in the year 1920. In the three weeks ended February 5th, February 12th, and February 19th, the rates had been 13·1, 14·0, and 15·4 respectively. The infant mortality was 118, against 108, 105, and 125 in the preceding three weeks. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks; it also shows for the week ended last Saturday the births and the deaths from certain individual causes. A column showing the number of deaths

* Corrected as far as possible for deaths of non-residents and for those of residents occurring outside the area. Fully corrected figures will appear in the Registrar General's Annual Report.

† The estimates of population refer to the year 1920, and are based on the returns furnished under the scheme for rationing of food.

from influenza has been inserted in Table 1. The aggregate number of deaths from influenza in the 96 great towns in each of the last thirteen weeks is shown in Table 3A.

Measured by last week's mortality, the highest annual death-rates per 1,000 living were:—from *all causes*, 21·9 in Gillingham, 22·5 in Sunderland, 23·6 in Southport, 25·2 in Barnsley, and 27·8 in Hastings; and from *whooping cough*, 1·6 in Walsall, and 3·3 in Warrington. No death from *small-pox* was registered in any of the ninety-six towns.

LONDON.* (The Administrative County, including the City of London.)

For LONDON there were 1,908 BIRTHS, corresponding to a rate of 21·9 per 1,000, and 1,313 DEATHS of civilians, corresponding to a rate of 15·1, as against 13·3, 13·2, and 14·2 per 1,000 in the three weeks ended February 5th, February 12th, and February 19th. The death-rate in the four weeks ended last Saturday averaged 14·0 per 1,000. The infant mortality was 88, against 102, 88, and 103 in the preceding three weeks.

There was no death from *enteric fever*, against 0, 1, and 0 in the preceding three weeks, the average for the corresponding weeks of the previous five years being 2. The deaths from *measles*, which had been 0, 0, and 3 in the preceding three weeks, were 4 last week and were 35 below the average. The deaths from *scarlet fever*, which had been 8, 7, and 7 in the preceding three weeks, were 6 last week, and were 2 above the average; 3 deaths belonged to the Borough of Wandsworth. The deaths from *whooping-cough*, which had been 6, 15, and 13 in the preceding three weeks, fell last week to 9, and were 24 below the average. The deaths from *diphtheria*, which had been 28, 28, and 9 in the preceding three weeks, rose last week to 27, and were 14 above the average; 6 deaths belonged to Wandsworth, 4 to Poplar, 3 to Battersea, and 3 to Lewisham. The deaths from *diarrhoea and enteritis under 2 years of age*, which had been 22, 18, and 23 in the preceding three weeks, fell last week to 16, being equal to the average; 4 deaths belonged to Bethnal Green. The deaths from *influenza* numbered 30, as against 9, 13, and 12 in the preceding three weeks and an average of 151.

Different forms of violence caused 50 deaths, of which 49 were the subject of coroners' inquests. Of these 50 deaths, 11 were cases of suicide, while the remaining 39 were attributed to other forms of violence. Nine of these latter were referred to vehicles in the streets, 3 to burns or scalds, 5 to drowning, and 2 of infants under one year of age to suffocation in bed.

CASES OF INFECTIOUS DISEASE.†

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital, there were 9 cases of enteric fever, 28 of measles, 3,845 of scarlet fever, 25 of whooping-cough, and 2,800 of diphtheria under treatment in these hospitals on Saturday last (Table 3). The admissions during the week,

* See note * on first page.

† The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

as compared with those in the preceding three weeks, were as follows :—Of enteric fever, 2 cases, against 1, 2, and 1; of measles, 10 cases, against 2, 4, and 7; of scarlet fever, 479 cases, against 441, 472, and 496; of whooping-cough, 4 cases, against 3, 1, and 2; and of diphtheria, 334 cases, against 383, 304, and 341. Table 9, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the county during the week ended February 19th, 1921.

TABLE 1.—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH RATES in the Week ended Saturday, 26th February, 1921, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.		ESTIMATED CIVILIAN POPULATION, MID. 1920 * (Provisional.)		DEATH-RATES from all Causes.					Week ended 26th Feb., 1921.		The DEATHS in the Week include										TOWNS.		
				Week ended					BIRTHS.	DEATHS.	Deaths from												
				5th Feb., 1921.	12th Feb., 1921.	19th Feb., 1921.	26th Feb., 1921.	Deaths of															
								1.			2.	3.	4.	5.	6.	7.	8.	9.	10.	11.			12.
Cols.		1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
96 GREAT TOWNS.		18,554,878	13·1	14·0	15·4	15·5	8,066	5,516	948	1,923	2	-	29	10	62	71	80	138	131	319	1,655	43	96 GREAT TOWNS.
LONDON†		4,531,971	13·3	13·2	14·2	15·1	1,908	1,313	168	508	-	-	4	6	9	27	16	30	50	106	617	3	LONDON.†
(CROYDON.		191,580	9·8	12·2	15·5	11·7	81	43	3	26	-	-	-	-	-	-	-	2	-	1	12	-	(CROYDON.
WIMBLEDON.		62,174	9·2	11·7	7·5	19·3	21	23	2	8	-	-	-	-	-	-	-	2	1	2	5	-	WIMBLEDON.
EALING.		76,129	7·5	7·5	15·1	9·6	23	14	4	4	-	-	-	-	2	-	-	-	-	1	8	-	EALING.
ACTON.		64,192	6·5	17·1	13·0	8·9	24	11	1	5	-	-	-	-	-	-	-	1	-	-	2	-	ACTON.
WILLESDEN.‡		167,328	10·6	15·0	13·7	13·1	73	42	8	19	-	-	-	-	-	1	-	2	-	1	12	-	WILLESDEN.‡
HORNSEY.		98,107	9·6	12·8	17·0	15·4	21	29	3	14	-	-	-	-	-	-	-	1	1	3	12	-	HORNSEY.
TOTTENHAM		146,970	7·8	11·4	11·7	14·5	58	41	1	19	-	-	-	-	-	2	-	-	2	6	15	-	TOTTENHAM.
EDMONTON.		73,529	9·9	15·6	12·1	13·5	45	19	1	8	-	-	-	-	-	2	-	1	1	3	10	-	EDMONTON.
ENFIELD.		60,771	8·6	15·4	9·4	10·3	16	12	2	7	-	-	-	-	-	-	-	1	-	-	4	-	ENFIELD.
WEST HAM.		299,440	11·7	13·2	16·9	14·8	154	85	7	31	-	-	-	-	-	2	2	-	1	4	36	-	WEST HAM.
EAST HAM		150,207	9·4	11·5	8·3	16·0	58	46	9	15	-	-	-	-	-	2	1	2	-	4	12	-	EAST HAM.
LEYTON.		128,832	13·0	10·1	8·9	13·4	47	33	6	11	-	-	-	-	-	1	1	1	-	-	13	-	LEYTON.
WALTHAMSTOW		132,771	10·6	9·8	12·2	13·0	56	33	6	9	-	-	-	-	-	-	-	1	-	-	10	-	WALTHAMSTOW.
(ILFORD.		82,693	11·3	12·0	17·7	13·2	24	21	2	11	-	-	-	-	-	-	-	1	-	-	6	-	(ILFORD.
GILLINGHAM.		45,233	17·3	10·4	21·9	21·9	26	19	2	8	-	-	-	-	-	2	-	-	1	1	4	-	GILLINGHAM.
HASTINGS.		59,972	16·5	12·2	18·3	27·8	13	32	4	17	-	-	-	-	-	-	-	1	-	2	12	-	HASTINGS.
EASTBOURNE		50,354	7·2	4·1	16·6	9·3	17	9	-	3	-	-	-	-	-	-	-	2	-	1	2	-	EASTBOURNE
BRIGHTON.		137,685	13·3	15·9	16·7	12·9	47	34	5	14	-	-	-	-	-	-	-	-	-	-	10	-	BRIGHTON.
PORTSMOUTH.		235,998	13·7	15·5	16·8	17·5	93	79	11	36	-	-	-	-	-	1	-	15	-	3	29	-	PORTSMOUTH.
BOURNEMOUTH.		85,919	11·5	16·4	23·7	18·2	27	30	4	19	-	-	-	-	-	-	-	-	-	3	5	-	BOURNEMOUTH.
SOUTHAMPTON.		162,388	12·5	11·9	11·2	15·7	62	49	4	23	-	-	-	-	-	-	-	1	-	1	11	1	SOUTHAMPTON.
READING.		95,006	11·0	9·9	11·5	17·6	41	32	2	16	-	-	-	-	-	-	-	-	-	-	9	-	READING.
OXFORD.		59,963	13·0	8·7	15·7	11·3	14	13	-	8	-	-	-	-	-	-	-	-	1	1	2	-	OXFORD.
NORTHAMPTON.		92,483	9·0	10·1	14·7	9·0	34	16	3	10	-	-	-	-	-	-	-	-	1	1	3	-	NORTHAMPTON.
CAMBRIDGE		60,154	6·9	14·7	13·9	18·2	15	21	3	12	-	-	-	-	-	-	-	-	1	2	3	1	CAMBRIDGE.

* See note † on first page of this return.

† For Greater London see end of Table.

‡ These towns are included within the area of Greater London. § ERRATUM.—Week ending 19th February. Total deaths should read 44.

TABLE 1 (cont.).—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH-RATES in the Week ended Saturday, 26th February 1921, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	ESTIMATED CIVILIAN POPULATION, MID. 1920.* Provisional.)	DEATH-RATES from all Causes.					Week ended 26th Feb., 1921.		The DEATHS in the Week include										TOWNS.				
		Week ended					BIRTHS.	DEATHS.	Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from									Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	
		Week ended									Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.					Violence
		5th Feb., 1921.	12th Feb., 1921.	19th Feb., 1921.	26th Feb., 1921.																		
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.	
SOUTHEND ON SEA -	87,332	10.1	16.1	20.9	12.5	35	21	4	10	-	-	-	-	-	-	-	1	-	-	4	-	SOUTHEND ON SEA.	
IPSWICH -	81,119	12.2	12.2	17.4	18.0	26	28	3	16	-	-	-	-	-	2	-	-	-	1	9	-	IPSWICH.	
GREAT YARMOUTH -	55,193	14.2	13.2	13.2	16.1	21	17	2	8	-	-	-	-	-	-	1	-	-	-	3	-	GREAT YARMOUTH.	
NORWICH -	124,774	15.9	12.5	14.2	12.1	54	29	3	14	-	-	-	-	-	-	-	-	1	4	4	-	NORWICH.	
SWINDON -	53,580	16.5	12.7	9.7	8.8	13	9	-	6	-	-	-	-	-	-	-	-	-	-	2	-	SWINDON.	
EXETER -	61,365	9.3	18.7	15.3	19.5	21	23	4	10	-	-	-	-	-	-	-	2	1	2	4	-	EXETER.	
PLYMOUTH -	189,218	10.7	13.0	11.8	16.0	78	58	6	20	-	-	-	-	-	1	2	-	2	3	24	-	PLYMOUTH.	
BATH -	68,546	15.2	8.4	14.5	18.3	24	24	2	13	-	-	-	-	-	-	-	1	1	1	6	-	BATH.	
BRISTOL -	375,641	11.5	14.0	13.3	12.6	141	91	11	38	-	-	-	-	2	-	-	-	3	7	29	-	BRISTOL.	
GLOUCESTER -	52,096	11.0	22.0	19.0	14.0	23	14	2	7	-	-	-	-	-	-	-	-	1	3	4	1	GLOUCESTER.	
STOKE ON TRENT -	248,852	14.7	16.8	16.1	15.9	155	76	23	13	-	-	-	-	-	-	6	1	-	3	10	3	STOKE ON TRENT.	
WOLVERHAMPTON -	102,324	11.7	13.3	16.8	15.8	53	31	8	11	-	-	-	-	-	-	1	-	-	-	5	-	WOLVERHAMPTON.	
WALSALL -	96,419	15.7	15.7	20.5	13.0	60	24	9	6	-	-	-	-	-	-	-	-	1	3	2	-	WALSALL.	
WEST BROMWICH -	72,684	9.3	19.4	12.9	18.7	31	26	6	11	-	-	-	-	-	-	1	-	-	-	3	-	WEST BROMWICH.	
DUDLEY -	56,169	13.9	11.1	19.5	12.1	27	13	2	2	-	-	-	-	-	-	-	1	-	1	1	-	DUDLEY.	
BIRMINGHAM -	895,915	12.8	13.9	17.1	15.9	410	273	63	75	-	-	11	1	2	8	4	6	8	9	84	6	BIRMINGHAM.	
SMETHWICK -	75,027	17.4	12.5	17.4	13.2	30	19	6	6	-	-	-	-	-	-	-	-	-	1	1	-	SMETHWICK.	
COVENTRY -	137,310	12.5	11.8	9.9	10.6	57	28	4	10	-	-	-	-	-	-	-	-	1	1	6	1	COVENTRY.	
LEICESTER -	24,465	8.9	13.4	18.1	13.0	97	61	6	27	-	-	-	-	-	-	1	3	1	5	15	1	LEICESTER.	
LINCOLN -	67,543	11.6	15.4	8.5	14.7	21	19	1	9	-	-	-	-	-	1	-	-	-	-	3	-	LINCOLN.	
GRIMSBY -	31,953	16.5	10.2	16.5	12.1	42	19	5	5	-	-	-	-	-	-	-	-	-	-	1	1	GRIMSBY.	
NOTTINGHAM -	267,836	15.6	19.1	18.1	19.7	144	101	30	36	-	-	-	-	-	1	-	2	1	5	14	-	NOTTINGHAM.	
DERBY -	128,863	11.7	10.1	18.2	18.2	51	45	3	17	-	-	-	-	1	1	-	1	1	4	11	-	DERBY.	

* See note † on first page of this return.

TOWNS.	CIVILIAN POPULATION, MID. 1920.* (Provisional).	Week ended				Week ended		26th Feb., 1921.		Deaths of		Deaths from								Deaths in Public Institutions.		Unverified Causes of Death.		TOWNS	
		CIVILIAN				CIVILIAN		CIVILIAN		CIVILIAN		CIVILIAN								CIVILIAN		CIVILIAN			
		5th Feb., 1921.	12th Feb., 1921.	19th Feb., 1921.	26th Feb., 1921.	BIRTHS.	DEATHS.	Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Unverified Causes of Death.				
COLS.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	COLS.			
SHEFFIELD	•	492,570	13.4	16.8	16.0	19.2	205	181	43	-	-	1	-	10	1	4	8	6	12	46	-	SHEFFIELD.			
ROTHERHAM	•	71,785	5.8	15.3	11.6	13.1	33	18	4	-	-	-	-	-	-	-	1	1	1	4	-	ROTHERHAM.			
YORK	•	77,501	18.2	21.5	17.5	18.8	38	28	6	-	-	2	-	1	-	-	1	-	-	5	-	YORK.			
HULL	•	290,808	16.7	14.2	16.9	18.8	153	105	33	-	-	-	1	-	-	4	3	-	5	18	1	HULL.			
MIDDLESBROUGH	•	132,208	14.6	17.0	18.9	18.1	88	46	10	-	-	2	-	-	-	2	1	2	4	5	-	MIDDLESBROUGH.			
DARLINGTON	•	66,610	12.5	12.5	18.8	16.4	35	21	5	-	-	-	-	-	-	3	3	1	1	3	1	DARLINGTON.			
STOCKTON ON TEES	•	63,114	12.4	22.3	14.0	16.5	35	20	7	-	-	-	-	-	1	-	1	2	2	3	-	STOCKTON ON TEES.			
WEST HARTLEPOOL	•	68,126	20.7	23.0	22.2	18.4	22	24	4	-	-	-	-	1	1	-	2	-	-	2	-	WEST HARTLEPOOL.			
SUNDERLAND	•	155,211	17.8	20.5	22.8	22.5	90	67	15	-	-	1	-	1	-	-	5	1	4	9	1	SUNDERLAND.			
SOUTH SHIELDS	•	115,945	18.4	23.4	19.8	18.4	71	41	13	-	-	-	-	2	2	1	1	-	-	2	1	SOUTH SHIELDS.			
GATESHEAD	•	128,309	18.3	19.1	17.5	20.3	68	50	10	-	-	-	-	-	-	1	1	2	2	7	1	GATESHEAD.			
NEWCASTLE ON TYNE.	•	286,061	17.9	18.2	15.3	18.2	142	100	33	-	-	5	1	2	-	3	5	1	4	20	-	NEWCASTLE ON TYNE.			
TYNEMOUTH	•	60,318	26.8	14.7	13.8	19.9	37	23	8	-	-	-	-	1	-	-	2	-	-	2	2	TYNEMOUTH.			
CARLISLE	•	57,397	11.8	12.7	12.7	14.5	24	16	6	-	-	-	-	-	-	1	2	1	1	-	2	CARLISLE.			
NEWPORT (MON.)	•	90,728	16.1	12.6	14.4	19.0	49	33	17	-	-	-	-	1	-	1	-	-	-	9	-	NEWPORT (MON.).			
CARDIFF	•	212,582	11.3	12.8	11.8	14.2	81	58	13	-	-	-	-	1	-	2	1	1	3	9	-	CARDIFF.			
RHONDDA	•	184,999	15.2	14.7	15.8	14.4	91	51	10	-	-	-	-	-	2	1	1	2	2	3	-	RHONDDA.			
MERTHYR TYDFIL	•	74,493	12.6	14.0	13.3	13.3	40	19	4	1	-	-	-	-	1	-	-	1	1	5	-	MERTHYR TYDFIL.			
ABERDARE	•	53,431	17.6	13.7	15.6	18.5	23	19	3	-	-	-	-	1	-	-	-	1	1	3	-	ABERDARE.			
SWANSEA	•	167,218	9.0	12.2	15.0	16.2	65	52	13	-	-	-	-	1	-	1	1	1	5	6	-	SWANSEA.			
GREATER LONDON	•	7,548,647	11.9	12.9	13.8	14.4	3,037	2,089	850	-	-	4	6	13	38	22	55	64	145	868	3	GREATER LONDON.			
OUTER RING	•	3,016,676	9.8	12.4	13.3	13.4	1,129	776	342	-	-	-	-	4	11	6	25	14	39	251	-	OUTER RING.			
14 GREAT TOWNS IN OUTER RING.	•	1,734,723	10.1	12.4	13.3	13.6	701	452	187	-	-	-	-	2	10	4	15	6	25	157	-	14 GREAT TOWNS IN OUTER RING.			
REMAINDER OF OUTER RING.	•	1,281,953	9.6	12.4	13.3	13.2	428	324	27	-	-	-	-	2	1	2	10	8	14	94	-	REMAINDER OF OUTER RING.			
EDINBURGH†	•	446,200	17.3	17.5	16.7	20.1	194	172	64	-	-	4	1	2	5	1	5	4	?	?	?	EDINBURGH.†			
GLASGOW†	•	1,100,400	14.5	18.0	18.7	21.0	568	443	128	-	-	-	1	34	2	4	19	14	?	?	?	GLASGOW.†			
DUBLIN (Registra- tion Area).†	•	423,000	14.1	18.9	18.2	18.1	188	147	41	1	-	-	-	1	1	3	2	8	6	63	5	DUBLIN (Registra- tion Area).†			
BELFAST†	•	420,000	14.2	15.9	18.5	19.1	196	154	31	1	-	1	-	19	2	1	1	1	1	29	-	BELFAST.†			

* See note † on first page of this return.

† The populations are total populations and relate to 1921. Deaths and the death-rates in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week: those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

TABLE 2. LONDON.—Births and Deaths registered during the EIGHTH Week of each of the Eleven Years, 1911-1921.

	1911.	1912.	1913.	1914.	1915.	1916.	1917.	1918.	1919.	1920.	1921.
Births (as registered).	2275	2359	2216	2168	2189	1850	1784	1319	1201	2654	1908
Males -	1124	1227	1146	1082	1118	940	905	664	633	1411	983
Females -	1151	1132	1070	1086	1071	910	879	655	568	1243	925
Deaths (of residents only).	1613	1565	1571	1229	1801	1319*	1803*	1400*	2643*	1425*	1313*
Males -	791	765	801	631	902	664	909	711	1293	746	655
Females -	822	800	770	598	899	655	894	689	1350	679	658

* Deaths in civilian population only.

TABLE 3. LONDON.—BIRTHS and DEATHS REGISTERED, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the last THIRTEEN WEEKS.

	Dec. 4.	Dec. 11.	Dec. 18.	Dec. 25.	1921. Jan. 1.	Jan. 8.	Jan. 15.	Jan. 22.	Jan. 29.	Feb. 5.	Feb. 12.	Feb. 19.	Feb. 26.
Births (as registered)	1921	1902	1793	1733	2031	2373	2059	2009	2039	1856	2058	2041	1908
Deaths (of residents only).	1091	1078	1335	1279	1382	1117	1099	1121	1011	1158	1147	1232	1313
Ages													
Under 1 year	150	170	213	170	234	178	186	177	160	189	181	211	168
1-2 years	23	21	31	33	45	34	28	34	31	49	43	39	30
2-5 "	20	32	34	23	25	20	26	32	24	34	29	23	31
5-10 "	22	26	28	24	21	31	30	23	19	28	34	24	33
10-15 "	12	9	16	13	11	17	17	16	14	13	17	20	15
15-20 "	16	18	17	17	28	20	29	19	24	23	20	16	18
at 20-25 "	24	10	17	27	35	19	24	20	19	25	19	25	29
25-35 "	38	54	56	62	65	70	62	44	47	51	44	50	65
Death 35-45 "	83	84	86	89	84	78	77	77	78	75	54	91	90
45-55 "	132	117	147	137	127	105	117	118	125	125	121	104	141
55-65 "	161	152	180	186	216	159	155	183	149	169	153	170	185
65-75 "	190	181	243	246	220	189	165	193	146	192	207	215	247
75 years and upwards	220	204	267	252	271	197	183	185	175	185	225	244	261
Deaths from—													
Enteric fever	-	-	-	1	-	-	1	1	1	-	1	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	-	3	-	4	-	1	3	2	1	-	-	3	4
Scarlet fever	4	6	11	5	8	8	2	5	8	8	7	7	6
Whooping cough	3	3	7	2	4	6	2	8	4	6	15	13	9
Diphtheria	22	22	25	27	22	24	23	28	19	28	28	9	27
Diarrhoea and enteritis (under 2 years).	13	16	24	17	20	17	20	19	18	22	18	23	16
Pulmonary tuberculosis	103	81	95	101	90	84	99	100	98	105	74	102	100
Influenza	13	13	21	14	20	21	16	14	6	9	13	12	30
Pneumonia (all forms)	106	116	149	165	171	141	112	117	92	128	104	131	144
Bronchitis	149	118	189	175	165	96	116	101	95	98	153	158	167
Other dis. of resp. system . . .	18	12	20	14	27	17	15	7	16	14	10	23	23
Dis. of circ. system	177	163	207	209	208	184	202	178	181	194	218	223	208
Violence	34	39	39	42	50	40	34	35	40	49	32	32	50
Inquest cases	95	92	124	122	117	93	99	81	74	99	90	86	106
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Enteric fever	21	18	19	18	18	20	17	12	11	7	9	10	9
Small-pox	-	-	-	-	1	1	1	1	1	1	-	-	-
Measles	14	17	15	19	18	15	13	14	15	17	18	23	28
Scarlet fever	5438	5297	4994	4780	4817	4608	4413	4350	4171	4018	3945	3919	3845
Whooping cough	24	25	27	22	17	20	20	23	27	26	26	24	25
Diphtheria	2655	2654	2654	2547	2642	2588	2597	2618	2682	2767	2770	2808	2800

* The Metropolitan Asylums Board and London Fever Hospitals. The figures do not refer to London exclusively.

TABLE 3A. 96 Great Towns.—DEATHS from INFLUENZA in the last THIRTEEN WEEKS.

	Dec. 4.	Dec. 11.	Dec. 18.	Dec. 25.	1921. Jan. 1.	Jan. 8.	Jan. 15.	Jan. 22.	Jan. 29.	Feb. 5.	Feb. 12.	Feb. 19.	Feb. 26.
Deaths from Influenza	65	61	75	81	89	101	87	66	61	61	93	103	138

TABLE 4. LONDON.—DEATHS REGISTERED in the EIGHTH Week of the Year 1921.

CAUSES OF DEATH.	Deaths in the 8th week of the year 1920.	DEATHS of PERSONS of the AGES													
		ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-10 years.	10-15 years.	15-20 years.	20-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and up- wards.
ALL CAUSES	1425	1313	168	30	31	33	15	18	29	65	90	141	185	247	261
Enteric fever	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	52	4	2	-	1	1	-	-	-	-	-	-	-	-	-
Scarlet fever	3	6	-	1	1	2	-	1	-	-	1	-	-	-	-
Whooping cough	52	9	4	3	1	1	-	-	-	-	-	-	-	-	-
Diphtheria	19	27	1	3	10	9	3	-	1	-	-	-	-	-	-
Croup	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza	38	30	-	1	-	-	1	-	-	3	-	5	4	9	7
Erysipelas	5	5	-	1	-	-	-	-	-	1	-	-	2	1	-
Other epidemic diseases	-	3	2	-	1	-	-	-	-	-	-	-	-	-	-
Pyæmia and septicæmia	-	3	-	-	-	-	-	-	1	1	1	-	-	-	-
Tetanus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis:—															
Pulmonary tuberculosis	118	100	-	1	2	-	1	5	12	23	22	15	10	7	2
Tuberculous meningitis	14	7	4	1	-	1	1	-	-	-	-	-	-	-	-
Abdominal tuberculosis	2	3	1	-	1	-	-	-	-	-	-	-	-	1	-
Tuberculosis of the spine	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
Tuberculosis of the joints	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Tuberculosis of other organs	-	2	-	-	-	-	-	1	-	-	-	-	1	-	-
Disseminated tuberculosis	3	2	1	-	-	-	1	-	-	-	-	-	-	-	-
Venereal diseases	3	4	-	-	-	-	-	-	2	1	-	1	-	-	-
Cancer	89	127	-	-	-	-	-	-	-	2	9	24	35	38	19
Tumour, situation undefined	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic fever	8	7	-	-	-	3	1	2	-	-	-	1	-	-	-
Diabetes	7	6	-	-	-	-	-	-	-	-	1	-	2	2	1
Anæmia, leucocythæmia	6	5	-	-	-	-	1	1	1	-	-	-	1	1	-
Other general diseases	9	5	-	1	-	-	-	-	-	-	-	-	2	1	1
Alcoholism	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic poisonings	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Simple meningitis	9	4	1	2	1	-	-	-	-	-	-	-	-	-	-
Cerebral hæmorrhage, Apoplexy	58	39	1	-	-	-	-	-	-	-	5	3	10	7	13
Softening of brain	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1
Paralysis, without specified cause	6	5	-	-	-	-	-	-	-	-	-	-	1	1	3
Epilepsy	3	6	-	-	-	1	-	3	-	1	-	1	-	-	-
"Convulsions" (not puerperal)	4	5	5	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system	25	25	1	-	-	-	1	-	2	1	6	8	4	2	-
Pericarditis	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-
Acute endocarditis	8	5	-	-	-	1	-	-	-	2	-	1	-	1	-
Organic disease of heart	129	145	-	-	-	1	-	-	-	6	10	18	30	40	40
Embolism and thrombosis (including cerebral).	13	11	-	-	-	-	-	-	-	-	-	2	3	3	3
Other diseases of circulatory system.	37	46	-	-	-	-	-	-	-	-	-	4	7	13	22
Diseases of the larynx	1	2	-	-	-	-	-	-	-	1	-	-	-	-	1
Bronchitis	166	167	13	1	-	-	-	-	-	2	4	11	25	61	50
Broncho-pneumonia	125	77	31	9	4	3	-	-	-	2	1	2	7	10	8
Lobar pneumonia	33	40	1	-	-	1	-	-	2	6	5	11	9	5	-
Pneumonia (type not distinguished)	36	27	5	2	1	2	-	-	1	1	2	2	1	7	3
Pleurisy	3	6	1	1	1	-	-	-	1	-	-	-	-	1	1
Pulmonary congestion, Pulmonary apoplexy.	2	4	1	-	-	-	-	-	-	-	-	-	-	-	3
Other diseases of respiratory system.	8	11	-	-	-	-	-	-	-	-	3	2	2	2	2

TABLE 4 (cont.) LONDON.—DEATHS REGISTERED in the EIGHTH Week of the Year 1921.

CAUSES OF DEATH.	Deaths in the 8th week of the year 1920.	DEATHS OF PERSONS OF THE AGES													
		ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-10 years.	10-15 years.	15-20 years.	20-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and up- wards.
Diseases of the pharynx, Tonsillitis	3	2	-	1	-	-	-	-	-	-	-	1	-	-	-
Diseases of stomach	9	8	2	-	-	-	-	-	-	-	-	3	1	1	1
Diarrhoea and enteritis	21	23	15	1	1	-	-	-	-	-	3	1	1	-	1
Appendicitis and typhlitis	5	7	-	-	2	-	2	1	-	-	1	-	-	-	1
Hernia and Intestinal obstruction.	10	9	1	-	-	-	-	1	-	1	1	2	-	3	-
Cirrhosis of liver	8	9	-	-	-	-	-	-	-	-	3	2	3	1	-
Other diseases of liver	4	3	-	-	-	-	-	-	-	1	-	-	-	1	1
Peritonitis (cause unknown)	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-
Other diseases of digestive system	2	2	-	-	-	-	-	-	-	-	-	-	2	-	-
Acute nephritis	3	1	-	-	-	-	-	-	-	-	-	1	-	-	-
Chronic Bright's disease	25	37	-	-	-	-	-	1	3	-	4	9	6	7	7
Urinary calculi	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Uterine tumour (non-cancerous)	-	2	-	-	-	-	-	-	-	1	1	-	-	-	-
Ovarian tumour (")	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Other diseases of genito-urinary system.	8	19	-	-	-	-	-	-	-	-	2	1	4	7	5
Puerperal fever, &c.	3	4	-	-	-	-	-	-	1	2	1	-	-	-	-
Other causes incident to child-birth.	2	1	-	-	-	-	-	-	-	1	-	-	-	-	-
Diseases of skin and cellular tissues.	5	6	-	1	-	-	-	-	-	-	-	1	3	-	1
Diseases of locomotor system	3	5	-	-	-	-	2	1	-	-	-	1	-	1	-
Congenital malformations	15	11	11	-	-	-	-	-	-	-	-	-	-	-	-
Premature birth	45	33	33	-	-	-	-	-	-	-	-	-	-	-	-
Debility, atrophy marasmus (In- fants).	26	18	18	-	-	-	-	-	-	-	-	-	-	-	-
Old age	58	63	-	-	-	-	-	-	-	-	-	-	-	8	55
ACCIDENT.															
Poisons or poisonous vapours-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Conflagration	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Burns and scalds	6	3	-	-	1	-	-	1	-	-	-	-	-	-	1
Drowning	1	5	1	-	-	-	-	-	-	1	-	2	1	-	-
Suffocation in bed	2	2	2	-	-	-	-	-	-	-	-	-	-	-	-
Other deaths by accident	27	29	3	-	3	4	-	-	1	1	1	2	4	5	5
Total deaths from accident	37	39	6	-	4	4	-	1	1	2	1	4	5	5	6
Included in above are deaths in connection with:—															
Railways	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Vehicles and horses	11	9	-	-	3	4	-	-	-	-	-	-	-	1	1
Ships, boats, docks	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Building operations	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIOLENCE OTHER THAN ACCIDENTAL.															
Homicide	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	12	11	-	-	-	-	-	-	-	3	2	3	2	1	-
Execution	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other specified diseases	13	11	7	-	-	3	-	-	-	1	-	-	-	-	-
Ill-defined Causes	6	2	-	-	-	-	-	-	-	-	-	1	-	1	-

TABLE 5.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM							
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria and Croup.*	Diarrhoeal Diseases† (under 2 years).	Influenza.
LONDON† . .	4,531,971	1921. Feb. 26	1,908	1,313	15·1	-	-	4	6	9	27	16	30
ALBUHRAH . .	896,067	Jan. 15	-	736§	42·7	?	-	?	?	?	?	?	30
ALBUHRAH . .	979,445	" 22	377	1,201§	63·8	2	2	1	-	-	1	67	27
ALBUHRAH . .	518,660	" 8	430	510	51·1	4	1	-	?	3	-	51	6
ALBUHRAH . .		" 15	326	457	45·8	-	1	-	?	3	-	41	5
ALBUHRAH . .	2,847,229	(11 days) Jan. 31	1,780	1,317	15·3	3	-	1	3	1	4	20	3
ALBUHRAH . .	792,919	-	-	-	-	-	-	-	-	-	-	-	-
ALBUHRAH . .	333,884	Feb. 5	146	61	9·8	-	-	-	-	-	1	4	-
ALBUHRAH . .	689,205	" 12	284	148	11·2	1	-	1	1	4	3	-	1
ALBUHRAH . .		" 12	326	146	11·1	4	-	5	-	2	-	1	-
ALBUHRAH . .	571,000	" 12	207	141	12·9	-	-	-	2	-	-	2	1
ALBUHRAH . .	415,201	" 5	117	106	13·2	-	-	-	1	1	1	-	-
ALBUHRAH . .	205,494	Jan. 15	-	43	10·8	-	-	-	-	-	2	-	-
ALBUHRAH . .		" 22	-	26	6·6	-	-	-	-	-	-	-	-
ALBUHRAH . .	260,904	Feb. 12	83	54	10·8	-	-	-	-	1	1	1	-
ALBUHRAH . .	1,934,000	" 5	587	474	12·7	1	?	1	2	2	5	10	4
ALBUHRAH . .	540,000	" 5	255	164	15·8	-	?	-	-	1	2	5	8
ALBUHRAH . .	660,000	" 5	283	160	12·6	1	?	1	-	2	4	5	4
ALBUHRAH . .	538,000	" 5	219	163	15·8	-	?	-	-	-	1	2	4
ALBUHRAH . .	463,000	" 5	176	75	8·4	-	?	-	-	-	-	1	4
ALBUHRAH . .	996,000	" 5	419	236	12·3	-	?	2	-	1	1	3	2
ALBUHRAH . .	624,000	" 5	258	166	13·8	-	?	-	-	-	3	3	2
ALBUHRAH . .	670,000	" 5	262	165	12·8	-	?	-	-	2	2	8	5
ALBUHRAH . .	1,842,005	" 5	534	604	17·1	1	-	1	2	1	1	13	6
ALBUHRAH . .	726,381	Jan. 22	258	177	12·7	-	-	-	-	-	-	4	2
ALBUHRAH . .	1,071,492	Dec. 4	274	424	20·6	6	-	25	23	-	8	12	3
ALBUHRAH . .	243,487	Feb. 5	105	92	19·6	1	-	-	-	-	-	1	-
ALBUHRAH . .	761,300	Dec. 23	603	365	24·9	3	-	-	-	?	5	21	?
ALBUHRAH . .	445,700	" 23	389	229	26·7	1	-	-	-	?	-	14	?
ALBUHRAH . .	5,753,151	Jan. 29	2,816	1,490	13·5	2	-	7	16	4	29	24	10
ALBUHRAH . .	2,780,655	Feb. 5	-	702	13·2	-	-	-	-	4	17	36	4

including deaths from croup in Bombay and Madras.

Deaths in this column relate to *all ages* for Bombay, Madras, Christiania, and Budapest, and to *children under 5 years of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

Estimated population and deaths refer to the civilian population only.

Including 3 deaths from *plague* in Bombay, and from *Asiatic cholera*, 38 deaths in Calcutta.

TABLE 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 26th February, 1921.

(Supplied by the Meteorological Office.)

TOWNS.	Temperature of Air.*				Rainfall in Milli- metres.†	TOWNS.	Temperature of Air.*				Rainfall in Milli- metres.†
	Highest.	Lowest.	Mean Maxi- mum.	Mean Mini- mum.			Highest.	Lowest.	Mean Maxi- mum.	Mean Mini- mum.	
LONDON (Greenwich) }	62	31	54·9	36·7	2	BRADFORD . .	54	31	45·9	34·3	2
ALBUHRAH . .	53	35	51·9	40·4	14	SHEFFIELD . .	57	30	48·3	35·9	7
ALBUHRAH . .	55	35	51·7	39·1	2	YORK (Museum) .	56	27	49·4	34·9	2
ALBUHRAH (Eaton) .	58	32	51·6	34·7	3	HULL (Pearson Park)	53	30	49·0	35·0	4
ALBUHRAH . .	57	36	52·3	41·7	5	TYNEMOUTH . .	54	25	46·6	34·9	0·2
ALBUHRAH (Clifton) .	57	33	50·7	37·0	7	CARDIFF . .	58	33	50·0	36·6	2
ALBUHRAH . .	58	30	51·7	35·4	2	EDINBURGH . .	51·0	29·0	47·9	35·9	3
ALBUHRAH . .	60	27	50·1	32·0	8	GLASGOW . .	48·3	32·0	46·2	37·5	18
ALBUHRAH (Bidston) }	54	32	48·6	36·9	3	DUBLIN :—					
ALBUHRAH . .	57	30	52·6	36·1	7	Phoenix Park .	52·2	28·3	49·2	34·7	9
ALBUHRAH . .	56	26	48·6	34·1	6	†Fitzwilliam Square	54·8	34·6	49·8	39·7	8
ALBUHRAH . .	57	31	47·9	35·3	5	BELFAST . .	53·0	36·0	48·3	39·6	9

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.

† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.

‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

TABLE 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 26th February 1921.

[Under the Superintendence of the Astronomer Royal.]

1921.		Phases of the Moon.	BARO- METER. Mean daily reading (cor- rected and re- duced to 32° Fahren- heit).	TEMPERATURE.						Difference between the Air Temperature and Dew Point Temperature.			De- gree of Hu- mid- ity (Satu- ration equals 100).	TEMPERATURE.			Wind as deduced from Anemometers.					Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.																																																																																																																																																																																																																																																																																																																																																																																																																																																	
MONTH AND DAY.	Of the Air.						Of the Dew point.	Mean daily value.		Great- est.	Of Radiation.			Of the Earth 4 feet below the Surface.		Osler's.		Pressure on the Square Foot.			Robinson's.																																																																																																																																																																																																																																																																																																																																																																																																																																																		
	High- est.			Low- est.	Daily Range. value.	Mean daily value.	De- parture from Average of 65 years.	Mean daily value.	Mean Great- est.	Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 4 feet below the Surface.		A.M.	P.M.	Great- est.	Least.	Mean of 24 hourly obs.	Horizontal Movement of the Air on each Day.	Depar- ture from Average of 50 years.	Miles.		lbs.	lbs.	lbs.	Miles.	in.																																																																																																																																																																																																																																																																																																																																																																																																																																												
													General Direction.									General Direction.						General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.	General Direction.

DATE.		ELECTRICITY. (For explanation of symbols, see Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
FEBRUARY.					
SUNDAY	20	v.P. till noon, s.P. generally afterwards.	6·4	10·2	Overcast generally till 10h., with fine interval at 4h., becoming cloudless by 11h.; hoar frost at night.
MONDAY	21	v.P. till 9h., s.P. generally till 21h., v.P. afterwards.	8·3	10·3	Cloudless throughout; hoar frost morning and evening.
TUESDAY	22	v.P. throughout	7·9	10·4	Cloudless till 3h., becoming very cloudy by 3h. 30m., clearing from 8h. 30m. to cloudless generally by 10h. 30m.; clouding up rapidly at 20h. 45m. to overcast generally; misty in morning; hoar frost in evening.
WEDNESDAY	23	m.P. and s.P. generally.	2·2	10·4	Nearly overcast generally; fine intervals about 8h. and from 15h. to 19h.; misty in evening.
THURSDAY	24	m.P. and s.P. generally.	7·8	10·5	Nearly overcast till 2h., becoming cloudless generally by 4h., with slight mist; cloudy interval 15h. to 16h., and clouding up from 23h.
FRIDAY	25	v.P. throughout	0·0	10·6	Nearly overcast at first; overcast from 4h. with frequent damping or slight rain till about 21h.; gloom 16h. and 17h.
SATURDAY	26	w.P. generally, m.P. at times.	6·9	10·6	Nearly overcast till 3h., becoming cloudless generally by 5h.; partially cloudy between noon and 18h.; misty from 23h.
			Sum 39·5	Sum 73·0	
No. of Col.			27	28	

The results apply to the civil day, or from midnight to midnight. The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level. Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables. The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916. In reading columns 9 and 24 it will be borne in mind that + indicates "higher," and - "lower," than the average. The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined. The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable. The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day. The reading of the barometer decreased from 30·14 in. at the beginning of the week to 29·92 in. by 4h. on 22nd, and increased generally to 30·66 in. by midnight on 26th.

The results apply to the civil day, or from midnight to midnight.
The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.
Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.
The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.
In reading columns 9 and 24 it will be borne in mind that + indicates "higher," and - "lower," than the average.
The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.
The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.
The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.
The reading of the barometer decreased from 30·14 in. at the beginning of the week to 29·92 in. by 4h. on 22nd, and increased generally to 30·66 in. by midnight on 26th.

TABLE 8. LONDON.—DEATHS OF PERSONS BELONGING to the several METROPOLITAN BOROUGHs REGISTERED in the Week ended 19th February, 1921.

BOROUGHs.	Deaths from									Deaths of Infants under 1 Year of Age.
	ALL CAUSES.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Pulmonary Tuberculosis.	
COUNTY OF LONDON -	1,232	-	-	3	7	13	9	23	102	211
Western										
PADDINGTON . . .	50	-	-	-	-	1	-	-	1	12
KENSINGTON . . .	46	-	-	-	-	1	-	1	-	7
HAMMERSMITH . . .	35	-	-	-	1	-	-	1	2	8
FULHAM . . .	41	-	-	-	-	-	-	1	3	11
CHELSEA . . .	18	-	-	-	-	1	-	1	1	2
CITY OF WESTMINSTER .	36	-	-	-	-	1	-	-	2	4
Northern.										
ST. MARYLEBONE . . .	29	-	-	-	-	1	-	-	1	4
HAMPSTEAD . . .	21	-	-	-	-	-	-	-	1	2
ST. PANCRAS . . .	55	-	-	-	-	-	1	2	7	11
ISLINGTON . . .	100	-	-	-	1	2	-	1	6	16
STOKE NEWINGTON . . .	14	-	-	-	-	1	-	-	-	-
HACKNEY . . .	64	-	-	-	-	-	1	1	6	7
Central.										
HOLBORN . . .	11	-	-	-	-	-	-	-	-	-
FINSBURY . . .	23	-	-	-	1	-	1	2	3	5
CITY OF LONDON . . .	3	-	-	-	-	-	-	-	-	-
Eastern.										
SHOREDITCH . . .	33	-	-	-	1	-	-	2	4	5
BETHNAL GREEN . . .	35	-	-	-	1	-	-	1	5	6
STEPNEY . . .	69	-	-	2	1	-	1	3	5	12
POPLAR . . .	39	-	-	-	1	-	-	1	3	13
Southern.										
SOUTHWARK . . .	57	-	-	1	-	1	-	1	4	13
BERMONDSEY . . .	34	-	-	-	-	-	-	1	3	11
LAMBETH . . .	76	-	-	-	-	1	-	-	5	12
BATTERSEA . . .	62	-	-	-	-	2	3	2	8	10
WANDSWORTH . . .	81	-	-	-	-	-	2	-	12	13
CAMBERWELL . . .	73	-	-	-	-	1	-	2	7	12
DEPTFORD . . .	28	-	-	-	-	-	-	-	2	4
GREENWICH . . .	23	-	-	-	-	-	-	-	3	4
LEWISHAM . . .	45	-	-	-	-	-	-	-	4	2
WOOLWICH . . .	31	-	-	-	-	-	-	-	4	5

The deaths in the above Table are, so far as concerns London as a whole, corrected by the exclusion of deaths of non-residents, and by the inclusion of those of residents occurring in the Outer Ring or in Metropolitan public institutions situated outside the County. As between individual Metropolitan Boroughs, however, correction is complete.

TABLE 9. LONDON.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED during the Week ended 19th February, 1921.*

BOROUGH.	ESTI- MATED CIVILIAN POPU- LATION, MID. 1920.† (Provi- sional.)	Enteric Fever.	Malaria.	Continued Fever.	Small- pox.	Scarlet Fever.	Diphtheria (including Membranous Group).	Pneumonia.	Erysipelas.	Cerebro-Spinal Fever.	Puerperal Fever.	Ophthalmia Neonatorum.	Poliomyelitis.	Dysentery.	Encephalitis Lethargica.	Anthrax.	Polio- encephalitis.
WESTERN.																	
Paddington . . .	149,673	-	-	-	-	8	14	2	3	-	-	2	-	-	1	-	-
Kensington . . .	164,177	-	-	-	-	4	12	1	-	-	-	1	-	-	-	-	-
Hammersmith . . .	136,200	-	1	-	-	28	10	7	2	-	-	-	-	-	-	-	-
Fulham . . .	158,621	-	-	-	-	24	12	6	2	1	-	1	-	-	-	-	-
Chelsea . . .	62,987	-	-	-	-	3	2	-	-	-	-	-	-	-	-	-	-
City of Westminster . . .	132,615	-	-	-	-	6	7	2	1	-	-	2	-	-	-	-	-
NORTHERN.																	
St. Marylebone . . .	101,856	-	-	-	-	7	6	1	-	-	-	1	-	-	-	-	-
Hampstead . . .	91,519	-	-	-	-	2	3	5	-	-	-	1	-	-	-	-	-
St. Pancras . . .	228,178	1	-	-	-	21	8	15	5	-	-	1	-	-	-	-	-
Islington . . .	335,907	1	-	-	-	24	23	-	-	1	-	1	-	-	2	-	-
Stoke Newington . . .	52,984	-	-	-	-	10	4	-	-	-	-	-	-	-	1	-	-
Hackney . . .	225,372	-	-	-	-	40	21	-	3	-	-	1	-	-	-	-	-
CENTRAL.																	
Holborn . . .	39,676	-	-	-	-	1	3	-	-	-	-	-	-	-	-	-	-
Finsbury . . .	78,291	-	-	-	-	14	5	1	-	-	-	-	-	-	-	-	-
City of London . . .	14,447	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
EASTERN.																	
Shoreditch . . .	102,044	-	-	-	-	20	10	3	-	-	-	2	-	-	-	-	-
Bethnal Green . . .	114,471	-	-	-	-	17	16	2	4	-	-	-	-	-	2	-	-
Stepney . . .	241,770	-	-	-	-	40	15	13	2	-	-	2	-	-	1	-	-
Poplar . . .	159,766	-	-	-	-	19	11	14	1	-	-	-	-	-	-	-	-
SOUTHERN.																	
Southwark . . .	187,142	-	-	-	-	36	13	2	5	-	1	-	-	-	-	-	-
Bermondsey . . .	129,189	-	-	-	-	30	5	1	-	-	1	-	-	-	-	-	-
Lambeth . . .	293,572	1	-	-	-	28	15	6	2	1	2	-	-	-	-	-	-
Battersea . . .	165,664	-	-	-	-	15	15	12	2	-	-	-	-	-	-	-	-
Wandsworth . . .	346,990	-	-	-	-	33	26	8	1	-	-	2	-	-	1	-	-
Camberwell . . .	284,712	-	1	-	-	21	18	2	1	-	-	1	-	-	1	-	-
Deptford . . .	115,636	-	-	-	-	17	12	2	4	-	-	1	-	-	-	-	-
Greenwich . . .	102,408	-	-	-	-	21	13	3	-	-	-	-	-	-	-	-	-
Lewisham . . .	174,438	1	-	-	-	20	20	1	2	-	-	-	-	-	-	-	-
Woolwich . . .	141,666	-	-	-	-	16	5	10	2	-	-	3	-	-	-	-	-
TOTAL . . .	4,531,971	4	2	-	-	525	330	119	42	3	4	22	-	-	9	-	-
Ages 0-1 . . .		-	-	-	-	6	13	13	-	2	-	22	-	-	-	-	-
„ 1-5 . . .		-	-	-	-	93	81	26	3	-	-	-	-	-	1	-	-
„ 5- . . .		-	-	-	-	250	138	14	1	1	-	-	-	-	1	-	-
„ 10- . . .		1	-	-	-	96	62	7	2	-	-	-	-	-	-	-	-
„ 15- . . .		-	-	-	-	35	9	6	3	-	-	-	-	-	-	-	-
„ 20- . . .		1	-	-	-	11	14	6	-	-	-	-	-	-	-	-	-
„ 25- . . .		1	1	-	-	25	6	10	3	-	4	-	-	-	1	-	-
„ 35- . . .		1	1	-	-	6	5	9	8	-	-	-	-	-	3	-	-
„ 45- . . .		-	-	-	-	3	1	15	11	-	-	-	-	-	-	-	-
„ 55- . . .		-	-	-	-	-	1	8	6	-	-	-	-	-	2	-	-
„ 65- . . .		-	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-
„ 75 and upwards . . .		-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-
Age not stated . . .		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

† See note † on first page of this return.

FOR OFFICIAL USE.

WEEKLY RETURN

OF

**BIRTHS AND DEATHS REGISTERED:—
LONDON AND
NINETY-FIVE OTHER GREAT TOWNS.**

~~~~~  
By Authority of the Registrar General,  
~~~~~

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased through any Bookseller or directly from
H.M. STATIONERY OFFICE at the following addresses:
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and
28, ABINGDON STREET, LONDON, S.W. 1;
37, PETER STREET, MANCHESTER;
1, ST. ANDREW'S CRESCENT, CARDIFF;
23, FORTH STREET, EDINBURGH;
or from E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN.

No. 9. Vol. LXXXII. 1921. WEEK ENDED SATURDAY, MAR. 5.
[Price 1½d. Net.]

*General Register Office, Somerset House,
March 8th, 1921.*

NINETY-SIX GREAT TOWNS.

For the NINETY-SIX GREAT TOWNS of England and Wales each of which had a population of 50,000 or over at the Census of 1911, the births registered last week numbered 8269, and corresponded to an annual rate of 23·1 per 1,000. The deaths* among the civilian population only numbered 5,422, and corresponded to an annual rate of 15·2 per 1,000 of their aggregate civilian population, which is provisionally estimated† at 18,554,878 persons in the year 1920. In the three weeks ended February 12th, February 19th, and February 26th, the rates had been 14·0, 15·4, and 15·5 respectively. The infant mortality was 112, against 105, 125, and 118 in the preceding three weeks. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks; it also shows for the week ended last Saturday the births and the deaths from certain individual causes. A column showing the number of deaths

* Corrected as far as possible for deaths of non-residents and for those of residents occurring outside the area. Fully corrected figures will appear in the Registrar General's Annual Report.

† The estimates of population refer to the year 1920, and are based on the returns furnished under the scheme for rationing of food.

from influenza has been inserted in Table 1. The aggregate number of deaths from influenza in the 96 great towns in each of the last thirteen weeks is shown in Table 3A.

Measured by last week's mortality, the highest annual death-rates per 1,000 living were :—from *all causes*, 21·3 in Middlesbrough, 21·5 in Stockton-on-Tees, 22·3 in Dudley, 22·4 in Wakefield, 23·4 in Cambridge, and 25·3 in West Hartlepool; from *measles*, 1·2 in Middlesbrough, 1·4 in West Bromwich, and 1·7 in Stockton-on-Tees; and from *whooping cough*, 1·3 in Sunderland, 1·4 in Edmonton, and 2·3 in Wigan. No death from *small-pox* was registered in any of the ninety-six towns.

LONDON.* (The Administrative County, including the City of London.)

For LONDON there were 1,987 BIRTHS, corresponding to a rate of 22·8 per 1,000, and 1,282 DEATHS of civilians, corresponding to a rate of 14·8, as against 13·2, 14·2, and 15·1 per 1,000 in the three weeks ended February 12th, February 19th, and February 26th. The death-rate in the four weeks ended last Saturday averaged 14·3 per 1,000. The infant mortality was 85, against 88, 103, and 88 in the preceding three weeks.

The deaths from *enteric fever*, which had been 1, 0, and 0 in the preceding three weeks, numbered 2, the average for the corresponding weeks of the previous five years being 2. There was no deaths from *measles*, against 0, 3, and 4 in the preceding three weeks, and an average of 37. The deaths from *scarlet fever*, which had been 7, 7, and 6 in the preceding three weeks, were again 6 last week, and were 3 above the average. The deaths from *whooping-cough*, which had been 15, 13, and 9 in the preceding three weeks, rose last week to 13, but were 17 below the average. The deaths from *diphtheria*, which had been 28, 9, and 27 in the preceding three weeks, fell last week to 18, and were 2 below the average; 5 deaths belonged to the Borough of Bermondsey. The deaths from *diarrhœa and enteritis under 2 years of age*, which had been 18, 23, and 16 in the preceding three weeks, rose last week to 22, and were 7 above the average; 4 deaths belonged to Paddington, and 4 to Woolwich. The deaths from *influenza* numbered 45, as against 13, 12, and 30 in the preceding three weeks and an average of 186.

Different forms of violence caused 34 deaths, all of which were the subject of coroners' inquests. Of these 34 deaths, 9 were cases of suicide, while the remaining 25 were attributed to other forms of violence. Five of these latter were referred to vehicles in the streets, 2 to burns or scalds, 2 to drowning, and 3 of infants under one year of age to suffocation in bed.

CASES OF INFECTIOUS DISEASE.†

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital, there were 15 cases of enteric fever, 26 of measles, 3,738 of scarlet fever, 22 of whooping-cough, and 2,809 of diphtheria under treatment in these hospitals on Saturday last (Table 3). The admissions during the week,

* See note * on first page.

† The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

as compared with those in the preceding three weeks, were as follows :—Of enteric fever, 6 cases, against 2, 1, and 2; of measles, 3 cases, against 4, 7, and 10; of scarlet fever, 490 cases, against 472, 496, and 479; of whooping-cough, 0 case, against 1, 2, and 4; and of diphtheria, 341 cases, against 304, 341, and 334. Table 9, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the county during the week ended February 26th, 1921.

TABLE 1.-98 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH RATES in the Week ended Saturday, 5th March, 1921, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	DEATH-RATES from all Causes.				Week ended		5th Mar., 1921.		The DEATHS in the Week include										TOWNS.			
	ESTIMATED CIVILIAN POPULATION. MID. 1920 * (Provisional.)	Week ended				BIRTHS.	DEATHS.	Deaths from														
		12th Feb., 1921.	19th Feb., 1921.	26th Feb., 1921.	5th Mar., 1921.			Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.	Violence.						
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
96 GREAT TOWNS.	18,554,878	14.0	15.4	15.5	15.2	8,269	5,422	930	1,885	6	-	20	14	68	62	89	167	137	293	1,651	30	96 GREAT TOWNS.
LONDON†	4,531,971	13.2	14.2	15.1	14.8	1,987	1,282	168	515	2	-	-	6	13	18	22	45	34	85	591	3	LONDON.†
(CROYDON.	191,550	12.2	15.5	11.7	16.1	64	59	13	23	-	-	-	-	3	2	-	3	-	1	19	-	(CROYDON.
WIMBLEDON.	62,174	11.7	7.5	19.3	9.2	19	11	2	5	-	-	-	-	-	-	-	-	-	1	-	-	WIMBLEDON.
EALING.	76,129	7.5	15.1	9.6	9.6	27	14	2	10	-	-	-	-	-	-	-	-	-	-	2	-	EALING.
ACTON.	64,192	17.1	13.0	8.9	15.4	22	19	2	10	-	-	-	-	-	-	-	1	-	-	4	-	ACTON.
WILLESDEN.	167,328	15.0	13.7	13.1	16.8	54	54	10	18	-	-	-	-	2	2	-	1	1	2	22	-	WILLESDEN.
HORNSEY.	98,107	12.8	17.0	15.4	10.6	29	20	1	9	-	-	-	-	-	1	-	2	-	1	4	-	HORNSEY.
TOTTENHAM	146,970	11.4	11.7	14.5	12.4	68	35	9	7	-	-	-	-	1	-	-	-	2	3	9	-	TOTTENHAM.
EDMONTON.	73,529	15.6	12.1	13.5	7.1	43	10	1	3	-	-	-	-	2	-	-	-	-	1	2	-	EDMONTON.
ENFIELD.	60,771	15.4	9.4	10.3	12.0	22	14	-	6	-	-	-	-	-	-	-	2	-	1	3	-	ENFIELD.
WEST HAM.	99,440	13.2	16.9	14.8	13.9	189	80	16	23	-	-	-	-	-	1	-	-	2	6	24	1	WEST HAM.
EAST HAM	150,207	11.5	8.3	16.0	11.5	63	33	2	10	-	-	-	-	-	-	-	-	3	3	10	-	EAST HAM.
LEYTON.	128,832	10.1	8.9	13.4	15.8	44	39	11	13	-	-	-	-	-	-	-	2	-	2	14	-	LEYTON.
WALTHAMSTOW	132,771	9.8	12.2	13.0	13.0	59	33	7	11	-	-	-	-	-	-	1	2	1	3	9	-	WALTHAMSTOW.
(ILFORD.	82,693	12.0	17.7	13.2	10.7	32	17	-	9	-	-	-	-	-	1	-	1	-	-	4	-	(ILFORD.
GILLINGHAM.	45,233	10.4	21.9	21.9	18.4	18	16	2	6	-	-	-	-	-	-	-	-	-	-	2	-	GILLINGHAM.
HASTINGS.	59,972	12.2	18.3	27.8	19.1	11	22	2	11	-	-	-	-	-	-	-	1	-	2	3	-	HASTINGS.
EASTBOURNE	50,354	4.1	16.6	9.3	16.6	20	16	1	5	-	-	-	-	1	-	-	1	-	-	4	-	EASTBOURNE.
BRIGHTON.	137,655	15.9	16.7	12.9	20.1	50	53	6	27	-	-	-	-	-	-	-	4	-	-	15	-	BRIGHTON.
PORTSMOUTH.	235,998	15.5	16.8	17.5	15.5	142	70	9	35	-	-	-	-	-	1	1	5	3	5	19	-	PORTSMOUTH.
BOURNEMOUTH.	85,919	16.4	23.7	18.2	19.4	33	32	1	21	-	-	-	-	-	-	1	2	1	2	2	-	BOURNEMOUTH.
SOUTHAMPTON.	162,358	11.9	11.2	15.7	12.2	56	38	1	22	-	-	-	-	-	-	-	4	-	-	10	-	SOUTHAMPTON.
READING.	15,006	9.9	11.5	17.6	11.0	40	20	-	12	-	-	-	-	-	-	-	-	-	-	2	-	READING.
OXFORD.	39,963	8.7	15.7	11.3	13.9	14	16	3	7	-	-	-	-	-	-	-	-	-	-	-	-	OXFORD.
NORTHAMPTON.	92,483	10.1	14.7	9.0	11.8	38	21	1	8	-	-	-	-	-	-	-	-	-	-	5	1	NORTHAMPTON.
CAMBRIDGE.	60,154	14.7	13.9	18.2	23.4	15	27	6	11	-	-	-	-	-	-	-	-	1	-	5	-	CAMBRIDGE.

* See note on first page of this return.

† For Greater London see end of Table.

‡ These towns are included within the area of Greater London.

TOWNS.	The DEATHS in the Week include													TOWNS.										
	Deaths from										Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.											
	Deaths of																							
	Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Ruterie Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.					Violence									
Week ended 5th Mar., 1921.																								
BIRTHS.		DEATHS.																						
		6.	7.																					
		1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.	
ESTIMATED CIVILIAN POPULATION. MID. 1920.* Provisional.)		87,382	16.1	20.9	12.5	11.3	35	19	4	7	-	-	-	-	-	-	-	-	-	-	2	1	SOUTHEAD ON SEA.	
		81,119	12.2	17.4	18.0	15.4	41	24	4	7	-	-	-	-	-	1	-	1	-	1	5	-	IPSWICH.	
		55,193	13.2	13.2	16.1	15.1	32	16	2	4	-	-	-	-	1	-	-	1	-	1	1	-	GREAT YARMOUTH.	
		124,774	12.5	14.2	12.1	13.0	49	31	7	7	-	-	-	-	-	1	-	-	-	1	8	-	NORWICH.	
		53,580	12.7	9.7	8.8	13.6	19	14	1	6	-	-	-	-	-	1	-	-	-	-	3	-	SWINDON.	
		61,365	18.7	15.3	19.5	15.3	30	18	1	8	-	-	-	-	-	-	-	1	-	-	4	-	EXETER.	
		189,218	13.0	11.8	16.0	13.8	79	50	4	23	-	-	-	-	-	-	-	2	-	1	10	-	PLYMOUTH.	
		68,546	8.4	14.5	18.3	14.5	25	19	2	13	-	-	-	-	-	-	-	-	-	1	10	-	BATH.	
		375,641	14.0	13.3	12.6	12.6	158	91	18	35	-	-	-	-	2	1	-	3	5	3	10	25	-	BRISTOL.
		52,096	22.0	19.0	14.0	17.0	26	17	2	11	-	-	-	-	-	-	-	-	-	-	3	-	GLOUCESTER.	
		248,852	16.8	16.1	15.9	14.5	144	69	21	18	-	-	-	2	-	-	2	2	6	7	19	1	STOKE ON TRENT.	
		102,324	18.3	16.8	15.8	19.9	38	39	8	13	-	-	-	1	1	1	-	-	-	1	6	-	WOLVERHAMPTON.	
		96,419	15.7	20.5	13.0	15.7	77	29	3	11	-	-	-	-	-	-	-	-	-	-	3	-	WALSALL.	
		72,684	19.4	12.9	18.7	18.7	46	26	4	4	-	-	2	-	-	-	-	-	-	-	-	-	1	WEST BROMWICH.
		56,169	11.1	19.5	12.1	22.3	29	24	13	7	-	-	-	-	-	-	-	-	-	-	4	-	DUDLEY.	
		895,915	13.9	17.1	15.9	18.1	401	311	55	92	-	-	5	-	4	8	-	5	8	10	100	7	BIRMINGHAM.	
		75,027	12.5	17.4	13.2	11.8	34	17	5	5	-	-	-	-	1	-	-	-	-	-	2	-	SMETHWICK.	
		187,310	11.8	9.9	10.6	11.0	67	29	4	6	-	-	-	-	-	-	1	-	3	4	13	-	COVENTRY.	
		245,465	13.4	18.1	13.0	16.4	95	77	9	33	-	-	-	-	1	2	-	2	2	2	27	-	LEICESTER.	
		67,543	15.4	8.5	14.7	16.2	31	21	5	9	-	-	-	-	-	-	-	-	-	-	3	1	LINCOLN.	
		81,953	10.2	16.5	12.1	7.6	32	12	2	3	-	-	-	-	-	-	-	1	-	-	2	-	GRIMSBY.	
		267,836	19.1	18.1	19.7	15.8	131	81	14	31	-	-	-	-	2	1	-	1	1	1	24	-	NOTTINGHAM.	
		128,868	10.1	18.2	18.2	15.0	52	37	6	10	-	-	-	-	1	-	-	-	-	2	11	-	DERBY.	

* See note † on first page of this return.

TABLE 1 (cont.).—98 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED and DEATH-RATE in the Week ended Saturday, 5th March, 1921, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	DEATH-RATES from all Causes.				Week ended 5th Mar., 1921.		The DEATHS in the Week include										Deaths in Public Institutions.			Uncertified Causes of Death.	TOWNS.	
	Week ended				BIRTHS. DEATHS.		Deaths of		Deaths from								Inquest Cases.	Deaths in Public Institutions.	21.			
	12th Feb., 1921.	19th Feb., 1921.	26th Feb., 1921.	5th Mar., 1921.	6.	7.	Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.				Violence.		
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
STOCKPORT.	130,635	13.2	12.4	12.0	13.2	45	33	4	9	-	-	-	-	-	1	-	-	-	1	8	-	STOCKPORT.
BIRKENHEAD.	153,951	14.2	11.5	13.9	12.9	61	38	6	10	-	-	-	-	-	1	-	2	2	5	11	-	BIRKENHEAD.
WALLASEY.	99,226	7.9	15.2	10.0	12.1	31	23	4	6	-	-	-	-	1	-	-	1	-	1	6	-	WALLASEY.
LIVERPOOL.	803,452	14.0	15.0	16.1	13.7	409	211	38	52	-	-	-	1	-	-	7	-	9	21	85	1	LIVERPOOL.
BOOTLE.	80,029	13.0	18.2	16.3	13.7	41	21	4	7	-	-	-	-	-	-	3	1	1	2	4	-	BOOTLE.
ST. HELENS.	104,822	13.4	11.9	15.4	14.4	50	29	5	8	-	-	-	-	-	-	-	1	-	-	11	-	ST. HELENS.
SOUTHPORT.	72,939	25.7	16.4	23.6	14.3	18	20	1	7	1	-	-	-	-	1	-	1	1	1	1	2	SOUTHPORT.
WIGAN.	90,866	17.8	16.1	18.9	16.1	40	28	7	10	-	-	-	-	4	-	-	-	3	3	4	-	WIGAN.
WARRINGTON.	77,939	9.4	16.7	19.4	13.4	39	20	4	10	-	-	-	-	1	-	-	2	-	-	5	1	WARRINGTON.
BOLTON.	134,533	13.0	15.5	12.4	17.2	60	61	11	20	-	-	-	-	2	3	-	2	2	6	9	-	BOLTON.
BURY.	56,410	12.0	14.8	17.6	9.2	22	10	3	2	-	-	1	-	-	-	-	-	1	1	-	-	BURY.
MANCHESTER.	770,597	13.1	17.1	13.6	14.5	324	214	32	63	-	-	-	3	3	4	6	4	3	5	76	1	MANCHESTER.
SALFORD.	235,239	14.2	17.5	19.3	15.1	88	68	9	18	-	-	-	1	-	1	1	1	1	3	27	-	SALFORD.
OLDHAM.	143,154	13.5	17.1	14.9	17.8	49	49	7	15	-	-	-	-	2	-	-	2	3	4	8	-	OLDHAM.
ROCHDALE.	93,639	13.4	21.2	13.4	13.9	30	25	3	7	-	-	-	-	-	-	-	2	-	-	4	-	ROCHDALE.
BURNLEY.	105,030	12.9	15.4	17.4	16.4	40	33	10	13	-	-	-	-	1	1	-	1	2	2	6	-	BURNLEY.
BLACKBURN.	131,012	14.3	16.7	15.5	18.3	46	46	8	17	-	-	-	-	-	1	-	1	1	2	13	-	BLACKBURN.
PRESTON.	121,950	15.4	18.4	9.0	19.7	59	46	9	15	-	-	-	-	-	-	-	1	2	3	9	1	PRESTON.
BLACKPOOL.	70,545	11.8	14.0	14.8	17.0	23	23	5	10	-	-	-	-	-	-	-	-	2	2	7	-	BLACKPOOL.
BARROW IN FURNESS.	76,561	14.3	19.1	15.0	13.6	32	20	6	1	-	-	-	-	-	-	-	-	-	-	3	1	BARROW IN FURNESS.
HUDDERSFIELD.	116,776	15.2	14.7	11.2	14.3	50	32	6	11	-	-	-	-	-	-	-	-	1	2	8	-	HUDDERSFIELD.
HALIFAX.	105,847	14.3	20.2	15.8	16.7	41	34	6	13	-	-	-	-	-	-	-	-	-	1	12	1	HALIFAX.
BRADFORD.	293,979	16.0	19.1	16.9	18.4	111	104	28	35	-	-	1	-	-	-	1	2	2	7	26	-	BRADFORD.
LEEDS.	449,212	16.7	16.4	16.6	15.6	197	134	25	37	-	-	-	-	-	1	1	6	6	13	34	-	LEEDS.
DEWSBURY.	55,080	5.7	23.7	12.3	17.0	17	18	4	6	-	-	-	-	-	-	-	-	2	2	1	-	DEWSBURY.
WAKEFIELD.	51,169	9.2	16.3	20.4	22.4	21	22	3	8	-	-	-	-	1	-	-	-	1	2	8	-	WAKEFIELD.
BARNSLEY.	53,739	15.5	21.3	25.2	19.4	30	20	7	3	-	-	-	-	-	-	-	-	-	1	2	-	BARNSLEY.

TOWNS.	CIVILIAN POPULATION, MID. 1920.* (Provisional).	Week ended				5th Mar., 1921.		Deaths of		Deaths from										Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS
		Week ended				5th Mar., 1921.		Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.	Violence.				
		12th Feb., 1921.	19th Feb., 1921.	26th Feb., 1921.	5th Mar., 1921.	BIRTHS.	DEATHS.															
	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
SHEFFIELD	492,570	16·8	16·0	19·2	18·4	217	174	43	54	-	-	1	-	5	1	5	5	3	10	50	-	SHEFFIELD.
ROTHERHAM	71,785	15·3	11·6	13·1	13·1	46	18	2	4	-	-	-	-	1	-	-	-	-	2	1	-	ROTHERHAM.
YORK	77,501	21·5	17·5	18·8	16·1	25	24	8	7	-	-	1	-	-	-	-	1	-	3	8	-	YORK.
HULL	290,808	14·2	16·9	18·8	18·8	140	105	11	44	1	-	-	-	-	1	4	9	1	5	37	1	HULL.
MIDDLESBROUGH	132,208	17·0	18·9	18·1	21·3	87	54	15	16	-	-	3	-	-	1	3	1	1	3	8	-	MIDDLESBROUGH.
DARLINGTON	66,610	12·5	18·8	16·4	15·7	26	20	6	4	-	-	-	-	-	-	1	1	-	-	3	-	DARLINGTON.
STOCKTON ON TEES	63,114	22·3	14·0	16·5	21·5	31	26	10	3	-	-	2	-	-	1	3	-	1	1	2	-	STOCKTON ON TEES.
WEST HARTLEPOOL	68,126	23·0	22·2	18·4	25·3	45	33	8	9	-	-	-	-	-	-	-	1	1	1	7	1	WEST HARTLEPOOL.
SUNDERLAND	155,211	20·5	22·8	22·5	20·5	105	61	15	14	-	-	-	-	4	1	1	3	1	2	13	-	SUNDERLAND.
SOUTH SHIELDS	115,945	23·4	19·8	18·4	14·8	56	33	5	7	-	-	-	-	-	-	1	2	1	-	5	1	SOUTH SHIELDS.
GATESHEAD	128,309	19·1	17·5	20·3	14·2	73	35	6	11	-	-	-	-	-	-	-	1	-	-	6	3	GATESHEAD.
NEWCASTLE ON TYNE.	286,061	18·2	15·3	18·2	17·5	165	96	21	33	-	-	4	-	2	-	1	8	6	8	15	-	NEWCASTLE ON TYNE.
TYNEMOUTH	60,318	14·7	13·8	19·9	15·6	34	18	3	4	-	-	-	-	-	-	-	3	-	-	2	-	TYNEMOUTH.
CARLISLE	57,397	12·7	12·7	14·5	20·9	16	23	2	12	-	-	-	-	1	-	-	2	-	-	3	-	CARLISLE.
NEWPORT (MON.)	90,728	12·6	14·4	19·0	16·1	44	28	7	8	-	-	-	-	1	-	1	-	2	3	8	-	NEWPORT (MON.).
CARDIFF	212,552	12·8	11·8	14·2	13·0	94	53	10	15	-	-	-	-	1	-	-	-	3	3	11	-	CARDIFF.
RHONDDA	184,999	14·7	15·8	14·4	12·1	100	43	20	7	-	-	-	-	1	-	1	-	-	-	3	-	RHONDDA.
MERTHYR TYDFIL	74,493	14·0	13·3	13·3	16·1	55	23	5	6	-	-	-	-	-	1	-	-	-	1	7	-	MERTHYR TYDFIL.
ABERDARE	53,431	13·7	15·6	18·5	12·7	22	13	5	2	-	-	-	-	-	1	-	1	-	-	-	-	ABERDARE.
SWANSEA	167,218	12·2	15·0	16·2	11·8	84	38	3	12	-	-	-	-	2	-	-	1	1	1	5	-	SWANSEA.
GREATER LONDON	7,548,647	12·9	13·8	14·4	14·3	3226	2066	282	842	2	-	-	8	25	27	27	86	50	132	800	4	GREATER LONDON.
OUTER RING	3,016,676	12·4	13·3	13·4	13·6	1239	784	114	327	-	-	-	2	12	9	5	41	16	47	209	1	OUTER RING
14 GREAT TOWNS IN OUTER RING.	1,734,723	12·4	13·3	13·6	13·2	735	438	76	157	-	-	-	-	8	7	3	14	9	24	126	1	14 GREAT TOWNS IN OUTER RING.
REMAINDER OF OUTER RING.	1,281,953	12·4	13·3	13·2	14·1	504	346	38	170	-	-	-	2	4	2	2	27	7	23	83	-	REMAINDER OF OUTER RING.
EDINBURGH†	446,200	17·5	16·7	20·1	17·8	179	152	26	50	-	-	4	-	1	2	1	11	4	?	?	?	EDINBURGH.†
GLASGOW†	1,100,400	18·0	18·7	21·0	19·6	612	413	83	110	-	-	1	3	40	4	6	21	9	?	?	?	GLASGOW.†
DUBLIN (Registration Area).†	423,000	18·9	18·2	18·1	18·9	210	153	28	52	-	-	-	-	-	3	4	4	4	3	55	6	DUBLIN (Registration Area).†
BELFAST†	420,000	15·9	18·5	19·1	17·5	204	141	39	30	-	-	-	-	10	-	4	3	3	5	31	2	BELFAST.†

* See note † on first page of this return.
† The populations are total populations and relate to 1921. Deaths and the death-rates in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week: those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

TABLE 2. LONDON.—**Births** and **Deaths** registered during the NINTH Week of each of the Eleven Years, 1911-1921.

	1911.	1912.	1913.	1914.	1915.	1916.	1917.	1918.	1919.	1920.	1921.
Births (as registered).	2243	2270	*2302	2165	2264	1943	1810	1505	1307	2771	1987
Males	1110	1193	1163	1117	1166	948	940	809	633	1451	1006
Females	1133	1077	1139	1048	1098	995	870	696	674	1320	981
Deaths (of residents only).	1394	1227	1633	1349	1781	1531*	1484*	1279*	2501*	1456*	1282*
Males	716	667	812	668	914	776	816	632	1215	724	629
Females	678	560	821	681	867	755	668	647	1286	732	653

* Deaths in civilian population only.

TABLE 3. LONDON.—**BIRTHS** and **DEATHS** REGISTERED, and **CASES** of **INFECTIOUS SICKNESS** in **HOSPITALS**, in the last **THIRTEEN WEEKS**.

	Dec. 11.	Dec. 18.	Dec. 25.	1921. Jan. 1.	Jan. 8.	Jan. 15.	Jan. 22.	Jan. 29.	Feb. 5.	Feb. 12.	Feb. 19.	Feb. 26.	Mar. 5.
Births (as registered) . . .	1902	1793	1733	2031	2373	2059	2009	2039	1856	2058	2041	1908	1987
Deaths (of residents only).	1078	1335	1279	1382	1117	1099	1121	1011	1158	1147	1232	1313	1282
Ages													
Under 1 year	170	213	170	234	178	186	177	160	189	181	211	168	168
1-2 years	21	31	33	45	34	28	34	31	49	43	39	30	34
2-5 "	32	34	23	25	20	26	32	24	34	29	23	31	26
5-10 "	26	28	24	21	31	30	23	19	28	34	24	33	21
10-15 "	9	16	13	11	17	17	16	14	13	17	20	15	15
15-20 "	18	17	17	28	20	29	19	24	23	20	16	18	21
at 20-25 "	10	17	27	35	19	24	20	19	25	19	25	29	17
25-35 "	54	56	62	65	70	62	44	47	51	44	50	65	66
Death 35-45 "	84	86	89	84	78	77	77	78	75	54	91	90	81
45-55 "	117	147	137	127	105	117	118	125	125	121	104	141	117
55-65 "	152	180	186	216	159	155	183	149	169	153	170	185	201
65-75 "	181	243	246	220	189	165	193	146	192	207	215	247	254
75 years and upwards	204	267	252	271	197	183	185	175	185	225	244	261	261
Deaths from—													
Enteric fever	-	-	1	-	-	1	1	1	-	1	-	-	2
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	3	-	4	-	1	3	2	1	-	-	3	4	-
Scarlet fever	6	11	5	8	8	2	5	8	8	7	7	6	6
Whooping cough	3	7	2	4	6	2	8	4	6	15	13	9	13
Diphtheria	22	25	27	22	24	23	28	19	28	28	9	27	18
Diarrhoea and enteritis (under 2 years).	16	24	17	20	17	20	19	18	22	18	23	16	22
Pulmonary tuberculosis . .	81	95	101	90	84	99	100	98	105	74	102	100	105
Influenza	13	21	14	20	21	16	14	6	9	13	12	30	45
Pneumonia (all forms) . . .	116	149	165	171	141	112	117	92	128	104	131	144	148
Bronchitis	118	189	175	165	96	116	101	95	98	153	158	167	159
Other dis. of resp. system . .	12	20	14	27	17	15	7	16	14	10	23	23	23
Dis. of circ. system	163	207	209	208	184	202	178	181	194	218	223	208	219
Violence	39	39	42	50	40	34	35	40	49	32	32	50	34
Inquest cases	92	124	122	117	93	99	81	74	99	90	86	106	85
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Enteric fever	18	19	18	18	20	17	12	11	7	9	10	9	15
Small-pox	-	-	-	1	1	1	1	1	1	-	-	-	-
Measles	17	15	19	18	15	13	14	15	17	18	23	28	26
Scarlet fever	5297	4994	4780	4817	4608	4413	4350	4171	4018	3945	3919	3845	3738
Whooping cough	25	27	22	17	20	20	23	27	26	26	24	25	22
Diphtheria	2654	2654	2547	2642	2588	2597	2618	2682	2767	2770	2808	2800	2809

* The Metropolitan Asylums Board and London Fever Hospitals. The figures do not refer to London exclusively.

TABLE 3A. **96 Great Towns**.—**DEATHS** from **INFLUENZA** in the last **THIRTEEN WEEKS**.

	Dec. 11.	Dec. 18.	Dec. 25.	1921. Jan. 1.	Jan. 8.	Jan. 15.	Jan. 22.	Jan. 29.	Feb. 5.	Feb. 12.	Feb. 19.	Feb. 26.	Mar. 5.
Deaths from Influenza . . .	61	75	81	89	101	87	66	61	61	93	103	138	167

TABLE 4. LONDON.—DEATHS REGISTERED in the NINTH Week of the Year 1921.

CAUSES OF DEATH.	Deaths in the 9th week of the year 1920.	DEATHS of PERSONS of the AGES													
		ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-10 years.	10-15 years.	15-20 years.	20-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and up- wards.
ALL CAUSES	1456	1282	168	34	26	21	15	21	17	66	81	117	201	254	261
Enteric fever	3	2	-	-	-	-	1	-	-	1	-	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	52	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever	9	6	-	1	3	1	1	-	-	-	-	-	-	-	-
Whooping cough	34	13	8	2	3	-	-	-	-	-	-	-	-	-	-
Diphtheria	28	18	1	5	4	6	2	-	-	-	-	-	-	-	-
Croup	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza	54	45	1	-	-	-	-	1	-	3	2	3	10	14	11
Erysipelas	7	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Other epidemic diseases	4	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Pyæmia and septicæmia	1	2	-	-	-	-	-	-	-	1	1	-	-	-	-
Tetanus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis:—															
Pulmonary tuberculosis	92	105	1	1	-	1	-	8	10	15	20	23	18	7	1
Tuberculous meningitis	10	14	2	3	6	2	1	-	-	-	-	-	-	-	-
Abdominal tuberculosis	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of the spine	4	1	-	-	-	-	-	-	-	-	-	1	-	-	-
Tuberculosis of the joints	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of other organs	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Disseminated tuberculosis	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Venereal diseases	4	7	2	-	-	-	-	-	-	1	-	3	1	-	-
Cancer	113	121	-	-	-	-	-	-	-	4	8	22	40	27	20
Tumour, situation undefined	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Rheumatic fever	2	7	-	-	-	1	3	2	-	-	-	1	-	-	-
Diabetes	8	8	-	-	-	-	-	1	1	2	1	-	-	3	-
Anæmia, leucocythæmia	5	5	-	-	-	-	-	-	-	2	-	-	3	-	-
Other general diseases	10	9	2	-	-	-	-	-	-	-	1	-	2	3	1
Alcoholism	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic poisonings	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	6	8	1	2	-	-	-	-	1	2	-	1	1	-	-
Cerebral hæmorrhage, Apoplexy	45	29	-	1	-	-	-	-	-	-	2	-	7	6	13
Softening of brain	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Paralysis, without specified cause	2	4	-	-	-	-	-	-	-	-	-	1	-	2	1
Epilepsy	3	4	-	-	-	-	2	-	-	1	1	-	-	-	-
"Convulsions" (not puerperal)	7	5	5	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system	27	31	1	-	-	-	1	1	-	4	5	1	10	6	2
Pericarditis	1	2	-	-	-	1	-	-	-	-	-	-	-	1	-
Acute endocarditis	3	12	-	-	-	-	-	-	1	4	3	2	2	-	-
Organic disease of heart	124	152	-	-	-	1	1	1	2	7	9	6	23	52	50
Embolism and thrombosis (including cerebral).	12	9	-	-	-	-	-	-	-	-	-	1	-	3	5
Other diseases of circulatory system.	33	44	-	-	-	-	-	-	-	-	1	4	9	13	17
Diseases of the larynx	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis	199	159	7	2	-	-	-	-	-	1	4	6	22	55	62
Broncho-pneumonia	108	73	38	10	7	1	-	-	1	-	-	2	3	5	6
Lobar pneumonia	27	37	3	1	-	2	-	1	-	4	7	5	6	6	2
Pneumonia (type not distinguished)	49	38	3	4	-	2	1	-	1	3	2	4	9	3	6
Pleurisy	6	4	-	-	-	-	-	-	-	-	1	2	-	1	-
Pulmonary congestion, Pulmonary apoplexy.	3	6	-	-	-	-	-	-	-	-	-	-	3	2	1
Other diseases of respiratory system.	14	13	1	-	-	-	-	-	-	-	2	3	2	5	-

TABLE 4 (cont.) LONDON.—DEATHS REGISTERED in the NINTH Week of the Year 1921.

CAUSES OF DEATH.	Deaths in the 9th week of the year 1920.	DEATHS OF PERSONS OF THE AGES													
		ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-10 years.	10-15 years.	15-20 years.	20-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and up- wards.
Diseases of the pharynx, Tonsillitis	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-
Diseases of stomach	9	6	2	-	-	-	-	-	-	1	2	1	-	-	-
Diarrhoea and enteritis	16	26	21	1	-	-	-	-	-	-	1	-	-	2	1
Appendicitis and typhlitis	6	5	-	-	-	-	1	1	-	-	1	1	-	-	-
Hernia and Intestinal obstruction.	9	11	2	-	1	-	1	1	-	1	-	2	2	2	1
Cirrhosis of liver	6	4	-	-	-	-	-	-	-	2	1	-	1	-	-
Other diseases of liver	4	5	-	-	-	-	-	1	-	1	-	1	1	1	1
Peritonitis (cause unknown)	3	2	-	-	-	-	-	1	-	-	-	-	1	-	-
Other diseases of digestive system	-	3	-	-	-	-	-	-	1	-	-	2	-	-	-
Acute nephritis	5	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Chronic Bright's disease	35	38	-	-	-	-	-	-	2	3	8	11	10	4	-
Urinary calculi	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Uterine tumour (non-cancerous)	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Ovarian tumour (2	1	-	-	-	-	-	-	-	-	-	1	-	-	-
Other diseases of genito-urinary system.	18	11	-	-	-	-	-	-	-	-	1	1	5	4	-
Puerperal fever, &c.	8	1	-	-	-	-	-	-	1	-	-	-	-	-	-
Other causes incident to child- birth.	2	2	-	-	-	-	-	-	-	2	-	-	-	-	-
Diseases of skin and cellular tissues.	10	15	-	-	-	-	-	-	2	1	1	1	6	4	-
Diseases of locomotor system	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital malformations	9	7	7	-	-	-	-	-	-	-	-	-	-	-	-
Premature birth	40	38	38	-	-	-	-	-	-	-	-	-	-	-	-
Debility, atrophy marasmus (in- fants).	27	14	14	-	-	-	-	-	-	-	-	-	-	-	-
Old age	54	48	-	-	-	-	-	-	-	-	-	-	8	40	-
ACCIDENT.															
Poisons or poisonous vapours.	-	2	-	-	-	-	-	-	-	-	1	1	-	-	-
Conflagration	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Burns and scalds	3	2	-	-	-	-	-	-	-	-	-	1	-	1	-
Drowning	2	2	-	-	-	-	1	-	-	-	1	-	-	-	-
Suffocation in bed	2	3	3	-	-	-	-	-	-	-	-	-	-	-	-
Other deaths by accident	26	16	-	1	2	-	-	-	1	-	2	1	2	7	-
Total deaths from accident	35	25	3	1	2	-	-	1	1	-	4	3	2	8	-
Included in above are deaths in connection with:—															
Railways	3	1	-	-	-	-	-	-	1	-	-	-	-	-	-
Vehicles and horses	10	5	-	-	1	-	-	-	-	-	-	1	-	3	-
Ships, boats, docks	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Building operations	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIOLENCE OTHER THAN ACCIDENTAL.															
Homicide	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	7	9	-	-	-	-	-	-	3	1	3	2	-	-	-
Execution	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other specified diseases	17	7	5	-	-	1	-	1	-	-	-	-	-	-	-
Ill-defined Causes	3	2	-	-	-	-	-	-	-	-	1	1	-	-	-

TABLE 5.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of	DEATHS. Stillborn.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM							
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria and Croup.*	Diarrhoeal Diseases† (under 2 years).	Influenza.
LONDON† . .	4,531,971	1921. Mar. 5	1,987	1,282	14·8	2	-	-	6	13	18	22	45
Calcutta . .	896,067	Jan. 22	-	799§	46·3	?	-	?	?	?	?	?	37
Bombay . .	979,445	" 29	395	1,221§	64·8	3	6	6	-	-	-	71	27
Madras . .	518,660	" 22	417	503§	50·4	-	-	-	?	2	-	51	6
Cristiania . .	2,847,229	{ (10 days) Feb. 10 }	1,566	1,290	16·5	3	-	4	1	1	4	23	3
Russels . .	792,919	- - -	-	-	-	-	-	-	-	-	-	-	-
Amsterdarp . .	335,579	Feb. 12	144	50	8·0	-	-	1	-	-	-	2	-
Amsterdam . .	689,205	" 19	327	139	10·5	-	-	2	-	1	1	1	-
Copenhagen . .	571,000	" 19	266	173	15·8	-	-	-	2	-	1	1	-
Stockholm . .	415,201	" 12	135	96	12·0	-	-	-	-	-	-	1	-
Gothenburg . .	205,494	Jan. 29	-	54	13·6	1	-	-	-	-	1	2	-
Cristiania . .	260,904	Feb. 19	92	54	10·8	-	-	-	-	1	1	-	-
Berlin . .	1,934,000	" 12	626	522	14·0	-	?	1	2	2	4	12	3
Breslau . .	540,000	" 12	269	187	18·0	-	?	-	-	1	3	5	7
Cologne . .	660,000	" 12	289	156	12·3	-	?	1	-	1	1	4	4
Edinburgh . .	538,000	" 12	231	156	15·1	-	?	4	-	-	3	3	3
Frankfort-on-Main .	463,000	" 12	188	89	10·0	-	?	-	1	-	-	1	5
Leipzig . .	996,000	" 12	400	236	12·3	-	?	-	-	2	4	2	1
Munich . .	624,000	" 12	241	173	14·4	-	?	-	-	-	3	9	4
Munich . .	670,000	" 12	245	181	14·0	-	?	2	1	1	-	6	3
Vienna . .	1,842,005	" 12	-	-	-	-	-	-	-	-	-	-	-
Bagu and Subures .	726,381	Jan. 29	252	183	13·1	-	-	-	-	-	-	7	1
Budapest . .	1,071,492	Dec. 18	305	397	19·3	3	?	15	17	-	16	29	1
Budapest . .	243,487	Feb. 12	149	85	18·1	-	-	-	-	-	-	2	-
Cairo . .	761,300	{ (8 days) Dec. 31 }	662	432	25·8	6	-	1	-	?	2	23	?
Alexandria . .	445,700	{ (8 days) " 31 }	444	250	25·5	-	1	-	-	?	-	22	?
New York . .	5,753,151	Feb. 5	2,523	1,434	13·0	1	-	6	15	8	34	20	10
Chicago . .	2,780,655	" 12	-	710	13·3	2	-	3	6	2	22	37	3

Excluding deaths from croup in Bombay and Madras.

The deaths in this column relate to *all ages* for Bombay, Madras, Christiania, and Budapest, and to *children under 1 year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

The estimated population and deaths refer to the civilian population only.

Including 1 death from *plague* in Bombay, and 1 in Madras, and from *Asiatic cholera*, 75 deaths in Calcutta, 1 in Bombay.

TABLE 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 5th March, 1921.

(Supplied by the Meteorological Office.)

TOWNS.	Temperature of Air.*				Rainfall in Milli- metres.†	TOWNS.	Temperature of Air.*				Rainfall in Milli- metres.†
	Highest.	Lowest.	Mean Maxi- mum.	Mean Mini- mum.			Highest.	Lowest.	Mean Maxi- mum.	Mean Mini- mum.	
LONDON (Greenwich) }	54	27	51·0	34·6	3	BRADFORD . .	48	34	46·9	38·6	16
BRIGHTON . .	50	31	48·4	35·9	2	SHEFFIELD . .	51	33	48·7	39·6	19
PORTSMOUTH . .	53	29	50·4	36·7	3	YORK (Museum) .	52	32	49·3	39·0	3
DERBY (Eaton) .	54	30	50·3	36·6	6	HULL (Pearson Park)	53	32	50·6	38·7	6
PLYMOUTH . .	55	31	51·9	37·6	4	TYNEMOUTH . .	50	33	47·7	38·7	3
Bristol (Clifton) .	51	31	48·1	37·9	7	CARDIFF . .	51	31	49·7	37·9	15
BIRMINGHAM . .	51	32	48·1	38·1	4	EDINBURGH . .	49·0	31·0	45·7	37·0	20
NOTTINGHAM . .	54	32	49·6	36·6	5	GLASGOW . .	48·3	33·4	45·6	38·3	44
BRISTOLHEAD (Bidston) }	51	37	48·9	40·1	8	DUBLIN :—					
MANCHESTER . .	51	33	48·4	39·4	17	Phoenix Park . .	54·6	32·1	50·8	39·8	8
WIMBORNE . .	43	31	46·1	36·7	29	†Fitzwilliam Square	55·1	35·8	51·0	42·0	6
WIMBORNE . .	50	33	47·1	39·3	21	BELFAST . .	53·5	32·5	49·6	37·0	16

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.

† kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.

‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

TABLE 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 5th March 1921.

[Under the Superintendence of the Astronomer Royal.]

1921. MONTH AND DAY.	Phases of the Moon.	BARO- METER. Mean daily reading (cor- rected and re- duced to 32° Fahren- heit).	TEMPERATURE.					Difference between the Air Temperature and Dew Point Temperature.		TEMPERATURE.			Wind as deduced from Anemometers.				Rain collected in a Gauge whose surface is 5 inches above the Ground.							
			Of the Air.					Of the Dew point.		De- gree of Hu- mid- ity (Satu- ration equals 100).	Of Radiation.		Osler's.		Robinson's.									
			High- est.	Low- est.	Daily Range.	Mean daily value.	De- parture from Average of 65 years.	Mean daily value.	Great- est.		Least.	Of the Earth 4 feet below the Surface.	General Direction.	A.M.	P.M.	Pressure on the Square Foot.		Horizontal Movement of the Air on each Day.	Depart- ture from Average of 50 years.					
																Mean of 24 hourly obs.				Mean of 24 hourly obs.				
FEBRUARY.																								
SUNDAY	-	27	in. 30.571	° 51.4	° 26.6	° 24.8	° 40.4	° + 0.1	° 33.8	° 6.6	° 13.8	° 1.3	° 77.8	° 19.7	° 44.1	Calm & SW.	WSW.	WSW. & W.	lbs. 1.5	lbs. 0.0	lbs. 0.1	Miles. 203	Miles. -131	in. 0.00
MONDAY	-	28	30.360	47.0	36.7	10.3	42.7	+ 2.4	35.2	7.5	10.2	3.2	62.0	30.9	44.2	WSW.	WSW. & SW.	WSW. & W.	2.9	0.0	0.1	321	- 16	0.00
MARCH.																								
TUESDAY	-	1	30.138	53.2	33.6	19.6	43.3	+ 2.9	36.9	6.4	16.4	2.3	97.3	25.5	44.1	SW. & SSW.	SSW.	SSW.	1.4	0.0	0.1	224	- 117	0.00
WEDNESDAY	-	2	30.038	47.5	34.9	12.6	41.0	+ 0.6	32.9	8.1	14.8	0.0	82.2	24.6	44.0	SW., N. & NW.	NW. & WNW.	SW., N. & NW.	3.0	0.0	0.2	301	- 41	0.07
THURSDAY	-	3	30.65	51.0	27.4	23.6	40.2	- 0.3	32.0	8.2	14.5	0.0	102.5	21.5	44.0	WSW. & SW.	SW.	SW.	4.7	0.0	0.3	316	- 26	0.02
FRIDAY	-	4	29.742	53.6	45.5	8.1	49.2	+ 8.5	43.8	5.4	8.8	3.3	69.8	42.3	44.0	WSW. & WSW.	WSW.	WSW.	5.9	0.0	0.7	556	+ 212	0.03
SATURDAY	-	5	29.697	52.9	40.8	12.1	46.4	+ 5.5	42.1	4.3	9.8	0.0	83.8	36.6	44.0	WSW. & SSW.	SSW.	SSW.	1.4	0.0	0.1	249	- 100	0.00
MEANS	-	-	30.087	50.9	35.1	15.9	43.3	+ 2.8	36.7	6.6	12.6	1.4	82.2	28.7	44.1	WSW.	WSW.	WSW.	Sum 2170	Sum -219	Sum 0.12
No. of Column	-	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE.		ELECTRICITY. (For explanation of symbols, see Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
FEBRUARY.					
SUNDAY	27	v. P. throughout	2·1	10·7	Cloudless generally, but misty till 13h., then gradually clouding-up; overcast 18h. to 23h., then clearing; hoar frost in morning.
MONDAY	28	v. P. throughout	0·0	10·8	Overcast generally; cloud thin at times; misty in morning.
MARCH. TUESDAY	1	w. P. till noon, v. P. afterwards.	3·6	10·8	Nearly cloudless till 3h.; thin cloud variably prevalent till 19h., then becoming cloudless; persistent solar halo 9h. to 17h.
WEDNESDAY	2	w. P. till noon, m. P. and s. P. afterwards.	3·7	10·9	Cloudless generally till 4h., becoming overcast by 4h. 30m., clearing about noon; variably cloudy till 18h., nearly cloudless afterwards; rain 5h. 30m. to 8h. 30m.
THURSDAY	3	v. P. throughout	5·1	11·0	Cloudless with hoar frost till 7h., nearly cloudless till 10h.; variably cloudy till 14h., then becoming overcast generally; misty in morning; frequent slight rain from 18h., heavier from 22h.
FRIDAY	4	v. P. till 22h., loss of register afterwards.	0·0	11·0	Overcast with very slight exceptions; rain or damping generally till noon; brisk wind till 20h.
SATURDAY	5	Loss of register till 11h., s. P. generally afterwards.	0·2	11·1	Overcast with slight exceptions; damping about 4h. and 15h.; partial solar halo 9h. 30m.
No. of Col.		26	Sum 14·7	Sum 76·3	
			27	28	

The results apply to the civil day, or from midnight to midnight. The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "higher," and - "lower," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27 derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 30·66 in. at the beginning of the week to 29·95 in. by 6h. on March 2nd; increased to 30·19 in. by 2h. on March 3rd; decreased to 29·71 in. by 7h. on March 4th; increased to 29·80 in. by midnight on the same day, and decreased to 29·57 in. by midnight on March 5th.

TABLE 8. LONDON.—DEATHS of PERSONS BELONGING to the several METROPOLITAN BOROUGHs REGISTERED in the Week ended 26th February, 1921.

BOROUGHs.	Deaths from									Deaths of Infants under 1 Year of Age.
	ALL CAUSES.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Pulmonary Tuberculosis.	
COUNTY OF LONDON .	1,313	-	-	4	6	9	27	16	100	168
Western										
PADDINGTON . . .	40	-	-	-	-	-	-	-	2	4
KENSINGTON . . .	58	-	-	-	-	-	1	1	2	10
HAMMERSMITH . . .	54	-	-	-	1	-	-	1	5	9
FULHAM	54	-	-	-	-	-	1	-	4	7
CHELSEA	29	-	-	-	-	-	-	-	1	3
CITY OF WESTMINSTER .	48	-	-	-	-	-	-	1	3	2
Northern.										
ST. MARYLEBONE . . .	31	-	-	-	-	-	-	-	4	4
HAMPSTEAD	23	-	-	-	-	-	-	-	1	-
ST. PANCRAS	59	-	-	-	-	1	-	-	4	7
ISLINGTON	87	-	-	2	-	1	2	1	5	15
STOKE NEWINGTON . . .	12	-	-	-	-	-	1	-	2	-
HACKNEY	64	-	-	-	-	-	1	-	11	4
Central.										
HOLBORN	13	-	-	-	-	1	-	-	-	-
FINSBURY	26	-	-	-	-	-	-	-	2	4
CITY OF LONDON . . .	6	-	-	-	-	-	-	-	1	-
Eastern.										
SHOREDITCH	32	-	-	-	-	1	1	-	2	8
BETHNAL GREEN . . .	30	-	-	-	-	-	1	4	4	7
STEPNEY	62	-	-	2	-	-	1	1	4	10
POPLAR	47	-	-	-	-	-	4	-	5	4
Southern.										
SOUTHWARK	64	-	-	-	1	2	-	2	5	13
BERMONDSEY	28	-	-	-	-	-	-	-	-	3
LAMBETH	89	-	-	-	-	-	-	1	10	8
BATTERSEA	45	-	-	-	-	-	3	1	4	7
WANDSWORTH	93	-	-	-	3	1	6	1	5	7
CAMBERWELL	65	-	-	-	1	-	1	-	4	13
DEPTFORD	29	-	-	-	-	-	-	-	2	4
GREENWICH	31	-	-	-	-	-	-	1	2	7
LEWISHAM	59	-	-	-	-	-	3	1	5	3
WOOLWICH	35	-	-	-	-	2	1	-	1	5

The deaths in the above Table are, so far as concerns London as a whole, corrected by the exclusion of deaths of non-residents, and by the inclusion of those of residents occurring in the Outer Ring or in Metropolitan public institutions situated outside the County. As between individual Metropolitan Boroughs, however, correction is complete.

TABLE 9. LONDON.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED during the Week ended 26th February, 1921.*

BOROUGH.	ESTI- MATED CIVILIAN POPU- LATION, MID. 1920.† (Provi- sional.)	Enteric Fever.	Malaria.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Group).	Pneumonia.	Erysipelas.	Cerebro-Spinal Fever.	Puerperal Fever.	Ophthalmia Neonatorum.	Poliomyelitis.	Dysentery.	Encephalitis Lethargica.	Trench Fever.	Polio- encephalitis.
WESTERN.																	
Paddington . . .	149,673	-	-	-	-	15	10	1	2	-	-	2	-	-	1	-	-
Kensington . . .	164,177	-	-	-	-	14	6	3	2	-	1	2	-	-	1	1	-
Hammersmith . . .	136,200	-	-	-	-	30	6	3	-	-	2	-	1	-	-	-	-
Fulham . . .	158,621	-	-	-	-	25	14	7	1	-	-	-	-	-	-	-	-
Chelsea . . .	62,987	-	-	-	-	3	1	-	2	-	-	-	-	-	-	-	-
City of Westminster . . .	132,615	-	-	-	-	3	6	-	-	-	1	1	-	-	-	-	-
NORTHERN.																	
St. Marylebone . . .	101,856	-	-	-	-	2	2	2	-	-	-	-	-	-	-	-	-
Hampstead . . .	91,519	-	-	-	-	8	2	1	1	-	-	-	-	-	1	-	-
St. Pancras . . .	228,178	-	-	-	-	12	16	18	1	-	-	1	-	-	-	-	-
Islington . . .	335,907	1	-	-	-	23	37	1	2	-	-	3	-	-	-	-	-
Stoke Newington . . .	52,984	-	-	-	-	4	3	-	-	-	-	1	-	-	-	-	-
Hackney . . .	225,372	-	-	-	-	23	25	3	3	-	-	1	-	-	1	-	-
CENTRAL.																	
Holborn . . .	39,676	-	-	-	-	2	8	1	-	-	-	-	-	-	-	-	-
Finsbury . . .	78,291	-	-	-	-	12	3	1	-	-	1	-	-	-	-	-	-
City of London . . .	14,447	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
EASTERN.																	
Shoreditch . . .	102,044	-	-	-	-	9	7	3	1	-	1	1	-	-	-	-	-
Bethnal Green . . .	114,471	-	-	-	-	17	17	6	2	-	1	-	-	-	1	-	-
Stepney . . .	241,770	1	-	-	-	29	11	12	3	1	-	-	-	-	-	-	-
Poplar . . .	159,766	-	-	-	-	20	15	8	4	-	1	-	-	-	-	-	-
SOUTHERN.																	
Southwark . . .	187,142	-	1	-	-	31	5	9	3	1	-	2	-	-	-	-	-
Bermondsey . . .	129,189	-	-	-	-	19	10	1	3	-	-	1	-	-	1	-	-
Lambeth . . .	293,572	-	-	-	-	31	6	3	3	-	1	3	-	-	-	-	-
Battersea . . .	165,664	-	-	-	-	24	14	9	2	-	-	4	-	-	1	-	-
Wandsworth . . .	346,990	1	1	-	-	32	32	13	1	-	-	1	-	-	-	-	-
Camberwell . . .	284,712	1	-	-	-	26	27	6	2	-	-	-	-	-	-	-	-
Deptford . . .	115,636	-	-	-	-	8	11	4	-	-	-	-	-	-	-	-	-
Greenwich . . .	102,408	-	-	-	-	10	9	3	2	-	-	-	-	-	1	-	-
Lewisham . . .	174,438	-	-	-	-	9	6	5	3	1	-	1	-	-	-	-	-
Woolwich . . .	141,666	-	1	-	-	18	10	3	2	-	-	-	-	-	1	-	-
TOTAL . . .	4,531,971	4	3	-	-	465	319	126	45	3	9	24	1	-	9	1	-
AGES.																	
Ages 0-1 . . .		-	-	-	-	4	4	13	-	2	-	24	-	-	-	-	-
" 1-5 . . .		-	-	-	-	76	84	20	1	-	-	-	-	-	-	-	-
" 5- . . .		1	-	-	-	218	138	13	1	-	-	-	1	-	-	-	-
" 10- . . .		-	-	-	-	95	41	6	1	-	-	-	-	-	1	-	-
" 15- . . .		1	-	-	-	33	15	7	1	-	1	-	-	-	-	-	-
" 20- . . .		1	1	-	-	15	12	5	4	-	1	-	-	-	1	-	-
" 25- . . .		-	1	-	-	20	19	13	5	1	5	-	-	-	1	-	-
" 35- . . .		1	-	-	-	3	3	13	5	-	2	-	-	-	1	1	-
" 45- . . .		-	1	-	-	1	2	11	14	-	-	-	-	-	3	-	-
" 55- . . .		-	-	-	-	-	1	14	7	-	-	-	-	-	2	-	-
" 65- . . .		-	-	-	-	-	-	5	5	-	-	-	-	-	-	-	-
" 75 and upwards . . .		-	-	-	-	-	-	6	1	-	-	-	-	-	-	-	-
Age not stated . . .		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

† See note † on first page of this return.

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS AND DEATHS REGISTERED:—

LONDON AND
NINETY-FIVE OTHER GREAT TOWNS.

~~~~~  
By Authority of the Registrar General.  
~~~~~

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased through any Bookseller or directly from
H.M. STATIONERY OFFICE at the following addresses:
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and
28, ABINGDON STREET, LONDON, S.W. 1;
37, PETER STREET, MANCHESTER;
1, ST. ANDREW'S CRESCENT, CARDIFF;
23, FORTH STREET, EDINBURGH;
or from E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN.

No. 10. VOL. LXXXII. 1921. WEEK ENDED SATURDAY, MAR. 12.
[Price 1½d. Net.]

*General Register Office, Somerset House,
March 15th, 1921.*

NINETY-SIX GREAT TOWNS.

For the NINETY-SIX GREAT TOWNS of England and Wales each of which had a population of 50,000 or over at the Census of 1911, the births registered last week numbered 8,516, and corresponded to an annual rate of 23·8 per 1,000. The deaths* among the civilian population only numbered 5,392, and corresponded to an annual rate of 15·2 per 1,000 of their aggregate civilian population, which is provisionally estimated† at 18,554,878 persons in the year 1920. In the three weeks ended February 19th, February 26th, and March 5th, the rates had been 15·4, 15·5, and 15·2 respectively. The infant mortality was 104, against 125, 118, and 112 in the preceding three weeks. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks; it also shows for the week ended last Saturday the births and the deaths from certain individual causes. A column showing the number of deaths

* Corrected as far as possible for deaths of non-residents and for those of residents occurring outside the area. Fully corrected figures will appear in the Registrar General's Annual Report.

† The estimates of population refer to the year 1920, and are based on the returns furnished under the scheme for rationing of food.

from influenza has been inserted in Table 1. The aggregate number of deaths from influenza in the 96 great towns in each of the last thirteen weeks is shown in Table 3A.

Measured by last week's mortality, the highest annual death-rates per 1,000 living were:—from *all causes*, 21·3 in Barnsley, 21·5 in Sunderland, 21·7 in Halifax, 21·8 in Carlisle, 22·2 in York, 22·4 in Aberdare, 22·5 in Middlesbrough, and 23·3 in Tynemouth; from *measles*, 1·4 in West Bromwich, and 2·5 in Stockton-on-Tees; from *scarlet fever*, 1·7 in Tynemouth; from *whooping cough*, 1·1 in Newport (Mon.); and from *diphtheria*, 1·8 in Tottenham. No death from *small-pox* was registered in any of the ninety-six towns.

LONDON.* (The Administrative County, including the City of London.)

For LONDON there were 2,074 BIRTHS, corresponding to a rate of 23·8 per 1,000, and 1,311 DEATHS of civilians, corresponding to a rate of 15·1, as against 14·2, 15·1, and 14·8 per 1,000 in the three weeks ended February 19th, February 26th, and March 5th. The death-rate in the four weeks ended last Saturday averaged 14·8 per 1,000. The infant mortality was 86, against 103, 88, and 85 in the preceding three weeks.

There was one death from *enteric fever*, against 0, 0, and 2 in the preceding three weeks, the average for the corresponding weeks of the previous five years being 1. The deaths from *measles*, which had been 3, 4, and 0 in the preceding three weeks, were 2 last week, being 44 below the average. The deaths from *scarlet fever*, which had been 7, 6, and 6 in the preceding three weeks, fell to 3 last week, being equal to the average. The deaths from *whooping-cough*, which had been 13, 9, and 13 in the preceding three weeks, fell to 9 last week, and were 17 below the average. The deaths from *diphtheria*, which had been 9, 27, and 18 in the preceding three weeks, rose to 26 last week, and were 10 above the average; 5 deaths belonged to the Borough of Islington and 3 each to Fulham and Bethnal Green. The deaths from *diarrhoea and enteritis under 2 years of age*, which had been 23, 16, and 22 in the preceding three weeks, were again 22 last week, being 9 above the average; 4 deaths belonged to Bethnal Green and 3 to Kensington. The deaths from *influenza* numbered 27, as against 12, 30, and 45 in the preceding three weeks and an average of 142.

Different forms of violence caused 41 deaths, of which 39 were the subject of coroners' inquests. Of these 41 deaths, 9 were cases of suicide, and 1 of homicide, while the remaining 31 were attributed to other forms of violence. Eight of these latter were referred to vehicles in the streets, 4 to burns or scalds, 2 to drowning, and 4 of infants under one year of age to suffocation in bed.

CASES OF INFECTIOUS DISEASE.†

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital, there were 13 cases of enteric fever, 28 of measles, 3,730 of scarlet fever, 25 of whooping-cough, and 2,818 of diphtheria under treatment in these hospitals on Saturday last (Table 3). The admissions during the week,

* See note * on first page.

† The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

as compared with those in the preceding three weeks, were as follows :—Of enteric fever, 1 case, against 1, 2, and 6; of measles, 8 cases, against 7, 10, and 3; of scarlet fever, 497 cases, against 496, 479, and 490; of whooping-cough, 3 cases, against 2, 4, and 0; and of diphtheria, 332 cases, against 341, 334, and 341. Table 9, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the county during the week ended March 5th, 1921.

TABLE 1.—26 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS,—BIRTHS and DEATHS REGISTERED, and DEATH RATES in the Week ended Saturday, 12th March, 1921, and DEATH-RATES in each of the preceding three Weeks.

Great Towns, &c.: Births, Deaths, and Rates of Mortality.

TOWNS.	ESTIMATED CIVILIAN POPULATION. MID. 1920 * (Provisional.)	DEATH-RATES from all Causes.					Week ended 12th Mar., 1921.		The DEATHS in the Week include										TOWNS.						
		Week ended					BIRTHS.	DEATHS.	Deaths from																
		19th Feb. 1921.	26th Feb. 1921.	5th Mar. 1921.	12th Mar. 1921.	1.			2.	3.	4.	5.	6.	7.	Deaths of										
															Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.		Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.
96 GREAT TOWNS.	18,554,878	15.4	15.5	15.2	15.2	5,392	883	1,866	3	-	25	18	41	68	76	149	163	353	1,710	32	21.	Cols.			
LONDON†	4,531,971	14.2	15.1	14.8	15.1	1,311	179	517	1	-	2	3	9	26	22	27	41	101	611	3	3	96 GREAT TOWNS. LONDON.†			
(CROYDON	191,550	15.5	11.7	16.1	14.2	52	6	23	-	-	-	-	1	-	-	2	2	6	16	-	-	(CROYDON.			
WIMBLEDON.	62,174	7.5	19.3	9.2	19.3	23	2	13	-	-	-	-	-	-	-	1	-	2	4	-	-	WIMBLEDON.			
EALING.	76,129	15.1	9.6	9.6	12.3	18	1	12	-	-	-	-	-	-	-	1	-	2	5	-	-	EALING.			
ACTON.	64,192	13.0	8.9	15.4	10.6	13	1	7	-	-	-	-	-	-	-	-	2	2	-	-	-	ACTON.			
WILLESDEN.	167,328	13.7	13.1	16.8	13.1	42	10	14	-	-	-	-	2	2	2	3	2	3	11	-	-	WILLESDEN.			
HORNSEY.	98,107	17.0	15.4	10.6	15.9	30	1	16	-	-	-	-	-	-	-	1	1	2	4	-	-	HORNSEY.			
TOTTENHAM	146,970	11.7	14.5	12.4	13.1	37	3	9	-	-	-	-	-	5	1	-	-	-	18	-	-	TOTTENHAM.			
† EDMONTON.	73,529	12.1	13.5	7.1	11.3	16	3	4	-	-	-	-	1	1	-	1	2	3	5	-	-	† EDMONTON.			
ENFIELD.	60,771	9.4	10.3	12.0	12.9	15	-	2	-	-	-	-	-	-	-	-	-	2	3	-	-	ENFIELD.			
WEST HAM.	299,440	16.9	14.8	13.9	18.5	106	18	26	-	-	-	-	-	-	1	2	4	7	37	-	-	WEST HAM.			
EAST HAM	150,207	8.3	16.0	11.5	11.1	32	1	13	-	-	-	-	-	1	1	2	-	2	13	-	-	EAST HAM.			
LEYTON.	128,832	8.9	13.4	15.8	12.5	31	4	9	-	-	1	-	-	4	-	2	1	3	14	-	-	LEYTON.			
WALTHAMSTOW	132,771	12.2	13.0	13.0	9.8	25	4	7	-	-	-	-	1	1	-	1	-	2	7	-	-	WALTHAMSTOW.			
(ILFORD.	82,693	17.7	13.2	10.7	14.5	23	-	13	-	-	-	-	-	-	-	2	2	2	9	-	-	(ILFORD.			
GILLINGHAM.	45,233	21.9	21.9	18.4	19.6	17	2	8	-	-	-	-	-	-	-	-	1	1	6	1	1	GILLINGHAM.			
HASTINGS.	59,972	18.3	27.8	19.1	20.9	24	5	12	-	-	-	-	1	-	-	5	1	1	9	-	-	HASTINGS.			
EASTBOURNE	50,354	16.6	9.3	16.6	19.7	19	1	9	-	-	-	-	-	-	-	3	-	-	5	-	-	EASTBOURNE			
BRIGHTON.	137,685	16.7	12.9	20.1	15.1	40	3	23	-	-	-	-	-	-	-	2	-	1	6	-	-	BRIGHTON.			
PORTSMOUTH.	235,998	16.8	17.5	15.5	13.3	60	7	26	1	-	-	-	-	1	1	3	2	3	20	-	-	PORTSMOUTH.			
BOURNEMOUTH.	85,919	23.7	18.2	19.4	9.1	15	1	9	-	-	-	-	-	-	-	2	1	2	4	-	-	BOURNEMOUTH.			
SOUTHAMPTON.	162,388	11.2	15.7	12.2	16.7	52	3	26	-	-	-	-	-	1	-	3	5	6	19	-	-	SOUTHAMPTON.			
READING.	95,006	11.5	17.6	11.0	12.1	22	2	11	-	-	-	-	-	-	-	1	1	1	9	1	1	READING.			
OXFORD.	59,963	15.7	11.3	13.9	9.6	11	2	2	-	-	-	-	-	-	-	2	-	-	2	-	-	OXFORD.			
NORTHAMPTON.	92,483	14.7	9.0	11.8	13.0	23	3	10	-	-	-	-	-	1	-	-	-	1	9	-	-	NORTHAMPTON.			
CAMBRIDGE.	60,154	13.9	18.2	23.4	15.6	18	1	10	-	-	-	-	-	-	-	1	-	-	2	-	-	CAMBRIDGE.			

* See note † on first page of this return.

† For Greater London see end of Table.

‡ These towns are included within the area of Greater London.

TABLE 1 (cont.).—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH-RATES in the Week ended Saturday, 12th March 1921, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	ESTIMATED CIVILIAN POPULATION, Mid. 1920.* Provisional.)	DEATH-RATES from all Causes.				Week ended 12th Mar., 1921.		Deaths of		The DEATHS in the Week include										Deaths in Public Institutions.				Uncertified Causes of Death.	Cols.
		Week ended				BIRTHS.	DEATHS.	Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from										Inquest Cases.	20.	21.			
										Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.	Violence							
		19th Feb., 1921.	26th Feb., 1921.	5th Mar., 1921.	12th Mar., 1921.														10.				11.		
	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.				
SOUTHEAD ON SEA .	87,332	20·9	12·5	11·3	14·9	23	25	3	10	-	-	-	-	-	-	-	-	-	1	4	-	SOUTHEAD ON SEA.			
IPSWICH .	81,119	17·4	13·0	15·4	13·5	27	21	3	10	-	-	-	-	-	-	-	-	1	3	5	-	IPSWICH.			
GREAT YARMOUTH .	55,193	13·2	16·1	15·1	19·8	23	21	3	13	-	-	-	-	1	-	-	2	1	2	5	-	GREAT YARMOUTH.			
NORWICH .	124,774	14·2	12·1	13·0	14·2	48	34	3	15	-	-	-	-	-	-	-	-	1	2	11	-	NORWICH.			
SWINDON .	53,580	9·7	8·8	13·6	4·9	19	5	1	1	-	-	-	-	-	-	-	-	-	-	1	-	SWINDON.			
EXETER .	61,365	15·3	19·5	15·3	11·9	11	14	2	7	-	-	-	-	-	-	1	-	-	1	3	-	EXETER.			
PLYMOUTH .	189,218	11·8	16·0	13·8	16·8	88	61	9	23	-	-	-	1	-	-	-	1	2	5	12	-	PLYMOUTH.			
BATH .	68,546	14·5	13·3	14·5	16·0	19	21	-	11	-	-	-	-	-	-	-	-	-	-	6	-	BATH.			
BRISTOL .	375,641	13·3	12·6	12·6	12·5	145	90	13	36	-	-	1	-	-	-	-	1	3	7	19	-	BRISTOL.			
GLOUCESTER .	52,096	19·0	14·0	17·0	10·0	26	10	-	7	-	-	-	-	-	-	-	-	-	-	2	-	GLOUCESTER.			
STOKE ON TRENT .	248,852	16·1	15·9	14·5	17·4	139	83	17	19	-	-	-	-	-	1	4	1	1	5	14	-	STOKE ON TRENT.			
WOLVERHAMPTON .	102,324	16·8	15·8	19·9	10·7	49	21	2	7	-	-	-	1	-	1	-	-	1	1	9	-	WOLVERHAMPTON.			
WALSALL .	96,419	20·5	13·0	15·7	9·7	58	18	8	2	-	-	-	-	-	-	3	1	1	2	3	-	WALSALL.			
WEST BROMWICH .	72,684	12·9	18·7	18·7	15·1	41	21	5	2	-	-	2	-	-	-	2	1	-	1	-	1	WEST BROMWICH.			
DUDLEY .	56,169	19·5	12·1	22·3	11·1	27	12	3	5	-	-	-	-	-	-	-	-	1	1	4	-	DUDLEY.			
BIRMINGHAM .	895,915	17·1	15·9	18·1	17·9	470	307	65	92	-	-	8	2	2	7	4	6	8	11	110	6	BIRMINGHAM.			
SMETHWICK .	75,027	17·4	13·2	11·8	11·1	31	16	2	1	-	-	-	-	-	-	1	-	-	-	4	-	SMETHWICK.			
COVENTRY .	137,310	9·9	10·6	11·0	10·6	53	28	3	9	-	-	-	-	-	1	-	-	-	1	4	-	COVENTRY.			
LEICESTER .	245,465	18·1	13·0	16·4	18·9	89	89	13	31	-	-	1	-	1	3	2	9	-	2	21	1	LEICESTER.			
LINCOLN .	67,543	8·5	14·7	16·2	15·4	23	20	4	9	-	-	-	-	-	-	-	-	-	-	5	-	LINCOLN.			
GRIMSBY .	31,953	16·5	12·1	7·6	13·4	35	21	3	5	-	-	-	-	-	-	1	1	-	1	5	-	GRIMSBY.			
NOTTINGHAM .	267,836	18·1	19·7	15·8	15·6	103	80	14	37	-	-	-	-	2	-	-	2	2	6	26	-	NOTTINGHAM.			
DERBY .	128,863	18·2	18·2	15·0	10·5	50	26	7	6	-	-	1	-	-	-	1	1	1	3	9	-	DERBY.			

* See note † on first page of this return

TOWNS.		ESTIMATED CIVILIAN POPULATION, MID. 1920 * (Provisional).	DEATHS IN THE WEEK INCLUDE					Week ended 12th Mar., 1921.		Deaths in the Week include										Deaths of			Deaths from			Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS				
			Causes.					BIRTHS.		DEATHS.		Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.	Violence.											
			Week ended					Week ended		10.	11.												12.	13.	14.					15.	16.	17.	18.
			19th Feb., 1921.	26th Feb., 1921.	5th Mar., 1921.	12th Mar., 1921.	12th Mar., 1921.	6.	7.																								
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.											
SHEFFIELD . . .	492,570	16.0	19.2	18.4	15.3	230	145	29	42	-	-	-	-	3	-	1	10	8	13	46	1	SHEFFIELD.											
ROTHERHAM . . .	71,785	11.6	13.1	13.1	16.7	36	23	7	4	-	-	-	-	1	-	-	-	-	1	4	-	ROTHERHAM.											
YORK . . .	77,501	17.5	18.8	16.1	22.2	33	33	5	11	-	-	-	-	-	-	1	3	2	3	9	-	YORK.											
HULL . . .	290,808	16.9	18.8	18.8	13.3	153	74	16	25	-	-	-	-	-	-	1	4	2	9	18	1	HULL.											
MIDDLESBROUGH . . .	132,208	18.9	18.1	21.3	22.5	78	57	14	17	-	-	-	-	-	-	2	-	1	1	6	-	MIDDLESBROUGH.											
DARLINGTON . . .	66,610	18.8	16.4	15.7	20.4	32	26	11	6	-	-	-	-	-	-	2	2	-	-	3	1	DARLINGTON.											
STOCKTON ON TEES . . .	63,114	14.0	16.5	21.5	18.2	34	22	4	7	-	-	3	-	-	-	1	-	-	-	3	1	STOCKTON ON TEES.											
WEST HARTLEPOOL . . .	68,126	22.2	18.4	25.3	16.8	31	22	5	5	-	-	-	-	-	-	-	1	2	1	3	-	WEST HARTLEPOOL.											
SUNDERLAND . . .	155,211	22.8	22.5	20.5	21.5	101	64	17	18	-	-	-	-	2	-	-	3	2	8	14	-	SUNDERLAND.											
SOUTH SHIELDS . . .	115,945	19.8	18.4	14.8	14.8	68	33	1	16	-	-	-	-	-	-	-	2	2	2	5	2	SOUTH SHIELDS.											
GATESHEAD . . .	128,309	17.5	20.3	14.2	17.5	83	43	12	10	-	-	-	-	1	-	-	-	3	3	5	1	GATESHEAD.											
NEWCASTLE ON TYNE.	286,061	15.3	18.2	17.5	16.8	168	92	15	34	-	-	2	1	-	-	1	3	1	4	22	-	NEWCASTLE ON TYNE.											
TYNEMOUTH . . .	60,318	13.8	19.9	15.6	23.3	38	27	4	6	-	-	-	2	-	-	-	-	-	-	6	1	TYNEMOUTH.											
CARLISLE . . .	57,397	12.7	14.5	20.9	21.8	20	24	6	8	-	-	-	-	-	1	-	3	2	2	4	1	CARLISLE.											
NEWPORT (MON.) . . .	90,728	14.4	19.0	16.1	13.8	54	24	10	7	-	-	-	-	2	-	-	-	1	1	6	-	NEWPORT (MON.).											
CARDIFF . . .	212,582	11.8	14.2	13.0	15.5	92	63	9	11	-	-	-	2	1	-	1	-	4	5	19	-	CARDIFF.											
RHONDDA . . .	184,999	15.8	14.4	12.1	15.8	115	56	20	9	-	-	-	-	1	-	1	4	2	4	3	-	RHONDDA.											
MERTHYR TYDFIL . . .	74,493	13.3	13.3	16.1	14.7	39	21	6	5	-	-	-	-	-	-	-	-	1	3	7	-	MERTHYR TYDFIL.											
ABERDARE . . .	53,431	15.6	18.5	12.7	22.4	24	23	3	4	-	-	-	-	-	-	-	1	-	-	2	-	ABERDARE.											
SWANSEA . . .	167,218	15.0	16.2	11.8	10.9	71	35	5	14	-	-	-	-	-	2	-	-	-	3	5	-	SWANSEA.											
GREATER LONDON . . .	7,548,647	13.8	14.4	14.3	14.5	3282	2093	269	825	1	-	3	5	16	43	30	66	65	153	844	3	GREATER LONDON.											
OUTER RING . . .	3,016,676	13.3	13.4	13.6	13.5	1208	782	90	308	-	-	1	2	7	17	8	39	24	52	233	-	OUTER RING.											
14 GREAT TOWNS IN OUTER RING.	1,734,723	13.3	13.6	13.2	13.9	720	463	54	168	-	-	1	-	5	14	5	18	16	36	146	-	14 GREAT TOWNS IN OUTER RING.											
REMAINDER OF OUTER RING.	1,281,953	13.3	13.2	14.1	13.0	488	319	36	140	-	-	-	2	2	3	3	21	8	16	87	-	REMAINDER OF OUTER RING.											
EDINBURGH† . . .	446,200	16.7	20.1	17.8	18.7	172	160	25	58	-	-	4	-	3	4	1	5	7	?	?	?	EDINBURGH.†											
GLASGOW† . . .	1,100,400	18.7	21.0	19.6	19.3	569	407	70	115	2	-	2	1	32	3	7	17	6	?	?	?	GLASGOW.†											
DUBLIN (Registra- tion Area).†	423,000	18.2	18.1	18.9	18.1	193	147	20	49	-	-	-	-	1	2	3	6	3	2	62	3	DUBLIN (Registra- tion Area).†											
BELFAST† . . .	420,000	18.5	19.1	17.5	20.0	232	161	37	26	2	-	1	1	11	1	3	3	5	4	40	1	BELFAST.†											

* See note † on first page of this return.

† The populations are total populations and relate to 1921. Deaths and the death-rates in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week: those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

TABLE 2. LONDON.—Births and Deaths registered during the TENTH Week of each of the Eleven Years, 1911-1921.

	1911.	1912.	1913.	1914.	1915.	1916.	1917.	1918.	1919.	1920.	1921.
Births (as registered).	2274	2225	2111	2053	2237	1943	1654	1498	1245	2701	2074
Males -	1182	1115	1053	1038	1098	1018	861	753	657	1391	1110
Females -	1092	1110	1058	1015	1139	925	793	745	588	1310	964
Deaths (of residents only).	1391	1152	1581	1238	1794	1467*	1535*	1420*	2054*	1436*	1311
Males -	695	580	779	652	922	727	818	725	986	753	652
Females -	696	572	802	586	872	740	717	695	1068	683	659

* Deaths in civilian population only.

TABLE 3. LONDON.—BIRTHS and DEATHS REGISTERED, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the last THIRTEEN WEEKS.

	Dec. 18.	Dec. 25.	1921. Jan. 1.	Jan. 8.	Jan. 15.	Jan. 22.	Jan. 29.	Feb. 5.	Feb. 12.	Feb. 19.	Feb. 26.	Mar. 5.	Mar. 12.
Births (as registered) . . .	1793	1733	2031	2373	2059	2009	2039	1856	2058	2041	1908	1987	2074
Deaths (of residents only).	1335	1279	1382	1117	1099	1121	1011	1158	1147	1232	1313	1282	1311
Ages													
Under 1 year	213	170	234	178	186	177	160	189	181	211	168	168	170
1-2 years	31	33	45	34	28	34	31	49	43	39	30	34	41
2-5 "	34	23	25	20	26	32	24	34	29	23	31	26	23
5-10 "	28	24	21	31	30	23	19	28	34	24	33	21	23
10-15 "	16	13	11	17	17	16	14	13	17	20	15	15	16
15-20 "	17	17	28	20	29	19	24	23	20	16	18	21	23
20-25 "	17	27	35	19	24	20	19	25	19	25	29	17	23
25-35 "	56	62	65	70	62	44	47	51	44	50	65	66	53
35-45 "	86	89	84	78	77	77	78	75	54	91	90	81	90
45-55 "	147	137	127	105	117	118	125	125	121	104	141	117	133
55-65 "	180	186	216	189	155	183	149	169	153	170	185	201	177
65-75 "	243	246	220	189	165	193	146	192	207	215	247	254	243
75 years and upwards	267	252	271	197	183	185	175	185	225	244	261	261	270
Deaths from—													
Enteric fever	-	1	-	-	1	1	1	-	1	-	-	2	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	-	4	-	1	3	2	1	-	-	3	4	-	-
Scarlet fever	11	5	8	8	2	5	8	8	7	7	6	6	-
Whooping cough	7	2	4	6	2	8	4	6	15	13	9	13	-
Diphtheria	25	27	22	24	23	28	19	28	28	9	27	18	2
Diarrhoea and enteritis (under 2 years).	24	17	20	17	20	19	18	22	18	23	16	22	2
Pulmonary tuberculosis . .	95	101	90	84	99	100	98	105	74	102	100	105	10
Influenza	21	14	20	21	16	14	6	9	13	12	30	45	2
Pneumonia (all forms) . .	149	165	171	141	112	117	92	128	104	131	144	148	16
Bronchitis	189	175	165	96	116	101	95	98	153	158	167	159	14
Other dis. of resp. system .	20	14	27	17	15	7	16	14	10	23	23	23	2
Dis. of circ. system . .	207	209	208	184	202	178	181	194	218	223	208	219	22
Violence	39	42	50	40	34	35	40	49	32	32	50	34	4
Inquest cases	124	122	117	93	89	81	74	99	90	86	106	85	10
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Enteric fever	19	18	18	20	17	12	11	7	9	10	9	15	1
Small-pox	-	-	1	1	1	1	1	1	-	-	-	-	-
Measles	15	19	18	15	13	14	15	17	18	23	28	26	2
Scarlet fever	4994	4780	4817	4608	4413	4350	4171	4018	3945	3919	3845	3738	373
Whooping cough	27	22	17	20	20	23	27	26	26	24	25	22	2
Diphtheria	2654	2547	2642	2588	2597	2618	2682	2767	2770	2808	2800	2809	281

* The Metropolitan Asylums Board and London Fever Hospitals. The figures do not refer to London exclusively.

TABLE 3A. 96 Great Towns.—DEATHS from INFLUENZA in the last THIRTEEN WEEKS.

	Dec. 18.	Dec. 25.	1921. Jan. 1.	Jan. 8.	Jan. 15.	Jan. 22.	Jan. 29.	Feb. 5.	Feb. 12.	Feb. 19.	Feb. 26.	Mar. 5.	Mar. 12.
Deaths from Influenza . . .	75	81	89	101	87	66	61	61	93	103	138	167	14

TABLE 4. LONDON.—DEATHS REGISTERED in the TENTH Week of the Year 1921.

CAUSES OF DEATH.	Deaths in the 10th week of the year 1920.	DEATHS of PERSONS of the AGES													
		ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-10 years.	10-15 years.	15-20 years.	20-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and up- wards.
ALL CAUSES	1436	1311	179	45	24	22	15	24	25	53	93	138	176	243	274
Enteric fever	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Small-pox	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	56	2	1	-	1	-	-	-	-	-	-	-	-	-	-
Scarlet fever	5	3	-	-	2	1	-	-	-	-	-	-	-	-	-
Whooping cough	41	9	4	4	-	1	-	-	-	-	-	-	-	-	-
Diphtheria	25	26	2	5	10	6	-	1	-	2	-	-	-	-	-
Croup	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza	57	27	-	-	1	-	-	2	-	3	4	2	4	6	5
Erysipelas	1	4	-	-	-	-	-	-	-	-	-	2	1	-	1
Other epidemic diseases	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-
Pyæmia and septicæmia	2	4	-	-	-	-	1	-	-	-	1	-	1	1	-
Tetanus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis :—															
Pulmonary tuberculosis	94	100	1	1	-	-	2	14	11	17	17	21	7	9	-
Tuberculous meningitis	13	10	5	1	-	2	2	-	-	-	-	-	-	-	-
Abdominal tuberculosis	3	2	-	1	-	-	-	-	-	-	-	1	-	-	-
Tuberculosis of the spine	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of the joints	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of other organs	1	2	-	-	-	1	-	-	-	-	-	-	-	-	1
Disseminated tuberculosis	4	2	-	-	1	-	-	-	-	1	-	-	-	-	-
Venereal diseases	6	8	4	1	-	-	-	-	-	2	-	-	1	-	-
Cancer	88	122	-	-	-	-	-	-	-	1	5	24	35	37	20
Tumour, situation undefined	-	2	-	-	-	-	-	-	-	-	-	-	1	-	1
Rheumatic fever	7	1	-	-	-	-	1	-	-	-	-	-	-	-	-
Diabetes	7	13	-	-	-	-	-	-	-	-	1	3	4	5	-
Anæmia, leucocythaemia	6	2	-	-	-	-	-	-	-	-	1	-	1	-	-
Other general diseases	10	12	3	-	-	-	-	-	-	-	-	1	3	2	3
Alcoholism	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Chronic poisonings	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	9	5	1	-	1	-	-	-	1	1	-	-	1	-	-
Cerebral hæmorrhage, Apoplexy	39	40	-	-	-	-	-	-	-	-	2	2	9	17	10
Softening of brain	1	2	-	-	-	-	-	-	-	-	-	-	2	-	-
Paralysis, without specified cause	5	6	-	-	-	-	-	-	-	-	-	1	-	3	2
Epilepsy	5	6	-	-	-	1	2	-	-	1	1	-	-	1	-
"Convulsions" (not puerperal)	4	6	6	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system	19	21	-	1	-	-	1	-	2	-	5	6	6	-	-
Pericarditis	3	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Acute endocarditis	8	7	1	-	-	-	-	-	-	-	4	1	1	-	-
Organic disease of heart	169	159	-	-	-	1	2	1	-	3	6	15	22	58	51
Embolism and thrombosis (including cerebral).	6	14	-	-	-	-	-	-	-	-	-	2	2	2	8
Other diseases of circulatory system.	39	42	1	-	-	-	-	-	-	-	3	3	8	12	15
Diseases of the larynx	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis	161	149	10	2	2	-	-	-	-	1	5	8	20	42	59
Broncho-pneumonia	113	83	34	17	4	-	-	1	-	1	3	1	10	4	8
Lobar pneumonia	38	44	2	2	1	-	-	2	4	5	3	9	5	7	4
Pneumonia (type not distinguished)	46	38	4	2	1	-	-	-	1	3	5	4	9	3	6
Pleurisy	4	2	-	-	-	-	1	-	-	1	-	-	-	-	-
Pulmonary congestion, Pulmonary apoplexy.	3	10	-	-	-	-	-	-	-	-	-	2	-	2	6
Other diseases of respiratory system.	10	15	-	-	-	-	-	-	-	-	2	3	3	5	2

TABLE 5.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM							
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria and Croup.*	Diarrhoeal Diseases† (under 2 years).	Influenza.
LONDON† . .	4,531,971	1921. Mar. 12	2,074	1,311	15·1	1	-	2	3	9	26	22	27
CALCUTTA . .	896,067	Jan. 29	-	865§	50·1	?	-	?	?	?	?	?	30
BOMBAY . .	979,445	Feb. 5	413	1,170§	62·1	1	4	2	-	-	-	58	35
MADRAS . .	518,660	Jan. 29	311	493§	49·4	3	1	1	?	1	-	40	4
PARIS . .	2,847,229	(10 days) Feb. 20	-	-	-	-	-	-	-	-	-	-	-
BRUSSELS . .	792,919	-	-	-	-	-	-	-	-	-	-	-	-
ANTWERP . .	335,579	Feb. 19	127	74	11·8	-	-	1	1	-	-	3	1
AMSTERDAM .	689,205	" 26	278	159	12·0	2	-	1	-	3	1	2	2
COPENHAGEN .	571,000	" 26	283	138	12·6	-	-	-	3	-	-	1	1
STOCKHOLM .	415,201	" 19	99	97	12·1	-	-	-	-	-	1	-	-
GOTHENBURG .	205,494	" 5	-	49	12·4	-	-	-	-	-	1	-	-
CHRISTIANIA .	260,904	" 12	-	43	10·8	1	-	-	-	-	2	-	-
		" 26	77	58	11·6	-	-	-	-	1	3	-	-
BERLIN . .	1,934,000	" 19	638	663	17·8	1	?	3	1	3	4	9	7
BRESLAU . .	540,000	" 19	265	187	18·0	-	?	1	-	-	6	3	4
COLOGNE . .	660,000	" 19	348	184	14·5	1	?	1	-	-	7	5	3
DRESDEN . .	538,000	" 19	222	150	14·5	-	?	1	1	-	2	1	2
FRANKFORT- ON-MAIN.	463,000	" 19	173	95	10·7	-	?	-	-	-	-	-	4
HAMBURG . .	996,000	" 19	425	294	15·4	2	?	2	1	2	2	7	3
LEIPZIG . .	624,000	" 19	288	169	14·1	-	?	-	-	-	-	6	5
MUNICH . .	670,000	" 19	219	185	14·4	-	?	3	-	-	-	3	2
VIENNA . .	1,842,005	" 12	585	667	18·8	2	-	3	-	2	4	16	4
		" 19	633	633	17·9	2	-	-	-	2	3	14	4
PRAGUE AND SUBURBS.	726,381	Feb. 5	268	210	15·1	-	-	-	-	-	-	6	1
BUDAPEST . .	1,071,492	Dec. 23	272	383	18·6	2	?	13	16	-	2	13	2
TRIESTE . .	243,487	Feb. 19	112	93	19·8	1	-	-	-	-	1	6	-
CAIRO . .	761,300	Jan. 7	-	-	-	-	-	-	-	-	-	-	-
ALEXANDRIA .	445,700	" 7	-	-	-	-	-	-	-	-	-	-	-
NEW YORK . .	5,753,151	Feb. 12	2,358	1,467	13·3	-	-	4	20	7	42	21	9
CHICAGO . .	2,780,655	" 19	-	652	12·2	-	-	2	2	1	16	47	4

* Excluding deaths from croup in Bombay and Madras.

† The deaths in this column relate to *all ages* for Bombay, Madras, Christiania, and Budapest, and to *children under 1 year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

§ Including 3 death from *plague* in Bombay, and from *Asiatic cholera*, 67 deaths in Calcutta, 5 in Madras,TABLE 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 12th March, 1921.
(Supplied by the Meteorological Office.)

TOWNS.	Temperature of Air.*				Rainfall in Milli- metres.†	TOWNS.	Temperature of Air.*				Rainfall in Milli- metres.†
	Highest.	Lowest.	Mean Maxi- mum.	Mean Mini- mum.			Highest.	Lowest.	Mean Maxi- mum.	Mean Mini- mum.	
LONDON (Greenwich) }	61	27	53·9	35·7	8	BRADFORD . .	55	29	49·4	36·6	3
BRIGHTON . .	52	29	50·0	37·6	9	SHEFFIELD . .	56	30	49·7	36·9	2
PORTSMOUTH . .	57	31	51·3	39·4	2	YORK (Museum) .	57	29	50·4	36·4	3
NORWICH (South- well Lodge) }	57	23	52·0	34·7	5	HULL (Pearson Park)	58	31	50·6	38·0	6
PLYMOUTH . .	54	34	50·6	38·7	7	TYNEMOUTH . .	54	30	47·9	37·1	2
BRISTOL (Clifton) .	53	33	49·3	37·0	8	CARDIFF . .	52	32	50·4	37·4	8
BIRMINGHAM . .	56	29	49·4	36·1	5	EDINBURGH . .	50·0	24·0	46·3	35·6	1
NOTTINGHAM . .	58	31	49·7	38·0	6	GLASGOW . .	48·6	24·9	44·1	36·4	14
BIRKENHEAD (Bidston) }	54	29	48·6	36·9	4	DUBLIN :—					
MANCHESTER . .	57	30	50·4	36·4	2	Phoenix Park .	57·8	21·5	50·3	35·5	1
BURNLEY . .	54	23	47·6	34·9	4	† Fitzwilliam Square	56·1	29·0	50·1	38·8	1
HUDDERSFIELD . .	56	28	49·4	35·4	2	BELFAST . .	53·5	26·0	48·9	36·6	3

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.

† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.

‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

TABLE 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 12th March 1921.

[Under the Superintendence of the Astronomer Royal.]

1921. MONTH AND DAY.			Phases of the Moon.	BARO- METER. Mean daily reading (cor- rected and re- duced to 32° Fahren- heit).	TEMPERATURE.				Difference between the Air Temperature and Dew Point Temperature.			De- gree of Hu- mid- ity (Satu- ration equals 100).	TEMPERATURE.			Wind as deduced from Anemometers.				Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
					Of the Air.				Of the Dew point.	Mean Great- est. Least.			Of Radiation.	Of the Earth 4 feet below the Surface.	Osler's.		Robinson's.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
					High- est.	Low- est.	Daily Range.	Mean daily value.	De- parture from Average of 65 years.	Mean daily value.	Mean Great- est.		Least.	Highest in Sun's Rays.	Lowest on the Grass.	A.M.	P.M.	Great- est.	Least. hourly obs.		Horizontal Movement of the Air Average of 50 years.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
MARCH.			..	in.	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°

DATE.		ELECTRICITY. (For explanation of symbols, see Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
MARCH..					
SUNDAY	6	v.P. generally, v.N. also between 16h. 30m. and 20h. 30m.	6.2	11.2	Clearing by 1h. to nearly cloudless with hoar frost; variably cloudy from 9h.; over- cast by 16h.; rain generally 16h. 30m. to 20h. 30m.
MONDAY	7	s.P. generally till 19h., v.P. afterwards.	5.1	11.2	Cloudy generally with overcast intervals till 18h., becoming cloudless generally with mist and hoar frost by 19h.
TUESDAY	8	v.P. generally, v.N. at times.	0.9	11.3	Nearly cloudless with hoar frost till 3h.; cloudy to nearly overcast generally by 6h.; frequent slight rain between 13h. and 21h., clearing after 23h.
WEDNESDAY	9	s.P. generally, v.P. and v.N. between 10h. and 16h.	1.2	11.3	Nearly cloudless till 4h., becoming overcast generally by 5h., clearing from 2h. 30m.; nearly cloudless by 22h., with hoar frost.
THURSDAY	10	m.P. and s.P. throughout.	10.1	11.4	Cloudless with slight exceptions, clouding up after 23h. to overcast by midnight; hear frost in morning.
FRIDAY	11	v.P. throughout	1.5	11.5	Nearly overcast generally with few cloudy intervals; fine period 19h. 30m. to 22h.
SATURDAY	12	v.P. generally, a little v.N. at times.	0.1	11.6	Overcast generally with few cloudy intervals and occasional slight rain.
No. of Col.		26	Sum 25.1	Sum 79.5	
			27	28	

The results apply to the civil day, or from midnight to midnight.
The height of the cistern of the barometer is 152 feet above the mean level of the sea; no
correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of
the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer
are converted into mean daily values by the application of corrections deduced from a
discussion of the photographic records made during the fifty years ending 1903. With the
corrected mean reading of the dry bulb thermometer is combined the corrected mean of the
readings of the maximum and minimum thermometers, forming the mean daily value of
the temperature of the air (column 8). The mean daily dew point temperature and degree of
humidity are deduced from the mean daily values of the dry and wet bulb thermometers by
Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations
made at Greenwich during the 65 years ending 1903, and that of horizontal movement of the
air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "higher," and
- "lower," than the average.

The values given in column 17 are not corrected for the index error of the thermometer,
which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The
symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and
v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show
the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29.57 in. at the beginning of the week to
29.46 in. by 15h. on 6th; increased to 30.06 in. by 19h. on 7th; decreased to 29.49 in. by 17h.
on 10th; increased to 29.67 in. by 23h. on 11th., and decreased generally to 29.64 in. by
midnight on 12th.

TABLE 8. LONDON.—DEATHS of PERSONS BELONGING to the several METROPOLITAN BOROUGHs REGISTERED in the Week ended 5th March, 1921.

BOROUGHs.	Deaths from									Deaths of Infants under 1 Year of Age.
	ALL CAUSES.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Pulmonary Tuberculosis.	
COUNTY OF LONDON .	1,282	2	-	-	6	13	18	22	105	168
Western										
PADDINGTON	40	-	-	-	-	1	-	4	2	7
KENSINGTON	65	-	-	-	-	1	-	1	2	9
HAMMERSMITH	34	-	-	-	-	-	1	-	2	4
FULHAM	36	-	-	-	-	1	1	2	3	6
CHELSEA	10	-	-	-	-	-	-	-	1	1
CITY OF WESTMINSTER .	40	-	-	-	-	1	-	-	4	3
Northern.										
ST. MARYLEBONE . . .	34	-	-	-	-	1	-	2	4	6
HAMPSTEAD	22	-	-	-	-	-	-	-	1	-
ST. PANCRAS	77	-	-	-	-	2	-	1	5	8
ISLINGTON	98	-	-	-	-	-	2	2	12	12
STOKE NEWINGTON . . .	11	-	-	-	-	-	1	-	-	2
HACKNEY	77	-	-	-	-	-	1	-	3	7
Central.										
HOLBORN	15	-	-	-	-	-	-	-	1	-
FINSBURY	22	-	-	-	-	-	1	-	3	7
CITY OF LONDON . . .	1	-	-	-	-	-	-	-	-	-
Eastern.										
SHOREDITCH	20	-	-	-	-	1	-	1	2	6
BETHNAL GREEN	35	1	-	-	2	2	1	1	5	3
STEPNEY	59	-	-	-	-	-	-	2	8	10
POPLAR	49	-	-	-	-	-	1	-	3	6
Southern.										
SOUTHWARK	49	-	-	-	-	-	-	-	1	6
BERMONDSEY	31	-	-	-	-	-	5	-	3	6
LAMBETH	89	-	-	-	1	-	-	-	4	11
BATTERSEA	61	-	-	-	-	-	1	-	5	10
WANDSWORTH	81	-	-	-	-	-	1	-	8	5
CAMBERWELL	66	1	-	-	1	1	1	1	9	8
DEPTFORD	24	-	-	-	1	-	-	-	1	4
GREENWICH	41	-	-	-	1	-	-	1	7	6
LEWISHAM	46	-	-	-	-	-	1	-	1	5
WOOLWICH	49	-	-	-	-	2	-	4	5	10

The deaths in the above Table are, so far as concerns London as a whole, corrected by the exclusion of deaths of non-residents, and by the inclusion of those of residents occurring in the Outer Ring or in Metropolitan public institutions situated outside the County. As between individual Metropolitan Boroughs, however, correction is complete.

TABLE 9. LONDON.—NUMBER OF CASES OF INFECTIOUS DISEASE NOTIFIED during the Week ended 5th March, 1921.*

Boroughs.	ESTI- MATED CIVILIAN POPU- LATION, MID. 1920.† (Provi- sional.)	Enteric Fever.	Malaria.	Typhus.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Group).	Pneumonia.	Erysipelas.	Cerebro-Spinal Fever.	Puerperal Fever.	Ophthalmia Neonatorum.	Poliomyelitis.	Dysentery.	Encephalitis Lethargica.	Trench Fever.	Polio- encephalitis.
WESTERN.																	
Paddington . . .	149,673	1	-	-	-	13	6	4	-	-	-	-	-	-	1	-	-
Kensington . . .	164,177	-	-	-	-	6	7	3	1	-	-	-	-	-	1	-	-
Hammersmith . . .	136,200	-	-	-	-	28	9	6	-	-	-	3	-	1	-	-	-
Fulham . . .	158,621	-	-	-	-	16	14	10	3	-	-	1	-	-	-	-	-
Chelsea . . .	62,987	-	-	-	-	3	3	-	-	-	-	1	-	-	-	-	-
City of Westminster . . .	132,615	-	-	-	-	10	10	1	3	-	-	1	-	-	-	-	-
NORTHERN.																	
St. Marylebone . . .	101,856	-	-	-	-	11	10	1	-	-	-	1	-	-	-	-	-
Hampstead . . .	91,519	-	-	-	-	3	5	1	1	-	-	-	-	-	1	-	-
St. Pancras . . .	228,178	-	2	-	-	22	12	21	1	-	-	4	-	-	1	-	-
Islington . . .	335,907	-	-	-	-	21	37	4	1	1	-	4	-	-	-	-	-
Stoke Newington . . .	52,984	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-
Hackney . . .	225,372	-	1	-	-	25	24	1	2	-	-	3	-	-	-	-	-
CENTRAL.																	
Holborn . . .	39,676	-	-	-	-	3	4	-	-	-	-	-	-	-	-	-	-
Finsbury . . .	78,291	3	-	-	-	7	4	2	2	-	-	2	-	-	-	-	-
City of London . . .	14,447	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
EASTERN.																	
Shoreditch . . .	102,044	-	-	-	-	8	6	-	1	-	1	1	-	-	-	-	-
Bethnal Green . . .	114,471	1	-	-	-	15	15	1	2	-	-	1	-	-	-	-	-
Stepney . . .	241,770	1	-	-	-	28	6	8	4	-	-	2	-	-	-	-	-
Poplar . . .	159,766	-	-	-	-	30	15	10	2	-	1	-	-	-	-	-	-
SOUTHERN.																	
Southwark . . .	187,142	-	-	‡1	-	25	6	7	1	-	-	-	-	-	-	-	-
Bermondsey . . .	129,189	-	-	-	-	18	12	-	-	-	-	1	-	-	-	-	-
Lambeth . . .	293,572	-	-	-	-	30	9	16	3	-	-	3	-	-	-	-	-
Battersea . . .	165,664	-	-	-	-	23	9	10	1	-	-	2	-	-	-	-	-
Wandsworth . . .	346,990	-	1	-	-	41	19	25	1	-	1	-	-	-	-	-	-
Camberwell . . .	284,712	-	2	-	-	28	23	5	1	-	1	1	-	-	1	-	-
Deptford . . .	115,636	-	-	-	-	6	4	2	1	-	-	1	-	-	-	-	-
Greenwich . . .	102,408	-	-	-	-	10	10	6	-	-	-	-	-	-	-	-	-
Lewisham . . .	174,438	-	-	-	-	16	14	1	2	-	-	-	-	-	1	-	-
Woolwich . . .	141,666	-	-	-	-	27	19	8	-	-	-	2	-	-	-	-	-
TOTAL . . .	4,531,971	6	6	1	-	476	316	153	33	1	4	35	-	1	6	-	-
AGES.																	
Ages 0-1 . . .		-	-	-	-	4	8	13	-	-	-	35	-	-	-	-	-
" 1-5 . . .		1	-	-	-	92	68	24	-	1	-	-	-	-	1	-	-
" 5- . . .		2	-	-	-	212	140	10	-	-	-	-	-	-	-	-	-
" 10- . . .		1	-	-	-	113	59	9	2	-	-	-	-	-	-	-	-
" 15- . . .		-	-	1	-	24	7	6	2	-	-	-	-	-	1	-	-
" 20- . . .		-	1	-	-	10	13	10	1	-	2	-	-	1	-	-	-
" 25- . . .		1	4	-	-	13	10	19	3	-	2	-	-	-	1	-	-
" 35- . . .		-	1	-	-	7	7	14	7	-	-	-	-	-	1	-	-
" 45- . . .		1	-	-	-	-	3	16	9	-	-	-	-	-	1	-	-
" 55- . . .		-	-	-	-	1	1	14	5	-	-	-	-	-	1	-	-
" 65- . . .		-	-	-	-	-	-	10	4	-	-	-	-	-	-	-	-
" 75 and upwards . . .		-	-	-	-	-	-	8	-	-	-	-	-	-	-	-	-
Age not stated . . .		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

† See note † on first page of this return.

‡ Subsequently found not to be a case of Typhus.

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS AND DEATHS REGISTERED:-

LONDON AND

NINETY-FIVE OTHER GREAT TOWNS.

~~~~~  
By Authority of the Registrar General,  
~~~~~

LONDON:

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from

H.M. STATIONERY OFFICE at the following addresses:

IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and

28, ABINGDON STREET, LONDON, S.W. 1;

37, PETER STREET, MANCHESTER;

1, ST. ANDREW'S CRESCENT, CARDIFF;

23, FORTH STREET, EDINBURGH;

or from E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN.

No. 11. VOL. LXXXII. 1921. WEEK ENDED SATURDAY, MAR. 19.
[Price 1½d. Net.]

*General Register Office, Somerset House,
March 22nd, 1921.*

NINETY-SIX GREAT TOWNS.

For the NINETY-SIX GREAT TOWNS of England and Wales each of which had a population of 50,000 or over at the Census of 1911, the births registered last week numbered 8,245, and corresponded to an annual rate of 23·1 per 1,000. The deaths* among the civilian population only numbered 4,946, and corresponded to an annual rate of 13·9 per 1,000 of their aggregate civilian population, which is provisionally estimated† at 18,554,878 persons in the year 1920. In the three weeks ended February 26th, March 5th and March 12th, the rates had been 15·5, 15·2, and 15·2 respectively. The infant mortality was 97, against 118, 112, and 104 in the preceding three weeks. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks; it also shows for the week ended last Saturday the births and the deaths from certain individual causes. A column showing the number of deaths

* Corrected as far as possible for deaths of non-residents and for those of residents occurring outside the area. Fully corrected figures will appear in the Registrar General's Annual Report.

† The estimates of population refer to the year 1920, and are based on the returns furnished under the scheme for rationing of food.

from influenza has been inserted in Table 1. The aggregate number of deaths from influenza in the 96 great towns in each of the last thirteen weeks is shown in Table 3A.

Measured by last week's mortality, the highest annual death-rates per 1,000 living were:—from *all causes*, 22·5 in Middlesborough, 23·7 in Dewsbury, 26·1 in Hastings, and 26·8 in Bury and in Tynemouth; from *measles*, 2·9 in West Bromwich; and from *diphtheria*, 2·8 in Merthyr Tydfil. No death from *small-pox* was registered in any of the ninety-six towns.

LONDON.* (The Administrative County, including the City of London.)

For LONDON there were 2,004 BIRTHS, corresponding to a rate of 23·0 per 1,000, and 1,142 DEATHS of civilians, corresponding to a rate of 13·1, as against 15·1, 14·8, and 15·1 per 1,000 in the three weeks ended February 26th, March 5th, and March 12th. The death-rate in the four weeks ended last Saturday averaged 14·5 per 1,000. The infant mortality was 78, against 88, 85, and 86 in the preceding three weeks.

There was no death from *enteric fever*, against 0, 2, and 1 in the preceding three weeks, the average for the corresponding weeks of the previous five years being 2. The deaths from *measles*, which had been 4, 0, and 2 in the preceding three weeks, rose last week to 5, but were 41 below the average. The deaths from *scarlet fever*, which had been 6, 6, and 3 in the preceding three weeks, rose last week to 9, and were 6 above the average. The deaths from *whooping-cough*, which had been 9, 13, and 9 in the preceding three weeks, fell last week to 7, and were 26 below the average. The deaths from *diphtheria*, which had been 27, 18, and 26 in the preceding three weeks, fell last week to 20, but were 2 above the average. The deaths from *diarrhoea and enteritis under 2 years of age*, which had been 16, 22, and 22 in the preceding three weeks, fell last week to 17, the average being 16. The deaths from *influenza* numbered 42, as against 30, 45, and 27 in the preceding three weeks and an average of 122.

Different forms of violence caused 44 deaths, all of which were the subject of coroners' inquests. Of these 44 deaths, 11 were cases of suicide, while the remaining 33 were attributed to other forms of violence. Twelve of these latter were referred to vehicles in the streets, 6 to burns or scalds, 3 to drowning, and 2, including 1 of an infant under one year of age, to suffocation in bed.

CASES OF INFECTIOUS DISEASE.†

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital, there were 12 cases of enteric fever, 26 of measles, 3,695 of scarlet fever, 26 of whooping-cough, and 2,817 of diphtheria under treatment in these hospitals on Saturday last (Table 3). The admissions during the week,

* See note * on first page.

† The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

as compared with those in the preceding three weeks, were as follows :—Of enteric fever, 1 case, against 2, 6, and 1; of measles, 7 cases, against 10, 3, and 8; of scarlet fever, 507 cases, against 479, 490, and 497; of whooping-cough, 4 cases, against 4, 0, and 3; and of diphtheria, 309 cases, against 334, 341, and 332. Table 9, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the county during the week ended March 12th, 1921.

TABLE 1.—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH RATES in the Week ended Saturday, 19th March, 1921, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.		ESTIMATED		DEATH-RATES from all Causes.				Week ended		Week ended		The DEATHS in the Week include										TOWNS.	
		CIVILIAN	POPULAT. ON. MID. 1920 * (Provisional.)	Week ended				19th Mar., 1921.		Deaths from													
				26th Feb., 1921.	5th Mar., 1921.	12th Mar., 1921.	19th Mar., 1921.	BIRTHS.	DEATHS.	Deaths from													
										Deaths of	Deaths from												
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.	
96 GREAT TOWNS.	18,554,878	15.5	15.2	15.2	13.9	8,245	4,946	796	1,740	4	-	34	20	51	63	77	151	149	311	1,583	44	96 GREAT TOWNS.	
LONDON†	4,531,971	15.1	14.8	15.1	13.1	2,004	1,142	157	431	-	-	5	9	7	20	17	42	44	90	547	2	LONDON.†	
(CROYDON.	191,580	11.7	16.1	14.2	16.1	74	59	7	22	-	-	-	-	2	-	-	2	4	7	5	-	(CROYDON.	
WIMBLEDON.	62,174	19.3	9.2	19.3	16.8	20	20	1	6	-	-	-	1	-	-	-	1	-	-	5	-	WIMBLEDON.	
EALING.	76,129	9.6	9.6	12.3	13.0	27	19	3	6	-	-	-	-	-	-	-	-	-	1	8	-	EALING.	
ACTON.	64,192	8.9	15.4	10.6	13.0	23	16	2	10	-	-	-	-	-	1	-	1	-	-	4	-	ACTON.	
WILLESDEN.	167,328	13.1	16.8	13.1	10.0	74	32	6	10	-	-	-	-	2	1	1	-	-	-	14	-	WILLESDEN.	
HORNSEY.	98,107	15.4	10.6	15.9	13.8	35	26	3	11	-	-	-	-	-	-	-	2	-	1	5	-	HORNSEY.	
TOTTENHAM	146,970	14.5	12.4	13.1	11.4	44	32	3	11	-	-	-	-	-	1	-	-	1	4	13	-	TOTTENHAM.	
† EDMONTON.	73,529	13.5	7.1	11.3	14.2	42	20	4	3	-	-	-	1	-	2	-	-	2	3	14	-	† EDMONTON.	
ENFIELD.	60,771	10.3	12.0	12.9	16.3	16	19	1	11	-	-	-	-	1	-	-	-	1	2	9	-	ENFIELD.	
WEST HAM.	299,440	14.8	13.9	18.5	13.4	167	77	12	30	-	-	-	1	-	1	1	3	-	1	35	-	WEST HAM.	
EAST HAM	150,207	16.0	11.5	11.1	11.8	52	34	7	8	-	-	-	-	1	1	-	-	-	2	11	-	EAST HAM.	
LEYTON.	128,832	13.4	15.8	12.5	13.0	54	32	4	16	-	-	-	1	-	-	-	-	2	4	12	-	LEYTON.	
WALTHAMSTOW	132,771	13.0	13.0	9.8	9.4	58	24	4	4	-	-	-	-	1	-	-	1	2	4	9	-	WALTHAMSTOW.	
(ILFORD.	82,693	13.2	10.7	14.5	15.8	23	25	1	10	-	-	-	1	-	-	-	1	-	2	2	-	(ILFORD.	
GILLINGHAM	45,233	21.9	18.4	19.6	10.4	26	9	-	5	-	-	-	-	-	1	-	-	-	-	1	-	GILLINGHAM.	
HASTINGS.	59,972	27.8	19.1	20.9	26.1	16	30	2	20	-	-	-	-	-	-	-	3	3	3	8	-	HASTINGS.	
EASTBOURNE	50,354	9.3	16.6	19.7	13.5	15	13	1	8	-	-	-	-	-	-	-	-	-	1	4	-	EASTBOURNE	
BRIGHTON.	137,685	12.9	20.1	15.1	12.9	52	34	4	20	-	-	-	-	1	-	-	-	3	3	12	-	BRIGHTON.	
PORTSMOUTH.	235,998	17.5	15.5	13.3	12.2	104	55	4	21	-	-	-	-	-	-	-	4	3	4	17	-	PORTSMOUTH.	
BOURNEMOUTH.	85,919	18.2	19.4	9.1	17.6	18	29	1	19	-	-	-	-	-	-	1	2	-	3	5	-	BOURNEMOUTH	
SOUTHAMPTON.	162,388	15.7	12.2	16.7	12.8	73	40	4	11	-	-	-	-	-	1	1	4	2	3	14	-	SOUTHAMPTON.	
READING.	15,006	17.6	11.0	12.1	13.2	34	24	4	15	-	-	-	-	-	-	-	2	-	1	3	1	READING.	
OXFORD.	59,963	11.3	13.9	9.6	9.6	27	11	2	6	-	-	-	-	-	-	-	-	1	1	1	-	OXFORD.	
NORTHAMPTON.	92,483	9.0	11.8	13.0	9.0	44	16	5	3	-	-	-	-	-	-	-	-	2	3	2	1	NORTHAMPTON.	
CAMBRIDGE	60,154	18.2	23.4	15.6	11.3	21	13	1	6	-	-	-	-	-	-	-	-	1	1	2	-	CAMBRIDGE.	

* See note † on first page of this return.

† For Greater London see end of Table.

‡ These towns are included within the area of Greater London.

TABLE 1 (cont.).—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH-RATES in the Week ended Saturday, 19th March 1921, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	ESTIMATED CIVILIAN POPULATION, MID. 1920.* Provisional.)	DEATH-RATES from all Causes.					Week ended 19th Mar., 1921.		The DEATHS in the Week include										TOWNS.			
		Week ended					BIRTHS.	DEATHS.	Deaths from								Inquest Cases.	Deaths in Public Institutions.		Uncertified Causes of Death.		
		26th Feb., 1921.	5th Mar., 1921.	12th Mar., 1921.	19th Mar., 1921.	Deaths of Infants under 1 Year of Age.			Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Typhoea and Enteritis (under 2 years).					Influenza.	Violence
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
SOUTHEAD ON SEA.	87,332	12.5	11.3	14.9	12.5	25	21	-	11	-	-	-	-	-	-	-	1	2	2	3	-	SOUTHEAD ON SEA.
IPSWICH.	81,119	18.0	15.4	13.5	12.2	31	19	2	10	-	-	-	-	-	-	-	1	-	-	6	-	IPSWICH.
GREAT YARMOUTH.	55,193	16.1	15.1	19.8	17.0	21	18	3	7	-	-	-	-	-	-	-	1	1	1	3	-	GREAT YARMOUTH.
NORWICH.	124,774	12.1	13.0	14.2	14.2	47	34	8	13	-	-	-	-	1	2	2	-	1	3	11	-	NORWICH.
SWINDON.	53,580	8.8	13.6	4.9	12.7	29	13	4	5	-	-	2	-	-	-	-	-	-	-	3	-	SWINDON.
EXETER.	61,365	19.5	15.3	11.9	15.3	16	18	1	10	-	-	-	-	-	-	-	-	1	2	3	-	EXETER.
PLYMOUTH.	189,218	16.0	13.8	16.8	16.8	87	61	5	23	-	-	1	-	1	-	2	-	1	3	10	-	PLYMOUTH.
BATH.	68,546	18.3	14.5	16.0	11.4	26	15	3	7	-	-	-	-	-	-	-	-	-	2	5	-	BATH.
BRISTOL.	375,641	12.6	12.6	12.5	13.2	172	95	18	33	-	-	1	-	1	3	2	3	2	7	33	-	BRISTOL.
GLOUCESTER.	52,096	14.0	17.0	10.0	14.0	29	14	6	3	-	-	-	-	-	-	-	1	-	-	1	-	GLOUCESTER.
STOKE ON TRENT.	248,852	15.9	14.5	17.4	17.4	139	83	25	25	-	-	-	1	-	-	4	1	3	3	9	3	STOKE ON TRENT.
WOLVERHAMPTON.	102,324	15.8	19.9	10.7	15.8	57	31	5	10	-	-	-	-	-	-	2	1	1	2	5	-	WOLVERHAMPTON.
WALSALL.	96,419	13.0	15.7	9.7	8.1	59	15	8	5	-	-	-	-	1	-	-	-	1	2	5	-	WALSALL.
WEST BROMWICH.	72,684	18.7	18.7	15.1	15.8	37	22	1	7	-	-	4	1	-	1	1	-	1	1	3	-	WEST BROMWICH.
DUDLEY.	56,169	12.1	22.3	11.1	13.9	36	15	2	4	-	-	1	-	-	-	-	-	1	1	2	-	DUDLEY.
BIRMINGHAM.	895,915	15.9	18.1	17.9	14.7	421	253	51	71	-	-	5	-	2	3	2	6	5	6	82	13	BIRMINGHAM.
SMETHWICK.	75,027	13.2	11.8	11.1	13.2	27	19	5	3	-	-	1	-	-	-	1	-	-	2	-	-	SMETHWICK.
COVENTRY.	137,310	10.6	11.0	10.6	10.6	63	28	3	12	-	-	-	-	-	-	-	-	1	2	10	-	COVENTRY.
LEICESTER.	245,465	13.0	16.4	18.9	17.6	108	83	7	43	-	-	-	-	-	-	-	10	-	-	20	1	LEICESTER.
LINCOLN.	67,543	14.7	16.2	15.4	12.4	28	16	3	9	-	-	-	-	-	-	-	-	1	1	2	-	LINCOLN.
GRIMSBY.	31,953	12.1	7.6	13.4	10.2	41	16	2	4	-	-	-	-	-	-	-	-	-	-	2	-	GRIMSBY.
NOTTINGHAM.	267,836	19.7	15.8	15.6	17.5	130	90	15	37	-	-	-	-	1	1	-	5	-	1	27	-	NOTTINGHAM.
DERBY.	128,868	18.2	15.0	10.5	13.8	47	34	1	18	-	-	-	-	1	-	-	-	-	-	12	-	DERBY.

* See note † on first page of this return.

TABLE 1 (cont.).—86 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED and DEATH-RATE in the Week ended Saturday, 19th March, 1921, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	DEATH-RATES from all Causes.				Week ended 19th Mar., 1921.		The DEATHS in the Week include										TOWNS.					
	ESTIMATED CIVILIAN POPULATION MID. 1920.* (Provisional.)	Week ended			BIRTHS.	DEATHS.	Deaths of		Deaths from									Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes or Death.		
		26th Feb., 1921.	5th Mar., 1921.	12th Mar., 1921.			19th Mar., 1921.	Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Butteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).					Influenza.	Violence.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
STOCKPORT	130,635	12·0	13·2	14·0	10·8	48	27	1	11	-	-	-	1	-	1	-	-	-	-	9	-	STOCKPORT.
BIRKENHEAD	153,951	13·9	12·9	13·2	9·1	72	27	2	10	-	-	-	-	-	1	-	1	-	-	13	-	BIRKENHEAD.
WALLASEY	99,226	10·0	12·1	13·1	8·4	38	16	3	4	-	-	-	-	-	-	-	-	1	2	3	-	WALLASEY.
LIVERPOOL	803,452	16·1	13·7	14·4	11·4	397	176	35	43	1	-	-	-	4	2	7	2	6	11	80	2	LIVERPOOL.
BOOTLE	80,029	16·3	13·7	8·5	16·9	30	26	2	9	-	-	-	-	-	2	-	-	-	-	6	2	BOOTLE.
ST. HELENS	104,822	15·4	14·4	10·9	12·4	59	25	8	2	-	-	-	-	1	-	-	-	2	2	4	-	ST. HELENS.
SOUTHPORT	72,939	23·6	14·3	14·3	18·6	23	26	2	14	-	-	-	-	-	-	1	1	1	1	1	2	SOUTHPORT.
WIGAN	99,866	18·9	16·1	13·8	14·3	51	25	7	3	-	-	-	-	-	-	-	-	1	1	4	-	WIGAN.
WARRINGTON	77,939	19·4	13·4	18·7	11·4	31	17	3	2	-	-	-	-	2	-	-	2	2	2	7	-	WARRINGTON.
BOLTON	134,533	12·4	17·2	15·8	17·2	75	61	6	25	-	-	-	-	-	1	-	-	2	4	13	1	BOLTON.
BURY	56,410	17·6	9·2	13·9	26·8	27	29	6	7	-	-	-	1	-	-	4	-	4	7	5	1	BURY.
MANCHESTER	770,597	13·6	14·5	14·5	13·8	298	204	34	61	3	-	-	1	3	5	5	3	5	13	80	3	MANCHESTER.
SALFORD	235,239	19·3	15·1	17·5	16·4	111	74	18	16	-	-	-	-	-	-	-	-	2	7	22	-	SALFORD.
OLDHAM	143,154	14·9	17·8	12·7	13·8	45	38	3	16	-	-	-	-	-	-	-	-	2	4	5	-	OLDHAM.
ROCHDALE	93,639	13·4	13·9	16·7	11·1	42	20	1	7	-	-	-	-	-	1	-	-	-	1	3	-	ROCHDALE.
BURNLEY	105,030	17·4	16·4	13·9	10·9	53	22	7	9	-	-	-	-	1	-	-	2	-	-	4	-	BURNLEY.
BLACKBURN	131,012	15·5	18·3	13·9	15·1	42	38	10	11	-	-	-	-	-	-	-	-	-	1	6	-	BLACKBURN.
PRESTON	121,950	9·0	19·7	20·5	11·1	50	26	7	9	-	-	-	-	-	-	1	-	-	1	6	2	PRESTON.
BLACKPOOL	70,545	14·8	17·0	14·0	16·3	29	22	3	8	-	-	-	-	-	-	-	-	1	1	5	2	BLACKPOOL.
BARROW IN FURNESS	76,561	15·0	13·6	15·7	15·0	28	22	7	4	-	-	1	-	-	-	-	-	-	-	4	-	BARROW IN FURNESS.
HUDDERSFIELD	116,776	11·2	14·3	11·2	11·2	44	25	5	7	-	-	-	-	-	1	-	-	-	-	6	-	HUDDERSFIELD.
HALIFAX	105,847	15·8	16·7	21·7	14·8	26	30	5	12	-	-	-	-	-	-	-	-	2	4	11	-	HALIFAX.
BRADFORD	293,979	16·9	18·4	19·7	13·7	109	77	8	33	-	-	3	-	1	-	-	-	3	6	20	-	BRADFORD.
LEEDS	449,212	16·6	15·6	14·7	12·2	212	105	16	38	-	-	1	-	1	-	-	4	2	10	39	-	LEEDS.
DEWSBURY	55,080	12·3	17·0	8·5	23·7	29	25	6	7	-	-	-	-	-	-	1	-	-	1	2	-	DEWSBURY.
WAKEFIELD	51,169	20·4	22·4	17·3	12·2	21	12	1	4	-	-	-	-	-	-	1	-	-	-	6	-	WAKEFIELD.
BARNLEY	53,739	25·2	19·4	21·3	17·5	35	18	9	3	-	-	-	-	-	-	-	1	-	-	2	-	BARNLEY.

* See note † on first page of this return.

TOWNS.	CIVILIAN POPULATION, MID. 1920 * (Provisional).	Week ended					Week ended 19th Mar., 1921.		Deaths of		Deaths from										Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS
							BIRTHS.	DEATHS.	Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.	Violence.					
		26th Feb., 1921.	5th Mar., 1921.	12th Mar., 1921.	19th Mar., 1921.																			
	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.		
SHEFFIELD	492,570	19.2	18.4	15.3	14.2	224	134	31	42	-	-	3	-	7	1	3	6	6	11	36	-	SHEFFIELD.		
ROTHERHAM	71,785	13.1	13.1	16.7	8.0	37	11	4	3	-	-	-	-	-	-	1	-	-	-	3	-	ROTHERHAM.		
YORK	77,501	18.8	16.1	22.2	16.1	27	24	3	10	-	-	-	-	-	-	-	4	1	3	7	-	YORK.		
HULL	290,808	18.8	18.8	13.3	18.8	144	105	15	47	-	-	-	-	1	-	3	2	2	7	30	-	HULL.		
MIDDLESBROUGH	132,208	18.1	21.3	22.5	22.5	82	57	13	23	-	-	1	-	-	-	2	2	1	2	7	-	MIDDLESBROUGH.		
DARLINGTON	66,610	16.4	15.7	20.4	18.0	39	23	1	9	-	-	-	-	-	-	-	3	-	-	6	-	DARLINGTON.		
STOCKTON ON TEES	63,114	16.5	21.5	18.2	12.4	33	15	3	5	-	-	1	-	-	-	2	-	-	-	-	-	STOCKTON ON TEES.		
WEST HARTLEPOOL	68,126	18.4	25.3	16.8	13.8	41	18	4	4	-	-	-	-	-	-	-	2	1	1	3	-	WEST HARTLEPOOL.		
SUNDERLAND	155,211	22.5	20.5	21.5	17.5	91	52	9	15	-	-	-	-	1	-	1	-	-	2	14	-	SUNDERLAND.		
SOUTH SHIELDS	115,945	18.4	14.8	14.8	18.0	79	40	4	15	-	-	-	-	-	-	-	3	2	3	5	1	SOUTH SHIELDS.		
GATESHEAD	128,309	20.3	14.2	17.5	15.0	66	37	4	14	-	-	1	-	-	-	-	-	-	-	8	2	GATESHEAD.		
NEWCASTLE ON TYNE.	286,061	18.2	17.5	16.3	18.2	139	100	15	23	-	-	3	-	3	2	2	2	-	5	23	-	NEWCASTLE ON TYNE.		
TYNEMOUTH	60,318	19.9	15.6	23.3	26.8	31	31	6	7	-	-	-	-	1	-	-	2	1	1	14	1	TYNEMOUTH.		
CARLISLE	57,397	14.5	20.9	21.8	19.1	25	21	5	3	-	-	-	-	-	-	-	1	-	1	5	1	CARLISLE.		
NEWPORT (MON.)	90,728	19.0	16.1	13.8	10.3	36	18	6	7	-	-	-	-	-	-	-	-	-	-	5	-	NEWPORT (MON.).		
CARDIFF	212,582	14.2	13.0	15.5	11.3	79	46	9	11	-	-	-	-	1	1	-	2	3	5	11	-	CARDIFF.		
RHONDDA	184,999	14.4	12.1	15.8	13.0	79	46	13	10	-	-	-	1	-	1	1	2	-	1	1	2	RHONDDA.		
MERTHYR TYDFIL	74,493	13.3	16.1	14.7	19.6	36	28	2	8	-	-	-	-	-	4	-	-	2	2	8	1	MERTHYR TYDFIL.		
ABERDARE	53,431	18.5	12.7	22.4	13.7	28	14	4	1	-	-	-	-	-	-	-	-	1	1	3	-	ABERDARE.		
SWANSEA	167,218	16.2	11.8	10.9	15.3	85	49	9	15	-	-	-	-	1	1	1	-	-	2	9	-	SWANSEA.		
GREATER LONDON	7,548,647	14.4	14.3	14.5	13.1	3171	1890	246	722	-	-	5	14	17	30	21	77	64	138	785	2	GREATER LONDON.		
OUTER RING	3,016,676	13.4	13.6	13.5	12.9	1167	748	89	291	-	-	-	5	10	10	4	35	20	48	238	-	OUTER RING.		
14 GREAT TOWNS IN OUTER RING.	1,734,723	13.6	13.2	13.9	13.1	709	435	58	158	-	-	-	5	7	7	2	11	12	31	146	-	14 GREAT TOWNS IN OUTER RING.		
REMAINDER OF OUTER RING.	1,281,953	13.2	14.1	13.0	12.7	458	313	31	133	-	-	-	-	3	3	2	24	8	17	92	-	REMAINDER OF OUTER RING.		
EDINBURGH†	446,200	20.1	17.8	18.7	18.5	204	158	30	55	-	-	6	-	2	1	1	7	5	?	?	?	EDINBURGH.†		
GLASGOW†	1,100,400	21.0	19.6	19.3	18.9	554	398	80	102	-	-	1	2	47	4	7	15	11	?	?	?	GLASGOW.†		
DUBLIN (Registration Area).†	423,000	18.1	18.9	18.1	17.3	175	140	20	33	-	-	-	-	-	1	2	2	6	5	62	4	DUBLIN (Registration Area).†		
BELFAST†	420,000	19.1	17.5	20.0	18.3	206	147	29	40	-	-	-	-	16	-	3	-	1	2	45	5	BELFAST.†		

* See note † on first page of this return.
† The populations are total populations and relate to 1921. Deaths and the death-rates in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week : those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

TABLE 2. LONDON.—Births and Deaths registered during the ELEVENTH Week of each of the Eleven Years, 1911-1921.

	1911.	1912.	1913.	1914.	1915.	1916.	1917.	1918.	1919.	1920.	1921.
Births (as registered).	2060	2321	2172	2110	2099	2134	1844	1601	1507	2672	2004
Males -	1034	1170	1110	1069	1033	1111	978	791	747	1396	998
Females -	1006	1151	1062	1041	1066	1023	866	810	760	1276	1006
Deaths (of residents only).	1419	1103	1523	1227	1823	1601*	1592*	1446*	1649*	1484*	1142*
Males -	749	583	767	647	901	807	841	699	804	717	588
Females -	670	520	756	580	922	794	751	747	845	767	554

* Deaths in civilian population only.

TABLE 3. LONDON.—BIRTHS and DEATHS REGISTERED, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the last THIRTEEN WEEKS.

	Dec. 25.	1921. Jan. 1.	Jan. 8.	Jan. 15.	Jan. 22.	Jan. 29.	Feb. 5.	Feb. 12.	Feb. 19.	Feb. 26.	Mar. 5.	Mar. 12.	Mar. 19.
Births (as registered)	1733	2031	2373	2059	2009	2039	1856	2058	2041	1908	1987	2074	2004
Deaths (of residents only).	1279	1382	1117	1099	1121	1011	1158	1147	1232	1313	1282	1311	1142
Under 1 year	170	234	178	186	177	160	189	181	211	168	168	179	157
1-2 years -	33	45	34	28	34	31	49	43	39	30	34	45	46
2-5 " -	23	25	20	26	32	24	34	29	23	31	26	24	28
5-10 " -	24	21	31	30	23	19	28	34	24	33	21	22	19
Ages 10-15 " -	13	11	17	17	16	14	13	17	20	15	15	15	21
15-20 " -	17	28	20	29	19	24	23	20	16	18	21	24	24
at 20-25 " -	27	35	19	24	20	19	25	19	25	29	17	25	29
25-35 " -	62	65	70	62	44	47	51	44	50	65	66	53	52
Death 35-45 " -	89	84	78	77	77	78	75	54	91	90	81	93	79
45-55 " -	137	127	105	117	118	125	125	121	104	141	117	138	109
55-65 " -	186	216	159	155	183	149	169	153	170	185	201	176	147
65-75 " -	246	220	189	165	193	146	192	207	215	247	254	243	188
75 years and upwards	252	271	197	183	185	175	185	225	244	261	261	274	243
Deaths from—													
Enteric fever	1	—	—	1	1	1	—	1	—	—	2	1	—
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	4	—	1	3	2	1	—	—	3	4	—	2	5
Scarlet fever	5	8	8	2	5	8	8	7	7	6	6	3	9
Whooping cough	2	4	6	2	8	4	6	15	13	9	13	9	7
Diphtheria	27	22	24	23	28	19	28	28	9	27	18	26	20
Diarrhoea and enteritis (under 2 years).	17	20	17	20	19	18	22	18	23	16	22	22	17
Pulmonary tuberculosis	101	90	84	99	100	98	105	74	102	100	105	100	101
Influenza	14	20	21	16	14	6	9	13	12	30	45	27	42
Pneumonia (all forms)	165	171	141	112	117	92	128	104	131	144	148	165	117
Bronchitis	175	165	96	116	101	95	98	153	158	167	159	149	131
Other dis. of resp. system . . .	14	27	17	15	7	16	14	10	23	23	23	27	16
Dis. of circ. system	209	208	184	202	178	181	194	218	223	208	219	223	177
Violence	42	50	40	34	35	40	49	32	32	50	34	41	44
Inquest cases	122	117	93	99	81	74	99	90	86	106	85	101	90
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Enteric fever	18	18	20	17	12	11	7	9	10	9	15	13	12
Small-pox	—	1	1	1	1	1	1	—	—	—	—	—	—
Measles	19	18	15	13	14	15	17	18	23	28	26	28	26
Scarlet fever	4780	4817	4608	4413	4350	4171	4018	3945	3919	3845	3738	3730	3695
Whooping cough	22	17	20	20	23	27	26	26	24	25	22	25	26
Diphtheria	2547	2642	2588	2597	2618	2682	2767	2770	2808	2800	2809	2818	2817

* The Metropolitan Asylums Board and London Fever Hospitals. The figures do not refer to London exclusively.

TABLE 3A. 96 Great Towns.—DEATHS from INFLUENZA in the last THIRTEEN WEEKS.

	Dec. 25.	1921. Jan. 1.	Jan. 8.	Jan. 15.	Jan. 22.	Jan. 29.	Feb. 5.	Feb. 12.	Feb. 19.	Feb. 26.	Mar. 5.	Mar. 12.	Mar. 19.
Deaths from Influenza	81	89	101	87	66	61	61	93	103	138	167	149	151

TABLE 4. LONDON.—DEATHS REGISTERED in the ELEVENTH Week of the Year 1921.

CAUSES OF DEATH.	Deaths in the 11th week of the year 1920.	DEATHS OF PERSONS OF THE AGES													
		ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-10 years.	10-15 years.	15-20 years.	20-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and up- wards.
ALL CAUSES	1484	1142	157	46	28	19	21	24	29	52	79	109	147	188	243
Enteric fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	70	5	2	2	1	-	-	-	-	-	-	-	-	-	-
Scarlet fever	5	9	1	1	3	3	-	-	1	-	-	-	-	-	-
Whooping cough	37	7	2	4	1	-	-	-	-	-	-	-	-	-	-
Diphtheria	29	20	2	2	5	5	3	1	-	1	1	-	-	-	-
Croup	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza	91	42	2	-	1	-	-	-	-	4	6	5	8	8	8
Erysipelas	3	4	1	-	-	-	-	-	1	-	-	1	1	-	-
Other epidemic diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pyæmia and septicæmia	2	2	-	-	1	-	-	-	-	-	-	-	1	-	-
Tetanus	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis:—															
Pulmonary tuberculosis	100	101	-	1	1	3	3	8	13	20	22	14	9	5	2
Tuberculous meningitis	9	6	3	2	1	-	-	-	-	-	-	-	-	-	-
Abdominal tuberculosis	6	3	1	-	-	-	1	-	-	-	-	-	-	-	1
Tuberculosis of the spine	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of the joints	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Tuberculosis of other organs	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Disseminated tuberculosis	3	4	-	-	-	-	1	-	-	1	-	1	-	1	-
Venereal diseases	5	4	2	-	-	-	-	1	-	-	1	-	-	-	-
Cancer	101	96	1	-	1	-	-	-	-	2	5	20	25	28	14
Tumour, situation undefined	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic fever	11	7	-	-	-	1	2	3	-	-	1	-	-	-	-
Diabetes	7	9	-	-	-	-	-	-	-	1	2	-	2	1	3
Anæmia, leucocythæmia	8	7	-	-	-	-	1	-	-	-	1	1	2	1	1
Other general diseases	11	7	1	1	-	-	-	-	-	-	-	1	2	1	1
Alcoholism	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic poisonings	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	13	6	2	-	-	-	-	1	-	1	-	-	-	2	-
Cerebral hæmorrhage, Apoplexy	43	40	-	-	-	-	-	-	-	-	1	3	11	10	15
Softening of brain	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Paralysis, without specified cause	4	2	-	-	-	-	-	-	-	-	-	-	-	2	-
Epilepsy	3	5	-	-	-	-	-	1	1	1	-	-	-	-	1
"Convulsions" (not puerperal)	9	5	5	-	-	-	-	-	-	-	-	-	-	1	-
Other diseases of nervous system	31	25	-	-	-	-	-	1	1	1	4	6	6	2	4
Pericarditis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute endocarditis	7	11	-	-	-	-	-	1	2	2	3	2	1	-	-
Organic disease of heart	128	132	-	-	-	1	2	-	2	8	3	11	28	39	38
Embolism and thrombosis (including cerebral).	6	4	-	-	-	-	-	-	-	-	-	1	1	-	2
Other diseases of circulatory system.	43	30	-	-	-	-	-	-	-	1	2	-	4	13	10
Diseases of the larynx	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Bronchitis	156	131	15	3	2	-	-	-	-	1	4	9	13	26	58
Broncho-pneumonia	97	67	22	15	4	3	1	-	-	-	2	5	5	5	8
Lobar pneumonia	38	24	-	3	1	-	-	-	-	-	4	5	4	4	3
Pneumonia (type not distinguished)	48	26	4	1	1	-	-	-	-	-	3	3	3	4	7
Pleurisy	5	3	-	-	-	-	-	-	-	-	1	1	-	1	-
Pulmonary congestion, Pulmonary apoplexy.	4	6	1	-	-	-	1	-	-	-	-	-	2	-	2
Other diseases of respiratory system.	12	6	-	-	-	-	-	-	-	-	2	1	3	-	-

TABLE 5.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM							
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria and Croup.*	Diarrhoeal Diseases (under 2 years).	Influenza.
LONDON†	4,531,971	1921. Mar. 19	2,004	1,142	13·1	-	-	5	9	7	20	17	42
BOMBAY	896,067	Feb. 5	-	899§	52·2	2	3	2	2	2	2	2	45
BOMBAY	896,067	" 12	-	777§	45·8	2	-	2	2	2	2	2	53
MADRAS	979,445	" 12	370	1,324§	70·0	2	8	5	-	-	-	68	48
MADRAS	518,660	" 5	318	527§	52·8	5	-	-	2	1	-	55	4
CHENNAI	2,847,229	(10 days) Feb. 20	-	-	-	-	-	-	-	-	-	-	-
COLOMBO	792,919	-	-	-	-	-	-	-	-	-	-	-	-
AMSTERDAM	336,572	Feb. 26	125	76	12·2	-	-	-	-	-	1	2	-
AMSTERDAM	689,205	Mar. 5	115	76	12·2	-	-	-	-	-	1	4	1
AMSTERDAM	689,205	" 5	300	181	13·7	3	-	1	-	-	2	2	1
COPENHAGEN	571,000	" 5	252	155	14·2	-	-	1	1	-	1	2	1
STOCKHOLM	415,201	Feb. 26	114	121	15·2	-	-	-	-	-	-	1	-
STOCKHOLM	415,201	" 19	-	33	8·4	-	-	-	-	-	-	1	-
STOCKHOLM	205,494	" 26	-	46	11·6	-	-	-	-	-	2	2	1
CHRISTIANIA	260,904	Mar. 5	104	58	11·6	-	-	1	-	-	1	3	-
BRUSSELS	1,934,000	Feb. 26	627	501	13·5	-	?	3	-	6	6	7	8
BRUSSELS	540,000	" 26	252	190	18·3	-	?	-	-	-	2	9	3
BERLIN	660,000	" 26	329	173	13·6	-	?	3	1	-	1	1	4
BUDAPEST	538,000	" 26	216	148	14·3	-	?	1	-	-	1	2	5
ANTWERP	463,000	" 26	172	87	9·8	-	?	-	-	-	1	1	4
PARIS	996,000	" 26	386	237	12·4	2	?	1	-	-	-	4	3
PARIS	624,000	" 26	282	166	13·8	-	?	-	-	1	1	5	2
PARIS	670,000	" 26	219	198	15·4	-	?	2	-	-	-	4	5
PARIS	1,842,005	" 26	620	624	17·6	4	-	1	-	1	3	10	3
PARIS	726,381	" 12	261	213	15·3	4	-	-	-	1	-	9	1
PARIS	1,092,000	Jan. 1	360	356	17·0	3	?	10	5	2	2	22	1
PARIS	243,487	Feb. 26	129	73	15·6	-	-	-	-	1	1	3	-
PARIS	761,300	Jan. 7	-	-	-	-	-	-	-	-	-	-	-
ALEXANDRIA	445,700	" 7	-	-	-	-	-	-	-	-	-	-	-
NEW YORK	5,753,151	Feb. 19	2,976	1,498	13·6	2	-	3	16	8	33	18	10
CHICAGO	2,780,655	" 26	-	694	13·0	-	-	5	8	2	23	33	-

including deaths from croup in Bombay and Madras.

Deaths in this column relate to *all ages* for Bombay, Madras, Christiania, and Budapest, and to *children under year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

Estimated population and deaths refer to the civilian population only.

Including 0 and 1 death from *plague* in Calcutta and 4 in Bombay, and from *Asiatic cholera*, 47 and 36 deaths in Calcutta, 1 in Bombay, and 15 in Madras.

TABLE 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 19th March, 1921.
(Supplied by the Meteorological Office.)

TOWNS.	Temperature of Air.*				Rainfall in Milli- metres.†	TOWNS.	Temperature of Air.*				Rainfall in Milli- metres.†
	Highest.	Lowest.	Mean Maxi- mum.	Mean Mini- mum.			Highest.	Lowest.	Mean Maxi- mum.	Mean Mini- mum.	
LONDON (Greenwich)	61	36	56·6	42·1	9	BRADFORD	54	36	50·3	37·4	11
LONDON	52	36	50·6	38·6	13	SHEFFIELD	54	36	51·4	39·6	11
LONDON	54	38	53·1	43·4	11	YORK (Museum)	54	35	51·9	40·3	8
LONDON (Eaton)	59	36	55·1	42·1	11	HULL (Pearson Park)	56	37	53·6	40·9	6
LONDON	52	38	51·0	42·9	21	TYNEMOUTH	55	37	51·0	39·4	4
LONDON (Clifton)	53	32	50·7	38·4	24	CARDIFF	53	36	50·3	40·1	30
LONDON	53	35	50·3	39·3	17	EDINBURGH	52·0	35·0	48·9	38·1	26
LONDON	55	34	53·4	40·7	4	GLASGOW	51·6	34·9	48·4	38·3	65
LONDON (Bidston)	55	35	51·1	40·1	12	DUBLIN:—					
LONDON	55	37	51·6	40·3	19	Phoenix Park	56·9	33·9	52·0	36·5	35
LONDON	52	35	49·1	38·6	31	†Fitzwilliam Square	58·0	35·2	52·3	39·5	23
LONDON	55	36	51·1	39·3	15	BELFAST	56·0	32·5	52·1	38·6	26

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.

† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.

‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

TABLE 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 19th March 1921.

[Under the Superintendence of the Astronomer Royal.]

1921.		Phases of the Moon.	BARO- METER. Mean daily reading (cor- rected and re- duced to 32° Fahren- heit).	TEMPERATURE.					TEMPERATURE.				Wind as deduced from Anemometers.				Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
MONTH AND DAY.	MARCH.			Of the Air.				De- parture from Average of 65 years.	Difference between the Air Temperature and Dew Point Temperature.		De- gree of Hu- mid- ity (Satu- ration equals 100).	Of Radiation.		Of the Earth 4 feet below the Surface.	Osler's.			Robinson's.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
				High- est.	Low- est.	Daily Range.	Mean daily value.		Mean of the Dew point.	Mean daily value.		Great- est.	Least.		General Direction.	P.M.		Great- est.	Least.	Pressure on the Square Foot.	Horizontal Movement of the Air on each Day.	Depar- ture from Average of 50 years.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
			in.	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°

DATE.		ELECTRICITY. (For explanation of symbols, see Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
MARCH..					
SUNDAY	13	v.P. and v.N. throughout.	1·9	11·6	Nearly overcast with fine intervals till 15h.; overcast till 23h., then clearing; frequent slight rain; heavier from 17h. 30m. till 21h. 30m.
MONDAY	14	v.P. generally, a little v.N. at times.	7·4	11·7	Nearly cloudless generally till 7h.; cloudy till 15h., then nearly overcast generally; overcast 19h. to 21h.; rain 19h. 30m.; solar halo 16h. 30m.; brisk wind 9h. to 17h.
TUESDAY	15	m.P. and s.P. throughout.	8·8	11·8	Very cloudy till 1h., becoming cloudless generally by 2h.; partially cloudy from 9h., nearly overcast with thin cloud from 14h., clearing towards midnight; brisk wind 11h. to 16h. and after 21h.
WEDNESDAY	16	v.P. generally, a little v.N. at times.	1·4	11·8	Very cloudy with fine intervals till 10h., becoming overcast generally afterwards; damping or slight rain 21h. to 23h.; brisk wind 3h. to 7h. and 9h. to 21h.
THURSDAY	17	v.P. till 7h., s.P. generally till 16h., w.P. generally afterwards.	5·4	11·9	Overcast till 5h. 30m., becoming cloudless by 7h. 30m., clouding slowly from 10h. to overcast generally 13h.; rain 1h. 30m. to 2h. and generally from 18h. 45m. to 22h.; solar halo in forenoon.
FRIDAY	18	w.P. till 5h., m.P. till 9h., s.P. till 21h., then w.P.	9·6	11·9	Overcast generally till 6h.; variably cloudy with fine intervals till 18h., then cloudless; occasional rain till 4h.; brisk wind 4h. to 18h.
SATURDAY	19	w.P. till 8h., m.P. till 11h., s.P. till 18h., w.P. afterwards.	6·5	12·0	Cloudless with few exceptions till 10h.; cloudy to nearly overcast by 12h. 30m.; overcast by 16h.; rain from 18h.
No. of Col.		26	Sum 41·0	Sum 82·7	
			27	28	

The results apply to the civil day, or from midnight to midnight. The height of the cistern of the barometer is 132 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level. Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometers are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables. The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916. In reading columns 9 and 24 it will be borne in mind that + indicates "higher," and - "lower," than the average. The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined. The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable. The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day. The reading of the barometer decreased from 29·64 in. at the beginning of the week to 29·56 in. by 17h. on 13th; increased generally to 30·18 in. by 9h. on 17th; decreased to 29·82 in. by 4h. on 18th; increased to 30·09 in. by 22h. on the same day, and decreased to 29·79 in. by midnight on 19th.

The results apply to the civil day, or from midnight to midnight.
The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.
Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.
The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1903, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.
In reading columns 9 and 24 it will be borne in mind that + indicates "higher," and - "lower," than the average.
The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.
The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.
The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.
The reading of the barometer decreased from 29·64 in. at the beginning of the week to 29·56 in. by 17h. on 13th; increased generally to 30·18 in. by 9h. on 17th; decreased to 29·82 in. by 4h. on 18th; increased to 30·09 in. by 22h. on the same day, and decreased to 29·79 in. by midnight on 19th.

TABLE 8. LONDON.—DEATHS OF PERSONS BELONGING to the several METROPOLITAN BOROUGHs REGISTERED in the Week ended 12th March, 1921.

BOROUGHs.	ALL CAUSES.	Deaths from								Deaths of Infants under 1 Year of Age.
		Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Pulmonary Tuberculosis.	
COUNTY OF LONDON -	1,311	1	-	2	3	9	26	22	100	179
Western										
PADDINGTON	31	-	-	-	-	-	1	1	4	4
KENSINGTON	60	-	-	-	-	-	-	3	3	7
HAMMERSMITH	44	-	-	-	-	-	1	2	4	5
FULHAM	45	-	-	-	-	-	3	-	5	3
CHELSEA	19	-	-	-	-	-	-	-	3	2
CITY OF WESTMINSTER -	39	-	-	-	-	1	2	1	4	7
Northern.										
ST. MARYLEBONE . . .	24	-	-	-	1	-	1	-	3	2
HAMPSTEAD	31	-	-	-	-	-	1	-	4	1
ST. PANCRAS	82	-	-	-	-	1	-	2	5	9
ISLINGTON	127	-	-	1	-	2	5	-	8	19
STOKE NEWINGTON . . .	19	-	-	-	-	-	-	-	2	2
HACKNEY	50	-	-	-	-	-	1	-	4	5
Central.										
HOLBORN	12	-	-	-	-	-	-	-	-	1
FINSBURY	31	-	-	-	-	1	-	-	2	6
CITY OF LONDON . . .	6	-	-	-	-	-	-	-	-	2
Eastern.										
SHOREDITCH	31	-	-	-	-	2	-	-	3	6
BETHNAL GREEN	36	-	-	-	-	-	3	4	1	10
STEPNEY	65	-	-	-	-	-	-	-	4	8
POPLAR	52	-	-	1	-	1	1	-	2	7
Southern.										
SOUTHWARK	60	-	-	-	-	-	2	-	5	9
BERMONDSEY	29	1	-	-	1	-	1	1	1	2
LAMBETH	91	-	-	-	-	-	1	1	7	12
BATTERSEA	59	-	-	-	-	1	-	2	3	9
WANDSWORTH	80	-	-	-	-	-	2	1	5	15
CAMBERWELL	72	-	-	-	-	-	1	2	5	9
DEPTFORD	24	-	-	-	-	-	-	-	1	4
GREENWICH	29	-	-	-	1	-	-	-	9	4
LEWISHAM	34	-	-	-	-	-	-	1	2	4
WOOLWICH	29	-	-	-	-	-	-	1	1	5

The deaths in the above Table are, so far as concerns London as a whole, corrected by the exclusion of deaths of non-residents, and by the inclusion of those of residents occurring in the Outer Ring or in Metropolitan public institutions situated outside the County. As between individual Metropolitan Boroughs, however, correction is complete.

TABLE 9. LONDON.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED during the Week ended 12th March, 1921.*

BOROUGHS.	ESTI- MATED CIVILIAN POPU- LATION, MID. 1920.† (Provi- sional.)	Enteric Fever.	Malaria.	Typhus.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Group).	Pneumonia.	Erysipelas.	Cerebro-Spinal Fever.	Puerperal Fever.	Ophthalmia Neonatorum.	Poliomyelitis.	Dysentery.	Encephalitis Lethargica.	Trench Fever.	Polio- encephalitis.
WESTERN.																	
Paddington . . .	149,673	-	-	-	-	8	16	7	1	-	1	-	-	-	-	-	-
Kensington . . .	164,177	1	-	-	-	15	11	3	1	-	-	-	-	-	-	-	-
Hammersmith . . .	136,200	-	-	-	-	26	7	9	-	-	-	5	-	-	-	-	-
Fulham . . .	158,621	-	1	-	-	29	12	6	3	-	1	-	-	-	-	-	-
Chelsea . . .	62,987	-	-	-	-	5	2	2	-	-	1	-	-	-	-	-	-
City of Westminster . . .	132,615	-	-	-	-	3	10	4	2	-	-	-	-	-	-	-	-
NORTHERN.																	
St. Marylebone . . .	101,856	-	1	-	-	5	6	-	-	-	-	5	-	-	1	-	-
Hampstead . . .	91,519	-	-	-	-	5	10	4	-	-	-	-	-	-	-	-	-
St. Pancras . . .	228,178	-	2	-	-	22	9	17	2	-	-	2	-	1	-	-	-
Islington . . .	335,907	-	-	-	-	35	43	4	1	-	-	2	-	-	-	-	-
Stoke Newington . . .	52,984	-	-	-	-	4	6	-	-	-	-	-	-	-	-	-	-
Hackney . . .	225,372	1	-	-	-	36	22	-	4	-	2	-	-	-	-	-	-
CENTRAL.																	
Holborn . . .	39,676	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
Finsbury . . .	78,291	-	-	-	-	6	6	-	1	2	-	-	-	-	1	-	-
City of London . . .	14,447	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
EASTERN.																	
Shoreditch . . .	102,044	-	-	-	-	19	8	5	3	-	-	1	-	-	-	-	-
Bethnal Green . . .	114,471	-	-	-	-	17	17	5	3	-	-	1	-	-	-	-	-
Stepney . . .	241,770	-	-	-	-	29	16	5	2	1	-	1	-	-	-	-	-
Poplar . . .	159,766	-	1	-	-	22	13	8	1	-	-	-	-	1	-	-	-
SOUTHERN.																	
Southwark . . .	187,142	-	-	-	-	30	16	9	2	-	-	-	-	-	-	-	-
Bermondsey . . .	129,189	-	-	-	-	15	10	-	1	-	-	1	-	-	-	-	-
Lambeth . . .	293,572	-	-	-	-	24	6	13	1	1	1	1	-	-	-	-	-
Battersea . . .	165,664	-	-	-	-	13	15	13	1	-	-	-	-	-	-	-	-
Wandsworth . . .	346,990	1	-	-	-	34	26	18	4	-	-	4	-	-	1	-	-
Camberwell . . .	284,712	-	-	-	-	29	15	6	4	1	-	2	-	-	-	-	-
Deptford . . .	115,636	-	-	-	-	13	8	2	-	-	-	-	-	-	-	-	-
Greenwich . . .	102,408	-	-	-	-	16	8	4	2	1	-	1	-	-	1	-	-
Lewisham . . .	174,438	-	-	-	-	19	11	4	-	-	-	-	-	-	1	-	-
Woolwich . . .	141,666	1	-	-	-	29	8	7	1	1	1	1	-	-	-	-	-
TOTAL . . .	4,531,971	4	5	-	-	509	340	155	40	7	7	27	-	2	5	-	-
Age 0-1 . . .		-	-	-	-	2	14	10	-	3	-	27	-	-	-	-	-
„ 1-5 . . .		-	-	-	-	104	99	23	4	3	-	-	-	-	-	-	-
„ 5- . . .		-	-	-	-	211	119	17	-	-	-	-	-	-	-	-	-
„ 10- . . .		1	-	-	-	126	59	8	2	-	-	-	-	-	1	-	-
„ 15- . . .		2	-	-	-	26	16	8	3	-	-	-	-	-	1	-	-
„ 20- . . .		-	2	-	-	17	6	15	2	1	3	-	-	-	-	-	-
„ 25- . . .		-	1	-	-	15	19	21	-	-	4	-	-	-	-	-	-
„ 35- . . .		1	1	-	-	8	4	10	6	-	-	-	-	1	2	-	-
„ 45- . . .		-	1	-	-	-	4	11	8	-	-	-	-	1	1	-	-
„ 55- . . .		-	-	-	-	-	-	17	12	-	-	-	-	-	-	-	-
„ 65- . . .		-	-	-	-	-	-	9	2	-	-	-	-	-	-	-	-
„ 75 and upwards . . .		-	-	-	-	-	-	6	1	-	-	-	-	-	-	-	-
Age not stated . . .		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

† See note † on first page of this return.

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS AND DEATHS REGISTERED:-

LONDON AND

NINETY-FIVE OTHER GREAT TOWNS.

~~~~~  
By Authority of the Registrar General,  
~~~~~

LONDON:

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
H.M. STATIONERY OFFICE at the following addresses:

IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and

28, ABINGDON STREET, LONDON, S.W. 1;

37, PETER STREET, MANCHESTER;

1, ST. ANDREW'S CRESCENT, CARDIFF;

23, FORTH STREET, EDINBURGH;

or from E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN.

No. 12. VOL. LXXXII. 1921. WEEK ENDED SATURDAY, MAR. 26.
[Price 1½d. Net.]

*General Register Office, Somerset House,
March 29th, 1921.*

NINETY-SIX GREAT TOWNS.

For the NINETY-SIX GREAT TOWNS of England and Wales each of which had a population of 50,000 or over at the Census of 1911, the births registered last week numbered 7,714, and corresponded to an annual rate of 21·6 per 1,000. The deaths* among the civilian population only numbered 4,633, and corresponded to an annual rate of 13·0 per 1,000 of their aggregate civilian population, which is provisionally estimated† at 18,554,878 persons in the year 1920. In the three weeks ended March 5th, March 12th, and March 19th, the rates had been 15·2, 15·2, and 13·9 respectively. The infant mortality was 94, against 112, 104, and 97 in the preceding three weeks. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks; it also shows for the week ended last Saturday the births and the deaths from certain individual causes. A column showing the number of deaths

* Corrected as far as possible for deaths of non-residents and for those of residents occurring outside the area. Fully corrected figures will appear in the Registrar General's Annual Report.

† The estimates of population refer to the year 1920, and are based on the returns furnished under the scheme for rationing of food.

from influenza has been inserted in Table 1. The aggregate number of deaths from influenza in the 96 great towns in each of the last thirteen weeks is shown in Table 3A.

Measured by last week's mortality, the highest annual death-rates per 1,000 living were :—from *all causes*, 18·6 in Brighton, 18·9 in South Shields, 19·1 in Sunderland, 20·0 in Hastings, 20·5 in Middlesborough, and 25·4 in Carlisle; from *measles*, 1·6 in Newcastle-on-Tyne; from *whooping cough*, 1·3 in Sunderland; and from *diphtheria*, 1·4 in Tottenham and 2·8 in Dewsbury. No death from *small-pox* was registered in any of the ninety-six towns.

LONDON.* (The Administrative County, including the City of London.)

For LONDON there were 1,746 BIRTHS, corresponding to a rate of 20·0 per 1,000, and 1,005 DEATHS of civilians, corresponding to a rate of 11·6, as against 14·8, 15·1, and 13·1, per 1,000 in the three weeks ended March 5th, March 12th, and March 19th. The death-rate in the four weeks ended last Saturday averaged 13·7 per 1,000. The infant mortality was 67, against 85, 86, and 78 in the preceding three weeks.

There was no death from *enteric fever*, against 2, 1, and 0 in the preceding three weeks, the average for the corresponding weeks of the previous five years being 1. The deaths from *measles*, which had been 0, 2, and 5 in the preceding three weeks, were 4 last week, and were 48 below the average. The deaths from *scarlet fever*, which had been 6, 3, and 9 in the preceding three weeks, fell last week to 6, and were 4 above the average. The deaths from *whooping-cough*, which had been 13, 9, and 7 in the preceding three weeks, rose last week to 12, but were 22 below the average; 3 deaths belonged to the Borough of Kensington. The deaths from *diphtheria*, which had been 18, 26, and 20 in the preceding three weeks, fell last week to 15, and were 1 below the average; 3 deaths belonged to Islington. The deaths from *diarrhœa and enteritis under 2 years of age*, which had been 22, 22 and 17 in the preceding three weeks, fell last week to 14, and were 2 below the average; 5 deaths belonged to Paddington. The deaths from *influenza* numbered 33, as against 45, 27, and 42 in the preceding three weeks and an average of 86.

Different forms of violence caused 26 deaths, all of which were the subject of coroners' inquests. Of these 26 deaths, 6 were cases of suicide, and 2 of homicide, while the remaining 18 were attributed to other forms of violence. Five of these latter were referred to vehicles in the streets, 3 to burns or scalds, 1 to drowning, and 2 of infants under one year of age, to suffocation in bed.

CASES OF INFECTIOUS DISEASE.†

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital, there were 13 cases of enteric fever, 25 of measles, 3,608 of scarlet fever, 23 of whooping-cough, and 2,778 of diphtheria under treatment in these hospitals on Saturday last (Table 3). The admissions during the week,

* See note * on first page.

† The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

as compared with those in the preceding three weeks, were as follows :—Of enteric fever, 2 cases, against 6, 1, and 1 ; of measles, 3 cases, against 3, 8, and 7 ; of scarlet fever, 508 cases, against 490, 497, and 507 ; of whooping-cough, 2 cases, against 0, 3, and 4 ; and of diphtheria, 276 cases, against 341, 332, and 309. Table 9, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the county during the week ended March 19th, 1921.

TABLE I (cont.)—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH-RATES in the Week ended Saturday, 26th March 1921, and DEATH-RATES in each of the preceding three Weeks.

Great Towns, &c.: Births, Deaths and Rates of Mortality.

181

TOWNS.	ESTIMATED CIVILIAN POPULATION, MID. 1920.* Provisional.)	DEATH-RATES from all Causes.					Week ended 26th Mar., 1921.		The DEATHS in the Week include										TOWNS.					
		Week ended					BIRTHS.	DEATHS.	Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from										Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	
		Week ended									Deaths from													
		5th Mar., 1921.	12th Mar., 1921.	19th Mar., 1921.	26th Mar., 1921.						10.	11.	12.	13.	14.	15.	16.	17.		18.	19.	20.	21.	
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.	Violence.	Cols.	SOUTHEND ON SEA. IPSWICH. GREAT YARMOUTH. NORWICH. SWINDON. EXETER. PLYMOUTH. BATH. BRISTOL. GLOUCESTER. STOKE ON TRENT. WOLVERHAMPTON. WALSALL. WEST BROMWICH. DUDLEY. BIRMINGHAM. SMETHWICK. COVENTRY. LEICESTER. LINCOLN. GRIMSBY. NOTTINGHAM. DERBY.				
															</									

* See note † on first page of this return.

TABLE 1 (cont.).—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED and DEATH-RATE in the Week ended Saturday, 26th March, 1921, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.		DEATH-RATES from all Causes.				Week ended 26th Mar., 1921.		The DEATHS in the Week include										Deaths in Public Institutions.			Uncertified Causes of Death.		TOWNS.	
		Week ended				BIRTHS.	DEATHS.	Deaths from										Inquest Cases.	Deaths in Public Institutions.	21.	20.	19.		18.
		5th Mar., 1921.	12th Mar., 1921.	19th Mar., 1921.	26th Mar., 1921.			Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.	Violence.									
																Deaths of Persons aged 65 Years and upwards.	10.							
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.		
STOCKPORT	130,635	13.2	14.0	10.8	12.0	43	30	-	11	-	-	-	-	1	1	-	-	-	9	-	-	STOCKPORT.		
BIRKENHEAD	153,951	12.9	13.2	9.1	12.5	53	37	3	15	-	-	-	-	-	-	-	-	2	16	-	-	BIRKENHEAD.		
WALLASEY	99,226	12.1	13.1	8.4	6.3	29	12	-	6	-	-	-	-	-	-	-	-	-	2	-	-	WALLASEY.		
LIVERPOOL	803,452	13.7	14.4	11.4	15.1	414	232	37	63	1	-	1	1	-	4	5	1	9	21	102	2	LIVERPOOL.		
BOOTLE	80,029	13.7	8.5	16.9	11.1	42	17	3	4	-	-	-	-	-	-	-	-	1	1	5	-	BOOTLE.		
ST. HELENS	104,822	14.4	10.9	12.4	12.9	50	26	7	3	-	-	-	-	-	-	-	-	1	1	7	-	ST. HELENS.		
SOUTHPORT	72,939	14.3	14.3	15.6	15.0	18	21	-	16	-	-	-	-	-	-	-	1	-	1	1	1	SOUTHPORT.		
WIGAN	90,866	16.1	13.8	14.3	16.6	35	29	5	5	-	-	-	-	1	-	-	2	3	2	2	-	WIGAN.		
WARRINGTON	77,939	13.4	13.7	11.4	14.0	34	21	6	6	-	-	-	-	1	1	-	2	-	4	4	-	WARRINGTON.		
BOLTON	184,533	17.2	15.8	17.2	12.2	51	43	6	12	-	-	-	1	-	-	-	-	2	8	1	1	BOLTON.		
BURY	56,410	9.2	13.9	26.8	18.5	18	20	2	7	-	-	-	-	-	-	1	-	1	3	-	-	BURY.		
MANCHESTER	770,597	14.5	14.5	13.8	13.1	305	194	44	42	-	-	-	1	3	2	5	4	6	12	76	-	MANCHESTER.		
SALFORD	235,239	15.1	17.5	16.4	15.5	102	70	15	17	1	-	-	-	2	-	3	3	3	4	22	-	SALFORD.		
OLDHAM	143,154	17.8	12.7	13.8	13.1	51	36	3	14	-	-	-	-	-	-	-	2	4	9	9	-	OLDHAM.		
ROCHDALE	93,639	13.9	16.7	11.1	17.3	26	31	4	8	-	-	-	-	-	-	-	1	-	11	8	-	ROCHDALE.		
BURNLEY	105,030	16.4	13.9	10.9	13.9	34	28	5	9	-	-	-	-	2	-	-	-	1	3	2	-	BURNLEY.		
BLACKBURN	131,012	18.3	13.9	15.1	9.6	46	24	3	11	-	-	-	-	-	1	-	1	1	3	6	-	BLACKBURN.		
PRESTON	121,950	19.7	20.5	11.1	12.4	48	29	7	8	-	-	-	-	-	1	-	1	1	3	6	-	PRESTON.		
BLACKPOOL	70,545	17.0	14.0	16.3	14.8	21	20	-	9	-	-	-	-	-	-	-	-	1	1	6	-	BLACKPOOL.		
BARROW IN FURNESS	76,561	13.6	15.7	15.0	11.6	37	17	4	9	-	-	-	-	-	-	1	-	-	2	2	-	BARROW IN FURNESS.		
HUDDERSFIELD	116,776	14.3	11.2	11.2	14.7	37	33	6	12	-	-	-	-	-	-	-	-	-	4	4	1	HUDDERSFIELD.		
HALIFAX	105,847	16.7	21.7	14.8	11.3	38	23	5	6	-	-	-	-	-	-	-	-	-	2	4	-	HALIFAX.		
BRADFORD	293,979	18.4	19.7	13.7	18.1	100	102	18	30	-	-	1	-	1	1	-	2	2	5	26	-	BRADFORD.		
LEEDS	449,212	15.6	14.7	12.2	16.5	201	142	12	42	-	-	1	1	-	3	1	8	12	31	3	-	LEEDS.		
DEWSBURY	55,080	17.0	8.5	23.7	18.0	26	19	6	3	-	-	-	-	-	-	-	-	-	-	3	-	DEWSBURY.		
WAKEFIELD	51,169	22.4	17.3	12.2	13.2	25	13	2	5	-	-	-	-	-	-	-	-	-	2	2	-	WAKEFIELD.		
BARNLEY	53,739	19.4	21.3	17.5	13.6	24	14	4	6	-	-	-	-	-	-	-	-	-	1	1	-	BARNLEY.		

TOWNS.	CIVILIAN POPULATION, MID. 1920.* (Provisional).	Week ended					Week ended 26th Mar., 1921.		Deaths of		Deaths from										Deaths in Public Institutions.		Uncertified Causes of Death.	TOWNS
							BIRTHS.		DEATHS.		Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.		
		5th Mar., 1921.	12th Mar., 1921.	19th Mar., 1921.	26th Mar., 1921.		6.	7.	8.	9.														
SHEFFIELD.	492,570	18'4	15'3	14'2	13'2	236	125	34	36	-	-	1	-	6	-	3	10	4	6	44	-	SHEFFIELD.		
ROTHERHAM.	71,785	13'1	16'7	8'0	8'7	40	12	1	4	-	-	-	-	1	-	-	-	1	3	2	-	ROTHERHAM.		
YORK.	77,501	16'1	22'2	16'1	14'8	27	22	2	9	-	-	-	-	-	-	-	-	-	-	7	-	YORK.		
HULL.	290,808	18'8	13'3	18'8	14'2	115	79	16	24	-	-	-	-	3	1	1	3	2	4	18	1	HULL.		
MIDDLESBROUGH.	132,208	21'3	22'5	22'5	20'5	79	52	11	16	-	-	-	-	-	-	3	2	-	1	4	-	MIDDLESBROUGH.		
DARLINGTON.	66,610	15'7	20'4	18'0	9'4	32	12	-	5	-	-	-	-	-	-	-	-	-	-	2	-	DARLINGTON.		
STOCKTON ON TEES.	63,114	21'5	18'2	12'4	9'1	40	11	-	3	-	-	-	-	-	-	-	-	2	2	7	-	STOCKTON ON TEES.		
WEST HARTLEPOOL.	68,126	25'3	16'8	13'8	13'8	41	18	3	4	-	-	-	-	-	-	1	1	1	1	7	-	WEST HARTLEPOOL.		
SUNDERLAND.	155,211	20'5	21'5	17'5	19'1	64	57	10	11	-	-	2	-	4	-	-	-	2	4	14	1	SUNDERLAND.		
SOUTH SHIELDS.	115,945	14'8	14'8	18'0	18'9	63	42	3	8	-	-	-	-	1	1	1	1	2	2	11	-	SOUTH SHIELDS.		
GATESHEAD.	128,309	14'2	17'5	15'0	15'4	58	38	11	5	-	-	1	-	-	-	-	-	-	-	10	2	GATESHEAD.		
NEWCASTLE ON TYNE.	286,061	17'5	16'8	18'2	15'9	133	87	17	18	-	-	9	-	1	3	2	-	3	5	14	-	NEWCASTLE ON TYNE.		
TYNEMOUTH.	60,318	15'6	23'3	26'8	18'2	27	21	6	6	-	-	-	-	-	-	-	-	-	1	7	2	TYNEMOUTH.		
CARLISLE.	57,397	20'9	21'8	19'1	25'4	21	28	4	11	-	-	-	-	-	1	-	1	-	-	6	-	CARLISLE.		
NEWPORT (MON.).	90,728	16'1	13'8	10'3	9'8	57	17	3	6	-	-	-	-	1	-	1	-	1	2	4	-	NEWPORT (MON.).		
CARDIFF.	212,582	13'0	15'5	11'3	10'1	89	41	7	10	-	-	-	-	1	-	1	-	3	4	10	-	CARDIFF.		
RHONDDA.	184,999	12'1	15'8	13'0	12'7	94	45	12	3	-	-	-	1	-	-	1	1	1	2	4	-	RHONDDA.		
MERTHYR TYDFIL.	74,493	16'1	14'7	19'6	17'5	37	25	7	7	-	-	-	-	1	-	-	-	-	-	7	-	MERTHYR TYDFIL.		
ABERDARE.	53,431	12'7	22'4	13'7	14'6	29	15	7	4	-	-	-	-	-	-	-	-	-	-	2	-	ABERDARE.		
SWANSEA.	167,218	11'8	10'9	15'3	14'3	84	46	8	12	-	-	-	-	-	-	1	-	-	1	8	-	SWANSEA.		
GREATER LONDON.	7,545,647	14'3	14'5	13'1	11'8	2837	1705	201	651	1	-	5	7	12	37	22	80	55	121	729	4	GREATER LONDON.		
OUTER RING.	3,016,676	13'6	13'5	12'9	12'1	1091	700	84	263	1	-	1	1	-	22	8	47	29	52	233	-	OUTER RING.		
14 GREAT TOWNS IN OUTER RING.	1,734,723	13'2	13'9	13'1	12'4	665	414	62	148	-	-	1	-	-	14	6	20	15	28	154	-	14 GREAT TOWNS IN OUTER RING.		
REMAINDER OF OUTER RING.	1,281,953	14'1	13'0	12'7	11'6	426	286	22	115	1	-	-	1	-	8	2	27	14	24	79	-	REMAINDER OF OUTER RING.		
EDINBURGH†.	446,200	17'8	18'7	18'5	13'4	156	115	15	51	-	-	2	-	5	3	-	7	4	?	?	?	EDINBURGH.†		
GLASGOW†.	1,100,400	19'6	19'3	18'9	16'8	522	354	62	74	-	-	2	1	19	4	4	15	15	?	?	?	GLASGOW.†		
DUBLIN (Registration Area).†	423,000	18'9	18'1	17'3	16'8	189	136	23	34	-	-	-	-	1	1	4	3	4	2	52	1	DUBLIN (Registration Area).†		
BELFAST†.	420,000	17'5	20'0	18'3	15'4	214	124	25	18	-	-	2	1	7	1	3	1	3	2	41	1	BELFAST.†		

* See note † on first page of this return.

† The populations are total populations and relate to 1921. Deaths and the death-rates in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week: those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

TABLE 2. LONDON.—Births and Deaths registered during the TWELFTH Week of each of the Eleven Years, 1911-1921.

	1911.	1912.	1913.	1914.	1915.	1916.	1917.	1918.	1919.	1920.	1921.
Births (as registered).	2354	2218	1968	2309	2172	2027	1661	1485	1289	2520	1746
Males	1203	1114	1004	1148	1103	1072	853	733	666	1271	882
Females	1151	1104	964	1161	1069	955	808	752	623	1249	864
Deaths (of residents only).	1475	1168	1491	1433	1935	1433*	1444*	1374*	1390*	1609*	1005*
Males	781	603	734	727	982	743	743	707	670	828	488
Females	694	565	757	706	953	690	701	667	720	781	517

* Deaths in civilian population only.

TABLE 3. LONDON.—BIRTHS and DEATHS REGISTERED, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the last THIRTEEN WEEKS.

	1921. Jan. 1.	Jan. 8.	Jan. 15.	Jan. 22.	Jan. 29.	Feb. 5.	Feb. 12.	Feb. 19.	Feb. 26.	Mar. 5.	Mar. 12.	Mar. 19.	Mar. 26.
Births (as registered)	2031	2373	2059	2009	2039	1856	2058	2041	1908	1987	2074	2004	1746
Deaths (of residents only).	1382	1117	1099	1121	1011	1158	1147	1232	1313	1282	1311	1142	1005
Under 1 year	234	178	186	177	160	189	181	211	168	168	179	157	117
1-2 years	45	34	28	34	31	49	43	39	30	34	45	46	32
2-5 "	25	20	26	32	24	34	29	23	31	26	24	28	18
5-10 "	21	31	30	23	19	28	34	24	33	21	22	19	19
Ages 10-15 "	11	17	17	16	14	13	17	20	15	15	15	21	14
15-20 "	28	20	29	19	24	23	20	16	18	21	24	24	26
at 20-25 "	35	19	24	20	19	25	19	25	29	17	25	29	23
25-35 "	65	70	62	44	47	51	44	50	65	66	53	52	50
Death 35-45 "	84	78	77	77	78	75	54	91	90	81	93	79	80
45-55 "	127	105	117	118	125	125	121	104	141	117	138	109	108
55-65 "	216	159	155	183	149	169	153	170	185	201	176	147	130
65-75 "	220	189	165	193	146	192	207	215	247	254	243	188	182
75 years and upwards	271	197	183	185	175	185	225	244	261	261	274	243	206
Deaths from—													
Enteric fever	-	-	1	1	1	-	1	-	-	2	1	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	-	1	3	2	1	-	-	3	4	-	2	5	4
Scarlet fever	8	8	2	5	8	8	7	7	6	6	3	9	6
Whooping cough	4	6	2	8	4	6	15	13	9	13	9	7	12
Diphtheria	22	24	23	28	19	28	28	9	27	18	26	20	15
Diarrhoea and enteritis (under 2 years).	20	17	20	19	18	22	18	23	16	22	22	17	14
Pulmonary tuberculosis	90	84	99	100	98	105	74	102	100	105	100	101	109
Influenza	20	21	16	14	6	9	13	12	30	45	27	42	33
Pneumonia (all forms)	171	141	112	117	92	128	104	131	144	148	165	117	107
Bronchitis	165	96	116	101	95	98	153	158	167	159	149	131	93
Other dis. of resp. system	27	17	15	7	16	14	10	23	23	23	27	16	16
Dis. of circ. system	208	184	202	178	181	194	218	223	208	219	223	177	175
Violence	50	40	34	35	40	49	32	32	50	34	41	44	26
Inquest cases	117	93	99	81	74	99	90	86	106	85	101	90	69
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Enteric fever	18	20	17	12	11	7	9	10	9	15	13	12	13
Small-pox	1	1	1	1	1	1	-	-	-	-	-	-	-
Measles	18	15	13	14	15	17	18	23	28	26	28	26	25
Scarlet fever	4817	4608	4413	4350	4171	4018	3945	3919	3845	3738	3730	3695	3608
Whooping cough	17	20	20	23	27	26	26	24	25	22	25	26	23
Diphtheria	2642	2588	2597	2618	2682	2767	2770	2808	2800	2809	2818	2817	2778

* The Metropolitan Asylums Board and London Fever Hospitals. The figures do not refer to London exclusively.

TABLE 3A. 96 Great Towns.—DEATHS from INFLUENZA in the last THIRTEEN WEEKS.

	1921. Jan. 1.	Jan. 8.	Jan. 15.	Jan. 22.	Jan. 29.	Feb. 5.	Feb. 12.	Feb. 19.	Feb. 26.	Mar. 5.	Mar. 12.	Mar. 19.	Mar. 26.
Deaths from Influenza	89	101	87	66	61	61	93	103	138	167	149	151	121

TABLE 4. LONDON.—DEATHS REGISTERED in the TWELFTH Week of the Year 1921.

CAUSES OF DEATH.	Deaths in the 12th week of the year 1920.	DEATHS of PERSONS of the AGES													
		ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-10 years.	10-15 years.	15-20 years.	20-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards.
ALL CAUSES	1609	1005	117	32	18	19	14	26	23	50	80	108	130	182	206
Enteric fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	69	4	-	3	-	1	-	-	-	-	-	-	-	-	-
Scarlet fever	3	6	1	2	1	1	-	1	-	-	-	-	-	-	-
Whooping cough	35	12	6	5	1	-	-	-	-	-	-	-	-	-	-
Diphtheria	27	15	-	2	4	4	4	1	-	-	-	-	-	-	-
Croup	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza	131	33	1	-	1	1	-	2	2	3	2	1	8	5	7
Erysipelas	1	3	-	-	-	-	-	-	-	-	-	-	1	1	1
Other epidemic diseases	1	7	1	2	-	-	-	1	-	-	1	1	-	1	-
Pyæmia and septicæmia	-	2	-	-	-	1	-	-	-	-	1	-	-	-	-
Tetanus	-	2	-	-	-	-	1	1	-	-	-	-	-	-	-
Tuberculosis:—															
Pulmonary tuberculosis	124	109	1	-	-	1	1	9	10	21	24	20	15	6	1
Tuberculous meningitis	9	12	2	3	3	3	-	1	-	-	-	-	-	-	-
Abdominal tuberculosis	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-
Tuberculosis of the spine	1	2	-	-	-	-	-	1	-	1	-	-	-	-	-
Tuberculosis of the joints	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-
Tuberculosis of other organs	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Disseminated tuberculosis	4	5	2	2	-	-	-	1	-	-	-	-	-	-	-
Venereal diseases	6	5	5	-	-	-	-	-	-	-	-	-	-	-	-
Cancer	119	85	-	-	-	-	1	-	-	2	5	17	23	24	13
Tumour, situation undefined	-	3	-	-	-	-	-	-	-	-	-	1	1	-	1
Rheumatic fever	4	2	-	-	-	-	1	-	-	-	-	-	-	-	1
Diabetes	13	7	-	-	-	-	-	-	-	1	1	-	2	1	2
Anæmia, leucocythæmia	5	6	-	-	-	1	-	-	1	1	3	-	-	1	-
Other general diseases	10	9	1	-	-	-	-	-	-	2	1	-	-	4	1
Alcoholism	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic poisonings	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	8	3	1	-	-	-	-	-	-	-	-	-	1	-	1
Cerebral hæmorrhage, Apoplexy	43	35	-	-	-	-	-	-	-	-	2	3	7	11	12
Softening of brain	2	2	-	-	-	-	-	-	-	-	-	-	1	1	-
Paralysis, without specified cause	4	3	-	-	-	-	-	-	-	-	-	1	-	1	1
Epilepsy	1	6	-	1	-	-	1	1	-	-	-	2	-	1	-
"Convulsions" (not puerperal)	9	5	5	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system	20	13	1	1	-	-	-	-	-	-	2	6	1	2	-
Pericarditis	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute endocarditis	9	5	-	-	-	-	-	1	2	2	1	-	1	-	-
Organic disease of heart	157	129	-	-	1	1	2	2	2	5	9	15	15	42	35
Embolism and thrombosis (including cerebral).	12	5	-	-	-	-	-	-	-	-	-	2	-	1	2
Other diseases of circulatory system.	32	36	-	-	-	-	-	-	-	-	-	3	5	13	15
Diseases of the larynx	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis	185	93	7	1	-	1	-	-	1	1	3	3	7	25	44
Broncho-pneumonia	124	54	22	3	3	1	1	-	-	1	-	5	7	7	4
Lobar pneumonia	42	28	-	-	2	-	-	-	3	3	4	3	10	3	-
Pneumonia (type not distinguished)	63	25	-	1	-	-	-	1	-	2	4	3	3	5	6
Pleurisy	9	3	-	-	-	-	-	-	-	-	-	-	-	2	1
Pulmonary congestion, Pulmonary apoplexy.	8	7	-	-	-	-	-	-	-	-	-	2	-	3	2
Other diseases of respiratory system.	12	6	-	-	-	-	-	-	-	-	-	3	2	1	-

TABLE 5.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM							
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria and Croup.*	Diarrhoeal Diseases† (under 2 years).	Influenza.
LONDON† . .	4,531,971	1921. Mar. 26	1,746	1,005	11·6	-	-	4	6	12	15	14	33
CALCUTTA . .	896,067	Feb. 19	-	786§	45·6	?	2	?	?	?	?	?	46
BOMBAY . .	979,445	" 19	340	1,328§	70·5	-	15	5	-	-	-	68	55
MADRAS . .	518,660	" 12	334	583§	58·5	2	2	-	?	3	-	35	5
CHRISTIANIA . .	2,847,229	{ (10 days) Feb. 20 }	-	-	-	-	-	-	-	-	-	-	-
BRUSSELS . .	792,919	- - -	-	-	-	-	-	-	-	-	-	-	-
ANTWERP . .	336,572	Mar. 12	113	57	9·1	-	-	-	-	-	-	2	1
AMSTERDAM . .	690,089	" 12	289	134	10·1	-	-	5	-	1	1	-	-
COPENHAGEN . .	571,000	" 12	264	157	14·3	-	-	-	1	-	3	1	-
STOCKHOLM . .	415,201	" 5	131	125	15·7	-	-	-	-	-	2	-	1
GOTHENBURG . .	205,494	" 5	-	42	10·6	1	-	-	-	-	1	-	1
CHRISTIANIA . .	260,904	" 12	110	70	14·0	-	-	-	-	-	1	-	-
BERLIN . .	1,934,000	" 5	626	522	14·0	-	?	5	-	4	6	10	3
BRESLAU . .	540,000	" 5	293	167	16·1	-	?	-	-	1	2	7	3
LOGNE . .	660,000	" 5	323	184	14·5	-	?	10	-	2	5	4	2
RESDEN . .	538,000	" 5	262	127	12·3	-	?	1	-	-	-	-	1
SANKFORT- ON-MAIN. . .	463,000	" 5	164	86	9·7	2	?	-	-	-	-	-	3
AMBURG . .	996,000	" 5	419	232	12·1	-	?	1	-	1	-	5	3
PIPZIG . .	624,000	" 5	260	158	13·2	-	?	1	-	1	-	4	4
UNICH . .	670,000	" 5	-	-	-	-	?	-	-	-	-	-	-
ENNA . .	1,842,005	" 5	567	635	17·9	2	-	-	-	1	1	17	1
LAGUE AND SUBURBS. . .	726,381	Feb. 19	244	188	13·5	-	-	-	-	-	-	8	2
DAPESST . .	1,092,000	Jan. 8	356	364	17·3	2	?	8	12	-	3	14	-
IESTE . .	243,487	Mar. 5	132	99	19·0	2	-	-	-	-	1	-	-
IRO . .	764,800	Jan. 7	692	357	24·3	1	-	-	-	?	1	13	?
EXANDRIA . .	449,300	" 7	501	234	27·1	1	-	-	-	?	-	14	?
EW YORK . .	5,753,151	Feb. 26	2,666	1,470	13·3	-	-	3	12	11	38	23	10
ICAGO . .	2,780,655	Mar. 5	-	729	13·7	-	-	6	3	-	15	48	3

Excluding deaths from croup in Bombay and Madras.

The deaths in this column relate to *all ages* for Bombay, Madras, Christiania, and Budapest, and to *children under 1 year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

The estimated population and deaths refer to the civilian population only.

Including 9 deaths from *plague* in Bombay, and from *Asiatic cholera*, 31 deaths in Calcutta and 43 in Madras.

TABLE 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 26th March, 1921.

(Supplied by the Meteorological Office.)

TOWNS.	Temperature of Air.*				Rainfall in Milli- metres.‡	TOWNS.	Temperature of Air.*				Rainfall in Milli- metres.‡	
	Highest.	Lowest.	Mean Maxi- mum.	Mean Mini- mum.			Highest.	Lowest.	Mean Maxi- mum.	Mean Mini- mum.		
LONDON (Greenwich) }	67	33	58·1	38·4	2	BRADFORD . .	60	35	51·9	39·1	10	
IGHTON . .	55	37	52·7	42·6	2	SHEFFIELD . .	-	Not received.				-
RTSMOUTH . .	61	35	55·7	40·3	1	YORK (Museum) . .	63	35	53·9	41·3	5	
RWICH (Eaton) . .	66	33	56·3	39·7	4	HULL (Pearson Park)	61	37	55·1	41·4	6	
YMOUTH . .	62	33	55·0	43·6	4	TYNEMOUTH . .	59	35	52·4	41·9	7	
ISTOL (Clifton) . .	61	38	55·4	41·6	5	CARDIFF . .	59	40	54·0	43·0	5	
EMINGHAM . .	63	38	54·3	41·3	1	EDINBURGH . .	55·0	35·0	50·7	39·9	3	
TTINGHAM . .	64	35	55·1	42·4	5	GLASGOW . .	52·8	36·8	50·2	41·4	13	
EKENHEAD (Bidston) }	57	39	52·1	43·9	6	DUBLIN :—						
NCHESTER . .	64	39	53·7	43·6	10	Phoenix Park . .	60·7	36·0	53·6	40·2	15	
ENLEY . .	58	31	51·9	38·7	15	†Fitzwilliam Square	60·9	38·6	54·2	43·4	16	
DDERSFIELD . .	61	37	52·3	40·9	12	BELFAST . .	56·0	37·5	52·7	41·6	10	

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.

† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.

‡ 1 millimetre = $\frac{1}{16}$ inch nearly; 1 inch = 25·4 millimetres exactly.

DATE.		ELECTRICITY. (For explanation of symbols, see Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
MARCH.					
SUNDAY	20	v.P. and v.N. generally.	3.9	12.1	Overcast till 1h. 30m.; rain till 1h. 15m.; variably cloudy till 10h.; nearly overcast till 15h.; variably cloudy with cloudless intervals afterwards; rain 15h. to 16h.; brisk wind 10h. to 17h.
MONDAY	21	v.P. generally	3.5	12.1	Cloudless or nearly cloudless till 9h.; haze increasing from 7h.; sky nearly veiled from 9h.; nearly overcast with few exceptions from noon.
TUESDAY	22	m.P. generally, a little s.P.	4.5	12.2	(Overcast till 4h., becoming nearly cloudless by 6h.; very cloudy generally from 8h. 30m., but cloud often very thin in evening; lunar halo 19h. to 22h.
WEDNESDAY	23	m.P. and s.P. generally.	2.6	12.3	Very cloudy or nearly overcast generally; nearly cloudless 3h. to 7h. and 16h. 30m. to 19h., clearing from 23h.
THURSDAY	24	v.P. throughout	9.5	12.3	Few thin clouds till 6h.; prevalent till nearly 11h., then cloudless or nearly cloudless generally; hoar frost at night.
FRIDAY	25	v.P. till 8h., m.P. afterwards.	10.7	12.4	Cloudless with slight exceptions; hoar frost in morning.
SATURDAY	26	v.P. throughout	1.4	12.5	Cloudless generally with hoar frost till 6h., clouding up to overcast by 10h.; rain 11h. to 13h., clearing from 19h. to nearly cloudless by 19h. 30m.; slight hoar frost at night.
No. of Col.		26	Sum 36.1	Sum 85.9	
			27	28	

The results apply to the civil day, or from midnight to midnight.
The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.
Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.
The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1903, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.
In reading columns 9 and 24 it will be borne in mind that + indicates "higher," and - "lower," than the average.
The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.
The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.
The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.
The reading of the barometer decreased generally from 29.79 in. at the beginning of the week to 29.78 in. by 14h. on 26th; increased to 30.06 in. by 10h. on 21st; decreased to 29.98 in. by 3h. on 22nd; increased generally to 30.21 in. by 10h. on 24th, and decreased to 29.90 in. by midnight on 26th.

TABLE 8. LONDON.—DEATHS OF PERSONS BELONGING to the several METROPOLITAN BOROUGHs REGISTERED in the Week ended 19th March, 1921.

BOROUGHs.	Deaths from									Deaths of Infants under 1 Year of Age.
	ALL CAUSES.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Pulmonary Tuberculosis.	
COUNTY OF LONDON .	1,142	-	-	5	9	7	20	17	101	157
Western										
PADDINGTON . . .	44	-	-	-	-	-	1	-	2	8
KENSINGTON . . .	35	-	-	-	-	1	-	1	2	9
HAMMERSMITH . . .	33	-	-	-	-	-	1	1	4	3
FULHAM	58	-	-	-	1	-	1	1	6	7
CHELSEA	17	-	-	-	-	-	-	-	-	1
CITY OF WESTMINSTER . .	37	-	-	-	-	-	1	-	2	4
Northern.										
ST. MARYLEBONE . . .	29	-	-	-	-	-	-	1	4	3
HAMPSTEAD	19	-	-	1	-	-	1	-	-	2
ST. PANCRAS	48	-	-	-	-	2	1	-	2	3
ISLINGTON	107	-	-	2	-	1	2	1	7	19
STOKE NEWINGTON . . .	13	-	-	-	-	1	1	-	2	2
HACKNEY	57	-	-	-	-	-	2	-	3	4
Central.										
HOLBORN	11	-	-	-	-	-	-	-	-	-
FINSBURY	27	-	-	-	-	-	-	2	6	7
CITY OF LONDON . . .	-	-	-	-	-	-	-	-	-	-
Eastern.										
SHOREDITCH	20	-	-	-	-	-	-	-	6	6
BETHNAL GREEN . . .	26	-	-	-	-	-	-	-	2	4
STEPNEY	65	-	-	1	2	-	2	1	4	16
POPLAR	33	-	-	-	-	-	-	1	2	3
Southern.										
SOUTHWARK	53	-	-	-	1	-	-	2	7	11
BERMONDSEY	23	-	-	-	-	-	1	1	4	5
LAMBETH	67	-	-	-	-	-	-	-	8	7
BATTERSEA	38	-	-	-	-	-	-	2	-	7
WANDSWORTH	79	-	-	-	2	-	2	-	8	6
CAMBERWELL	77	-	-	1	1	1	2	2	8	8
DEPTFORD	24	-	-	-	1	-	-	-	2	3
GREENWICH	31	-	-	-	1	1	-	-	2	3
LEWISHAM	39	-	-	-	-	-	1	1	5	4
WOOLWICH	32	-	-	-	-	-	1	-	3	2

The deaths in the above Table are, so far as concerns London as a whole, corrected by the exclusion of deaths of non-residents, and by the inclusion of those of residents occurring in the Outer Ring or in Metropolitan public institutions situated outside the County. As between individual Metropolitan Boroughs, however, correction is complete.

TABLE 9. LONDON.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED during the Week ended 19th March, 1921.*

BOROUGHS.	ESTI- MATED CIVILIAN POPU- LATION, MID. 1920.† (Provi- sional.)	Enteric Fever.	Malaria.	Typhus.	Small- pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Pneumonia.	Erysipelas.	Cerebro-Spinal Fever.	Puerperal Fever.	Ophthalmia Neonatorum.	Poliomyelitis.	Dysentery.	Encephalitis Lethargica.	Trench Fever.	Polio- encephalitis.
WESTERN.																	
Paddington . . .	149,673	1	-	-	-	10	5	5	4	-	2	1	-	-	-	-	-
Kensington . . .	164,177	-	-	-	-	13	3	-	-	-	-	2	-	-	-	-	-
Hammersmith . . .	136,200	-	-	-	-	34	6	5	2	-	-	-	-	-	-	-	-
Fulham . . .	158,621	-	-	-	-	23	15	3	3	-	1	1	-	-	-	-	-
Chelsea . . .	62,987	-	-	-	-	2	3	2	2	-	-	-	-	-	-	-	-
City of Westminster . . .	132,615	-	-	-	-	8	6	2	-	-	-	-	-	-	-	-	-
NORTHERN.																	
St. Marylebone . . .	101,856	-	-	-	-	5	1	1	-	-	-	1	-	-	-	-	-
Hampstead . . .	91,519	-	-	-	-	9	13	3	-	-	-	-	-	-	-	-	-
St. Pancras . . .	228,178	-	-	-	-	14	8	5	4	-	-	1	-	-	-	-	-
Islington . . .	335,907	-	-	-	-	42	45	4	-	-	-	2	-	-	1	-	-
Stoke Newington . . .	52,984	-	-	-	-	8	5	-	-	-	-	-	-	-	-	-	-
Hackney . . .	225,372	-	-	-	-	35	18	1	3	-	-	-	-	-	-	-	-
CENTRAL.																	
Holborn . . .	39,676	1	-	-	-	3	3	1	1	-	-	-	-	-	-	-	-
Finsbury . . .	78,291	-	-	-	-	7	21	2	1	-	-	-	-	-	1	-	-
City of London . . .	14,447	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
EASTERN.																	
Shoreditch . . .	102,044	-	-	-	-	7	6	3	2	-	-	1	-	-	-	-	-
Bethnal Green . . .	114,471	-	-	-	-	20	12	3	-	-	-	1	-	-	1	-	-
Stepney . . .	241,770	-	-	-	-	42	14	5	-	-	-	-	-	-	-	-	-
Poplar . . .	159,763	-	-	-	-	30	10	9	3	-	1	2	-	-	-	-	-
SOUTHERN.																	
Southwark . . .	187,142	-	-	-	-	18	2	9	2	-	-	1	-	-	-	-	-
Bermondsey . . .	129,189	-	-	-	-	16	9	-	1	-	-	2	-	-	-	-	-
Lambeth . . .	293,572	-	-	-	-	24	10	5	1	-	1	1	-	-	-	-	-
Battersea . . .	165,664	-	1	-	-	8	10	6	1	-	-	4	-	1	1	-	-
Wandsworth . . .	346,990	-	-	-	-	44	29	19	7	-	-	2	-	-	1	-	-
Camberwell . . .	284,712	-	-	-	-	28	13	2	3	-	-	-	-	-	-	-	-
Deptford . . .	115,636	-	-	-	-	14	9	1	-	-	-	-	-	-	-	-	-
Greenwich . . .	102,408	-	-	-	-	14	13	5	2	-	-	-	-	-	-	-	-
Lewisham . . .	174,438	-	-	-	-	18	15	3	1	-	-	-	-	-	-	-	-
Woolwich . . .	141,666	-	-	-	-	17	3	6	1	-	-	2	-	-	-	-	-
TOTAL . . .	4,531,971	2	1	-	-	513	308	110	44	-	5	24	-	1	5	-	-
AGES.																	
Ages 0-1 . . .		-	-	-	-	8	8	7	1	-	-	24	-	-	-	-	-
„ 1-5 . . .		-	-	-	-	101	89	15	2	-	-	-	-	-	-	-	-
„ 5- . . .		-	-	-	-	223	103	8	2	-	-	-	-	-	-	-	-
„ 10- . . .		-	-	-	-	100	56	6	4	-	-	-	-	-	1	-	-
„ 15- . . .		-	-	-	-	36	21	6	-	-	-	-	-	-	1	-	-
„ 20- . . .		-	1	-	-	23	9	3	2	-	-	-	-	1	1	-	-
„ 25- . . .		-	-	-	-	19	15	19	3	-	4	-	-	-	2	-	-
„ 35- . . .		-	-	-	-	3	3	15	3	-	1	-	-	-	-	-	-
„ 45- . . .		1	-	-	-	-	4	14	14	-	-	-	-	-	-	-	-
„ 55- . . .		1	-	-	-	-	-	8	5	-	-	-	-	-	-	-	-
„ 65- . . .		-	-	-	-	-	-	5	4	-	-	-	-	-	-	-	-
„ 75 and upwards . . .		-	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-
Age not stated . . .		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

† See note † on first page of this return.

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS AND DEATHS REGISTERED:-

LONDON AND

NINETY-FIVE OTHER GREAT TOWNS.

~~~~~  
By Authority of the Registrar General,  
~~~~~

LONDON:

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
H.M. STATIONERY OFFICE at the following addresses:

IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and

28, ABINGDON STREET, LONDON, S.W. 1;

37, PETER STREET, MANCHESTER;

1, ST. ANDREW'S CRESCENT, CARDIFF;

23, FORTH STREET, EDINBURGH;

or from E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN.

No. 13. VOL. LXXXII. 1921. WEEK ENDED SATURDAY, APR. 2.
[Price 9d. Net.]

*General Register Office, Somerset House,
April 5th, 1921.*

NINETY-SIX GREAT TOWNS.

For the NINETY-SIX GREAT TOWNS of England and Wales each of which had a population of 50,000 or over at the Census of 1911, the births registered last week numbered 8,385, and corresponded to an annual rate of 23·5 per 1,000. The deaths* among the civilian population only numbered 4,643, and corresponded to an annual rate of 13·0 per 1,000 of their aggregate civilian population, which is provisionally estimated† at 18,554,878 persons in the year 1920. In the three weeks ended March 12th, March 19th, and March 26th, the rates had been 15·2, 13·9, and 13·0 respectively. The infant mortality was 89, against 104, 97, and 94 in the preceding three weeks. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks; it also shows for the week ended last Saturday the births and the deaths from certain individual causes. A column showing the number of deaths

* Corrected as far as possible for deaths of non residents and for those of residents occurring outside the area. Fully corrected figures will appear in the Registrar General's Annual Report.

† The estimates of population refer to the year 1920, and are based on the returns furnished under the scheme for rationing of food.

from influenza has been inserted in Table 1. The aggregate number of deaths from influenza in the 96 great towns in each of the last thirteen weeks is shown in Table 3A.

Measured by last week's mortality, the highest annual death-rates per 1,000 living were :—from *all causes*, 19·9 in West Hartlepool, 20·7 in Eastbourne, 20·8 in Oldham and in Sunderland, 21·3 in Middlesbrough, and 23·3 in Barnsley; from *measles*, 4·1 in Stockton-on-Tees; and from *whooping cough*, 1·3 in Sunderland and 1·5 in Rotherham. No death from *small-pox* was registered in any of the ninety-six towns.

LONDON.* (The Administrative County, including the City of London.)

For LONDON there were 2,016 BIRTHS, corresponding to a rate of 23·1 per 1,000, and 1,149 DEATHS of civilians, corresponding to a rate of 13·2, as against 15·1, 13·1, and 11·6, per 1,000 in the three weeks ended March 12th, March 19th, and March 26th. The death-rate in the four weeks ended last Saturday averaged 13·3 per 1,000. The infant mortality was 71, against 86, 78, and 67 in the preceding three weeks.

The deaths from *enteric fever*, which had been 1, 0, and 0 in the preceding three weeks, numbered 2, the average for the corresponding weeks of the previous five years being 1. The deaths from *measles*, which had been 2, 5, and 4 in the preceding three weeks, fell last week to 2, and were 46 below the average. The deaths from *scarlet fever*, which had been 3, 9, and 6 in the preceding three weeks, were again 6 last week, and were 3 above the average. The deaths from *whooping-cough*, which had been 9, 7, and 12 in the preceding three weeks, fell last week to 8, and were 26 below the average. The deaths from *diphtheria*, which had been 26, 20, and 15 in the preceding three weeks, rose last week to 24, and were 6 above the average; 3 deaths belonged to the Borough of Kensington, 3 to Battersea, and 3 to Wandsworth. The deaths from *diarrhoea and enteritis under 2 years of age*, which had been 22, 17 and 14 in the preceding three weeks, rose last week to 19, and were 6 above the average; 5 deaths belonged to Kensington and 4 to Islington. The deaths from *influenza* numbered 44 (of which 7 occurred in the Leavesden Mental Hospital), as against 27, 42, and 33 in the preceding three weeks and an average of 63.

Different forms of violence caused 30 deaths, all of which were the subject of coroners' inquests. Of these 30 deaths, 9 were cases of suicide, while the remaining 21 were attributed to other forms of violence. Seven of these latter were referred to vehicles in the streets, 1 to burns or scalds, and 1 to drowning.

CASES OF INFECTIOUS DISEASE.†

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital, there were 10 cases of enteric fever, 30 of measles, 3,535 of scarlet fever, 25 of whooping-cough, and 2,689 of diphtheria under treatment in these hospitals on Saturday last (Table 3). The admissions during the week,

* See note * on first page.

† The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

as compared with those in the preceding three weeks, were as follows :—Of enteric fever, 3 cases, against 1, 1, and 2 ; of measles, 9 cases, against 8, 7, and 3 ; of scarlet fever, 375 cases, against 497, 507, and 508 ; of whooping-cough, 2 cases, against 3, 4, and 2 ; and of diphtheria, 230 cases, against 332, 309, and 276. Table 9, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the county during the week ended March 26th, 1921.

TABLE 1.—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH RATES in the Week ended Saturday, 2nd April, 1921, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.		DEATH-RATES from all Causes.		Week ended		Week ended		The DEATHS in the Week include										TOWNS.				
		CIVILIAN		2nd April 1921.		Deaths from																
		POPULATION, MID. 1920 * (Provisional.)	1.	2nd Mar., 1921.	26th Mar., 1921.	2nd Apr., 1921.	Deaths of	Deaths from								Inquest Cases.	Deaths in Public Institutions.		Uncertified Causes of Death.			
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.			16.		17.	18.	19.
96 GREAT TOWNS.	18,554,878	15.2	13.9	13.0	13.0	8,385	4,643	747	1,511	3	-	37	17	49	62	69	130	138	318	1,556	35	96 GREAT TOWNS.
LONDON†	4,531,971	15.1	13.1	11.6	13.2	2,016	1,149	144	404	2	-	2	6	8	24	19	44	30	88	590	3	LONDON.†
† CROYDON.	191,550	14.2	16.1	10.3	10.9	71	40	4	19	-	-	-	-	-	-	1	1	1	3	4	-	† CROYDON.
WIMBLEDON.	62,174	19.3	16.8	10.9	7.5	19	9	-	3	-	-	-	-	-	-	-	2	-	1	3	-	WIMBLEDON.
EALING.	76,129	12.3	13.0	11.6	15.8	20	23	2	13	-	-	-	-	-	1	-	-	-	-	11	-	EALING.
ACTON.	64,192	10.6	13.0	15.4	11.4	30	14	2	8	-	-	-	-	1	-	-	-	1	1	5	-	ACTON.
WILLESDEN.	167,328	13.1	10.0	10.6	10.3	67	33	9	9	-	-	-	1	1	-	-	4	3	3	11	-	WILLESDEN.
HORNSEY.	98,107	15.9	13.8	12.8	11.2	30	21	1	10	-	-	-	-	-	-	-	2	2	5	5	-	HORNSEY.
TOTTENHAM	146,970	13.1	11.4	13.1	8.5	69	24	3	11	-	-	-	-	-	-	1	1	-	-	6	-	TOTTENHAM.
† EDMONTON.	73,529	11.3	14.2	7.1	9.2	39	13	4	1	-	-	-	-	-	1	-	1	-	-	5	-	† EDMONTON.
ENFIELD.	60,771	12.9	16.3	12.9	7.7	31	9	3	2	-	-	-	-	-	-	-	-	1	1	2	-	ENFIELD.
WEST HAM.	299,440	18.5	13.4	15.3	12.9	175	74	15	17	-	-	-	-	-	1	-	2	6	11	30	-	WEST HAM.
EAST HAM.	150,207	11.1	11.8	14.6	6.2	56	18	3	5	-	-	-	-	-	2	-	-	1	3	7	-	EAST HAM.
LEYTON.	128,832	12.5	13.0	11.7	11.3	46	28	2	11	-	-	-	-	-	-	-	-	2	3	7	-	LEYTON.
WALTHAMSTOW	132,771	9.8	9.4	11.0	9.4	55	24	2	7	-	-	-	-	-	-	-	2	1	3	6	-	WALTHAMSTOW.
† ILFORD.	82,693	14.5	15.8	12.6	13.9	37	22	2	14	-	-	-	-	-	1	1	1	-	2	5	-	† ILFORD.
GILLINGHAM.	45,233	19.6	10.4	9.2	12.7	18	11	2	2	-	-	-	-	-	1	-	-	-	1	3	-	GILLINGHAM.
HASTINGS.	59,972	20.9	26.1	20.0	12.2	15	14	-	9	-	-	-	-	-	-	-	-	-	1	1	-	HASTINGS.
EASTBOURNE.	50,354	19.7	13.5	13.5	20.7	21	20	2	8	-	-	-	-	1	-	-	4	-	-	4	-	EASTBOURNE.
BRIGHTON.	137,685	15.1	12.9	18.6	13.3	51	35	3	17	-	-	-	-	-	-	-	2	-	1	10	-	BRIGHTON.
PORTSMOUTH.	235,998	13.3	12.2	8.6	9.3	115	42	5	21	-	-	1	-	-	1	-	1	-	1	11	2	PORTSMOUTH.
BOURNEMOUTH.	85,919	9.1	17.6	10.3	11.5	22	19	1	11	-	-	-	-	-	-	-	1	-	1	3	-	BOURNEMOUTH.
SOUTHAMPTON.	162,388	16.7	12.8	14.1	11.6	89	36	6	12	-	-	-	-	-	-	1	3	-	-	13	-	SOUTHAMPTON.
READING.	95,006	12.1	13.2	9.3	15.4	47	28	2	16	-	-	-	-	-	-	-	-	-	1	6	1	READING.
OXFORD.	59,963	9.6	9.6	8.7	7.8	19	9	-	5	-	-	-	-	-	-	-	-	-	-	2	-	OXFORD.
NORTHAMPTON.	92,483	13.0	9.0	10.7	10.7	43	19	5	6	-	-	-	-	-	1	-	-	1	1	5	-	NORTHAMPTON.
CAMBRIDGE.	60,154	15.6	11.3	7.8	9.5	26	11	-	6	-	-	-	-	-	-	-	-	-	-	2	-	CAMBRIDGE.

* See note on first page of this return. † For Greater London see end of Table. ‡ These towns are included within the area of Greater London.

in the Week ended Saturday, 2nd April 1921, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	ESTIMATED CIVILIAN POPULATION, MID. 1920.* (Provisional.)	DEATH-RATES from all Causes.				Week ended 2nd Apr., 1921.		The DEATHS in the Week include										TOWNS.						
		Week ended				6.	7.	8.	9.	Deaths of		Deaths from								Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.		
		Week ended								Persons aged under 1 Year of Age.	65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.		Diarrhoea and Enteritis (under 2 years).				Influenza.	Violence
		12th Mar., 1921.	19th Mar., 1921.	26th Mar., 1921.	2nd Apr., 1921.																			
Cols.	1.	2.	3.	4.	5.					10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.		
SOUTHEND ON SEA -	87,332	14.9	12.5	9.5	10.1	27	17	2	11	-	-	-	-	-	-	-	-	-	-	2	2	2	SOUTHEND ON SEA.	
IPSWICH . . .	81,119	13.5	12.2	9.0	11.6	30	18	4	8	-	-	-	-	-	2	-	-	1	1	5	-	-	IPSWICH.	
GREAT YARMOUTH -	55,193	19.8	17.0	11.3	18.0	31	19	3	10	-	-	-	-	-	1	-	1	-	-	4	-	-	GREAT YARMOUTH.	
NORWICH . . .	124,774	14.2	14.2	10.4	11.7	44	28	4	14	-	-	-	-	1	-	-	1	-	2	6	-	-	NORWICH.	
SWINDON . . .	53,580	4.9	12.7	11.7	10.7	26	11	-	7	-	-	-	-	-	-	-	1	-	-	3	-	-	SWINDON.	
EXETER . . .	61,365	11.9	15.3	9.3	13.6	14	16	3	4	-	-	1	-	-	-	1	-	-	-	6	-	-	EXETER.	
PLYMOUTH . . .	189,218	16.8	16.8	14.9	14.1	113	51	8	18	-	-	-	-	-	-	-	-	3	7	13	-	-	PLYMOUTH.	
BATH . . .	68,546	16.0	11.4	12.2	14.5	22	19	2	11	-	-	-	-	-	-	1	-	-	1	6	-	-	BATH.	
BRISTOL . . .	375,641	12.5	13.2	12.4	11.2	166	81	16	31	-	-	1	-	-	1	1	2	3	7	21	-	-	BRISTOL.	
GLOUCESTER . . .	52,096	10.0	14.0	7.0	10.0	26	10	2	4	-	-	-	-	-	-	-	-	-	1	3	-	-	GLOUCESTER.	
STOKE ON TRENT -	248,852	17.4	17.4	15.5	16.6	106	79	10	28	-	-	1	1	-	-	2	3	-	2	20	1	-	STOKE ON TRENT.	
WOLVERHAMPTON -	102,324	10.7	15.8	13.2	10.2	48	20	5	9	-	-	-	-	-	-	-	-	-	2	8	-	-	WOLVERHAMPTON.	
WALSALL . . .	96,419	9.7	8.1	14.6	14.6	49	27	6	8	-	-	1	-	1	2	1	-	1	4	4	-	-	WALSALL.	
WEST BROMWICH -	72,684	15.1	15.8	17.2	10.0	51	14	4	2	-	-	1	-	-	-	-	-	1	2	3	-	-	WEST BROMWICH.	
DUDLEY . . .	56,169	11.1	13.9	10.2	13.0	28	14	3	5	-	-	-	-	-	-	-	-	-	-	3	-	-	DUDLEY.	
BIRMINGHAM . . .	895,915	17.9	14.7	12.5	12.2	414	210	30	71	-	-	9	2	1	3	2	3	8	8	73	8	-	BIRMINGHAM.	
SMETHWICK . . .	75,027	11.1	13.2	4.9	10.4	35	15	1	2	-	-	-	-	-	-	-	-	-	-	2	-	-	SMETHWICK.	
COVENTRY . . .	137,310	10.6	10.6	11.8	8.7	61	23	2	8	-	-	-	-	-	-	1	-	1	1	8	-	-	COVENTRY.	
LEICESTER . . .	245,465	18.9	17.6	16.4	16.6	82	78	7	26	-	-	-	-	3	1	-	4	3	5	19	-	-	LEICESTER.	
LINCOLN . . .	67,543	15.4	12.4	10.8	13.1	32	17	7	5	-	-	-	-	-	-	-	-	-	2	1	-	-	LINCOLN.	
GRIMSBY . . .	31,953	13.4	10.2	18.5	10.8	51	17	3	7	-	-	-	-	-	1	1	1	-	1	2	1	-	GRIMSBY.	
NOTTINGHAM . . .	267,836	15.6	17.5	14.0	13.2	139	68	20	23	-	-	-	-	-	-	-	1	-	1	13	-	-	NOTTINGHAM.	
DERBY . . .	128,868	10.5	13.8	11.3	8.1	56	20	1	7	1	-	-	1	-	-	-	-	1	2	10	-	-	DERBY.	

* See note † on first page of this return.

AB LE 1 (cont.).—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED and DEATH RATE in the Week ended Saturday, 2nd April, 1921, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	ESTIMATED CIVILIAN POPULATION MID. 1920.* (Provisional.)	DEATH-RATES from all Causes.				Week ended 2nd Apr., 1921.		The DEATHS in the Week include											TOWNS.			
		Week ended				BIRTHS.	DEATHS.	Deaths of		Deaths from								Inquest Cases.		Deaths in Public Institutions.	Uncertified Causes of Death.	
		12th Mar., 1921	19th Mar., 1921.	26th Mar., 1921.	2nd Apr., 1921.			Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.					Violence.
STOCKPORT	130,635	14.0	10.8	12.0	16.4	53	41	4	11	-	-	-	-	-	1	-	1	-	1	15	-	STOCKPORT.
BIRKENHEAD	153,951	13.2	9.1	12.5	12.9	73	38	7	14	-	-	-	-	-	-	-	-	5	6	11	-	BIRKENHEAD.
WALLASEY	99,226	13.1	8.4	6.3	8.9	23	17	1	7	-	-	-	-	-	-	-	-	-	-	3	-	WALLASEY.
LIVERPOOL	803,452	14.4	11.4	15.1	13.7	429	211	51	48	-	-	-	2	2	3	9	1	10	23	82	2	LIVERPOOL.
BOOTLE	80,029	8.5	16.9	11.1	8.5	42	13	3	3	-	-	-	-	-	-	1	1	1	1	3	-	BOOTLE.
ST. HELENS	104,322	10.9	12.4	12.9	3.5	54	17	1	6	-	-	-	-	-	-	-	-	-	-	6	1	ST. HELENS.
SOUTHPORT	72,939	14.3	18.6	15.7	10.0	15	14	1	6	-	-	-	-	-	1	-	-	-	-	2	-	SOUTHPORT.
WIGAN	97,866	13.8	14.3	16.6	11.5	50	20	4	5	-	-	-	-	1	-	-	-	1	1	4	-	WIGAN.
WARRINGTON	77,939	18.7	11.4	14.0	12.7	43	19	11	-	-	-	1	-	1	-	1	-	-	-	4	-	WARRINGTON.
BOLTON	194,533	15.8	17.2	12.2	16.1	86	57	12	13	-	-	-	-	1	-	-	2	2	6	14	2	BOLTON.
BURY	56,410	13.9	26.8	18.5	12.0	21	13	2	4	-	-	-	-	-	-	-	-	-	-	3	-	BURY.
MANCHESTER	770,537	14.5	13.8	13.1	14.8	335	218	45	47	-	-	-	1	8	3	7	5	5	10	73	2	MANCHESTER.
SALFORD	235,239	17.5	16.4	15.5	11.5	123	52	11	15	-	-	-	-	-	-	1	1	4	5	23	-	SALFORD.
OLDHAM	143,154	12.7	13.8	13.1	20.8	79	57	7	17	-	-	-	-	1	-	1	1	1	5	11	-	OLDHAM.
ROCHDALE	93,639	16.7	11.1	17.3	11.1	38	20	3	7	-	-	-	-	-	-	-	-	2	3	9	-	ROCHDALE.
BURNLEY	105,030	13.9	10.9	13.9	12.4	63	25	6	9	-	-	-	-	2	1	-	-	2	4	9	-	BURNLEY.
BLACKBURN	131,012	13.9	15.1	9.6	10.0	55	25	1	12	-	-	-	-	-	-	-	-	-	2	6	-	BLACKBURN.
PRESTON	121,950	20.5	11.1	12.4	13.3	66	31	6	11	-	-	-	-	1	1	-	1	1	1	6	1	PRESTON.
BLACKPOOL	70,545	14.0	16.3	14.8	15.5	31	21	4	-	-	-	1	-	-	1	-	2	-	-	1	1	BLACKPOOL.
BARROW IN FURNESS	73,561	15.7	15.0	11.6	7.5	41	11	1	2	-	-	-	-	-	-	-	-	-	-	1	-	BARROW IN FURNESS.
HUDDERSFIELD	116,776	11.2	11.2	14.7	17.0	46	38	6	10	-	-	-	-	-	-	1	1	1	2	10	-	HUDDERSFIELD.
HALIFAX	105,847	21.7	14.8	11.3	13.8	28	28	3	8	-	-	-	-	-	-	-	-	-	1	9	-	HALIFAX.
BRADFORD	293,979	19.7	13.7	18.1	15.1	104	85	11	28	-	-	2	1	2	-	-	4	2	12	31	-	BRADFORD.
LEEDS	449,212	14.7	12.2	16.5	14.6	199	126	20	39	-	-	1	-	-	-	1	2	-	6	36	-	LEEDS.
DEWSBURY	55,080	8.5	23.7	18.0	13.3	22	14	1	6	-	-	-	-	-	-	-	-	-	-	2	-	DEWSBURY.
WAKEFIELD	51,169	17.3	12.2	13.2	13.2	16	13	1	7	-	-	-	-	-	-	-	-	-	-	2	-	WAKEFIELD.
BARNSELY	53,739	21.3	17.5	13.6	23.3	23	24	3	7	-	-	-	-	-	-	-	2	1	2	6	-	BARNSELY.

* See note † on first page of this return.

TOWNS.		ESTIMATED CIVILIAN POPULATION, MID. 1920 * (Provisional).	DEATH-RATES FROM ALL CAUSES.				Week ended 2nd April, 1921.		The DEATHS in the Week include										Inquest Cases.		Deaths in Public Institutions.		Unreported Causes of Death.		TOWNS		
			Week ended				BIRTHS. DEATHS.		Deaths of Infants under 1 Year of Age.		Persons aged 65 Years and upwards.		Deaths from														
			Week ended										Deaths from														
			12th Mar., 1921.	19th Mar., 1921.	26th Mar., 1921.	2nd Apr., 1921.							Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.								Diarrhoea and Enteritis (under 2 years).	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.					
SHEFFIELD	492,570	15.3	14.2	13.2	12.3	205	116	24	30	-	-	1	1	2	-	-	1	4	2	5	26	-	SHEFFIELD.				
ROTHERHAM	71,785	16.7	8.0	8.7	11.6	28	16	6	3	-	-	-	-	2	-	-	-	-	-	-	4	-	ROTHERHAM.				
YORK	77,501	22.2	16.1	14.8	13.5	30	20	1	6	-	-	-	-	-	-	-	-	2	1	4	10	-	YORK.				
HULL	290,808	13.3	18.8	14.2	15.1	136	84	10	21	-	-	-	-	1	1	2	-	7	8	34	-	HULL.					
MIDDLESBROUGH	132,208	22.5	22.5	20.5	21.3	62	54	12	12	-	-	2	-	-	2	3	1	1	4	4	12	-	MIDDLESBROUGH.				
DARLINGTON	66,610	20.4	18.0	9.4	14.1	42	18	4	5	-	-	1	-	-	-	-	2	-	-	-	4	1	DARLINGTON.				
STOCKTON ON TEES	63,114	18.2	12.4	9.1	18.2	31	22	5	8	-	-	5	-	1	-	-	-	-	-	-	1	1	STOCKTON ON TEES.				
WEST HARTLEPOOL	68,126	16.8	13.8	13.8	19.9	31	26	2	6	-	-	-	-	-	-	-	-	1	1	1	3	-	WEST HARTLEPOOL.				
SUNDERLAND	155,211	21.5	17.5	19.1	20.8	87	62	14	16	-	-	1	-	4	-	2	-	1	3	14	-	-	SUNDERLAND.				
SOUTH SHIELDS	115,945	14.8	18.0	18.9	14.8	51	33	8	9	-	-	-	-	1	-	-	-	2	1	2	11	3	SOUTH SHIELDS.				
GATESHEAD	128,309	17.5	15.0	15.4	15.0	64	37	6	16	-	-	-	1	-	-	-	1	2	2	2	-	-	GATESHEAD.				
NEWCASTLE ON TYNE.	286,061	16.8	18.2	15.9	17.0	137	93	23	21	-	-	5	-	-	1	3	4	1	5	31	-	-	NEWCASTLE ON TYNE.				
TYNEMOUTH	60,318	23.3	26.8	18.2	9.5	27	11	3	4	-	-	-	-	-	-	-	-	-	-	-	-	2	TYNEMOUTH.				
CARLISLE	57,397	21.8	19.1	25.4	14.5	28	16	4	4	-	-	-	-	-	-	-	-	1	1	5	-	-	CARLISLE.				
NEWPORT (MON.)	90,728	13.8	10.3	9.8	10.9	50	19	3	3	-	-	-	-	1	-	-	1	-	-	-	2	-	NEWPORT (MON.).				
CARDIFF	212,582	15.5	11.3	10.1	11.3	122	46	6	12	-	-	-	-	-	-	-	-	1	3	4	10	-	CARDIFF.				
RHONDDA	184,999	15.8	13.0	12.7	9.9	84	35	11	8	-	-	-	-	-	1	-	2	1	-	-	1	1	RHONDDA.				
MERTHYR TYDFIL	74,493	14.7	19.6	17.5	13.3	52	19	3	4	-	-	-	-	-	-	1	-	2	3	3	-	-	MERTHYR TYDFIL.				
ABERDARE	53,431	22.4	13.7	14.6	8.8	19	9	4	1	-	-	-	-	-	-	-	-	1	1	1	1	-	ABERDARE.				
SWANSEA	167,218	10.9	15.3	14.3	13.1	63	42	7	14	-	-	-	-	1	1	-	2	3	5	8	-	-	SWANSEA.				
GREATER LONDON	7,548,647	14.5	13.1	11.8	12.3	3235	1780	227	640	3	-	2	7	10	36	26	79	55	140	776	3	GREATER LONDON.					
OUTER RING	3,016,676	13.5	12.9	12.1	10.9	1219	631	83	236	1	-	-	1	2	12	7	35	25	52	186	-	-	OUTER RING.				
14 GREAT TOWNS IN OUTER RING.	1,734,723	13.9	13.1	12.4	10.6	745	352	52	130	-	-	-	1	2	6	3	16	18	36	107	-	-	14 GREAT TOWNS IN OUTER RING.				
REMAINDER OF OUTER RING.	1,281,953	13.0	12.7	11.6	11.3	474	279	31	106	1	-	-	-	-	6	4	19	7	16	79	-	-	REMAINDER OF OUTER RING.				
EDINBURGH†	446,200	18.7	18.5	13.4	15.4	202	132	16	42	-	-	3	-	-	4	1	3	6	?	?	?	?	EDINBURGH.†				
GLASGOW†	1,100,400	19.3	18.9	16.8	16.7	641	353	77	74	-	-	1	3	34	2	5	7	11	?	?	?	?	GLASGOW.†				
DUBLIN (Registra- tion Area).†	423,000	18.1	17.3	16.8	19.2	250	156	19	43	-	-	-	-	-	-	5	5	13	7	54	3	3	DUBLIN (Registra- tion Area).†				
BELFAST†	420,000	20.0	18.3	15.4	17.4	258	140	29	37	-	-	-	-	8	1	1	1	10	10	43	3	3	BELFAST.†				

* See note † on first page of this return.

† The populations are total populations and relate to 1921. Deaths and the death-rates in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week: those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

TABLE 2. LONDON.—Births and Deaths registered during the THIRTEENTH Week of each of the Eleven Years, 1911-1921.

	1911.	1912.	1913.	1914.	1915.	1916.	1917.	1918.	1919	1920.	1921.
Births (as registered).	2299	2356	2277	2240	1932	2173	1721	1240	1355	2078	2016
Males -	1163	1195	1206	1134	984	1135	858	647	718	1047	1024
Females -	1136	1161	1071	1106	948	1038	863	593	637	1031	992
Deaths (of residents only).	1487	1171	1508	1344	1848	1465*	1471*	1357*	1359*	1365*	1149*
Males -	730	591	764	713	976	765	774	722	706	696	582
Females -	757	580	744	631	872	700	697	635	653	669	567

* Deaths in civilian population only.

TABLE 3. LONDON.—BIRTHS and DEATHS REGISTERED, and CASES of INFECTIOUS SICKNESS in HOSPITALS. in the last THIRTEEN WEEKS.

	Jan. 8.	Jan. 15.	Jan. 22.	Jan. 29.	Feb. 5.	Feb. 12.	Feb. 19.	Feb. 26.	Mar. 5.	Mar. 12.	Mar. 19.	Mar. 26.	Apr. 2.
Births (as registered)	2373	2059	2009	2039	1856	2058	2041	1908	1987	2074	2004	1746	2016
Deaths (of residents only).	1117	1099	1121	1011	1158	1147	1232	1313	1282	1511	1142	1005	1149
Ages													
Under 1 year	178	186	177	160	189	181	211	168	168	179	157	117	144
1-2 years	34	28	34	31	49	43	39	30	34	45	46	32	39
2-5 "	20	26	32	24	34	29	23	31	26	24	28	18	25
5-10 "	31	30	23	19	28	34	24	33	21	22	19	19	28
10-15 "	17	17	16	14	13	17	20	15	15	15	21	14	21
15-20 "	20	29	19	24	23	20	16	18	21	24	24	26	21
at													
20-25 "	19	24	20	19	25	19	25	29	17	25	29	23	33
Death													
25-35 "	70	62	44	47	51	44	50	65	66	53	52	50	42
35-45 "	78	77	77	78	75	54	91	90	81	93	79	80	90
45-55 "	105	117	118	125	125	121	104	141	117	138	109	108	125
55-65 "	159	155	183	149	169	153	170	185	201	176	147	130	177
65-75 "	189	165	193	146	192	207	215	247	254	243	188	182	188
75 years and upwards	197	183	185	175	185	225	244	261	261	274	243	206	216
Deaths from—													
Enteric fever	-	1	1	1	-	1	-	-	2	1	-	-	2
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	1	3	2	1	-	-	3	4	-	2	5	4	2
Scarlet fever	8	2	5	8	8	7	7	6	6	3	9	6	6
Whooping cough	6	2	8	4	6	15	13	9	13	9	7	12	8
Diphtheria	24	23	28	19	28	28	9	27	18	26	20	15	24
Diarrhoea and enteritis (under 2 years).	17	20	19	18	22	18	23	16	22	22	17	14	19
Pulmonary tuberculosis	84	99	100	98	105	74	102	100	105	100	101	109	95
Influenza	21	16	14	6	9	13	12	30	45	27	42	33	44
Pneumonia (all forms)	141	112	117	92	128	104	131	144	148	165	117	107	117
Bronchitis	96	116	101	95	98	153	158	167	159	149	131	93	102
Other dis. of resp. system	17	15	7	16	14	10	23	23	23	27	16	16	14
Dis. of circ. system	184	202	178	181	194	218	223	208	219	223	177	175	192
Violence	40	34	35	40	49	32	32	50	34	41	44	26	30
Inquest cases	93	99	81	74	99	90	86	106	85	101	90	69	88
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Enteric fever	20	17	12	11	7	9	10	9	15	13	12	13	10
Small-pox	1	1	1	1	1	-	-	-	-	-	-	-	-
Measles	15	13	14	15	17	18	23	28	26	28	26	25	30
Scarlet fever	4608	4413	4350	4171	4018	3945	3919	3845	3738	3730	3695	3609	3535
Whooping cough	20	20	23	27	26	26	24	25	22	25	26	23	25
Diphtheria	2588	2597	2618	2682	2767	2770	2808	2800	2809	2818	2817	2777	2689

* The Metropolitan Asylums Board and London Fever Hospitals. The figures do not refer to London exclusively.

TABLE 3A. 96 Great Towns.—DEATHS from INFLUENZA in the last THIRTEEN WEEKS.

	Jan. 8.	Jan. 15.	Jan. 22.	Jan. 29.	Feb. 5.	Feb. 12.	Feb. 19.	Feb. 26.	Mar. 5.	Mar. 12.	Mar. 19.	Mar. 26.	Apr. 2.
Deaths from Influenza	101	87	66	61	61	93	103	138	167	149	151	122	130

TABLE 4. LONDON.—DEATHS REGISTERED in the THIRTEENTH Week of the Year 1921.

CAUSES OF DEATH.	Deaths in the 13th week of the year 1920.	DEATHS of PERSONS of the AGES													
		ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-10 years.	10-15 years.	15-20 years.	20-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and up- wards.
ALL CAUSES	1365	1149	144	39	25	28	21	21	33	42	90	125	177	188	216
Enteric fever	-	2	-	-	-	-	-	-	-	1	-	1	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	48	2	1	1	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever	2	6	-	1	1	4	-	-	-	-	-	-	-	-	-
Whooping cough	34	8	3	5	-	-	-	-	-	-	-	-	-	-	-
Diphtheria	28	24	4	5	7	6	-	-	2	-	-	-	-	-	-
Croup	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza	124	44	1	-	-	-	-	-	3	1	4	6	8	11	10
Erysipelas	2	2	-	-	-	-	-	-	-	-	-	1	1	-	-
Other epidemic diseases	-	7	3	2	-	-	-	-	-	-	-	1	-	1	-
Pyæmia and septicæmia	3	3	-	-	-	-	-	-	-	2	-	-	1	-	-
Tetanus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis:—															
Pulmonary tuberculosis	97	95	-	1	-	-	4	8	10	16	19	19	14	4	-
Tuberculous meningitis	9	8	3	1	2	-	2	-	-	-	-	-	-	-	-
Abdominal tuberculosis	3	3	-	-	1	-	1	1	-	-	-	-	-	-	-
Tuberculosis of the spine	3	3	-	-	-	-	-	-	-	-	-	-	2	1	-
Tuberculosis of the joints	-	3	-	-	-	-	1	-	-	1	-	-	-	-	1
Tuberculosis of other organs . . .	2	2	-	-	-	-	-	-	-	-	1	-	-	1	-
Disseminated tuberculosis . . .	3	3	-	-	-	1	1	-	-	-	1	-	-	-	-
Venereal diseases	7	3	2	-	-	-	-	-	-	-	1	-	-	-	-
Cancer	90	119	-	-	-	-	1	-	-	-	8	26	37	29	18
Tumour, situation undefined . . .	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic fever	5	6	-	-	-	-	2	1	1	1	-	-	1	-	-
Diabetes	6	6	-	-	-	-	-	-	-	1	1	-	3	1	-
Anæmia, leucocythæmia	7	8	-	-	-	2	-	-	-	-	-	-	2	3	1
Other general diseases	8	8	1	-	-	-	-	-	-	-	-	1	2	-	4
Alcoholism	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic poisonings	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	5	2	-	-	-	-	1	-	-	-	1	-	-	-	-
Cerebral hæmorrhage, Apoplexy . .	49	47	-	-	-	-	-	-	-	-	1	5	14	13	14
Softening of brain	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Paralysis, without specified cause .	7	2	-	-	-	-	-	-	-	-	-	-	-	1	1
Epilepsy	5	6	-	-	-	-	-	-	2	-	4	-	-	-	-
"Convulsions" (not puerperal) . . .	10	9	8	1	-	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system . .	20	21	1	-	-	1	1	1	-	-	2	4	6	4	1
Pericarditis	2	4	-	-	1	1	1	-	-	-	-	-	-	-	1
Acute endocarditis	9	15	-	-	-	1	1	-	6	2	2	2	-	-	1
Organic disease of heart	108	128	-	-	-	1	1	2	2	3	12	15	20	34	38
Embolism and thrombosis (includ- ing cerebral).	5	8	-	-	-	-	-	-	-	-	-	-	1	4	3
Other diseases of circulatory system.	35	37	-	-	1	-	-	-	-	-	2	6	6	12	10
Diseases of the larynx	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Bronchitis	142	102	5	1	1	-	-	-	-	1	3	4	13	31	43
Broncho-pneumonia	92	55	16	14	7	3	-	-	-	1	1	2	4	4	3
Lobar pneumonia	40	29	2	-	-	-	1	2	-	1	6	5	4	4	4
Pneumonia (type not distinguished)	43	33	4	3	1	3	-	1	-	1	4	5	6	3	2
Pleurisy	7	3	-	1	-	-	-	-	1	-	-	-	1	-	-
Pulmonary congestion, Pulmonary apoplexy.	3	4	-	-	-	-	-	-	-	-	-	1	-	1	2
Other diseases of respiratory system.	10	6	-	-	-	-	-	1	-	-	1	3	-	-	1

TABLE 5.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM							
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria and Croup.*	Diarrhoeal Diseases† (under 2 years).	Influenza.
LONDON† . .	4,531,971	1921. Apr. 2	2,016	1,149	13·2	2	-	2	6	8	24	19	44
CALCUTTA . .	896,067	Feb. 26	-	705§	40·9	?	2	?	?	?	?	?	50
BOMBAY . .	979,445	" 26	368	1,374§	72·9	2	13	14	-	1	1	83	36
MADRAS . .	518,660	" 19	333	583§	58·5	1	-	-	?	2	1	46	3
PARIS . .	2,847,229	(10 days) Feb. 20	-	-	-	-	-	-	-	-	-	-	-
BRUSSELS . .	792,919	- - -	-	-	-	-	-	-	-	-	-	-	-
ANTWERP . .	336,572	Mar. 19	107	57	9·1	-	-	1	-	1	-	2	-
AMSTERDAM . .	690,089	" 19	279	125	9·4	2	-	2	-	-	-	-	-
COPENHAGEN . .	571,000	" 19	246	143	13·1	-	-	-	1	-	2	-	-
STOCKHOLM . .	415,201	" 12	153	107	13·4	-	-	-	-	-	1	-	2
GOthenBURG . .	205,494	" 12	-	60	15·1	1	-	-	-	-	2	-	2
CHRISTIANIA . .	260,904	" 19	121	57	11·4	-	-	-	-	-	-	-	-
BERLIN . .	1,934,000	" 12	528	566	15·2	-	?	5	-	4	4	13	4
BRESLAU . .	540,000	" 12	259	176	17·0	-	?	-	1	1	3	5	5
COLOGNE . .	660,000	" 12	317	173	13·6	-	?	3	-	-	2	4	3
DRESDEN . .	538,000	" 12	220	149	14·4	-	?	1	-	-	-	2	4
FRANKFORT- ON-MAIN. . .	463,000	" 12	190	101	11·3	-	?	-	-	-	-	2	3
HAMBURG . .	996,000	" 12	404	261	13·6	-	?	1	-	-	-	1	2
LEIPZIG . .	624,000	" 12	270	169	14·1	-	?	-	-	-	2	4	1
MUNICH . .	670,000	" 12	226	178	13·8	-	?	2	-	2	2	6	5
VIENNA . .	1,842,005	" 12	614	650	18·3	3	-	1	-	3	3	6	3
PRAGUE AND SUBURBS. . .	726,381	Feb. 26	288	187	13·4	-	-	-	-	-	1	5	2
BUDAPEST . .	1,092,000	Jan. 15	382	358	17·1	1	?	5	9	-	3	11	1
TRIESTE . .	243,487	Mar. 12	118	74	15·8	2	-	-	-	-	-	1	-
CAIRO . .	764,800	Jan. 14	614	376	25·6	3	-	-	-	?	1	19	?
ALEXANDRIA . .	449,300	" 14	421	232	26·9	-	-	2	1	?	-	11	?
NEW YORK . .	5,753,151	Mar. 5	2,700	1,534	13·9	2	-	7	18	8	42	22	16
CHICAGO . .	2,780,655	" 12	-	-	-	-	-	-	-	-	-	-	-

Excluding deaths from croup in Bombay and Madras.

The deaths in this column relate to *all ages* for Bombay, Madras, Christiania, and Budapest, and to *children under 1 year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

The estimated population and deaths refer to the civilian population only.

Including 9 deaths from *plague* in Bombay, and from *Asiatic cholera*, 29 deaths in Calcutta and 39 in Madras.

TABLE 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 2nd April, 1921.

(Supplied by the Meteorological Office.)

TOWNS.	Temperature of Air.*				Rainfall in Milli- metres.†	TOWNS.	Temperature of Air.*				Rainfall in Milli- metres.†
	Highest.	Lowest.	Mean Maxi- mum.	Mean Mini- mum.			Highest.	Lowest.	Mean Maxi- mum.	Mean Mini- mum.	
LONDON (Greenwich) }	66	34	57·7	38·4	8	BRADFORD . .	63	35	52·6	39·7	10
BRIGHTON . .	61	37	54·0	42·0	10	SHEFFIELD . .	66	34	55·0	40·1	9
PORTSMOUTH . .	61	37	55·9	41·1	9	YORK (Museum) . .	68	33	55·9	39·9	1
POWELL LODGE (South- well Lodge) . . }	68	34	57·6	36·2	5	HULL (Pearson Park)	70	32	58·1	38·6	1
PLYMOUTH . .	60	37	54·4	40·3	13	TYNEMOUTH . .	66	34	54·6	40·7	3
Bristol (Clifton) . .	65	37	55·1	39·3	14	CARDIFF . .	66	34	55·7	39·7	14
BIRMINGHAM . .	68	33	56·0	39·1	4	EDINBURGH . .	60·0	33·0	50·3	40·1	3
NOTTINGHAM . .	68	35	56·7	39·1	5	GLASGOW . .	53·3	33·6	48·9	40·3	9
BRIDGEMANHEAD (Bidston) }	55	34	50·6	41·1	5	DUBLIN :—					
MANCHESTER . .	62	33	53·1	40·3	11	Phoenix Park . .	55·7	33·0	52·4	38·1	7
BURNLEY . .	63	33	50·4	37·3	18	†Fitzwilliam Square	55·9	34·2	52·8	41·4	5
WIDDERSFIELD . .	70	34	54·0	39·9	20	BELFAST . .	57·0	32·5	45·8	41·2	12

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.

† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.

‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

DATE.		ELECTRICITY. (For explanation of symbols, see Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
MARCH 1921.					
SUNDAY	27	v.P. throughout	8·7	12·5	Cloudless generally with slight hoar frost in morning; partially cloudy 10h. to 15h.; nearly overcast 16h. to 21h., becoming cloudless by 22h.; slight rain 16h.; brisk wind 9h. to 16h.
MONDAY	28	w.P. throughout	0·3	12·6	Nearly cloudless till 6h.; sky becoming veiled; overcast by 9h., with solar halo; frequent slight rain or damping 9h. to 22h.; rain after 22h.; brisk wind from 9h.
TUESDAY	29	v.P. generally, v.N. at times.	6·2	12·7	Overcast generally till 7h.; variably cloudy with overcast intervals till 21h., then overcast generally; occasional showers; hail about 16h.
WEDNESDAY	30	s.P. generally, a little v.N.	3·9	12·7	Overcast till 4h., with rain about 1h.; nearly cloudless till 9h.; very cloudy or nearly overcast till 18h., then cloudless;
THURSDAY	31	v.P. generally, m.P. at times.	4·4	12·8	Becoming overcast by 1h., clearing about noon to nearly cloudless but hazy; sky becoming veiled towards midnight.
APRIL. FRIDAY	1	s.P. generally, v.P. at times.	9·9	12·9	Cloudless generally; little cloud at times; misty in morning.
SATURDAY	2	w.P. till noon, m.P. generally afterwards.	7·1	12·9	Cloudless generally; foggy 1h. to 10h.
No. of Col.		26	Sum 40·5	Sum 89·1	
			27	28	

The results apply to the civil day, or from midnight to midnight. The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level. Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables. The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916. In reading columns 9 and 24 it will be borne in mind that + indicates "higher," and - "lower," than the average. The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined. The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable. The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day. The reading of the barometer decreased from 29·90 in. at the beginning of the week to 29·20 in. by 16h. on March 29th; increased to 30·22 in. by 11h. on April 1st, and decreased to 29·97 in. by midnight on April 2nd.
--

The results apply to the civil day, or from midnight to midnight.
The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.
Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.
The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.
In reading columns 9 and 24 it will be borne in mind that + indicates "higher," and - "lower," than the average.
The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.
The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.
The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.
The reading of the barometer decreased from 29·90 in. at the beginning of the week to 29·20 in. by 16h. on March 29th; increased to 30·22 in. by 11h. on April 1st, and decreased to 29·97 in. by midnight on April 2nd.

TABLE 8. LONDON.—DEATHS OF PERSONS BELONGING to the several METROPOLITAN BOROUGHs REGISTERED in the Week ended 26th March, 1921.

BOROUGHs.	Deaths from									Deaths of Infants under 1 Year of Age.
	ALL CAUSES.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Pulmonary Tuberculosis.	
COUNTY OF LONDON -	1,005	-	-	4	6	12	15	14	109	117
Western.										
PADDINGTON - . . .	48	-	-	-	-	1	-	5	5	7
KENSINGTON - . . .	42	-	-	-	-	3	1	1	2	7
HAMMERSMITH - . . .	30	-	-	-	1	1	-	1	1	4
FULHAM -	29	-	-	-	-	-	1	-	6	6
CHELSEA -	23	-	-	-	-	-	-	-	2	5
CITY OF WESTMINSTER -	33	-	-	-	-	-	-	-	4	3
Northern.										
ST. MARYLEBONE - . .	24	-	-	-	1	-	-	-	-	2
HAMPSTEAD - . . .	16	-	-	-	-	-	1	-	2	1
ST. PANCRAS - . . .	49	-	-	-	-	2	-	-	6	4
ISLINGTON -	64	-	-	-	-	2	3	-	7	8
STOKE NEWINGTON - . .	9	-	-	-	-	-	1	-	-	-
HACKNEY -	42	-	-	1	-	-	-	-	2	2
Central.										
HOLBORN -	13	-	-	-	-	-	-	-	1	-
FINSBURY -	24	-	-	-	-	-	1	-	1	4
CITY OF LONDON - . .	4	-	-	-	-	-	-	-	1	-
Eastern.										
SHOREDITCH - . . .	26	-	-	1	-	1	2	1	5	5
BETHNAL GREEN - . .	24	-	-	1	-	-	1	1	2	4
STEPNEY -	42	-	-	1	1	-	-	1	7	5
POPLAR -	40	-	-	-	-	-	-	1	5	8
Southern.										
SOUTHWARK - . . .	60	-	-	-	-	1	1	1	5	10
BERMONDSEY - . . .	30	-	-	-	-	-	-	-	4	3
LAMBETH -	77	-	-	-	1	-	-	-	7	10
BATTERSEA - . . .	31	-	-	-	-	-	1	-	3	4
WANDSWORTH - . . .	61	-	-	-	-	-	-	-	6	6
CAMBERWELL - . . .	61	-	-	-	1	-	-	1	10	2
DEPTFORD -	23	-	-	-	-	-	-	-	4	2
GREENWICH -	26	-	-	-	-	1	-	-	6	2
LEWISHAM -	38	-	-	-	1	-	1	1	2	2
WOOLWICH -	16	-	-	-	-	-	1	-	3	1

The deaths in the above Table are, so far as concerns London as a whole, corrected by the exclusion of deaths of non-residents, and by the inclusion of those of residents occurring in the Outer Ring or in Metropolitan public institutions situated outside the County. As between individual Metropolitan Boroughs, however, correction is complete.

TABLE 9. LONDON.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED during the Week ended 26th March, 1921.*

BOROUGH.	ESTI- MATED CIVILIAN POPU- LATION, MID. 1920.† (Provi- sional.)	Enteric Fever.	Malaria.	Typhus.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Group).	Pneumonia.	Erysipelas.	Cerebro-Spinal Fever.	Puerperal Fever.	Ophthalmia Neonatorum.	Polio-myelitis.	Dysentery.	Encephalitis Lethargica.	Trench Fever.	Polio- encephalitis.
WESTERN.																	
Paddington . . .	149,673	-	-	-	-	14	15	2	2	-	-	1	-	-	-	-	-
Kensington . . .	164,177	-	-	-	-	17	13	2	-	-	-	-	-	-	-	-	-
Hammersmith . . .	136,200	-	-	-	-	18	7	3	1	-	-	1	-	-	-	-	-
Fulham . . .	158,621	-	-	-	-	12	8	4	2	-	1	-	-	-	-	-	-
Chelsea . . .	62,987	-	-	-	-	2	1	2	1	-	-	-	-	-	-	-	-
City of Westminster . . .	132,615	-	-	-	-	5	4	-	1	-	-	-	-	-	-	-	-
NORTHERN.																	
St. Marylebone . . .	101,856	-	-	-	-	7	5	2	1	-	-	2	-	-	-	-	-
Hampstead . . .	91,519	-	-	-	-	4	11	2	-	-	-	-	-	-	1	-	-
St. Pancras . . .	228,178	-	-	-	-	25	16	9	2	-	-	4	-	-	-	-	-
Islington . . .	335,907	-	-	-	-	21	39	1	-	-	1	2	-	-	-	-	-
Stoke Newington . . .	52,984	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-
Hackney . . .	225,372	-	-	-	-	19	14	-	1	-	-	-	-	-	-	-	-
CENTRAL.																	
Holborn . . .	39,676	-	-	-	-	2	5	1	-	-	-	-	-	1	-	-	-
Finsbury . . .	78,291	-	-	-	-	8	4	1	-	-	-	-	-	-	-	-	-
City of London . . .	14,447	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
EASTERN.																	
Shoreditch . . .	102,044	-	-	-	-	18	14	2	1	-	-	-	-	-	-	-	-
Bethnal Green . . .	114,471	-	-	-	-	29	6	2	-	-	-	2	-	-	-	-	-
Stepney . . .	241,770	1	-	-	-	43	13	7	2	-	-	1	-	-	-	-	-
Poplar . . .	159,766	-	-	-	-	18	8	8	-	-	-	1	-	-	-	-	-
SOUTHERN.																	
Southwark . . .	187,142	-	-	-	-	23	3	10	4	-	-	3	-	-	-	-	-
Bermondsey . . .	129,189	-	-	-	-	16	10	-	-	-	-	-	-	-	-	-	-
Lambeth . . .	293,572	-	-	-	-	19	10	12	5	-	1	1	-	-	-	-	-
Battersea . . .	165,664	-	-	-	-	11	6	7	-	-	-	1	-	-	-	-	-
Wandsworth . . .	346,990	1	-	-	-	28	28	17	1	-	1	-	-	-	1	-	-
Camberwell . . .	284,712	-	1	-	-	42	11	4	-	-	1	-	-	-	1	-	-
Deptford . . .	115,636	-	-	-	-	15	8	1	-	1	-	-	-	-	-	-	-
Greenwich . . .	102,408	-	-	-	-	13	6	4	-	-	1	-	-	-	-	-	-
Lewisham . . .	174,438	-	-	-	-	14	11	2	2	-	-	1	-	-	-	-	-
Woolwich . . .	141,666	-	-	-	-	19	14	3	4	-	2	1	-	1	-	-	-
TOTAL . . .	4,531,971	2	1	-	-	466	293	108	30	1	8	21	-	2	3	-	-
AGES.																	
Ages 0-1 . . .		-	-	-	-	7	11	7	1	-	-	21	-	-	-	-	-
" 1-5 . . .		-	-	-	-	109	93	10	-	-	-	-	-	-	-	-	-
" 5- . . .		-	-	-	-	182	103	13	-	-	-	-	-	-	-	-	-
" 10- . . .		1	-	-	-	96	38	9	2	1	-	-	-	-	1	-	-
" 15- . . .		-	-	-	-	31	19	8	1	-	-	-	-	-	1	-	-
" 20- . . .		-	-	-	-	15	9	5	2	-	-	-	-	-	-	-	-
" 25- . . .		1	-	-	-	18	9	8	2	-	8	-	-	-	-	-	-
" 35- . . .		-	1	-	-	6	5	16	4	-	-	-	-	-	-	-	-
" 45- . . .		-	-	-	-	2	1	17	5	-	-	-	-	1	1	-	-
" 55- . . .		-	-	-	-	-	-	5	7	-	-	-	-	-	-	-	-
" 65- . . .		-	-	-	-	-	-	6	4	-	-	-	-	1	-	-	-
" 75 and upwards . . .		-	-	-	-	-	-	4	2	-	-	-	-	-	-	-	-
Age not stated . . .		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

† See note † on first page of this return.

FOR OFFICIAL USE.

WEEKLY RETURN

OF

**BIRTHS AND DEATHS REGISTERED:—
LONDON AND
NINETY-FIVE OTHER GREAT TOWNS.**

~~~~~  
By Authority of the Registrar General,  
~~~~~

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased through any Bookseller or directly from
H.M. STATIONERY OFFICE at the following addresses:
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and
28, ABINGDON STREET, LONDON, S.W. 1;
37, PETER STREET, MANCHESTER;
1, ST. ANDREW'S CRESCENT, CARDIFF;
23, FORTH STREET, EDINBURGH;
or from E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN.

No. 14. VOL. LXXXII. 1921. WEEK ENDED SATURDAY, APR. 9.
[Price 9d. Net.]

*General Register Office, Somerset House,
April 12th, 1921.*

NINETY-SIX GREAT TOWNS.

For the NINETY-SIX GREAT TOWNS of England and Wales each of which had a population of 50,000 or over at the Census of 1911, the births registered last week numbered 9,004, and corresponded to an annual rate of 25·2 per 1,000. The deaths* among the civilian population only numbered 4,454, and corresponded to an annual rate of 12·5 per 1,000 of their aggregate civilian population, which is provisionally estimated† at 18,554,878 persons in the year 1920. In the three weeks ended March 19th, March 26th, and April 2nd, the rates had been 13·9, 13·0, and 13·0 respectively. The infant mortality was 82, against 97, 94, and 89 in the preceding three weeks. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks; it also shows for the week ended last Saturday the births and the deaths from certain individual causes. A column showing the number of deaths

* Corrected as far as possible for deaths of non residents and for those of residents occurring outside the area. Fully corrected figures will appear in the Registrar General's Annual Report.

† The estimates of population refer to the year 1920, and are based on the returns furnished under the scheme for rationing of food.

from influenza has been inserted in Table 1. The aggregate number of deaths from influenza in the 96 great towns in each of the last thirteen weeks is shown in Table 3A.

Measured by last week's mortality, the highest annual death-rates per 1,000 living were:—from *all causes*, 16·4 in Burnley, 17·1 in South Shields, 17·2 in Halifax, and 17·5 in Oldham; from *measles*, 1·4 in West Bromwich; from *whooping cough*, 1·5 in Burnley; and from *diphtheria*, 2·5 in Exeter. No death from *small-pox* was registered in any of the ninety-six towns.

LONDON.* (The Administrative County, including the City of London.)

For LONDON there were 2,157 BIRTHS, corresponding to a rate of 24·7 per 1,000, and 1,168 DEATHS of civilians, corresponding to a rate of 13·4, as against 13·1, 11·6, and 13·2, per 1,000 in the three weeks ended March 19th, March 26th, and April 2nd. The death-rate in the four weeks ended last Saturday averaged 12·8 per 1,000. The infant mortality was 77, against 78, 67, and 71 in the preceding three weeks.

There was one death from *enteric fever*, against 0, 0, and 2 in the preceding three weeks, the average for the corresponding weeks of the previous five years being 1. The deaths from *measles*, which had been 5, 4, and 2 in the preceding three weeks, rose last week to 12, but were 38 below the average; 6 deaths belonged to the Borough of Shoreditch. The deaths from *scarlet fever*, which had been 9, 6, and 6 in the preceding three weeks, were 5 last week, and were 2 above the average. The deaths from *whooping-cough*, which had been 7, 12, and 8 in the preceding three weeks, rose last week to 13, but were 20 below the average; 3 deaths belonged to Islington. The deaths from *diphtheria*, which had been 20, 15, and 24 in the preceding three weeks, fell last week to 19, but were 3 above the average; 5 deaths belonged to Islington, and 3 to Camberwell. The deaths from *diarrhœa and enteritis under 2 years of age*, which had been 17, 14, and 19 in the preceding three weeks, fell last week to 14, and were equal to the average. The deaths from *influenza* numbered 38 as against 42, 33, and 44 in the preceding three weeks and an average of 51.

Different forms of violence caused 47 deaths, of which 46 were the subject of coroners' inquests. Of these 47 deaths, 15 were cases of suicide and 2 of homicide, while the remaining 30 were attributed to other forms of violence. Seven of these latter were referred to vehicles in the streets, 4 to burns or scalds, 6 to drowning, and 1 of an infant under one year of age, to suffocation in bed.

CASES OF INFECTIOUS DISEASE.†

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital, there were 9 cases of enteric fever, 27 of measles, 3,453 of scarlet fever, 24 of whooping-cough, and 2,626 of diphtheria under treatment in these hospitals on Saturday last (Table 3). The admissions during the week,

* See note * on first page.

† The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

as compared with those in the preceding three weeks, were as follows :—Of enteric fever, 3 cases, against 1, 2, and 3; of measles, 4 cases, against 7, 3, and 9; of scarlet fever, 386 cases, against 507, 508, and 375; of whooping-cough, 2 cases, against 4, 2, and 2; and of diphtheria, 285 cases, against 309, 276, and 230. Table 9, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the county during the week ended April 2nd, 1921.

TABLE 1.—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH RATES in the Week ended Saturday, 9th April, 1921, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.		DEATH-RATES from all Causes.		Week ended		Week ended		Deaths of		Deaths from										Deaths in Public Institutions.			Unverified Causes of Death.	TOWNS.				
		Causes.				9th April 1921.		BIRTHS. DEATHS.		Infants under 1 Year of Age.		Persons aged 65 Years and upwards.		Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.	Violence.			Inquest Cases.	Deaths in Public Institutions.	21.	Cols.
		19th Mar., 1921.	26th Mar., 1921.	2nd Apr., 1921.	9th Apr., 1921.	6.	7.	8.	9.	10.	11.	12.	13.															
ESTIMATED CIVILIAN POPULATION, MID. 1920 * (Provisional.)	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	96 GREAT TOWNS.						
	18,554,878	13.9	13.0	13.0	12.5	9,004	4,454	737	1,412	3	-	38	14	52	57	64	97	157	332	1,481	32	96 GREAT TOWNS.						
LONDON†	4,531,971	13.1	11.6	13.2	13.4	2,157	1,168	166	387	1	-	12	5	13	19	14	38	47	105	569	6	LONDON.†						
CRUYDON.	191,500	16.1	10.3	10.9	13.3	74	49	7	16	-	-	1	-	2	1	-	4	-	3	19	-	CRUYDON.						
WIMBLEDON.	62,174	16.8	10.9	7.5	10.1	27	12	4	1	-	-	-	-	-	-	-	-	1	3	4	-	WIMBLEDON.						
EALING.	76,129	13.0	11.6	15.8	10.3	24	15	1	6	-	-	-	-	-	1	-	-	1	1	5	-	EALING.						
ACTON.	64,192	13.0	15.4	11.4	4.1	23	5	1	1	-	-	-	-	1	-	-	-	-	-	-	-	ACTON.						
WILLESDEN.	167,328	10.0	10.6	10.3	10.3	65	33	4	14	-	-	-	-	1	1	1	1	-	-	9	-	WILLESDEN.						
HORNSEY.	98,107	13.8	12.8	11.2	6.9	24	13	2	5	-	-	-	-	-	-	-	-	-	1	1	-	HORNSEY.						
TOTTENHAM	146,970	11.4	13.1	8.5	12.1	63	34	6	9	1	-	-	-	-	-	3	2	-	-	13	-	TOTTENHAM.						
EDMONTON.	73,29	14.2	7.1	9.2	6.4	42	9	-	6	-	-	-	-	-	-	-	-	1	1	4	-	EDMONTON.						
ENFIELD.	60,771	16.3	12.9	7.7	12.0	24	14	4	3	-	-	-	-	-	1	-	-	-	-	5	-	ENFIELD.						
WEST HAM.	299,410	13.4	15.3	12.9	12.0	177	69	8	22	-	-	-	-	-	-	-	5	1	3	24	-	WEST HAM.						
EAST HAM	150,207	11.8	14.6	6.2	7.6	51	22	1	7	-	-	-	-	-	1	1	-	-	-	11	-	EAST HAM.						
LEYTON.	128,832	13.0	11.7	11.3	8.1	47	20	1	4	-	-	-	-	-	1	-	-	1	2	8	-	LEYTON.						
WALTHAMSTOW	132,771	9.4	11.0	9.4	10.2	56	26	3	8	-	-	-	-	-	-	1	1	2	3	15	-	WALTHAMSTOW.						
ILFORD.	82,693	15.8	12.6	13.9	6.3	32	10	-	5	-	-	-	-	-	-	-	1	1	1	1	-	ILFORD.						
GILLINGHAM.	45,233	10.4	9.2	12.7	11.5	33	10	2	4	-	-	-	-	-	-	-	1	-	1	2	1	GILLINGHAM.						
HASTINGS.	59,972	26.1	20.0	12.2	11.3	24	13	-	11	-	-	-	-	-	-	-	-	-	1	3	-	HASTINGS.						
EASTBOURNE.	50,354	13.5	13.5	20.7	7.2	23	7	1	3	-	-	-	-	-	-	-	-	1	1	3	-	EASTBOURNE.						
BRIGHTON.	137,685	12.9	18.6	13.3	10.2	63	27	2	9	-	-	-	-	-	-	-	3	1	4	8	-	BRIGHTON.						
PORTSMOUTH.	235,998	12.2	8.6	9.3	12.2	112	55	2	26	-	-	-	-	-	-	-	-	2	5	10	-	PORTSMOUTH.						
BOURNEMOUTH.	85,919	17.6	10.3	11.5	13.4	28	22	3	13	-	-	-	-	-	-	1	2	2	3	5	-	BOURNEMOUTH.						
SOUTHAMPTON.	162,358	12.8	14.1	11.6	9.6	74	30	5	13	-	-	-	-	-	-	-	1	2	3	12	-	SOUTHAMPTON.						
READING.	35,066	13.2	9.3	15.4	12.6	43	23	1	7	-	-	-	-	-	-	-	1	2	4	6	-	READING.						
OXFORD.	59,963	9.6	8.7	7.8	10.4	12	12	-	9	-	-	-	-	-	-	-	-	-	-	6	-	OXFORD.						
NORTHAMPTON.	92,483	9.0	10.7	10.7	12.4	41	22	4	7	-	-	-	-	-	1	-	-	-	-	4	-	NORTHAMPTON.						
CAMBRIDGE.	60,154	11.3	7.8	9.5	8.7	14	19	2	6	-	-	-	-	-	-	-	1	-	-	1	-	CAMBRIDGE.						

* See note † on first page of this return.

† For Greater London see end of Table.

‡ These towns are included within the area of Greater London.

in the Week ended Saturday, 9th April 1921, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	ESTIMATED CIVILIAN POPULATION, MID. 1920.* (Provisional.)	DEATH-RATES from all Causes.				Week ended 9th Apr., 1921.		The DEATHS in the Week include										TOWNS.				
		Week ended				BIRTHS.	DEATHS.	Deaths of														
		19th Mar., 1921.	26th Mar., 1921.	2nd Apr., 1921.	9th Apr., 1921.			Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from												
										Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.		Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
SOUTHEND ON SEA -	87,332	12.5	9.5	10.1	11.3	44	19	2	9	-	-	-	-	-	-	-	-	-	-	6	2	SOUTHEND ON SEA.
IPSWICH -	81,119	12.2	9.0	11.6	10.3	39	16	2	5	-	-	-	-	-	-	-	1	-	-	6	-	IPSWICH.
GREAT YARMOUTH -	55,193	17.0	11.3	18.0	15.1	31	16	2	5	-	-	-	-	1	-	-	1	1	1	3	-	GREAT YARMOUTH.
NORWICH -	124,774	14.2	10.4	11.7	12.1	53	29	4	13	-	-	-	-	1	1	-	-	1	3	9	-	NORWICH.
SWINDON -	53,580	12.7	11.7	10.7	9.7	17	10	1	4	-	-	-	-	-	1	-	-	-	1	2	-	SWINDON.
EXETER -	61,365	15.3	9.3	13.6	11.0	24	13	-	2	-	-	1	-	-	3	-	-	-	-	4	-	EXETER.
PLYMOUTH -	189,218	16.8	14.9	14.1	13.0	93	47	7	15	-	-	-	-	-	-	-	-	-	1	8	-	PLYMOUTH.
BATH -	68,546	11.4	12.2	14.5	12.2	29	16	2	6	-	-	-	-	-	-	-	-	-	-	5	-	BATH.
BRISTOL -	375,641	13.2	12.4	11.2	11.7	189	84	10	33	-	-	-	-	-	1	2	-	4	9	27	-	BRISTOL.
GLOUCESTER -	52,096	14.0	7.0	10.0	8.0	24	8	-	6	-	-	-	-	-	-	-	-	-	1	2	-	GLOUCESTER.
STOKE ON TRENT -	248,852	17.4	15.5	16.6	14.0	131	67	20	12	-	-	-	-	-	1	4	2	2	5	14	1	STOKE ON TRENT.
WOLVERHAMPTON -	102,324	15.8	13.2	10.2	13.8	58	27	6	10	-	-	-	1	-	-	1	-	1	1	4	-	WOLVERHAMPTON.
WALSALL -	96,419	8.1	14.6	14.6	15.7	60	29	8	5	-	-	-	-	-	-	1	1	2	3	8	-	WALSALL.
WEST BROMWICH -	72,684	15.8	17.2	10.0	15.1	33	21	1	6	-	-	2	-	-	-	-	-	-	3	5	-	WEST BROMWICH.
DUDLEY -	56,169	13.9	10.2	13.0	6.5	36	7	1	2	-	-	-	-	-	-	-	-	-	-	-	-	DUDLEY.
BIRMINGHAM -	895,915	14.7	12.5	12.2	11.6	495	200	36	62	-	-	3	3	-	4	2	2	8	8	69	7	BIRMINGHAM.
SMETHWICK -	75,027	13.2	4.9	10.4	7.6	30	11	2	2	-	-	-	-	-	-	-	-	1	1	-	-	SMETHWICK.
COVENTRY -	137,310	10.6	11.8	8.7	12.5	59	33	6	9	-	-	-	-	-	-	-	1	2	2	13	-	COVENTRY.
LEICESTER -	245,465	17.6	16.4	16.6	10.4	116	49	11	14	-	-	-	-	-	-	-	1	3	4	17	-	LEICESTER.
LINCOLN -	67,543	12.4	10.8	13.1	14.7	44	19	4	4	-	-	-	-	-	-	-	-	-	-	1	-	LINCOLN.
GRIMSBY -	31,953	10.2	18.5	10.8	10.8	43	17	1	6	-	-	-	-	-	1	-	-	2	3	3	-	GRIMSBY.
NOTTINGHAM -	267,836	17.5	14.0	13.2	11.1	139	57	10	15	-	-	-	-	-	1	1	-	1	2	24	-	NOTTINGHAM.
DERBY -	128,863	13.8	11.3	8.1	13.4	57	33	7	11	-	-	-	-	-	1	-	1	1	4	10	-	DERBY.

* See note † on first page of this return.

TOWNS.	CIVILIAN POPULATION, MID. 1920 * (Provisional).	Causes.					Week ended 9th April, 1921.		Deaths of		Deaths from									Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS
		Week ended					9th April, 1921.		Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from											
		19th Mar., 1921.	26th Mar., 1921.	2nd Apr., 1921.	9th Apr., 1921.	BIRTHS.	DEATHS.	Enteric Fever.			Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.	Violence.				
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
SHEFFIELD	492,570	14.2	13.2	12.3	11.5	245	109	26	35	-	-	-	-	8	-	3	3	6	13	28	-	SHEFFIELD.
ROTHERHAM	71,785	8.0	8.7	11.6	14.5	36	20	4	4	-	-	-	-	-	-	1	1	2	2	6	1	ROTHERHAM.
YORK	77,501	16.1	14.8	13.5	14.1	36	21	5	9	-	-	-	-	-	-	-	-	-	-	5	-	YORK.
HULL	290,808	18.8	14.2	15.1	14.5	160	81	16	25	-	-	-	-	2	-	1	1	4	7	23	1	HULL.
MIDDLESBROUGH	132,208	22.5	20.5	21.3	13.8	83	35	5	9	-	-	1	-	-	1	-	2	-	1	6	-	MIDDLESBROUGH.
DARLINGTON	66,610	18.0	9.4	14.1	11.0	32	14	5	4	-	-	-	-	-	-	-	1	-	-	1	-	DARLINGTON.
STOCKTON ON TEES	63,114	12.4	9.1	18.2	13.2	27	16	5	3	-	-	1	-	-	-	-	-	-	-	1	-	STOCKTON ON TEES.
WEST HARTLEPOOL	68,126	13.8	13.8	19.9	13.8	50	18	7	4	-	-	-	-	-	-	1	-	1	1	4	1	WEST HARTLEPOOL.
SUNDERLAND	155,211	17.5	19.1	20.8	15.1	108	45	15	7	-	-	-	-	1	-	1	1	2	2	7	-	SUNDERLAND.
SOUTH SHIELDS	115,945	18.0	18.9	14.8	17.1	74	38	9	10	-	-	-	-	1	-	-	2	-	-	5	3	SOUTH SHIELDS.
GATESHEAD	128,309	15.0	15.4	15.0	12.6	67	31	7	9	-	-	1	-	-	1	2	2	-	-	4	2	GATESHEAD.
NEWCASTLE ON TYNE.	283,061	18.2	15.9	17.0	15.1	147	83	17	19	-	-	5	-	-	1	2	-	1	3	10	-	NEWCASTLE ON TYNE.
TYNEMOUTH	60,318	26.8	18.2	9.5	13.0	25	15	3	5	-	-	-	-	-	-	-	-	-	-	4	1	TYNEMOUTH.
CARLISLE	57,397	19.1	25.4	14.5	13.6	28	15	7	5	-	-	-	-	-	-	-	1	-	-	2	-	CARLISLE.
NEWPORT (MON.)	90,728	10.3	9.8	10.9	10.9	60	19	3	4	-	-	-	-	1	-	-	-	-	2	6	-	NEWPORT (MON.).
CARDIFF	212,532	11.3	10.1	11.3	8.8	96	36	2	7	-	-	-	-	-	1	1	1	1	2	10	-	CARDIFF.
RHONDDA	184,999	13.0	12.7	9.9	9.9	117	35	8	9	-	-	-	-	-	1	2	2	2	4	1	-	RHONDDA.
MERTHYR TYDFIL	74,493	19.6	17.5	13.3	12.6	61	18	1	4	-	-	-	-	-	-	-	-	-	-	2	-	MERTHYR TYDFIL.
ABERDARE	53,431	13.7	14.6	8.8	8.8	50	9	1	3	-	-	-	-	-	-	-	-	-	-	2	-	ABERDARE.
SWANSEA	167,218	15.3	14.3	13.1	11.5	87	37	8	11	-	-	-	-	3	1	-	-	1	4	7	-	SWANSEA.
GREATER LONDON	7,548,647	13.1	11.8	12.3	12.2	3459	1700	236	617	2	-	13	5	18	29	21	67	66	145	759	6	GREATER LONDON.
OUTER RING	3,016,676	12.9	12.1	10.9	10.2	1302	592	70	230	1	-	1	-	5	10	7	29	19	40	190	-	OUTER RING
14 GREAT TOWNS IN OUTER RING.	1,734,723	13.1	12.4	10.6	9.9	739	331	42	107	1	-	1	-	4	6	6	14	8	18	119	-	14 GREAT TOWNS IN OUTER RING.
REMAINDER OF OUTER RING.	1,281,953	12.7	11.6	11.3	10.6	563	261	28	123	-	-	-	-	1	4	1	15	11	22	71	-	REMAINDER OF OUTER RING.
EDINBURGH†	446,200	18.5	13.4	15.4	14.3	186	122	17	36	-	-	2	-	1	1	3	3	4	?	?	?	EDINBURGH.†
GLASGOW†	1,100,400	18.9	16.8	16.7	16.3	633	343	73	86	-	-	-	2	27	-	3	5	14	?	?	?	GLASGOW.†
DUBLIN (Registration Area).†	423,000	17.3	6.8	19.2	19.0	250	154	19	38	1	-	-	1	-	-	4	3	6	4	71	2	DUBLIN (Registration Area).†
BELFAST†	420,000	18.3	15.4	17.4	16.1	221	130	29	29	1	-	3	-	9	-	1	3	2	3	35	1	BELFAST.†

* See note † on first page of this return.
† The populations are total populations and relate to 1921. Deaths and the death-rates in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

TABLE 2. LONDON.—**Births** and **Deaths** registered during the **FOURTEENTH** Week of each of the Eleven Years, 1911-1921.

	1911.	1912.	1913.	1914.	1915.	1916.	1917.	1918.	1919	1920.	1921.
Births (as registered).	2044	2024	2291	1883	2261	2202	1533	1447	1310	2471	2158
Males -	1016	1039	1135	992	1109	1140	773	775	667	1252	1075
Females -	1028	985	1156	891	1152	1062	760	672	643	1219	1082
Deaths (of residents only).	1406	1136	1418	1170	1824	1482*	1371*	1336*	1318*	1471*	1168*
Males -	706	579	752	595	909	752	688	672	655	740	578
Females -	700	557	666	575	915	730	683	664	663	731	590

* Deaths in civilian population only.

TABLE 3. LONDON.—**BIRTHS** and **DEATHS** REGISTERED, and **CASES** of **INFECTIOUS SICKNESS** in **HOSPITALS**, in the last **THIRTEEN** WEEKS.

	Jan. 15.	Jan. 22.	Jan. 29.	Feb. 5.	Feb. 12.	Feb. 19.	Feb. 26.	Mar. 5.	Mar. 12.	Mar. 19.	Mar. 26.	Apr. 2.	Apr. 9.
Births (as registered)	2059	2009	2039	1856	2058	2041	1908	1987	2074	2004	1746	2016	2157
Deaths (of residents only).	1099	1121	1011	1158	1147	1232	1313	1282	1311	1142	1005	1149	1168
Under 1 year	186	177	160	189	181	211	168	168	179	157	117	144	166
1-2 years	28	34	31	49	43	39	30	34	45	46	32	39	38
2-5 "	26	32	24	34	29	23	31	26	24	28	18	25	24
5-10 "	30	23	19	28	34	24	33	21	22	19	19	28	22
10-15 "	17	16	14	13	17	20	15	15	15	21	14	21	12
15-20 "	29	19	24	23	20	16	18	21	24	24	26	21	30
20-25 "	24	20	19	25	19	25	29	17	25	29	23	33	29
25-35 "	62	44	47	51	44	50	65	66	53	52	50	42	69
35-45 "	77	77	78	75	54	91	90	81	93	79	80	90	91
45-55 "	117	118	125	125	121	104	141	117	138	109	108	125	122
55-65 "	155	183	149	169	153	170	185	201	176	147	130	177	178
65-75 "	165	193	146	192	207	215	247	254	243	188	182	188	190
75 years and upwards	183	185	175	185	225	244	261	261	274	243	206	216	197
Deaths from—													
Enteric fever	1	1	1	-	1	-	-	2	1	-	-	2	1
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	3	2	1	-	-	3	4	-	2	5	4	2	12
Scarlet fever	2	5	8	8	7	7	6	6	3	9	6	6	5
Whooping cough	2	8	4	6	15	13	9	13	9	7	12	8	13
Diphtheria	23	28	19	28	28	9	27	18	26	20	15	24	19
Diarrhoea and enteritis (under 2 years).	20	19	18	22	18	23	16	22	22	17	14	19	14
Pulmonary tuberculosis	99	100	98	105	74	102	100	105	100	101	109	95	116
Influenza	16	14	6	9	13	12	30	45	27	42	33	44	38
Pneumonia (all forms)	112	117	92	128	104	131	144	148	165	117	107	117	103
Bronchitis	116	101	95	98	153	158	167	159	149	131	93	102	90
Other dis. of resp. system	15	7	16	14	10	23	23	23	27	16	16	14	15
Dis. of circ. system	202	178	181	194	218	223	208	219	223	177	175	192	172
Violence	34	35	40	49	32	32	50	34	41	44	26	30	47
Inquest cases	99	81	74	99	90	86	106	85	101	90	69	88	105
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Enteric fever	17	12	11	7	9	10	9	15	13	12	13	10	8
Small-pox	1	1	1	1	-	-	-	-	-	-	-	-	-
Measles	13	14	15	17	18	23	28	26	28	26	25	30	27
Scarlet fever	4413	4350	4171	4018	3945	3919	3845	3738	3730	3695	3609	3535	3453
Whooping cough	20	23	27	26	26	24	25	22	25	26	23	25	24
Diphtheria	2597	2618	2682	2767	2770	2808	2800	2809	2818	2817	2777	2689	2626

* The Metropolitan Asylums Board and London Fever Hospitals. The figures do not refer to London exclusively.

TABLE 3A. **96 Great Towns.**—**DEATHS** from **INFLUENZA** in the last **THIRTEEN** WEEKS.

	Jan. 15.	Jan. 22.	Jan. 29.	Feb. 5.	Feb. 12.	Feb. 19.	Feb. 26.	Mar. 5.	Mar. 12.	Mar. 19.	Mar. 26.	Apr. 2.	Apr. 9.
Deaths from Influenza	87	66	61	61	93	103	138	167	149	151*	122	130	97

TABLE 4. LONDON.—DEATHS REGISTERED in the FOURTEENTH Week of the Year 1921.

CAUSES OF DEATH.	Deaths in the 14th week of the year 1920.	DEATHS of PERSONS of the AGES												65-75 years.	75 years and upwards.
		ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-10 years.	10-15 years.	15-20 years.	20-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.		
ALL CAUSES	1471	1168	166	38	24	22	12	30	29	69	91	122	178	190	197
Enteric fever	4	1	-	-	-	-	-	-	1	-	-	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	62	12	3	5	3	1	-	-	-	-	-	-	-	-	-
Scarlet fever	6	5	-	-	3	1	-	1	-	-	-	-	-	-	-
Whooping cough	31	13	7	6	-	-	-	-	-	-	-	-	-	-	-
Diphtheria	22	19	2	3	7	6	1	-	-	-	-	-	-	-	-
Influenza	105	38	1	3	1	-	-	1	1	1	3	4	7	8	8
Erysipelas	3	3	-	-	-	-	-	-	-	1	-	-	1	1	-
Acute Poliomyelitis, Polioencephalitis.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	2	2	-	-	-	-	-	1	1	-	-	-	-	-	-
Meningococcal meningitis . . .	2	3	3	-	-	-	-	-	-	-	-	-	-	-	-
Other endemic and epidemic diseases.	4	1	-	-	-	-	-	-	-	-	-	1	-	-	-
Pyæmia and septicæmia	2	2	1	-	-	-	1	-	-	-	-	-	-	-	-
Tetanus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis:—															
Pulmonary tuberculosis	114	116	1	-	-	1	2	12	15	23	27	16	12	6	1
Tuberculous meningitis	12	11	4	1	1	2	3	-	-	-	-	-	-	-	-
Abdominal tuberculosis	4	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Tuberculosis of the spine	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Tuberculosis of the joints	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of other organs . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Disseminated tuberculosis . . .	6	5	1	-	-	-	2	-	-	1	-	-	-	1	-
Venereal diseases	7	8	5	-	-	-	-	-	1	-	-	-	2	-	-
Cancer	123	119	-	-	-	-	-	1	-	3	9	25	34	31	16
Rheumatic fever	6	6	-	-	-	-	-	2	-	1	1	1	1	-	-
Diabetes	9	9	-	-	-	-	-	-	1	1	1	-	5	-	2
Anæmia, leucocythæmia	2	8	-	-	1	-	-	-	-	1	3	2	1	-	-
Other general diseases	12	13	1	1	-	-	-	-	-	1	2	-	2	4	2
Alcoholism	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic poisonings	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	9	5	2	-	1	-	-	-	-	-	1	-	-	-	1
Cerebral hæmorrhage, &c., Apoplexy	43	65	-	-	-	-	-	-	-	2	3	12	16	14	18
Softening of brain	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Paralysis, without specified cause .	4	1	-	-	-	-	-	-	-	-	-	-	-	-	1
Epilepsy	5	6	-	-	-	-	-	-	-	-	-	-	-	-	-
"Convulsions" (not puerperal) . .	9	9	9	-	-	-	1	1	1	1	1	-	-	1	-
Other diseases of nervous system .	18	23	-	1	-	-	-	-	1	2	3	4	6	4	2
Pericarditis	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Acute endocarditis	10	4	-	-	-	-	-	-	-	3	-	-	1	-	-
Other diseases of heart	134	133	-	-	1	-	-	4	2	11	6	13	26	33	37
Embolism and thrombosis (excluding cerebral).	8	1	-	-	-	-	-	-	-	-	-	1	-	-	-
Other diseases of circulatory system.	37	33	-	-	-	-	-	-	-	-	1	1	7	7	17
Diseases of the larynx	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Bronchitis	123	90	5	2	-	-	-	-	-	1	4	6	20	17	35
Broncho-pneumonia	97	47	20	7	2	2	-	-	-	-	2	1	4	4	7
Lobar pneumonia	46	36	-	1	1	1	-	1	-	8	5	6	4	7	2
Pneumonia (type not distinguished)	51	20	2	2	-	-	-	2	2	1	-	4	-	6	1
Pleurisy	4	5	1	-	-	-	-	1	-	-	-	-	-	1	1
Pulmonary congestion, Pulmonary apoplexy.	1	3	1	-	-	-	-	-	-	-	-	-	-	1	1
Other diseases of respiratory system.	20	6	2	-	-	-	-	-	-	1	-	-	1	1	1

TABLE 4 (cont.) LONDON.—DEATHS REGISTERED in the FOURTEENTH Week of the Year 1921.

CAUSES OF DEATH.	Deaths in the 14th week of the year 1920.	DEATHS of PERSONS of the AGES													
		ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-10 years.	10-15 years.	15-20 years.	20-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and up- wards.
Diseases of the pharynx, Tonsillitis	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-
Diseases of stomach	8	14	4	-	-	-	-	-	-	-	1	4	3	2	-
Diarrhoea and enteritis	25	17	14	-	1	-	-	-	-	1	-	-	-	1	-
Appendicitis and typhlitis	4	6	-	-	-	3	-	-	-	-	-	-	2	-	-
Hernia and Intestinal obstruction.	6	9	1	1	-	-	-	-	-	1	-	2	-	1	3
Cirrhosis of liver	7	7	-	-	-	-	-	-	-	-	3	1	2	1	-
Other diseases of liver	2	2	-	-	-	-	-	-	-	-	-	-	-	1	1
Peritonitis (cause unknown)	3	4	-	1	-	1	-	-	-	-	-	-	2	-	-
Other diseases of digestive system	6	2	-	-	-	-	-	-	-	-	1	-	1	-	-
Acute nephritis	3	4	-	-	-	-	-	-	-	1	-	1	2	-	-
Chronic Bright's disease	25	29	-	-	-	-	-	-	-	1	1	3	10	11	3
Urinary calculi	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Uterine tumour (non-cancerous)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ovarian tumour (1	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Other diseases of genito-urinary system.	17	10	-	-	-	-	-	-	-	-	3	3	1	2	1
Puerperal fever, &c.	9	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Other causes incident to child-birth.	4	3	-	-	-	-	-	-	-	1	2	-	-	-	-
Diseases of skin and cellular tissues.	9	6	1	-	-	-	-	-	-	-	-	-	2	2	1
Diseases of locomotor system	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-
Congenital malformations	4	15	14	1	-	-	-	-	-	-	-	-	-	-	-
Premature birth	39	29	29	-	-	-	-	-	-	-	-	-	-	-	-
Debility, atrophy marasmus (Infants).	21	12	12	-	-	-	-	-	-	-	-	-	-	-	-
Old age	52	43	-	-	-	-	-	-	-	-	-	-	-	12	31
ACCIDENT.															
Poisons or poisonous vapours.	-	3	-	-	-	-	-	-	-	-	-	1	-	1	1
Conflagration	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Burns and scalds	4	4	1	1	-	-	-	1	-	-	-	-	-	1	-
Drowning	4	6	1	-	-	-	-	1	-	-	-	4	-	-	-
Suffocation in bed	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Other deaths by accident	24	16	-	-	1	3	1	-	1	1	2	-	2	3	2
Total deaths from accident	34	30	3	1	1	3	1	2	1	1	2	5	2	5	3
Included in above are deaths in connection with:—															
Railways	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	11	7	-	-	1	2	-	-	1	-	1	-	-	1	1
Ships, boats, docks	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Building operations	1	3	-	-	-	-	-	-	-	-	1	-	2	-	-
VIOLENCE OTHER THAN ACCIDENTAL.															
Homicide	-	2	-	-	-	-	-	-	-	-	2	-	-	-	-
Suicide	15	15	-	-	-	-	-	-	1	-	2	5	3	3	1
Execution	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other specified diseases	17	16	14	-	-	1	-	1	-	-	-	-	-	-	-
Ill-defined Causes	1	3	2	-	-	-	-	-	-	1	-	-	-	-	-

TABLE 5.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS. Stillborn.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM							
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria and Croup.*	Diarrhoeal Diseases† (under 2 years).	Influenza.
LONDON† . .	4,531,971	1921. Apr. 9	2,157	1,168	13·4	1	-	12	5	13	19	14	38
CALCUTTA . .	896,067	Mar. 5	-	723§	41·9	?	1	?	?	?	?	?	35
BOMBAY . .	979,445	" 5	363	1,471§	78·1	2	24	14	-	-	-	99	31
MADRAS . .	518,660	Feb. 26	321	521§	52·3	-	1	3	?	2	-	52	3
		Mar. 5	356	529§	53·0	2	2	-	?	1	-	55	6
COPENHAGEN . .	2,847,229	(10 days) Feb. 20	1,570	1,371	17·6	2	-	3	-	1	9	24	3
AMSTERDAM . .	792,919	" -	-	-	-	-	-	-	-	-	-	-	-
ROTTERDAM . .	336,572	Mar. 26	126	81	12·6	-	-	2	-	-	3	8	-
BRUSSELS . .	690,089	" 26	306	136	10·3	3	-	1	-	4	-	2	1
COPENHAGEN . .	571,000	" 26	230	140	12·8	-	-	-	1	-	-	2	1
STOCKHOLM . .	415,201	" 19	126	101	12·6	-	-	-	-	-	1	-	1
GÖTHENBURG . .	205,494	" 19	-	48	12·1	-	-	-	-	-	1	2	1
CHRISTIANIA . .	260,904	" 26	88	75	15·0	-	-	-	-	-	1	-	-
BERLIN . .	1,934,000	" 19	567	580	15·6	-	?	4	1	3	2	8	5
WARSZAWA . .	540,000	" 19	259	166	16·0	-	?	4	-	1	2	8	3
LYONS . .	660,000	" 19	341	186	14·7	-	?	2	-	-	1	5	1
PARIS . .	538,000	" 19	229	154	14·9	-	?	-	-	1	1	1	2
ST. LOUIS . .	463,000	" 19	186	89	10·0	-	?	-	-	-	-	2	2
FRANKFURT- ON-MAIN . .	996,000	" 19	394	265	13·8	1	?	1	-	2	3	2	1
PRAGUE . .	624,000	" 19	256	167	13·9	-	?	-	-	-	2	4	1
VIENNA . .	670,000	" 19	261	187	14·5	-	?	5	-	2	1	6	2
BUDAPEST . .	1,842,005	" 19	508	640	18·0	3	-	-	1	3	3	19	-
BRUSSELS . .	713,144	Mar. 5	291	245	17·9	2	-	-	-	-	1	4	3
VIENNA . .	1,092,000	Jan. 22	368	344	16·4	-	?	2	5	1	2	12	2
PRAGUE . .	243,487	Mar. 19	147	96	20·5	-	-	-	-	-	-	3	-
VIENNA . .	764,800	Jan. 21	622	379	25·8	5	-	-	-	?	4	19	?
		" 28	614	419	28·5	2	-	-	1	?	3	22	?
ALEXANDRIA . .	449,300	" 21	451	223	25·8	2	-	1	-	?	2	16	?
		" 28	441	238	27·5	1	-	1	-	?	1	9	?
NEW YORK . .	5,753,151	Mar. 12	2,656	1,494	13·6	3	-	6	11	11	19	12	20
CHICAGO . .	2,780,655	" 12	-	655	12·3	-	-	5	7	4	16	40	5
		" 19	-	668	12·5	-	-	7	3	3	11	28	3
		" 26	-	655	12·3	1	-	6	3	1	14	36	4

including deaths from croup in London, Bombay, and Madras.

The deaths in this column relate to *all ages* for Bombay, Madras, Christiania, and Budapest, and to *children under 5 years of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

The estimated population and deaths refer to the civilian population only.

Including 12 deaths from *plague* in Bombay, and from *Asiatic cholera*, 57 deaths in Calcutta and 13 and 4 in Madras.

TABLE 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 9th April, 1921.

(Supplied by the Meteorological Office.)

TOWNS.	Temperature of Air.*				Rainfall in Milli- metres.†	TOWNS.	Temperature of Air.*				Rainfall in Milli- metres.†
	Highest.	Lowest.	Mean Maxi- mum.	Mean Mini- mum.			Highest.	Lowest.	Mean Maxi- mum.	Mean Mini- mum.	
LONDON (Greenwich) }	70	33	58·9	39·0	3	BRADFORD . .	57	32	51·9	37·9	7
NOTTINGHAM . .	65	38	57·3	42·6	1	SHEFFIELD . .	Not received.				
SMITHS- WICH (South- Lodge) . .	66	36	58·1	41·0	0	YORK (Museum) .	58	30	53·4	38·4	6
SMITHS- WICH . .	68	33	54·7	38·7	2	HULL (Pearson Park)	64	31	54·6	38·3	1
SMITHS- WICH . .	60	36	55·1	41·1	1	TYNEMOUTH . .	57	35	51·7	40·6	0
CLIFTON (Clifton) .	60	35	54·9	40·1	0	CARDIFF . .	62	35	54·7	39·7	1
GLASGOW . .	63	33	53·7	39·1	3	EDINBURGH . .	58·0	32·0	52·1	40·1	-
GLASGOW . .	62	36	53·9	39·7	4	GLASGOW . .	56·8	36·5	52·4	40·8	1
BIRMINGHAM . .	56	37	52·0	41·9	1	DUBLIN :—					
BIRMINGHAM . .	57	35	53·1	38·9	4	Phoenix Park .	57·0	30·9	54·1	37·6	1
LEAMINGTON . .	58	32	51·6	37·3	9	†Fitzwilliam Square	57·0	40·1	54·2	43·4	0
LEAMINGTON . .	57	30	51·9	38·3	7	BELFAST . .	57·0	36·5	54·4	41·0	1

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.

† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.

‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

DATE.		ELECTRICITY. (For explanation of symbols, see Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
APRIL 1921.					
SUNDAY	3	w.P. till 10h., v.P. afterwards.	7·7	13·0	Nearly cloudless till 13h., with slight mist till 9h.; partially cloudy afterwards; overcast at times.
MONDAY	4	s.P. generally	9·0	13·1	Overcast till 3h.; cloudless till 6h.; sky becoming veiled; overcast to cloudy by 10h., clearing from 18h.; cloudless by 20h.
TUESDAY	5	v.P. in morning, s.P. in afternoon, w.P. after 18h.	6·0	13·1	Cloudless with hoar frost till 6h.; variably cloudy till 13h., then overcast generally; solar halo with parhelia 8h. to 9h.; slight rain or dampening at times from 17h.
WEDNESDAY	6	v.P. throughout	1·0	13·2	Overcast with few exceptions till 18h. 30m., becoming cloudless generally by 19h.; clouding after 23h.
THURSDAY	7	w.P. till 7h., m.P. and s.P. afterwards.	9·7	13·3	Nearly overcast till 6h.; cloudy till 10h.; cloudless generally afterwards; brisk wind 9h. to 18h.
FRIDAY	8	w.P. till 7h. m.P. and s.P. till 21h., w.P. afterwards.	10·2	13·3	Cloudless with few exceptions till 20h. 30m., then very cloudy; brisk wind 10h. to 21h.
SATURDAY	9	w.P. till 8h., v.P. afterwards, with little v.N.	4·5	13·4	Overcast by 2h. and generally till 15h., then variably cloudy with overcast intervals; cloudless by 23h.; occasional rain till 15h.; squall 7h. 30m.; hail 11h. 45m.
No. of Col.		26	Sum 48·1	Sum 92·4	
			27	28	

The results apply to the civil day, or from midnight to midnight. The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level. Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables. The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916. In reading columns 9 and 24 it will be borne in mind that + indicates "higher," and - "lower," than the average. The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined. The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable. The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day. The reading of the barometer decreased from 29·97 in. at the beginning of the week to 29·75 in. by 17h. on 3rd; increased to 30·27 in. by 23h. on 7th, and decreased to 29·89 in. by midnight on 9th.

The results apply to the civil day, or from midnight to midnight. The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "higher," and - "lower," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·97 in. at the beginning of the week to 29·75 in. by 17h. on 3rd; increased to 30·27 in. by 23h. on 7th, and decreased to 29·89 in. by midnight on 9th.

TABLE 8. LONDON.—DEATHS OF PERSONS BELONGING to the several METROPOLITAN BOROUGHs REGISTERED in the Week ended 2nd April, 1921.

BOROUGHs.	Deaths from									Deaths of Infants under 1 Year of Age.
	ALL CAUSES.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Pulmonary Tuberculosis.	
COUNTY OF LONDON -	1,149	2	-	2	6	8	24	19	95	144
Western										
PADDINGTON . . .	39	-	-	-	-	-	-	-	2	4
KENSINGTON . . .	59	-	-	-	-	1	3	5	3	8
HAMMERSMITH . . .	31	-	-	-	-	-	-	-	4	5
FULHAM . . .	37	-	-	-	2	-	1	1	3	9
CHELSEA . . .	20	-	-	-	-	-	-	-	2	2
CITY OF WESTMINSTER .	30	-	-	-	1	-	-	-	4	2
Northern.										
ST. MARYLEBONE . . .	23	-	-	-	-	-	1	-	1	-
HAMPSTEAD . . .	21	-	-	-	-	-	-	-	-	3
ST. PANCRAS . . .	47	-	-	-	-	1	2	1	1	8
ISLINGTON . . .	102	-	-	1	-	2	-	4	12	15
STOKE NEWINGTON . . .	12	-	-	-	-	-	-	-	2	1
HACKNEY . . .	56	-	-	1	-	-	-	1	3	10
Central.										
HOLBORN . . .	12	-	-	-	-	-	-	-	1	1
FINSBURY . . .	21	-	-	-	-	1	-	-	2	1
CITY OF LONDON . . .	4	-	-	-	-	-	-	-	-	-
Eastern.										
SHOREDITCH . . .	27	-	-	-	-	1	2	-	4	1
BETHNAL GREEN . . .	35	-	-	-	-	-	-	1	3	4
STEPNEY . . .	69	1	-	-	1	-	2	1	8	8
POPLAR . . .	39	-	-	-	-	-	1	2	3	7
Southern.										
SOUTHWARK . . .	62	-	-	-	1	-	1	1	4	9
BERMONDSEY . . .	31	-	-	-	-	-	2	-	4	-
LAMBETH . . .	78	-	-	-	-	-	-	-	1	11
BATTERSEA . . .	45	-	-	-	-	1	3	-	5	5
WANDSWORTH . . .	69	1	-	-	1	-	3	2	7	5
CAMBERWELL . . .	65	-	-	-	-	-	-	-	9	11
DEPTFORD . . .	23	-	-	-	-	-	2	-	1	4
GREENWICH . . .	24	-	-	-	-	-	-	-	2	1
LEWISHAM . . .	42	-	-	-	-	-	1	-	2	4
WOOLWICH . . .	26	-	-	-	-	1	-	-	2	5

The deaths in the above Table are, so far as concerns London as a whole, corrected by the exclusion of deaths of non-residents, and by the inclusion of those of residents occurring in the Outer Ring or in Metropolitan public institutions situated outside the County. As between individual Metropolitan Boroughs, however, correction is complete.

TABLE 9. LONDON.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED during the Week ended 2nd April, 1921.*

BOROUGHES.	ESTI- MATED CIVILIAN POPU- LATION, MID. 1920.† (Provi- sional.)	Enteric Fever.	Malaria.	Typhus.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Pneumonia.	Erysipelas.	Cerebro-Spinal Fever.	Puerperal Fever.	Ophthalmia Neonatorum.	Poliomyelitis.	Dysentery.	Encephalitis Lethargica.	Trench Fever.	Polio- encephalitis.
WESTERN.																	
Paddington . . .	149,673	-	-	-	-	9	5	4	1	-	1	2	-	-	-	-	-
Kensington . . .	164,177	-	-	-	-	18	8	1	2	-	-	-	-	-	1	-	-
Hammersmith . . .	136,200	-	-	-	-	16	3	3	-	-	-	-	-	-	-	-	-
Fulham . . .	158,621	-	2	-	-	14	10	1	2	1	-	-	-	-	-	-	-
Chelsea . . .	62,987	-	-	-	-	4	1	2	-	-	-	-	-	1	-	-	-
City of Westminster . . .	132,615	-	-	-	-	6	4	1	1	-	-	1	-	-	-	-	-
NORTHERN.																	
St. Marylebone . . .	101,856	-	-	-	-	7	7	1	-	-	1	1	-	-	-	-	-
Hampstead . . .	91,519	2	-	-	-	4	2	-	-	-	-	1	-	-	-	-	-
St. Pancras . . .	228,178	-	-	-	-	19	19	10	1	1	-	4	-	-	1	-	-
Islington . . .	335,907	-	-	-	-	23	34	3	2	-	1	3	-	-	-	-	-
Stoke Newington . . .	52,984	-	-	-	-	3	6	-	-	-	-	-	-	-	-	-	-
Hackney . . .	225,372	-	-	-	-	18	16	1	5	-	-	1	-	-	-	-	-
CENTRAL.																	
Holborn . . .	39,676	-	-	-	-	3	6	1	1	-	-	-	-	-	-	-	-
Finsbury . . .	78,291	-	-	-	-	8	7	-	-	-	1	-	-	-	-	-	-
City of London . . .	14,447	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
EASTERN.																	
Shoreditch . . .	102,044	-	-	-	-	11	9	2	-	2	1	1	-	-	-	-	-
Bethnal Green . . .	114,471	-	-	-	-	13	6	-	-	-	-	-	-	-	-	-	-
Stepney . . .	241,770	-	-	-	-	40	16	5	2	-	1	-	-	-	-	-	-
Poplar . . .	159,768	1	-	-	-	16	9	9	-	-	-	-	-	-	-	-	-
SOUTHERN.																	
Southwark . . .	187,142	-	-	-	-	14	6	11	3	-	1	1	-	-	-	-	-
Bermondsey . . .	129,189	-	-	-	-	28	7	1	1	-	-	1	-	-	-	-	-
Lambeth . . .	293,572	-	1	-	-	23	9	4	4	-	1	4	-	-	-	-	-
Battersea . . .	165,664	-	-	-	-	11	8	10	3	-	-	2	-	-	-	-	-
Vandsworth . . .	346,990	-	-	-	-	35	19	19	-	-	1	-	1	1	2	-	-
Lamberwell . . .	284,712	-	1	-	-	38	13	-	2	-	-	1	-	-	1	-	-
Deptford . . .	115,636	-	-	-	-	12	9	-	1	1	-	1	-	-	-	-	-
Greenwich . . .	102,408	-	-	-	-	10	7	5	1	-	-	-	-	-	-	-	-
Lewisham . . .	174,438	-	1	-	-	18	9	1	-	-	-	-	-	-	-	-	-
Woolwich . . .	141,666	-	-	-	-	24	6	7	1	-	-	2	-	-	-	-	-
TOTAL . . .	4,531,971	3	5	-	-	445	263	102	33	5	9	27	1	2	5	-	-
AGES.																	
Ages 0-1 . . .		-	-	-	-	4	11	5	-	3	-	27	-	-	-	-	-
„ 1-5 . . .		-	-	-	-	96	80	13	-	2	-	-	1	-	-	-	-
„ 5- . . .		-	-	-	-	187	85	11	2	-	-	-	-	-	-	-	-
„ 10- . . .		-	-	-	-	88	38	8	1	-	-	-	-	-	1	-	-
„ 15- . . .		2	-	-	-	29	21	7	2	-	-	-	-	-	1	-	-
„ 20- . . .		1	1	-	-	14	7	3	1	-	4	-	-	-	1	-	-
„ 25- . . .		-	1	-	-	19	9	12	6	-	4	-	-	1	-	-	-
„ 35- . . .		-	2	-	-	6	10	11	4	-	1	-	-	-	1	-	-
„ 45- . . .		-	1	-	-	2	1	8	5	-	-	-	-	1	1	-	-
„ 55- . . .		-	-	-	-	-	1	12	9	-	-	-	-	-	-	-	-
„ 65- . . .		-	-	-	-	-	-	8	3	-	-	-	-	-	-	-	-
„ 75 and upwards . . .		-	-	-	-	-	-	4	-	-	-	-	-	-	-	-	-
Age not stated . . .		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

† See note † on first page of this return.

FOR OFFICIAL USE.

WEEKLY RETURN

OF

**BIRTHS AND DEATHS REGISTERED:—
LONDON AND
NINETY-FIVE OTHER GREAT TOWNS.**

~~~~~  
By Authority of the Registrar General,  
~~~~~

LONDON:

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
H.M. STATIONERY OFFICE at the following addresses:

IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and

28, ABINGDON STREET, LONDON, S.W. 1;

37, PETER STREET, MANCHESTER;

1, ST. ANDREW'S CRESCENT, CARDIFF;

23, FORTH STREET, EDINBURGH;

or from E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN.

No. 15. VOL. LXXXII. 1921. WEEK ENDED SATURDAY, APR. 16.
[Price 9d. Net.]

*General Register Office, Somerset House,
April 19th, 1921.*

NINETY-SIX GREAT TOWNS.

For the NINETY-SIX GREAT TOWNS of England and Wales each of which had a population of 50,000 or over at the Census of 1911, the births registered last week numbered 8,733, and corresponded to an annual rate of 24·4 per 1,000. The deaths* among the civilian population only numbered 4,436, and corresponded to an annual rate of 12·5 per 1,000 of their aggregate civilian population, which is provisionally estimated† at 18,554,878 persons in the year 1920. In the three weeks ended March 26th, April 2nd, and April 9th, the rates had been 13·0, 13·0, and 12·5 respectively. The infant mortality was 76, against 94, 89, and 82 in the preceding three weeks. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks; it also shows for the week ended last Saturday the births and the deaths from certain individual causes. A column showing the number of deaths

* Corrected as far as possible for deaths of non-residents and for those of residents occurring outside the area. Fully corrected figures will appear in the Registrar General's Annual Report.

† The estimates of population refer to the year 1920, and are based on the returns furnished under the scheme for rationing of food.

from influenza has been inserted in Table 1. The aggregate number of deaths from influenza in the 96 great towns in each of the last thirteen weeks is shown in Table 3A.

Measured by last week's mortality, the highest annual death-rates per 1,000 living were:—from *all causes*, 17·2 in West Bromwich, 17·5 in Oldham, 18·3 in Bath, 20·3 in Merthyr Tydfil, and 23·8 in Eastbourne; from *measles*, 1·0 in Sunderland, 1·6 in Newcastle-on-Tyne, and 2·9 in West Bromwich; and from *diphtheria*, 1·1 in Tottenham and in Reading and 1·6 in Acton. No death from *small-pox* was registered in any of the ninety-six towns.

LONDON.* (The Administrative County, including the City of London.)

For LONDON there were 2,099 BIRTHS, corresponding to a rate of 24·0 per 1,000, and 1,077 DEATHS of civilians, corresponding to a rate of 12·4, as against 11·6, 13·2, and 13·4, per 1,000 in the three weeks ended March 26th, April 2nd, and April 9th. The death-rate in the four weeks ended last Saturday averaged 12·7 per 1,000. The infant mortality was 61, against 67, 71, and 77 in the preceding three weeks.

There was no death from *enteric fever*, against 0, 2, and 1 in the preceding three weeks, the average for the corresponding weeks of the previous five years being 1. The deaths from *measles*, which had been 4, 2, and 12 in the preceding three weeks, fell last week to 10, and were 46 below the average; 3 deaths belonged to the Borough of Islington. The deaths from *scarlet fever*, which had been 6, 6, and 5 in the preceding three weeks, were again 5 last week, and were 2 above the average. The deaths from *whooping-cough*, which had been 12, 8, and 13 in the preceding three weeks, fell last week to 10, and were 30 below the average. The deaths from *diphtheria*, which had been 15, 24, and 19 in the preceding three weeks, rose last week to 24, and were 9 above the average; 5 deaths belonged to Hackney and 3 each to St. Marylebone and Bermondsey. The deaths from *diarrhoea and enteritis under 2 years of age*, which had been 14, 19, and 14 in the preceding three weeks, fell last week to 6, and were 9 below the average. The deaths from *influenza* numbered 49 as against 33, 44, and 38 in the preceding three weeks and an average of 56.

Different forms of violence caused 37 deaths, all of which were the subject of coroners' inquests. Of these 37 deaths, 21 were cases of suicide and 2 of homicide, while the remaining 14 were attributed to other forms of violence. Three of these latter were referred to vehicles in the streets, 2 to drowning, and 2, of infants under one year of age, to suffocation in bed.

CASES OF INFECTIOUS DISEASE.†

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital, there were 10 cases of enteric fever, 33 of measles, 3,345 of scarlet fever, 21 of whooping-cough, and 2,543 of diphtheria under treatment in these hospitals on Saturday last (Table 3). The admissions during the week,

* See note * on first page.

† The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

as compared with those in the preceding three weeks, were as follows :—Of enteric fever, 1 case, against 2, 3, and 3; of measles, 7 cases, against 3, 9, and 4; of scarlet fever, 379 cases, against 508, 375, and 386; of whooping-cough, 1 case, against 2, 2, and 2; and of diphtheria, 252 cases, against 276, 230, and 285. Table 9, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the county during the week ended April 9th, 1921.

TABLE 1.--98 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH RATES in the Week ended Saturday, 16th April, 1921, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	ESTIMATED CIVILIAN POPULATION. MID. 1920 * (Provisional.)	DEATH-RATES from all Causes.					Week ended 16th April 1921.		The DEATHS in the Week include										TOWNS.			
		Week ended					BIRTHS.	DEATHS.	Deaths of		Deaths from									Inquest Cases.	Deaths in Public Institutions.	Unclassified Causes of Death.
									Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.	Violence.				
		26th Mar., 1921.	2nd Apr., 1921.	9th Apr., 1921.	16th Apr., 1921.																	
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
96 GREAT TOWNS.	18,554,878	13·0	13·0	13·0	12·5	8,733	4,436	665	1,482	3	-	50	9	58	62	59	111	139	302	1,483	26	96 GREAT TOWNS.
LONDON†	4,531,971	11·6	13·2	13·4	12·4	2,099	1,077	128	399	-	-	10	5	10	24	6	49	37	80	551	2	LONDON.†
(CROYDON.	191,560	10·3	10·9	13·3	7·3	91	27	7	10	-	-	2	-	-	-	1	-	1	1	4	-	(CROYDON.
WIMBLEDON.	62,174	10·9	7·5	10·1	12·6	16	15	2	8	-	-	-	-	-	-	-	-	-	-	6	-	WIMBLEDON.
EALING.	76,129	11·6	15·8	10·3	3·4	15	5	2	3	-	-	-	-	1	-	-	1	-	-	1	-	EALING.
ACTON.	64,192	15·4	11·4	4·1	8·9	28	11	2	1	-	-	-	-	-	2	-	1	-	-	5	-	ACTON.
WILLESDEN.	167,328	10·6	10·3	10·3	11·5	80	37	5	12	-	-	-	-	1	2	-	1	2	2	15	-	WILLESDEN.
HORNSEY.	98,107	12·8	11·2	6·9	10·6	20	20	1	10	-	-	-	-	-	-	1	2	1	1	3	-	HORNSEY.
TOTTENHAM.	146,970	13·1	8·5	12·1	11·7	62	33	2	12	-	-	-	-	1	3	-	-	-	1	16	-	TOTTENHAM.
EDMONTON.	73,529	7·1	9·2	6·4	7·1	38	10	-	6	-	-	-	-	-	1	-	-	-	2	5	-	EDMONTON.
ENFIELD.	60,771	12·9	7·7	12·0	12·0	25	14	-	6	-	-	-	-	-	1	-	-	2	3	6	-	ENFIELD.
WEST HAM.	299,440	15·3	12·9	12·0	10·6	158	61	10	18	-	-	-	-	-	-	2	1	3	4	23	-	WEST HAM.
EAST HAM.	150,207	14·6	6·2	7·6	7·3	66	21	2	9	-	-	-	-	-	1	-	1	-	-	6	-	EAST HAM.
LEYTON.	128,832	11·7	11·3	8·1	8·1	44	20	2	8	-	-	-	-	-	-	-	-	-	1	11	-	LEYTON.
WALTHAMSTOW.	132,771	11·0	9·4	10·2	5·9	70	15	2	7	-	-	-	-	-	1	-	-	-	2	7	-	WALTHAMSTOW.
ILFORD.	82,693	12·6	13·9	6·3	8·8	38	14	3	9	-	-	-	-	-	-	-	-	-	-	4	-	ILFORD.
GILLINGHAM.	45,233	9·2	12·7	11·5	10·4	22	9	-	3	-	-	-	-	-	-	-	-	1	1	1	2	GILLINGHAM.
HASTINGS.	59,972	20·0	12·2	11·3	15·7	16	18	-	12	-	-	-	-	-	-	-	-	1	4	3	-	HASTINGS.
EASTBOURNE.	50,354	13·5	20·7	7·2	23·8	21	23	2	14	-	-	-	-	-	-	-	1	-	1	8	-	EASTBOURNE.
BRIGHTON.	137,665	18·6	13·3	10·2	13·6	45	36	5	15	-	-	-	-	-	-	1	5	1	1	20	-	BRIGHTON.
PORTSMOUTH.	235,998	8·6	9·3	12·2	9·5	90	43	6	17	-	-	-	-	1	1	-	2	1	2	12	-	PORTSMOUTH.
BOURNEMOUTH.	85,919	10·3	11·5	13·4	17·0	18	28	-	16	-	-	-	-	1	-	-	2	1	5	5	-	BOURNEMOUTH.
SOUTHAMPTON.	162,388	14·1	11·6	9·6	13·2	82	41	3	17	-	-	-	-	-	2	1	1	-	1	15	-	SOUTHAMPTON.
READING.	95,006	9·3	15·4	12·6	12·1	34	22	3	8	-	-	-	-	-	2	-	-	1	1	9	-	READING.
OXFORD.	59,963	8·7	7·8	10·4	9·6	19	11	2	3	-	-	-	-	-	-	-	-	-	-	4	-	OXFORD.
NORTHAMPTON.	92,483	10·7	10·7	12·4	14·1	36	25	6	10	-	-	-	-	-	-	1	-	-	-	4	-	NORTHAMPTON.
CAMBRIDGE.	60,154	7·8	9·5	8·7	12·1	25	14	1	7	-	-	-	-	-	-	-	-	-	1	5	-	CAMBRIDGE.

* See note † on first page of this return.

† For Greater London see end of Table,

‡ These towns are included within the area of Greater London.

In the week ended Saturday, 16th April 1921, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	ESTIMATED CIVILIAN POPULATION, MID. 1920.* (Provisional.)	DEATH-RATES from all Causes.					Week ended 16th Apr., 1921.		The DEATHS in the Week include										TOWNS.				
		Week ended					BIRTHS.	DEATHS.	Deaths of		Deaths from									Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	
		26th Mar., 1921.	2nd Apr., 1921.	9th Apr., 1921.	16th Apr., 1921.	8.			9.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.	Violence.					
																							1.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.	
SOUTHEND ON SEA.	87,332	9.5	10.1	11.3	10.1	23	17	1	4	-	-	-	-	-	-	-	1	-	-	4	-	SOUTHEND ON SEA.	
IPSWICH.	81,119	9.0	11.6	10.3	8.4	35	13	1	4	-	-	-	-	-	1	-	-	-	-	5	-	IPSWICH.	
GREAT YARMOUTH.	55,193	11.3	18.0	15.1	14.2	21	15	3	8	-	-	-	-	-	-	-	-	1	-	7	-	GREAT YARMOUTH.	
NORWICH.	124,774	10.4	11.7	12.1	10.9	67	26	4	10	-	-	-	-	1	-	1	-	-	-	3	-	NORWICH.	
SWINDON.	53,580	11.7	10.7	9.7	8.8	25	9	-	5	-	-	-	-	-	-	-	-	1	1	-	-	SWINDON.	
EXETER.	61,365	9.3	13.6	11.0	14.4	28	17	2	10	-	-	-	-	-	-	-	-	-	-	5	-	EXETER.	
PLYMOUTH.	189,218	14.9	14.1	13.0	13.5	73	49	7	17	-	-	-	-	1	-	1	-	-	2	5	-	PLYMOUTH.	
BATH.	68,546	12.2	14.5	12.2	18.3	23	24	2	10	-	-	-	-	-	1	-	-	1	1	7	-	BATH.	
BRISTOL.	375,641	12.4	11.2	11.7	11.8	191	85	11	28	-	-	2	-	2	1	-	1	5	10	27	-	BRISTOL.	
GLOUCESTER.	52,096	7.0	10.0	8.0	12.0	32	12	2	2	-	-	-	-	-	-	-	-	-	1	2	-	GLOUCESTER.	
STOKE ON TRENT.	248,852	15.5	16.6	14.0	13.8	131	66	18	13	1	-	-	-	1	-	2	2	5	7	10	-	STOKE ON TRENT.	
WOLVERHAMPTON.	102,324	13.2	10.2	13.8	14.3	59	28	7	7	-	-	-	-	1	-	1	1	1	3	10	-	WOLVERHAMPTON.	
WALSALL.	96,419	14.6	14.6	15.7	13.0	65	24	3	5	-	-	-	-	1	-	-	-	1	1	7	-	WALSALL.	
WEST BROMWICH.	72,684	17.2	10.0	15.1	17.2	54	24	7	7	-	-	4	-	-	-	-	-	-	-	7	1	WEST BROMWICH.	
DUDLEY.	56,169	10.2	13.0	6.5	6.5	32	7	-	1	-	-	1	-	-	-	-	-	-	-	-	-	DUDLEY.	
BIRMINGHAM.	895,915	12.5	12.2	11.6	14.3	487	245	50	78	-	-	7	-	1	2	3	2	8	8	86	10	BIRMINGHAM.	
SMETHWICK.	75,027	4.9	10.4	7.6	9.7	32	14	3	3	-	-	1	-	-	-	-	-	1	2	3	-	SMETHWICK.	
COVENTRY.	137,310	11.8	8.7	12.5	7.6	54	20	4	6	-	-	-	-	1	2	-	-	1	2	6	-	COVENTRY.	
LEICESTER.	245,465	16.4	16.6	10.4	12.5	134	59	12	18	-	-	-	-	-	-	1	1	2	2	20	-	LEICESTER.	
LINCOLN.	67,543	10.8	13.1	14.7	13.1	39	17	1	10	-	-	-	-	-	-	1	-	-	-	-	-	LINCOLN.	
GRIMSBY.	31,953	18.5	10.8	10.8	8.3	28	13	-	3	-	-	-	-	-	-	-	1	1	1	2	-	GRIMSBY.	
NOTTINGHAM.	267,836	14.0	13.2	11.1	12.1	120	62	11	23	-	-	-	-	2	-	2	-	1	1	14	-	NOTTINGHAM.	
DERBY.	128,863	11.3	8.1	13.4	14.2	58	35	6	14	-	-	-	1	-	1	-	-	-	3	8	-	DERBY.	

* See note † on first page of this return.

TABLE 1 (*cont.*).—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED and DEATH RATE in the Week ended Saturday, 16th April, 1921, and DEATH-RATES in each of the preceding three Weeks

TOWNS.	ESTIMATED CIVILIAN POPULATION MID. 1920.* (Provisional.)	DEATH-RATES from all Causes.				Week ended 16th Apr., 1921.		The DEATHS in the Week include																		
		Week ended				6.	7.	Deaths of		Deaths from								18.	19.	20.	21.	TOWNS.				
		26th Mar., 1921.	2nd Apr., 1921.	9th Apr., 1921	16th Apr., 1921.			Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Intertic Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.						Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
	1.	2.	3.	4.	5.			8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.				
STOCKPORT	180,635	12.0	16.4	9.2	10.4	46	26	4	10	-	-	-	1	-	-	-	-	-	1	9	-	STOCKPORT.				
BIRKENHEAD	153,951	12.5	12.9	10.5	7.8	95	23	3	3	-	-	-	-	-	-	-	-	2	3	5	-	BIRKENHEAD.				
WALLASEY	99,226	6.3	8.9	12.1	7.4	30	14	1	6	-	-	-	-	-	-	-	-	2	2	2	-	WALLASEY.				
LIVERPOOL	808,452	15.1	13.7	15.1	14.7	375	227	41	43	-	-	3	1	6	2	3	5	9	28	100	2	LIVERPOOL.				
BOOTLE	80,029	11.1	8.5	11.7	10.4	35	16	1	4	-	-	-	-	-	-	-	-	2	2	5	-	BOOTLE.				
ST. HELENS	104,822	12.9	3.5	8.5	12.9	69	26	8	7	-	-	-	-	1	-	-	1	-	-	9	1	ST. HELENS.				
SOUTHPORT	72,939	15.7	10.0	15.7	10.0	25	14	-	8	-	-	-	-	-	-	-	-	-	-	4	-	SOUTHPORT.				
WIGAN	90,866	16.6	11.5	15.5	13.2	45	23	8	6	-	-	-	-	1	-	-	-	2	3	3	-	WIGAN.				
WARRINGTON	77,989	14.0	12.7	10.0	16.1	40	24	5	5	-	-	-	-	2	1	1	2	-	-	9	2	WARRINGTON.				
BOLTON	134,533	12.2	16.1	11.9	14.7	86	52	11	21	-	-	1	1	-	-	2	-	1	3	12	1	BOLTON.				
BURY	56,410	18.5	12.0	12.0	12.9	21	14	2	8	-	-	1	-	-	-	-	-	-	-	6	-	BURY.				
MANCHESTER	770,597	13.1	14.8	13.5	14.2	342	210	29	55	1	-	-	-	5	2	5	4	9	13	60	-	MANCHESTER.				
SALFORD	235,239	15.5	11.5	15.1	13.3	135	60	5	14	-	-	-	-	-	1	2	3	1	1	19	-	SALFORD.				
OLDHAM	143,154	13.1	20.8	17.5	17.5	70	48	6	12	-	-	-	-	-	-	1	-	5	9	5	-	OLDHAM.				
ROCHDALE	93,639	17.3	11.1	11.1	8.9	33	16	4	6	-	-	-	-	-	-	1	-	-	-	3	-	ROCHDALE.				
BURNLEY	105,030	13.9	12.4	16.4	12.4	53	25	8	5	-	-	-	-	1	-	1	-	-	-	5	-	BURNLEY.				
BLACKBURN	131,012	9.6	10.0	11.1	9.6	48	24	4	7	-	-	-	-	-	-	-	-	-	1	11	-	BLACKBURN.				
PRESTON	121,950	12.4	13.3	12.0	7.7	52	18	4	5	-	-	-	-	-	-	-	-	1	1	2	-	PRESTON.				
BLACKPOOL	70,545	14.8	15.5	11.1	10.3	22	14	-	5	-	-	-	-	-	-	-	-	1	3	3	-	BLACKPOOL.				
BARROW IN FURNESSE	76,561	11.6	7.5	10.9	10.2	33	15	4	7	-	-	-	-	-	-	-	-	-	-	2	-	BARROW IN FURNESSE.				
HUDDERSFIELD	116,776	14.7	17.0	13.4	10.7	36	24	2	7	-	-	-	-	-	-	-	-	1	2	2	-	HUDDERSFIELD.				
HALIFAX	105,847	11.3	13.8	17.2	12.8	39	26	3	12	-	-	-	-	-	-	-	1	1	2	5	-	HALIFAX.				
BRADFORD	293,979	18.1	15.1	14.7	12.6	105	71	9	27	-	-	4	-	2	1	1	1	2	9	18	-	BRADFORD.				
LEEDS	449,212	16.5	14.6	11.6	13.6	224	117	17	50	-	-	-	-	-	-	1	1	1	11	25	-	LEEDS.				
DEWSBURY	55,080	18.0	13.3	12.3	17.0	23	18	3	6	-	-	-	-	-	-	-	1	-	1	4	-	DEWSBURY.				
WAKEFIELD	51,169	13.2	13.2	9.2	15.3	26	15	2	2	1	-	-	-	-	1	-	-	-	1	5	-	WAKEFIELD.				
BARNLEY	53,739	13.6	23.3	11.6	16.5	32	17	4	5	-	-	-	-	1	-	-	-	-	-	-	-	BARNLEY.				

TOWNS.	ESTIMATED CIVILIAN POPULATION, MID. 1920 * (Provisional).	Causes.				Week ended 16th April, 1921.		Deaths of		Deaths from										Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS
		Week ended				16th April, 1921.		Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea (under 2 years).	Influenza.	Violence.								
		Week ended				16th April, 1921.																	
		26th Mar., 1921.	2nd Apr., 1921.	9th Apr., 1921.	16th Apr., 1921.	BIRTHS.	DEATHS.																
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.	
SHEFFIELD	492,570	13.2	12.3	11.5	11.6	246	110	23	39	-	-	1	-	3	-	2	1	2	4	31	-	SHEFFIELD.	
ROTHERHAM	71,785	8.7	11.6	14.5	16.7	35	23	1	10	-	-	-	-	-	1	-	2	-	-	5	-	ROTHERHAM.	
YORK	77,501	14.8	13.5	14.1	12.8	35	19	1	6	-	-	-	-	-	-	-	-	-	2	8	-	YORK.	
HULL	290,808	14.2	15.1	14.5	15.2	150	85	16	33	-	-	-	-	-	1	3	2	4	9	29	1	HULL.	
MIDDLESBROUGH	132,208	20.5	21.3	13.8	15.4	87	39	10	5	-	-	1	-	-	-	2	-	3	3	3	-	MIDDLESBROUGH.	
DARLINGTON	66,610	9.4	14.1	11.0	8.6	34	11	2	4	-	-	-	-	-	-	-	1	2	2	2	1	DARLINGTON.	
STOCKTON ON TEES	63,114	9.1	18.2	13.2	14.0	41	17	2	5	-	-	-	-	-	-	-	-	-	-	1	1	STOCKTON ON TEES.	
WEST HARTLEPOOL	68,126	13.8	19.9	13.8	9.2	36	12	2	3	-	-	-	-	-	-	-	-	-	-	2	-	WEST HARTLEPOOL.	
SUNDERLAND	155,211	19.1	20.8	15.1	14.4	97	43	10	9	-	-	3	-	2	-	3	1	-	2	7	-	SUNDERLAND.	
SOUTH SHIELDS	115,945	18.9	14.8	17.1	15.3	76	34	3	15	-	-	-	-	-	-	-	2	-	1	3	-	SOUTH SHIELDS.	
GATESHEAD	128,309	15.4	15.0	12.6	13.4	70	33	3	7	-	-	-	-	-	-	-	-	3	3	6	-	GATESHEAD.	
NEWCASTLE ON TYNE.	283,061	15.9	17.0	15.1	16.8	143	92	16	17	-	-	9	-	3	-	5	-	-	5	25	1	NEWCASTLE ON TYNE.	
TYNEMOUTH	60,318	18.2	9.5	13.0	6.9	32	8	1	1	-	-	-	-	-	-	-	-	1	1	4	1	TYNEMOUTH.	
CARLISLE	57,397	25.4	14.5	13.6	12.7	29	14	1	9	-	-	-	-	-	-	-	-	-	-	3	-	CARLISLE.	
NEWPORT (MON.)	90,728	9.8	10.9	10.9	8.6	60	15	4	5	-	-	-	-	-	1	-	-	-	1	2	-	NEWPORT (MON.).	
CARDIFF	212,592	10.1	11.3	8.8	12.0	103	49	5	14	-	-	-	-	-	-	-	-	2	8	14	-	CARDIFF.	
RHONDDA	184,939	12.7	9.9	9.9	9.6	102	34	10	7	-	-	-	-	1	2	-	3	-	-	1	-	RHONDDA.	
MERTHYR TYDFIL	74,493	17.5	13.3	12.6	20.3	40	29	5	7	-	-	-	-	1	1	1	-	1	3	6	-	MERTHYR TYDFIL.	
ABERDARE	53,431	14.6	8.8	8.8	16.6	36	17	2	3	-	-	-	-	1	-	-	-	-	-	1	-	ABERDARE.	
SWANSEA	167,218	14.3	13.1	11.5	13.7	92	44	9	11	-	-	-	-	2	-	-	1	1	2	10	-	SWANSEA.	
GREATER LONDON	7,548,647	11.8	12.3	12.2	11.2	3342	1618	196	612	-	-	12	6	14	40	11	63	57	112	729	2	GREATER LONDON.	
OUTER RING	3,016,676	12.1	10.9	10.2	9.4	1243	541	68	213	-	-	2	1	4	16	5	14	20	32	178	-	OUTER RING.	
14 GREAT TOWNS IN OUTER RING.	1,734,723	12.4	10.6	9.9	9.1	751	303	40	119	-	-	2	-	3	11	4	7	9	17	112	-	14 GREAT TOWNS IN OUTER RING.	
REMAINDER OF OUTER RING.	1,281,953	11.6	11.3	10.6	9.7	492	238	28	94	-	-	-	1	1	5	1	7	11	15	66	-	REMAINDER OF OUTER RING.	
EDINBURGH†	446,200	13.4	15.4	14.3	14.4	184	123	14	39	-	-	10	1	3	1	-	6	4	?	?	?	EDINBURGH.†	
GLASGOW†	1,100,400	16.8	16.7	16.3	15.5	604	328	65	73	-	-	1	5	32	5	6	4	8	?	?	?	GLASGOW.†	
DUBLIN (Registra- tion Area).†	423,000	16.8	19.2	19.0	16.0	253	130	22	39	1	-	-	-	1	1	4	1	3	2	50	3	DUBLIN (Registra- tion Area).†	
BELFAST†	420,000	15.4	17.4	16.1	16.1	214	130	21	25	-	-	1	-	7	-	3	1	1	2	36	1	BELFAST.†	

* See note † on first page of this return.

* See note † on first page of this return.
† The populations are total populations and relate to 1921. Deaths and the death-rates in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week : those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

TABLE 2. LONDON.—Births and Deaths registered during the FIFTEENTH Week of each of the Eleven Years, 1911-1921.

	1911.	1912.	1913.	1914.	1915.	1916.	1917.	1918.	1919.	1920.	1921.
Births (as registered).	2032	2177	2035	2229	2311	1975	1707	1475	1292	2650	2099
Males -	1043	1102	1036	1130	1191	993	839	760	667	1381	1066
Females -	989	1075	999	1099	1120	982	868	715	625	1269	1033
Deaths (of residents only).	1359	1170	1288	1255	1760	1432*	1586*	1337*	1309*	1342*	1077*
Males -	709	590	653	663	950	707	799	691	574	681	536
Females -	650	580	635	592	810	725	787	646	735	661	541

* Deaths in civilian population only.

TABLE 3. LONDON.—BIRTHS and DEATHS REGISTERED, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the last THIRTEEN WEEKS.

	Jan. 22.	Jan. 29.	Feb. 5.	Feb. 12.	Feb. 19.	Feb. 26.	Mar. 5.	Mar. 12.	Mar. 19.	Mar. 26.	Apr. 2.	Apr. 9.	Apr. 16.
Births (as registered)	2009	2039	1856	2058	2041	1908	1987	2074	2004	1746	2016	2157	2099
Deaths (of residents only).	1121	1011	1158	1147	1232	1313	1282	1311	1142	1005	1149	1168	1077
Ages													
Under 1 year	177	160	189	181	211	168	168	179	157	117	144	166	128
1-2 years	34	31	49	43	39	30	34	45	46	32	39	38	39
2-5 "	32	24	34	29	23	31	26	24	28	18	25	24	21
5-10 "	23	19	28	34	24	33	21	22	19	19	28	22	21
10-15 "	16	14	13	17	20	15	15	15	21	14	21	12	16
15-20 "	19	24	23	20	16	18	21	24	24	26	21	30	15
20-25 "	20	19	25	19	25	29	17	25	29	23	33	29	21
25-35 "	44	47	51	44	50	65	66	53	52	50	42	69	52
35-45 "	77	78	75	54	91	90	81	93	79	80	90	91	84
45-55 "	118	125	125	121	104	141	117	138	109	108	125	122	120
55-65 "	183	149	169	153	170	185	201	176	147	130	177	178	161
65-75 "	193	146	192	207	215	247	254	243	188	182	188	190	179
75 years and upwards	185	175	185	225	244	261	261	274	243	206	216	197	220
Deaths from—													
Enteric fever	1	1	—	1	—	—	2	1	—	—	2	1	—
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	2	1	—	—	3	4	—	2	5	4	2	12	10
Scarlet fever	5	8	8	7	7	6	6	3	9	6	6	5	5
Whooping cough	8	4	6	15	13	9	13	9	7	12	8	13	10
Diphtheria	28	19	28	28	9	27	18	26	20	15	24	19	24
Diarrhoea and enteritis (under 2 years).	19	18	22	18	23	16	22	22	17	14	19	14	6
Pulmonary tuberculosis . .	100	98	105	74	102	100	105	100	101	109	95	116	85
Influenza	14	6	9	13	12	30	45	27	42	33	44	38	49
Pneumonia (all forms) . .	117	92	128	104	131	144	148	165	117	107	117	103	95
Bronchitis	101	95	98	153	158	167	159	149	131	93	102	90	88
Other dis. of resp. system . .	7	16	14	10	23	23	23	27	16	16	14	15	15
Dis. of circ. system . .	178	181	194	218	223	208	219	223	177	175	192	172	150
Violence	35	40	49	32	32	50	34	41	44	26	30	47	37
Inquest cases	81	74	99	90	86	106	85	101	90	69	88	105	80
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Enteric fever	12	11	7	9	10	9	15	13	12	13	10	2	10
Small-pox	1	1	1	—	—	—	—	—	—	—	—	—	—
Measles	14	15	17	18	23	28	26	28	26	25	30	27	33
Scarlet fever	4350	4171	4018	3945	3919	3845	3738	3730	3695	3609	3535	3453	3345
Whooping cough	23	27	26	26	24	25	22	25	26	23	25	24	21
Diphtheria	2618	2682	2767	2770	2808	2800	2809	2818	2817	2777	2689	2626	2543

* The Metropolitan Asylums Board and London Fever Hospitals. The figures do not refer to London exclusively.

TABLE 3A. 96 Great Towns.—DEATHS from INFLUENZA in the last THIRTEEN WEEKS.

	Jan. 22.	Jan. 29.	Feb. 5.	Feb. 12.	Feb. 19.	Feb. 26.	Mar. 5.	Mar. 12.	Mar. 19.	Mar. 26.	Apr. 2.	Apr. 9.	Apr. 16.
Deaths from Influenza	66	61	61	93	103	138	167	149	151	122	130	97	111

TABLE 4. LONDON.—DEATHS REGISTERED in the FIFTEENTH Week of the Year 1921.

CAUSES OF DEATH.	Deaths in the 15th week of the year 1920.	DEATHS of PERSONS of the AGES													
		ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-10 years.	10-15 years.	15-20 years.	20-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and up- wards.
ALL CAUSES	1342	1077	128	39	21	21	16	15	21	52	84	120	161	179	220
Enteric fever	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	76	10	3	6	1	-	-	-	-	-	-	-	-	-	-
Scarlet fever	4	5	-	-	1	3	1	-	-	-	-	-	-	-	-
Whooping cough	42	10	5	3	1	1	-	-	-	-	-	-	-	-	-
Diphtheria	20	24	3	2	7	8	3	1	-	-	-	-	-	-	-
Influenza	101	49	-	1	-	-	-	1	1	3	6	7	13	10	7
Erysipelas	3	2	-	-	-	-	-	-	-	-	-	1	-	-	1
Acute Poliomyelitis, Polioencepha- litis.	?	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	?	2	-	-	1	-	-	-	-	-	-	1	-	-	-
Meningococcal meningitis . . .	?	2	1	-	-	-	-	-	-	-	-	1	-	-	-
Other endemic and epidemic diseases.	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Pyæmia and septicæmia	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus	1	2	-	-	-	1	1	-	-	-	-	-	-	-	-
Tuberculosis :—															
Pulmonary tuberculosis	97	85	-	1	-	-	3	2	9	19	15	16	18	1	1
Tuberculous meningitis	11	9	1	2	3	2	1	-	-	-	-	-	-	-	-
Abdominal tuberculosis	3	3	1	-	-	-	-	1	-	-	1	-	-	-	-
Tuberculosis of the spine	-	2	-	-	-	-	1	-	-	-	1	-	-	-	-
Tuberculosis of the joints	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of other organs . .	2	3	-	-	-	-	-	-	1	-	-	-	-	-	2
Disseminated tuberculosis . . .	2	11	1	1	1	1	1	2	-	2	1	-	1	-	-
Venereal diseases	5	7	5	-	-	-	-	-	-	-	-	1	-	1	-
Cancer	121	120	-	-	-	-	-	-	-	1	5	28	32	32	22
Rheumatic fever	6	5	-	-	-	1	1	1	-	1	-	-	-	-	1
Diabetes	6	9	-	-	-	-	-	-	-	1	2	1	1	2	2
Anæmia, leucocythæmia	6	7	-	1	-	1	-	-	-	-	2	-	2	1	-
Other general diseases	8	8	-	2	-	-	-	1	-	1	-	2	1	1	-
Alcoholism	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Chronic poisonings	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	7	3	2	-	-	-	-	-	1	-	-	-	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	39	48	-	-	-	-	-	-	-	-	2	3	13	18	12
Softening of brain	2	2	-	-	-	-	-	-	-	-	-	-	-	1	1
Paralysis, without specified cause .	4	3	-	-	-	-	-	-	-	-	-	1	1	1	-
Epilepsy	5	5	-	1	-	-	-	-	-	1	-	1	1	-	1
"Convulsions" (not puerperal) . .	6	3	2	-	1	-	-	-	-	-	-	1	1	-	-
Other diseases of nervous system .	20	33	2	3	-	-	-	-	-	-	10	5	9	4	-
Pericarditis	3	2	1	-	-	1	-	-	-	-	-	-	-	-	-
Acute endocarditis	4	7	-	-	1	-	-	-	-	3	2	-	-	-	1
Other diseases of heart	110	112	-	-	-	-	1	1	1	6	9	15	8	30	41
Embolism and thrombosis (exclud- ing cerebral).	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of circulatory system.	38	29	1	-	-	-	-	-	-	-	1	2	5	6	14
Diseases of the larynx	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Bronchitis	103	88	4	2	-	-	-	-	-	-	-	-	4	13	47
Broncho-pneumonia	75	35	9	9	1	-	-	-	-	1	1	3	3	18	7
Lobar pneumonia	38	37	2	-	1	1	-	-	1	3	5	5	8	6	5
Pneumonia (type not distinguished)	27	23	2	-	1	1	-	-	-	3	2	2	3	6	3
Pleurisy	1	3	-	1	-	-	-	1	-	1	-	-	-	-	-
Pulmonary congestion, Pulmonary apoplexy.	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of respiratory system.	8	11	-	-	-	-	2	1	-	-	1	-	2	3	2

TABLE 5.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS. of Stillborn.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM							
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria and Croup.*	Diarrhoeal Diseases (under 2 years).	Influenza.
LONDON† . .	4,531,971	1921. Apr. 16	2,099	1,077	12·4	-	-	10	5	10	24	6	49
CALCUTTA . .	896,067	Mar. 12	-	755§	43·7	?	1	?	?	?	?	?	37
BOMBAY . .	979,445	" 12	271	1,342§	71·2	2	17	16	-	1	-	68	46
MADRAS . .	518,660	" 12	-	-	-	-	-	-	-	-	-	-	-
PARIS . .	2,847,229	(8 days) Feb. 28	1,307	1,072	17·2	2	-	3	1	2	4	28	3
BRUSSELS . .	792,919	- - -	-	-	-	-	-	-	-	-	-	-	-
ANTWERP . .	336,572	Apr. 2	126	50	7·8	-	-	2	-	1	-	6	-
AMSTERDAM . .	677,645	" 2	283	136	10·5	1	-	1	-	2	-	1	-
COPENHAGEN . .	571,000	" 2	271	136	12·4	-	-	1	-	-	1	2	2
STOCKHOLM . .	415,201	Mar. 26	136	94	11·8	-	-	1	-	-	1	-	3
GOTHENBURG . .	205,494	" 26	-	41	10·4	1	-	-	-	1	-	-	4
CHRISTIANIA . .	260,904	Apr. 2	115	60	12·0	-	-	-	-	-	-	-	-
BERLIN . .	1,934,000	Mar. 26	563	355	9·5	-	?	4	-	1	4	9	3
BRESLAU . .	540,000	" 26	-	-	-	-	?	-	-	-	-	-	-
COLOGNE . .	660,000	" 26	352	170	13·4	-	?	3	-	-	3	7	2
DRESDEN . .	538,000	" 26	222	156	15·1	1	?	1	-	1	-	3	3
FRANKFORT- ON-MAIN . .	463,000	" 26	168	101	11·3	-	?	-	1	-	-	5	3
HAMBURG . .	996,000	" 26	356	238	12·4	-	?	3	1	1	2	5	2
LEIPZIG . .	624,000	" 26	247	163	13·6	-	?	1	-	-	-	8	4
MUNICH . .	670,000	" 26	251	206	16·0	-	?	8	-	-	2	2	2
VIENNA . .	1,842,005	" 26	414	652	18·4	3	-	4	1	1	5	11	1
PRAGUE AND SUBURBS . .	713,144	" 12	263	197	14·4	1	-	-	-	1	-	5	-
BUDAPEST . .	1,092,000	Jan. 29	375	391	18·6	3	?	9	10	1	1	18	2
TRIESTE . .	244,473	Apr. 2	102	71	15·1	1	-	-	-	-	-	3	-
CAIRO . .	764,800	Feb. 4	673	537	36·5	3	2	-	-	?	3	31	?
ALEXANDRIA . .	449,300	" 4	417	251	29·0	-	-	2	-	?	-	10	?
NEW YORK . .	5,753,151	Mar. 19	-	-	-	-	-	-	-	-	-	-	-
CHICAGO . .	2,780,655	Apr. 2	-	615	11·5	-	-	6	-	4	12	41	4

Excluding deaths from croup in London, Bombay, and Madras.

The deaths in this column relate to *all ages* for Bombay, Madras, Christiania, and Budapest, and to *children under 1 year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

The estimated population and deaths refer to the civilian population only.

Including 13 deaths from *plague* in Bombay, and from *Asiatic cholera*, 95 deaths in Calcutta.

TABLE 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 16th April, 1921.
(Supplied by the Meteorological Office.)

TOWNS.	Temperature of Air.*				Rainfall in Milli- metres.†	TOWNS.	Temperature of Air.*				Rainfall in Milli- metres.†
	Highest.	Lowest.	Mean Maxi- mum.	Mean Mini- mum.			Highest.	Lowest.	Mean Maxi- mum.	Mean Mini- mum.	
LONDON (Greenwich) }	73	32	58·6	38·9	12	BRADFORD . .	64	25	49·7	35·0	17
BRIGHTON . .	69	32	57·4	40·7	17	SHEFFIELD . .	64	29	51·1	37·1	11
PORTSMOUTH . .	67	32	57·7	40·3	14	YORK (Museum) . .	55	27	49·0	36·0	9
IPSWICH (Eaton) . .	68	31	55·0	37·9	24	HULL (Pearson Park)	63	29	54·3	37·4	13
PLYMOUTH . .	63	33	55·9	41·4	16	TYNEMOUTH . .	63	28	48·1	37·6	8
GLISTOL (Clifton) . .	65	31	53·1	40·3	13	CARDIFF . .	64	31	53·4	38·6	11
BIRMINGHAM . .	64	29	53·6	37·7	16	EDINBURGH . .	62·0	27·0	48·4	35·3	3
LIVERPOOL . .	65	28	53·6	37·7	7	GLASGOW . .	56·7	29·7	49·3	36·7	7
PRESTON (Bidston) }	65	33	52·4	39·4	12	DUBLIN :—					
MANCHESTER . .	68	29	53·6	36·7	21	Phoenix Park . .	58·6	27·3	51·1	33·9	11
LEWISLEY . .	65	22	51·0	33·4	26	†Fitzwilliam Square	57·0	30·6	51·3	38·7	7
ROCHESTER . .	64	27	50·1	35·7	12	BELFAST . .	59·0	29·0	51·8	40·5	10

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.

† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.

‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

TABLE 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 16th April 1921.

[Under the Superintendence of the Astronomer Royal.]

1921. MONTH AND DAY.		Phases of the Moon.	BARO- METER. Mean daily reading (cor- rected and re- duced to 32° Fahren- heit).	TEMPERATURE.					Difference between the Air Temperature and Dew Point Temperature.			De- gree of Hu- mid- ity (Satu- ration equals 100).			TEMPERATURE.		Wind as deduced from Anemometers.				Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
				Of the Air.				Of the Dew point.	Of Radiation.		Of the Earth 4 feet below the Surface.	Osler's.		Pressure on the Square Foot.		Robinson's.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
				High- est.	Low- est.	Daily Range.	Mean daily value.		De- parture from Average of 65 years.	Mean daily value.		Great- est.	Least.	General Direction.		Great- est.	Least.	Mean of 24 hourly obs.	Horizontal Movement of the Air on each Day.	Depar- ture from Average of 50 years.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
														A.M.	P.M.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
APRIL.			in.	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	

DATE.		ELECTRICITY. (For explanation of symbols, see Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
APRIL 1921.					
SUNDAY	10	m.P. generally	9.3	13.5	Nearly cloudless till 3h., becoming overcast by 4h. 30m.; slight rain 5h. 30m., becoming cloudless generally by 8h., clouding up from 23h. 30m.
MONDAY	11	s.P. generally till 8h., w.P. afterwards.	4.6	13.5	Overcast generally till 9h.; afterwards very cloudy, but cloud frequently thin, especially from 13h. 30m. to 16h. 30m.
TUESDAY	12	w.P. till 9h., m.P. afterwards.	10.3	13.6	Overcast generally till 6h. 30m. becoming cloudless by 7h.
WEDNESDAY	13	v.P. throughout	9.8	13.7	Cloudless till 11h. 30m., gradually clouding up to nearly overcast by 15h.; cloud thin till 21h., with partial lunar halo, then overcast; damping towards midnight.
THURSDAY	14	w.P. till 9h., s.P. generally afterwards.	8.4	13.7	Overcast till 7h. 30m., with rain till 7h.; variably cloudy afterwards; brisk wind 3h. to 18h.; sleet about 13h.
FRIDAY	15	v.P. in forenoon, v.P. and v.N. afterwards.	7.7	13.8	Very cloudy generally till 5h., nearly cloudless till 10h., very cloudy afterwards; overcast generally from 15h.; occasional snow and sleet from 10h. 30m.; rain or damping after 21h. 30m.
SATURDAY	16	w.P. till 7h., s.P. generally afterwards.	9.6	13.8	Becoming cloudless generally soon after 2h., with hoar frost; partially cloudy towards noon; variably cloudy afterwards; cloudless 20h. to 22h., becoming nearly overcast by 23h.; hazy sky in evening with lunar halo.
No. of Col.			Sum 59.7	Sum 95.6	
			27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "higher," and - "lower," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29.89 in. at the beginning of the week to 29.84 in. by 5h. on 10th; increased to 30.04 in. by 8h. on 11th; decreased to 29.44 in. by 5h. on 14th; increased to 29.61 in. by 9h. on 16h., and decreased to 29.48 in. by midnight on the same day.

The results apply to the civil day, or from midnight to midnight.
The height of the eastern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "higher," and - "lower," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29.89 in. at the beginning of the week to 29.84 in. by 5h. on 10th; increased to 30.04 in. by 8h. on 11th; decreased to 29.44 in. by 5h. on 14th; increased to 29.61 in. by 9h. on 16h., and decreased to 29.48 in. by midnight on the same day.

TABLE 8. LONDON.—DEATHS OF PERSONS BELONGING to the several METROPOLITAN BOROUGHs REGISTERED in the Week ended 9th April, 1921.

BOROUGHs.	Deaths from									Deaths of Infants under 1 Year of Age.
	ALL CAUSES.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Pulmonary Tuberculosis.	
COUNTY OF LONDON -	1,168	1	-	12	5	13	19	14	116	166
Western										
PADDINGTON - . . .	33	-	-	-	-	-	-	2	2	9
KENSINGTON - . . .	47	-	-	-	-	-	-	-	3	6
HAMMERSMITH - . . .	34	-	-	-	-	-	-	1	2	5
FULHAM -	43	-	-	-	-	1	-	-	2	7
CHELSEA -	22	-	-	-	-	-	-	-	2	4
CITY OF WESTMINSTER -	34	-	-	-	-	-	1	1	2	3
Northern.										
ST. MARYLEBONE - . .	28	-	-	-	-	-	1	-	4	2
HAMPSTEAD -	22	1	-	-	-	1	-	2	2	3
ST. PANCRAS - . . .	62	-	-	-	-	-	1	-	9	7
ISLINGTON -	82	-	-	2	-	3	5	1	4	14
STOKE NEWINGTON - . .	17	-	-	-	-	-	-	1	1	2
HACKNEY -	49	-	-	-	-	1	-	2	6	8
Central.										
HOLBORN -	12	-	-	-	-	-	-	-	-	3
FINSBURY -	31	-	-	-	-	1	-	-	-	5
CITY OF LONDON - . .	2	-	-	-	-	-	-	-	-	-
Eastern.										
SHOREDITCH -	37	-	-	6	-	1	-	-	2	6
BETHNAL GREEN - . . .	31	-	-	-	-	-	2	1	4	7
STEPNEY -	71	-	-	1	1	-	-	1	11	10
POPLAR -	37	-	-	1	-	-	2	-	5	4
Southern.										
SOUTHWARK -	61	-	-	-	-	-	-	-	13	7
BERMONDSEY -	35	-	-	-	1	-	-	-	5	8
LAMBETH -	64	-	-	-	2	-	1	1	5	8
BATTERSEA -	64	-	-	-	1	2	2	-	4	8
WANDSWORTH -	66	-	-	-	-	1	1	1	6	9
CAMBERWELL -	66	-	-	-	-	1	3	-	7	8
DEPTFORD -	39	-	-	-	-	-	-	-	8	4
GREENWICH -	17	-	-	1	-	-	-	-	1	3
LEWISHAM -	31	-	-	1	-	-	-	-	3	2
WOOLWICH -	31	-	-	-	-	1	-	-	3	4

The deaths in the above Table are, so far as concerns London as a whole, corrected by the exclusion of deaths of non-residents, and by the inclusion of those of residents occurring in the Outer Ring or in Metropolitan public institutions situated outside the County. As between individual Metropolitan Boroughs, however, correction is complete.

TABLE 9. LONDON.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED during the Week ended 9th April, 1921.*

BOROUGHs.	ESTI- MATED CIVILIAN POPU- LATION, MID. 1920.† (Provi- sional.)	Enteric Fever.	Malaria.	Typhus.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Pneumonia.	Erysipelas.	Cerebro-Spinal Fever.	Puerperal Fever.	Ophthalmia Neonatorum.	Poliomyelitis.	Dysentery.	Encephalitis Lethargica.	Trench Fever.	Polio- encephalitis.
WESTERN.																	
Paddington . . .	149,673	1	1	-	-	5	4	2	1	-	-	2	-	-	-	-	-
Kensington . . .	164,177	-	-	-	-	25	6	1	1	-	-	-	-	-	-	-	-
Hammersmith . . .	136,200	-	-	-	-	11	8	4	1	-	-	1	-	-	-	-	-
Fulham . . .	158,621	-	-	-	-	14	10	6	1	-	-	1	-	-	-	-	-
Chelsea . . .	62,987	-	-	-	-	7	1	-	1	-	1	-	-	-	1	-	-
City of Westminster . . .	132,615	-	-	-	-	4	1	-	-	-	-	-	-	-	-	-	-
NORTHERN.																	
St. Marylebone . . .	101,856	-	-	-	-	3	6	-	-	-	-	-	-	-	-	-	-
Hampstead . . .	91,519	-	-	-	-	6	1	1	-	-	-	-	-	-	2	-	-
St. Pancras . . .	228,178	-	-	-	-	26	12	12	1	-	-	1	-	-	-	-	-
Islington . . .	335,907	-	-	-	-	19	28	-	2	2	-	2	-	-	1	-	-
Stoke Newington . . .	52,984	-	-	-	-	6	4	-	-	-	-	-	-	-	-	-	-
Hackney . . .	225,372	-	-	-	-	23	16	6	3	-	-	-	-	-	1	-	-
CENTRAL.																	
Holborn . . .	39,676	-	-	-	-	4	5	-	1	-	-	1	-	-	-	-	-
Finsbury . . .	78,291	-	-	-	-	14	9	1	1	-	-	-	-	-	-	-	-
City of London . . .	14,447	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
EASTERN.																	
Shoreditch . . .	102,044	-	-	-	-	8	11	3	-	-	-	3	-	-	-	-	-
Bethnal Green . . .	114,471	-	-	-	-	15	13	5	3	-	-	-	-	-	-	-	-
Stepney . . .	241,770	1	-	-	-	54	24	5	1	-	3	1	-	-	1	-	-
Poplar . . .	159,766	-	1	-	-	14	10	4	2	-	1	4	-	-	-	-	-
SOUTHERN.																	
Southwark . . .	187,142	-	-	-	-	17	3	3	3	-	-	1	-	-	-	-	-
Bermondsey . . .	129,189	-	-	-	-	13	5	1	-	-	-	-	-	-	-	-	-
Lambeth . . .	293,572	-	-	-	-	19	12	6	3	-	-	-	-	-	-	-	-
Battersea . . .	165,664	-	-	-	-	12	14	6	-	-	-	2	-	-	-	-	-
Wandsworth . . .	346,990	-	1	-	-	26	15	7	3	-	1	-	-	-	-	-	-
Camberwell . . .	284,712	-	-	-	-	24	5	2	-	-	-	1	-	-	-	-	-
Deptford . . .	115,636	-	1	-	-	12	6	-	-	-	-	-	-	-	-	-	-
Greenwich . . .	102,408	1	-	-	-	9	9	2	-	-	-	1	-	-	-	-	-
Lewisham . . .	174,438	1	-	-	-	15	15	5	1	-	-	1	-	-	-	-	-
Woolwich . . .	141,666	1	-	-	-	22	16	1	1	-	-	-	-	-	-	-	-
TOTAL . . .	4,531,971	5	4	-	-	427	270	83	30	2	6	22	-	-	6	-	-
Ages 0-1 . . .		-	-	-	-	2	13	3	-	-	-	22	-	-	-	-	-
" 1-5 . . .		-	-	-	-	93	71	13	-	1	-	-	-	-	-	-	-
" 5- . . .		1	-	-	-	154	91	7	-	-	-	-	-	-	1	-	-
" 10- . . .		-	-	-	-	85	56	2	2	-	-	-	-	-	1	-	-
" 15- . . .		-	-	-	-	38	15	4	1	-	1	-	-	-	1	-	-
" 20- . . .		-	1	-	-	22	9	5	3	1	4	-	-	-	-	-	-
" 25- . . .		2	2	-	-	24	10	10	3	-	-	-	-	-	-	-	-
" 35- . . .		1	1	-	-	9	4	12	8	-	1	-	-	-	1	-	-
" 45- . . .		-	-	-	-	-	1	11	7	-	-	-	-	-	-	-	-
" 55- . . .		-	-	-	-	-	-	6	3	-	-	-	-	-	1	-	-
" 65- . . .		1	-	-	-	-	-	8	3	-	-	-	-	-	1	-	-
" 75 and upwards . . .		-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
Age not stated . . .		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

† See note † on first page of this return.

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS AND DEATHS REGISTERED:—

LONDON AND

NINETY-FIVE OTHER GREAT TOWNS.

~~~~~  
By Authority of the Registrar General,  
~~~~~

LONDON:

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from

H.M. STATIONERY OFFICE at the following addresses:

IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and

28, ABINGDON STREET, LONDON, S.W. 1;

37, PETER STREET, MANCHESTER;

1, ST. ANDREW'S CRESCENT, CARDIFF;

23, FORTH STREET, EDINBURGH;

or from E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN.

No. 16. VOL. LXXXII. 1921. WEEK ENDED SATURDAY, APR. 23.
[Price 9d. Net.]

*General Register Office, Somerset House,
April 26th, 1921.*

NINETY-SIX GREAT TOWNS.

For the NINETY-SIX GREAT TOWNS of England and Wales each of which had a population of 50,000 or over at the Census of 1911, the births registered last week numbered 9,005, and corresponded to an annual rate of 25·2 per 1,000. The deaths* among the civilian population only numbered 4,441, and corresponded to an annual rate of 12·5 per 1,000 of their aggregate civilian population, which is provisionally estimated† at 18,554,878 persons in the year 1920. In the three weeks ended April 2nd, April 9th, and April 16th, the rates had been 13·0, 12·5, and 12·5 respectively. The infant mortality was 76, against 89, 82, and 76 in the preceding three weeks. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks; it also shows for the week ended last Saturday the births and the deaths from certain individual causes. A column showing the number of deaths

* Corrected as far as possible for deaths of non-residents and for those of residents occurring outside the area. Fully corrected figures will appear in the Registrar General's Annual Report.

† The estimates of population refer to the year 1920, and are based on the returns furnished under the scheme for rationing of food.

from influenza has been inserted in Table 1. The aggregate number of deaths from influenza in the 96 great towns in each of the last thirteen weeks is shown in Table 3A.

Measured by last week's mortality, the highest annual death-rates per 1,000 living were:—from *all causes*, 17·3 in Tynemouth, 17·8 in Oldham, 17·9 in Burnley, 18·3 in Wakefield, 18·5 in Grimsby, and 20·7 in Warrington; from *measles*, 1·0 in Sunderland, 1·4 in West Bromwich, and 1·9 in Swindon; and from *whooping cough*, 1·1 in Oldham, 1·5 in St. Helens, and 1·7 in Wigan. No death from *small-pox* was registered in any of the ninety-six towns.

LONDON.* (The Administrative County, including the City of London.)

For LONDON there were 2,112 BIRTHS, corresponding to a rate of 24·2 per 1,000, and 1,093 DEATHS of civilians, corresponding to a rate of 12·6, as against 13·2, 13·4, and 12·4 per 1,000 in the three weeks ended April 2nd, April 9th, and April 16th. The death-rate in the four weeks ended last Saturday averaged 12·9 per 1,000. The infant mortality was 68, against 71, 77, and 61 in the preceding three weeks.

There was one death from *enteric fever*, against 2, 1, and 0 in the preceding three weeks, the average for the corresponding weeks of the previous five years being 1. The deaths from *measles*, which had been 2, 12, and 10 in the preceding three weeks, fell last week to 6, and were 37 below the average. The deaths from *scarlet fever*, which had been 6, 5, and 5 in the preceding three weeks, fell last week to 3, and were 1 below the average. The deaths from *whooping-cough*, which had been 8, 13, and 10 in the preceding three weeks, were again 10 last week, and were 21 below the average; 3 deaths belonged to the Borough of Shoreditch. The deaths from *diphtheria*, which had been 24, 19, and 24 in the preceding three weeks, further rose last week to 32, and were 20 above the average; 4 deaths belonged to Shoreditch and 3 to Islington. The deaths from *diarrhoea and enteritis under 2 years of age*, which had been 19, 14, and 6 in the preceding three weeks, rose last week to 16, and were 3 above the average. The deaths from *influenza* numbered 27 as against 44, 38, and 49 in the preceding three weeks and an average of 37.

Different forms of violence caused 35 deaths, of which 34 were the subject of coroners' inquests. Of these 35 deaths, 13 were cases of suicide and 2 of homicide, while the remaining 20 were attributed to other forms of violence. Four of these latter were referred to vehicles in the streets, 1 to burns or scalds, 2 to drowning, and 2 of infants under one year of age, to suffocation in bed.

CASES OF INFECTIOUS DISEASE.†

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital, there were 9 cases of enteric fever, 26 of measles, 3,307 of scarlet fever, 20 of whooping-cough, and 2,564 of diphtheria under treatment in these hospitals on Saturday last (Table 3). The admissions during the week,

* See note * on first page.

† The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

as compared with those in the preceding three weeks, were as follows :—Of enteric fever, 1 case, against 3, 3, and 1 ; of measles, 3 cases, against 9, 4, and 7 ; of scarlet fever, 415 cases, against 375, 386, and 379 ; of whooping-cough, 0 case, against 2, 2, and 1 ; and of diphtheria, 292 cases, against 230, 285, and 252. Table 9, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the county during the week ended April 16th, 1921.

TABLE 1.—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS,—BIRTHS and DEATHS REGISTERED, and DEATH RATES in the Week ended Saturday, 23rd April, 1921, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.		Week ended		The DEATHS in the Week include										TOWNS.																	
		23rd April 1921.		Deaths from																											
		BIRTHS. DEATHS.		Deaths of	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.	Violence.			Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.													
2nd Apr., 1921.		9th Apr., 1921.		16th Apr., 1921.		23rd Apr., 1921.		1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.		
ESTIMATED CIVILIAN POPULAT. ON. MID. 1920.* (Provisional.)		13·0		12·5		12·5		12·5		12·5		12·5		12·5		18,554,878	687	1,458	1	-	40	15	50	61	68	82	130	300	1,515	31	96 GREAT TOWNS.
LONDON†		13·2		13·4		12·4		12·6		12·6		12·6		12·6		4,531,971	144	364	1	-	6	3	10	32	16	27	35	86	540	-	LONDON.†
(CROYDON		10·9		13·3		7·3		10·3		10·3		10·3		10·3		191,580	4	19	-	-	-	-	-	-	-	1	3	11	-	-	(CROYDON.
WIMBLEDON.		7·5		10·1		12·6		5·0		5·0		5·0		5·0		62,174	1	3	-	-	-	-	-	-	-	2	3	2	-	-	WIMBLEDON.
EALING.		15·8		10·3		3·4		13·0		13·0		13·0		13·0		76,129	1	14	-	-	-	-	-	-	-	-	1	4	-	-	EALING.
ACTON.		11·4		4·1		8·9		15·4		15·4		15·4		15·4		64,192	1	9	-	-	-	-	-	-	-	-	-	8	-	-	ACTON.
WILLESDEN.		10·3		10·3		11·5		9·7		9·7		9·7		9·7		167,328	4	11	-	1	1	-	1	-	1	-	-	15	-	-	WILLESDEN.
HORNSEY.		11·2		6·9		10·6		8·5		8·5		8·5		8·5		98,107	1	8	-	-	1	-	-	-	-	-	-	5	-	-	HORNSEY.
TOTTENHAM		8·5		12·1		11·7		10·6		10·6		10·6		10·6		146,970	-	13	-	-	-	-	1	-	-	2	2	15	-	-	TOTTENHAM.
EDMONTON.		9·2		6·4		7·1		9·2		9·2		9·2		9·2		73,529	2	4	-	-	-	-	-	-	-	-	-	8	-	-	EDMONTON.
ENFIELD.		7·7		12·0		12·0		11·2		11·2		11·2		11·2		60,771	2	2	-	-	-	-	-	-	1	-	4	-	-	-	ENFIELD.
WEST HAM.		12·9		12·0		10·6		11·7		11·7		11·7		11·7		299,440	9	17	-	-	-	-	1	-	4	-	5	25	-	-	WEST HAM.
EAST HAM		6·2		7·6		7·3		9·4		9·4		9·4		9·4		150,207	4	8	-	-	-	-	1	-	-	-	1	10	-	-	EAST HAM.
LEYTON.		11·3		8·1		8·1		8·1		8·1		8·1		8·1		128,832	1	7	-	-	-	-	1	-	-	-	1	9	-	-	LEYTON.
WALTHAMSTOW		9·4		10·2		5·9		8·2		8·2		8·2		8·2		132,771	5	4	-	-	-	-	-	-	-	1	1	5	-	-	WALTHAMSTOW.
ILFORD.		13·9		6·3		8·8		10·7		10·7		10·7		10·7		82,693	1	5	-	-	-	-	-	-	-	2	3	7	-	-	ILFORD.
GILLINGHAM.		12·7		11·5		10·4		9·2		9·2		9·2		9·2		45,233	1	3	-	-	-	-	-	-	-	-	-	-	-	-	GILLINGHAM.
HASTINGS.		12·2		11·3		15·7		15·7		15·7		15·7		15·7		59,972	-	6	-	-	-	-	-	-	1	-	-	6	-	-	HASTINGS.
EASTBOURNE.		20·7		7·2		23·8		16·6		16·6		16·6		16·6		50,354	2	8	-	-	-	-	-	-	-	1	1	5	-	-	EASTBOURNE.
BRIGHTON.		13·3		10·2		13·6		12·9		12·9		12·9		12·9		137,685	4	14	-	-	-	-	-	-	1	5	11	-	-	-	BRIGHTON.
PORTSMOUTH.		9·3		12·2		9·5		10·4		10·4		10·4		10·4		235,998	2	22	-	-	1	-	1	-	-	3	16	-	-	-	PORTSMOUTH.
BOURNEMOUTH.		11·5		13·4		17·0		9·1		9·1		9·1		9·1		85,9·9	1	7	-	-	-	-	-	2	-	1	-	-	-	-	BOURNEMOUTH.
SOUTHAMPTON.		11·6		9·6		13·2		6·4		6·4		6·4		6·4		162,388	3	6	-	-	-	-	-	1	-	1	7	-	-	-	SOUTHAMPTON.
READING.		15·4		12·6		12·1		8·2		8·2		8·2		8·2		95,006	1	7	-	-	-	-	-	-	-	-	-	4	-	-	READING.
OXFORD.		7·8		10·4		9·6		6·1		6·1		6·1		6·1		59,963	1	3	-	-	-	-	-	-	-	-	-	1	-	-	OXFORD.
NORTHAMPTON.		10·7		12·4		14·1		10·7		10·7		10·7		10·7		92,483	1	8	-	-	-	-	-	-	-	-	1	7	-	-	NORTHAMPTON.
CAMBRIDGE.		9·5		8·7		12·1		8·7		8·7		8·7		8·7		60,154	-	6	-	-	-	-	-	-	-	1	2	3	-	-	CAMBRIDGE.

* See note † on first page of this return.

† For Greater London see end of Table.

‡ These towns are included within the area of Greater London.

TABLE I (cont.).—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH-RATES in the Week ended Saturday, 23rd April 1921, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	ESTIMATED CIVILIAN POPULATION, MID. 1920.* (Provisional.)	DEATH-RATES from all Causes.					Week ended 23rd Apr., 1921.		The DEATHS in the Week include										TOWNS.			
		Week ended					BIRTHS.	DEATHS.	Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from									Inquest Cases.	Deaths in Public Institutions.	Uncertified (Causes of Death.
		2nd 9th 16th 23rd Apr., Apr., Apr., Apr., 1921. 1921. 1921. 1921.									Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.	Violence				
		2.	3.	4.	5.																	
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
SOUTHEND ON SEA.	87,382	10.1	11.3	10.1	10.1	36	17	2	5	-	-	-	-	-	1	-	-	1	1	3	-	SOUTHEND ON SEA.
IPSWICH.	81,119	11.6	10.3	8.4	14.8	32	23	2	6	-	-	-	-	-	-	-	-	1	1	8	-	IPSWICH.
GREAT YARMOUTH.	55,193	18.0	15.1	14.2	13.2	31	14	1	5	-	-	-	-	-	-	-	1	-	-	1	-	GREAT YARMOUTH.
NORWICH.	124,774	11.7	12.1	10.9	11.7	55	28	6	14	-	-	-	-	-	-	-	-	1	2	7	-	NORWICH.
SWINDON.	53,580	10.7	9.7	8.8	11.7	18	12	2	3	-	-	2	-	-	-	-	-	-	-	1	-	SWINDON.
EXETER.	61,365	13.6	11.0	14.4	14.4	23	17	1	12	-	-	-	-	-	-	-	-	-	1	3	-	EXETER.
PLYMOUTH.	189,218	14.1	13.0	13.5	11.8	78	43	3	18	-	-	-	-	1	-	1	-	1	5	3	-	PLYMOUTH.
BATH.	68,546	14.5	12.2	18.3	12.2	22	16	3	11	-	-	-	-	-	-	-	-	-	1	3	-	BATH.
BRISTOL.	375,641	11.2	11.7	11.8	11.7	173	84	9	37	-	-	1	-	3	1	-	1	4	12	26	-	BRISTOL.
GLOUCESTER.	52,096	10.0	8.0	12.0	11.0	31	11	-	7	-	-	-	1	-	-	-	1	-	-	2	-	GLOUCESTER.
STOKE ON TRENT.	248,852	16.6	14.0	13.8	17.0	134	81	22	21	-	-	-	-	-	-	4	2	1	6	17	3	STOKE ON TRENT.
WOLVERHAMPTON.	102,324	10.2	13.8	14.3	13.8	61	27	7	8	-	-	-	-	-	-	-	-	-	2	4	-	WOLVERHAMPTON.
WALSALL.	96,419	14.6	15.7	12.4	15.7	50	29	7	10	-	-	-	-	-	-	-	-	-	2	6	-	WALSALL.
WEST BROMWICH.	72,684	10.0	15.1	17.2	12.2	49	17	7	1	-	-	2	-	-	-	-	-	1	1	4	1	WEST BROMWICH.
DUDLEY.	56,169	13.0	6.5	6.5	7.4	33	8	-	3	-	-	1	-	-	-	-	-	-	-	1	-	DUDLEY.
BIRMINGHAM.	895,915	12.2	11.6	14.3	13.5	489	232	36	67	-	-	10	1	1	6	3	3	3	5	72	6	BIRMINGHAM.
SMETHWICK.	75,027	10.4	7.6	9.7	10.4	32	15	-	10	-	-	1	-	-	-	-	-	-	-	4	-	SMETHWICK.
COVENTRY.	137,310	8.7	12.5	7.6	13.3	76	35	11	10	-	-	-	-	-	-	1	-	1	1	12	1	COVENTRY.
LEICESTER.	243,465	16.6	10.4	12.5	11.0	117	52	7	26	-	-	-	-	-	-	-	1	3	5	16	-	LEICESTER.
LINCOLN.	67,543	13.1	14.7	13.1	14.7	29	19	-	11	-	-	-	-	-	-	-	-	-	-	1	-	LINCOLN.
GRIMSBY.	31,953	10.8	10.8	8.3	18.5	59	29	7	6	-	-	-	-	-	-	2	-	1	2	9	-	GRIMSBY.
NOTTINGHAM.	267,836	13.2	11.1	12.1	10.9	125	56	7	12	-	-	-	-	1	1	1	1	1	1	20	-	NOTTINGHAM.
DERBY.	128,868	8.1	13.4	14.2	10.9	62	27	7	7	-	-	-	-	-	-	1	-	-	-	9	-	DERBY.

* See note † on first page of this return.

TABLE I (cont.).—98 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED and DEATH-RATE in the Week ended Saturday, 23rd April, 1921, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	DEATH-RATES from all Causes.				Week ended 23rd Apr., 1921.		The DEATHS in the Week include											TOWNS.						
	ESTIMATED CIVILIAN POPULATION MID. 1920.* (Provisional.)	Week ended				BIRTHS.	DEATHS.	Deaths of								Deaths from					Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	
		2nd Apr., 1921.	9th Apr., 1921.	16th Apr., 1921.	23rd Apr., 1921.			Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.		Violence.					
																				8.				9.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.		
STOCKPORT	130,635	16.4	9.2	10.4	12.8	60	32	7	8	-	-	-	-	-	2	-	-	-	1	7	-	STOCKPORT.		
BIRKENHEAD	153,951	12.9	10.5	7.8	7.5	90	22	2	7	-	-	-	1	-	-	1	1	-	-	15	-	BIRKENHEAD.		
WALLASEY	99,226	8.9	12.1	7.4	8.4	28	16	1	8	-	-	-	-	-	1	-	-	1	2	6	-	WALLASEY.		
LIVERPOOL	803,452	13.7	15.1	14.7	15.5	523	239	46	67	-	-	-	1	1	-	6	2	5	19	104	3	LIVERPOOL.		
BOOTLE	80,029	8.5	11.7	10.4	8.5	50	13	5	5	-	-	-	-	-	-	-	-	-	-	4	-	BOOTLE.		
ST. HELENS	104,822	8.5	8.5	12.9	14.4	64	29	7	5	-	-	-	-	3	-	1	1	1	1	8	-	ST. HELENS.		
SOUTHPORT	72,939	10.0	15.7	10.0	12.2	11	17	-	7	-	-	-	-	-	-	-	1	-	1	4	-	SOUTHPORT.		
WIGAN	97,866	11.5	15.5	13.2	15.5	50	27	6	6	-	-	-	-	3	-	-	1	3	5	2	-	WIGAN.		
WARRINGTON	77,939	12.7	10.0	16.1	20.7	50	31	7	10	-	-	-	-	-	1	-	-	2	2	9	-	WARRINGTON.		
BOLTON	184,533	16.1	11.9	14.7	14.4	82	51	2	19	-	-	-	-	1	-	-	-	1	2	11	-	BOLTON.		
BURY	56,410	12.0	12.0	12.9	15.7	24	17	2	9	-	-	-	-	-	-	-	-	-	-	3	-	BURY.		
MANCHESTER	770,597	14.8	13.5	14.2	12.9	380	191	32	51	-	-	-	-	6	2	5	5	7	10	76	2	MANCHESTER.		
SALFORD	235,239	11.5	15.1	13.3	12.2	115	55	11	14	-	-	-	-	-	-	-	-	3	7	12	-	SALFORD.		
OLDHAM	143,154	20.8	17.5	17.5	17.8	72	49	10	13	-	-	-	-	3	-	2	-	3	6	9	-	OLDHAM.		
ROCHDALE	93,639	11.1	11.1	8.9	13.4	36	24	2	13	-	-	-	-	-	-	-	1	1	1	11	-	ROCHDALE.		
BURNLEY	105,030	12.4	16.4	12.4	17.9	59	36	11	10	-	-	-	-	2	-	2	-	2	5	6	-	BURNLEY.		
BLACKBURN	131,012	10.0	11.1	9.6	14.7	54	37	9	12	-	-	-	-	-	-	-	-	-	1	9	-	BLACKBURN.		
PRESTON	121,950	13.3	12.0	7.7	15.8	62	37	7	12	-	-	-	-	1	-	-	-	-	1	7	1	PRESTON.		
BLACKPOOL	70,545	15.5	11.1	10.3	10.3	22	14	1	10	-	-	-	-	-	-	-	-	-	-	-	1	BLACKPOOL.		
BARROW IN FURNESS	73,561	7.5	10.9	10.2	8.2	31	12	1	7	-	-	1	-	-	-	1	1	-	-	2	2	BARROW IN FURNESS.		
HUDDERSFIELD	116,776	17.0	13.4	10.7	12.1	30	27	4	10	-	-	-	-	-	-	-	1	1	1	6	-	HUDDERSFIELD.		
HALIFAX	105,847	13.8	17.2	12.8	9.9	35	20	3	5	-	-	-	-	-	2	1	-	-	2	10	-	HALIFAX.		
BRADFORD	293,979	15.1	14.7	12.6	11.9	112	67	12	28	-	-	3	-	1	-	-	-	1	1	26	-	BRADFORD.		
LEEDS	449,212	14.6	11.6	13.6	13.6	180	117	18	33	-	-	-	-	-	-	3	1	7	15	33	-	LEEDS.		
DEWSBURY	55,080	13.3	12.3	17.0	17.0	22	18	4	5	-	-	-	-	-	-	-	-	-	-	3	-	DEWSBURY.		
WAKEFIELD	51,169	13.2	9.2	15.3	18.3	34	18	3	4	-	-	-	-	-	-	-	1	-	3	10	-	WAKEFIELD.		
BARNSELEY	53,739	23.3	11.6	16.5	11.6	32	12	4	5	-	-	-	-	-	-	-	1	-	-	-	-	BARNSELEY.		

* See note † on first page of this return.

TOWNS.	CIVILIAN POPULATION, MID. 1920.* (Provisional).	Week ended				23rd April, 1921.		Deaths of		Deaths from										Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS
		2nd Apr., 1921.	9th Apr., 1921.	16th Apr., 1921.	23rd Apr., 1921.	BIRTHS. DEATHS.		Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.	Violence.					
						6.	7.																
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.	
SHEFFIELD	492,570	12·3	11·5	11·6	11·2	209	106	28	28	-	-	-	-	2	-	-	3	3	12	33	-	SHEFFIELD.	
ROTHERHAM	71,785	11·6	14·5	16·7	15·3	39	21	2	2	-	-	-	-	1	-	-	1	-	-	9	-	ROTHERHAM.	
YORK	77,501	13·5	14·1	12·8	10·8	41	16	1	5	-	-	1	-	-	-	-	2	-	-	6	-	YORK.	
HULL	290,808	15·1	14·5	15·2	11·3	167	63	14	18	-	-	-	-	1	-	-	2	3	6	18	1	HULL.	
MIDDLESBROUGH	132,208	21·3	13·8	15·4	11·0	85	28	10	5	-	-	-	-	-	-	2	1	2	2	8	-	MIDDLESBROUGH.	
DARLINGTON	66,610	14·1	11·0	8·6	11·0	38	14	1	5	-	-	-	-	-	-	-	-	-	-	2	1	DARLINGTON.	
STOCKTON ON TEES.	63,114	18·2	13·2	14·0	15·7	44	19	3	8	-	-	1	-	-	-	-	1	2	2	2	1	STOCKTON ON TEES.	
WEST HARTLEPOOL.	68,126	19·9	13·8	9·2	16·1	50	21	4	5	-	-	-	-	1	-	-	-	1	1	4	-	WEST HARTLEPOOL.	
SUNDERLAND	155,211	20·8	15·1	14·4	14·1	109	42	5	12	-	-	3	-	2	-	-	-	2	4	13	-	SUNDERLAND.	
SOUTH SHIELDS	115,945	14·8	17·1	15·3	12·6	67	28	4	6	-	-	-	-	-	-	1	-	1	3	8	3	SOUTH SHIELDS.	
GATESHEAD	128,309	15·0	12·6	13·4	13·4	77	33	6	8	-	-	1	1	1	-	-	-	1	1	5	2	GATESHEAD.	
NEWCASTLE ON TYNE.	286,061	17·0	15·1	16·8	13·5	187	74	11	16	-	-	5	-	3	1	1	-	3	8	16	-	NEWCASTLE ON TYNE.	
TYNEMOUTH	60,318	9·5	13·0	6·9	17·3	42	20	5	6	-	-	-	-	-	-	-	-	-	-	5	2	TYNEMOUTH.	
CARLISLE	57,397	14·5	13·6	12·7	14·5	36	16	2	5	-	-	-	-	-	1	-	-	-	-	3	1	CARLISLE.	
NEWPORT (MON.)	90,728	10·9	10·9	8·6	13·8	20	24	2	7	-	-	-	1	-	-	-	1	1	2	10	-	NEWPORT (MON.).	
CARDIFF	212,582	11·3	8·8	12·0	10·1	100	41	9	12	-	-	-	-	-	-	1	1	1	2	4	-	CARDIFF.	
RHONDDA	184,999	9·9	9·9	9·6	10·7	105	38	9	8	-	-	-	1	-	2	-	-	-	-	4	-	RHONDDA.	
MERTHYR TYDFIL	74,493	13·3	12·6	20·3	14·7	47	21	5	6	-	-	-	1	-	-	-	-	-	-	6	-	MERTHYR TYDFIL.	
ABERDARE	53,431	8·8	9·8	16·6	13·7	39	14	2	5	-	-	-	-	-	1	-	-	-	-	2	-	ABERDARE.	
SWANSEA	167,218	13·1	11·5	13·7	13·4	90	43	4	15	-	-	-	-	-	1	1	2	-	1	4	-	SWANSEA.	
GREATER LONDON	7,548,647	12·3	12·2	11·2	11·8	3309	1702	194	593	2	-	7	8	13	41	21	49	60	126	761	-	GREATER LONDON.	
OUTER RING	3,016,676	10·9	10·2	9·4	10·5	1197	609	50	229	1	-	1	5	3	9	5	22	25	40	221	-	OUTER RING.	
14 GREAT TOWNS IN OUTER RING.	1,734,723	10·6	9·9	9·1	10·1	728	337	36	124	-	-	1	2	2	5	3	9	15	22	128	-	14 GREAT TOWNS IN OUTER RING.	
REMAINDER OF OUTER RING.	1,281,953	11·3	10·6	9·7	11·1	469	272	14	105	1	-	-	3	1	4	2	13	10	18	93	-	REMAINDER OF OUTER RING.	
EDINBURGH†	446,200	15·4	14·3	14·4	16·1	208	188	17	37	-	-	5	1	2	-	-	3	7	?	?	?	EDINBURGH.†	
GLASGOW†	1,100,400	16·7	16·3	15·5	15·5	630	327	65	73	-	-	1	1	27	3	6	9	16	?	?	?	GLASGOW.†	
DUBLIN (Registra- tion Area).†	423,000	19·2	19·0	16·0	18·4	225	149	25	40	-	-	-	-	-	-	6	1	9	9	54	3	DUBLIN (Registra- tion Area).†	
BELFAST†	420,000	17·4	16·1	16·1	17·9	229	144	27	28	1	-	2	2	8	2	6	3	2	2	34	1	BELFAST.†	

* See note † on first page of this return.

† The populations are total populations and relate to 1921. Deaths and the death-rates in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week: those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

TABLE 2. LONDON.—Births and Deaths registered during the SIXTEENTH Week of each of the Eleven Years, 1911-1921.

	1911.	1912.	1913.	1914.	1915.	1916.	1917.	1918.	1919	1920.	1921.
Births (as registered).	2133	2308	2235	2288	2193	1866	1853	1281	1148	2665	2112
Males - - - - -	1062	1214	1145	1197	1108	1011	929	672	557	1448	1101
Females - - - - -	1071	1094	1090	1091	1085	855	924	609	591	1247	1011
Deaths (of residents only).	1488	1240	1421	1248	1619	1322*	1576*	1245*	1091*	1185*	1093*
Males - - - - -	758	639	739	640	851	651	828	650	536	597	563
Females - - - - -	730	601	682	608	768	671	748	595	555	588	530

* Deaths in civilian population only.

TABLE 3. LONDON.—BIRTHS and DEATHS REGISTERED, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the last THIRTEEN WEEKS.

	Jan. 29.	Feb. 5.	Feb. 12.	Feb. 19.	Feb. 26.	Mar. 5.	Mar. 12.	Mar. 19.	Mar. 26.	Apr. 2.	Apr. 9.	Apr. 16.	Apr. 23.
Births (as registered) . . .	2039	1856	2058	2041	1908	1987	2074	2004	1746	2016	2157	2099	2112
Deaths (of residents only).	1011	1158	1147	1232	1313	1282	1311	1142	1005	1149	1168	1077	1093
Under 1 year	160	189	181	211	168	168	179	157	117	144	166	128	144
1-2 years	31	49	43	39	30	34	45	46	32	39	38	39	36
2-5 "	24	34	29	23	31	26	24	28	18	25	24	21	23
5-10 "	19	28	34	24	33	21	22	19	19	28	22	21	19
10-15 "	14	13	17	20	15	15	15	21	14	21	12	16	14
15-20 "	24	23	20	16	18	21	24	24	26	21	30	15	29
20-25 "	19	25	19	25	29	17	25	29	23	33	29	21	28
25-35 "	47	51	44	50	65	66	53	52	50	42	69	52	41
35-45 "	78	75	54	91	90	81	93	79	80	90	91	84	90
45-55 "	125	125	121	104	141	117	138	109	108	125	122	120	132
55-65 "	149	169	153	170	185	201	176	147	130	177	178	161	168
65-75 "	146	192	207	215	247	254	243	188	182	188	190	179	201
75 years and upwards	175	185	225	244	261	261	274	243	206	216	197	220	163
Deaths from—													
Enteric fever	1	-	1	-	-	2	1	-	-	2	1	-	1
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	1	-	-	3	4	-	2	5	4	2	12	10	6
Scarlet fever	8	8	7	7	6	6	3	9	6	6	5	5	3
Whooping cough	4	6	15	13	9	13	9	7	12	8	13	10	10
Diphtheria	19	28	28	9	27	18	26	20	15	24	19	24	32
Diarrhoea and enteritis (under 2 years).	18	22	18	23	16	22	22	17	14	19	14	6	16
Pulmonary tuberculosis . .	98	105	74	102	100	105	100	101	109	95	116	85	101
Influenza	6	9	13	12	30	45	27	42	33	44	38	49	27
Pneumonia (all forms) . . .	92	128	104	131	144	148	165	117	107	117	103	95	98
Bronchitis	95	98	153	158	167	159	149	131	93	102	90	88	85
Other dis. of resp. system .	16	14	10	23	23	23	27	16	16	14	15	15	8
Dis. of circ. system	181	194	218	223	208	219	223	177	175	192	172	150	180
Violence	40	49	32	32	50	34	41	44	26	30	47	37	35
Inquest cases	74	99	90	86	106	85	101	90	69	88	105	80	86

CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.

Enteric fever	11	7	9	10	9	15	13	12	13	10	2	10	9
Small-pox	1	1	-	-	-	-	-	-	-	-	-	-	-
Measles	15	17	18	23	28	26	28	26	25	30	27	33	26
Scarlet fever	4171	4018	3945	3919	3845	3738	3730	3695	3609	3535	3453	3345	3307
Whooping cough	27	26	26	24	25	22	25	26	23	25	24	21	20
Diphtheria	2682	2767	2770	2808	2800	2809	2818	2817	2777	2689	2626	2543	2564

* The Metropolitan Asylums Board and London Fever Hospitals. The figures do not refer to London exclusively.

TABLE 3A. 96 Great Towns.—DEATHS from INFLUENZA in the last THIRTEEN WEEKS.

	Jan. 29.	Feb. 5.	Feb. 12.	Feb. 19.	Feb. 26.	Mar. 5.	Mar. 12.	Mar. 19.	Mar. 26.	Apr. 2.	Apr. 9.	Apr. 16.	Apr. 23.
Deaths from Influenza . . .	61	61	93	103	138	167	149	151	122	130	97	111	82

TABLE 4. LONDON.—DEATHS REGISTERED in the SIXTEENTH Week of the Year 1921.

CAUSES OF DEATH.	Deaths in the 16th week of the year 1920.	DEATHS OF PERSONS OF THE AGES													
		ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-10 years.	10-15 years.	15-20 years.	20-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and up- wards.
ALL CAUSES	1185	1093	144	36	28	19	14	29	28	41	90	132	168	201	163
Enteric fever	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-
Small-pox	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	40	6	-	4	2	-	-	-	-	-	-	-	-	-	-
Scarlet fever	4	3	-	-	1	-	2	-	-	-	-	-	-	-	-
Whooping cough	29	10	7	2	1	-	-	-	-	-	-	-	-	-	-
Diphtheria	12	32	2	6	12	8	4	-	-	-	-	-	-	-	-
Influenza	59	27	-	-	-	-	-	1	-	3	1	6	4	5	7
Erysipelas	3	4	-	1	-	-	-	-	-	-	-	-	1	1	1
Acute Poliomyelitis, Polioencepha- litis.	?	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	?	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal meningitis . . .	?	2	1	-	-	-	-	-	1	-	-	-	-	-	-
Other endemic and epidemic diseases.	3	1	-	-	-	-	-	-	-	1	-	-	-	-	-
Pyæmia and septicæmia	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Tuberculosis:—															
Pulmonary tuberculosis	91	101	-	1	-	-	3	12	16	15	23	14	11	6	-
Tuberculous meningitis	8	7	1	-	3	2	-	1	-	-	-	-	-	-	-
Abdominal tuberculosis	2	3	-	-	-	-	-	-	-	-	-	2	1	-	-
Tuberculosis of the spine	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Tuberculosis of the joints	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-
Tuberculosis of other organs . .	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Disseminated tuberculosis . . .	3	4	1	-	-	1	-	-	-	-	1	-	1	-	-
Venereal diseases	6	9	6	-	-	-	-	-	-	-	1	1	1	-	-
Cancer	97	112	-	-	-	-	-	-	1	-	10	23	37	30	11
Rheumatic fever	5	4	-	-	-	-	-	2	-	-	-	2	-	-	-
Diabetes	7	8	-	-	-	-	-	-	1	-	1	1	3	2	-
Anæmia, leucocythæmia	8	5	-	-	-	1	-	-	-	-	-	2	-	-	2
Other general diseases	15	12	1	1	-	-	-	-	1	-	-	2	5	1	1
Alcoholism	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Chronic poisonings	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	7	6	-	1	2	-	-	1	-	-	1	-	-	-	1
Cerebral hæmorrhage, &c., Apoplexy	48	49	-	-	-	-	-	-	-	-	2	7	10	19	11
Softening of brain	-	3	-	-	-	-	-	-	-	-	-	1	-	1	1
Paralysis, without specified cause .	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-
Epilepsy	4	6	-	-	-	-	1	1	-	-	-	1	1	1	1
"Convulsions" (not puerperal) . .	5	4	4	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system .	34	22	1	-	2	-	-	1	1	-	5	5	3	4	-
Pericarditis	1	2	-	1	-	-	-	-	-	-	1	-	-	-	-
Acute endocarditis	10	3	-	-	-	-	-	1	-	1	-	-	1	-	-
Other diseases of heart	120	131	-	-	-	-	1	5	2	1	10	13	34	34	31
Embolism and thrombosis (exclud- ing cerebral).	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of circulatory system.	32	44	-	-	-	-	-	-	-	-	2	7	7	12	16
Diseases of the larynx	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis	95	85	7	1	-	-	1	-	-	1	-	6	11	32	26
Broncho-pneumonia	57	46	14	12	2	1	-	1	-	2	1	2	2	3	6
Lobar pneumonia	27	28	-	2	1	-	-	1	-	3	4	5	6	6	-
Pneumonia (type not distinguished)	29	24	2	-	-	2	1	2	-	-	3	2	6	4	2
Pleurisy	5	2	-	-	-	1	-	-	-	-	-	-	-	1	-
Pulmonary congestion, Pulmonary apoplexy.	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of respiratory system.	5	6	-	-	-	1	-	-	-	-	1	2	-	1	1

TABLE 4 (cont.) LONDON.—DEATHS REGISTERED in the SIXTEENTH Week of the Year 1921.

CAUSES OF DEATH.	Deaths in the 16th week of the year 1920.	DEATHS OF PERSONS OF THE AGES													
		ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-10 years.	10-15 years.	15-20 years.	20-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and up- wards.
Diseases of the pharynx, Tonsillitis	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-
Diseases of stomach	7	14	3	-	-	-	-	1	-	1	2	1	3	3	-
Diarrhoea and enteritis	18	19	15	1	2	-	-	-	-	-	1	-	-	-	-
Appendicitis and typhlitis	6	4	-	-	-	1	-	-	-	-	1	1	-	-	-
Hernia and Intestinal obstruction.	13	12	1	-	-	1	-	-	-	-	2	2	5	1	-
Cirrhosis of liver	6	8	-	-	-	-	-	-	-	-	-	3	3	2	-
Other diseases of liver	1	4	-	-	-	-	-	-	-	1	2	-	-	-	1
Peritonitis (cause unknown)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of digestive system	4	6	-	2	-	-	-	-	1	2	-	-	1	-	-
Acute nephritis	3	2	-	-	-	-	-	-	-	-	-	-	-	2	-
Chronic Bright's disease	28	31	-	-	-	-	-	-	2	3	4	6	12	4	-
Urinary calculi	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Uterine tumour (non-cancerous)	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ovarian tumour (-	3	-	-	-	-	-	-	1	1	-	-	1	-	-
Other diseases of genito-urinary system.	10	14	-	-	-	-	-	-	2	3	3	2	2	2	-
Puerperal fever, &c.	3	7	-	-	-	-	-	1	3	3	-	-	-	-	-
Other causes incident to child-birth.	5	2	-	-	-	-	-	1	1	-	-	-	-	-	-
Diseases of skin and cellular tissues.	5	8	2	-	-	-	-	-	-	-	-	-	1	5	-
Diseases of locomotor system	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Congenital malformations	9	7	6	-	-	-	-	-	-	-	1	-	-	-	-
Premature birth	49	35	35	-	-	-	-	-	-	-	-	-	-	-	-
Debility, atrophy marasmus (In- fants).	8	18	18	-	-	-	-	-	-	-	-	-	-	-	-
Old age	55	26	-	-	-	-	-	-	-	-	-	-	3	23	-
ACCIDENT.															
Poisons or poisonous vapours.	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-
Conflagration	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Burns and scalds	2	1	-	-	-	-	-	-	-	1	-	-	-	-	-
Drowning	6	2	-	-	-	-	-	-	-	-	2	-	-	-	-
Suffocation in bed	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-
Other deaths by accident	21	14	-	-	-	1	-	-	-	2	2	2	1	6	-
Total deaths from accident	34	20	2	-	-	1	-	-	-	4	4	2	1	6	-
Included in above are deaths in connection with:—															
Railways	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	8	4	-	-	-	-	1	-	-	-	1	2	-	-	-
Ships, boats, docks	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Building operations	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIOLENCE OTHER THAN ACCIDENTAL.															
Homicide	-	2	-	-	-	-	-	1	1	-	-	-	-	-	-
Suicide	10	13	-	-	-	-	-	-	1	1	6	4	1	-	-
Execution	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other specified diseases	10	13	13	-	-	-	-	-	-	-	-	-	-	-	-
Ill-defined Causes	-	3	-	-	-	-	-	-	-	-	-	1	2	-	-

TABLE 5.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS. per 1000 living.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM							
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria and Croup.*	Diarrhoeal Diseases (under 2 years).	Influenza.
ONT†	4,531,971	1921. Apr. 23	2,112	1,093	12·6	1	-	6	3	10	32	16	27
VTTA	896,067	Mar. 19	-	719§	41·7	?	2	?	?	?	?	?	32
AY	979,445	" 19	269	1,463§	77·7	1	26	11	-	-	-	79	73
AS	518,660	" 12	337	456§	45·7	5	4	2	?	2	-	35	2
	2,847,229	(10 days) Mar. 10	-	-	-	-	-	-	-	-	-	-	-
ELS	792,919	-	-	-	-	-	-	-	-	-	-	-	-
ERP	337,537	Apr. 9	121	64	10·0	-	-	-	-	-	1	7	-
ERDAM	680,151	" 9	306	131	10·0	1	-	2	-	3	1	1	-
HAGEN	571,000	" 9	262	138	12·6	-	-	-	-	-	1	1	1
HOLM	415,201	" 2	127	75	9·4	-	-	-	-	-	1	-	3
ENBURG	205,494	" 2	-	71	18·0	-	-	-	1	-	1	1	6
TIANIA	260,904	" 9	109	54	10·8	-	-	-	-	-	1	2	-
N	1,934,000	" 2	575	528	14·2	-	?	9	-	1	6	6	3
LAU	540,000	" 2	256	171	16·5	1	?	1	1	1	-	9	2
NE	660,000	" 2	278	170	13·4	-	?	1	-	-	-	2	3
EN	538,000	" 2	211	141	13·6	-	?	1	-	1	3	-	1
KFORT- -MAIN.	463,000	" 2	184	87	9·8	-	?	-	-	-	-	1	2
URG	996,000	" 2	441	257	13·4	-	?	3	-	-	1	3	1
IG	624,000	" 2	287	157	13·1	-	?	-	-	1	-	2	2
CH	670,000	" 2	258	187	14·5	-	?	3	-	1	1	7	1
A	1,842,005	" 2	630	676	19·0	2	-	7	-	3	3	15	-
E AND URBS.	713,144	Mar. 19	272	222	16·2	1	-	-	-	-	1	10	5
EST	1,092,000	Feb. 5	412	384	18·3	1	?	9	4	1	2	10	4
CE	244,473	Apr. 9	-	-	-	-	-	-	-	-	-	-	-
	764,800	Feb. 11	648	513	34·9	-	-	-	-	?	2	31	?
NDRIA	449,300	" 11	468	266	30·8	-	-	3	-	?	2	11	?
YORK	5,755,151	Mar. 26	2,757	1,598	12·7	1	-	2	8	8	18	22	17
GO	2,780,655	Apr. 9	-	-	-	-	-	-	-	-	-	-	-

including deaths from croup in London, Bombay, and Madras.

Deaths in this column relate to all ages for Bombay, Madras, Christiania, and Budapest, and to children under 15 years of age for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

Estimated population and deaths refer to the civilian population only.

including 30 deaths from plague in Bombay, and from Asiatic cholera, 80 deaths in Calcutta and 4 in Madras.

TABLE 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 23rd April, 1921.

(Supplied by the Meteorological Office.)

TOWNS.	Temperature of Air.*				Rainfall in Milli- metres.†	TOWNS.	Temperature of Air.*				Rainfall in Milli- metres.†
	Highest.	Lowest.	Mean Maxi- mum.	Mean Mini- mum.			Highest.	Lowest.	Mean Maxi- mum.	Mean Mini- mum.	
Greenwich)	61	28	55·6	36·3	13	BRADFORD	54	32	49·6	35·3	7
CON	58	33	52·6	38·4	4	SHEFFIELD	58	33	51·1	36·6	4
OUTH	60	32	54·4	39·7	8	YORK (Museum)	57	30	51·7	35·9	14
CH (Eaton)	57	33	51·7	37·3	11	HULL (Pearson Park)	57	33	52·9	36·9	6
OUTH	57	32	53·3	38·1	5	TYNEMOUTH	56	35	50·1	37·4	8
L (Clifton)	59	31	52·0	36·6	2	CARDIFF	58	33	53·1	37·1	7
GHAM	57	31	50·7	35·9	5	EDINBURGH	54·0	32·0	49·1	36·0	10
GHAM	58	30	52·3	37·1	6	GLASGOW	53·0	33·1	49·2	36·9	7
HEAD (Bidston)	53	34	49·0	37·0	6	DUBLIN:—					
ESTER	58	31	51·1	36·0	5	Phoenix Park	56·7	28·7	52·0	34·0	11
Y	53	29	48·9	32·0	10	†Fitzwilliam Square	56·2	33·0	51·9	38·3	13
RSFIELD	55	33	50·7	35·4	5	BELFAST	56·0	30·0	50·5	33·8	14

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.

† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.

‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

TABLE 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 23rd April 1921.

[Under the Superintendence of the Astronomer Royal.]

1921. MONTH AND DAY.		Phases of the Moon.	BARO- METER. Mean daily reading (cor- rected and re- duced to 32° Fahren- heit).	TEMPERATURE.						Difference between the Air Temperature and Dew Point 'Temperature.			De- gree of Hu- mid- ity (Satu- ration equals 100).	TEMPERATURE.			Wind as deduced from Anemometers.					Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
				Of the Air.				Of the Dew point.	Of Radiation.		Of the Earth 4 feet below the Surface.	Osler's.		Pressure on the Square Foot.		Robinson's.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
				High- est.	Low- est.	Daily Range.	Mean daily value.		De- parture from Average of 65 years.	Mean daily value.		Mean Great- est.		Least.	A.M.	P.M.	Great- est.	Least. hourly obs.	Horizontal Movement of the Air Average on each Day.	Depart- ure from Average of 50 years.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											

DATE.		ELECTRICITY. (For explanation of symbols, see Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
APRIL 1921.					
SUNDAY	- 17	w.P. generally till 22h., with little w.N., v.P. and v.N. afterwards.	0·0	13·9	Few thin clouds till 2h.; overcast by 3h.; rain generally from 4h. 15m., with occasional snow and sleet.
MONDAY	- 18	v.P. and v.N. till 2h., s.P. generally afterwards.	7·0	14·0	Overcast with occasional slight rain till 1h.; variably cloudy till 6h.; nearly cloudless till 9h., afterwards very cloudy generally with overcast intervals; slight rain at times; lunar halo at night.
TUESDAY	- 19	v.P. till 9h., s.P. generally till 16h., v.P. and v.N. afterwards.	5·5	14·0	Thin cloud prevalent till 8h.; variably cloudy till 20h., then nearly cloudless with mist and haze; hoar frost morning and night; solar halo in forenoon; slight thunderstorm about 17h.
WEDNESDAY	- 20	Loss of register till 9h., s.P. generally afterwards with a little v.P.	5·4	14·1	Nearly cloudless with hoar frost till 9h. 30m.; cloudy to overcast generally by noon; few breaks afterwards.
THURSDAY	- 21	v.P. throughout	8·0	14·2	Variably cloudy generally with nearly cloudless period 7h. 30m. to 11h.; overcast by 22h.; solar halo about 6h. 30m. with hazy sky.
FRIDAY	- 22	v.P. generally, a little v.N.	3·5	14·2	Overcast till 5h., then nearly overcast with few cloudy intervals; clearing partially about 17h.; lunar halo at night.
SATURDAY	- 23	v.P. generally, v.N. at times during afternoon.	3·1	14·3	Overcast generally till 13h. with frequent rain; variably cloudy afterwards; squall about 14h.; slight thunderstorm about 17h.
No. of Col. - -		26	Sum 32·5	Sum 98·7	
			27	28	

The results apply to the civil day, or from midnight to midnight. The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level. Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables. The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1903, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916. In reading columns 9 and 24 it will be borne in mind that + indicates "higher," and - "lower," than the average. The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined. The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable. The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day. The reading of the barometer decreased from 29·48 in. at the beginning of the week to 29·12 in. by 11h. on 17th; increased to 30·07 in. by 23h. on 19th; decreased to 29·84 in. by 16h. on 21st; increased to 29·97 in. by 10h. on 22nd.; decreased to 29·79 in. by 15h. on 23rd, and increased to 29·90 in. by midnight on the same day.

The results apply to the civil day, or from midnight to midnight.
The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.
Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.
The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.
In reading columns 9 and 24 it will be borne in mind that + indicates "higher," and - "lower," than the average.
The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.
The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.
The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.
The reading of the barometer decreased from 29·48 in. at the beginning of the week to 29·12 in. by 11h. on 17th; increased to 30·07 in. by 23h. on 19th; decreased to 29·84 in. by 16h. on 21st; increased to 29·97 in. by 10h. on 22nd; decreased to 29·79 in. by 15h. on 23rd, and increased to 29·90 in. by midnight on the same day.

TABLE 8. LONDON.—DEATHS OF PERSONS BELONGING to the several METROPOLITAN BOROUGHs REGISTERED in the Week ended 16th April, 1921.

BOROUGHs.	Deaths from									Deaths of Infants under 1 Year of Age.
	ALL CAUSES.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Pulmonary Tuberculosis.	
COUNTY OF LONDON -	1,077	-	-	10	5	10	24	6	85	128
Western										
PADDINGTON . . .	35	-	-	-	-	-	-	-	4	1
KENSINGTON . . .	29	-	-	-	-	1	-	1	3	4
HAMMERSMITH . . .	21	-	-	-	-	-	-	-	1	2
FULHAM . . .	43	-	-	-	-	-	2	-	2	5
CHELSEA . . .	26	-	-	-	-	-	-	-	1	1
CITY OF WESTMINSTER .	28	-	-	-	1	-	-	-	3	2
Northern.										
ST. MARYLEBONE . . .	40	-	-	-	-	-	3	-	4	5
HAMPSTEAD . . .	18	-	-	1	-	-	-	-	1	1
ST. PANCRAS . . .	51	-	-	-	-	1	1	-	8	2
ISLINGTON . . .	86	-	-	3	-	2	-	-	1	9
STOKE NEWINGTON . . .	12	-	-	-	-	-	1	-	-	-
HACKNEY . . .	46	-	-	-	-	-	5	-	3	7
Central.										
HOLBORN . . .	12	-	-	-	-	-	-	2	-	3
FINSBURY . . .	22	-	-	1	-	-	2	-	2	2
CITY OF LONDON . . .	4	-	-	-	-	-	-	-	1	-
Eastern.										
SHOREDITCH . . .	28	-	-	2	-	-	-	-	1	8
BETHNAL GREEN . . .	27	-	-	-	1	-	1	1	2	7
STEPNEY . . .	54	-	-	2	1	-	-	-	3	9
POPLAR . . .	42	-	-	-	-	1	2	-	5	6
Southern.										
SOUTHWARK . . .	58	-	-	-	1	-	1	-	7	13
BERMONDSEY . . .	33	-	-	-	-	1	3	-	-	2
LAMBETH . . .	71	-	-	-	-	2	-	-	8	7
BATTERSEA . . .	42	-	-	-	-	-	-	-	3	3
WANDSWORTH . . .	63	-	-	-	-	-	1	1	9	9
CAMBERWELL . . .	66	-	-	-	-	2	1	-	4	5
DEPTFORD . . .	24	-	-	-	1	-	-	1	3	8
GREENWICH . . .	20	-	-	-	-	-	-	-	1	2
LEWISHAM . . .	33	-	-	1	-	-	1	-	-	2
WOOLWICH . . .	38	-	-	-	-	-	-	-	5	3

The deaths in the above Table are, so far as concerns London as a whole, corrected by the exclusion of deaths of non-residents, and by the inclusion of those of residents occurring in the Outer Ring or in Metropolitan public institutions situated outside the County. As between individual Metropolitan Boroughs, however, correction is complete.

TABLE 9. LONDON.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED during the Week ended 16th April, 1921.*

Boroughs.	ESTI- MATED CIVILIAN POPU- LATION, MID. 1920.† (Provi- sional.)	Enteric Fever.	Malaria.	Typhus.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Group).	Pneumonia.	Erysipelas.	Cerebro-Spinal Fever.	Puerperal Fever.	Ophthalmia Neonatorum.	Poliomyelitis.	Dysentery.	Encephalitis Lethargica.	Trench Fever.	Polio- encephalitis.
WESTERN.																	
Paddington . . .	149,673	1	-	-	-	9	1	1	-	-	-	1	-	-	-	-	-
Kensington . . .	164,177	-	-	-	-	14	-	1	3	-	-	1	-	-	-	-	-
Hammersmith . . .	136,200	-	-	-	-	21	10	1	1	-	-	2	-	-	-	-	-
Fulham . . .	158,621	-	-	-	-	19	6	1	3	-	2	1	-	-	1	-	-
Chelsea . . .	62,987	-	-	-	-	2	1	-	1	-	-	-	-	-	-	-	-
City of Westminster . . .	132,615	-	-	-	-	6	5	3	1	1	1	-	-	-	-	-	-
NORTHERN.																	
St. Marylebone . . .	101,856	-	-	-	-	4	5	-	2	-	-	2	-	-	-	-	-
Hampstead . . .	91,519	1	-	-	-	3	1	1	-	-	-	-	-	-	-	-	-
St. Pancras . . .	228,178	-	-	-	-	18	16	6	1	-	-	1	-	-	-	-	-
Islington . . .	335,907	-	-	-	-	24	28	3	1	-	-	4	-	-	-	-	-
Stoke Newington . . .	52,984	-	-	-	-	3	2	-	1	-	-	-	-	-	-	-	-
Hackney . . .	225,372	-	-	-	-	36	25	2	1	-	1	-	-	-	-	-	-
CENTRAL.																	
Holborn . . .	39,676	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
Finsbury . . .	78,291	-	-	-	-	7	15	1	-	3	-	1	-	-	-	-	-
City of London . . .	14,447	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
EASTERN.																	
Shoreditch . . .	102,044	-	-	-	-	9	13	9	4	-	-	1	-	-	-	-	-
Bethnal Green . . .	114,471	-	-	-	-	13	10	4	2	-	1	2	-	-	-	-	-
Stepney . . .	241,770	-	-	-	-	25	17	11	-	-	1	-	-	-	-	-	-
Poplar . . .	159,766	-	1	-	-	10	8	7	1	-	-	1	-	-	-	-	-
SOUTHERN.																	
Southwark . . .	187,142	-	-	-	-	22	6	5	1	-	-	1	-	-	2	-	-
Bermondsey . . .	129,189	-	-	-	-	13	7	3	1	-	-	-	-	-	-	-	-
Lambeth . . .	293,572	-	1	-	-	20	15	10	2	-	1	1	-	-	-	-	-
Battersea . . .	165,664	-	1	-	-	17	15	8	-	1	1	4	-	-	-	-	-
Wandsworth . . .	346,990	-	2	-	-	30	20	14	2	-	-	-	-	-	-	-	-
Camberwell . . .	284,712	-	-	-	-	28	13	3	5	-	-	1	-	-	-	-	-
Deptford . . .	115,636	-	1	-	-	11	8	-	1	-	-	-	-	-	-	-	-
Greenwich . . .	102,408	-	-	-	-	10	5	4	1	-	1	-	-	-	-	-	-
Lewisham . . .	174,438	1	-	-	-	14	7	1	1	-	1	1	-	-	-	-	-
Woolwich . . .	141,666	-	-	-	-	18	6	3	2	-	-	1	-	-	-	-	-
TOTAL . . .	4,531,971	3	6	-	-	409	265	102	39	5	10	26	-	-	3	-	-
AGES.																	
Ages 0-1 . . .		-	-	-	-	2	9	5	-	2	-	26	-	-	-	-	-
" 1-5 . . .		-	-	-	-	80	74	20	1	1	-	-	-	-	1	-	-
" 5- . . .		-	-	-	-	171	83	7	-	-	-	-	-	-	-	-	-
" 10- . . .		-	-	-	-	89	53	4	3	-	-	-	-	-	1	-	-
" 15- . . .		1	-	-	-	32	17	5	2	-	-	-	-	-	-	-	-
" 20- . . .		-	1	-	-	21	16	4	3	1	2	-	-	-	-	-	-
" 25- . . .		2	5	-	-	9	10	18	5	-	6	-	-	-	-	-	-
" 35- . . .		-	-	-	-	4	2	10	4	-	2	-	-	-	-	-	-
" 45- . . .		-	-	-	-	-	1	12	6	1	-	-	-	-	1	-	-
" 55- . . .		-	-	-	-	1	-	8	9	-	-	-	-	-	-	-	-
" 65- . . .		-	-	-	-	-	-	6	4	-	-	-	-	-	-	-	-
" 75 and upwards . . .		-	-	-	-	-	-	3	2	-	-	-	-	-	-	-	-
Age not stated . . .		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

† See note † on first page of this return.

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS AND DEATHS REGISTERED:—
LONDON AND
NINETY-FIVE OTHER GREAT TOWNS.

~~~~~  
By Authority of the Registrar General.  
~~~~~

LONDON:

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
H.M. STATIONERY OFFICE at the following addresses:
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and
28, ABINGDON STREET, LONDON, S.W. 1;
37, PETER STREET, MANCHESTER;
1, ST. ANDREW'S CRESCENT, CARDIFF;
23, FORTH STREET, EDINBURGH;
or from E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN.

No. 17. VOL. LXXXII. 1921. WEEK ENDED SATURDAY, APR. 30.
[Price 9d. Net.]

*General Register Office, Somerset House,
May 3rd, 1921.*

NINETY-SIX GREAT TOWNS.

For the NINETY-SIX GREAT TOWNS of England and Wales each of which had a population of 50,000 or over at the Census of 1911, the births registered last week numbered 8,747, and corresponded to an annual rate of 24·5 per 1,000. The deaths* among the civilian population only numbered 4,460, and corresponded to an annual rate of 12·5 per 1,000 of their aggregate civilian population, which is provisionally estimated† at 18,554,878 persons in the year 1920. In the three weeks ended April 9th, April 16th, and April 23rd, the rates had been 12·5, 12·5, and 12·5 respectively. The infant mortality was 75, against 82, 76, and 76 in the preceding three weeks. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks; it also shows for the week ended last Saturday the births and the deaths from certain individual causes. A column showing the number of deaths

* Corrected as far as possible for deaths of non-residents and for those of residents occurring outside the area. Fully corrected figures will appear in the Registrar General's Annual Report.

† The estimates of population refer to the year 1920, and are based on the returns furnished under the scheme for rationing of food.

from influenza has been inserted in Table 1. The aggregate number of deaths from influenza in the 96 great towns in each of the last thirteen weeks is shown in Table 3A.

Measured by last week's mortality, the highest annual death-rates per 1,000 living were:—from *all causes*, 18·3 in Wakefield, 18·8 in Darlington, 19·4 in Barnsley, 20·4 in Oldham, and 21·8 in Dewsbury; and from *measles*, 1·1 in Newcastle-on-Tyne, 1·2 in Gateshead, and 1·4 in Barrow-in-Furness. No death from *small-pox* was registered in any of the ninety-six towns.

LONDON.* (The Administrative County, including the City of London.)

For LONDON there were 2,082 BIRTHS, corresponding to a rate of 23·8 per 1,000, and 1,049 DEATHS of civilians, corresponding to a rate of 12·1, as against 13·4, 12·4, and 12·6 per 1,000 in the three weeks ended April 9th, April 16th, and April 23rd. The death-rate in the four weeks ended last Saturday averaged 12·6 per 1,000. The infant mortality was 65, against 77, 61, and 68 in the preceding three weeks.

There was no death from *enteric fever*, against 1, 0, and 1 in the preceding three weeks, the average for the corresponding weeks of the previous five years being 2. The deaths from *measles*, which had been 12, 10, and 6 in the preceding three weeks, were again 6 last week, and were 37 below the average. The deaths from *scarlet fever*, which had been 5, 5, and 3 in the preceding three weeks, rose last week to 7, and were 4 above the average. The deaths from *whooping-cough*, which had been 13, 10, and 10 in the preceding three weeks, fell last week to 8, and were 19 below the average. The deaths from *diphtheria*, which had been 19, 24, and 32 in the preceding three weeks, fell last week to 18, but were 7 above the average; 3 deaths belonged to the Borough of Islington. The deaths from *diarrhœa and enteritis under 2 years of age*, which had been 14, 6, and 16 in the preceding three weeks, were again 16 last week, and were 3 above the average. The deaths from *influenza* numbered 35 as against 38, 49, and 27 in the preceding three weeks and an average of 31.

Different forms of violence caused 49 deaths, of which 45 were the subject of coroners' inquests. Of these 49 deaths, 13 were cases of suicide and 1 of homicide, while the remaining 35 were attributed to other forms of violence. Eleven of these latter were referred to vehicles in the streets, 2 to burns or scalds, 6 to drowning, and 2 of infants under one year of age, to suffocation in bed.

CASES OF INFECTIOUS DISEASE.†

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital, there were 10 cases of enteric fever, 1 of smallpox, 25 of measles, 3,255 of scarlet fever, 20 of whooping-cough, and 2,453 of diphtheria under treatment in these hospitals on Saturday last (Table 3). The admissions during

* See note * on first page.

† The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

the week, as compared with those in the preceding three weeks, were as follows :—Of enteric fever, 3 cases, against 3, 1, and 1 ; of smallpox, 1 case, as against 0, 0, and 0 ; of measles, 4 cases, against 4, 7, and 3 ; of scarlet fever, 493 cases, against 386, 379, and 415 ; of whooping-cough, 0 case, against 2, 1, and 0 ; and of diphtheria, 228 cases, against 285, 252, and 292. Table 9, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the county during the week ended April 23rd, 1921.

TABLE 1.--96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH RATES in the Week ended Saturday, 30th April, 1921, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.		ESTIMATED		DEATH-RATES from all Causes.					Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week	
--------	--	-----------	--	------------------------------	--	--	--	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------	--

* See note † on first page of this return.

† For Greater London see end of Table.

‡ These towns are included within the area of Greater London.

in the week ended Saturday, 30th April 1921, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	ESTIMATED CIVILIAN POPULATION, MID. 1920.* (Provisional.)	DEATH-RATES from all Causes.				Week ended 30th Apr., 1921.		The DEATHS in the Week include										TOWNS.				
		Week ended				BIRTHS.	DEATHS.	Deaths from								Inquest Cases.	Deaths in Public Institutions.		Uncertified Causes of Death.			
		9th 16th 23rd 30th Apr., Apr., Apr., Apr., 1921. 1921. 1921. 1921.						Deaths of														
		2.	3.	4.	5.			8.	9.	Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.		Diarrhoea and Enteritis (under 2 years).	Influenza.	Violence.	
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
SOUTHEND ON SEA.	87,332	11.3	10.1	10.1	12.5	26	21	4	9	-	-	-	-	-	-	-	-	1	1	2	-	SOUTHEND ON SEA.
IPSWICH . . .	81,119	10.3	8.4	14.8	12.2	34	19	4	7	-	-	-	-	-	-	-	-	-	-	3	-	IPSWICH.
GREAT YARMOUTH .	55,193	15.1	14.2	13.2	12.3	28	13	2	6	-	-	-	-	-	2	-	-	-	1	5	-	GREAT YARMOUTH.
NORWICH . . .	124,774	12.1	10.9	11.7	11.3	63	27	1	15	-	-	-	-	-	-	-	-	2	4	6	-	NORWICH.
SWINDON . . .	53,580	9.7	8.8	11.7	7.8	13	8	1	1	-	-	-	-	-	-	-	-	-	1	2	-	SWINDON.
EXETER . . .	61,365	11.0	14.4	14.4	8.5	26	10	-	4	-	-	-	-	-	-	-	-	2	2	3	-	EXETER.
PLYMOUTH . . .	189,218	13.0	13.5	11.8	9.9	78	36	4	15	-	-	-	-	-	-	-	-	1	1	6	-	PLYMOUTH.
BATH . . .	68,546	12.2	18.3	12.2	13.7	12	18	1	11	-	-	-	-	-	1	-	-	1	1	7	-	BATH.
BRISTOL . . .	375,641	11.7	11.8	11.7	13.3	183	96	8	41	-	-	1	-	1	1	-	2	1	7	32	-	BRISTOL.
GLOUCESTER . . .	52,096	8.0	12.0	11.0	9.0	23	9	1	5	-	-	-	-	-	-	-	-	1	1	2	-	GLOUCESTER.
STOKE ON TRENT .	248,852	14.0	13.8	17.0	13.6	127	65	10	19	-	-	-	-	-	-	1	1	2	4	16	-	STOKE ON TRENT.
WOLVERHAMPTON .	102,324	13.8	14.3	13.8	12.2	56	24	5	9	-	-	-	-	-	-	1	-	-	-	9	-	WOLVERHAMPTON.
WALSALL . . .	96,419	15.7	12.4	15.7	16.8	48	31	5	14	-	-	-	-	-	-	-	-	1	3	5	-	WALSALL.
WEST BROMWICH .	72,684	15.1	17.2	12.2	14.3	36	20	6	4	-	-	-	-	-	-	-	1	1	1	6	-	WEST BROMWICH.
DUDLEY . . .	56,169	6.5	6.5	7.4	12.1	39	13	1	5	-	-	-	-	-	-	-	-	-	1	1	-	DUDLEY.
BIRMINGHAM . . .	895,915	11.6	14.3	13.5	10.8	474	185	30	64	-	-	4	-	1	2	3	4	6	6	50	6	BIRMINGHAM.
SMETHWICK . . .	75,027	7.6	9.7	10.4	13.9	37	20	2	9	-	-	-	-	-	-	-	-	-	-	3	-	SMETHWICK.
COVENTRY . . .	137,310	12.5	7.6	13.3	8.4	59	22	3	13	-	-	-	-	-	-	-	-	-	-	4	-	COVENTRY.
LEICESTER . . .	245,465	10.4	12.5	11.0	13.8	95	65	9	17	-	-	1	-	2	2	-	1	-	1	20	1	LEICESTER.
LINCOLN . . .	67,543	14.7	13.1	14.7	9.3	32	12	4	6	-	-	-	-	-	-	-	-	1	1	2	-	LINCOLN.
GRIMSBY . . .	81,953	10.8	8.3	18.5	6.4	42	10	2	3	-	-	-	-	1	-	-	-	2	2	1	-	GRIMSBY.
NOTTINGHAM . . .	267,836	11.1	12.1	10.9	11.7	98	60	11	28	-	-	-	-	1	1	3	-	3	5	18	-	NOTTINGHAM.
DERBY . . .	128,866	13.4	14.2	10.9	10.5	55	26	1	13	1	-	-	-	-	-	-	-	4	5	11	-	DERBY.

• See note † on first page of this return.

TABLE 1 (cont.).—66 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH-RATE in the Week ended Saturday, 30th April, 1921, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	ESTIMATED CIVILIAN POPULATION MID. 1920.* (Provisional.)	DEATH-RATES from all Causes.					Week ended 30th Apr., 1921.		The DEATHS in the Week include										Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.								
		Week ended					BIRTHS.	DEATHS.	Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from																		
		9th Apr. 1921.	16th Apr., 1921.	23rd Apr., 1921.	30th Apr., 1921.	2.					3.	4.	5.	6.	7.	8.	9.	10.				Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.	Violence.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.							
STOCKPORT	130,635	9.2	10.4	12.8	12.0	64	30	3	8	-	-	-	-	-	-	1	-	2	2	8	-	STOCKPORT.							
BIRKENHEAD	153,951	10.5	7.8	7.5	8.1	81	24	3	11	-	-	-	1	-	-	-	-	-	-	6	-	BIRKENHEAD.							
WALLASEY	99,226	12.1	7.4	8.4	9.5	35	18	2	8	-	-	-	-	-	-	1	-	1	2	1	-	WALLASEY.							
LIVERPOOL	803,452	15.1	14.7	15.5	17.0	448	262	41	64	-	-	3	-	6	2	4	10	3	14	110	1	LIVERPOOL.							
BOOTLE	80,029	11.7	10.4	8.5	13.7	38	21	6	4	-	-	-	-	-	1	-	-	-	-	5	1	BOOTLE.							
ST. HELENS	104,822	8.5	12.9	14.4	10.9	39	22	5	6	-	-	-	-	1	-	-	1	1	1	6	1	ST. HELENS.							
SOUTHPORT	72,939	15.7	10.0	12.2	15.7	21	22	1	12	-	-	-	-	-	-	-	1	-	-	4	-	SOUTHPORT.							
WIGAN	90,866	15.5	13.2	15.5	13.8	51	24	10	8	-	-	-	-	1	-	1	1	-	2	2	-	WIGAN.							
WARRINGTON	77,989	10.0	16.1	20.7	14.7	44	22	2	6	-	-	-	-	-	-	-	1	-	-	6	-	WARRINGTON.							
BOLTON	134,533	11.9	14.7	14.4	11.0	76	39	4	18	-	-	-	1	-	-	-	-	1	3	8	1	BOLTON.							
BURY	56,410	12.0	12.9	15.7	13.9	22	15	2	6	-	-	1	-	-	-	-	-	1	1	5	-	BURY.							
MANCHESTER	770,597	13.5	14.2	12.9	14.5	343	214	34	56	-	-	-	1	11	1	2	5	7	14	80	-	MANCHESTER.							
SALFORD	235,239	15.1	13.3	12.2	15.7	112	71	7	26	-	-	-	-	2	-	-	1	4	4	20	-	SALFORD.							
OLDHAM	143,154	17.5	17.5	17.8	20.4	82	56	7	22	-	-	-	-	-	-	-	4	1	3	11	-	OLDHAM.							
ROCHDALE	93,639	11.1	8.9	13.4	14.5	32	26	4	8	1	-	-	-	-	-	1	1	1	2	8	-	ROCHDALE.							
BURNLEY	105,030	16.4	12.4	17.9	10.4	44	21	2	10	-	-	-	-	1	-	-	-	2	2	6	-	BURNLEY.							
BLACKBURN	131,012	11.1	9.6	14.7	12.7	54	32	4	11	-	-	-	-	-	-	1	-	1	1	6	-	BLACKBURN.							
PRESTON	121,950	12.0	7.7	15.8	12.4	71	29	5	17	-	-	-	-	-	-	-	-	1	2	4	2	PRESTON.							
BLACKPOOL	70,545	11.1	10.3	10.3	8.9	26	12	1	5	-	-	-	-	-	-	-	-	-	-	3	-	BLACKPOOL.							
BARROW IN FURNESS	73,561	10.9	10.2	8.2	9.5	40	14	1	5	-	-	2	-	-	-	-	-	-	-	3	1	BARROW IN FURNESS.							
HUDDERSFIELD	116,776	13.4	10.7	12.1	13.4	39	30	2	15	-	-	-	-	-	-	-	-	1	1	5	-	HUDDERSFIELD.							
HALIFAX	105,847	17.2	12.8	9.9	7.9	39	16	3	7	-	-	-	-	-	-	1	-	1	3	5	-	HALIFAX.							
BRADFORD	293,979	14.7	12.6	11.9	14.5	122	82	14	30	-	-	3	-	-	-	2	2	5	14	27	-	BRADFORD.							
LEEDS	449,212	11.6	13.6	13.6	13.2	228	114	18	48	-	-	-	-	-	1	1	1	6	13	26	-	LEEDS.							
DEWSBURY	55,080	12.3	17.0	17.0	21.8	26	23	1	7	-	-	-	-	-	-	-	1	1	1	4	-	DEWSBURY.							
WAKEFIELD	51,169	9.2	15.3	18.3	18.3	30	18	5	7	-	-	-	-	-	-	-	-	-	-	3	-	WAKEFIELD.							
BARNLEY	53,739	11.6	16.5	11.6	19.4	29	20	5	7	-	-	-	-	-	-	-	1	-	1	3	-	BARNLEY.							

The DEATHS in the Week include																							
TOWNS.	ESTIMATED CIVILIAN POPULATION, MID. 1920.* (Provisional).	Causes.				Week ended 30th April, 1921.		Deaths of		Deaths from								Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS		
		Week ended				BIRTHS.	DEATHS.	Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.					Violence.	
		9th Apr., 1921.	16th Apr., 1921.	23rd Apr., 1921.	30th Apr., 1921.																		
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.	
SHEFFIELD	-	492,570	11.5	11.6	11.2	12.6	119	22	32	-	-	-	2	4	-	-	2	2	4	47	-	SHEFFIELD.	
ROTHERHAM	-	71,785	14.5	16.7	15.3	8.7	12	3	2	-	-	-	-	2	-	-	-	-	-	5	-	ROTHERHAM.	
YORK	-	77,501	14.1	12.8	10.8	10.8	16	-	7	-	-	-	-	-	-	-	1	-	-	5	-	YORK.	
HULL	-	290,808	14.5	15.2	11.3	10.9	61	11	19	-	-	-	-	1	-	-	-	-	1	12	2	HULL.	
MIDDLESBROUGH	-	132,208	13.8	15.4	11.0	16.6	42	12	4	-	-	-	-	-	1	-	-	1	1	16	-	MIDDLESBROUGH.	
DARLINGTON	-	66,610	11.0	8.6	11.0	18.8	24	1	11	-	-	-	-	-	-	-	-	1	1	6	-	DARLINGTON.	
STOCKTON ON TEES	-	63,114	13.2	14.0	15.7	15.7	19	4	7	-	-	-	-	-	1	1	-	-	1	1	1	1	STOCKTON ON TEES.
WEST HARTLEPOOL	-	68,126	13.8	9.2	16.1	14.5	19	6	5	-	-	-	-	-	1	1	-	1	1	4	-	WEST HARTLEPOOL.	
SUNDERLAND	-	155,211	15.1	14.4	14.1	16.1	48	10	15	-	-	2	1	-	-	1	-	1	3	16	-	SUNDERLAND.	
SOUTH SHIELDS	-	115,945	17.1	15.3	12.6	13.9	31	4	4	-	-	-	-	-	-	-	-	1	1	4	3	SOUTH SHIELDS.	
GATESHEAD	-	128,309	12.6	13.4	13.4	13.4	33	9	9	-	-	3	-	-	-	-	-	1	1	2	1	GATESHEAD.	
NEWCASTLE ON TYNE.	-	286,061	15.1	16.8	13.5	16.4	90	20	19	-	-	6	-	4	-	3	1	2	4	23	2	NEWCASTLE ON TYNE.	
TYNEMOUTH	-	69,318	13.0	6.9	17.3	14.7	17	5	3	-	-	-	-	1	1	-	-	-	-	4	1	TYNEMOUTH.	
CARLISLE	-	57,397	13.6	12.7	14.5	13.6	15	4	2	-	-	-	-	-	-	1	-	-	-	4	-	CARLISLE.	
NEWPORT (MON.)	-	90,728	10.9	8.6	13.8	10.9	19	2	6	-	-	-	1	-	1	-	-	-	1	3	-	NEWPORT (MON.).	
CARDIFF	-	212,582	8.8	12.0	10.1	16.4	67	13	23	-	-	-	-	1	1	1	1	1	5	7	-	CARDIFF.	
RHONDDA	-	184,999	9.9	9.6	10.7	6.5	23	7	7	-	-	1	-	-	-	3	1	2	2	3	-	RHONDDA.	
MERTHYR TYDFIL	-	74,493	12.6	20.3	14.7	14.7	21	6	4	-	-	-	-	1	1	-	-	-	1	1	-	MERTHYR TYDFIL.	
ABERDARE	-	53,431	8.8	16.6	13.7	11.7	12	-	-	-	-	-	-	-	-	-	-	-	-	1	-	ABERDARE.	
SWANSEA	-	167,218	11.5	13.7	13.4	10.9	35	2	14	-	-	-	-	-	-	1	-	3	3	4	-	SWANSEA.	
GREATER LONDON	-	7,548,647	12.2	11.2	11.8	11.5	1672	214	601	1	-	8	8	16	23	24	57	72	138	761	-	GREATER LONDON.	
OUTER RING	-	3,016,676	10.2	9.4	10.5	10.8	623	78	238	1	-	2	1	8	5	8	22	23	46	228	-	OUTER RING.	
14 GREAT TOWNS IN OUTER RING.	-	1,734,723	9.9	9.1	10.1	11.0	367	50	147	1	-	-	-	4	-	3	9	18	37	149	-	14 GREAT TOWNS IN OUTER RING.	
REMAINDER OF OUTER RING.	-	1,281,953	10.6	9.7	11.1	10.4	256	28	91	-	-	2	1	4	5	5	13	5	9	79	-	REMAINDER OF OUTER RING.	
EDINBURGH†	-	446,200	14.3	14.4	16.1	14.4	123	14	41	-	-	2	-	-	3	1	1	7	?	?	?	EDINBURGH.†	
GLASGOW†	-	1,100,400	16.3	15.5	15.5	15.2	321	64	77	1	-	-	2	30	2	6	3	7	?	?	?	GLASGOW.†	
DUBLIN (Registra- tion Area).†	-	423,000	19.0	16.0	18.4	17.4	141	20	47	-	-	1	1	-	-	4	4	11	12	60	3	DUBLIN (Registra- tion Area).†	
BELFAST†	-	420,000	16.1	16.1	17.9	16.5	133	28	38	-	-	-	-	10	-	-	-	2	2	35	1	BELFAST.†	

* See note † on first page of this return.
† The populations are total populations and relate to 1921. Deaths and the death-rates in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week: those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

TABLE 2. LONDON.—Births and Deaths registered during the SEVENTEENTH Week of each of the Eleven Years, 1911-1921.

	1911.	1912.	1913.	1914.	1915.	1916.	1917.	1918.	1919.	1920.	1921.
Births (as registered).	2309	2302	2204	2252	2268	2124	1865	1571	1275	2518	2082
Males -	1163	1157	1122	1137	1183	1095	949	811	645	1294	1028
Females -	1146	1145	1082	1115	1135	1029	916	760	630	1224	1054
Deaths (of residents only).	1279	1154	1285	1115	1571	1450*	1369*	1351*	976*	1147*	1049*
Males -	693	595	671	586	827	749	699	694	513	592	538
Females -	586	559	614	529	744	701	670	657	463	555	511

* Deaths in civilian population only.

TABLE 3. LONDON.—BIRTHS and DEATHS REGISTERED, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the last THIRTEEN WEEKS.

	Feb. 5.	Feb. 12.	Feb. 19.	Feb. 26.	Mar. 5.	Mar. 12.	Mar. 19.	Mar. 26.	Apr. 2.	Apr. 9.	Apr. 16.	Apr. 23.	Apr. 30.
Births (as registered) . . .	1856	2058	2041	1908	1987	2074	2004	1746	2016	2157	2099	2112	2082
Deaths (of residents only).	1158	1147	1232	1313	1282	1311	1142	1005	1149	1168	1077	1093	1049
Ages.													
Under 1 year	189	181	211	168	168	179	157	117	144	166	128	144	136
1-2 years	49	43	39	30	34	45	46	32	39	38	39	36	33
2-5 "	34	29	23	31	26	24	28	18	25	24	21	28	17
5-10 "	28	34	24	33	21	22	19	19	28	22	21	19	28
10-15 "	13	17	20	15	15	15	21	14	21	12	16	14	13
15-20 "	23	20	16	18	21	24	24	26	21	30	15	29	31
20-25 "	25	19	25	29	17	25	29	23	33	29	21	28	25
25-35 "	51	44	50	65	66	53	52	50	42	69	52	41	43
35-45 "	75	54	91	90	81	93	79	80	90	91	84	90	88
45-55 "	125	121	104	141	117	138	109	108	125	122	120	132	96
55-65 "	169	153	170	185	201	176	147	130	177	178	161	168	176
65-75 "	192	207	215	247	254	243	188	182	188	190	179	201	173
75 years and upwards	185	225	244	261	261	274	243	206	216	197	220	163	190
Deaths from—													
Enteric fever	-	1	-	-	2	1	-	-	2	1	-	1	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	-	-	3	4	-	2	5	4	2	12	10	6	6
Scarlet fever	8	7	7	6	6	3	9	6	6	5	5	3	7
Whooping cough	6	15	13	9	13	9	7	12	8	13	10	10	8
Diphtheria	28	28	9	27	18	26	20	15	24	19	24	32	18
Diarrhoea and enteritis (under 2 years).	22	18	23	16	22	22	17	14	19	14	6	16	16
Pulmonary tuberculosis . . .	105	74	102	100	105	100	101	109	95	116	85	101	99
Influenza	9	13	12	30	45	27	42	33	44	38	49	27	35
Pneumonia (all forms) . . .	128	104	131	144	148	165	117	107	117	103	95	98	94
Bronchitis	98	153	158	167	159	149	131	93	102	90	88	85	81
Other dis. of resp. system . . .	14	10	23	23	23	27	16	16	14	15	15	8	13
Dis. of circ. system . . .	194	218	223	208	219	223	177	175	192	172	150	180	149
Violence	49	32	32	50	34	41	44	26	30	47	37	35	49
Inquest cases	99	90	86	106	85	101	90	69	88	105	80	86	92

CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.

Enteric fever	7	9	10	9	15	13	12	13	10	2	10	9	10
Small-pox	1	-	-	-	-	-	-	-	-	-	-	-	1
Measles	17	18	23	28	26	28	26	25	30	27	33	26	25
Scarlet fever	4018	3945	3919	3845	3738	3730	3695	3609	3535	3453	3345	3307	3255
Whooping cough	26	26	24	25	22	25	26	23	25	24	21	20	20
Diphtheria	2767	2770	2808	2800	2809	2818	2817	2777	2689	2626	2543	2564	2453

* The Metropolitan Asylums Board and London Fever Hospitals. The figures do not refer to London exclusively.

TABLE 3A. 96 Great Towns.—DEATHS from INFLUENZA in the last THIRTEEN WEEKS.

	Feb. 5.	Feb. 12.	Feb. 19.	Feb. 26.	Mar. 5.	Mar. 12.	Mar. 19.	Mar. 26.	Apr. 2.	Apr. 9.	Apr. 16.	Apr. 23.	Apr. 30.
Deaths from Influenza . . .	61	93	103	138	167	149	151	122	130	97	111	82	93

TABLE 4. LONDON.—DEATHS REGISTERED in the SEVENTEENTH Week of the Year 1921.

CAUSES OF DEATH.	Deaths in the 17th week of the year 1920.	DEATHS of PERSONS of the AGES													
		ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-10 years.	10-15 years.	15-20 years.	20-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards.
ALL CAUSES	1147	1049	136	33	17	28	13	31	25	43	88	96	176	173	190
Enteric fever	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	45	6	3	2	1	-	-	-	-	-	-	-	-	-	-
Scarlet fever	4	7	-	3	1	1	-	-	-	-	1	-	-	-	-
Whooping cough	23	8	5	3	-	-	-	-	-	-	-	-	-	-	-
Diphtheria	15	18	1	6	5	6	-	-	-	-	-	-	-	-	-
Influenza	45	35	3	2	-	2	-	2	-	3	3	4	7	5	4
Erysipelas	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute Poliomyelitis, Polioencephalitis.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
Meningococcal meningitis	-	3	1	1	-	1	-	-	-	-	-	-	-	-	-
Other endemic and epidemic diseases.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pyæmia and septicæmia	3	2	1	-	-	-	-	-	-	-	-	-	1	-	-
Tetanus	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
Tuberculosis:—															
Pulmonary tuberculosis	106	99	1	2	-	2	2	9	11	14	24	15	15	4	-
Tuberculous meningitis	8	6	2	-	1	-	1	1	-	1	-	-	-	-	-
Abdominal tuberculosis	1	3	-	-	-	-	-	1	1	-	-	1	-	-	-
Tuberculosis of the spine	-	2	-	-	-	-	-	-	-	-	1	-	-	-	-
Tuberculosis of the joints	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of other organs	2	1	-	-	-	-	-	-	-	1	-	-	-	-	-
Disseminated tuberculosis	3	4	-	1	1	1	-	1	-	-	-	-	-	-	-
Venereal diseases	1	7	4	-	-	-	-	-	-	-	1	-	2	-	-
Cancer	106	103	-	-	-	-	-	-	1	4	8	21	32	25	12
Rheumatic fever	2	6	-	-	-	2	1	2	-	-	1	-	-	-	-
Diabetes	6	11	-	-	-	-	-	1	-	-	1	2	4	2	1
Anæmia, leucocythæmia	6	5	-	-	1	-	-	-	-	-	1	1	1	1	-
Other general diseases	8	18	2	-	-	-	1	-	-	2	1	3	4	3	2
Alcoholism	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic poisonings	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	36	40	-	-	-	1	1	-	-	-	1	5	6	16	10
Softening of brain	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Paralysis, without specified cause	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epilepsy	9	5	-	-	-	-	-	-	-	-	-	-	-	-	-
"Convulsions" (not puerperal)	11	5	4	1	-	-	-	-	-	1	2	-	-	-	2
Other diseases of nervous system	21	25	-	-	-	-	-	-	1	2	7	5	5	2	3
Pericarditis	3	2	-	-	-	-	1	-	-	-	-	-	1	-	-
Acute endocarditis	6	4	-	-	-	-	-	2	-	2	-	-	-	-	-
Other diseases of heart	132	107	-	-	-	-	-	2	2	-	8	7	26	28	34
Embolism and thrombosis (excluding cerebral).	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of circulatory system.	42	36	-	-	-	-	-	-	-	-	1	2	10	11	12
Diseases of the larynx	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Bronchitis	79	81	3	2	-	-	-	-	-	-	-	4	14	22	36
Broncho-pneumonia	47	40	18	2	3	1	-	1	-	-	-	-	5	3	7
Lobar pneumonia	34	31	8	-	-	1	-	1	-	1	7	7	8	2	1
Pneumonia (type not distinguished)	15	23	2	2	-	2	1	1	1	3	2	-	3	2	4
Pleurisy	4	1	-	-	-	-	-	-	-	-	-	1	-	-	-
Pulmonary congestion, Pulmonary apoplexy.	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of respiratory system.	5	11	1	-	-	-	-	1	-	1	1	-	3	2	2

TABLE 5.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM							
			Exclusive	of Stillborn.		Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria and Croup.*	Diarrhoeal Diseases† (under 2 years).	Influenza.
LONDON†	4,531,971	1921. Apr. 30	2,082	1,049	12·1	-	-	6	7	8	18	16	35
KALCUTTA	896,067	Mar. 26	-	705§	40·9	?	5	?	?	?	?	?	29
BOMBAY	979,445	" 26	256	1,440§	76·4	2	28	15	-	-	-	91	70
COCHIN	518,660	" 19	346	399§	40·0	2	4	2	?	-	-	39	-
PARIS	2,847,229	(10 days) Mar. 10	1,476	1,448	18·6	1	-	2	-	1	5	26	6
BRUSSELS	792,919	- - -	-	-	-	-	-	-	-	-	-	-	-
ANTWERP	337,537	Apr. 16	126	51	7·9	1	-	-	-	-	-	3	-
AMSTERDAM	680,151	" 16	301	151	11·6	2	-	3	-	3	1	3	-
COPENHAGEN	571,000	" 16	256	111	10·1	-	-	-	1	-	-	3	-
STOCKHOLM	415,201	" 9	128	99	12·3	-	-	1	-	-	1	1	3
STUTTGART	205,494	" 9	-	76	19·2	-	-	-	-	-	3	-	14
CHRISTIANIA	260,904	" 16	88	54	10·8	-	-	1	-	1	-	-	-
BERLIN	1,949,000	" 9	579	534	14·2	-	?	9	-	8	3	16	5
BRATISLAVA	547,000	" 9	255	175	16·6	-	?	-	-	1	-	8	5
BRUSSELS	664,000	" 9	337	161	12·6	-	?	2	-	-	-	3	-
DRESDEN	595,000	" 9	260	153	13·4	-	?	2	-	-	2	5	2
ST. LOUIS	468,000	" 9	161	96	10·7	-	?	-	-	-	-	2	4
HAMBURG	1,003,000	" 9	375	233	12·1	-	?	3	1	-	3	3	-
PRAGUE	631,000	" 9	242	166	13·7	-	?	1	-	-	-	2	1
MUNICH	670,000	" 9	234	180	14·0	-	?	6	-	1	-	7	3
MILAN	1,842,005	" 9	605	602	17·0	3	-	1	2	1	2	12	1
VIENNA AND SUBURBS.	676,454	Mar. 26	290	228	17·6	-	-	-	-	1	1	6	4
BUDAPEST	1,092,000	Feb. 12	430	365	17·4	3	?	1	8	-	3	19	1
TRIESTE	244,473	Apr. 9	-	-	-	-	-	-	-	-	-	-	-
VIENNA	764,800	Feb. 18	695	518	35·2	3	-	1	-	?	4	31	?
ALEXANDRIA	449,300	" 18	439	260	30·1	-	1	-	-	?	-	15	?
NEW YORK	5,753,151	Apr. 2	2,723	1,379	12·5	2	-	2	24	7	18	18	10
CHICAGO	2,780,655	" 9	-	625	11·7	-	-	4	7	3	12	40	4

including deaths from *plague* in London, Bombay, and Madras.
 The deaths in this column relate to *all ages* for Bombay, Madras, Christiania, and Budapest, and to *children under 1 year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.
 The estimated population and deaths refer to the civilian population only.
 Including 1 death from *plague* in Calcutta and 34 in Bombay, and from *Asiatic cholera*, 101 deaths in Calcutta and 2 in Madras.

TABLE 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 30th April, 1921.
(Supplied by the Meteorological Office.)

TOWNS.	Temperature of Air.*				Rainfall in Milli- metres.†	TOWNS.	Temperature of Air.*				Rainfall in Milli- metres.†
	Highest.	Lowest.	Mean Maxi- mum.	Mean Mini- mum.			Highest.	Lowest.	Mean Maxi- mum.	Mean Mini- mum.	
DON (Greenwich) }	•	°	°	°			°	°	°	°	
GHYTON . .	72	37	64·4	42·7	3	BRADFORD . .	64	38	57·4	42·0	2
TSMOUTH . .	74	37	63·1	45·0	1	SHEFFIELD . .	68	40	58·9	42·9	1
WICH (Eaton) -	71	37	63·1	44·1	5	YORK (Museum) -	65	37	59·7	42·4	4
MOUTH . .	64	39	59·9	44·0	4	HULL (Pearson Park)	65	38	58·7	42·9	6
TOL (Clifton) -	70	39	63·0	44·1	6	TYNEMOUTH . .	57	39	51·6	43·9	3
INGHAM . .	70	38	63·0	41·7	0	CARDIFF	70	31	62·7	42·3	0
INGHAM . .	68	37	60·4	41·0	1	EDINBURGH . .	62·0	36·0	54·1	39·9	0
ENHEAD (Bidston) }	69	41	60·9	43·3	3	GLASGOW . .	71·2	35·9	59·5	41·3	1
CHESTER . .	69	41	59·0	43·1	2	DUBLIN :— Phoenix Park . .	63·1	27·5	58·1	36·0	0
NLEY . .	69	35	62·6	43·4	0·2	†Fitzwilliam Square	63·1	36·8	58·7	43·3	0
ERSFIELD . .	66	30	59·0	40·3	3	BELFAST	64·0	32·0	57·9	41·4	0
	67	39	59·0	41·0	1						

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.
‡ 1 millimetre = .04 inch nearly; 1 inch = 25.4 millimetres exactly.

TABLE 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 30th April 1921.

[Under the Superintendence of the Astronomer Royal.]

1921. MONTH AND DAY.		Phases of the Moon.	BARO- METER. Mean daily reading (cor- rected and re- duced to 32° Fahren- heit).	TEMPERATURE.					Difference between the Air Temperature and Dew Point Temperature.			De- gree of Hu- mid- ity (Satu- ration equals 100).	TEMPERATURE.		Wind as deduced from Anemometers.				Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
				Of the Air.					Of the Earth 4 feet below the Surface.	Of Radiation. Highest in Sun's Rays.	Lowest on the Grass.		Osler's.		Robinson's.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
				High- est.	Low- est.	Daily Range.	Mean daily value.	De- parture from Average of 65 years.					Mean daily value.	Great- est.	General Direction.	Great- est.	Mean of 24 hourly obs.	Horizontal Movement of the Air Average on each Day.		Depart- ure from Average of 50 years.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
																					A.M.	P.M.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
APRIL.		Greatest declination S. Apogee Last Quarter.	in.	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°

DATE.		ELECTRICITY. (For explanation of symbols, see Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
APRIL 1921.					
SUNDAY	24	w.P. generally, v.P. at times.	0·4	14·3	Variably cloudy till 4h.; afterwards over- cast with few exceptions; occasional slight rain or damping; brisk wind in early morn- ing.
MONDAY	25	w.P. generally till noon, m.P. and s.P. afterwards.	1·3	14·4	Overcast generally till 21h., with cloudy interval between 12h. 30m. and 14h. 30m., becoming cloudless by 21h. 30m.; rain or damping generally till 13h.
TUESDAY	26	v.P. generally, a little v.N.	4·7	14·4	Cloudless till 1h.; overcast 1h. 30m. to 8h., then variably cloudy; foggy 2h. to 6h., then hazy; fine interval 17h. to 20h.
WEDNESDAY	27	w.P. till 11h. v.P. afterwards.	3·5	14·5	Overcast till noon and generally till 15h., clearing to nearly cloudless by 17h.; slight rain about 15h.
THURSDAY	28	v.P. throughout	11·5	14·6	Cloudless till 1h., becoming overcast with slight rain about 3h., clearing by 7h. 30m. to nearly cloudless; partially cloudy at times 10h. to 16h.
FRIDAY	29	m.P. and s.P. throughout.	13·6	14·6	Cloudless with few exceptions; brisk wind about noon.
SATURDAY	30	v.P. generally, a little v.N. in afternoon.	9·4	14·7	Cloudless till 5h., partially cloudy till 7h., nearly cloudless till 10h.; cloudy generally till 16h., nearly cloudless 16h. 30m. to 22h. 30m., then cloudy; shower of rain and hail, 14h. 30m.
No. of Col.		26	Sum 44·4	Sum 101·5	
			27	28	

The results apply to the civil day, or from midnight to midnight.
The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "higher," and - "lower," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·90 in. at the beginning of the week to 30·07 in. by 9h. on 26th; decreased to 29·92 in. by 17h. on 27th; increased to 30·19 in. by 21h. on 29th; decreased to 30·06 in. by 17h. on 30th, and increased to 30·11 in. by midnight on the same day.

TABLE 8. LONDON.—DEATHS of PERSONS BELONGING to the several METROPOLITAN BOROUGHs REGISTERED in the Week ended 23rd April, 1921.

BOROUGHs.	Deaths from									Deaths of Infants under 1 Year of Age.
	ALL CAUSES.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Pulmonary Tuberculosis.	
COUNTY OF LONDON -	1,093	1	-	6	3	10	32	16	101	144
Western.										
PADDINGTON . . .	40	-	-	-	-	-	1	2	2	3
KENSINGTON . . .	26	-	-	-	1	1	-	2	1	5
HAMMERSMITH . . .	24	-	-	-	-	-	2	-	2	1
FULHAM . . .	34	-	-	-	-	-	-	1	6	6
CHELSEA . . .	16	-	-	-	-	-	-	-	-	1
CITY OF WESTMINSTER .	38	-	-	-	-	-	2	-	1	1
Northern.										
ST. MARYLEBONE . . .	36	-	-	-	-	-	1	-	4	5
HAMPSTEAD . . .	15	-	-	-	-	-	1	-	-	2
ST. PANCRAS . . .	57	-	-	-	-	1	2	-	5	9
ISLINGTON . . .	94	-	-	2	-	-	3	1	5	15
STOKE NEWINGTON . . .	13	-	-	-	-	-	1	1	3	1
HACKNEY . . .	53	-	-	-	-	1	2	-	7	5
Central.										
HOLBORN . . .	12	-	-	-	-	-	-	-	1	1
FINSBURY . . .	18	-	-	1	-	-	-	-	2	5
CITY OF LONDON . . .	4	-	-	-	-	-	-	-	1	-
Eastern.										
SHOREDITCH . . .	44	-	-	1	-	3	4	1	5	7
BETHNAL GREEN . . .	30	-	-	-	-	-	2	-	6	4
STEPNEY . . .	64	-	-	-	-	1	1	1	5	10
POPLAR . . .	41	-	-	-	-	-	1	-	7	5
Southern.										
SOUTHWARK . . .	48	-	-	-	-	-	-	-	6	6
BERMONDSEY . . .	35	-	-	-	-	-	2	2	4	9
LAMBETH . . .	61	-	-	-	-	-	2	1	5	6
BATTERSEA . . .	45	-	-	-	-	-	1	1	3	3
WANDSWORTH . . .	50	-	-	-	-	1	2	-	3	8
CAMBERWELL . . .	62	-	-	-	1	1	-	-	6	5
DEPTFORD . . .	22	-	-	-	-	-	1	1	1	6
GREENWICH . . .	37	-	-	-	-	-	1	-	4	3
LEWISHAM . . .	43	1	-	1	-	1	-	1	5	6
WOOLWICH . . .	31	-	-	1	1	-	-	1	1	6

The deaths in the above Table are, so far as concerns London as a whole, corrected by the exclusion of deaths of non-residents, and by the inclusion of those of residents occurring in the Outer Ring or in Metropolitan public institutions situated outside the County. As between individual Metropolitan Boroughs, however, correction is complete.

TABLE 9. LONDON.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED during the Week ended 23rd April, 1921.*

BOROUGH.	ESTI- MATED CIVILIAN POPU- LATION, MID. 1920.† (Provi- sional.)	Enteric Fever.	Malaria.	Typhus.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Pneumonia.	Erysipelas.	Cerebro-Spinal Fever.	Puerperal Fever.	Ophthalmia Neonatorum.	Poliomyelitis.	Dysentery.	Encephalitis Lethargica.	Trench Fever.	Polio- encephalitis.
WESTERN.																	
Paddington . . .	149,673	-	-	-	-	6	11	4	-	-	-	1	-	-	-	-	-
Kensington . . .	164,177	-	-	-	-	11	5	2	1	-	1	2	-	-	-	-	-
Hammersmith . . .	136,200	-	-	-	-	19	6	2	-	2	-	-	-	-	-	-	-
Fulham . . .	158,621	-	-	-	-	12	9	5	3	-	1	1	-	-	-	-	-
Chelsea . . .	62,987	-	-	-	-	2	3	-	1	-	-	-	-	-	-	-	-
City of Westminster . . .	132,615	-	-	-	-	9	8	2	-	-	-	1	-	-	-	-	-
NORTHERN.																	
St. Marylebone . . .	101,856	-	-	-	-	4	2	2	1	-	-	1	-	-	-	-	-
Hampstead . . .	91,519	1	-	-	-	6	3	2	1	-	-	-	-	-	-	-	-
St. Pancras . . .	228,178	-	-	-	-	14	19	9	3	-	1	5	-	-	-	-	-
Islington . . .	335,907	-	-	-	-	16	25	1	2	-	-	2	-	-	-	-	-
Stoke Newington . . .	52,984	-	-	-	-	7	3	-	1	-	-	-	-	-	-	-	-
Hackney . . .	225,372	-	-	-	-	31	18	1	1	-	-	1	-	-	-	-	-
CENTRAL.																	
Holborn . . .	39,676	-	-	-	-	3	2	-	-	-	-	-	-	-	-	-	-
Finsbury . . .	78,291	-	-	-	-	6	9	1	-	-	1	2	-	2	-	-	-
City of London . . .	14,447	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
EASTERN.																	
Shoreditch . . .	102,044	-	-	-	-	8	9	1	1	-	1	1	-	-	-	-	-
Bethnal Green . . .	114,471	-	-	-	-	15	16	-	-	-	1	2	-	-	-	-	-
Stepney . . .	241,770	-	-	-	-	38	13	6	2	-	1	1	-	-	-	-	-
Poplar . . .	159,766	-	-	-	-	11	14	5	-	-	-	-	-	-	-	-	-
SOUTHERN.																	
Southwark . . .	187,142	-	-	-	-	12	12	5	1	-	-	-	-	-	1	-	-
Bermondsey . . .	129,189	-	-	-	-	16	7	2	1	-	-	-	-	-	-	-	-
Lambeth . . .	293,572	-	1	-	-	22	13	2	1	1	1	-	-	-	-	-	-
Battersea . . .	165,664	1	-	-	-	21	10	11	2	-	-	-	-	-	-	-	-
Wandsworth . . .	346,990	-	-	-	-	42	26	11	-	-	-	-	2	-	-	-	-
Camberwell . . .	284,712	-	3	-	-	19	17	1	3	-	-	-	-	1	-	-	-
Deptford . . .	115,636	-	-	-	-	14	17	-	2	-	-	-	-	-	-	-	-
Greenwich . . .	102,408	1	-	-	-	8	10	1	-	-	-	-	-	-	-	-	-
Lewisham . . .	174,438	-	-	-	-	18	14	-	1	-	-	-	-	-	-	-	-
Woolwich . . .	141,666	-	-	-	-	21	7	3	-	-	-	1	-	-	-	-	-
TOTAL . . .	4,531,971	3	4	-	-	411	309	80	28	3	7	22	2	3	1	-	-
Ages 0-1 . . .		-	-	-	-	2	11	3	-	2	-	22	-	-	-	-	-
" 1-5 . . .		-	-	-	-	99	79	10	3	-	-	-	1	-	-	-	-
" 5- . . .		1	-	-	-	183	118	5	-	-	-	-	-	-	-	-	-
" 10- . . .		-	-	-	-	84	53	7	1	1	-	-	1	-	-	-	-
" 15- . . .		1	-	-	-	15	14	4	1	-	-	-	-	-	-	-	-
" 20- . . .		-	2	-	-	12	14	5	-	-	1	-	-	-	-	-	-
" 25- . . .		1	2	-	-	12	16	13	2	-	3	-	-	1	-	-	-
" 35- . . .		-	-	-	-	3	2	14	2	-	3	-	-	-	-	-	-
" 45- . . .		-	-	-	-	-	2	7	7	-	-	-	-	1	1	-	-
" 55- . . .		-	-	-	-	-	-	9	6	-	-	-	-	-	-	-	-
" 65- . . .		-	-	-	-	1	-	3	6	-	-	-	-	1	-	-	-
" 75 and upwards . . .		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Age not stated . . .		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

† See note † on first page of this return.

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS AND DEATHS REGISTERED:—

LONDON AND

NINETY-FIVE OTHER GREAT TOWNS.

~~~~~  
By Authority of the Registrar General,  
~~~~~

LONDON:

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
H.M. STATIONERY OFFICE at the following addresses:

IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and

28, ABINGDON STREET, LONDON, S.W. 1;

37, PETER STREET, MANCHESTER;

1, ST. ANDREW'S CRESCENT, CARDIFF;

23, FORTH STREET, EDINBURGH;

or from E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN.

No. 18. VOL. LXXXII. 1921. WEEK ENDED SATURDAY, MAY 7.
[Price 9d. Net.]

*General Register Office, Somerset House,
May 10th, 1921.*

NINETY-SIX GREAT TOWNS.

For the NINETY-SIX GREAT TOWNS of England and Wales each of which had a population of 50,000 or over at the Census of 1911, the births registered last week numbered 8,189, and corresponded to an annual rate of 22·9 per 1,000. The deaths* among the civilian population only numbered 4,427, and corresponded to an annual rate of 12·4 per 1,000 of their aggregate civilian population, which is provisionally estimated† at 18,554,878 persons in the year 1920. In the three weeks ended April 16th, April 23rd, and April 30th, the rates had been 12·5, 12·5, and 12·5 respectively. The infant mortality was 83, against 76, 76, and 75 in the preceding three weeks. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks; it also shows for the week ended last Saturday the births and the deaths from certain individual causes. A column showing the number of deaths

* Corrected as far as possible for deaths of non-residents and for those of residents occurring outside the area. Fully corrected figures will appear in the Registrar General's Annual Report.

† The estimates of population refer to the year 1920, and are based on the returns furnished under the scheme for rationing of food.

from influenza has been inserted in Table 1. The aggregate number of deaths from influenza in the 96 great towns in each of the last thirteen weeks is shown in Table 3A.

Measured by last week's mortality, the highest annual death-rates per 1,000 living were:—from *all causes*, 18·5 in Bury, 18·9 in Burnley, 19·2 in Halifax, 19·3 in Liverpool, and 19·8 in Stockton-on-Tees; from *whooping cough*, 1·6 in Derby; and from *diphtheria*, 2·4 in Acton. No death from *small-pox* was registered in any of the ninety-six towns.

LONDON.* (The Administrative County, including the City of London.)

For LONDON there were 1,940 BIRTHS, corresponding to a rate of 22·2 per 1,000, and 999 DEATHS of civilians, corresponding to a rate of 11·5, as against 12·4, 12·6, and 12·1 per 1,000 in the three weeks ended April 16th, April 23rd, and April 30th. The death-rate in the four weeks ended last Saturday averaged 12·2 per 1,000. The infant mortality was 76, against 61, 68, and 65 in the preceding three weeks.

There was no death from *enteric fever*, against 0, 1, and 0 in the preceding three weeks, the average for the corresponding weeks of the previous five years being 1. The deaths from *measles*, which had been 10, 6, and 6 in the preceding three weeks, fell last week to 3, and were 40 below the average. The deaths from *scarlet fever*, which had been 5, 3, and 7 in the preceding three weeks, were again 7 last week, and were 4 above the average. The deaths from *whooping-cough*, which had been 10, 10, and 8 in the preceding three weeks, rose last week to 11, but were 14 below the average; 3 deaths belonged to the Borough of Battersea. The deaths from *diphtheria*, which had been 24, 32, and 18 in the preceding three weeks, were 19 last week, and were 5 above the average; 4 deaths belonged to Shoreditch and 3 to Camberwell. The deaths from *diarrhoea and enteritis under 2 years of age*, which had been 6, 16, and 16 in the preceding three weeks, were 15 last week, and were equal to the average. The deaths from *influenza* numbered 20 as against 49, 27, and 35, in the preceding three weeks and an average of 22.

Different forms of violence caused 40 deaths, all of which were the subject of coroners' inquests. Of these 40 deaths, 11 were cases of suicide and 2 of homicide, while the remaining 27 were attributed to other forms of violence. Six of these latter were referred to vehicles in the streets, 2 to burns or scalds, and 5 to drowning.

CASES OF INFECTIOUS DISEASE.†

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital, there were 10 cases of enteric fever, 1 of smallpox, 28 of measles, 3,195 of scarlet fever, 18 of whooping-cough, and 2,343 of diphtheria under treatment in these hospitals on Saturday last (Table 3). The admissions during

* See note * on first page.

† The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

the week, as compared with those in the preceding three weeks, were as follows :—Of enteric fever, 2 cases, against 1, 1, and 3; of measles, 8 cases, against 7, 3, and 4; of scarlet fever, 476 cases, against 379, 415, and 493; of whooping-cough, 0 case, against 1, 0, and 0; and of diphtheria, 227 cases, against 252, 292, and 228. Table 9, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the county during the week ended April 30th, 1921.

TABLE 1.—36 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH RATES in the Week ended Saturday, 7th May, 1921, and DEATH-RATES in each of the preceding three Weeks.

TOWNS		ESTIMATED CIVILIAN POPULATION, MID. 1920 * (Provisional.)	DEATH-RATES from all Causes.					Week ended 7th May 1921.		The DEATHS in the Week include										TOWNS.	
			Week ended					BIRTHS.	DEATHS.	Deaths from											
			16th Apr., 1921.	23rd Apr., 1921.	30th Apr., 1921.	7th May, 1921.	Infants under 1 Year of Age.			Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.	Violence.		
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.
96 GREAT TOWNS.	18,554,878	12.5	12.5	12.5	12.4	8,189	4,427	678	1,379	3	-	31	16	76	55	57	104	155	309	1,492	31
LONDON†	4,531,971	12.4	12.6	12.1	11.5	1,940	999	147	347	-	-	3	7	11	19	15	20	40	98	512	-
(CROYDON.	191,580	7.3	10.3	11.7	13.1	64	48	7	21	-	-	-	1	-	-	-	3	-	3	12	-
WIMBLEDON.	62,174	12.6	5.0	10.9	11.7	22	14	4	6	-	-	-	-	-	-	-	-	-	2	3	-
EALING.	76,129	3.4	13.0	9.6	6.8	20	10	1	3	-	-	-	-	1	-	-	-	-	-	6	-
ACTON.	64,192	8.9	15.4	16.2	8.9	21	11	-	2	-	-	-	-	-	3	-	-	-	-	6	-
WILLESDEN.	167,328	11.5	9.7	10.3	8.7	60	28	1	10	-	-	-	-	-	-	1	2	1	3	12	-
HORNSEY.	98,107	10.6	8.5	8.0	10.6	22	20	2	7	-	-	-	-	-	-	-	1	-	1	8	-
TOTTENHAM	146,970	11.7	10.6	10.3	11.0	53	31	3	11	-	-	-	-	-	1	-	1	1	1	15	-
† EDMONTON.	73,529	7.1	9.2	9.2	7.8	16	11	1	4	-	-	-	-	-	-	-	-	1	2	6	-
ENFIELD.	60,771	12.0	11.2	10.3	6.0	17	7	1	4	-	-	-	-	-	-	-	-	-	-	2	1
WEST HAM.	299,440	10.6	11.7	12.7	10.1	151	58	5	17	-	-	-	-	-	-	-	4	3	4	29	-
EAST HAM	150,207	7.3	9.4	11.1	8.0	59	23	2	8	-	-	1	-	-	-	-	-	1	1	10	-
LEYTON.	128,832	8.1	8.1	12.5	10.1	46	25	3	9	-	-	-	-	-	-	-	-	2	2	8	-
WALTHAMSTOW	132,771	5.9	8.2	9.4	13.0	47	33	1	13	-	-	-	-	-	-	-	3	3	5	8	-
(ILFORD.	82,693	8.8	10.7	9.5	10.1	30	16	-	5	-	-	-	-	-	-	-	-	2	2	6	-
GILLINGHAM.	45,233	10.4	9.2	17.3	6.9	34	6	-	-	-	-	-	-	1	-	-	-	-	1	2	-
HASTINGS.	59,972	15.7	15.7	13.0	10.4	19	12	-	4	-	-	-	-	-	1	-	-	-	1	1	-
EASTBOURNE.	50,354	23.8	16.6	14.5	10.4	18	10	1	5	-	-	-	-	-	-	-	-	-	-	4	-
BRIGHTON.	137,665	13.6	12.9	9.5	13.3	42	35	6	14	-	-	-	-	1	1	1	-	1	2	16	-
PORTSMOUTH.	235,998	9.5	10.4	10.2	13.5	105	61	11	22	-	-	1	-	1	1	-	2	2	2	24	-
BOURNEMOUTH.	85,919	17.0	9.1	12.1	15.8	28	26	2	11	-	-	-	-	-	-	-	-	1	1	2	-
SOUTHAMPTON.	162,388	13.2	6.4	14.4	13.2	70	41	4	11	-	-	-	-	-	-	-	1	3	4	13	-
READING.	95,006	12.1	8.2	8.2	12.6	33	23	2	15	-	-	-	-	-	-	-	2	1	1	12	-
OXFORD.	59,963	9.6	6.1	12.2	7.0	22	8	1	1	-	-	-	-	-	-	-	-	1	1	4	-
NORTHAMPTON.	92,483	14.1	10.7	7.3	11.8	34	21	1	8	-	-	-	-	-	-	-	-	1	2	4	-
CAMBRIDGE.	60,154	12.1	8.7	10.4	12.1	28	14	-	6	-	-	-	-	-	-	-	-	1	1	4	1

TOWNS.	ESTIMATED CIVILIAN POPULATION, MID. 1920.* (Provisional.)	DEATH-RATES from all Causes.					Week ended 7th May, 1921.		The DEATHS in the Week include										TOWNS.				
		Week ended					6.	7.	Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from									Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	
		16th 23rd 30th 7th Apr., Apr., Apr., May, 1921. 1921. 1921. 1921.									Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.					Violence.
		2.	3.	4.	5.																		
COLS.	1.								8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	COLS.
SOUTHEND ON SEA.	87,382	10.1	10.1	12.5	10.1	37	17	2	7	-	-	-	-	-	-	-	-	-	-	-	5	2	SOUTHEND ON SEA.
IPSWICH.	81,119	8.4	14.8	12.2	9.0	30	14	-	8	-	-	-	-	-	-	-	-	-	1	1	5	-	IPSWICH.
GREAT YARMOUTH.	55,193	14.2	13.2	12.3	10.4	23	11	2	4	-	-	-	-	-	-	-	-	-	-	-	4	-	GREAT YARMOUTH.
NORWICH.	124,774	10.9	11.7	11.3	7.5	59	18	3	8	-	-	-	-	-	-	-	1	-	-	2	6	-	NORWICH.
SWINDON.	53,580	8.8	11.7	7.8	11.7	21	12	4	4	-	-	-	-	-	-	-	-	-	-	-	2	-	SWINDON.
EXETER.	61,365	14.4	14.4	8.5	14.4	19	17	6	7	-	-	-	-	-	-	-	-	-	1	1	1	-	EXETER.
PLYMOUTH.	189,218	13.5	11.8	9.9	13.0	99	47	9	13	-	-	-	-	-	-	-	-	1	2	4	8	-	PLYMOUTH.
BATH.	68,546	18.3	12.2	13.7	12.2	25	16	1	9	-	-	-	-	-	-	-	-	-	-	-	5	-	BATH.
BRISTOL.	375,641	11.8	11.7	13.3	12.8	154	92	13	30	1	-	-	-	-	1	2	-	2	4	9	31	-	BRISTOL.
GLOUCESTER.	52,096	12.0	11.0	9.0	9.0	26	9	1	3	-	-	-	-	-	-	-	-	1	-	-	2	-	GLOUCESTER.
STOKE ON TRENT.	248,852	13.8	17.0	13.6	11.7	159	56	14	16	-	-	-	-	-	-	-	3	1	2	4	13	-	STOKE ON TRENT.
WOLVERHAMPTON.	102,324	14.3	13.8	12.2	11.2	51	22	1	8	-	-	-	-	-	-	-	-	-	-	-	8	-	WOLVERHAMPTON.
WALSALL.	96,419	12.4	15.7	16.8	10.3	65	19	9	2	-	-	-	-	-	2	-	-	-	-	2	1	-	WALSALL.
WEST BROMWICH.	72,684	17.2	12.2	14.3	11.5	44	16	5	3	-	-	-	-	-	-	-	-	-	-	-	3	-	WEST BROMWICH.
DUDLEY.	56,169	6.5	7.4	12.1	9.3	31	10	1	4	-	-	-	-	-	-	-	-	-	1	1	1	-	DUDLEY.
BIRMINGHAM.	895,915	14.3	13.5	10.8	12.5	416	215	37	75	-	-	-	1	-	2	4	2	2	8	8	64	10	BIRMINGHAM.
SMETHWICK.	75,027	9.7	10.4	13.9	8.3	43	12	4	4	-	-	-	-	-	-	-	-	-	-	-	3	-	SMETHWICK.
COVENTRY.	137,310	7.6	13.3	8.4	8.7	59	23	7	3	-	-	-	-	-	-	-	-	1	2	9	4	-	COVENTRY.
LEICESTER.	245,465	12.5	11.0	13.8	11.3	98	53	7	17	-	-	-	-	-	4	-	-	-	2	4	16	-	LEICESTER.
LINCOLN.	67,543	13.1	14.7	9.3	10.0	51	13	3	8	-	-	-	-	-	-	-	2	1	1	1	1	-	LINCOLN.
GRIMSBY.	81,953	8.3	18.5	6.4	7.6	40	12	2	3	-	-	-	-	-	-	-	-	-	-	1	5	-	GRIMSBY.
NOTTINGHAM.	267,836	12.1	10.9	11.7	11.9	109	61	10	18	-	-	-	-	-	-	-	-	-	1	1	17	-	NOTTINGHAM.
DERBY.	128,865	14.2	10.9	10.5	10.9	62	27	9	9	-	-	-	-	-	4	-	-	-	-	2	7	-	DERBY.

* See note † on first page of this return.

TOWNS.	CIVILIAN POPULATION, Mid. 1920.* (Provisional).	Week ended				7th May, 1921.		Deaths of		Deaths from										TOWNS		
		16th Apr., 1921.	23rd Apr., 1921.	30th Apr., 1921.	7th May, 1921.	BIRTHS.	DEATHS.	Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
SHEFFIELD	492,570	11.6	11.2	12.6	13.2	226	125	21	31	-	-	1	-	3	-	2	3	4	8	42	-	SHEFFIELD.
ROTHERHAM	71,785	16.7	15.3	8.7	15.3	30	21	3	3	-	-	-	-	-	-	-	-	-	2	3	-	ROTHERHAM.
YORK	77,501	12.8	10.8	10.8	8.7	48	13	-	2	-	-	-	-	-	1	-	-	2	2	4	-	YORK.
HULL	290,808	15.2	11.3	10.9	12.2	140	68	13	17	-	-	-	-	1	2	4	-	3	5	17	-	HULL.
MIDDLESBROUGH	132,208	15.4	11.0	16.6	14.6	88	37	8	5	-	-	2	-	-	-	1	-	1	2	3	-	MIDDLESBROUGH.
DARLINGTON	66,610	8.6	11.0	18.8	13.3	26	17	2	3	-	-	-	-	-	-	-	-	-	-	2	-	DARLINGTON.
STOCKTON ON TEES	63,114	14.0	15.7	15.7	19.8	26	24	2	7	-	-	1	-	-	2	-	-	3	3	4	2	STOCKTON ON TEES.
WEST HARTLEPOOL	68,126	9.2	16.1	14.5	9.9	34	13	3	5	-	-	-	-	-	-	1	-	-	-	4	-	WEST HARTLEPOOL.
SUNDERLAND	155,211	14.4	14.1	16.1	9.4	88	28	7	7	-	-	2	-	-	-	1	1	-	4	4	-	SUNDERLAND.
SOUTH SHIELDS	115,945	15.3	12.6	13.9	10.8	61	24	4	3	-	-	-	-	-	-	-	-	1	1	5	2	SOUTH SHIELDS.
GATESHEAD	128,309	13.4	13.4	13.4	12.2	66	30	8	8	-	-	1	-	-	1	1	-	2	2	9	-	GATESHEAD.
NEWCASTLE ON TYNE.	286,061	16.8	13.5	16.4	15.9	131	87	12	23	-	-	4	2	1	-	-	-	-	2	20	2	NEWCASTLE ON TYNE.
TYNEMOUTH	60,318	6.9	17.3	14.7	13.8	36	16	2	5	-	-	1	-	-	-	-	-	-	-	3	-	TYNEMOUTH.
CARLISLE	57,397	12.7	14.5	13.6	13.6	17	15	2	5	-	-	-	-	-	-	-	-	1	2	3	1	CARLISLE.
NEWPORT (MON.)	90,728	8.6	13.8	10.9	12.1	39	21	3	2	-	-	-	-	2	1	-	-	-	-	2	-	NEWPORT (MON.).
CARDIFF	212,582	12.0	10.1	16.4	8.8	91	36	3	11	-	-	-	-	1	1	1	2	-	4	4	-	CARDIFF.
RHONDDA	184,999	9.6	10.7	6.5	12.7	94	45	8	7	-	-	-	-	2	3	-	2	2	1	1	2	RHONDDA.
MERTHYR TYDFIL	74,493	20.3	14.7	14.7	13.3	54	19	6	4	-	-	-	-	1	-	-	-	2	3	2	-	MERTHYR TYDFIL.
ABERDARE	38,431	16.6	13.7	11.7	13.7	22	14	2	3	-	-	-	-	-	-	-	-	1	1	3	-	ABERDARE.
SWANSEA	167,218	13.7	13.4	10.9	10.0	64	32	4	6	-	-	-	-	1	1	-	-	3	3	6	-	SWANSEA.
GREATER LONDON	7,548,647	11.2	11.8	11.5	10.9	3029	1585	202	588	-	-	4	8	14	25	20	41	65	144	723	2	GREATER LONDON.
OUTER RING	3,016,676	9.4	10.5	10.8	10.1	1089	586	55	241	-	-	1	1	3	6	5	21	25	46	211	2	OUTER RING.
14 GREAT TOWNS IN OUTER RING.	1,734,723	9.1	10.1	11.0	10.1	628	335	31	120	-	-	1	1	1	4	2	15	14	26	131	1	14 GREAT TOWNS IN OUTER RING.
REMAINDER OF OUTER RING.	1,281,953	9.7	11.1	10.4	10.2	461	251	24	121	-	-	-	-	2	2	3	6	11	20	80	1	REMAINDER OF OUTER RING.
EDINBURGH†	446,200	14.4	16.1	14.4	14.5	225	124	21	36	-	-	4	-	5	4	-	-	7	?	?	?	EDINBURGH.†
GLASGOW†	1,100,400	15.5	15.5	15.2	16.3	663	343	66	88	-	-	1	-	29	3	6	2	11	?	?	?	GLASGOW.†
DUBLIN (Registration Area).†	423,000	16.0	18.4	17.4	18.7	173	152	18	49	-	-	-	-	1	3	2	2	8	3	70	3	DUBLIN (Registration Area).†
BELFAST†	420,000	16.1	17.9	16.5	15.5	245	125	27	29	-	-	-	2	9	-	3	-	4	4	25	-	BELFAST.†

* See note † on first page of this return.

† The populations are total populations and relate to 1921. Deaths and the death-rates in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

TABLE 2. LONDON.—Births and Deaths registered during the EIGHTEENTH Week of each of the Eleven Years, 1911-1921.

	1911.	1912.	1913.	1914.	1915.	1916.	1917.	1918.	1919.	1920.	1921.
Births (as registered).	2282	2149	2098	2189	2140	2279	1771	1433	1386	2552	1940
Males	1151	1107	1084	1100	1093	1156	883	745	684	1315	962
Females -	1131	1042	1014	1089	1047	1123	888	688	702	1237	978
Deaths (of residents only).	1197	1186	1229	1196	1384	1241*	1252*	1150*	1085*	1084*	999*
Males	615	659	647	637	723	647	641	581	531	541	544
Females -	582	527	582	559	661	594	611	569	554	543	455

* Deaths in civilian population only.

TABLE 3. LONDON.—BIRTHS and DEATHS REGISTERED, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the last THIRTEEN WEEKS.

	Feb. 12.	Feb. 19.	Feb. 26.	Mar. 5.	Mar. 12.	Mar. 19.	Mar. 26.	Apr. 2.	Apr. 9.	Apr. 16.	Apr. 23.	Apr. 30.	May 7.
Births (as registered) . . .	2058	2041	1908	1987	2074	2004	1746	2016	2157	2099	2112	2082	1940
Deaths (of residents only).	1147	1232	1313	1282	1311	1142	1005	1149	1168	1077	1093	1049	999
Ages													
at													
Death													
Under 1 year	181	211	168	168	179	157	117	144	166	128	144	136	147
1-2 years	43	39	30	34	45	46	32	39	38	39	36	33	28
2-5 "	29	23	31	26	24	28	18	25	24	21	28	17	23
5-10 "	34	24	33	21	22	19	19	28	22	21	19	28	24
10-15 "	17	20	15	15	15	21	14	21	12	16	14	13	14
15-20 "	20	16	18	21	24	24	26	21	30	15	29	31	19
20-25 "	19	25	29	17	25	29	23	33	29	21	28	25	34
25-35 "	44	50	65	66	53	52	50	42	69	52	41	43	41
35-45 "	54	91	90	81	93	79	80	90	91	84	90	88	73
45-55 "	121	104	141	117	138	109	108	125	122	120	132	96	103
55-65 "	153	170	185	201	176	147	130	177	178	161	168	176	146
65-75 "	207	215	247	254	243	188	182	188	190	179	201	173	169
75 years and upwards	225	244	261	261	274	243	206	216	197	220	163	190	178
Deaths from—													
Enteric fever	1	-	-	2	1	-	-	2	1	-	1	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	-	3	4	-	2	5	4	2	12	10	6	6	3
Scarlet fever	7	7	6	6	3	9	6	6	5	5	3	7	7
Whooping cough	15	13	9	13	9	7	12	8	13	10	10	8	11
Diphtheria	28	9	27	18	26	20	15	24	19	24	32	18	19
Diarrhoea and enteritis (under 2 years).	18	23	16	22	22	17	14	19	14	6	16	16	15
Pulmonary tuberculosis . .	74	102	100	105	100	101	109	95	116	85	101	99	92
Influenza	13	12	30	45	27	42	33	44	38	49	27	35	20
Pneumonia (all forms) . .	104	131	144	148	165	117	107	117	103	95	98	94	105
Bronchitis	153	158	167	159	149	131	93	102	90	88	85	81	70
Other dis. of resp. system .	10	23	23	23	27	16	16	14	15	15	8	13	16
Dis. of circ. system . . .	218	223	208	219	223	177	175	192	172	150	180	149	160
Violence	32	32	50	34	41	44	26	30	47	37	35	49	40
Inquest cases	90	86	106	85	101	90	69	88	105	80	86	92	98

CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.

Enteric fever	9	10	9	15	13	12	13	10	2	10	9	10	10
Small-pox	-	-	-	-	-	-	-	-	-	-	-	1	1
Measles	18	23	28	26	28	26	25	30	27	33	26	25	28
Scarlet fever	3945	3919	3845	3738	3730	3695	3609	3535	3453	3345	3307	3255	3195
Whooping cough	26	24	25	22	25	26	23	25	24	21	20	20	18
Diphtheria	2770	2808	2800	2809	2818	2817	2777	2689	2626	2543	2564	2453	2343

* The Metropolitan Asylums Board and London Fever Hospitals. The figures do not refer to London exclusively.

TABLE 3A. 96 Great Towns.—DEATHS from INFLUENZA in the last THIRTEEN WEEKS.

	Feb. 12.	Feb. 19.	Feb. 26.	Mar. 5.	Mar. 12.	Mar. 19.	Mar. 26.	Apr. 2.	Apr. 9.	Apr. 16.	Apr. 23.	Apr. 30.	May 7.
Deaths from Influenza . . .	93	103	138	167	149	151	122	130	97	111	82	93	104

TABLE 4. LONDON.—DEATHS REGISTERED in the EIGHTEENTH Week of the Year 1921.

CAUSES OF DEATH.	Deaths in the 18th week of the year 1920.	DEATHS OF PERSONS OF THE AGES													
		ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-10 years.	10-15 years.	15-20 years.	20-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and up- wards.
ALL CAUSES	1084	999	147	28	23	24	14	19	34	41	73	103	146	169	178
Enteric fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	41	3	1	1	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever	4	7	1	1	-	-	-	-	-	1	-	-	-	-	-
Whooping cough	19	11	6	3	2	-	-	1	2	-	-	-	-	-	-
Diphtheria	24	19	3	3	7	5	-	1	-	-	-	-	-	-	-
Influenza	31	20	-	-	-	-	-	1	2	2	5	3	4	3	-
Erysipelas	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute Poliomyelitis, Polioencepha- litis.	?	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	?	3	-	-	-	1	-	-	1	-	-	1	-	-	-
Meningococcal meningitis . . .	?	2	1	-	-	1	-	-	-	-	-	-	-	-	-
Other endemic and epidemic diseases.	2	1	-	-	-	-	-	-	-	1	-	-	-	-	-
Pyæmia and septicæmia	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis:—															
Pulmonary tuberculosis	87	92	-	-	1	-	4	8	18	11	18	17	10	4	1
Tuberculous meningitis	6	5	1	1	1	1	1	-	-	-	-	-	-	-	-
Abdominal tuberculosis	4	5	-	-	-	1	1	1	-	1	-	1	-	-	-
Tuberculosis of the spine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of the joints	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of other organs . .	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Disseminated tuberculosis . . .	6	2	1	-	-	-	1	-	-	-	-	-	-	-	-
Venereal diseases	4	4	1	-	-	-	-	-	-	-	-	3	-	-	-
Cancer	113	104	-	-	-	-	-	-	-	-	11	18	33	28	14
Rheumatic fever	3	5	-	-	-	1	1	-	-	-	-	-	-	-	2
Diabetes	10	9	-	-	-	1	-	-	1	-	-	1	4	2	1
Anæmia, leucocythæmia	8	4	1	-	1	-	-	-	-	-	-	1	1	1	-
Other general diseases	12	6	-	-	-	1	-	-	-	1	-	1	1	2	-
Alcoholism	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic poisonings	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	4	3	2	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	37	46	-	-	-	-	-	1	-	-	-	-	-	-	-
Softening of brain	-	1	-	-	-	-	-	-	-	1	1	1	12	15	16
Paralysis, without specified cause .	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Epilepsy	3	4	-	-	-	-	-	-	-	-	-	-	-	-	-
Convulsions" (not puerperal) . .	8	9	9	-	-	1	1	-	1	-	-	1	-	-	-
Other diseases of nervous system .	20	20	-	-	1	-	1	-	-	-	3	5	7	2	1
Pericarditis	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute endocarditis	2	3	-	-	-	-	1	-	-	1	1	1	-	-	-
Other diseases of heart	98	114	-	-	-	-	1	2	2	5	8	13	19	35	29
Embolism and thrombosis (exclud- ing cerebral).	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of circulatory system.	31	40	-	1	1	-	-	-	-	-	-	3	6	13	16
Diseases of the larynx	1	2	-	2	-	-	-	-	-	-	-	-	-	-	-
Tracheitis	79	70	2	2	-	-	-	-	-	-	-	-	-	-	-
Tracheo-pneumonia	47	48	23	6	2	1	-	-	-	1	4	7	25	29	-
Lobar pneumonia	26	29	-	1	-	1	-	-	-	1	2	4	3	3	2
Pneumonia (type not distinguished)	22	28	1	3	1	-	-	-	-	1	2	8	7	2	4
Leureisya	6	5	-	-	2	1	-	-	-	1	6	2	8	2	1
Pulmonary congestion, Pulmonary apoplexy.	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of respiratory system.	6	9	1	-	-	-	-	-	-	1	1	1	1	1	3

TABLE 5.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM							
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria and Croup.*	Diarrhoeal Diseases† (under 2 years).	Influenza.
LONDON† - -	4,531,971	1921. May 7	1,940	999	11·5	-	-	3	7	11	19	15	20
Calcutta - -	896,067	Apr. 2	-	664§	38·5	?	4	?	?	?	?	?	13
Bombay - -	979,445	" 2	466	1,526§	81·0	2	39	15	-	-	-	97	52
Madras - -	518,660	Mar. 26	323	380§	38·1	4	3	1	?	1	-	40	5
Paris - -	2,847,229	(10 days) Mar. 20	1,667	1,374	17·6	5	-	4	2	2	5	29	4
Russels - -	792,919	- - -	-	-	-	-	-	-	-	-	-	-	-
Antwerp - -	337,537	Apr. 23	139	78	12·1	-	-	-	-	-	-	3	1
Amsterdam - -	680,151	" 23	296	151	11·6	-	-	2	-	4	-	1	1
Copenhagen - -	571,000	" 23	157	141	12·9	-	-	-	1	-	1	-	-
Stockholm - -	419,788	" 16	156	97	12·0	-	-	-	-	-	-	-	2
Gothenburg - -	205,494	" 16	-	62	15·7	-	-	1	-	1	-	1	4
Christiania - -	260,904	" 23	100	62	12·4	-	-	1	-	-	-	-	-
Berlin - -	1,949,000	" 16	556	494	13·2	-	?	7	-	9	6	6	3
Breslau - -	547,000	" 16	253	182	17·3	-	?	-	-	1	1	8	3
Logne - -	664,000	" 16	308	184	14·4	-	?	2	1	2	2	2	2
Esden - -	595,000	" 16	237	153	13·4	-	?	-	-	1	1	1	3
Frankfort-on-Main - -	468,000	" 16	191	86	9·6	-	?	-	-	-	1	1	-
Bomburg - -	1,003,000	" 16	325	247	12·8	-	?	2	-	-	1	8	1
Pzig - -	631,000	" 16	267	171	14·1	-	?	-	-	-	1	3	2
Nich - -	670,000	" 16	226	189	14·7	-	?	7	-	-	1	3	1
Buda - -	1,842,005	" 16	469	626	17·7	1	-	1	-	2	2	20	2
ague AND BUBURS. BUDAPEST - -	676,454	" 2	296	207	16·0	1	-	1	-	-	-	5	6
BUDAPEST - -	1,092,000	Feb. 19	414	374	17·8	3	?	8	6	2	3	15	1
BUDAPEST - -	244,473	Apr. 9	-	-	-	-	-	-	-	-	-	-	-
Cairo - -	764,800	Feb. 25	650	523	35·6	1	1	1	-	?	2	47	?
Alexandria - -	449,300	" 25	428	285	33·0	-	-	2	-	?	-	14	?
New York - -	5,755,151	Apr. 9	2,798	1,439	13·1	1	-	3	19	3	27	24	10
Chicago - -	2,780,655	" 16	-	606	11·4	-	-	6	8	7	9	21	2

cluding deaths from group in London, Bombay, and Madras.

the deaths in this column relate to all ages for Bombay, Madras, Christiania, and Budapest, and to children under 2 years of age for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

The estimated population and deaths refer to the civilian population only.

cluding 1 death from plague in Calcutta and 47 in Bombay, and from Asiatic cholera, 138 deaths in Calcutta and 1 in Madras

TABLE 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 7th May, 1921.

(Supplied by the Meteorological Office.)

TOWNS.	Temperature of Air.*				Rainfall in Milli- metres.†	TOWNS.	Temperature of Air.*				Rainfall in Milli- metres.†
	Highest.	Lowest.	Mean Maxi- mum.	Mean Mini- mum.			Highest.	Lowest.	Mean Maxi- mum.	Mean Mini- mum.	
London (Greenwich) }	70	34	59·3	39·7	13	Bradford - -	64	29	54·9	38·3	15
Boston - -	63	37	54·9	43·4	25	Sheffield - -	66	33	55·0	40·4	15
Bournemouth - -	69	37	58·0	44·0	19	York (Museum) - -	66	30	56·7	40·1	17
Wich (Eaton) - -	65	33	55·9	40·7	8	Hull (Pearson Park) - -	63	31	55·3	40·4	32
South - -	66	37	57·9	44·7	23	Tynemouth - -	61	33	52·4	41·3	11
Col (Clifton) - -	64	34	56·7	41·4	17	Cardiff - -	64	34	57·0	42·1	21
Nottingham - -	64	34	56·0	41·3	15	Edinburgh - -	70·0	33·0	52·1	38·3	20
Nottingham - -	66	34	56·9	41·7	18	Glasgow - -	68·1	31·7	54·0	38·1	18
Nottingham (Bidston) }	60	35	53·3	41·1	6	Dublin :-					
Hester - -	68	30	57·6	41·3	13	Phoenix Park - -	62·6	28·2	55·1	37·3	25
Leamington - -	66	26	54·7	36·7	22	† Fitzwilliam Square - -	62·1	35·1	55·8	43·3	10
Leamington - -	69	31	55·9	39·1	11	Belfast - -	67·0	30·8	56·4	41·3	13

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.

† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.

‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

TABLE 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 7th May 1921.

[Under the Superintendence of the Astronomer Royal.]

1921. MONTH AND DAY.			Phases of the Moon.	BARO- METER. Mean daily reading (cor- rected and re- duced to 32° Fahren- heit).	TEMPERATURE.					Difference between the Air Temperature and Dew Point Temperature.		De- gree of Hu- mid- ity (Satu- ration equals 100°).	TEMPERATURE.			Wind as deduced from Anemometers.					Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.						
					Of the Air.					Of the Dew point.	Mean daily value.		De- parture from Average of 65 years.	Highest est.	Low- est.	Daily Range.	Mean daily value.	Great- est.	Mean daily value.	Of the Earth 4 feet below the Surface.		Osler's.		Robinson's.			
					High- est.	Low- est.	Daily Range.	Mean daily value.	De- parture from Average of 65 years.													General Direction.	Pressure on the Square Foot.		Horizontal Movement of the Air on each Day.	Depart- ure from Average of 50 years.	
																							A.M.	P.M.			Great- est.
MAY.				in.	°	°	°	°	°	°	°	°	°	°	°	°	°	lbs.	lbs.	Miles.	Miles.	in.					
SUNDAY	-	1	..	30·064	63·5	43·4	20·1	50·8	+ 1·5	43·0	7·8	17·8	1·8	75	119·8	32·0	47·2	N.	N. & NNE.	1·9	0·0	0·2	263	- 21	0·00		
MONDAY	-	2	..	29·756	70·4	36·7	33·7	53·8	+ 4·3	40·3	13·5	28·2	1·0	60	123·9	25·3	47·5	Calm, WSW. & NW.	NW. & N.	4·4	0·0	0·2	239	- 43	0·03		
TUESDAY	-	3	In Equator.	29·682	51·0	34·8	16·2	42·5	- 7·3	33·6	8·9	18·0	2·4	71	101·3	26·5	47·5	NNE. & N.	N. & calm	2·6	0·0	0·2	282	+ 2	0·01		
WEDNESDAY	-	4	..	29·429	48·8	34·8	14·0	41·2	- 8·8	38·9	2·3	7·2	0·0	92	107·1	26·5	47·7	Calm & S.	ESE. & NNE.	1·2	0·0	0·0	179	- 99	0·29		
THURSDAY	-	5	..	29·717	54·4	33·6	20·8	44·3	- 6·0	34·1	10·2	17·7	2·3	67	119·3	24·8	47·8	NNE. & calm.	Calm & S.	1·0	0·0	0·0	127	- 149	0·00		
FRIDAY	-	6	..	29·597	57·2	39·4	17·8	49·4	- 1·1	46·9	2·5	8·8	0·0	91	83·2	30·6	47·8	S. & SSW.	SW.	3·4	0·0	0·3	329	+ 56	0·01		
SATURDAY	-	7	New	29·390	66·0	50·7	15·3	55·9	+ 5·2	52·0	3·9	12·3	0·0	87	126·7	46·2	47·7	SW.	SW.	3·2	0·0	0·3	309	+ 39	0·07		
MEANS	-	-	-	29·662	58·8	39·1	19·7	48·3	- 1·7	41·3	7·0	15·7	1·1	78	112·3	30·3	47·6	N. and SSW.		Sum 1728	Sum - 215	Sum 0·41		
No. of Column			-	-	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE.		ELECTRICITY. (For explanation of symbols, see Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
MAY 1921.					
SUNDAY	- 1	w.P. till 9h., m.P. generally afterwards.	6·6	14·7	Cloudy to overcast by 2h.; few breaks from 10h., becoming fine with little cloud by 13h. 30m.; nearly cloudless from 15h.
MONDAY	- 2	w.P. generally till 7h., s.P. generally till 18h., v.P. and v.N. till 20h., w.P. afterwards.	10·3	14·8	Cloudless till 3h., partially cloudy generally till 18h., becoming overcast generally by 19h.; heavy shower 19h. 30m.
TUESDAY	- 3	w.P. till 8h., s.P. generally afterwards, a little v.N. in afternoon.	1·4	14·9	Overcast generally till 14h.; few clouds till 21h., then nearly cloudless with thin haze and slight hoar frost.
WEDNESDAY	- 4	v.P. till 6h., v.P. and v.N. till 15h., m.P. and s.P. afterwards.	0·4	14·9	Nearly cloudless till 1h., becoming overcast by 2h.; few small breaks during the day; damping and rain 5h. to 11h.
THURSDAY	- 5	m.P. till 7h., v.P. afterwards.	5·6	15·0	Overcast generally till 1h., becoming cloudless by 2h.; cloudy 8h. to 20h.; nearly cloudless 20h. to 23h., then clouding up again; shower about 16h. 30m.
FRIDAY	- 6	v.P. generally a little v.N. at times.	0·2	15·0	Overcast with few exceptions; occasional slight rain between 7h. 30m. and 16h.; solar halo 18h. to 19h. 30m.
SATURDAY	- 7	v.P. generally, v.N. at times.	2·7	15·1	Overcast or nearly overcast throughout with few cloudy intervals and frequent slight rain.
No. of Col. . . .		26	Sum 27·2	Sum 104·4	
			27	28	

The results apply to the civil day, or from midnight to midnight. The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.
Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.
The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.
In reading columns 9 and 24 it will be borne in mind that + indicates "higher," and - "lower," than the average.
The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.
The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.
The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.
The reading of the barometer increased from 30·11 in. at the beginning of the week to 30·12 in. by 7h. on 1st; decreased to 29·38 in. by 16h. on 4th; increased to 29·74 in. by 21h. on 5th, and decreased to 29·33 in. by midnight on 7th.

The results apply to the civil day, or from midnight to midnight.
The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "higher," and - "lower," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 30·11 in. at the beginning of the week to 30·12 in. by 7h. on 1st; decreased to 29·38 in. by 16h. on 4th; increased to 29·74 in. by 21h. on 5th, and decreased to 29·33 in. by midnight on 7th.

TABLE 8. LONDON.—DEATHS OF PERSONS BELONGING to the several METROPOLITAN BOROUGHs REGISTERED in the Week ended 30th April, 1921.

BOROUGHs.	Deaths from									Deaths of Infants under 1 Year of Age.
	ALL CAUSES.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Pulmonary Tuberculosis.	
COUNTY OF LONDON -	1,049	-	-	6	7	8	18	16	99	136
Western										
PADDINGTON . . .	23	-	-	-	-	-	-	-	2	6
KENSINGTON . . .	44	-	-	-	1	-	-	-	2	7
HAMMERSMITH . . .	36	-	-	-	-	-	-	-	5	5
FULHAM . . .	25	-	-	-	-	-	1	-	3	3
CHELSEA . . .	15	-	-	-	-	-	1	-	1	2
CITY OF WESTMINSTER -	34	-	-	-	-	-	-	-	2	3
Northern.										
ST. MARYLEBONE . .	30	-	-	-	-	1	-	-	4	2
HAMPSTEAD . . .	22	-	-	-	1	-	-	-	1	4
ST. PANCRAS . . .	55	-	-	-	1	1	1	-	4	8
ISLINGTON . . .	87	-	-	1	-	1	3	1	7	8
STOKE NEWINGTON . .	10	-	-	-	-	-	-	-	-	1
HACKNEY . . .	54	-	-	-	-	-	1	-	6	1
Central.										
HOLBORN . . .	16	-	-	-	-	-	-	-	2	1
FINSBURY . . .	22	-	-	1	-	-	1	-	1	3
CITY OF LONDON . .	2	-	-	-	-	-	-	-	-	1
Eastern.										
SHOREDITCH . . .	31	-	-	1	-	-	-	1	3	7
BETHNAL GREEN . .	32	-	-	2	1	-	2	1	4	4
STEPNEY . . .	48	-	-	-	-	-	1	2	7	3
POPLAR . . .	26	-	-	-	-	-	-	1	5	3
Southern.										
SOUTHWARK . . .	59	-	-	-	-	-	1	1	6	8
BERMONDSEY . . .	33	-	-	-	-	1	-	1	2	8
LAMBETH . . .	68	-	-	-	1	-	2	3	7	7
BATTERSEA . . .	44	-	-	-	-	1	-	1	4	7
WANDSWORTH . . .	71	-	-	-	1	-	1	1	5	11
CAMBERWELL . . .	59	-	-	-	-	1	1	-	9	11
DEPTFORD . . .	24	-	-	-	-	-	-	2	1	3
GREENWICH . . .	18	-	-	-	1	-	-	-	1	3
LEWISHAM . . .	33	-	-	1	-	2	1	1	1	5
WOOLWICH . . .	28	-	-	-	-	-	1	-	4	1

The deaths in the above Table are, so far as concerns London as a whole, corrected by the exclusion of deaths of non-residents, and by the inclusion of those of residents occurring in the Outer Ring or in Metropolitan public institutions situated outside the County. As between individual Metropolitan Boroughs, however, correction is complete.

TABLE 9. LONDON.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED during the Week ended 30th April, 1921.*

BOROUGH.	ESTI- MATED CIVILIAN POPU- LATION, MID. 1920.† (Provi- sional.)	Enteric Fever.	Malaria.	Typhus.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Pneumonia.	Erysipelas.	Cerebro-Spinal Fever.	Puerperal Fever.	Ophthalmia Neonatorum.	Polio-myelitis.	Dysentery.	Encephalitis Lethargica.	Trench Fever.	Polio- encephalitis.
WESTERN.																	
Paddington . . .	149,673	-	-	-	-	9	6	-	2	-	-	-	-	-	-	-	-
Kensington . . .	164,177	-	-	-	-	15	4	-	2	-	-	-	-	-	-	-	-
St. Pancras . . .	136,200	-	-	-	-	25	4	2	1	-	1	-	-	-	-	-	-
St. Marylebone . . .	158,621	1	-	-	-	10	8	4	3	-	-	1	-	-	-	-	-
St. James . . .	62,987	1	1	-	-	4	1	-	1	-	-	-	-	-	-	-	-
City of Westminster . . .	132,615	-	-	-	-	6	6	2	-	-	-	-	-	-	-	-	-
NORTHERN.																	
St. Marylebone . . .	101,856	-	-	-	-	2	1	3	1	-	-	-	-	-	-	-	-
St. Pancras . . .	91,519	-	-	-	-	5	4	2	1	-	-	-	-	-	1	-	-
St. James . . .	228,178	-	1	-	-	16	15	6	1	-	-	-	-	-	-	-	-
St. Marylebone . . .	335,907	-	-	-	-	25	25	1	4	-	-	4	-	-	-	-	-
St. James . . .	52,984	-	-	-	-	9	5	-	2	-	-	-	-	-	-	-	-
St. Marylebone . . .	225,372	-	-	-	-	30	16	3	-	-	1	2	-	-	-	-	-
CENTRAL.																	
St. Marylebone . . .	39,676	-	1	-	1	3	1	-	2	-	-	-	-	-	-	-	-
St. Pancras . . .	78,291	-	-	-	-	3	1	1	-	-	-	-	-	-	-	-	-
St. Marylebone . . .	14,447	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
EASTERN.																	
St. Marylebone . . .	102,044	-	-	-	-	9	9	4	1	-	-	1	-	-	-	-	-
St. Pancras . . .	114,471	-	-	-	-	17	14	7	3	-	1	1	-	-	1	-	-
St. Marylebone . . .	241,770	-	-	-	-	35	13	6	2	-	-	1	-	-	-	-	-
St. Marylebone . . .	159,766	-	1	-	-	18	7	1	1	1	-	2	-	-	-	-	-
SOUTHERN.																	
St. Marylebone . . .	187,142	-	-	-	-	22	6	9	3	-	-	-	-	-	-	-	-
St. Marylebone . . .	129,189	-	-	-	-	27	11	-	1	-	-	-	-	-	-	-	-
St. Marylebone . . .	293,572	1	-	-	-	17	10	2	4	1	-	1	-	-	-	-	-
St. Marylebone . . .	165,664	-	1	-	-	28	11	9	2	-	-	-	-	-	-	-	-
St. Marylebone . . .	346,990	-	-	-	-	44	17	6	5	-	1	2	-	-	-	-	-
St. Marylebone . . .	284,712	-	-	-	-	26	10	2	-	-	1	1	-	-	1	-	-
St. Marylebone . . .	115,636	-	-	-	-	16	7	-	-	-	2	-	-	-	-	-	-
St. Marylebone . . .	102,408	-	1	-	-	20	7	1	1	-	1	-	-	-	-	-	-
St. Marylebone . . .	174,438	-	-	-	-	25	7	2	-	-	-	-	-	-	-	-	-
St. Marylebone . . .	141,666	-	-	-	-	23	7	4	-	-	-	1	-	-	1	-	-
TOTAL . . .	4,531,971	3	6	-	1	490	233	77	44	2	7	17	-	-	4	-	-
Ages 0-1 . . .		-	-	-	-	5	5	2	2	-	-	17	-	-	-	-	-
" 1-5 . . .		-	-	-	-	90	61	6	-	1	-	-	-	-	-	-	-
" 5- . . .		-	-	-	-	232	93	12	4	1	-	-	-	-	-	-	-
" 10- . . .		-	-	-	-	109	36	8	-	-	-	-	-	-	1	-	-
" 15- . . .		-	-	-	-	25	15	5	1	-	-	-	-	-	-	-	-
" 20- . . .		-	1	-	-	7	7	3	3	-	2	-	-	-	-	-	-
" 25- . . .		2	3	-	-	14	10	8	5	-	2	-	-	-	1	-	-
" 35- . . .		1	2	-	1	5	4	13	6	-	3	-	-	-	2	-	-
" 45- . . .		-	-	-	-	3	2	11	4	-	-	-	-	-	-	-	-
" 55- . . .		-	-	-	-	-	-	7	10	-	-	-	-	-	-	-	-
" 65- . . .		-	-	-	-	-	-	1	3	-	-	-	-	-	-	-	-
" 75 and upwards . . .		-	-	-	-	-	-	1	6	-	-	-	-	-	-	-	-
Age not stated . . .		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

† See note † on first page of this return.

FOR OFFICIAL USE

WEEKLY RETURN

OF

**BIRTHS AND DEATHS REGISTERED:—
LONDON AND
NINETY-FIVE OTHER GREAT TOWNS.**

~~~~~  
**By Authority of the Registrar General.**  
~~~~~

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased through any Bookseller or directly from
H.M. STATIONERY OFFICE at the following addresses:
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and
28, ABINGDON STREET, LONDON, S.W. 1;
37, PETER STREET, MANCHESTER;
1, ST. ANDREW'S CRESCENT, CARDIFF;
23, FORTH STREET, EDINBURGH;
or from E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN.

No. 19. Vol. LXXXII. 1921. WEEK ENDED SATURDAY, MAY 14.
[Price 9d. Net.]

*General Register Office, Somerset House,
May 17th, 1921.*

NINETY-SIX GREAT TOWNS.

For the NINETY-SIX GREAT TOWNS of England and Wales each of which had a population of 50,000 or over at the Census of 1911, the births registered last week numbered 8,996, and corresponded to an annual rate of 25·2 per 1,000. The deaths* among the civilian population only numbered 4,434, and corresponded to an annual rate of 12·5 per 1,000 of their aggregate civilian population, which is provisionally estimated† at 18,554,878 persons in the year 1920. In the three weeks ended April 23rd, April 30th, and May 7th, the rates had been 12·5, 12·5, and 12·4 respectively. The infant mortality was 68, against 76, 75, and 83 in the preceding three weeks. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks; it also shows for the week ended last Saturday the births and the deaths from certain individual causes. A column showing the number of deaths

* Corrected as far as possible for deaths of non-residents and for those of residents occurring outside the area. Fully corrected figures will appear in the Registrar General's Annual Report.

† The estimates of population refer to the year 1920, and are based on the returns furnished under the scheme for rationing of food.

from influenza has been inserted in Table 1. The aggregate number of deaths from influenza in the 96 great towns in each of the last thirteen weeks is shown in Table 3A.

Measured by last week's mortality, the highest annual death-rates per 1,000 living were:—from *all causes*, 18·1 in Sunderland, 18·6 in Eastbourne, 19·1 in Liverpool, 20·0 in Oldham, 21·2 in Exeter, and 24·3 in Barnsley; from *measles*, 1·3 Sunderland and in South Shields, and 1·4 in Barrow-in-Furness; and from *whooping cough*, 1·1 in Liverpool and in Oldham, and 1·5 in Burnley. No death from *small-pox* was registered in any of the ninety-six towns.

LONDON.* (The Administrative County, including the City of London.)

For LONDON there were 2,068 BIRTHS, corresponding to a rate of 23·7 per 1,000, and 1,012 DEATHS of civilians, corresponding to a rate of 11·6, as against 12·6, 12·1, and 11·5 per 1,000 in the three weeks ended April 23rd, April 30th, and May 7th. The death-rate in the four weeks ended last Saturday averaged 12·0 per 1,000. The infant mortality was 52, against 68, 65, and 76 in the preceding three weeks.

There was no death from *enteric fever*, against 1, 0, and 0 in the preceding three weeks, the average for the corresponding weeks of the previous five years being 1. The deaths from *measles*, which had been 6, 6, and 3 in the preceding three weeks, rose last week to 6, but were 29 below the average. The deaths from *scarlet fever*, which had been 3, 7, and 7 in the preceding three weeks, fell last week to 5, but were 3 above the average. The deaths from *whooping-cough*, which had been 10, 8, and 11 in the preceding three weeks, were 12 last week, and were 15 below the average. The deaths from *diphtheria*, which had been 32, 18, and 19 in the preceding three weeks, fell last week to 17, but were 7 above the average; 3 deaths belonged to the Borough of Wandsworth and 3 to Lewisham. The deaths from *diarrhœa and enteritis under 2 years of age*, which had been 16, 16, and 15 in the preceding three weeks, fell last week to 7, and were 6 below the average. The deaths from *influenza* numbered 28 as against 27, 35, and 20, in the preceding three weeks and an average of 18.

Different forms of violence caused 37 deaths, all of which were the subject of coroners' inquests. Of these 37 deaths, 10 were cases of suicide and 1 of homicide, while the remaining 26 were attributed to other forms of violence. Seven of these latter were referred to vehicles in the streets, 5 to burns or scalds, 1 to drowning, and 1 of an infant under one year of age, to suffocation in bed.

CASES OF INFECTIOUS DISEASE.†

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital, there were 13 cases of enteric fever, 1 of smallpox, 34 of measles, 3,238 of scarlet fever, 16 of whooping-cough, and 2,281 of diphtheria under treatment in these hospitals on Saturday last (Table 3). The admissions during

* See note * on first page.

† The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

the week, as compared with those in the preceding three weeks, were as follows :—Of enteric fever, 6 cases, against 1, 3, and 2; of measles, 10 cases, against 3, 4, and 8; of scarlet fever, 534 cases, against 415, 493, and 476; of whooping-cough, 0 case, against 0, 0, and 0; and of diphtheria, 252 cases, against 292, 228, and 227. Table 9, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the county during the week ended May 7th, 1921.

TABLE 1.—88 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH RATES in the Week ended Saturday, 14th May, 1921, and DEATH-RATES in each of the preceding three Weeks.

[illegible]

TOWNS.		Week ended		The DEATHS in the Week include										TOWNS.													
		14th May, 1921.		Deaths from																							
		BIRTHS.	DEATHS.	Deaths of								Inquest Cases.			Deaths in Public Institutions.	Uncertified Causes of Death.											
		23rd Apr., 1921.	30th Apr., 1921.	7th May, 1921.	14th May, 1921.	Infants under 1 Year of Age.		Persons aged 65 Years and upwards.		Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.	Violence			18.	19.	20.	21.	Cols.		
	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.						
SOUTHEND ON SEA.	87,332	10.1	12.5	10.1	7.8	32	13	-	7	-	-	-	-	-	-	-	-	-	-	4	-	-	4	-	SOUTHEND ON SEA.		
IPSWICH.	81,119	14.8	12.2	9.0	10.3	45	16	2	6	-	-	-	-	-	-	-	-	1	2	2	-	-	2	-	IPSWICH.		
GREAT YARMOUTH.	55,193	13.2	12.3	10.4	11.3	20	12	-	4	-	-	-	-	-	-	-	-	1	1	1	-	-	1	-	GREAT YARMOUTH.		
NORWICH.	124,774	11.7	11.3	7.5	13.4	59	32	7	8	1	-	-	-	1	1	1	-	1	2	11	-	-	11	-	NORWICH.		
SWINDON.	53,580	11.7	7.8	11.7	13.6	24	14	-	5	-	-	1	-	-	-	-	1	1	-	2	-	-	2	-	SWINDON.		
EXETER.	61,365	14.4	8.5	14.4	21.2	23	25	4	8	-	-	1	-	-	-	-	-	1	2	7	-	-	7	-	EXETER.		
PLYMOUTH.	189,218	11.8	9.9	13.0	14.3	92	52	9	23	-	-	-	-	-	-	1	1	3	6	12	-	-	12	-	PLYMOUTH.		
BATH.	68,546	12.2	13.7	12.2	12.9	15	17	-	12	-	-	-	-	-	-	-	-	1	1	4	-	-	4	-	BATH.		
BRISTOL.	375,641	11.7	13.3	12.8	9.4	168	68	5	26	-	-	1	-	2	3	-	2	3	5	30	-	-	30	-	BRISTOL.		
GLOUCESTER.	52,096	11.0	9.0	9.0	7.0	23	7	-	3	-	-	-	-	-	-	-	-	1	1	1	-	-	1	-	GLOUCESTER.		
STOKE ON TRENT.	248,852	17.0	13.6	11.7	12.4	165	59	13	17	-	-	-	-	-	1	-	-	2	4	15	-	-	15	-	STOKE ON TRENT.		
WOLVERHAMPTON.	102,324	13.8	12.2	11.2	14.3	54	28	2	14	-	-	-	-	1	-	-	-	-	2	8	-	-	8	-	WOLVERHAMPTON.		
WALSALL.	96,419	15.7	16.8	10.3	16.8	68	31	9	9	-	-	-	-	1	-	-	1	-	1	3	-	-	3	-	WALSALL.		
WEST BROMWICH.	72,684	12.2	14.3	11.5	14.3	46	20	2	5	-	-	1	-	-	-	-	1	2	3	2	1	-	2	1	WEST BROMWICH.		
DUDLEY.	56,169	7.4	12.1	9.3	11.1	40	12	2	3	-	-	1	-	-	-	-	1	-	1	1	-	-	1	-	DUDLEY.		
BIRMINGHAM.	895,915	13.5	10.8	12.5	13.1	478	225	40	74	1	-	6	-	2	3	3	6	10	12	71	10	-	71	10	BIRMINGHAM.		
SMETHWICK.	75,027	10.4	13.9	8.3	7.0	37	10	2	2	-	-	-	-	-	-	-	2	-	1	1	-	-	1	-	SMETHWICK.		
COVENTRY.	137,310	13.3	8.4	8.7	12.5	69	33	8	7	-	-	-	-	1	-	-	-	1	3	7	1	-	7	1	COVENTRY.		
LEICESTER.	245,465	11.0	13.8	11.3	10.6	127	50	6	19	-	-	-	1	3	-	-	-	1	1	14	2	-	14	2	LEICESTER.		
LINCOLN.	67,543	14.7	9.3	10.0	9.3	34	12	2	5	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	LINCOLN.		
GRIMSBY.	31,953	18.5	6.4	7.6	5.7	46	9	-	3	-	-	-	-	-	-	-	-	1	1	2	-	-	2	-	GRIMSBY.		
NOTTINGHAM.	267,836	10.9	11.7	11.9	11.5	127	59	10	19	-	-	-	-	-	-	3	-	2	4	17	1	-	17	1	NOTTINGHAM.		
DERBY.	128,868	10.9	10.5	10.9	7.7	61	19	3	9	-	-	-	-	-	-	-	-	-	-	7	-	-	7	-	DERBY.		

* See note † on first page of this return.

TABLE 1 (cont.).—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH-RATE in the Week ended Saturday, 14th May, 1921, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	ESTIMATED CIVILIAN POPULATION MID. 1920.* (Provisional.)	DEATH-RATES from all Causes.				Week ended 14th May, 1921.		The DEATHS in the Week include											TOWNS.			
		Week ended				BIRTHS.	DEATHS.	Deaths from								Deaths in Public Institutions.	Uncertified Causes of Death.					
		23rd Apr., 1921.	30 h Apr., 1921.	7th May 1921	14th May 1921.			Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.	Violence.								
															Infants under 1 Year of Age.			Persons aged 65 Years and upwards.		Enteric Fever.	Small-pox.	Measles.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
STOCKPORT	130,635	12.8	12.0	9.2	13.6	60	34	4	12	-	-	-	-	-	-	-	1	1	4	8	-	STOCKPORT.
BIRKENHEAD	153,951	7.5	8.1	10.5	9.1	86	27	7	8	-	-	-	-	-	-	1	-	-	2	8	-	BIRKENHEAD.
WALLASEY	99,226	8.4	9.5	7.4	6.8	34	13	2	5	-	-	-	-	-	-	-	2	-	-	-	-	WALLASEY.
LIVERPOOL	803,452	15.5	17.0	19.3	19.1	431	255.1	53	68	-	-	2	-	17	7	2	8	6	8	118	1	LIVERPOOL.
BOOTLE	80,029	8.5	13.7	16.3	9.8	43	15	3	4	-	-	-	-	-	-	-	-	-	-	6	1	BOOTLE.
ST. HELENS	104,822	14.4	10.9	17.4	12.9	57	26	5	5	-	-	-	-	-	-	-	1	-	-	4	-	ST. HELENS.
SOUTHPORT	72,939	12.2	15.7	12.9	12.2	22	17	3	8	-	-	-	-	-	-	-	-	1	1	1	-	SOUTHPORT.
WIGAN	90,866	15.5	13.8	12.6	17.8	37	31	5	9	-	-	-	-	-	-	-	3	-	1	7	-	WIGAN.
WARRINGTON	77,939	20.7	14.7	16.1	16.1	42	24	5	7	-	-	-	-	1	-	-	1	1	1	7	-	WARRINGTON.
BOLTON	184,533	14.4	11.0	11.9	10.5	69	37	8	6	-	-	1	-	1	-	-	-	2	3	6	1	BOLTON.
BURY	56,410	15.7	13.9	18.5	16.6	21	18	3	7	-	-	-	-	-	-	-	-	-	2	1	-	BURY.
MANCHESTER	770,597	12.9	14.5	15.1	16.6	426	245	38	65	-	-	-	1	7	3	9	16	4	12	84	2	MANCHESTER.
SALFORD	235,239	12.2	15.7	15.5	14.6	150	66	7	24	1	-	-	-	-	1	-	6	1	2	12	-	SALFORD.
OLDHAM	143,154	17.8	20.4	14.9	20.0	60	55	8	22	-	-	-	-	3	1	-	5	1	1	9	-	OLDHAM.
ROCHDALE	93,639	13.4	14.5	15.6	15.0	29	27	2	6	-	-	-	-	-	-	1	-	2	2	8	-	ROCHDALE.
BURNLEY	105,030	17.9	10.4	18.9	13.4	58	27	1	9	-	-	-	-	3	-	-	-	2	4	7	-	BURNLEY.
BLACKBURN	131,012	14.7	12.7	9.6	14.3	54	36	2	17	-	-	-	-	-	-	-	-	1	2	4	-	BLACKBURN.
PRESTON	121,950	15.8	12.4	7.7	15.0	57	35	4	14	-	-	-	-	-	-	-	1	1	1	8	-	PRESTON.
BLACKPOOL	70,545	10.3	8.9	12.6	17.0	21	23	2	12	-	-	-	-	-	-	1	1	2	2	2	-	BLACKPOOL.
BARROW IN FURNESS	76,561	8.2	9.5	17.0	8.2	47	12	2	3	-	-	2	-	-	-	-	-	-	-	-	-	BARROW IN FURNESS.
HUDDERSFIELD	116,776	12.1	13.4	15.6	17.4	35	39	3	13	-	-	-	-	-	-	-	-	1	3	8	-	HUDDERSFIELD.
HALIFAX	105,847	9.9	7.9	19.2	13.8	34	28	5	13	-	-	-	-	-	-	1	1	1	1	4	-	HALIFAX.
BRADFORD	293,979	11.9	14.5	14.2	16.3	116	92	10	39	-	-	4	-	2	1	2	-	3	7	27	-	BRADFORD.
LEEDS	449,212	13.6	13.2	14.6	12.4	222	107	11	45	-	-	-	-	1	-	-	2	8	13	28	-	LEEDS.
DEWSBURY	55,080	17.0	21.8	15.1	4.7	25	5	1	2	-	-	-	-	-	-	-	-	1	1	1	-	DEWSBURY.
WAKEFIELD	51,169	18.3	18.3	16.3	13.2	29	13	2	7	-	-	-	-	-	-	-	-	-	-	6	-	WAKEFIELD.
BARNSELEY	53,739	11.6	19.4	11.6	24.3	25	25	4	6	-	-	1	-	-	-	-	2	2	3	2	-	BARNSELEY.

TOWNS.	CIVILIAN POPULATION, MID. 1920 * (Provisional).	Week ended				14th May, 1921.		Deaths of		Deaths from										Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Cols.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
		TOWNS.				BIRTHS.	DEATHS.	Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.	Violence.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
		23rd Apr., 1921.	30th Apr., 1921.	7th May, 1921.	14th May, 1921.														6.					7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
	1.	2.	3.	4.	5.	6.	7.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														</

* See note † on first page of this return.

† The populations are total populations and relate to 1921. Deaths and the death-rates in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week : those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

TABLE 2. LONDON.—Births and Deaths registered during the NINETEENTH Week of each of the Eleven Years, 1911-1921.

	1911.	1912.	1913.	1914.	1915.	1916.	1917.	1918.	1919.	1920.	1921.
Births (as registered).	2160	2173	2185	2328	2001	2212	1750	1533	1539	2648	2068
Males -	1111	1116	1131	1227	1005	1147	930	782	780	1369	1058
Females -	1049	1057	1054	1101	996	1065	820	751	759	1279	1010
Deaths (of residents only).	1147	1224	1175	1158	1255	1115*	1254*	1135*	964*	1046*	1012*
Males -	587	669	603	607	650	599	659	569	490	517	511
Females -	560	555	572	551	605	516	595	566	474	529	501

* Deaths in civilian population only.

TABLE 3. LONDON.—BIRTHS and DEATHS REGISTERED, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the last THIRTEEN WEEKS.

	Feb. 19.	Feb. 26.	Mar. 5.	Mar. 12.	Mar. 19.	Mar. 26.	Apr. 2.	Apr. 9.	Apr. 16.	Apr. 23.	Apr. 30.	May 7.	May 14.
Births (as registered) . . .	2041	1908	1987	2074	2004	1746	2016	2157	2099	2112	2082	1940	2068
Deaths (of residents only).	1232	1313	1282	1311	1142	1005	1149	1168	1077	1093	1049	999	1012
Under 1 year	211	168	168	179	157	117	144	166	128	144	136	147	108
1-2 years	39	30	34	45	46	32	39	38	39	36	33	28	25
2-5 "	23	31	26	24	28	18	25	24	21	28	17	23	28
5-10 "	24	33	21	22	19	19	28	22	21	19	28	24	20
Ages 10-15 "	20	15	15	15	21	14	21	12	16	14	13	14	17
15-20 "	16	18	21	24	24	26	21	30	15	29	31	19	23
at 20-25 "	25	29	17	25	29	23	33	29	21	28	25	34	24
25-35 "	50	65	66	53	52	50	42	69	52	41	43	41	50
Death 35-45 "	91	90	81	93	79	80	90	91	84	90	88	73	89
45-55 "	104	141	117	138	109	108	125	122	120	132	96	103	108
55-65 "	170	185	201	176	147	130	177	178	161	168	176	146	145
65-75 "	215	247	254	243	188	182	188	190	179	201	173	169	191
75 years and upwards	244	261	261	274	243	206	216	197	220	163	190	178	184
Deaths from—													
Enteric fever	-	-	2	1	-	-	2	1	-	1	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	3	4	-	2	5	4	2	12	10	6	6	3	6
Scarlet fever	7	6	6	3	9	6	6	5	5	3	7	7	5
Whooping cough	13	9	13	9	7	12	8	13	10	10	8	11	12
Diphtheria	9	27	18	26	20	15	24	19	24	32	18	19	17
Diarrhoea and enteritis (under 2 years).	23	16	22	22	17	14	19	14	6	16	16	15	7
Pulmonary tuberculosis . .	102	100	105	100	101	109	95	116	85	101	99	92	87
Influenza	12	30	45	27	42	33	44	38	49	27	35	20	28
Pneumonia (all forms) . . .	131	144	148	165	117	107	117	103	95	98	94	105	88
Bronchitis	158	167	159	149	131	93	102	90	88	85	81	70	74
Other dis. of resp. system . .	23	23	23	27	16	16	14	15	15	8	13	16	13
Dis. of circ. system	223	208	219	223	177	175	192	172	150	180	149	180	190
Violence	32	50	34	41	44	26	30	47	37	35	49	40	37
Inquest cases	86	106	85	101	90	69	88	105	80	86	92	98	96

CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.

Enteric fever	10	9	15	13	12	13	10	2	10	9	10	10	13
Small-pox	-	-	-	-	-	-	-	-	-	-	1	1	1
Measles	23	28	26	28	26	25	30	27	33	26	25	28	34
Scarlet fever	3919	3845	3738	3730	3695	3609	3535	3453	3345	3307	3255	3195	3238
Whooping cough	24	25	22	25	26	23	25	24	21	20	20	18	16
Diphtheria	2808	2800	2809	2818	2817	2777	2689	2626	2543	2564	2453	2343	2281

* The Metropolitan Asylums Board and London Fever Hospitals. The figures do not refer to London exclusively.

TABLE 3A. 96 Great Towns.—DEATHS from INFLUENZA in the last THIRTEEN WEEKS.

	Feb. 19.	Feb. 26.	Mar. 5.	Mar. 12.	Mar. 19.	Mar. 26.	Apr. 2.	Apr. 9.	Apr. 16.	Apr. 23.	Apr. 30.	May 7.	May 14.
Deaths from Influenza . . .	103	138	167	149	151	122	130	97	111	82	93	104	114

TABLE 4. LONDON.—DEATHS REGISTERED in the NINETEENTH Week of the Year 1921.

CAUSES OF DEATH.	Deaths in the 19th week of the year 1920.	DEATHS OF PERSONS OF THE AGES													
		ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-10 years.	10-15 years.	15-20 years.	20-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and up- wards.
ALL CAUSES	1046	1012	108	25	28	20	17	23	24	50	89	108	145	191	184
Enteric fever	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	25	6	3	2	1	-	-	-	-	-	-	-	-	-	-
Scarlet fever	1	5	-	1	3	1	-	-	-	-	-	-	-	-	-
Whooping cough	35	12	3	6	1	2	-	-	-	-	-	-	-	-	-
Diphtheria	11	17	-	1	5	7	2	-	1	-	1	-	-	-	-
Influenza	32	28	1	-	-	-	-	2	4	2	2	5	3	5	4
Erysipelas	3	1	-	-	-	-	-	-	-	-	-	-	-	-	1
Acute Poliomyelitis, Polioencepha- litis.	?	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	?	3	-	1	-	-	1	1	-	-	-	-	-	-	-
Meningococcal meningitis . . .	?	4	2	-	1	1	-	-	-	-	-	-	-	-	-
Other endemic and epidemic diseases.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pyæmia and septicæmia	2	3	1	-	-	-	-	-	-	-	1	-	-	1	-
Tetanus	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis:—															
Pulmonary tuberculosis	98	87	-	-	1	-	4	3	9	18	22	19	7	4	-
Tuberculous meningitis	9	9	-	3	2	1	1	1	-	-	-	1	-	-	-
Abdominal tuberculosis	3	4	-	-	1	1	-	-	-	-	-	-	-	-	-
Tuberculosis of the spine	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of the joints	2	2	-	-	-	-	-	-	-	1	-	-	-	-	-
Tuberculosis of other organs . .	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Disseminated tuberculosis . . .	1	5	1	-	-	-	1	-	-	-	3	-	-	-	-
Venereal diseases	6	3	2	-	-	-	-	-	-	-	-	1	-	-	-
Cancer	106	105	-	-	1	-	-	-	-	1	16	17	26	32	12
Rheumatic fever	3	4	-	-	-	1	-	1	-	1	1	-	-	-	-
Diabetes	6	7	-	-	-	-	-	-	1	-	-	2	1	2	1
Anæmia, leucocythæmia	3	3	-	-	-	-	-	-	-	1	-	1	-	1	-
Other general diseases	6	10	1	1	-	-	-	-	1	1	-	1	1	2	2
Alcoholism	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic poisonings	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	32	41	-	-	-	-	-	1	-	-	-	6	13	12	9
Softening of brain	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Paralysis, without specified cause .	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Epilepsy	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Convulsions" (not puerperal) . .	10	6	6	-	-	-	-	-	-	1	1	1	-	-	-
Other diseases of nervous system .	10	25	-	1	-	-	-	1	-	-	8	5	7	3	-
Pericarditis	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute endocarditis	2	4	-	-	-	-	1	1	-	1	1	-	-	-	-
Other diseases of heart	150	144	-	-	-	1	-	2	-	2	7	12	31	47	42
Embolism and thrombosis (exclud- ing cerebral).	8	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Other diseases of circulatory system.	42	40	-	-	-	-	-	-	-	1	-	7	6	11	15
Diseases of the larynx	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis	63	74	3	1	-	-	-	-	-	-	-	-	-	-	-
Broncho-pneumonia	41	41	15	3	3	-	-	-	-	1	3	16	23	29	6
Lobar pneumonia	24	31	1	1	1	-	3	3	1	1	5	8	6	-	-
Pneumonia (type not distinguished)	17	16	1	2	-	1	1	-	-	3	2	4	2	-	-
Pleurisy	7	4	-	-	-	-	-	-	-	-	-	-	-	-	-
Pulmonary congestion, Pulmonary apoplexy.	3	3	-	-	-	-	-	-	-	1	-	-	-	2	1
Other diseases of respiratory system.	4	6	1	-	-	-	-	-	-	-	1	2	1	-	1

TABLE 4 (cont.) LONDON.—DEATHS REGISTERED in the NINETEENTH Week of the Year 1921.

CAUSES OF DEATH.	Deaths in the 19th week of the year 1920.	DEATHS OF PERSONS OF THE AGES													
		ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-10 years.	10-15 years.	15-20 years.	20-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and up- wards.
Diseases of the pharynx, Tonsillitis	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Diseases of stomach	7	11	1	-	-	-	-	-	2	4	-	2	1	1	-
Diarrhoea and enteritis	18	13	7	-	1	-	-	-	-	1	-	1	2	1	-
Appendicitis and typhlitis	6	2	-	-	-	-	1	1	-	-	-	-	-	-	-
Hernia and Intestinal obstruction.	6	13	3	-	-	-	-	-	-	2	3	1	-	4	-
Cirrhosis of liver	2	4	-	-	-	-	-	-	1	-	1	2	-	-	-
Other diseases of liver	2	3	-	-	-	-	-	-	-	-	-	1	2	-	-
Peritonitis (cause unknown)	-	4	-	-	1	2	-	-	-	-	-	1	1	1	-
Other diseases of digestive system	2	4	-	-	-	-	-	1	-	-	-	1	1	1	-
Acute nephritis	2	4	-	-	-	-	1	1	1	-	-	1	-	-	-
Chronic Bright's disease	30	23	-	-	-	-	1	-	1	-	2	3	10	6	-
Urinary calculi	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-
Uterine tumour (non-cancerous)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ovarian tumour	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of genito-urinary system.	15	5	-	-	-	-	-	-	-	-	-	-	3	2	-
Puerperal fever, &c.	1	4	-	-	-	-	-	-	3	1	-	-	-	-	-
Other causes incident to child-birth.	2	4	-	-	-	-	-	1	1	2	-	-	-	-	-
Diseases of skin and cellular tissues.	6	10	-	-	1	-	-	-	1	1	2	-	2	3	-
Diseases of locomotor system	3	2	-	-	1	-	-	-	-	-	1	-	-	-	-
Congenital malformations	10	6	6	-	-	-	-	-	-	-	-	-	-	-	-
Premature birth	42	31	31	-	-	-	-	-	-	-	-	-	-	-	-
Debility, atrophy, marasmus (Infants).	7	6	6	-	-	-	-	-	-	-	-	-	-	-	-
Old age	48	46	-	-	-	-	-	-	-	-	-	-	6	40	-
ACCIDENT.															
Poisons or poisonous vapours.	1	5	1	-	-	-	-	1	2	-	-	1	-	-	-
Conflagration	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Burns and scalds	-	5	-	1	1	-	-	-	1	1	1	-	-	-	-
Drowning	3	1	-	-	-	-	-	-	-	-	-	1	-	-	-
Suffocation in bed	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Other deaths by accident	14	14	-	-	2	1	-	-	1	1	1	5	3	-	-
Total deaths from accident	20	26	2	1	3	1	-	1	2	2	2	7	3	-	-
Included in above are deaths in connection with:—															
Railways	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	4	7	-	-	2	1	-	-	-	1	1	2	-	-	-
Ships, boats, docks	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Building operations	1	2	-	-	-	-	-	-	-	-	-	2	-	-	-
VIOLENCE OTHER THAN ACCIDENTAL.															
Homicide	4	1	-	-	-	-	-	-	1	-	-	-	-	-	-
Suicide	8	10	-	-	-	-	-	1	2	-	2	2	-	3	-
Execution	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other specified diseases	14	13	9	1	-	-	-	-	1	1	-	1	-	-	-
Ill-defined Causes	2	3	1	-	-	1	-	-	-	1	-	-	-	-	-

TABLE 5.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM							
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria*	Diarrhoeal Diseases† (under 2 years).	Influenza.
LONDON†	4,531,971	1921. May 14	2,068	1,012	11·6	-	-	6	5	12	17	7	28
CALCUTTA	896,067	Apr. 9	-	612§	35·5	?	1	?	?	?	?	?	20
BOMBAY	979,445	" 9	450	1,594§	84·6	4	20	17	-	1	-	66	84
MADRAS	518,660	" 2	364	365	36·6	2	1	-	?	2	-	32	3
PARIS	2,847,229	(11 days) Mar. 31	1,618	1,436	16·7	1	-	9	4	1	4	25	5
BRUSSELS	792,919	- - -	-	-	-	-	-	-	-	-	-	-	-
ANTWERP	337,537	Apr. 30	139	53	8·3	-	-	-	-	-	-	-	-
AMSTERDAM	680,151	" 30	324	139	10·7	1	-	1	-	3	-	1	-
COPENHAGEN	571,000	" 30	325	131	12·0	-	-	-	-	-	2	-	-
STOCKHOLM	419,788	" 23	107	97	12·0	-	-	1	1	-	-	-	-
GÖTHENBURG	205,494	" 23	-	55	13·9	-	-	-	-	-	3	-	3
CHRISTIANIA	260,904	" 30	106	57	11·4	-	-	-	-	-	-	-	-
BERLIN	1,949,000	" 23	557	507	13·5	-	?	13	2	3	6	7	2
POZNAŃ	547,000	" 23	293	166	15·8	1	?	-	-	-	1	7	3
STRASBOURG	664,000	" 23	343	177	13·9	-	?	1	-	-	2	6	3
FRANKFURT-AM-MAIN	595,000	" 23	273	142	12·4	-	?	1	1	1	-	1	1
HAMBURG	468,000	" 23	159	95	10·6	-	?	-	-	-	1	1	3
PRAGUE	1,003,000	" 23	392	260	13·5	-	?	3	-	1	2	5	1
BUDAPEST	631,000	" 23	245	149	12·3	-	?	3	-	1	1	3	5
TRIESTE	670,000	" 23	216	167	13·0	-	?	5	-	1	1	2	4
VIENNA	1,842,005	" 23	-	-	-	-	-	-	-	-	-	-	-
BRUSSELS AND BURBS.	676,454	" 9	259	220	17·0	-	-	-	-	1	1	5	8
BUDAPEST	1,092,000	Feb. 26	388	436	20·8	2	?	11	7	-	4	16	1
TRIESTE	247,551	Apr. 23	97	56	11·8	1	-	-	-	-	-	1	-
CAIRO	764,800	Mar. 4	717	530	36·0	2	-	-	-	?	2	43	?
ALEXANDRIA	449,300	" 4	373	276	31·9	1	-	1	-	?	-	20	?
NEW YORK	5,755,151	Apr. 16	2,616	1,388	12·6	-	-	2	15	7	20	20	15
SANTIAGO	2,780,655	" 23	-	656	12·3	-	-	8	7	1	12	32	6

Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Cities, Vienna, Prague and burbs, Budapest, and Trieste.
 * The deaths in this column relate to *all ages* for Bombay, Madras, Christiania, and Budapest, and to *children under 15 years of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.
 † The estimated population and deaths refer to the civilian population only.
 ‡ Including 5 deaths from *plague* in Calcutta and 66 in Bombay, and from *Asiatic cholera*, 80 deaths in Calcutta.

TABLE 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 14th May, 1921.
(Supplied by the Meteorological Office.)

TOWNS.	Temperature of Air.*				Rainfall in Milli- metres.‡	TOWNS.	Temperature of Air.*				Rainfall in Milli- metres.‡
	Highest.	Lowest.	Mean Maxi- mum.	Mean Mini- mum.			Highest.	Lowest.	Mean Maxi- mum.	Mean Mini- mum.	
LONDON (Greenwich)	75	41	68·6	45·9	7	BRADFORD	68	40	61·3	46·4	12
NOTTINGHAM	61	49	57·7	50·7	2	SHEFFIELD	69	41	63·1	46·0	5
SMITHFIELD	68	47	62·7	49·7	2	YORK (Museum)	71	42	64·4	46·7	12
WIMBORNE (Eaton)	78	42	69·3	48·0	2	HULL (Pearson Park)	74	43	65·7	46·1	17
WIMBORNE	72	48	60·0	49·3	18	TYNEMOUTH	66	41	59·6	46·6	16
WIMBORNE (Clifton)	69	42	61·9	47·0	21	CARDIFF	69	42	60·0	46·9	12
WIMBORNE	72	40	63·7	46·4	14	EDINBURGH	64·0	44·0	58·4	46·3	2
WIMBORNE	71	40	65·3	44·9	13	GLASGOW	63·2	45·0	59·0	48·5	5
WIMBORNE (Bidston)	63	41	60·3	47·3	12	DUBLIN :—					
WIMBORNE	71	41	63·0	48·0	17	Phoenix Park	65·1	32·0	59·4	43·2	37
WIMBORNE	66	39	60·9	45·4	16	† Fitzwilliam Square	64·0	41·8	59·4	47·5	12
WIMBORNE	70	40	62·7	46·0	17	BELFAST	62·0	40·5	59·5	46·5	9

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
 † Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.
 ‡ 1 millimetre = ·04 inch nearly : 1 inch = 25·4 millimetres exactly.

TABLE 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 14th May 1921.

[Under the Superintendence of the Astronomer Royal.]

1921. MONTH AND DAY.		Phases of the Moon.	BARO- METER.	TEMPERATURE.					Difference between the Air Temperature and Dew Point Temperature.			TEMPERATURE.		Wind as deduced from Anemometers.				Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.						
			Mean daily reading (cor- rected and re- duced to 32° Fahren- heit).	Of the Air.			Of the Dew point.	Mean Great- daily value.		De- gree of Hu- mid- ity (Satu- ration equals 100).	Of Radiation.	Of the Earth 4 feet below the Surface.	Osler's.		Pressure on the Square Foot.		Robinson's.							
			High- est.	Low- est.	Daily Range.	Mean daily value.	De- parture from Average of 65 years.	Mean daily value.	Mean Great- daily value.	Least.	Highest in Sun's Rays.	Lowest on the Grass.	A.M.	P.M.	Great- est.	Least. hourly obs.	Horizontal Movement of the Air on each Day.	Depar- ture from Average of 50 years.						
MAX.			in.	°	°	°	°	°	°	°	°	°			lbs.	lbs.	Miles.	Miles.	in.					
SUNDAY	- 8	..	29.369	61.5	45.4	16.1	51.4	+ 0.4	47.3	4.1	10.2	1.7	86	119.6	36.7	47.8	SW. & SW.	SW.	4.8	0.0	0.4	318	+ 54	0.15
MONDAY	- 9	..	29.722	63.0	42.8	20.2	51.5	+ 0.3	43.4	8.1	15.7	1.7	74	128.0	34.8	48.0	SW.	SW.	3.3	0.0	0.3	291	+ 32	0.13
TUESDAY	- 10	Greatest declination N.	29.863	67.1	42.4	24.7	53.8	+ 2.3	42.3	11.5	20.7	1.3	65	137.0	34.5	48.1	SW. & WSW.	WSW. & SW.	2.5	0.0	0.1	205	- 50	0.00
WEDNESDAY	- 11	Perigee	29.802	69.0	41.1	27.9	56.2	+ 4.4	46.1	10.1	20.7	2.5	69	124.9	30.1	48.2	S.	S. & calm	2.0	0.0	0.1	169	- 84	0.01
THURSDAY	- 12	..	29.858	68.6	50.7	17.9	59.0	+ 6.9	50.9	8.1	19.3	1.4	75	112.6	41.4	48.4	Calm	Calm & E.	0.5	0.0	0.0	74	- 182	0.02
FRIDAY	- 13	..	29.936	74.5	45.8	27.7	59.0	+ 6.6	52.7	6.3	19.8	0.8	80	127.0	36.9	48.8	Calm & NW.	SSE. & SSW.	0.5	0.0	0.0	128	- 134	0.00
SATURDAY	- 14	First Quarter.	29.930	75.0	47.7	27.3	61.3	+ 8.7	49.0	12.3	20.0	0.6	64	132.7	39.0	48.9	SSW. & W.	SSW. SW.	2.0	0.0	0.1	221	- 50	0.00
MEANS	- -	- - -	29.783	68.4	45.3	23.1	56.0	+ 4.2	47.4	8.6	18.1	1.4	73	126.0	36.2	48.3	SSW.		Sum 1406	Sum -414	Sum 0.31
No. of Column	- -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE.		ELECTRICITY. (For explanation of symbols, see Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
MAY 1921.					
SUNDAY	8	v.P. generally v.N. at times.	5.6	15.2	Nearly overcast till 16h., with frequent rain after 6h.; few clouds after 16h. 30m., becoming cloudless by 19h.
MONDAY	9	v.P. generally, v.N. at times between 8h. and 10h.	12.2	15.2	Cloudless generally till 6h., becoming overcast by 7h. 30m., heavy rain and hail between 8h. 30m. and 9h. 30m.; cloudy generally 9h. 30m. to 15h., becoming nearly cloudless by 16h.
TUESDAY	10	v.P. generally, v.N. at times.	10.4	15.3	Clouding up from 1h., nearly overcast 2h. to 7h.; variably cloudy 7h. 30m. to 21h. 30m., then cloudless; showers about 14h.
WEDNESDAY	11	v.P. generally, v.N. at times.	3.7	15.3	Nearly cloudless till 3h., thin cloud till 8h.; very cloudy to overcast generally by 9h. 30m.; solar halo 9h. to 10h. 30m.; occasional slight rain in afternoon.
THURSDAY	12	m.P. generally	0.9	15.4	Overcast or very cloudy throughout, but cloud frequently thin; rain at times between 7h. and noon; solar halo 19h.
FRIDAY	13	v.P. generally, a little v.N. in afternoon.	4.2	15.4	Thin cloud prevalent till 9h.; hazy with little cloud till noon; cloudy to overcast by 13h. 30m., clearing from 19h. to cloudless generally by 20h.; slight rain in afternoon.
SATURDAY	14	w.P. and m.P. throughout.	10.5	15.5	Very fine throughout, with cloudy intervals especially between 14h. and 17h.]
No. of Col.		26	Sum 47.5	Sum 107.3	
			27	28	

The results apply to the civil day, or from midnight to midnight.
The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.
Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.
The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.
In reading columns 9 and 24 it will be borne in mind that + indicates "higher," and - "lower," than the average.
The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.
The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.
The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.
The reading of the barometer decreased from 29.33 in. at the beginning of the week to 29.27 in. by 5h. on 8th; increased to 29.88 in. by 22h. on 10th; decreased to 29.79 in. by noon on 11th; increased to 29.97 in. by 23h. on 13th, and decreased generally to 29.91 in. by midnight on 14th.

TABLE 8. LONDON.—DEATHS OF PERSONS BELONGING to the several METROPOLITAN BOROUGHs REGISTERED in the Week ended 7th May, 1921.

BOROUGHs.	Deaths from									Deaths of Infants under 1 Year of Age.
	ALL CAUSES.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Pulmonary Tuberculosis.	
COUNTY OF LONDON -	999	-	-	3	7	11	19	15	92	147
Western										
PADDINGTON . . .	34	-	-	1	-	-	-	3	3	4
KENSINGTON . . .	40	-	-	-	-	-	-	1	2	7
HAMMERSMITH . . .	36	-	-	-	2	-	-	-	5	7
FULHAM . . .	41	-	-	-	1	1	-	-	3	4
CHELSEA . . .	18	-	-	-	-	-	-	-	4	5
CITY OF WESTMINSTER -	29	-	-	-	-	-	-	-	3	1
Northern.										
ST. MARYLEBONE . .	23	-	-	-	-	-	-	-	3	-
HAMPSTEAD . . .	17	-	-	-	-	1	-	-	-	2
ST. PANCRAS . . .	42	-	-	-	1	-	1	1	1	3
ISLINGTON . . .	74	-	-	-	2	1	-	3	6	10
STOKE NEWINGTON . .	10	-	-	-	-	-	-	-	1	2
HACKNEY . . .	45	-	-	-	-	-	2	-	6	7
Central.										
HOLBORN . . .	6	-	-	-	-	-	-	-	1	-
FINSBURY . . .	23	-	-	-	-	-	1	1	2	4
CITY OF LONDON . .	4	-	-	-	-	-	-	-	-	-
Eastern.										
SHOREDITCH . . .	31	-	-	1	-	1	4	1	3	11
BETHNAL GREEN . .	26	-	-	-	-	-	2	-	5	7
STEPNEY . . .	59	-	-	1	-	1	1	-	13	7
POPLAR . . .	34	-	-	-	-	-	1	1	2	5
Southern.										
SOUTHWARK . . .	44	-	-	-	-	-	-	-	4	7
BERMONDSEY . . .	25	-	-	-	-	-	-	1	1	4
LAMBETH . . .	71	-	-	-	-	1	-	1	9	10
BATTERSEA . . .	40	-	-	-	-	3	1	-	2	8
WANDSWORTH . . .	66	-	-	-	-	1	1	-	5	9
CAMBERWELL . . .	56	-	-	-	1	-	3	1	2	9
DEPTFORD . . .	32	-	-	-	-	1	2	-	1	4
GREENWICH . . .	21	-	-	-	-	-	-	-	2	3
LEWISHAM . . .	26	-	-	-	-	-	-	1	1	4
WOOLWICH . . .	26	-	-	-	-	-	-	-	2	3

The deaths in the above Table are, so far as concerns London as a whole, corrected by the exclusion of deaths of non-residents, and by the inclusion of those of residents occurring in the Outer Ring or in Metropolitan public institutions situated outside the County. As between individual Metropolitan Boroughs, however, correction is complete.

TABLE 9. LONDON.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED during the Week ended 7th May, 1921.*

BOROUGHs.	ESTI- MATED CIVILIAN POPU- LATION, MID. 1920.† (Provi- sional.)	Enteric Fever.	Malaria.	Typhus.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Group).	Pneumonia.	Erysipelas.	Cerebro-Spinal Fever.	Puerperal Fever.	Ophthalmia Neonatorum.	Poliomyelitis.	Dysentery.	Encephalitis Lethargica.	Trench Fever.	Polio- encephalitis.
WESTERN.																	
Paddington . . .	149,673	-	-	-	-	20	3	1	-	-	-	1	-	-	-	-	-
Kensington . . .	164,177	-	-	-	-	11	7	2	4	-	-	1	-	-	-	-	-
Hammersmith . . .	136,200	-	-	-	-	11	12	1	-	-	-	2	-	-	-	-	-
Fulham . . .	158,621	-	-	-	-	11	6	7	-	-	1	-	-	-	1	-	-
Chelsea . . .	62,987	-	-	-	-	3	1	-	-	-	-	1	-	-	1	-	-
City of Westminster . . .	132,615	-	-	-	-	6	7	-	2	-	-	1	-	-	-	-	-
NORTHERN.																	
St. Marylebone . . .	101,856	-	-	-	-	7	4	1	1	-	1	1	-	-	-	-	-
St. Pancras . . .	91,519	-	-	-	-	4	5	4	1	-	-	-	-	-	-	-	-
St. Pancras . . .	228,178	-	-	-	-	16	16	2	3	-	2	1	-	-	-	-	-
St. Pancras . . .	335,907	-	-	-	-	35	14	2	4	-	1	1	-	-	-	-	-
St. Pancras . . .	52,984	-	-	-	-	10	-	-	-	-	-	1	-	-	-	-	-
St. Pancras . . .	225,372	1	-	-	-	45	15	-	3	-	1	2	-	-	-	-	-
CENTRAL.																	
St. Pancras . . .	39,676	-	-	-	-	3	5	5	-	-	-	-	-	-	-	-	-
St. Pancras . . .	78,291	-	-	-	-	7	5	1	2	-	-	-	-	-	-	-	-
St. Pancras . . .	14,447	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-
EASTERN.																	
St. Pancras . . .	102,044	-	-	-	-	15	14	3	1	-	-	1	-	-	-	-	-
St. Pancras . . .	114,471	-	-	-	-	16	17	3	1	-	-	-	-	-	-	-	-
St. Pancras . . .	241,770	-	1	-	-	27	11	10	4	-	1	-	-	-	1	-	-
St. Pancras . . .	159,766	1	-	-	-	15	12	7	2	-	-	1	-	-	-	-	-
SOUTHERN.																	
St. Pancras . . .	187,142	-	-	-	-	20	10	4	4	-	-	-	-	-	1	-	-
St. Pancras . . .	129,189	-	-	-	-	18	5	-	1	-	1	1	-	-	-	-	-
St. Pancras . . .	293,572	-	1	-	-	21	7	4	1	1	-	1	-	-	-	-	-
St. Pancras . . .	165,664	-	-	-	-	22	8	6	1	-	-	-	-	-	-	-	-
St. Pancras . . .	346,990	1	1	-	-	38	20	13	2	3	-	2	-	-	1	-	-
St. Pancras . . .	284,712	-	1	-	-	31	13	3	4	-	-	-	-	-	1	-	-
St. Pancras . . .	115,636	-	-	-	-	15	9	1	4	-	1	-	-	-	-	-	-
St. Pancras . . .	102,408	-	-	-	-	12	4	5	4	-	-	-	-	-	-	-	-
St. Pancras . . .	174,438	-	-	-	-	22	7	3	3	-	-	-	-	-	-	-	-
St. Pancras . . .	141,666	-	-	-	-	26	7	5	2	-	1	-	-	-	-	-	-
TOTAL . . .	4,531,971	3	4	-	-	490	244	93	54	4	10	18	-	-	6	-	-
Ages 0-1 . . .		-	-	-	-	7	8	4	2	1	-	18	-	-	-	-	-
„ 1-5 . . .		-	-	-	-	102	66	18	-	1	-	-	-	-	2	-	-
„ 5- . . .		-	-	-	-	226	76	6	2	2	-	-	-	-	1	-	-
„ 10- . . .		1	-	-	-	92	50	5	2	-	-	-	-	-	1	-	-
„ 15- . . .		1	1	-	-	38	17	5	3	-	-	-	-	-	-	-	-
„ 20- . . .		-	-	-	-	12	9	6	4	-	3	-	-	-	2	-	-
„ 25- . . .		-	1	-	-	11	13	14	5	-	7	-	-	-	-	-	-
„ 35- . . .		1	2	-	-	1	2	9	13	-	-	-	-	-	-	-	-
„ 45- . . .		-	-	-	-	1	2	13	11	-	-	-	-	-	-	-	-
„ 55- . . .		-	-	-	-	-	1	9	9	-	-	-	-	-	-	-	-
„ 65- . . .		-	-	-	-	-	-	2	3	-	-	-	-	-	-	-	-
„ 75 and upwards . . .		-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
Age not stated . . .		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

† See note † on first page of this return.

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS AND DEATHS REGISTERED:-
LONDON AND
NINETY-FIVE OTHER GREAT TOWNS.

~~~~~  
By Authority of the Registrar General,  
~~~~~

LONDON:

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from

H.M. STATIONERY OFFICE at the following addresses:

IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and

28, ABINGDON STREET, LONDON, S.W. 1;

37, PETER STREET, MANCHESTER;

1, ST. ANDREW'S CRESCENT, CARDIFF;

23, FORTH STREET, EDINBURGH;

or from E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN.

No. 20. VOL. LXXXII. 1921. WEEK ENDED SATURDAY, MAY 21.
[Price 9d. Net.]

*General Register Office, Somerset House,
May 24th, 1921.*

NINETY-SIX GREAT TOWNS.

For the NINETY-SIX GREAT TOWNS of England and Wales each of which had a population of 50,000 or over at the Census of 1911, the births registered last week numbered 7,714, and corresponded to an annual rate of 21·6 per 1,000. The deaths* among the civilian population only numbered 4,011, and corresponded to an annual rate of 11·3 per 1,000 of their aggregate civilian population, which is provisionally estimated† at 18,554,878 persons in the year 1920. In the three weeks ended April 30th, May 7th, and May 14th, the rates had been 12·5, 12·4, and 12·5 respectively. The infant mortality was 75, against 75, 83, and 68 in the preceding three weeks. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks; it also shows for the week ended last Saturday the births and the deaths from certain individual causes. A column showing the number of deaths

* Corrected as far as possible for deaths of non-residents and for those of residents occurring outside the area. Fully corrected figures will appear in the Registrar General's Annual Report.

† The estimates of population refer to the year 1920, and are based on the returns furnished under the scheme for rationing of food.

from influenza has been inserted in Table 1. The aggregate number of deaths from influenza in the 96 great towns in each of the last thirteen weeks is shown in Table 3A.

Measured by last week's mortality, the highest annual death-rates per 1,000 living were:—from *all causes*, 17·1 in Newcastle-on-Tyne, 18·9 in St. Helens, 20·7 in West Hartlepool, and 21·1 in Oldham; from *measles*, 1·1 in Portsmouth, 1·8 in South Shields, 2·5 in Exeter, and 2·7 in Barrow-in-Furness; and from *whooping cough*, 1·3 in Warrington and in Preston. No death from *small-pox* was registered in any of the ninety-six towns.

LONDON.* (The Administrative County, including the City of London.)

For LONDON there were 1,868 BIRTHS, corresponding to a rate of 21·4 per 1,000, and 932 DEATHS of civilians, corresponding to a rate of 10·7, as against 12·1, 11·5, and 11·6 per 1,000 in the three weeks ended April 30th, May 7th, and May 14th. The death-rate in the four weeks ended last Saturday averaged 11·5 per 1,000. The infant mortality was 62, against 65, 76, and 52 in the preceding three weeks.

There was no death from *enteric fever*, against 0, 0, and 0 in the preceding three weeks, the average for the corresponding weeks of the previous five years being 2. The deaths from *measles*, which had been 6, 3, and 6 in the preceding three weeks, fell last week to 4, and were 27 below the average. The deaths from *scarlet fever*, which had been 7, 7, and 5 in the preceding three weeks, were 6 last week, and were 4 above the average. The deaths from *whooping-cough*, which had been 8, 11, and 12 in the preceding three weeks, fell last week to 7, and were 13 below the average. The deaths from *diphtheria*, which had been 18, 19, and 17 in the preceding three weeks, rose last week to 19, and were 10 above the average. The deaths from *diarrhœa and enteritis under 2 years of age*, which had been 16, 15, and 7 in the preceding three weeks, rose last week to 15, and were 1 above the average; 4 deaths belonged to the Borough of Camberwell. The deaths from *influenza* numbered 23 as against 35, 20, and 28, in the preceding three weeks and an average of 14.

Different forms of violence caused 39 deaths, of which 38 were the subject of coroners' inquests. Of these 39 deaths, 8 were cases of suicide, while the remaining 31 were attributed to other forms of violence. Ten of these latter were referred to vehicles in the streets, 6 to drowning, and 3, of infants under one year of age, to suffocation in bed.

CASES OF INFECTIOUS DISEASE.†

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital, there were 17 cases of enteric fever, 41 of measles, 3,299 of scarlet fever, 14 of whooping-cough, and 2,215 of diphtheria under treatment in these hospitals on Saturday last (Table 3). The admissions during the week,

* See note * on first page.

† The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

as compared with those in the preceding three weeks, were as follows :—Of enteric fever, 5 cases, against 3, 2, and 6 ; of measles, 11 cases, against 4, 8, and 10 ; of scarlet fever, 499 cases, against 493, 476, and 534 ; of whooping-cough, 1 case, against 0, 0, and 0 ; and of diphtheria, 264 cases, against 228, 227, and 252. Table 9, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the county during the week ended May 14th, 1921.

TABLE 1.—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH RATES in the Week ended Saturday, 21st May, 1921, and DEATH-RATES in each of the preceding three Weeks.

TOWNS	ESTIMATED CIVILIAN POPULATION, MID. 1920.* (Provisional.)	DEATH-RATES from all Causes.				Week ended 21st May 1921.		The DEATHS in the Week include										Inquest Cases.			Deaths in Public Institutions.		Unclassified Causes of Death.		TOWNS.									
		Week ended				BIRTHS.	DEATHS.	Deaths from										Violence.	Influenza.	Diarrhoea and Enteritis (under 2 years).	Diphtheria.	Whooping Cough.	Scarlet Fever.	Measles.		Small-pox.	Enteric Fever.							
								Deaths of																										
		30th Apr., 1921.	7th May, 1921.	14th May, 1921.	21st May 1921.			Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.													
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.												
96 GREAT TOWNS.	18,554,878	12.5	12.4	12.5	11.3	7,714	4,011	575	1,296	4	-	43	11	48	44	63	94	127	280	1,320	34	96 GREAT TOWNS.												
LONDON†	4,531,971	12.1	11.5	11.6	10.7	1,868	932	116	326	-	-	-	4	6	19	15	23	39	91	468	-	LONDON.†												
(CROYDON.	191,580	11.7	13.1	9.5	11.4	65	42	5	20	1	-	-	-	-	-	-	-	2	3	17	-	(CROYDON.												
WIMBLEDON.	62,174	10.9	11.7	7.5	8.4	28	10	2	5	-	-	-	-	-	-	-	-	-	-	3	-	WIMBLEDON.												
EALING.	76,129	9.6	6.8	9.6	6.8	26	10	1	6	-	-	-	-	-	-	-	1	-	-	4	-	EALING.												
ACTON.	64,192	16.2	8.9	9.7	11.4	23	14	3	4	-	-	-	-	-	1	-	-	-	-	4	-	ACTON.												
WILLESDEN.	167,328	10.3	8.7	11.5	6.5	59	21	-	5	-	-	-	-	-	-	-	1	2	5	8	-	WILLESDEN.												
HORNSEY.	98,107	8.0	10.6	9.6	6.4	22	12	2	7	-	-	-	-	-	-	-	1	-	-	2	-	HORNSEY.												
TOTTENHAM	146,970	10.3	11.0	9.6	7.5	56	21	1	7	-	-	-	-	-	-	-	1	1	1	8	-	TOTTENHAM.												
EDMONTON.	73,529	9.2	7.8	10.6	11.3	47	16	1	7	-	-	-	-	-	1	-	-	1	2	6	-	EDMONTON.												
ENFIELD.	60,771	10.3	6.0	10.3	8.6	34	10	-	1	-	-	-	-	-	-	-	-	-	-	4	-	ENFIELD.												
WEST HAM.	299,440	12.7	10.1	11.0	10.1	150	58	4	16	-	-	-	-	-	-	-	4	7	9	28	-	WEST HAM.												
EAST HAM	150,207	11.1	8.0	8.7	6.2	50	18	2	4	-	-	-	-	-	1	-	-	1	2	5	-	EAST HAM.												
LEYTON.	128,832	12.5	10.1	9.3	6.5	44	16	-	6	-	-	-	-	-	-	-	-	1	1	9	-	LEYTON.												
WALTHAMSTOW	132,771	9.4	13.0	5.9	7.9	59	20	3	9	-	-	-	-	-	-	-	-	-	-	4	-	WALTHAMSTOW.												
(ILFORD.	82,693	9.5	10.1	9.5	11.3	33	18	2	5	-	-	1	1	1	-	-	1	-	-	3	-	(ILFORD.												
GILLINGHAM	45,233	17.3	6.9	11.5	8.1	30	7	2	1	-	-	-	-	-	1	-	-	-	1	4	-	GILLINGHAM.												
HASTINGS.	59,972	13.0	10.4	17.4	13.9	17	16	1	10	-	-	-	-	-	-	1	-	-	-	3	-	HASTINGS.												
EASTBOURNE	50,354	14.5	10.4	18.6	15.5	9	15	1	6	-	-	-	-	-	-	-	1	-	1	2	-	EASTBOURNE												
BRIGHTON.	137,685	9.5	13.3	11.4	10.6	52	28	2	11	-	-	-	-	-	-	-	-	2	3	11	-	BRIGHTON.												
PORTSMOUTH	235,998	10.2	13.5	9.7	8.6	109	39	7	11	-	-	5	-	-	-	-	1	-	3	9	-	PORTSMOUTH.												
BOURNEMOUTH.	85,919	12.1	15.8	10.9	6.7	27	11	1	4	-	-	-	-	-	-	-	1	-	-	1	-	BOURNEMOUTH												
SOUTHAMPTON.	162,388	14.4	13.2	9.3	8.0	59	25	1	16	-	-	-	-	-	-	-	1	-	1	11	-	SOUTHAMPTON.												
READING.	95,006	8.2	12.6	6.6	8.8	42	16	2	7	-	-	-	-	-	1	-	-	1	1	2	-	READING.												
OXFORD.	59,963	12.2	7.0	12.2	12.2	14	14	-	9	-	-	-	-	-	-	-	-	-	1	5	-	OXFORD.												
NORTHAMPTON.	92,483	7.3	11.8	11.3	13.5	27	24	1	11	-	-	-	-	-	-	-	-	2	2	7	-	NORTHAMPTON.												
CAMBRIDGE	60,154	10.4	12.1	12.1	6.9	18	8	-	3	-	-	-	-	-	-	-	-	-	-	2	-	CAMBRIDGE.												

in the week ended Saturday, 21st May 1921, and DEATH-RATES in each of the preceding three weeks.

TOWNS.	ESTIMATED CIVILIAN POPULATION. Mid. 1920.* (Provisional.)	DEATH-RATES from all Causes.					Week ended 21st May, 1921.		The DEATHS in the Week include										TOWNS.									
		Week ended					BIRTHS.	DEATHS.	Deaths of		Deaths from									Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.						
		30th Apr., 1921.	7th May, 1921.	14th May, 1921.	21st. May, 1921.	2.			3.	4.	5.	6.	7.	8.	9.	Enteric Fever.	Small-pox.	Measles.					Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.	Violence.
Cols.	1.																								Cols.			
SOUTHEND ON SEA.	87,382	12.5	10.1	7.8	7.8	29	13		1	11	-	-	-	-	-	-	-	-	-	-	-	3	-	-	SOUTHEND ON SEA.			
IPSWICH . . .	81,119	12.2	9.0	10.3	9.0	44	14		2	5	-	-	-	-	-	-	-	-	-	-	-	3	-	-	IPSWICH.			
GREAT YARMOUTH .	55,193	12.3	10.4	11.3	8.5	19	9		-	3	-	-	-	-	-	-	-	-	-	-	-	3	-	-	GREAT YARMOUTH.			
NORWICH . . .	124,774	11.3	7.5	13.4	11.3	49	27		5	11	-	-	-	-	1	-	-	-	-	-	-	7	-	-	NORWICH.			
SWINDON . . .	53,580	7.8	11.7	13.6	3.9	24	4		-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	SWINDON.			
EXETER . . .	61,365	8.5	14.4	21.2	16.1	19	19		3	6	-	3	-	-	1	-	-	-	-	-	-	4	-	-	EXETER.			
PLYMOUTH . . .	189,218	9.9	13.0	14.3	8.8	82	32		3	11	-	-	-	-	-	-	-	1	-	-	-	6	-	-	PLYMOUTH.			
BATH . . .	68,546	13.7	12.2	12.9	13.7	23	18		2	7	-	-	-	-	-	-	-	-	1	2	6	-	-	-	BATH.			
BRISTOL . . .	375,641	13.3	12.8	9.4	8.5	161	61		11	25	-	-	-	-	5	-	1	1	3	8	15	-	-	-	BRISTOL.			
GLOUCESTER . . .	52,096	9.0	9.0	7.0	9.0	31	9		1	4	-	-	-	-	-	-	-	2	-	-	-	-	-	-	GLOUCESTER.			
STOKE ON TRENT . .	248,852	13.6	11.7	12.4	12.2	133	58		12	10	-	-	-	-	-	-	5	1	1	2	13	-	2	-	STOKE ON TRENT.			
WOLVERHAMPTON . .	102,324	12.2	11.2	14.3	12.2	42	24		5	11	-	-	-	-	-	-	1	-	-	1	4	-	-	-	WOLVERHAMPTON.			
WALSALL . . .	96,419	16.8	10.3	16.8	14.1	56	26		2	7	-	-	-	1	-	-	-	1	2	3	-	-	-	-	WALSALL.			
WEST BROMWICH . .	72,684	14.3	11.5	14.3	13.6	43	19		6	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	WEST BROMWICH.			
DUDLEY . . .	56,169	12.1	9.3	11.1	10.2	41	11		2	5	-	-	-	-	-	-	2	-	-	-	2	-	-	-	DUDLEY.			
BIRMINGHAM . . .	895,915	10.8	12.5	13.1	11.5	353	198		33	49	-	-	3	2	1	1	2	4	3	4	69	-	6	-	BIRMINGHAM.			
SMETHWICK . . .	75,027	13.9	8.3	7.0	8.3	38	12		3	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	SMETHWICK.			
COVENTRY . . .	137,310	8.4	8.7	12.5	13.3	52	35		6	12	-	-	-	-	1	-	-	-	3	5	6	-	-	-	COVENTRY.			
LEICESTER . . .	245,465	13.8	11.3	10.6	8.3	97	39		7	12	-	-	1	-	-	-	-	-	3	4	11	-	-	-	LEICESTER.			
LINCOLN . . .	67,543	9.3	10.0	9.3	13.9	33	18		1	8	-	-	-	-	-	-	-	1	-	-	3	-	-	-	LINCOLN.			
GRIMSBY . . .	31,953	6.4	7.6	5.7	8.3	32	13		4	1	-	-	-	-	-	-	1	-	1	2	4	-	-	-	GRIMSBY.			
NOTTINGHAM . . .	267,836	11.7	11.9	11.5	12.8	113	66		10	20	-	-	-	-	-	-	1	-	4	5	22	-	-	-	NOTTINGHAM.			
DERBY . . .	128,866	10.5	10.9	7.7	9.3	51	23		2	11	-	-	-	-	-	-	-	-	-	2	8	-	-	-	DERBY.			

• See note † on first page of this return.

TABLE 1 (cont.).—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH-RATE in the Week ended Saturday, 21st May, 1921, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	ESTIMATED CIVILIAN POPULATION MID. 1920.* (Provisional.)	DEATH-RATES from all Causes.				Week ended 21st May, 1921.		The DEATHS in the Week include										TOWNS				
		Week ended				BIRTHS.	DEATHS.	Deaths of Persons aged under 1 Year of Age.	8.	9.	Deaths from								Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes or Death.	
											Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.	Violence.						
		30th Apr., 1921.	7th May 1921.	14th May 1921.	21st May, 1921.												Small pox.					Measles.
Cols.	1.	2.	3.	4.	5.	6.	7.	10.	11.	12.	13	14.	15.	16.	17.	18.	19.	20.	21.	Cols.		
STOCKPORT	130,635	12·0	9·2	13·6	10·0	31	25	-	-	-	-	-	-	-	1	2	3	5	-	STOCKPORT.		
BIRKENHEAD	153,951	8·1	10·5	9·1	11·9	82	35	-	-	-	-	-	-	-	-	2	3	11	-	BIRKENHEAD.		
WALLASEY	99,226	9·5	7·4	6·8	6·8	36	13	-	-	-	-	-	1	-	-	-	-	2	-	WALLASEY.		
LIVERPOOL	803,452	17·0	19·3	19·1	14·3	441	221	-	-	5	-	4	5	6	8	5	19	87	5	LIVERPOOL.		
BOOTLE	80,029	13·7	16·3	9·8	8·5	30	13	-	-	-	-	-	1	-	-	-	-	7	1	BOOTLE.		
ST. HELENS	104,822	10·9	17·4	12·9	18·9	60	38	-	-	-	-	2	1	1	2	2	2	10	1	ST. HELENS.		
SOUTHPORT	72,939	15·7	12·9	12·2	13·6	22	19	-	-	-	-	-	-	-	-	-	-	1	2	SOUTHPORT.		
WIGAN	90,866	13·8	12·6	17·8	12·1	41	21	-	-	-	-	-	-	-	1	-	-	2	-	WIGAN.		
WARRINGTON	77,939	14·7	16·1	16·1	16·1	42	24	-	-	-	-	2	-	1	2	2	2	7	1	WARRINGTON.		
BOLTON	184,533	11·0	11·9	10·5	7·6	86	27	-	-	-	-	-	-	1	2	1	1	7	1	BOLTON.		
BURY	56,410	13·9	18·5	16·6	14·8	11	16	-	-	-	-	-	1	-	-	-	-	5	-	BURY.		
MANCHESTER	770,597	14·5	15·1	16·6	14·3	267	211	1	-	-	-	9	3	3	4	4	8	81	1	MANCHESTER.		
SALFORD	235,239	15·7	15·5	14·6	14·2	77	64	-	-	-	-	1	-	1	4	1	7	13	-	SALFORD.		
OLDHAM	143,154	20·4	14·9	20·0	21·1	39	58	-	-	-	-	2	1	-	4	-	1	8	-	OLDHAM.		
ROCHDALE	93,639	14·5	15·6	15·0	16·7	35	30	-	-	-	-	-	-	-	-	-	1	10	-	ROCHDALE.		
BURNLEY	105,030	10·4	18·9	13·4	12·9	47	26	-	-	-	-	1	-	-	-	-	1	6	-	BURNLEY.		
BLACKBURN	131,012	12·7	9·6	14·3	14·3	55	36	-	-	-	-	1	-	1	2	-	-	6	-	BLACKBURN.		
PRESTON	121,950	12·4	7·7	15·0	9·4	44	22	-	-	-	-	3	1	-	-	-	1	2	1	PRESTON.		
BLACKPOOL	70,545	8·9	12·6	17·0	10·3	20	14	-	-	-	-	-	-	-	-	-	-	2	-	BLACKPOOL.		
BARROW IN FURNESS	76,561	9·5	17·0	8·2	12·3	31	18	-	-	4	-	-	-	-	-	-	-	2	-	BARROW IN FURNESS.		
HUDDERSFIELD	116,776	13·4	15·6	17·4	13·4	37	30	-	-	-	-	-	-	-	1	-	1	6	-	HUDDERSFIELD.		
HALEFAX	105,847	7·9	19·2	13·8	13·8	26	28	-	-	-	-	-	-	1	-	-	1	6	-	HALEFAX.		
BRADFORD	293,979	14·5	14·2	16·3	12·9	95	73	-	-	3	-	-	-	-	-	1	4	29	-	BRADFORD.		
LEEDS	449,212	13·2	14·6	12·4	13·0	163	112	-	-	-	-	1	1	2	3	7	11	40	-	LEEDS.		
DEWSBURY	55,080	21·8	15·1	4·7	12·3	16	13	-	-	-	-	-	-	-	-	1	2	2	-	DEWSBURY.		
WAKEFIELD	51,169	18·3	16·3	13·2	15·3	19	15	-	-	-	-	-	-	-	-	-	-	4	-	WAKEFIELD.		
BARNLEY	53,739	19·4	11·6	24·3	8·7	27	9	-	-	-	-	-	-	1	2	-	-	1	-	BARNLEY.		

TOWNS.	ESTIMATED CIVILIAN POPULATION, MID. 1920.* (Provisional)).	Causes.				Week ended 21st May, 1921.,		Deaths of		Deaths from										Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS
		Week ended				BIRTHS.	DEATHS.	Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.	Violence.				
		Week ended																				
		30th Apr., 1921.	7th May, 1921.	14th May, 1921.	21st May, 1921.																	
1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.	
SHEFFIELD	492,570	12.6	13.2	11.9	10.2	198	96	39	1	-	-	-	-	-	1	2	4	7	36	1	SHEFFIELD.	
ROTHERHAM	71,785	8.7	15.3	13.8	14.5	46	20	3	-	-	-	-	1	-	-	-	-	-	4	-	ROTHERHAM.	
YORK	77,501	10.8	8.7	9.4	9.4	31	14	8	-	-	-	-	-	-	-	1	1	1	7	-	YORK.	
HULL	280,808	10.9	12.2	10.6	13.1	126	73	25	-	-	-	-	3	1	-	1	2	9	16	1	HULL.	
MIDDLESBROUGH	132,208	16.6	14.6	11.0	7.9	64	20	3	-	-	-	-	-	-	1	1	1	2	4	-	MIDDLESBROUGH.	
DARLINGTON	66,610	18.8	13.3	7.8	7.0	37	9	2	-	-	-	-	-	-	-	-	-	-	1	2	DARLINGTON.	
STOCKTON ON TEES.	63,114	15.7	19.8	12.4	12.4	34	15	3	-	-	-	-	-	-	-	-	-	-	1	-	STOCKTON ON TEES.	
WEST HARTLEPOOL.	68,126	14.5	9.9	13.8	20.7	31	27	5	-	-	-	1	-	-	-	-	-	-	2	5	WEST HARTLEPOOL.	
SUNDERLAND	155,211	16.1	9.4	18.1	11.1	89	33	10	-	-	3	-	1	-	1	-	2	3	6	-	SUNDERLAND.	
SOUTH SHIELDS	115,945	13.9	10.8	15.7	12.6	53	28	5	-	-	4	-	-	-	3	2	-	-	1	1	SOUTH SHIELDS.	
GATESHEAD	128,309	13.4	12.2	11.4	7.7	63	19	3	-	-	2	-	-	-	-	-	1	1	4	1	GATESHEAD.	
NEWCASTLE ON TYNE.	286,061	16.4	15.9	14.8	17.1	136	94	11	-	-	5	-	-	1	3	-	4	9	29	-	NEWCASTLE ON TYNE.	
TYNEMOUTH	60,318	14.7	13.8	14.7	8.6	34	10	3	-	-	-	-	-	-	-	-	-	-	2	-	TYNEMOUTH.	
CARLISLE	57,397	13.6	13.6	13.6	15.4	29	17	9	-	-	-	-	-	-	-	-	-	-	2	2	CARLISLE.	
NEWPORT (MON.)	90,728	10.9	12.1	13.8	8.6	42	15	5	-	-	-	-	-	-	-	-	1	2	2	-	NEWPORT (MON.).	
CARDIFF	212,582	16.4	8.8	11.8	9.8	83	40	9	-	-	-	-	-	1	2	-	1	2	9	-	CARDIFF.	
RHONDDA.	184,999	6.5	12.7	10.1	9.6	80	34	7	-	-	-	-	-	1	2	1	1	1	3	-	RHONDDA.	
MERTHYR TYDFIL	74,493	14.7	13.3	14.7	12.6	35	18	3	-	-	-	-	-	-	-	-	1	3	4	-	MERTHYR TYDFIL.	
ABERDARE	53,431	11.7	13.7	10.7	11.7	16	12	2	-	-	-	-	-	-	2	1	-	-	1	-	ABERDARE.	
SWANSEA	167,218	10.9	10.0	10.3	11.5	69	37	12	-	-	-	-	-	-	-	1	-	2	4	-	SWANSEA.	
GREATER LONDON	7,548,647	11.5	10.9	11.0	9.9	3012	1435	514	1	-	5	7	10	26	18	38	63	129	641	2	GREATER LONDON.	
OUTER RING	3,016,676	10.8	10.1	10.0	8.7	1144	503	188	1	-	1	1	3	7	3	15	24	38	173	2	OUTER RING.	
14 GREAT TOWNS IN OUTER RING.	1,734,723	11.0	10.1	9.6	8.6	696	286	102	1	-	1	1	1	3	1	9	15	23	105	-	14 GREAT TOWNS IN OUTER RING.	
REMAINDER OF OUTER RING.	1,281,953	10.4	10.2	10.6	8.8	448	217	86	-	-	-	-	2	4	2	6	9	15	68	2	REMAINDER OF OUTER RING.	
EDINBURGH†	446,200	14.4	14.5	11.8	13.8	192	118	35	-	-	1	2	1	6	1	1	3	?	?	?	EDINBURGH.†	
GLASGOW†	1,100,400	15.2	16.3	16.1	13.6	646	286	69	-	-	1	1	23	2	3	3	11	?	?	?	GLASGOW.†	
DUBLIN (Registra- tion Area).†	423,000	17.4	18.7	16.9	12.0	207	97	21	-	-	-	-	1	1	-	1	6	5	59	-	DUBLIN (Registra- tion Area).†	
BELFAST†	420,000	16.5	15.5	15.0	13.9	204	112	29	-	-	1	-	3	1	1	-	2	2	22	2	BELFAST.†	

* See note † on first page of this return.

* The populations are total populations and relate to 1921. Deaths and the death-rates in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week: those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

TABLE 2. LONDON.—Births and Deaths registered during the TWENTIETH Week of each of the Eleven Years, 1911-1921.

	1911.	1912.	1913.	1914.	1915.	1916.	1917.	1918.	1919.	1920.	1921.
Births (as registered).	2239	2117	2014	2110	1962	2225	1639	1432	1376	2369	1868
Males	1135	1111	1015	1100	1050	1163	880	721	682	1172	955
Females	1104	1006	999	1010	912	1062	759	711	694	1197	913
Deaths (of residents only).	1026	1018	1038	1094	1238	1098*	1131*	1025*	871*	1005*	932*
Males	541	523	535	544	688	586	613	526	424	539	488
Females	485	495	503	550	600	512	518	499	447	466	444

* Deaths in civilian population only.

TABLE 3. LONDON.—BIRTHS and DEATHS REGISTERED, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the last THIRTEEN WEEKS.

	Feb. 26.	Mar. 5.	Mar. 12.	Mar. 19.	Mar. 26.	Apr. 2.	Apr. 9.	Apr. 16.	Apr. 23.	Apr. 30.	May 7.	May 14.	May 21.
Births (as registered)	1908	1987	2074	2004	1746	2016	2157	2099	2112	2082	1940	2068	1868
Deaths (of residents only).	1313	1282	1311	1142	1005	1149	1168	1077	1093	1049	999	1012	932
Ages													
Under 1 year	168	168	179	157	117	144	166	128	144	136	147	108	116
1-2 years	30	34	45	46	32	39	38	39	36	33	28	25	35
2-5 "	31	26	24	28	18	25	24	21	28	17	23	28	15
5-10 "	33	21	22	19	19	28	22	21	19	28	24	20	29
10-15 "	15	15	15	21	14	21	12	16	14	13	14	17	13
15-20 "	18	21	24	24	26	21	30	15	29	31	19	23	23
20-25 "	29	17	25	29	23	33	29	21	28	25	34	24	22
25-35 "	65	66	53	52	50	42	69	52	41	43	41	50	53
35-45 "	90	81	93	79	80	91	84	90	88	73	89	72	72
45-55 "	141	117	138	109	108	125	122	120	132	96	103	108	109
55-65 "	185	201	176	147	130	177	178	161	168	176	146	145	119
65-75 "	247	254	243	188	182	188	190	179	201	173	169	191	166
75 years and upwards	261	261	274	243	206	216	197	220	163	190	178	184	160
Deaths from—													
Enteric fever	-	2	1	-	-	2	1	-	1	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	4	-	2	5	4	2	12	10	6	6	3	6	4
Scarlet fever	6	6	3	9	6	6	5	5	3	7	7	5	6
Whooping cough	9	13	9	7	12	8	13	10	10	8	11	12	7
Diphtheria	27	18	26	20	15	24	19	24	32	18	19	17	19
Diarrhoea and enteritis (under 2 years).	16	22	22	17	14	19	14	6	16	16	15	7	15
Pulmonary tuberculosis	100	105	100	101	109	95	116	85	101	99	92	87	82
Influenza	30	45	27	42	33	44	38	49	27	35	20	28	23
Pneumonia (all forms)	144	148	165	117	107	117	103	95	98	94	105	88	65
Bronchitis	167	159	149	131	93	102	90	88	85	81	70	74	55
Other dis. of resp. system	23	23	27	16	16	14	15	15	8	13	16	13	12
Dis. of circ. system	208	219	223	177	175	192	172	150	180	149	160	190	150
Violence	50	34	41	44	26	30	47	37	35	49	40	37	39
Inquest cases	106	85	101	90	69	88	105	80	86	92	98	96	91
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Enteric fever	9	15	13	12	13	10	2	10	9	10	10	13	12
Small-pox	-	-	-	-	-	-	-	-	-	1	1	1	-
Measles	28	26	28	26	25	30	27	33	26	25	28	34	41
Scarlet fever	3845	3738	3730	3695	3609	3535	3453	3345	3307	3255	3195	3238	3299
Whooping cough	25	22	25	26	23	25	24	21	20	20	18	16	14
Diphtheria	2800	2809	2818	2817	2777	2689	2626	2543	2564	2453	2343	2281	2215

* The Metropolitan Asylums Board and London Fever Hospitals. The figures do not refer to London exclusively.

TABLE 3A. 96 Great Towns.—DEATHS from INFLUENZA in the last THIRTEEN WEEKS.

	Feb. 26.	Mar. 5.	Mar. 12.	Mar. 19.	Mar. 26.	Apr. 2.	Apr. 9.	Apr. 16.	Apr. 23.	Apr. 30.	May 7.	May 14.	May 21.
Deaths from Influenza	138	167	149	151	122	130	97	111	82	93	104	114	9

TABLE 4. LONDON.—DEATHS REGISTERED in the TWENTIETH Week of the Year 1921.

CAUSES OF DEATH.	Deaths in the 20th week of the year 1920.	DEATHS of PERSONS of the AGES													
		ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-10 years.	10-15 years.	15-20 years.	20-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and up- wards.
ALL CAUSES	1005	932	116	35	15	29	13	23	22	53	72	109	119	166	160
Enteric fever	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	25	4	3	1	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever	3	6	1	2	1	1	-	-	-	1	-	-	-	-	-
Whooping cough	17	7	6	1	-	-	-	-	-	-	-	-	-	-	-
Diphtheria	15	19	2	3	5	7	2	-	-	-	-	-	-	-	-
Influenza	31	23	-	-	-	1	1	-	-	-	4	5	4	2	6
Erysipelas	2	5	-	-	-	-	-	-	1	-	1	1	-	-	2
Acute Poliomyelitis, Polioencepha- litis.	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
Encephalitis lethargica	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-
Meningococcal meningitis . . .	-	2	-	-	-	-	1	1	-	-	-	-	-	-	-
Other endemic and epidemic diseases.	-	4	-	-	-	-	-	-	-	1	1	-	2	-	-
Pyæmia and septicæmia	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus	-	1	-	-	-	-	-	-	-	1	-	-	-	-	1
Tuberculosis:—															
Pulmonary tuberculosis	79	82	-	1	-	2	-	7	7	14	15	19	11	4	2
Tuberculous meningitis	15	10	2	3	1	3	1	-	-	-	-	-	-	-	-
Abdominal tuberculosis	3	3	1	-	-	-	-	1	-	-	1	-	-	-	-
Tuberculosis of the spine	3	1	-	-	-	-	-	-	1	-	-	-	-	-	-
Tuberculosis of the joints	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of other organs . .	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Disseminated tuberculosis . . .	-	6	1	3	1	-	-	1	-	-	-	-	-	-	-
Venereal diseases	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-
Cancer	112	101	-	-	-	1	-	-	-	4	6	14	26	36	14
Rheumatic fever	1	5	-	-	-	1	1	-	2	1	-	-	-	-	-
Diabetes	11	6	-	-	-	-	-	-	-	-	1	-	2	1	2
Anæmia, leucocythæmia	6	5	-	-	-	-	-	1	1	-	-	2	1	-	-
Other general diseases	3	14	-	1	1	1	-	1	-	-	3	-	2	3	2
Alcoholism	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic poisonings	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	6	3	-	1	-	-	-	-	-	2	-	-	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	43	39	-	-	-	-	-	-	1	1	3	2	10	15	7
Softening of brain	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-
Paralysis, without specified cause .	6	3	-	-	-	-	-	-	-	-	-	1	1	1	-
Epilepsy	-	3	-	-	-	-	-	-	-	1	1	-	-	-	1
"Convulsions" (not puerperal) . .	11	4	3	1	-	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system .	28	20	-	-	-	-	-	1	1	2	3	3	7	3	-
Pericarditis	2	2	-	-	-	1	-	-	-	-	1	-	-	-	-
Acute endocarditis	8	10	-	-	-	1	2	2	1	3	-	-	1	-	-
Other diseases of heart	101	102	-	-	-	1	1	1	-	4	6	14	18	27	30
Embolism and thrombosis (exclud- ing cerebral).	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of circulatory system.	39	36	-	1	-	-	-	-	-	-	-	3	8	12	12
Diseases of the larynx	3	3	1	1	-	1	-	-	-	-	-	-	-	-	-
Bronchitis	59	55	2	-	1	-	-	-	-	1	2	5	5	14	25
Broncho-pneumonia	40	30	7	7	2	2	-	-	-	-	3	3	-	5	1
Lobar pneumonia	22	20	-	-	1	-	-	-	-	3	3	5	3	4	1
Pneumonia (type not distinguished)	26	15	1	1	-	1	-	1	1	2	2	2	1	2	1
Pleurisy	4	2	-	1	-	-	-	-	-	-	-	-	-	1	-
Pulmonary congestion, Pulmonary apoplexy.	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of respiratory system.	4	7	-	-	-	-	-	-	1	-	-	2	1	3	-

TABLE 5.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM							
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria*	Diarrhoeal Diseases† (under 2 years).	Influenza.
LONDON† . .	4,531,971	1921. May 21	1,868	932	10·7	-	-	4	6	7	19	15	23
CALCUTTA . .	896,067	Apr. 16	-	574§	33·3	?	3	?	?	?	?	?	7
BOMBAY . .	979,445	" 16	354	1,525§	81·0	2	35	11	-	-	-	66	86
MADRAS . .	518,660	" 9	558	315	31·6	1	4	3	?	2	-	20	-
PARIS . .	2,847,229	(10 days) Apr. 10	1,547	1,296	16·6	4	-	18	-	1	6	28	4
BRUSSELS . .	792,919	- - -	-	-	-	-	-	-	-	-	-	-	-
ANTWERP . .	337,537	May 7	152	56	8·7	-	-	-	-	-	1	4	-
AMSTERDAM . .	680,151	" 7	310	130	10·0	-	-	1	-	2	-	-	1
COPENHAGEN . .	571,000	" 7	274	117	10·7	1	-	-	-	-	-	1	2
STOCKHOLM . .	419,788	Apr. 30	137	93	11·5	-	-	-	-	-	-	-	2
GOTHENBURG . .	205,494	" 30	-	49	12·4	1	-	-	-	-	-	1	5
CHRISTIANIA . .	260,904	May 7	84	54	10·8	-	-	-	-	1	-	-	-
BERLIN . .	1,949,000	Apr. 30	573	496	13·2	-	?	11	1	4	2	8	1
BRESLAU . .	547,000	" 30	220	167	15·9	-	?	-	-	-	1	10	5
COLOGNE . .	664,000	" 30	312	160	12·5	-	?	3	-	1	3	1	2
DRESDEN . .	595,000	" 30	237	137	12·0	-	?	1	-	1	1	1	4
FRANKFORT- ON-MAIN. . .	468,000	" 30	170	89	9·9	-	?	-	-	-	1	1	5
HAMBURG . .	1,003,000	" 30	385	219	11·4	-	?	3	-	1	2	-	4
LEIPZIG . .	631,000	" 30	228	157	12·9	-	?	1	-	-	-	3	2
MUNICH . .	670,000	" 30	236	166	12·9	-	?	5	1	-	-	3	1
VIENNA . .	1,842,005	" 23	636	639	18·0	1	-	2	2	2	1	23	4
PRAGUE AND SUBURBS. . .	676,454	" 30	535	679	19·1	1	-	1	-	1	-	13	5
BUDAPEST . .	1,092,000	" 16	288	260	20·0	3	-	-	-	1	1	7	6
TRIESTE . .	247,551	Mar. 5	436	449	21·4	1	?	14	4	-	5	18	5
BUENOS AIRES . .	247,551	Apr. 30	105	71	15·0	1	-	-	-	-	-	4	-
CAIRO . .	764,800	Mar. 11	-	-	-	-	-	-	-	?	-	-	-
ALEXANDRIA . .	449,300	" 11	-	-	-	-	-	-	-	?	-	-	-
NEW YORK . .	5,753,151	Apr. 23	2,592	1,331	12·1	4	-	5	12	10	19	31	16
CHICAGO . .	2,780,655	" 30	-	628	11·8	-	-	4	4	5	17	28	6

Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Cities, Vienna, Prague, and Suburbs, Budapest, and Trieste.
 The deaths in this column relate to *all ages* for Bombay, Madras, Christiania, and Bucarest, and to *children under 1 year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.
 The estimated population and deaths refer to the civilian population only.
 Including 6 deaths from *plague* in Calcutta and 85 in Bombay, and from *Asiatic cholera*, 66 deaths in Calcutta.

TABLE 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 21st May, 1921.
(Supplied by the Meteorological Office.)

TOWNS.	Temperature of Air.*				Rainfall in Milli- metres.†	TOWNS.	Temperature of Air.*				Rainfall in Milli- metres.†
	Highest.	Lowest.	Mean Maxi- mum.	Mean Mini- mum.			Highest.	Lowest.	Mean Maxi- mum.	Mean Mini- mum.	
LONDON (Greenwich) }	72	38	67·7	43·7	0	BRADFORD . .	69	37	60·1	42·1	1
GLoucester }	68	44	63·9	48·6	1	SHEFFIELD . .	69	40	61·7	43·9	0·2
PLYMOUTH . .	66	44	64·0	48·1	0	YORK (Museum) .	69	39	63·7	43·4	0·3
WIMBORNE (Eaton) .	69	38	65·3	43·6	0	HULL (Pearson Park)	70	39	64·0	44·4	0
WIMBORNE . .	66	42	61·9	44·7	0	TYNEMOUTH . .	64	43	61·3	45·3	3
STOKE (Clifton) .	70	41	64·3	43·6	0·4	CARDIFF . .	67	41	63·6	43·3	1
MANCHESTER . .	68	40	63·3	43·3	0	EDINBURGH . .	66·0	42·0	59·7	43·7	1
GLoucester . .	70	37	63·9	42·3	0	GLASGOW . .	61·0	41·7	56·9	44·3	3
GLoucester (Bidston) }	63	43	58·6	45·4	1	DUBLIN :—					
CHESTER . .	72	40	62·7	43·1	2	Phoenix Park . .	70·2	35·9	60·5	40·5	2
GLoucester . .	68	35	59·7	40·6	4	†Fitzwilliam Square	68·2	41·6	60·9	46·1	3
GLoucester . .	72	38	62·1	42·6	2	BELFAST . .	60·0	39·0	59·0	42·5	1

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
 † Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.
 ‡ 1 millimetre = ·04 inch nearly ·1 inch = 25·4 millimetres exactly.

TABLE 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 21st May 1921.

[Under the Superintendence of the Astronomer Royal.]

1921. MONTH AND DAY.	Phases of the Moon.	BARO- METER. Mean daily reading (cor- rected and re- duced to 32° Fahren- heit).	TEMPERATURE.							Difference between the Air Temperature and Dew Point Temperature.				De- gree of Hu- mid- ity (Satu- ration equals 100).	TEMPERATURE.			Wind as deduced from Anemometers.				Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
			Of the Air.				De- parture from Average of 65 years.	Of the Dew point.		Great- est.		Of Radiation.	Of the Earth 4 feet below the Surface.		Osler's.		Robinson's.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
			High- est.	Low- est.	Daily Range.	Mean daily value.		Mean daily value.	Least.	General Direction.					Pressure on the Square Foot.					Horizontal Movement of the Air on each Day.	Depart- ture from Average of 50 years.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
										A.M.	P.M.				Great- est.	Least.							Mean of 24 hourly obs.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
MAY.		in.	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°

DATE.		ELECTRICITY. (For explanation of symbols, see Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
MAY 1921.					
SUNDAY	15	Loss of register 2h. to 8h., v.P. afterwards.	0·0	15·5	Few clouds till 3h.; brilliant aurora from 1h. 50m.; overcast from 3h. till 21h.; damping or rain generally from 5h. to 9h., and occa- sionally till 18h.; few clouds after 21h.; lunar halo about 21h. Cloudless generally till 6h.; few thin clouds at times till 21h.; thin cloud prevalent after- wards.
MONDAY	16	w.P. generally	14·6	15·6	Cloudless generally till noon, cloudy to nearly overcast by 14h. 30m.; fine interval 17h. 30m. to 20h. 30m.; cloud thin after 21h.
TUESDAY	17	v.P. throughout	10·0	15·6	Cloudless generally in forenoon; clouding up gradually about noon; very cloudy or nearly overcast 13h. to 21h. 30m.; thin cloud prevalent afterwards.
WEDNESDAY	18	v.P. throughout	9·4	15·7	Nearly cloudless generally; very cloudy intervals 1h. to 2h. about noon and after 23h.
THURSDAY	19	v.P. throughout	13·0	15·7	Nearly overcast generally till 9h., becoming partially cloudy by 10h. and nearly cloudless by 15h.; damping or slight rain 2h. 30m. to 3h.
FRIDAY	20	w.P. till 9h., m.P. and s.P. afterwards.	9·6	15·8	Cloudless with few exceptions; misty 4h. to 5h.
SATURDAY	21	w.P. till 5h., m.P. generally afterwards.	14·5	15·8	
			Sum 71·1	Sum 109·7	
No. of Col.			27	28	
			26		

The results apply to the civil day, or from midnight to midnight.

The height of the eastern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "higher," and - "lower," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·91 in. at the beginning of the week to 30·08 in. by 23h. on 15th; decreased to 29·81 in. by 17h. on 17th; increased to 29·94 in. by 9h. on 18th; decreased to 29·81 in. by 17h. on 19th; increased to 30·18 in. by 8h. on 21st, and decreased to 30·12 in. by midnight on the same day.

TABLE 8. LONDON.—DEATHS OF PERSONS BELONGING to the several METROPOLITAN BOROUGHs REGISTERED in the Week ended 14th May, 1921.

BOROUGHs.	Deaths from									Deaths of Infants under 1 Year of Age.
	ALL CAUSES.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Pulmonary Tuberculosis.	
COUNTY OF LONDON -	1,012	-	-	6	5	12	17	7	87	108
Western										
PADDINGTON . . .	29	-	-	-	1	2	1	1	1	5
KENSINGTON . . .	37	-	-	-	1	1	-	-	5	6
HAMMERSMITH . . .	30	-	-	-	-	-	-	2	4	2
FULHAM . . .	29	-	-	-	-	1	1	-	2	5
CHELSEA . . .	24	-	-	-	-	-	-	-	1	2
CITY OF WESTMINSTER .	35	-	-	-	-	-	1	-	2	1
Northern.										
ST. MARYLEBONE . . .	28	-	-	-	-	-	-	-	4	-
HAMPSTEAD . . .	20	-	-	-	-	-	-	-	2	-
ST. PANCRAS . . .	51	-	-	-	-	2	-	-	3	6
ISLINGTON . . .	76	-	-	-	-	1	1	-	5	11
STOKE NEWINGTON . . .	10	-	-	-	-	-	-	-	2	-
HACKNEY . . .	55	-	-	-	1	-	2	1	4	1
Central.										
HOLBORN . . .	5	-	-	-	-	-	-	-	-	-
FINSBURY . . .	19	-	-	-	1	-	2	-	2	1
CITY OF LONDON . . .	6	-	-	-	-	-	-	-	-	-
Eastern.										
SHOREDITCH . . .	34	-	-	2	-	1	-	-	3	4
BETHNAL GREEN . . .	26	-	-	1	-	-	-	-	6	3
STEPNEY . . .	58	-	-	-	-	-	1	1	7	9
POPLAR . . .	30	-	-	-	-	1	-	-	3	2
Southern.										
SOUTHWARK . . .	36	-	-	-	-	-	-	-	1	5
BERMONDSEY . . .	29	-	-	-	-	-	-	-	5	3
LAMBETH . . .	71	-	-	2	-	1	-	-	4	4
BATTERSEA . . .	32	-	-	-	-	-	-	-	1	2
WANDSWORTH . . .	84	-	-	-	-	2	3	-	9	7
CAMBERWELL . . .	62	-	-	-	-	-	-	2	6	9
DEPTFORD . . .	19	-	-	-	-	-	1	-	2	3
GREENWICH . . .	24	-	-	1	-	-	-	-	-	1
LEWISHAM . . .	29	-	-	-	-	-	3	-	3	2
WOOLWICH . . .	24	-	-	-	1	-	1	-	-	3

The deaths in the above Table are, so far as concerns London as a whole, corrected by the exclusion of deaths of non-residents, and by the inclusion of those of residents occurring in the Outer Ring or in Metropolitan public institutions situated outside the County. As between individual Metropolitan Boroughs, however, correction is complete.

TABLE 9. LONDON.—NUMBER OF CASES OF INFECTIOUS DISEASE NOTIFIED during the Week ended 14th May, 1921.*

BOROUGH.	ESTI- MATED CIVILIAN POPU- LATION, MID. 1920.† (Provi- sional.)	Enteric Fever.	Malaria.	Typhus.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Pneumonia.	Erysipelas.	Cerebro-Spinal Fever.	Puerperal Fever.	Ophthalmia Neonatorum.	Polio- myelitis.	Dysentery.	Encephalitis Lethargica.	Trench Fever.	Polio- encephalitis.
WESTERN.																	
Paddington . . .	149,673	-	-	-	-	13	7	4	-	-	-	-	-	-	-	-	-
Kensington . . .	164,177	1	-	-	-	20	5	4	2	-	-	-	-	-	-	-	-
Hammersmith . . .	136,200	-	1	-	-	21	7	4	-	-	-	-	-	-	-	-	-
Fulham . . .	158,621	-	-	-	-	16	5	7	1	-	-	1	-	-	1	-	-
Chelsea . . .	62,987	-	-	-	-	5	-	-	-	-	-	-	-	-	-	-	-
City of Westminster . . .	132,615	-	-	-	-	14	7	1	-	-	-	-	-	-	-	-	-
NORTHERN.																	
St. Marylebone . . .	101,856	-	-	-	-	11	7	-	2	-	-	1	-	-	-	-	-
Hampstead . . .	91,519	-	-	-	-	6	6	3	-	-	-	-	-	-	-	-	-
St. Pancras . . .	228,178	1	-	-	-	18	7	4	1	-	-	1	-	-	-	-	-
Islington . . .	335,907	-	-	-	-	44	27	2	5	-	3	-	1	-	-	-	-
Stoke Newington . . .	52,984	-	-	-	-	13	2	-	-	-	-	-	-	-	-	-	-
Hackney . . .	225,372	-	-	-	-	41	15	1	1	-	2	-	-	-	-	-	-
CENTRAL.																	
Holborn . . .	39,676	-	-	-	-	7	1	-	-	-	-	-	-	-	-	-	-
Finsbury . . .	78,291	-	-	-	-	6	4	-	1	-	-	-	-	-	-	-	-
City of London . . .	14,447	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
EASTERN.																	
Shoreditch . . .	102,044	-	-	-	-	10	16	3	3	-	-	3	-	-	-	-	-
Bethnal Green . . .	114,471	-	-	-	-	15	9	9	2	-	-	2	-	-	-	-	-
Stepney . . .	241,770	1	-	-	-	33	17	3	3	-	1	-	-	-	2	-	-
Poplar . . .	159,766	1	1	-	-	22	6	7	-	-	-	1	-	-	1	-	-
SOUTHERN.																	
Southwark . . .	187,142	-	-	-	-	21	6	5	3	-	1	2	-	-	-	-	-
Bermondsey . . .	129,189	-	-	-	-	18	4	1	1	-	-	-	-	-	-	-	-
Lambeth . . .	293,572	-	-	-	-	19	5	10	1	-	1	2	-	-	-	-	-
Battersea . . .	165,664	-	-	-	-	19	15	12	-	-	-	1	-	-	-	-	-
Wandsworth . . .	346,990	1	-	-	-	37	16	20	5	-	-	-	-	-	-	-	-
Camberwell . . .	284,712	-	1	-	-	37	9	1	2	-	-	-	-	-	1	-	-
Deptford . . .	115,636	-	-	-	-	19	9	-	1	-	-	-	-	-	-	-	-
Greenwich . . .	102,408	-	1	-	-	12	6	6	1	-	-	-	-	-	-	-	-
Lewisham . . .	174,438	-	-	-	-	18	9	2	5	-	-	-	-	-	-	-	-
Woolwich . . .	141,666	3	1	-	-	16	10	1	1	-	-	2	-	-	-	-	-
TOTAL . . .	4,531,971	8	5	-	-	533	237	110	41	-	8	16	1	-	5	-	-
Ages 0-1 . . .		-	-	-	-	5	3	4	1	-	-	16	-	-	1	-	-
" 1-5 . . .		-	-	-	-	91	57	16	2	-	-	-	-	-	1	-	-
" 5- . . .		3	1	-	-	242	92	11	1	-	-	-	1	-	1	-	-
" 10- . . .		1	-	-	-	132	39	7	3	-	-	-	-	-	2	-	-
" 15- . . .		1	-	-	-	23	13	8	2	-	1	-	-	-	1	-	-
" 20- . . .		-	-	-	-	15	13	7	2	-	1	-	-	-	-	-	-
" 25- . . .		2	4	-	-	19	15	11	4	-	2	-	-	-	-	-	-
" 35- . . .		1	-	-	-	3	4	10	4	-	3	-	-	-	-	-	-
" 45- . . .		-	-	-	-	2	-	14	11	-	1	-	-	-	-	-	-
" 55- . . .		-	-	-	-	-	1	12	4	-	-	-	-	-	-	-	-
" 65- . . .		-	-	-	-	-	-	6	6	-	-	-	-	-	-	-	-
" 75 and upwards . . .		-	-	-	-	1	-	4	1	-	-	-	-	-	-	-	-
Age not stated . . .		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

† See note † on first page of this return.

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS AND DEATHS REGISTERED:—

LONDON AND

NINETY-FIVE OTHER GREAT TOWNS.

~~~~~  
**By Authority of the Registrar General.**  
~~~~~

LONDON:

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from

H.M. STATIONERY OFFICE at the following addresses:

IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and

28, ABINGDON STREET, LONDON, S.W. 1;

37, PETER STREET, MANCHESTER;

1, ST. ANDREW'S CRESCENT, CARDIFF;

23, FORTH STREET EDINBURGH;

or from E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN.

No. 21. VOL. LXXXII. 1921. WEEK ENDED SATURDAY, MAY 28.
[Price 9d. Net.]

*General Register Office, Somerset House,
May 31st, 1921.*

NINETY-SIX GREAT TOWNS.

For the NINETY-SIX GREAT TOWNS of England and Wales each of which had a population of 50,000 or over at the Census of 1911, the births registered last week numbered 9,572, and corresponded to an annual rate of 26·8 per 1,000. The deaths* among the civilian population only numbered 4,000, and corresponded to an annual rate of 11·2 per 1,000 of their aggregate civilian population, which is provisionally estimated† at 18,554,878 persons in the year 1920. In the three weeks ended May 7th, May 14th, and May 21st, the rates had been 12·4, 12·5, and 11·3 respectively. The infant mortality was 63, against 83, 68, and 75 in the preceding three weeks. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks; it also shows for the week ended last Saturday the births and the deaths from certain individual causes. A column showing the number of deaths

* Corrected as far as possible for deaths of non-residents and for those of residents occurring outside the area. Fully corrected figures will appear in the Registrar General's Annual Report.

† The estimates of population refer to the year 1920, and are based on the returns furnished under the scheme for rationing of food.

from influenza has been inserted in Table 1. The aggregate number of deaths from influenza in the 96 great towns in each of the last thirteen weeks is shown in Table 3A.

Measured by last week's mortality, the highest annual death-rates per 1,000 living were:—from *all causes*, 17·3 in Tynemouth, 17·7 in Halifax, 18·0 in Great Yarmouth, 18·2 in Oldham, 20·3 in Bury, and 23·4 in Aberdare; from *measles*, 2·0 in Barrow-in-Furness and 2·2 in South Shields; and from *whooping cough*, 1·1 in Oldham and 1·7 in Wigan. No death from *small-pox* was registered in any of the ninety-six towns.

LONDON.* (The Administrative County, including the City of London.)

For LONDON there were 2,188 BIRTHS, corresponding to a rate of 25·1 per 1,000, and 936 DEATHS of civilians, corresponding to a rate of 10·8, as against 11·5, 11·6, and 10·7 per 1,000 in the three weeks ended May 7th, May 14th, and May 21st. The death-rate in the four weeks ended last Saturday averaged 11·2 per 1,000. The infant mortality was 60, against 76, 52, and 62 in the preceding three weeks.

There was 1 death from *enteric fever*, against 0, 0, and 0 in the preceding three weeks, the average for the corresponding weeks of the previous five years being 1. The deaths from *measles*, which had been 3, 6, and 4 in the preceding three weeks, were 3 last week, and were 24 below the average. The deaths from *scarlet fever*, which had been 7, 5, and 6 in the preceding three weeks, fell last week to 4, but were 2 above the average. The deaths from *whooping-cough*, which had been 11, 12, and 7 in the preceding three weeks, rose last week to 16, but were 5 below the average; 3 deaths belonged to the Borough of Battersea. The deaths from *diphtheria*, which had been 19, 17, and 19 in the preceding three weeks, rose last week to 22, and were 12 above the average; 5 deaths belonged to Islington. The deaths from *diarrhoea and enteritis under 2 years of age*, which had been 15, 7, and 15 in the preceding three weeks, were 14 last week, and were 3 above the average. The deaths from *influenza* numbered 6 as against 20, 28, and 23 in the preceding three weeks and an average of 11.

Different forms of violence caused 43 deaths, all of which were the subject of coroners' inquests. Of these 43 deaths, 9 were cases of suicide and 1 of homicide, while the remaining 33 were attributed to other forms of violence. Ten of these latter were referred to vehicles in the streets, 3 to burns or scalds, 5 to drowning, and 2, of infants under one year of age, to suffocation in bed.

CASES OF INFECTIOUS DISEASE.†

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital, there were 18 cases of enteric fever, 42 of measles, 3,427 of scarlet fever, 14 of whooping-cough, and 2,140 of diphtheria under treatment in these hospitals on Saturday last (Table 3). The admissions during the week,

* See note * on first page.

† The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

as compared with those in the preceding three weeks, were as follows :—Of enteric fever, 5 cases, against 2, 6, and 5; of measles, 10 cases, against 8, 10, and 11; of scarlet fever, 554 cases, against 476, 534, and 499; of whooping-cough, 2 cases, against 0, 0, and 1; and of diphtheria, 236 cases, against 227, 252, and 264. Table 9, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the county during the week ended May 21st, 1921.

TABLE 1.—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH RATES in the Week ended Saturday, 28th May, 1921, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.		DEATH RATES from all Causes.		Week ended		Week ended		Deaths of		Deaths from										Inquest Cases.			Deaths in Public Institutions.		Unverified Causes of Death.		TOWNS.
		28th May 1921.				BIRTHS.		DEATHS.		Infants under 1 Year of Age.		Persons aged 65 Years and upwards.		Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Martha and Enteritis (under 2 years).	Influenza.	Violence.	19.	20.	21.		
		7th May, 1921.	14th May, 1921.	21st May, 1921.	28th May, 1921.	6.	7.	8.	9.	10.	11.	12.	13.													14.	
ESTIMATED CIVILIAN POPULATION, MID. 1920.* (Provisional.)		1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.				
96 GREAT TOWNS.		18,554,878	12·4	12·5	11·3	11·2	9,572	4,000	599	1,286	2	-	32	15	64	42	60	71	146	301	1,383	25	96 GREAT TOWNS.				
LONDON†		4,531,971	11·5	11·6	10·7	10·8	2,188	936	132	315	1	-	3	4	16	22	14	6	43	92	479	1	LONDON.†				
(CROYDON.		191,580	13·1	9·5	11·4	7·1	106	26	3	14	-	-	-	-	2	-	-	-	1	1	10	-	(CROYDON.				
WIMBLEDON.		62,174	11·7	7·5	8·4	5·0	21	6	1	2	-	-	-	-	-	-	-	-	-	1	1	-	WIMBLEDON.				
EALING.		76,129	6·8	9·6	6·8	5·5	24	8	1	4	-	-	-	-	-	-	-	-	1	1	-	-	EALING.				
ACTON.		64,192	8·9	9·7	11·4	6·5	24	8	-	4	-	-	-	-	-	1	-	-	1	1	3	-	ACTON.				
WILLESDEN.		167,328	8·7	11·5	6·5	5·9	69	19	4	2	-	-	-	-	-	-	-	-	1	1	6	-	WILLESDEN.				
HORNSEY.		98,107	10·6	9·6	6·4	8·0	35	15	1	9	-	-	-	-	-	-	-	-	1	3	3	-	HORNSEY.				
TOTTENHAM		146,970	11·0	9·6	7·5	9·6	70	27	6	5	-	-	-	1	1	-	-	-	-	-	8	-	TOTTENHAM.				
EDMONTON.		73,529	7·8	10·6	11·3	6·4	36	9	2	-	-	-	-	-	-	-	1	1	-	-	4	-	EDMONTON.				
ENFIELD.		60,771	6·0	10·3	8·6	6·0	27	7	1	1	-	-	-	-	-	1	-	2	-	-	5	-	ENFIELD.				
WEST HAM.		299,440	10·1	11·0	10·1	8·7	187	50	6	16	-	-	-	1	-	-	1	1	2	4	20	-	WEST HAM.				
EAST HAM		150,207	8·0	8·7	6·2	7·6	61	22	4	8	-	-	-	-	1	-	-	1	1	5	8	-	EAST HAM.				
LEYTON.		128,832	10·1	9·3	6·5	8·5	51	21	1	12	-	-	-	-	-	-	-	-	1	2	7	-	LEYTON.				
WALTHAMSTOW		132,771	13·0	5·9	7·9	9·8	61	25	5	8	-	-	-	-	-	-	-	1	3	7	7	-	WALTHAMSTOW.				
(ILFORD.		82,633	10·1	9·5	11·3	8·8	31	14	-	7	-	-	-	-	-	-	-	-	-	-	7	-	(ILFORD.				
GILLINGHAM.		45,233	6·9	11·5	8·1	11·5	29	10	3	3	-	-	-	-	-	-	-	-	-	-	1	1	GILLINGHAM.				
HASTINGS.		59,972	10·4	17·4	13·9	9·6	14	11	1	5	-	-	-	-	-	-	1	-	1	1	4	-	HASTINGS.				
EASTBOURNE.		50,354	10·4	18·6	15·5	10·4	15	10	-	4	-	-	-	-	-	-	-	-	-	-	4	-	EASTBOURNE.				
BRIGHTON.		137,685	13·3	11·4	10·6	6·1	67	16	2	4	-	-	-	-	-	1	-	-	1	2	3	-	BRIGHTON.				
PORTSMOUTH.		235,998	13·5	9·7	8·6	10·4	115	47	9	13	-	-	-	-	-	-	-	-	4	6	11	1	PORTSMOUTH.				
BOURNEMOUTH.		85,919	15·8	10·9	6·7	12·1	30	20	1	14	-	-	-	-	-	-	-	-	1	2	5	-	BOURNEMOUTH.				
SOUTHAMPTON.		162,388	13·2	9·3	8·0	9·6	83	30	5	9	-	-	-	-	-	1	1	1	2	2	15	-	SOUTHAMPTON.				
READING.		95,006	12·6	6·6	8·8	9·3	52	17	1	4	-	-	-	-	-	-	-	-	-	-	6	1	READING.				
OXFORD.		59,963	7·0	12·2	12·2	7·0	24	8	1	6	-	-	-	-	-	-	-	-	-	-	1	-	OXFORD.				
NORTHAMPTON.		92,483	11·8	11·3	13·5	7·3	55	13	-	7	-	-	-	-	-	-	-	1	-	-	1	-	NORTHAMPTON.				
CAMBRIDGE.		60,154	12·1	12·1	6·9	10·4	17	12	1	7	-	-	-	-	-	-	1	1	-	-	3	-	CAMBRIDGE.				

† These towns are included within the area of Greater London.

TOWNS.	ESTIMATED CIVILIAN POPULATION, MID. 1920.* (Provisional.)	DEATH-RATES from all Causes.				Week ended 28th May, 1921.		The DEATHS in the Week include											TOWNS.			
		Week ended				BIRTHS.	DEATHS.	Deaths of		Deaths from								Inquest Cases.		Deaths in Public Institutions.	Uncertified Causes of Death.	
		7th May, 1921.	14th May, 1921.	21st May, 1921.	28th May, 1921.			Persons aged under 1 Year of Age.	65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.					Violence
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
SOUTHEEND ON SEA.	87,382	10.1	7.8	7.8	9.0	38	15	3	10	-	-	-	-	-	-	-	-	-	-	5	-	SOUTHEEND ON SEA.
IPSWICH.	81,119	9.0	10.3	9.0	6.4	35	10	-	4	-	-	-	-	-	-	-	-	-	-	1	-	IPSWICH.
GREAT YARMOUTH.	55,193	10.4	11.3	8.5	18.0	28	19	7	7	-	-	-	-	-	-	-	-	-	-	2	-	GREAT YARMOUTH.
NORWICH.	124,774	7.5	13.4	11.3	8.4	63	20	1	11	-	-	-	-	-	-	-	-	1	3	10	-	NORWICH.
SWINDON.	53,580	11.7	13.6	3.9	5.8	21	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-	SWINDON.
EXETER.	61,365	14.4	21.2	16.1	13.6	24	16	1	6	-	1	-	-	-	-	-	1	2	3	7	-	EXETER.
PLYMOUTH.	189,218	13.0	14.3	8.8	11.8	100	43	8	17	-	-	-	-	-	-	-	-	-	2	8	-	PLYMOUTH.
BATH.	68,546	12.2	12.9	13.7	15.2	22	20	-	11	-	-	-	-	-	-	-	-	-	-	6	-	BATH.
BRISTOL.	375,641	12.8	9.4	8.5	7.4	210	53	5	21	-	-	-	-	-	2	-	2	1	5	19	-	BRISTOL.
GLOUCESTER.	52,096	9.0	7.0	9.0	7.0	33	7	-	4	-	-	-	-	-	-	-	1	1	1	2	-	GLOUCESTER.
STOKE ON TRENT.	248,852	11.7	12.4	12.2	12.4	171	59	11	17	-	-	-	-	1	2	3	1	1	2	18	-	STOKE ON TRENT.
WOLVERHAMPTON.	102,324	11.2	14.3	12.2	11.2	57	22	1	6	-	-	-	-	-	-	-	-	1	1	8	-	WOLVERHAMPTON.
WALSALL.	96,419	10.3	16.8	14.1	12.4	61	23	3	9	-	-	-	-	-	-	-	1	1	1	3	-	WALSALL.
WEST BROMWICH.	72,684	11.5	14.3	13.6	13.6	59	19	6	7	-	1	-	-	-	-	-	1	1	1	4	-	WEST BROMWICH.
DUDLEY.	56,169	9.3	11.1	10.2	8.4	34	9	2	4	-	-	-	-	-	-	-	-	-	-	2	-	DUDLEY.
BIRMINGHAM.	895,915	12.5	13.1	11.5	12.0	474	206	32	66	-	-	6	3	1	2	2	2	7	8	66	3	BIRMINGHAM.
SMETHWICK.	75,027	8.3	7.0	8.3	8.3	49	12	2	2	-	-	-	-	-	-	-	-	-	1	2	-	SMETHWICK.
COVENTRY.	137,310	8.7	12.5	13.3	12.5	74	33	3	9	-	-	-	-	-	-	-	1	-	-	7	-	COVENTRY.
LEICESTER.	245,465	11.3	10.6	8.3	11.0	113	52	8	19	-	-	1	-	-	-	1	1	1	1	17	-	LEICESTER.
LINCOLN.	67,543	10.0	9.3	13.9	8.5	26	11	-	7	-	-	-	-	-	-	-	-	-	-	5	-	LINCOLN.
GRIMSBY.	81,953	7.6	5.7	8.3	6.4	39	10	3	1	-	-	-	-	-	-	-	-	-	-	2	-	GRIMSBY.
NOTTINGHAM.	267,836	11.9	11.5	12.8	11.1	116	57	8	24	-	-	-	1	1	-	1	1	1	1	18	-	NOTTINGHAM.
DERBY.	128,863	10.9	7.7	9.3	13.4	69	33	5	13	-	-	-	-	1	-	1	-	-	3	17	-	DERBY.

* See note † on first page of this return.

TOWNS.	CIVILIAN POPULATION, MID. 1920.* (Provisional).	Week ended				28th May, 1921.		Deaths of		Deaths from										Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS
		7th May, 1921.	14th May, 1921.	21st May, 1921.	28th May, 1921.	BIRTHS.	DEATHS.	Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Intertitis (under 2 years).	Influenza.	Violence.					
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.	
SHEFFIELD	492,570	13·2	11·9	10·2	9·7	242	92	18	24	-	-	1	-	4	-	1	1	2	3	33	-	SHEFFIELD.	
ROTHERHAM	71,785	15·3	13·8	14·5	11·6	41	16	2	6	-	-	-	-	-	-	-	-	-	-	7	-	ROTHERHAM.	
YORK	77,501	8·7	9·4	9·4	8·7	34	13	2	4	-	-	-	-	-	-	-	1	-	-	4	-	YORK.	
HULL	290,808	12·2	10·6	13·1	15·1	169	84	10	26	-	-	-	-	2	-	-	1	7	13	28	1	HULL.	
MIDDLESBROUGH	132,208	14·6	11·0	7·9	11·4	102	29	5	5	-	-	-	-	-	-	-	-	1	1	8	2	MIDDLESBROUGH.	
DARLINGTON	66,610	13·3	7·8	7·0	13·3	46	17	2	5	-	-	-	-	-	-	-	1	-	-	4	-	DARLINGTON.	
STOCKTON ON TEES	63,114	19·8	12·4	12·4	12·4	47	15	4	8	-	-	-	-	-	-	-	-	1	1	2	-	STOCKTON ON TEES.	
WEST HARTLEPOOL	68,126	9·9	13·8	20·7	11·5	52	15	1	4	-	-	-	-	-	-	-	-	-	-	-	-	WEST HARTLEPOOL.	
SUNDERLAND	155,211	9·4	18·1	11·1	10·1	121	30	8	11	-	-	1	-	1	-	-	-	1	3	6	-	SUNDERLAND.	
SOUTH SHIELDS	115,945	10·8	15·7	12·6	15·7	72	35	3	5	-	-	5	-	1	-	1	1	1	2	6	1	SOUTH SHIELDS.	
GATESHEAD	128,309	12·2	11·4	7·7	11·4	88	28	7	8	-	-	1	1	-	-	1	-	1	1	6	2	GATESHEAD.	
NEWCASTLE ON TYNE.	286,061	15·9	14·8	17·1	9·8	169	54	6	14	-	-	3	-	-	2	-	-	1	3	12	-	NEWCASTLE ON TYNE.	
TYNEMOUTH	60,318	13·8	14·7	8·6	17·3	32	20	3	7	-	-	-	-	-	-	1	-	2	2	5	-	TYNEMOUTH.	
CARLISLE	57,397	13·6	13·6	15·4	13·6	29	15	-	9	-	-	-	-	-	-	1	-	-	1	2	-	CARLISLE.	
NEWPORT (MON.)	90,728	12·1	13·8	8·6	10·3	43	18	2	5	-	-	-	-	1	-	-	-	-	-	3	-	NEWPORT (MON.).	
CARDIFF	212,582	8·8	11·8	9·8	11·8	127	48	11	13	-	-	-	-	-	-	3	-	2	4	11	-	CARDIFF.	
RHONDDA	184,999	12·7	10·1	9·6	8·7	108	31	5	8	-	-	-	-	1	-	-	-	1	1	4	-	RHONDDA.	
MERTHYR TYDFIL	74,493	13·3	14·7	12·6	14·0	57	20	6	3	-	-	-	1	-	-	-	1	2	3	7	-	MERTHYR TYDFIL.	
ABERDARE	53,431	13·7	10·7	11·7	23·4	36	24	6	6	-	-	-	1	-	-	-	-	-	1	3	-	ABERDARE.	
SWANSEA	167,218	10·0	10·3	11·5	10·6	73	34	6	9	-	-	-	-	1	-	-	-	2	5	2	-	SWANSEA.	
GREATER LONDON	7,548,647	10·9	11·0	9·9	9·6	3518	1384	192	480	1	-	3	7	22	25	22	14	61	125	629	2	GREATER LONDON.	
OUTER RING	3,016,676	10·1	10·0	8·7	7·7	1330	448	60	165	-	-	-	3	6	3	8	8	18	33	150	1	OUTER RING.	
14 GREAT TOWNS IN OUTER RING.	1,734,723	10·1	9·6	8·6	7·7	803	257	35	92	-	-	-	2	4	2	3	6	10	22	89	-	14 GREAT TOWNS IN OUTER RING.	
REMAINDER OF OUTER RING.	1,281,953	10·2	10·6	8·8	7·8	527	191	25	73	-	-	-	1	2	1	5	2	8	11	61	1	REMAINDER OF OUTER RING.	
EDINBURGH†	446,200	14·5	11·8	12·8	13·8	188	118	8	41	-	-	2	1	1	1	-	1	5	?	?	?	EDINBURGH.†	
GLASGOW†	1,100,400	16·3	16·1	13·6	11·9	544	251	41	60	-	-	-	-	11	3	2	1	8	?	?	?	GLASGOW.†	
DUBLIN (Registration Area).†	423,000	18·7	16·9	12·0	13·9	256	113	17	27	-	-	-	-	-	1	3	1	5	6	48	2	DUBLIN (Registration Area).†	
BELFAST†	420,000	15·5	15·0	13·9	13·8	169	111	17	22	-	-	-	-	8	-	2	-	6	7	28	1	BELFAST.†	

* See note † on first page of this return.

† The populations are total populations and relate to 1921. Deaths and the death-rates in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week: those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

TABLE 2. LONDON.—Births and Deaths registered during the TWENTY-FIRST Week of each of the Eleven Years, 1911-1921.

	1911.	1912.	1913.	1914.	1915.	1916.	1917.	1918.	1919.	1920.	1921.
Births (as registered).	2267	2192	2340	2290	1933	2103	1633	1161	1423.	2096	2188
Males	1191	1119	1133	1160	979	1085	852	606	731	1081	1131
Females	1076	1073	1207	1130	954	1018	781	555	692	1015	1057
Deaths (of residents only).	1060	1066	1155	1025	1138	964*	1048*	1034*	797*	1010*	936*
Males	559	560	613	523	595	495	571	538	374	514	497
Females	501	506	542	502	543	469	477	496	423	496	439

* Deaths in civilian population only.

TABLE 3. LONDON.—BIRTHS and DEATHS REGISTERED, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the last THIRTEEN WEEKS.

	Mar. 5.	Mar. 12.	Mar. 19.	Mar. 26.	Apr. 2.	Apr. 9.	Apr. 16.	Apr. 23.	Apr. 30.	May 7.	May 14.	May 21.	May 28.
Births (as registered) . . .	1987	2074	2004	1746	2016	2157	2099	2112	2082	1940	2068	1868	2188
Deaths (of residents only).	1282	1311	1142	1005	1149	1168	1077	1093	1049	999	1012	932	936
Ages at Death													
Under 1 year	168	179	157	117	144	166	128	144	136	147	108	116	132
1-2 years	34	45	46	32	39	38	39	36	33	28	25	35	32
2-5 "	26	24	28	18	25	24	21	28	17	23	28	15	25
5-10 "	21	22	19	19	28	22	21	19	28	24	20	29	24
10-15 "	15	15	21	14	21	12	16	14	13	14	17	13	18
15-20 "	21	24	24	26	21	30	15	29	31	19	23	23	22
20-25 "	17	25	29	23	33	29	21	28	25	34	24	22	14
25-35 "	66	53	52	50	42	69	52	41	43	41	50	53	56
35-45 "	81	93	79	80	90	91	84	90	88	73	89	72	65
45-55 "	117	138	109	108	125	122	120	132	96	103	108	109	100
55-65 "	201	176	147	130	177	178	161	168	176	146	145	119	133
65-75 "	254	243	188	182	188	190	179	201	173	169	191	166	174
75 years and upwards	261	274	243	206	216	197	220	163	190	178	184	160	141
Deaths from—													
Enteric fever	2	1	-	-	2	1	-	1	-	-	-	-	1
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	-	2	5	4	2	12	10	6	6	3	6	4	3
Scarlet fever	6	3	9	6	6	5	5	3	7	7	5	6	4
Whooping cough	13	9	7	12	8	13	10	10	8	11	12	7	16
Diphtheria	18	26	20	15	24	19	24	32	18	19	17	19	22
Diarrhoea and enteritis (under 2 years).	22	22	17	14	19	14	6	16	16	15	7	15	14
Pulmonary tuberculosis . .	105	100	101	109	95	116	85	101	99	92	87	82	83
Influenza	45	27	42	33	44	38	49	27	35	20	28	23	6
Pneumonia (all forms) . .	148	165	117	107	117	103	95	98	94	105	88	65	71
Bronchitis	159	149	131	93	102	90	88	85	81	70	74	55	38
Other dis. of resp. system .	23	27	16	16	14	15	15	8	13	16	13	12	13
Dis. of circ. system . . .	219	223	177	175	192	172	150	180	149	160	190	150	175
Violence	34	41	44	26	30	47	37	35	49	40	37	39	43
Inquest cases	85	101	90	69	88	105	80	86	92	98	96	91	92
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Enteric fever	15	13	12	13	10	2	10	9	10	10	13	17	18
Small-pox	-	-	-	-	-	-	-	-	1	1	1	-	-
Measles	26	28	26	25	30	27	33	26	25	28	34	41	42
Scarlet fever	3738	3730	3695	3609	3535	3453	3345	3307	3255	3195	3238	3299	3427
Whooping cough	22	25	26	23	25	24	21	20	20	18	16	14	14
Diphtheria	2809	2818	2817	2777	2689	2626	2543	2564	2453	2343	2281	2215	2140

* The Metropolitan Asylums Board and London Fever Hospitals. The figures do not refer to London exclusively.

TABLE 3A. 96 Great Towns.—DEATHS from INFLUENZA in the last THIRTEEN WEEKS.

	Mar. 5.	Mar. 12.	Mar. 19.	Mar. 26.	Apr. 2.	Apr. 9.	Apr. 16.	Apr. 23.	Apr. 30.	May 7.	May 14.	May 21.	May 28.
Deaths from Influenza . . .	167	149	151	122	130	97	111	82	93	104	114	94	71

TABLE 4. LONDON.—DEATHS REGISTERED in the TWENTY-FIRST Week of the Year 1921.

CAUSES OF DEATH.	Deaths in the 21st week of the year 1920.	DEATHS OF PERSONS OF THE AGES													
		ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-10 years.	10-15 years.	15-20 years.	20-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and up- wards.
ALL CAUSES	1010	936	132	32	25	24	18	22	14	56	65	100	133	174	141
Enteric fever	3	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	24	3	1	2	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever	3	4	-	2	1	1	-	-	-	-	-	-	-	-	-
Whooping cough	14	16	11	3	2	-	-	-	-	-	-	-	-	-	-
Diphtheria	17	22	1	2	7	6	3	2	-	1	-	-	-	-	-
Influenza	26	6	-	-	-	-	-	-	-	1	-	-	-	-	-
Erysipelas	3	1	-	-	-	-	-	-	-	1	1	-	1	3	1
Acute Poliomyelitis, Polioencepha- litis.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal meningitis . . .	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-
Other endemic and epidemic diseases.	-	2	-	-	-	-	-	-	-	1	1	-	-	-	-
Pyæmia and septicæmia	3	4	1	-	-	1	-	-	-	1	-	1	-	-	-
Tetanus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis :—															
Pulmonary tuberculosis	95	83	-	-	-	-	2	8	9	15	16	19	7	6	1
Tuberculous meningitis	10	9	3	3	2	-	1	-	-	-	-	-	-	-	-
Abdominal tuberculosis	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of the spine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of the joints	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of other organs . . .	3	2	-	-	-	-	-	2	-	-	-	-	-	-	-
Disseminated tuberculosis . . .	3	3	-	1	2	-	-	-	-	-	-	-	-	-	-
Venereal diseases	7	3	2	-	-	-	-	-	-	1	-	-	-	-	-
Cancer	104	111	-	-	-	-	-	-	-	3	6	16	40	35	11
Rheumatic fever	5	5	-	-	-	-	2	1	1	1	-	-	-	-	-
Diabetes	3	8	-	-	-	-	-	-	-	-	-	1	4	1	2
Anæmia, leucocythæmia	7	2	-	-	-	-	-	-	-	-	1	-	-	-	1
Other general diseases	10	11	1	-	-	-	-	1	-	-	3	-	-	2	4
Alcoholism	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic poisonings	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	4	8	2	2	-	1	-	-	-	-	-	1	2	-	-
Cerebral hæmorrhage, &c., Apoplexy	39	41	-	-	-	-	-	-	-	-	1	4	10	10	16
Softening of brain	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Paralysis, without specified cause .	7	3	-	-	-	-	-	-	-	-	-	-	-	2	1
Epilepsy	3	3	1	-	-	-	-	-	-	-	1	-	1	-	-
"Convulsions" (not puerperal) . .	5	6	6	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system .	22	23	1	-	1	-	-	1	-	6	5	3	2	4	-
Pericarditis	2	6	1	-	-	2	1	-	-	-	1	-	1	-	-
Acute endocarditis	10	3	-	-	-	-	-	-	-	1	2	-	-	-	-
Other diseases of heart	105	133	-	-	-	2	-	3	1	7	5	18	26	42	29
Embolism and thrombosis (exclud- ing cerebral).	8	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Other diseases of circulatory system.	33	32	-	1	1	-	-	-	-	2	-	1	3	13	11
Diseases of the larynx	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis	58	38	7	-	-	1	-	-	-	-	1	-	5	7	17
Broncho-pneumonia	29	31	12	6	1	1	-	-	-	1	1	2	1	3	3
Lobar pneumonia	11	24	2	-	1	1	-	-	-	-	4	6	4	6	-
Pneumonia (type not distinguished)	19	16	1	3	-	1	-	1	-	-	1	5	2	1	1
Pleurisy	6	4	-	2	-	-	-	-	-	-	-	-	-	2	-
Pulmonary congestion, Pulmonary apoplexy.	2	3	-	-	-	-	-	-	-	-	-	-	-	1	2
Other diseases of respiratory system.	4	6	-	-	-	-	-	-	-	-	-	1	1	2	2

TABLE 5.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM							
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria*	Diarrhoeal Diseases† (under 2 years).	Influenza.
LONDON† . .	4,531,971	1921. May 28	2,188	936	10·8	1	-	3	4	16	22	14	6
CUTTACK . .	896,067	Apr. 23	-	556§	32·2	?	5	?	?	?	?	?	15
BOMBAY . .	979,445	" 23	301	1,405§	74·6	2	25	7	-	-	-	68	64
MADRAS . .	518,660	" 16	397	374	37·5	1	2	-	?	-	-	36	5
COPENHAGEN . .	2,847,229	(10 days) Apr. 20	1,465	1,204	15·4	1	-	12	2	1	6	22	13
AMSTERDAM . .	792,919	-	-	-	-	-	-	-	-	-	-	-	-
ROTTERDAM . .	338,627	May 14	136	65	10·1	-	-	1	-	-	-	-	1
ANTWERP . .	680,484	" 14	325	130	10·0	-	-	2	-	5	1	-	2
STOCKHOLM . .	571,000	" 14	215	134	12·2	-	-	-	-	-	-	4	-
GOthenBURG . .	419,788	" 7	116	96	11·9	-	-	1	-	1	1	1	-
BERLIN . .	205,494	" 7	-	38	9·6	-	-	-	-	-	-	-	5
CHRISTIANIA . .	260,904	May 14	91	55	11·0	-	-	-	-	-	-	-	1
VIENNA . .	1,949,000	" 7	588	482	12·9	-	?	8	1	7	6	8	3
PRAGUE . .	547,000	" 7	231	149	14·2	-	?	-	-	2	1	7	4
BUDAPEST . .	664,000	" 7	175	158	12·4	-	?	4	1	1	1	4	1
PARIS . .	595,000	" 7	226	127	11·1	-	?	-	-	2	-	2	1
BRUSSELS . .	468,000	" 7	179	75	8·3	-	?	-	-	-	-	-	2
LYON . .	1,003,000	" 7	340	239	12·4	-	?	4	-	-	5	8	4
BOLOGNA . .	631,000	" 7	232	153	12·6	-	?	-	-	-	1	3	6
TRIESTE . .	670,000	" 7	242	163	12·7	-	?	6	1	-	2	4	2
GENOA . .	1,842,005	" 7	488	555	15·7	-	-	-	1	2	-	14	6
BARCELONA . .	676,454	Apr. 23	269	226	17·4	3	-	-	-	-	-	10	8
VIENNA . .	933,000	Mar. 12	412	442	24·6	2	?	14	3	1	5	19	3
PRAGUE . .	247,551	May 7	-	-	-	-	-	-	-	-	-	-	-
STOCKHOLM . .	764,800	Mar. 11	639	532	36·2	3	1	1	-	?	-	31	?
ALEXANDRIA . .	449,300	" 11	412	300	34·7	-	1	2	-	?	-	18	?
NEW YORK . .	5,753,151	Apr. 30	2,713	1,327	12·0	1	-	6	12	10	23	31	14
CHICAGO . .	2,780,655	May 7	-	574	10·8	-	-	3	1	1	10	32	3

including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Cities, Vienna, Prague, and Suburbs, Budapest, and Trieste.

§ deaths in this column relate to *all ages* for Bombay, Madras, Christiania, and Budapest, and to *children under*

year of age for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

* estimated population and deaths refer to the civilian population only.

† including 6 deaths from *plague* in Calcutta and 89 in Bombay, and from *Asiatic cholera*, 73 deaths in Calcutta.

TABLE 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 28th May, 1921.
(Supplied by the Meteorological Office.)

TOWNS.	Temperature of Air.*				Rainfall in Milli- metres.†	TOWNS.	Temperature of Air.*				Rainfall in Milli- metres.†
	Highest.	Lowest.	Mean Maxi- mum.	Mean Mini- mum.			Highest.	Lowest.	Mean Maxi- mum.	Mean Mini- mum.	
LONDON (Greenwich) }	77	44	72·1	47·9	8	BRADFORD . .	73	36	62·6	43·4	1
NOTTINGHAM . .	76	46	67·9	50·9	4	SHEFFIELD . .	-	-	-	-	-
SMITH . .	77	44	70·3	49·9	0·3	YORK (Museum) . .	76	39	65·4	43·1	2
WICH (Eaton) . .	74	43	66·3	48·9	21	HULL (Pearson Park) . .	73	41	63·4	45·1	6
WIMBORNE . .	?	43	?	49·4	3	TYNEMOUTH . .	72	40	59·7	45·7	2
WOL (Clifton) . .	77	42	70·4	49·7	2	CARDIFF . .	78	39	67·4	46·4	1
WILKINGHAM . .	78	37	65·7	45·0	1	EDINBURGH . .	71·0	37·0	62·0	45·0	14
WILKINGHAM . .	77	41	66·1	45·0	6	GLASGOW . .	67·6	38·5	61·1	45·8	6
WIMBORNE (Bidston) }	72	43	59·4	47·1	21	DUBLIN :—					
CHESTER . .	79	39	64·6	45·3	11	Phoenix Park . .	71·1	35·6	62·1	41·1	8
WILKLEY . .	74	34	62·1	41·3	10	†Fitzwilliam Square	63·6	39·1	61·1	46·6	7
WIMBORNE . .	77	37	63·4	44·1	2	BELFAST . .	70·0	38·0	62·9	46·4	7

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.

† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.

‡ 1 millimetre = ·04 inch nearly ·1 inch = 25·4 millimetres exactly.

TABLE 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 28th May 1921.

[Under the Superintendence of the Astronomer Royal.]

1921. MONTH AND DAY.		Phases of the Moon.	BARO- METER. Mean daily reading (cor- rected and re- duced to 32° Fahren- heit).	TEMPERATURE.					Difference between the Air Temperature and Dew Point Temperature.			De- gree of Hu- mid- ity (Satu- ration equals 100).	TEMPERATURE.			Wind as deduced from Anemometers.				Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
				Of the Air.				Of the Dew point.	Of Radiation.		Of the Earth 4 feet below the Surface.		Osler's.		Robinson's.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
				High- est.	Low- est.	Daily Range.	Mean daily value.		De- parture from Average of 65 years.	Mean Great- est.			Least.	General Direction.	Pressure on the Square Foot.		Horizontal Movement of the Air Average of Day.	Departure from Average of 50 years.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
															Great- est.	Least.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
MAY.			in.	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	

DATE.	ELECTRICITY. (For explanation of symbols, see Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
MAY 1921.				
SUNDAY - 22	w.P. generally	14.7	15.9	Cloudless with few exceptions; partially cloudy 9h. 30m. to 11h. 30m.
MONDAY - 23	w.P. till 9h., v.P. afterwards.	14.3	15.9	Cloudless generally till 6h. 30m.; variably cloudy till 14h., then nearly cloudless.
TUESDAY - 24	w.P. till 9h., v.P. afterwards.	10.9	15.9	Cloudless till 1h., nearly overcast by 3h., clearing from 9h.; nearly cloudless from 10h.
WEDNESDAY - 25	w.P. generally till 6h., m.P. generally afterwards.	4.2	16.0	Nearly cloudless generally till 6h. 30m., then clouding up; overcast generally from 7h., with few breaks; finer interval about 15h.; rain at 14h. and about 23h.
THURSDAY - 26	v.P. generally, with v.N. at times.	2.6	16.0	Nearly overcast till 7h.; fine interval about 8h.; overcast generally after 10h.; rain or damping 4h., 16h., 19h. and 21h. to 23h.; occasional thunder.
FRIDAY - 27	No register till noon; s.P. generally afterwards.	5.7	16.0	Overcast till 6h.; variably cloudy till 11h., and from 14h. to 15h., otherwise nearly overcast; rain or damping 1h. to 6h., and slight rain 16h. 30m.
SATURDAY - 28	s.P. generally, v.P. and v.N. 12h. to 17h.	10.8	16.1	Overcast generally till 4h., becoming nearly cloudless by 6h.; variably cloudy 7h. 30m. to 19h., then nearly cloudless; showers in afternoon.
No. of Col. - -		Sum 63.2	Sum 111.8	
		27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "higher," and - "lower," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased generally from 30.12 in. at the beginning of the week to 29.56 in. by noon on 28th, and increased to 29.63 in. by midnight on the same day.

TABLE 8. LONDON.—DEATHS OF PERSONS BELONGING to the several METROPOLITAN BOROUGHs REGISTERED in the Week ended 21st May, 1921.

BOROUGHs.	Deaths from									Deaths of Infants under 1 Year of Age.
	ALL CAUSES.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Pulmonary Tuberculosis.	
COUNTY OF LONDON .	932	-	-	4	6	7	19	15	82	116
Western										
PADDINGTON . . .	26	-	-	-	-	-	-	1	2	2
KENSINGTON . . .	48	-	-	-	-	-	-	2	3	5
HAMMERSMITH . . .	27	-	-	-	-	-	1	1	-	7
FULHAM	24	-	-	-	1	-	1	-	3	2
CHELSEA	10	-	-	-	-	-	-	-	2	-
CITY OF WESTMINSTER .	34	-	-	-	-	-	1	-	1	4
Northern.										
ST. MARYLEBONE . . .	22	-	-	-	-	-	1	-	4	2
HAMPSTEAD	18	-	-	-	-	-	2	1	-	7
ST. PANCRAS	46	-	-	-	-	1	-	-	5	8
ISLINGTON	68	-	-	-	-	1	2	-	5	9
STOKE NEWINGTON . . .	10	-	-	-	-	-	-	-	-	-
HACKNEY	46	-	-	-	-	1	1	-	3	4
Central.										
HOLBORN	8	-	-	-	-	-	-	-	-	-
FINSBURY	15	-	-	-	-	-	-	-	3	3
CITY OF LONDON . . .	1	-	-	-	-	-	-	-	-	-
Eastern.										
SHOREDITCH	33	-	-	2	-	1	-	1	7	8
BETHNAL GREEN . . .	24	-	-	-	-	-	1	-	2	1
STEPNEY	51	-	-	2	2	1	1	3	4	9
POPLAR	36	-	-	-	-	-	-	1	4	5
Southern.										
SOUTHWARK	40	-	-	-	-	1	-	-	1	4
BERMONDSEY	20	-	-	-	-	-	1	1	1	6
LAMBETH	67	-	-	-	-	-	-	-	4	9
BATTERSEA	27	-	-	-	-	-	1	-	4	2
WANDSWORTH	71	-	-	-	2	-	1	-	7	2
CAMBERWELL	69	-	-	-	-	-	1	4	9	11
DEPTFORD	19	-	-	-	-	1	1	-	3	2
GREENWICH	23	-	-	-	-	-	-	-	2	2
LEWISHAM	24	-	-	-	-	-	1	-	1	2
WOOLWICH	25	-	-	-	1	-	2	-	2	-


The deaths in the above Table are, so far as concerns London as a whole, corrected by the exclusion of deaths of non-residents, and by the inclusion of those of residents occurring in the Outer Ring or in Metropolitan public institutions situated outside the County. As between individual Metropolitan Boroughs, however, correction is complete.

TABLE 9. LONDON.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED during the Week ended 21st May, 1921.*

BOROUGHs.	ESTI- MATED CIVILIAN POPU- LATION, MID. 1920.† (Provi- sional.)	Enteric Fever.	Malaria.	Typhus.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Pneumonia.	Erysipelas.	Cerebro-Spinal Fever.	Puerperal Fever.	Ophthalmia Neonatorum.	Polio-myelitis.	Dysentery.	Encephalitis Lethargica.	Trench Fever.	Polio- encephalitis.
WESTERN.																	
Paddington . . .	149,673	-	-	-	-	13	9	2	-	-	1	1	-	-	-	-	-
Kensington . . .	164,177	-	-	-	-	11	6	1	3	-	-	1	-	-	1	-	-
Hammersmith . . .	136,200	-	-	-	-	24	7	1	-	-	-	1	-	-	-	-	-
Fulham . . .	158,621	-	-	-	-	13	10	5	1	-	-	-	1	-	-	-	-
Chelsea . . .	62,987	-	-	-	-	4	3	-	-	-	-	-	-	-	-	-	-
City of Westminster . . .	132,615	-	-	-	-	9	6	2	1	-	-	-	-	-	-	-	-
NORTHERN.																	
St. Marylebone . . .	101,856	1	-	-	-	9	2	-	-	-	-	3	-	-	-	-	-
Hampstead . . .	91,519	-	-	-	-	8	12	2	1	-	-	-	-	-	-	-	-
St. Pancras . . .	228,178	-	-	-	-	27	4	2	-	-	-	-	1	-	-	-	-
Islington . . .	335,907	-	-	-	-	33	29	-	4	-	3	1	-	-	-	-	-
Stoke Newington . . .	52,984	-	-	-	-	12	3	-	-	-	1	1	-	-	-	-	-
Hackney . . .	225,372	-	-	-	-	41	21	-	1	-	-	-	-	-	-	-	-
CENTRAL.																	
Holborn . . .	39,676	-	-	-	-	3	6	2	-	1	-	-	-	-	-	-	-
Finsbury . . .	78,291	-	1	-	-	5	9	-	-	-	-	-	-	-	-	-	-
City of London . . .	14,447	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
EASTERN.																	
Shoreditch . . .	102,044	-	-	-	-	11	18	1	1	-	-	1	-	-	-	-	-
Bethnal Green . . .	114,471	-	-	-	-	14	11	-	1	-	-	2	-	-	-	-	-
Stepney . . .	241,770	1	1	-	-	46	15	7	2	-	-	-	-	-	-	-	1
Poplar . . .	159,766	-	-	-	-	32	9	4	1	1	-	2	-	-	-	-	-
SOUTHERN.																	
Southwark . . .	187,142	-	-	-	-	15	7	2	5	1	-	-	-	-	-	-	-
Bermondsey . . .	129,189	-	-	-	-	28	7	-	1	-	-	-	-	-	-	1	-
Lambeth . . .	293,572	-	-	-	-	22	6	7	1	-	-	2	-	-	-	-	-
Battersea . . .	165,664	1	-	-	-	13	8	5	1	-	1	1	-	-	-	-	-
Wandsworth . . .	346,990	1	1	-	-	22	23	4	4	-	-	-	1	1	1	-	-
Camberwell . . .	284,712	1	1	-	-	33	22	-	1	-	-	1	1	1	-	-	-
Deptford . . .	115,636	-	-	-	-	16	4	2	2	-	-	-	-	-	-	-	-
Greenwich . . .	102,408	-	-	-	-	15	1	3	-	-	-	-	-	-	-	-	-
Lewisham . . .	174,438	-	-	-	-	9	4	-	1	-	-	-	-	-	-	-	-
Woolwich . . .	141,666	-	-	-	-	14	9	3	1	-	-	-	-	-	1	-	-
TOTAL . . .	4,531,971	5	4	-	-	503	271	55	33	3	6	17	3	1	4	1	1
AGES.																	
Ages 0-1 . . .		-	-	-	-	5	6	3	-	-	-	17	-	-	-	-	-
" 1-5 . . .		-	-	-	-	109	82	3	-	1	-	-	2	-	1	-	-
" 5- . . .		-	-	-	-	249	89	6	-	-	-	-	-	-	1	-	-
" 10- . . .		1	-	-	-	88	47	1	3	1	-	-	-	-	-	-	-
" 15- . . .		1	-	-	-	23	13	4	2	-	-	-	-	-	-	1	1
" 20- . . .		-	2	-	-	12	13	3	1	-	2	-	-	1	-	-	-
" 25- . . .		3	1	-	-	8	11	14	4	-	4	-	-	-	-	-	-
" 35- . . .		-	-	-	-	5	5	6	7	-	-	-	-	-	1	-	-
" 45- . . .		-	-	-	-	2	3	7	7	1	-	-	1	-	-	-	-
" 55- . . .		-	-	-	-	-	2	4	3	-	-	-	-	-	-	-	-
" 65- . . .		-	1	-	-	1	-	3	4	-	-	-	-	-	1	-	-
" 75 and upwards . . .		-	-	-	-	1	-	1	2	-	-	-	-	-	-	-	-
Age not stated . . .		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

† See note † on first page of this return.



FOR OFFICIAL USE.

WEEKLY RETURN

OF

**BIRTHS AND DEATHS REGISTERED:—
LONDON AND
NINETY-FIVE OTHER GREAT TOWNS.**

~~~~~  
**By Authority of the Registrar General.**  
~~~~~

LONDON:

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
H.M. STATIONERY OFFICE at the following addresses:
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and
28, ABINGDON STREET, LONDON, S.W. 1;
37, PETER STREET, MANCHESTER;
1, ST. ANDREW'S CRESCENT, CARDIFF;
23, FORTH STREET EDINBURGH;
or from E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN.

No. 22. VOL. LXXXII. 1921. WEEK ENDED SATURDAY, JUNE 4.
[Price 9d. Net.]

*General Register Office, Somerset House,
June 7th, 1921.*

NINETY-SIX GREAT TOWNS.

For the NINETY-SIX GREAT TOWNS of England and Wales each of which had a population of 50,000 or over at the Census of 1911, the births registered last week numbered 8,956, and corresponded to an annual rate of 25·1 per 1,000. The deaths* among the civilian population only numbered 3,728, and corresponded to an annual rate of 10·5 per 1,000 of their aggregate civilian population, which is provisionally estimated† at 18,554,878 persons in the year 1920. In the three weeks ended May 14th, May 21st, and May 28th, the rates had been 12·5, 11·3, and 11·2 respectively. The infant mortality was 59, against 68, 75, and 63 in the preceding three weeks. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks; it also shows for the week ended last Saturday the births and the deaths from certain individual causes. A column showing the number of deaths

* Corrected as far as possible for deaths of non residents and for those of residents occurring outside the area. Fully corrected figures will appear in the Registrar General's Annual Report.

† The estimates of population refer to the year 1920, and are based on the returns furnished under the scheme for rationing of food.

from influenza has been inserted in Table 1. The aggregate number of deaths from influenza in the 96 great towns in each of the last thirteen weeks is shown in Table 3A.

Measured by last week's mortality, the highest annual death-rates per 1,000 living were:—from *all causes*, 16·0 in Gloucester, 17·1 in Blackburn, 17·8 in Oldham, and 18·3 in Huddersfield; and from *measles*, 2·2 in West Bromwich, 2·7 in South Shields, 3·3 in Gateshead, and 3·4 in Barrow-in-Furness. No death from *small-pox* was registered in any of the ninety-six towns.

LONDON.* (The Administrative County, including the City of London.)

For LONDON there were 1,971 BIRTHS, corresponding to a rate of 22·6 per 1,000, and 867 DEATHS of civilians, corresponding to a rate of 10·0, as against 11·6, 10·7, and 10·8, per 1,000 in the three weeks ended May 14th, May 21st, and May 28th. The death-rate in the four weeks ended last Saturday averaged 10·8 per 1,000. The infant mortality was 55, against 52, 62, and 60 in the preceding three weeks.

The deaths from *enteric fever*, which had been 0, 0, and 1 in the preceding three weeks, numbered 3, the average for the corresponding weeks of the previous five years being 2. The deaths from *measles*, which had been 6, 4, and 3 in the preceding three weeks, were 5 last week, and were 25 below the average; 3 deaths belonged to the Borough of Stepney. The deaths from *scarlet fever*, which had been 5, 6, and 4 in the preceding three weeks, rose last week to 9, and were 7 above the average; 3 deaths belonged to Hammersmith. The deaths from *whooping-cough*, which had been 12, 7, and 16 in the preceding three weeks, fell last week to 6, and were 11 below the average. The deaths from *diphtheria*, which had been 17, 19, and 22 in the preceding three weeks, fell last week to 14, but were 6 above the average; 4 deaths belonged to Battersea. The deaths from *diarrhoea and enteritis under 2 years of age*, which had been 7, 15, and 14 in the preceding three weeks, fell last week to 9, and were 4 below the average; 3 deaths belonged to Battersea. The deaths from *influenza* numbered 9 as against 28, 23, and 6 in the preceding three weeks, and an average of 9.

Different forms of violence caused 31 deaths, all of which were the subject of coroners' inquests. Of these 31 deaths, 7 were cases of suicide and 2 of homicide, while the remaining 22 were attributed to other forms of violence. Seven of these latter were referred to vehicles in the streets, 1 to burns or scalds, and 3 to drowning.

CASES OF INFECTIOUS DISEASE.†

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital, there were 22 cases of enteric fever, 37 of measles, 3,491 of scarlet fever, 7 of whooping-cough, and 2,020 of diphtheria under treatment in these hospitals on Saturday last (Table 3). The admissions during the week,

* See note * on first page.

† The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

as compared with those in the preceding three weeks, were as follows :—Of enteric fever, 4 cases, against 6, 5, and 5; of measles, 8 cases, against 10, 11, and 10; of scarlet fever, 490 cases, against 534, 499, and 554; of whooping-cough, 1 case, against 0, 1, and 2; and of diphtheria, 236 cases, against 252, 264, and 236. Table 9, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the county during the week ended May 28th, 1921.

TABLE 1.—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH RATES in the Week ended Saturday, 4th June, 1921, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	ESTIMATED CIVILIAN POPULATION. MID. 1920 * (Provisional.)	DEATH RATES from all Causes.				Week ended 4th June 1921.		The DEATHS in the Week include										TOWNS.			
		Week ended				BIRTHS.	DEATHS.	Deaths from													
		Deaths of						Violence.	Deaths in Public Institutions.	Uncertified Causes of Death.											
		14th May, 1921.	21st May, 1921.	28th May, 1921.	4th June, 1921.						Persons aged under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.		Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.
1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
96 GREAT TOWNS.	18,554,878	12.5	11.3	11.2	10.5	8,956	3,728	531	1,160	5	-	59	17	51	38	44	67	117	229	1,247	24
LONDON†	4,531,971	11.6	10.7	10.8	10.0	1,971	867	108	280	3	-	5	9	6	14	9	9	31	73	448	1
CRUYDON.	191,580	9.5	11.4	7.1	9.5	78	35	7	19	-	-	-	-	1	-	-	-	1	5	4	-
WIMBLEDON.	62,174	7.5	8.4	5.0	5.0	20	6	-	2	-	-	-	-	-	-	-	-	-	-	1	-
EALING.	76,129	9.6	6.8	5.5	6.8	28	10	1	3	-	1	-	-	-	-	-	-	-	-	2	-
ACTON.	64,192	9.7	11.4	6.5	10.6	21	13	5	5	-	-	-	-	-	-	-	-	-	-	4	-
WILLESDEN.	167,328	11.5	6.5	5.9	6.9	52	22	1	8	-	-	-	-	-	-	1	3	4	4	7	-
HORNSEY.	98,107	9.6	6.4	8.0	8.0	24	15	2	9	-	-	-	-	-	-	-	-	-	1	4	-
TOTTENHAM	146,970	9.6	7.5	9.6	6.7	69	19	3	4	-	-	-	-	2	-	-	-	-	1	10	-
EDMONTON.	73,529	10.6	11.3	6.4	4.3	37	6	1	3	-	1	-	-	-	-	-	1	1	-	4	-
ENFIELD.	60,771	10.3	8.6	6.0	6.0	27	7	1	2	-	-	-	-	-	-	-	-	-	-	1	-
WEST HAM.	299,440	11.0	10.1	8.7	9.4	171	54	5	10	-	-	-	-	-	-	-	3	5	5	24	-
EAST HAM	150,207	8.7	6.2	7.6	9.4	51	27	2	11	-	-	-	-	-	1	1	1	1	1	11	2
LEYTON.	128,832	9.3	6.5	8.5	11.7	55	29	6	9	-	1	-	-	2	1	-	3	4	9	9	-
WALTHAMSTOW	132,771	5.9	7.9	9.8	6.7	45	17	2	10	-	-	-	-	-	-	-	2	3	4	4	-
ILFORD.	82,693	9.5	11.3	8.8	8.8	34	14	2	3	-	1	-	-	-	-	-	1	2	2	6	-
GILLINGHAM.	45,233	11.5	8.1	11.5	10.4	21	9	2	1	-	-	-	-	-	1	-	-	-	-	1	-
HASTINGS.	59,972	17.4	13.9	9.6	12.2	15	14	2	7	-	-	-	-	-	-	-	-	-	-	5	-
EASTBOURNE	50,354	18.6	15.5	10.4	7.2	20	7	1	1	-	-	-	-	-	-	-	-	-	-	4	-
BRIGHTON.	137,685	11.4	10.6	6.1	6.1	59	16	2	7	-	-	-	-	-	1	1	1	1	2	8	-
PORTSMOUTH.	235,998	9.7	8.6	10.4	8.2	110	37	4	10	-	3	-	-	-	-	-	-	2	2	11	-
BOURNEMOUTH.	85,919	10.9	6.7	12.1	7.9	29	13	1	9	-	-	-	-	-	-	-	-	-	-	2	-
SOUTHAMPTON.	162,388	9.3	8.0	9.6	8.3	74	26	3	6	-	-	-	-	-	-	-	-	1	6	6	-
READING.	95,006	6.6	8.8	9.3	5.5	40	10	1	4	-	-	-	-	-	-	-	-	-	1	1	-
OXFORD.	59,963	12.2	12.2	7.0	6.1	23	7	-	3	-	-	-	-	-	-	-	1	1	1	2	-
NORTHAMPTON.	92,483	11.3	13.5	7.3	7.9	49	14	3	4	-	-	-	-	1	-	-	-	1	1	4	-
CAMBRIDGE.	60,154	12.1	6.9	10.4	6.1	21	7	1	-	-	-	-	-	-	-	-	-	-	1	1	-

TOWNS.	ESTIMATED CIVILIAN POPULATION, MID. 1920.* (Provisional.)	Week ended				Week ended		Deaths of		Deaths from									Inquest Cases.	Deaths in Public Institutions.	Uncertified (Causes of Death.	TOWNS.			
		Causes.				4th June, 1921.		Persons aged 65 Years and upwards.	Infants under 1 Year of Age.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.	Violence										
		BIRTHS. DEATHS.				Persons aged 65 Years and upwards.	Infants under 1 Year of Age.									Scarlet Fever.	Whooping Cough.	Diphtheria.					Diarrhoea and Enteritis (under 2 years).	Influenza.	Violence
		14th May, 1921.	21st May, 1921.	28th May, 1921.	4th June, 1921.																				
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.			
SOUTHEND ON SEA.	87,382	7.8	7.8	9.0	8.4	44	14	-	8	-	-	-	-	-	-	-	-	-	-	1	-	SOUTHEND ON SEA.			
IPSWICH.	81,119	10.3	9.0	6.4	14.8	43	23	2	8	-	-	-	-	-	-	1	-	-	1	5	-	IPSWICH.			
GREAT YARMOUTH.	55,193	11.3	8.5	18.0	5.7	17	6	2	1	-	-	-	-	-	-	-	-	-	-	1	-	GREAT YARMOUTH.			
NORWICH.	124,774	13.4	11.3	8.4	8.4	49	20	2	11	-	-	-	-	-	-	-	-	1	1	4	-	NORWICH.			
SWINDON.	53,580	13.6	3.9	5.8	6.8	32	7	1	3	-	-	-	-	-	-	-	1	-	-	-	-	SWINDON.			
EXETER.	61,365	21.2	16.1	13.6	11.9	27	14	1	10	-	-	-	-	-	-	-	-	-	-	3	-	EXETER.			
PLYMOUTH.	189,218	14.3	8.8	11.8	13.8	105	50	3	13	-	-	1	-	-	-	-	-	-	-	11	-	PLYMOUTH.			
BATH.	68,546	12.9	13.7	15.2	13.7	15	18	4	4	-	-	-	-	-	-	-	-	-	-	6	-	BATH.			
BRISTOL.	375,641	9.4	8.5	7.4	7.6	186	55	9	22	-	-	-	-	2	1	-	-	5	6	19	-	BRISTOL.			
GLOUCESTER.	52,096	7.0	9.0	7.0	16.0	30	16	2	6	-	-	-	-	1	1	-	-	-	1	6	-	GLOUCESTER.			
STOKE ON TRENT.	248,852	12.4	12.2	12.4	11.5	146	55	14	14	-	-	-	-	-	-	2	1	3	3	17	-	STOKE ON TRENT.			
WOLVERHAMPTON.	102,324	14.3	12.2	11.2	10.7	61	21	3	9	-	-	-	-	-	-	1	-	1	1	5	-	WOLVERHAMPTON.			
WALSALL.	96,419	16.8	14.1	12.4	12.4	50	23	2	6	-	-	-	-	2	1	-	-	1	2	3	-	WALSALL.			
WEST BROMWICH.	72,684	14.3	13.6	13.6	11.5	51	16	2	6	-	-	-	-	-	-	-	1	1	1	1	-	WEST BROMWICH.			
DUDLEY.	56,169	11.1	10.2	8.4	11.1	42	12	5	2	-	-	-	-	-	-	-	1	1	1	-	-	DUDLEY.			
BIRMINGHAM.	895,915	13.1	11.5	12.0	10.6	509	182	22	49	-	-	3	2	2	3	1	1	4	5	66	2	BIRMINGHAM.			
SMETHWICK.	75,027	7.0	8.3	8.3	7.6	36	11	3	1	-	-	-	-	-	-	-	1	1	1	-	-	SMETHWICK.			
COVENTRY.	137,310	12.5	13.3	12.5	6.8	69	18	7	4	-	-	-	-	-	-	-	-	-	1	7	-	COVENTRY.			
LEICESTER.	245,465	10.6	8.3	11.0	8.3	109	39	8	11	-	-	1	-	2	-	-	1	1	1	9	2	LEICESTER.			
LINCOLN.	67,543	9.3	13.9	8.5	6.9	35	9	3	-	-	-	-	-	1	-	-	-	1	1	4	-	LINCOLN.			
GRIMSBY.	31,953	5.7	8.3	6.4	10.2	45	16	3	6	-	-	-	-	-	-	-	-	-	-	2	1	GRIMSBY.			
NOTTINGHAM.	267,836	11.5	12.8	11.1	9.1	129	47	4	16	-	-	-	-	1	-	-	1	2	2	16	-	NOTTINGHAM.			
DERBY.	128,865	7.7	9.3	13.4	9.3	60	23	2	12	-	-	-	-	-	-	-	-	-	1	9	-	DERBY.			

* See note † on first page of this return.

TOWNS.	CIVILIAN POPULATION, MID. 1920.* (Provisional).	Week ended					Week ended 4th June, 1921.		Deaths of		Deaths from										Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS
		14th May, 1921.	21st May, 1921.	28th May, 1921.	4th June, 1921.	5th June, 1921.	6.	7.	8.	9.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.	Violence.					
Cols.	1.	2.	3.	4.	5.	BIRTHS.	DEATHS.	Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.		
SHEFFIELD	492,570	11·9	10·2	9·7	10·8	260	102	19	23	-	-	2	-	2	-	-	3	3	2	8	30	-	-	SHEFFIELD.
ROTHERHAM	71,785	13·8	14·5	11·6	7·3	45	10	-	4	-	-	-	-	-	-	-	-	-	-	-	3	-	-	ROTHERHAM.
YORK	77,501	9·4	9·4	8·7	10·8	53	16	2	4	1	1	1	-	1	1	-	-	-	1	1	6	-	-	YORK.
HULL	290,808	10·6	13·1	15·1	10·0	122	56	10	16	-	-	-	-	1	1	-	2	-	2	3	16	-	-	HULL.
MIDDLESBROUGH	132,208	11·0	7·9	11·4	10·3	92	26	4	4	-	-	2	-	-	-	-	-	-	1	3	7	1	1	MIDDLESBROUGH.
DARLINGTON	66,610	7·8	7·0	13·3	7·8	32	10	4	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	DARLINGTON.
STOCKTON ON TEES	63,114	12·4	12·4	12·4	11·6	34	14	3	2	-	-	1	-	-	-	-	1	-	2	2	3	1	1	STOCKTON ON TEES.
WEST HARTLEPOOL	68,126	13·8	20·7	11·5	12·2	41	16	-	7	-	-	1	-	-	-	-	-	-	-	1	4	1	1	WEST HARTLEPOOL.
SUNDERLAND	155,211	18·1	11·1	10·1	14·1	93	42	10	8	-	-	3	-	3	-	-	1	-	-	-	10	-	-	SUNDERLAND.
SOUTH SHIELDS	115,945	15·7	12·6	15·7	15·7	80	35	3	7	-	-	6	-	1	-	-	-	2	1	1	4	2	2	SOUTH SHIELDS.
GATESHEAD	128,309	11·4	7·7	11·4	13·8	90	34	7	9	-	-	8	-	-	-	-	-	1	1	1	5	1	1	GATESHEAD.
NEWCASTLE ON TYNE.	286,061	14·8	17·1	9·8	11·8	165	65	9	20	-	-	2	1	2	-	-	-	-	1	3	16	-	-	NEWCASTLE ON TYNE.
TYNEMOUTH	60,318	14·7	8·6	17·3	10·4	39	12	1	2	-	-	1	-	-	-	-	-	-	-	-	1	-	-	TYNEMOUTH.
CARLISLE	57,397	13·6	15·4	13·6	8·2	28	9	3	4	-	-	-	-	1	-	-	-	-	-	-	1	-	-	CARLISLE.
NEWPORT (MON.)	90,728	13·8	8·6	10·3	6·3	56	11	1	4	-	-	-	-	1	-	-	-	-	-	-	1	-	-	NEWPORT (MON.).
CARDIFF	212,582	11·8	9·8	11·8	9·6	111	39	3	10	-	-	-	-	-	1	-	-	-	2	4	8	-	-	CARDIFF.
RHONDDA	184,999	10·1	9·6	8·7	8·2	119	29	4	12	-	-	-	-	-	-	-	-	2	1	3	2	-	-	RHONDDA.
MERTHYR TYDFIL	74,493	14·7	12·6	14·0	10·5	54	15	2	2	-	-	-	-	1	1	-	1	-	1	1	3	-	-	MERTHYR TYDFIL.
ABERDARE	53,431	10·7	11·7	23·4	7·8	30	8	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	ABERDARE.
SWANSEA	167,218	10·3	11·5	10·6	8·7	81	28	3	10	-	-	-	-	1	-	-	-	1	2	2	3	-	-	SWANSEA.
GREATER LONDON	7,548,647	11·0	9·9	9·6	9·1	3127	1313	162	452	3	-	9	9	10	21	11	13	52	109	588	3	3	3	GREATER LONDON.
OUTER RING	3,016,676	10·0	8·7	7·7	7·7	1156	446	54	172	-	-	4	-	4	7	2	4	21	36	140	2	2	2	OUTER RING.
14 GREAT TOWNS IN OUTER RING.	1,734,723	9·6	8·6	7·7	8·2	712	274	38	98	-	-	4	-	1	4	2	3	15	26	91	2	2	2	14 GREAT TOWNS IN OUTER RING.
REMAINDER OF OUTER RING.	1,281,953	10·6	8·8	7·8	7·0	444	172	16	74	-	-	-	-	3	3	-	1	6	10	49	-	-	-	REMAINDER OF OUTER RING.
EDINBURGH†	446,200	11·8	13·8	13·8	13·7	200	117	21	35	-	-	3	-	5	1	-	-	4	?	?	?	?	?	EDINBURGH.†
GLASGOW†	1,100,400	16·1	13·6	11·9	11·0	673	233	47	46	-	-	1	1	18	1	6	1	7	?	?	?	?	?	GLASGOW.†
DUBLIN (Registra- tion Area).†	423,000	16·9	12·0	13·9	14·8	221	120	14	31	-	-	-	-	-	1	2	-	3	3	52	1	1	1	DUBLIN (Registra- tion Area).†
BELFAST†	420,000	15·0	13·9	13·8	12·9	272	104	18	24	-	-	-	-	7	-	3	1	3	4	22	1	1	1	BELFAST.†

* See note † on first page of this return.

† The populations are total populations and relate to 1921. Deaths and the death-rates in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week: those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

TABLE 2. LONDON.—Births and Deaths registered during the TWENTY-SECOND Week of each of the Eleven Years, 1911–1921.

	1911.	1912.	1913.	1914.	1915.	1916.	1917.	1918.	1919	1920.	1921.
Births (as registered).	2110	1901	2154	1880	2273	2116	1454	1550	1403	2558	1971
Males	1078	995	1038	972	1120	1087	756	804	713	1278	1013
Females	1032	906	1116	908	1153	1029	698	746	690	1280	958
Deaths (of residents only).	1052	1001	1117	1096	1150	919*	949*	962*	794*	920*	867*
Males	565	525	596	581	609	496	471	512	390	501	425
Females	487	476	521	515	541	423	478	450	404	419	442

* Deaths in civilian population only.

TABLE 3. LONDON.—BIRTHS and DEATHS REGISTERED, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the last THIRTEEN WEEKS.

	Mar. 12.	Mar. 19.	Mar. 26.	Apr. 2.	Apr. 9.	Apr. 16.	Apr. 23.	Apr. 30.	May 7.	May 14.	May 21.	May 28.	June 4.
Births (as registered) . . .	2074	2004	1746	2016	2157	2099	2112	2082	1940	2068	1868	2188	1971
Deaths (of residents only).	1311	1142	1005	1149	1168	1077	1093	1049	999	1012	932	936	867
Under 1 year	179	157	117	144	166	128	144	136	147	108	116	132	108
1–2 years	45	46	32	39	38	39	36	33	28	25	35	32	16
2–5 "	24	28	18	25	24	21	28	17	23	28	15	25	15
5–10 "	22	19	19	28	22	21	19	28	24	20	29	24	32
Ages 10–15 "	15	21	14	21	12	16	14	13	14	17	13	18	19
15–20 "	24	24	26	21	30	15	29	31	19	23	23	22	23
at 20–25 "	25	29	23	33	29	21	28	25	34	24	22	14	20
Death 25–35 "	53	52	50	42	69	52	41	43	41	50	53	56	58
35–45 "	93	79	80	90	91	84	90	88	73	89	72	65	68
45–55 "	138	109	108	125	122	120	132	96	103	108	109	100	95
55–65 "	176	147	130	177	178	161	168	176	146	145	119	133	133
65–75 "	243	188	182	188	190	179	201	173	169	191	166	174	155
75 years and upwards	274	243	206	216	197	220	163	190	178	184	160	141	125
Deaths from—													
Enteric fever	1	—	—	2	1	—	1	—	—	—	—	1	3
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	2	5	4	2	12	10	6	6	3	6	4	3	5
Scarlet fever	3	9	6	6	5	5	3	7	7	5	6	4	9
Whooping cough	9	7	12	8	13	10	10	8	11	12	7	16	6
Diphtheria	26	20	15	24	19	24	32	18	19	17	19	22	14
Diarrhoea and enteritis (under 2 years).	22	17	14	19	14	6	16	16	15	7	15	14	9
Pulmonary tuberculosis . .	100	101	109	95	116	85	101	99	92	87	82	83	103
Influenza	27	42	33	44	38	49	27	35	20	28	23	6	9
Pneumonia (all forms) . .	165	117	107	117	103	95	98	94	105	88	65	71	56
Bronchitis	149	131	93	102	90	88	85	81	70	74	55	38	42
Other dis. of resp. system .	27	16	16	14	15	15	8	13	16	13	12	13	8
Dis. of circ. system . . .	223	177	175	192	172	150	180	149	160	190	150	175	142
Violence	41	44	26	30	47	37	35	49	40	37	39	43	31
Inquest cases	101	90	69	88	105	80	86	92	98	16	91	92	73

CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.

Enteric fever	13	12	13	10	2	10	9	10	10	13	17	18	22
Small-pox	—	—	—	—	—	—	—	1	1	1	—	—	—
Measles	28	26	25	30	27	33	26	25	28	34	41	42	37
Scarlet fever	3730	3695	3609	3535	3453	3345	3307	3255	3195	3238	3299	3427	3491
Whooping cough	25	26	23	25	24	21	20	20	18	16	14	14	7
Diphtheria	2818	2817	2777	2689	2626	2543	2564	2453	2343	2281	2215	2140	2020

* The Metropolitan Asylums Board and London Fever Hospitals. The figures do not refer to London exclusively.

TABLE 3A. 96 Great Towns.—DEATHS from INFLUENZA in the last THIRTEEN WEEKS.

	Mar. 12.	Mar. 19.	Mar. 26.	Apr. 2.	Apr. 9.	Apr. 16.	Apr. 23.	Apr. 30.	May 7.	May 14.	May 21.	May 28.	June 4.
Deaths from Influenza . . .	149	151	122	130	97	111	82	93	104	114	94	71	67

TABLE 4. LONDON.—DEATHS REGISTERED in the TWENTY-SECOND Week of the Year 1921.

CAUSES OF DEATH.	Deaths in the 22nd week of the year 1920.	DEATHS of PERSONS of the AGES													
		ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-10 years.	10-15 years.	15-20 years.	20-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and up- wards.
ALL CAUSES	920	867	108	16	15	32	19	23	20	58	68	95	133	155	125
Enteric fever	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-
Measles	19	5	1	3	1	-	-	-	-	-	4	-	-	-	-
Scarlet fever	3	9	-	1	2	-	-	-	-	-	-	-	-	-	-
Whooping cough	13	6	6	-	-	4	2	-	-	-	-	-	-	-	-
Diphtheria	11	14	1	2	2	-	-	-	-	-	-	-	-	-	-
Influenza	19	9	1	-	-	5	4	-	-	-	-	1	5	-	2
Erysipelas	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute Poliomyelitis, Polioencepha- litis.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-
Meningococcal meningitis . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other endemic and epidemic diseases.	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Pyæmia and septicæmia	5	3	2	-	-	1	-	-	-	-	-	-	-	-	-
Stenosis	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis:—															
Pulmonary tuberculosis	86	103	-	-	-	-	3	8	13	21	20	21	11	5	1
Tuberculous meningitis	6	9	2	-	1	1	-	2	-	2	1	-	-	-	-
Abdominal tuberculosis	-	2	-	-	-	1	-	-	-	-	-	-	-	-	1
Tuberculosis of the spine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of the joints	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of other organs . .	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Disseminated tuberculosis . . .	4	6	1	1	2	-	-	1	-	-	-	1	-	-	-
Renal diseases	3	3	2	-	-	-	-	-	-	-	-	1	-	-	-
Cancer	100	107	-	-	-	-	-	-	-	-	10	20	31	29	13
Pneumatic fever	6	3	-	-	-	-	1	1	-	4	1	-	-	-	-
Diabetes	10	9	-	-	-	1	-	1	-	-	1	-	4	2	-
hæmia, leucocythæmia	4	5	1	-	-	-	1	-	-	-	1	1	1	1	-
Other general diseases	7	6	-	-	-	-	-	-	-	-	1	1	2	1	1
Alcoholism	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic poisonings	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	5	1	-	-	-	-	-	-	-	1	-	-	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	38	53	-	-	-	-	-	-	-	2	1	5	13	15	17
Softening of brain	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Paralysis, without specified cause	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epilepsy	6	4	-	-	-	-	-	-	-	-	-	-	-	-	-
Convulsions" (not puerperal) . .	6	2	2	-	-	-	-	1	2	-	-	-	-	1	-
Other diseases of nervous system .	23	19	-	-	1	-	1	1	-	3	8	1	-	2	2
Pericarditis	-	2	-	-	-	1	-	1	-	-	-	-	-	-	-
Acute endocarditis	11	6	-	-	-	2	-	1	1	-	2	-	1	-	-
Other diseases of heart	109	110	-	-	-	2	-	1	1	9	2	12	18	37	28
Embolism and thrombosis (exclud- ing cerebral).	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of circulatory system.	30	24	-	-	-	1	-	-	-	-	3	6	9	5	-
Diseases of the larynx	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Tracheitis	43	42	8	-	-	-	-	-	-	-	3	-	-	-	-
Whooping-pneumonia	28	30	12	4	3	1	-	-	-	1	-	-	5	12	13
Lobar pneumonia	23	11	-	1	1	-	-	-	-	2	-	1	2	5	1
Pneumonia (type not distinguished)	15	15	-	1	-	-	-	-	-	1	1	2	6	5	-
Empyema	3	3	-	1	-	-	-	-	-	-	-	-	1	-	-
Pulmonary congestion, Pulmonary apoplexy.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of respiratory system.	3	4	-	-	-	1	-	-	-	1	-	-	-	-	2

TABLE 5.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM							
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria*	Diarrhoeal Diseases† (under 2 years).	Influenza.
LONDON† . .	4,531,971	1921. June 4	1,971	867	10·0	3	-	5	9	6	14	9	9
CALCUTTA . .	896,067	Apr. 30	-	542§	31·4	?	2	?	?	?	?	?	13
BOMBAY . .	979,445	" 30	338	1,367§	72·6	2	10	13	-	1	-	59	86
MADRAS . .	518,660	" 23	370	362	36·3	3	5	-	?	1	-	38	1
PARIS . .	2,847,229	(10 days) Apr. 30	1,651	1,254	16·1	3	-	11	1	-	4	34	25
BRUSSELS . .	792,919	- - -	-	-	-	-	-	-	-	-	-	-	-
ANTWERP . .	338,627	May 21	112	57	8·9	-	-	-	-	-	-	4	2
AMSTERDAM . .	680,484	" 21	275	133	10·2	-	-	3	-	4	-	2	-
COPENHAGEN . .	571,000	" 21	263	146	13·3	-	-	-	-	-	1	1	1
STOCKHOLM . .	419,788	" 14	152	85	10·5	-	-	1	-	-	1	-	2
GOTHENBURG . .	205,494	" 14	-	36	9·1	1	-	-	-	-	-	1	1
CHRISTIANIA . .	260,904	May 21	99	68	13·6	-	-	-	-	1	-	1	-
BERLIN . .	1,949,000	" 14	563	465	12·4	-	?	7	-	2	8	6	3
BRESLAU . .	547,000	" 14	256	153	14·6	-	?	1	-	-	3	7	4
COLOGNE . .	664,000	" 14	311	201	15·7	-	?	6	-	-	1	6	2
DRESDEN . .	595,000	" 14	234	178	15·5	-	?	-	-	1	-	7	-
FRANKFORT- ON-MAIN.	468,600	" 14	145	91	10·1	-	?	-	-	-	-	1	1
HAMBURG . .	1,003,000	" 14	308	220	11·4	-	?	1	-	-	5	6	2
LEIPZIG . .	631,000	" 14	267	133	11·4	-	?	-	-	-	-	4	7
MUNICH . .	670,000	" 14	-	-	-	-	-	-	-	-	-	-	-
VIENNA . .	1,842,005	" 14	514	642	18·1	-	-	3	2	-	-	19	6
PRAGUE AND SUBURBS.	676,454	Apr. 30	277	224	17·3	1	-	-	-	-	1	12	5
BUDAPEST . .	933,000	Mar. 19	393	377	21·0	-	?	9	2	1	5	3	-
TRIESTE . .	248,428	May 21	129	70	14·7	-	-	-	-	-	-	2	-
CAIRO . .	765,200	Mar. 18	628	433	29·4	3	-	1	1	?	-	37	?
ALEXANDRIA . .	449,300	" 18	381	303	35·1	2	-	2	-	-	-	19	?
NEW YORK . .	5,753,151	May 7	-	-	-	-	-	-	-	-	-	-	-
CHICAGO . .	2,780,655	" 14	-	580	10·9	-	-	6	4	1	14	21	4

* Including deaths from croup in Bombay, Paris Antwerp, Amsterdam, Copenhagen, the German Cities, Vienna, Prague, and Suburbs, Budapest, and Trieste.

† The deaths in this column relate to *all ages* for Bombay, Madras, Christiania, and Budapest, and to *children under 1 year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

§ Including 5 deaths from *plague* in Calcutta and 75 in Bombay, and from *Asiatic cholera*, 79 deaths in Calcutta.

TABLE 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 4th June, 1921.
(Supplied by the Meteorological Office.)

TOWNS.	Temperature of Air.*				Rainfall in Milli- metres.‡	TOWNS.	Temperature of Air.*				Rainfall in Milli- metres.‡
	Highest.	Lowest.	Mean Maxi- mum.	Mean Mini- mum.			Highest.	Lowest.	Mean Maxi- mum.	Mean Mini- mum.	
LONDON (Greenwich) }	73	47	63·3	48·4	8	BRADFORD . .	69	39	61·4	43·6	9
BRIGHTON . .	73	42	64·1	51·3	8	SHEFFIELD . .	69	39	63·3	44·6	14
PORTSMOUTH . .	75	45	66·9	50·6	5	YORK (Museum) . .	70	40	64·4	44·6	10
NORWICH (Eaton) . .	68	40	63·6	48·9	3	HULL (Pearson Park)	68	42	62·3	46·0	11
PLYMOUTH . .	73	43	63·4	50·3	11	TYNEMOUTH . .	62	40	59·6	45·4	3
BRISTOL (Clifton) . .	72	40	65·9	46·1	8	CARDIFF . .	69	40	63·6	47·0	16
BIRMINGHAM . .	68	40	62·6	45·1	14	EDINBURGH . .	66·0	40·0	59·0	44·3	5
NOTTINGHAM . .	69	38	62·0	46·7	19	GLASGOW . .	73·5	42·8	61·5	45·0	21
BIRKENHEAD (Bidston) }	71	40	60·1	46·0	8	DUBLIN :—					
MANCHESTER . .	71	40	63·6	45·6	10	Phoenix Park . .	65·0	35·6	60·2	40·1	10
BURNLEY . .	69	36	61·0	41·1	15	†Fitzwilliam Square	65·9	39·0	59·9	45·8	7
HUDDERSFIELD . .	70	39	63·3	44·0	9	BELFAST . .	65·0	38·0	58·6	42·5	16

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.

† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.

‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

TABLE 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 4th June 1921.

[Under the Superintendence of the Astronomer Royal.]

1921.			Phases of the Moon.	TEMPERATURE.					Difference between the Air Temperature and Dew Point Temperature.			De- gree of Hu- mid- ity (Satu- ration equals 100).	TEMPERATURE.			Wind as deduced from Anemometers.				Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
MONTH AND DAY.	MAY.	Of the Air.				De- parture from Average of 65 years.	Of the Dew point.		Mean daily value.		Highest in Sun's Rays.		Of Radiation.	Of the Earth 4 feet below the Surface.	Osler's.		Robinson's.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
		High- est.		Low- est.	Daily Range.		Mean daily value.	Mean daily value.	Great- est.	Least.					General Direction.	Pressure on the Square Foot.	Horizontal Movement of the Air on each Day.	Deepar- ture from Average of 50 years.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											</

DATE.		ELECTRICITY. (For explanation of symbols, see Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
MAY 1921.					
SUNDAY	29	m. P. till 10h., and 12h. to 22h., v. P. and v. N. otherwise,	11.4	16.1	Nearly cloudless till 7h. 30m.; variably cloudy till 17h., becoming overcast by 19h.; slight rain 10h.; damping or rain from 22h.; solar halo 19h.
MONDAY	30	w. P. generally till noon, v. P. till 21h., then w. P.	4.1	16.1	Overcast generally till 13h.; very cloudy till 16h. 30m.; fine interval till 19h., then overcast; slight rain 13h.; damping 20h. to 21h.; solar halo 14h.
TUESDAY	31	w. P. till 6h., v. P. afterwards.	9.3	16.2	Nearly overcast till 3h., becoming nearly cloudless by 4h.; variably cloudy from 9h. to 14h. 30m., then overcast generally; damping at times between 15h. and 21h.
JUNE. WEDNESDAY	1	v. P. throughout	7.9	16.2	Overcast generally till 7h.; variably cloudy with overcast intervals till 21h., then nearly cloudless; damping at times before 4h.
THURSDAY	2	Loss of register till 10h., v. P. generally afterwards.	14.0	16.3	Cloudless till 9h., afterwards little cloud at times; nearly cloudless from 15h.
FRIDAY	3	v. P. generally till noon, with a little v. N., w. P. afterwards.	2.4	16.3	Nearly cloudless till 2h. 30m., gradually clouding up to overcast generally by 5h. 30m.; frequent rain between 11h. 30m. and 20h. 30m.
SATURDAY	4	w. P. till 8h., v. P. till 16h., w. P. afterwards.	0.1	16.3	Overcast generally till 22h., then nearly overcast; damping at times in afternoon.
			Sum 49.2	Sum 113.5	
No. of Col.		26	27	28	

The results apply to the civil day, or from midnight to midnight. The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level. Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables. The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916. In reading columns 9 and 24 it will be borne in mind that + indicates "higher," and - "lower," than the average. The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined. The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable. The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day. The reading of the barometer increased from 29.63 in. at the beginning of the week to 29.67 in. by 21h. on May 29th; decreased to 29.50 in. by 9h. on May 30th; increased to 30.21 in. by 1h. on June 2nd; decreased generally to 29.89 in. by 17h. on June 4th and was 29.91 in. at midnight on the same day.
--

The results apply to the civil day, or from midnight to midnight.
The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.
Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.
The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.
In reading columns 9 and 24 it will be borne in mind that + indicates "higher," and - "lower," than the average.
The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.
The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.
The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.
The reading of the barometer increased from 29.63 in. at the beginning of the week to 29.67 in. by 21h. on May 29th; decreased to 29.50 in. by 9h. on May 30th; increased to 30.21 in. by 1h. on June 2nd; decreased generally to 29.89 in. by 17h. on June 4th and was 29.91 in. at midnight on the same day.

TABLE 8. LONDON.—DEATHS OF PERSONS BELONGING to the several METROPOLITAN BOROUGHs REGISTERED in the Week ended 28th May, 1921.

BOROUGHs.	Deaths from									Deaths of Infants under 1 Year of Age.
	ALL CAUSES.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Pulmonary Tuberculosis.	
COUNTY OF LONDON .	936	1	-	3	4	16	22	14	83	132
Western										
PADDINGTON . . .	38	-	-	-	-	-	-	-	3	7
KENSINGTON . . .	41	-	-	-	-	-	1	1	4	3
HAMMERSMITH . . .	25	-	-	-	-	1	-	-	5	3
FULHAM . . .	32	-	-	-	-	1	-	1	2	4
CHELSEA . . .	12	-	-	-	-	-	-	-	1	1
CITY OF WESTMINSTER .	22	-	-	-	-	-	1	-	3	6
Northern.										
ST. MARYLEBONE . . .	27	-	-	-	-	-	-	-	3	-
HAMPSTEAD . . .	12	-	-	-	-	-	2	-	-	1
ST. PANCRAS . . .	43	-	-	-	-	-	1	1	4	8
ISLINGTON . . .	74	-	-	-	-	1	5	2	5	8
STOKE NEWINGTON . . .	13	-	-	-	-	-	-	1	1	2
HACKNEY . . .	43	-	-	-	-	1	1	-	1	7
Central.										
HOLBORN . . .	9	-	-	-	-	-	1	-	-	-
FINSBURY . . .	21	-	-	-	-	-	1	-	2	5
CITY OF LONDON . . .	4	-	-	-	-	-	-	-	-	1
Eastern.										
SHOREDITCH . . .	21	-	-	-	1	-	-	1	5	4
BETHNAL GREEN . . .	22	-	-	-	-	-	1	-	3	4
STEPNEY . . .	49	-	-	2	1	1	2	2	6	9
POPLAR . . .	29	-	-	1	-	-	-	1	1	5
Southern.										
SOUTHWARK . . .	42	-	-	-	-	1	-	1	6	5
BERMONDSEY . . .	26	-	-	-	1	-	-	-	4	3
LAMBETH . . .	65	-	-	-	-	1	-	-	4	6
BATTERSEA . . .	37	-	-	-	-	3	1	1	4	5
WANDSWORTH . . .	64	1	-	-	1	2	1	-	1	12
CAMBERWELL . . .	61	-	-	-	-	-	1	-	5	7
DEPTFORD . . .	19	-	-	-	-	-	1	2	3	3
GREENWICH . . .	23	-	-	-	-	1	-	-	2	3
LEWISHAM . . .	31	-	-	-	-	1	1	-	2	5
WOOLWICH . . .	31	-	-	-	-	2	1	-	3	5

The deaths in the above Table are, so far as concerns London as a whole, corrected by the exclusion of deaths of non-residents, and by the inclusion of those of residents occurring in the Outer Ring or in Metropolitan public institutions situated outside the County. As between individual Metropolitan Boroughs, however, correction is complete.

TABLE 9. LONDON.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED during the Week ended 28th May, 1921.*

BOROUGHES.	ESTI- MATED CIVILIAN POPU- LATION, MID. 1920.† (Provi- sional.)	Enteric Fever.	Malaria.	Typhus.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Group).	Pneumonia.	Erysipelas.	Cerebro-Spinal Fever.	Puerperal Fever.	Ophthalmia Neonatorum.	Poliomyelitis.	Dysentery.	Encephalitis Lethargica.	Anthrax.	Polio- encephalitis.
WESTERN.																	
Paddington . . .	149,673	-	1	-	-	18	6	2	-	-	-	-	-	-	-	-	-
Kensington . . .	164,177	-	-	-	-	16	7	-	2	-	-	-	-	-	-	-	-
Hammersmith . . .	136,200	-	-	-	-	33	10	2	2	-	-	-	-	-	-	-	-
Fulham . . .	158,621	1	-	-	-	12	6	1	3	-	-	-	-	-	1	-	-
Chelsea . . .	62,987	-	-	-	-	17	-	-	1	-	-	1	-	-	-	-	-
City of Westminster . . .	132,615	-	-	-	-	13	6	-	-	-	-	-	-	-	-	-	-
NORTHERN.																	
St. Marylebone . . .	101,856	-	-	-	-	9	2	2	4	-	-	-	-	-	-	-	-
Hampstead . . .	91,519	-	-	-	-	2	10	-	-	-	-	-	-	-	-	-	-
St. Pancras . . .	228,178	1	-	-	-	23	9	3	2	-	-	6	-	-	-	-	-
Islington . . .	335,907	-	1	-	-	43	16	1	3	-	-	4	-	-	1	-	-
Stoke Newington . . .	52,984	-	-	-	-	6	2	-	-	-	-	-	-	-	-	-	-
Hackney . . .	225,372	1	-	-	-	33	20	-	3	-	1	-	-	-	-	-	-
CENTRAL.																	
Holborn . . .	39,676	1	-	-	-	4	3	-	-	-	-	-	-	-	-	-	-
Finsbury . . .	78,291	-	-	-	-	15	8	-	-	-	-	1	-	-	-	-	-
City of London . . .	14,447	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-
EASTERN.																	
Shoreditch . . .	102,044	-	-	-	-	19	10	1	3	-	-	4	-	-	-	-	-
Bethnal Green . . .	114,471	-	-	-	-	26	11	3	2	-	-	1	-	-	-	-	-
Stepney . . .	241,770	1	-	-	-	43	18	4	3	1	-	2	-	-	-	-	-
Poplar . . .	159,766	-	1	-	-	25	15	8	1	1	1	-	-	-	-	-	-
SOUTHERN.																	
Southwark . . .	187,142	-	-	-	-	27	5	8	3	-	1	2	-	-	-	-	-
Bermondsey . . .	129,189	-	-	-	-	15	1	-	-	-	-	-	-	-	-	-	-
Lambeth . . .	293,572	1	-	-	-	28	12	4	1	1	1	3	-	-	-	-	-
Battersea . . .	165,664	-	-	-	-	14	10	8	2	-	-	2	-	-	-	-	-
Wandsworth . . .	346,990	-	2	-	-	32	21	8	1	1	-	2	1	-	-	-	-
Camberwell . . .	284,712	-	-	-	-	26	8	1	2	-	1	-	-	1	-	-	-
Deptford . . .	115,636	1	1	-	-	10	5	2	1	-	1	-	-	-	-	-	-
Greenwich . . .	102,408	-	-	-	-	11	6	2	2	-	-	-	-	-	-	-	-
Lewisham . . .	174,438	-	-	-	-	16	4	1	-	-	1	-	-	-	1	-	-
Woolwich . . .	141,666	-	-	-	-	14	13	5	1	-	1	-	-	-	-	-	-
TOTAL . . .	4,531,971	7	6	-	-	553	244	66	42	4	8	28	1	1	3	-	-
Ages																	
0-1 . . .		-	-	-	-	7	5	2	-	2	-	28	-	-	-	-	-
„ 1-5 . . .		-	-	-	-	125	61	16	2	1	-	-	1	-	-	-	-
„ 5- . . .		1	1	-	-	234	76	8	3	-	-	-	-	-	-	-	-
„ 10- . . .		-	-	-	-	118	54	2	1	1	-	-	-	-	2	-	-
„ 15- . . .		1	-	-	-	31	17	5	2	-	-	-	-	-	-	-	-
„ 20- . . .		1	1	-	-	11	13	3	2	-	-	-	-	-	-	-	-
„ 25- . . .		2	4	-	-	21	12	5	6	-	5	-	-	-	-	-	-
„ 35- . . .		2	-	-	-	4	3	12	5	-	3	-	-	1	-	-	-
„ 45- . . .		-	-	-	-	1	3	3	8	-	-	-	-	-	1	-	-
„ 55- . . .		-	-	-	-	-	-	6	5	-	-	-	-	-	-	-	-
„ 65- . . .		-	-	-	-	1	-	3	5	-	-	-	-	-	-	-	-
„ 75 and upwards . . .		-	-	-	-	-	-	1	3	-	-	-	-	-	-	-	-
Age not stated . . .		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.
† See note † on first page of this return.
Erratum.—In the return for the week ended 21st May, the case of “Trench Fever” notified in Bermondsey, should read “Anthrax.”

FOR OFFICIAL USE.

WEEKLY RETURN

OF

**BIRTHS AND DEATHS REGISTERED:—
LONDON AND
NINETY-FIVE OTHER GREAT TOWNS.**

By Authority of the Registrar General,

LONDON:

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from

H.M. STATIONERY OFFICE at the following addresses:

IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and

28, ABINGDON STREET, LONDON, S.W. 1;

37, PETER STREET, MANCHESTER;

1, ST. ANDREW'S CRESCENT, CARDIFF;

23, FORTH STREET, EDINBURGH;

or from E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN.

No. 23. Vol. LXXXII. 1921. WEEK ENDED SATURDAY, JUNE 11.
[Price 9d. Net.]

*General Register Office, Somerset House,
June 14th, 1921.*

NINETY-SIX GREAT TOWNS.

For the NINETY-SIX GREAT TOWNS of England and Wales each of which had a population of 50,000 or over at the Census of 1911, the births registered last week numbered 8,915, and corresponded to an annual rate of 24·9 per 1,000. The deaths* among the civilian population only numbered 3,588, and corresponded to an annual rate of 10·1 per 1,000 of their aggregate civilian population, which is provisionally estimated† at 18,554,878 persons in the year 1920. In the three weeks ended May 21st, May 28th, and June 4th, the rates had been 11·3, 11·2, and 10·5 respectively. The infant mortality was 61, against 75, 63, and 59 in the preceding three weeks. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks; it also shows for the week ended last Saturday the births and the deaths from certain individual causes. A column showing the number of deaths

* Corrected as far as possible for deaths of non residents and for those of residents occurring outside the area. Fully corrected figures will appear in the Registrar General's Annual Report.

† The estimates of population refer to the year 1920, and are based on the returns furnished under the scheme for rationing of food.

from influenza has been inserted in Table 1. The aggregate number of deaths from influenza in the 96 great towns in each of the last thirteen weeks is shown in Table 3A.

Measured by last week's mortality, the highest annual death-rates per 1,000 living were:—from *all causes*, 16·2 in Walsall, 17·0 in Gloucester, and 19·0 in Stockton-on-Tees; and from *measles*, 1·0 in Sunderland, 1·2 in Gateshead, 1·4 in Barrow-in-Furness, 1·5 in West Hartlepool, and 1·7 in Stockton-on-Tees. No death from *small-pox* was registered in any of the ninety-six towns.

LONDON.* (The Administrative County, including the City of London.)

For LONDON there were 2,128 BIRTHS, corresponding to a rate of 24·4 per 1,000, and 795 DEATHS of civilians, corresponding to a rate of 9·1, as against 10·7, 10·8, and 10·0, per 1,000 in the three weeks ended May 21st, May 28th, and June 4th. The death-rate in the four weeks ended last Saturday averaged 10·2 per 1,000. The infant mortality was 45, against 62, 60, and 55 in the preceding three weeks.

There was no death from *enteric fever*, against 0, 1, and 3 in the preceding three weeks, the average for the corresponding weeks of the previous five years being 2. The deaths from *measles*, which had been 4, 3, and 5 in the preceding three weeks, fell last week to 3, and were 22 below the average. The deaths from *scarlet fever*, which had been 6, 4, and 9 in the preceding three weeks, fell last week to 4, but were 3 above the average. The deaths from *whooping-cough*, which had been 7, 16, and 6 in the preceding three weeks, rose last week to 11, but were 3 below the average. The deaths from *diphtheria*, which had been 19, 22, and 14 in the preceding three weeks, fell last week to 10, and were equal to the average. The deaths from *diarrhoea and enteritis under 2 years of age*, which had been 15, 14, and 9 in the preceding three weeks, rose last week to 11, the average being 12. The deaths from *influenza* numbered 6 as against 23, 6, and 9 in the preceding three weeks, and an average of 7.

Different forms of violence caused 35 deaths, of which 34 were the subject of coroners' inquests. Of these 35 deaths, 16 were cases of suicide and 1 of homicide, while the remaining 18 were attributed to other forms of violence. Four of these latter were referred to vehicles in the streets, 4 to drowning, and 1 of an infant under one year of age to suffocation in bed.

CASES OF INFECTIOUS DISEASE.†

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital, there were 22 cases of enteric fever, 35 of measles, 3,500 of scarlet fever, 5 of whooping-cough, and 1,980 of diphtheria under treatment in these hospitals on Saturday last (Table 3). The admissions during the week,

* See note * on first page.

† The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

as compared with those in the preceding three weeks, were as follows :—Of enteric fever, 3 cases, against 5, 5, and 4; of measles, 9 cases, against 11, 10, and 8; of scarlet fever, 462 cases, against 499, 554, and 490; of whooping-cough, 0 case, against 1, 2, and 1; and of diphtheria, 225 cases, against 264, 236, and 236. Table 9, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the county during the week ended June 4th, 1921.

TABLE 1.—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH RATES in the Week ended Saturday, 11th June, 1921, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	ESTIMATED CIVILIAN POPULATION. MID. 1920.* (Provisional.)	DEATH RATES from all Causes.					Week ended 11th June 1921.		The DEATHS in the Week include										Deaths of					Deaths from										Inquest Cases.			Deaths in Public Institutions.		Uncertified Causes of Death.	TOWNS.
		Week ended					BIRTHS. DEATHS.		Deaths from										Deaths of					Deaths from										Inquest Cases.			Deaths in Public Institutions.		Uncertified Causes of Death.	
		21st May 1921.	28th May, 1921.	4th June, 1921.	11th June, 1921.		BIRTHS. DEATHS.		Deaths from										Deaths of					Deaths from										Inquest Cases.			Deaths in Public Institutions.		Uncertified Causes of Death.	
		2.	3.	4.	5.		6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	20.	21.	20.	21.	20.	21.												
96 GREAT TOWNS.	18,554,878	11·3	11·2	10·5	10·1	8,915	3,588	541	1,134	8	-	36	13	57	23	48	33	147	265	1,251	21	21	21	21	21	21	21													
LONDON†	4,531,971	10·7	10·8	10·0	9·1	2,128	795	96	280	-	-	3	4	11	10	11	6	35	70	437	1	1	1	1	1	1	1													
(CROYDON.	191,580	11·4	7·1	9·5	7·1	78	26	4	9	-	-	-	-	-	2	-	-	1	3	12	-	-	-	-	-	-	-													
WIMBLEDON.	62,174	8·4	5·0	5·0	8·4	25	10	1	7	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-													
EALING.	76,129	6·8	5·5	6·8	7·5	23	11	2	5	-	-	-	-	-	-	-	-	-	1	1	3	-	-	-	-	-	-													
ACTON.	64,192	11·4	6·5	10·6	6·5	34	8	2	2	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-													
WILLESDEN.	167,328	6·5	5·9	6·9	7·2	76	23	3	3	-	-	-	-	1	-	-	1	-	-	13	-	-	-	-	-	-	-													
HORNSEY.	98,107	6·4	8·0	8·0	3·7	26	7	1	5	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-													
TOTTENHAM	146,970	7·5	9·6	6·7	11·7	62	33	4	14	-	-	-	-	1	1	-	-	2	3	17	-	-	-	-	-	-	-													
EDMONTON.	73,529	11·3	6·4	4·3	13·5	37	19	4	5	-	-	-	-	-	-	-	-	1	1	8	-	-	-	-	-	-	-													
ENFIELD.	60,771	8·6	6·0	6·0	6·9	21	8	2	2	-	-	-	-	-	1	-	-	-	1	6	-	-	-	-	-	-	-													
WEST HAM.	299,440	10·1	8·7	9·4	9·9	168	57	8	19	-	-	-	-	-	-	-	-	-	1	1	6	-	-	-	-	-	-													
EAST HAM.	150,207	6·2	7·6	9·4	5·6	59	16	3	7	-	-	-	-	1	-	2	-	3	5	28	-	-	-	-	-	-	-													
LEYTON.	128,832	6·5	8·5	11·7	5·3	48	13	1	4	-	-	1	-	-	-	-	-	1	2	4	-	-	-	-	-	-	-													
WALTHAMSTOW.	132,771	7·9	9·8	6·7	8·2	56	21	2	8	-	-	-	-	-	-	-	-	-	2	4	-	-	-	-	-	-	-													
(ILFORD.	82,693	11·3	8·8	8·8	1·9	33	3	-	3	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-													
GILLINGHAM.	45,233	8·1	11·5	10·4	13·8	25	12	-	5	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-													
HASTINGS.	59,972	13·9	9·6	12·2	4·3	20	5	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-													
EASTBOURNE.	50,354	15·5	10·4	7·2	6·2	9	6	-	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-													
BRIGHTON.	137,685	10·6	6·1	6·1	6·4	47	17	-	9	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-													
PORTSMOUTH.	235,998	8·6	10·4	8·2	9·9	106	45	7	10	-	-	1	-	1	-	3	1	1	2	16	-	-	-	-	-	-	-													
BOURNEMOUTH.	85,919	6·7	12·1	7·9	9·1	29	15	1	7	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-													
SOUTHAMPTON.	162,388	8·0	9·6	8·3	10·3	74	32	-	15	-	-	-	-	-	-	-	-	-	-	8	-	-	-	-	-	-	-													
READING.	95,006	8·8	9·3	5·5	9·3	40	17	-	8	-	-	-	-	1	-	-	-	1	1	5	-	-	-	-	-	-	-													
OXFORD.	59,963	12·2	7·0	6·1	5·2	19	6	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-													
NORTHAMPTON.	92,483	13·5	7·3	7·9	9·0	52	16	3	4	-	-	-	-	-	-	-	-	-	1	3	-	-	-	-	-	-	-													
CAMBRIDGE.	60,154	6·9	10·4	6·1	5·2	25	6	-	4	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-													

TABLE 1 (cont.).—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH-RATE in the Week ended Saturday, 11th June, 1921, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.		ESTIMATED CIVILIAN POPULATION MID. 1920.* (Provisional.)	DEATH-RATES from all Causes.					Week ended 11th June, 1921.		The DEATHS in the Week include										TOWNS			
			Week ended					BIRTHS.	DEATHS.	Deaths of								Deaths in Public Institutions.	Uncertified Causes or Death.				
			Causes.							Deaths from													
			21st May, 1921.	28th May, 1921.	4th June, 1921.	11th June, 1921.				8.	9.	10.	11.	12.	13.	14.	15.				16.	17.	18.
Colk.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Colk.	
STOCKPORT	.	130,635	10.0	9.6	10.4	11.2	28	13	-	-	-	-	-	-	1	-	-	1	2	13	-	-	STOCKPORT.
BIRKENHEAD	.	153,951	11.9	7.5	8.5	9.5	28	11	-	-	-	-	-	-	-	-	-	2	2	8	-	-	BIRKENHEAD.
WALLASEY	.	99,226	6.8	12.6	8.4	12.1	23	6	-	-	-	-	-	-	-	-	-	1	1	6	-	-	WALLASEY.
LIVERPOOL	.	803,452	14.3	14.4	13.8	13.0	200	51	-	-	-	4	-	7	2	3	1	10	21	86	1	-	LIVERPOOL.
BOOTLE	.	80,029	8.5	9.8	6.5	11.1	17	5	-	-	-	1	-	-	1	-	-	-	1	5	-	-	BOOTLE.
ST. HELENS	.	104,322	18.9	14.4	11.9	13.4	27	8	-	-	-	-	-	2	-	-	-	1	-	6	2	-	ST. HELENS.
SOUTHPORT	.	72,939	13.6	12.9	12.9	10.0	14	3	-	-	-	-	-	-	-	-	-	-	1	2	-	-	SOUTHPORT.
WIGAN	.	90,866	12.1	11.5	10.3	14.3	25	10	-	-	-	-	-	-	-	-	-	-	3	5	-	-	WIGAN.
WARRINGTON	.	77,939	16.1	10.7	8.0	12.0	18	5	-	-	-	-	-	-	-	-	-	-	-	9	-	-	WARRINGTON.
BOLTON	.	134,533	7.6	15.0	12.2	15.5	55	20	-	-	-	-	-	3	-	1	1	2	2	16	-	-	BOLTON.
BURY	.	56,410	14.8	20.3	13.9	14.8	16	6	-	-	-	-	-	-	-	-	-	-	-	3	-	-	BURY.
MANCHESTER	.	770,397	14.3	12.7	13.7	12.5	185	51	26	2	-	-	1	6	-	2	2	4	6	66	-	-	MANCHESTER.
SALFORD	.	235,239	14.2	14.9	13.3	12.6	57	14	9	2	-	-	-	1	-	-	-	-	3	21	-	-	SALFORD.
OLDHAM	.	143,154	21.1	18.2	17.8	12.0	33	12	6	-	-	-	-	-	-	-	-	1	1	9	-	-	OLDHAM.
ROCHDALE	.	93,639	16.7	12.8	15.0	12.3	22	11	2	-	-	-	-	-	-	-	-	1	1	3	-	-	ROCHDALE.
BURNLEY	.	105,030	12.9	7.9	8.4	14.9	30	9	2	-	-	-	-	-	-	-	-	1	1	5	-	-	BURNLEY.
BLACKBURN	.	131,012	14.3	11.5	17.1	11.9	30	6	9	-	-	-	-	-	-	1	2	-	1	2	-	-	BLACKBURN.
PRESTON	.	121,950	9.4	13.7	13.7	11.5	27	11	5	-	-	-	-	-	-	-	-	1	1	5	4	-	PRESTON.
BLACKPOOL	.	70,545	10.3	16.3	11.8	13.3	18	8	2	-	-	-	-	-	-	-	-	2	2	2	-	-	BLACKPOOL.
BARROW IN FURNESS	.	76,561	12.3	10.9	10.9	13.6	20	5	4	-	-	2	-	-	-	1	-	-	-	3	-	-	BARROW IN FURNESS.
HUDDERSFIELD	.	116,776	13.4	14.7	18.3	7.6	17	6	-	-	-	-	-	-	-	-	-	-	-	3	-	-	HUDDERSFIELD.
HALIFAX	.	105,847	13.8	17.7	11.8	8.9	18	4	2	-	-	-	-	-	-	1	-	2	2	2	-	-	HALIFAX.
BRADFORD	.	293,979	12.9	14.4	12.8	12.6	71	25	9	-	-	3	1	3	-	2	2	5	8	26	-	-	BRADFORD.
LEEDS	.	449,212	13.0	14.0	12.4	10.7	92	30	13	-	-	-	1	1	-	1	-	1	6	33	-	-	LEEDS.
DEWSBURY	.	55,080	12.3	16.1	9.5	13.3	14	5	4	-	-	-	-	-	-	-	-	-	-	2	-	-	DEWSBURY.
WAKEFIELD	.	51,169	15.3	13.2	10.2	7.1	7	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	WAKEFIELD.
BARNSELY	.	53,739	8.7	10.7	9.7	4.9	5	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	BARNSELY.

TOWNS.		ESTIMATED CIVILIAN POPULATION, MID. 1920.* (Provisional)).	DEATH-RATES from all Causes.					Week ended 11th June, 1921.		The DEATHS in the Week include													
			Week ended					Deaths of Persons aged 65 Years and upwards. Infants under 1 Year of Age.		Deaths from								Deaths in Public Institutions.	Uncertified Causes of Death.				
			Week ended							Deaths from													
			21st May, 1921.	28th May, 1921.	4th June, 1921.	11th June, 1921.	BIRTHS.	DEATHS.	8.	9.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.	Violence.	19.	20.	21.	Cols.
SHEFFIELD.	-	-	-	-	233	90	18	25	-	-	-	-	3	-	-	2	2	5	29	-	-	SHEFFIELD.	
ROTHERHAM.	-	-	-	-	39	12	3	1	-	-	-	-	2	-	-	-	-	-	3	3	-	-	ROTHERHAM.
YORK.	-	-	-	-	41	23	1	10	-	-	-	-	-	-	-	-	-	3	3	-	-	YORK.	
HULL.	-	-	-	-	148	49	8	14	-	-	-	-	1	-	1	1	1	2	11	-	-	HULL.	
MIDDLESBROUGH.	-	-	-	-	97	18	7	3	-	-	-	-	-	-	-	-	-	1	3	1	-	MIDDLESBROUGH.	
DARLINGTON.	-	-	-	-	30	10	2	5	-	-	-	-	-	-	-	-	-	-	1	-	-	-	DARLINGTON.
STOCKTON ON TEES.	-	-	-	-	48	23	5	4	-	2	-	-	-	-	-	-	-	3	3	2	2	2	STOCKTON ON TEES.
WEST HARTLEPOOL.	-	-	-	-	32	11	3	3	-	2	-	-	-	-	-	-	-	-	-	3	-	-	WEST HARTLEPOOL.
SUNDERLAND.	-	-	-	-	99	36	8	9	-	3	-	-	2	-	-	-	-	2	2	8	-	-	SUNDERLAND.
SOUTH SHIELDS.	-	-	-	-	80	30	9	5	2	2	1	1	2	-	-	1	2	2	7	7	2	2	SOUTH SHIELDS.
GATESHEAD.	-	-	-	-	71	24	7	3	-	3	-	-	-	-	-	-	-	1	1	6	-	-	GATESHEAD.
NEWCASTLE ON TYNE.	-	-	-	-	148	74	7	21	1	2	1	1	2	-	-	2	8	13	23	-	-	-	NEWCASTLE ON TYNE.
TYNEMOUTH.	-	-	-	-	35	11	4	3	-	-	-	-	1	-	-	-	-	-	2	3	1	1	TYNEMOUTH.
CARLISLE.	-	-	-	-	27	11	3	3	-	-	-	-	-	1	1	-	-	-	3	-	-	-	CARLISLE.
NEWPORT (MON.).	-	-	-	-	45	17	2	3	-	-	-	-	-	-	-	-	-	1	1	4	-	-	NEWPORT (MON.).
CARDIFF.	-	-	-	-	99	24	-	7	-	-	-	-	-	-	-	-	-	6	4	4	-	-	CARDIFF.
RHONDDA.	-	-	-	-	98	30	7	7	-	-	1	-	-	-	-	-	-	2	2	1	1	1	RHONDDA.
MERTHYR TYDFIL.	-	-	-	-	53	10	3	2	-	-	-	-	-	-	-	-	-	1	1	4	-	-	MERTHYR TYDFIL.
ABERDARE.	-	-	-	-	15	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	ABERDARE.
SWANSEA.	-	-	-	-	72	26	6	5	-	-	-	-	-	-	-	-	-	1	1	2	-	-	SWANSEA.
GREATER LONDON.	-	-	-	-	3385	1241	155	454	-	4	4	4	15	15	15	9	52	106	604	1	-	1	GREATER LONDON.
OUTER RING.	-	-	-	-	1257	446	59	174	-	1	-	-	4	5	4	3	17	36	167	-	-	-	OUTER RING.
14 GREAT TOWNS IN OUTER RING.	-	-	-	-	746	255	37	93	-	1	-	-	3	4	3	1	9	21	107	-	-	-	14 GREAT TOWNS IN OUTER RING.
REMAINDER OF OUTER RING.	-	-	-	-	511	191	22	81	-	-	-	-	1	1	1	2	8	15	60	-	-	-	REMAINDER OF OUTER RING.
EDINBURGH†.	-	-	-	-	197	87	7	31	-	-	1	1	1	3	1	2	6	?	?	?	?	?	EDINBURGH.†
GLASGOW†.	-	-	-	-	637	271	53	79	2	-	-	-	14	-	-	3	7	?	?	?	?	?	GLASGOW.†
DUBLIN (Registra- tion Area).†	-	-	-	-	234	103	9	29	-	-	-	-	1	-	1	1	8	7	59	-	-	-	DUBLIN (Registra- tion Area).†
BELFAST†.	-	-	-	-	219	122	26	33	-	-	-	-	9	-	-	1	2	3	29	1	1	1	BELFAST.†

* See note † on first page of this return.
† The populations are total populations and relate to 1921. Deaths and the death-rates in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week : those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

TABLE 2. LONDON.—Births and Deaths registered during the TWENTY-THIRD Week of each of the Eleven Years, 1911-1921.

	1911.	1912.	1913.	1914.	1915.	1916.	1917.	1918.	1919	1920.	1921.
Births (as registered).	2051	2016	2144	2380	1958	2080	1782	1473	1399	2452	2128
Males	1052	1030	1109	1187	1014	1040	896	769	756	1261	1082
Females	999	986	1035	1193	944	1040	886	704	643	1191	1046
Deaths (of residents only).	1001	959	1004	1108	1103	967*	986*	862*	807*	888*	795*
Males	529	520	581	603	589	518	520	455	417	440	429
Females	472	439	423	505	514	449	466	407	390	448	366

* Deaths in civilian population only.

TABLE 3. LONDON.—BIRTHS and DEATHS REGISTERED, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the last THIRTEEN WEEKS.

	Mar. 19.	Mar. 26.	Apr. 2.	Apr. 9.	Apr. 16.	Apr. 23.	Apr. 30.	May 7.	May 14.	May 21.	May 28.	June 4.	June 11.
Births (as registered) . . .	2004	1746	2016	2157	2099	2112	2082	1940	2068	1868	2188	1971	2128
Deaths (of residents only).	1142	1605	1149	1168	1077	1093	1049	999	1012	932	936	867	795
Ages at Death													
Under 1 year	157	117	144	166	128	144	136	147	108	116	132	108	96
1-2 years	46	32	39	38	39	36	33	28	25	35	32	16	26
2-5 "	28	18	25	24	21	28	17	23	28	15	25	15	20
5-10 "	19	19	28	22	21	19	28	24	20	29	24	32	17
10-15 "	21	14	21	12	16	14	13	14	17	13	18	19	14
15-20 "	24	26	21	30	15	29	31	19	23	23	22	23	20
20-25 "	29	23	33	29	21	28	25	34	24	22	14	20	17
25-35 "	52	30	42	69	32	41	43	41	50	53	56	58	50
35-45 "	79	80	90	91	84	90	88	73	89	72	65	68	51
45-55 "	109	108	125	122	120	132	96	103	108	109	100	95	84
55-65 "	147	130	177	178	161	168	176	146	145	119	133	133	120
65-75 "	188	182	188	190	179	201	173	160	191	166	174	155	143
75 years and upwards	243	206	216	187	220	163	190	178	181	160	141	125	137
Deaths from—													
Enteric fever	-	-	2	1	-	1	-	-	-	-	1	3	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	5	4	2	12	10	6	6	3	6	4	3	5	3
Scarlet fever	9	6	6	5	5	3	7	7	5	6	4	9	4
Whooping cough	7	12	8	13	10	10	8	11	12	7	16	6	11
Diphtheria	20	15	24	19	24	32	18	19	17	19	22	14	10
Diarrhoea and enteritis (under 2 years).	17	14	19	14	6	16	16	15	7	15	14	9	11
Pulmonary tuberculosis . .	101	109	95	116	85	101	99	92	87	82	83	103	73
Influenza	42	33	44	38	49	27	35	20	28	23	6	9	6
Pneumonia (all forms) . . .	117	107	117	103	95	98	94	105	88	65	71	56	62
Bronchitis	131	93	102	90	88	85	81	70	74	55	38	42	31
Other dis. of resp. system . .	16	16	14	15	15	8	13	16	13	12	13	8	9
Dis. of circ. system	177	175	192	172	150	180	149	160	190	150	175	142	140
Violence	44	26	30	47	37	35	49	40	37	39	43	31	35
Inquest cases	90	69	88	105	80	86	92	98	96	91	92	73	70
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Enteric fever	12	13	10	2	10	9	10	10	13	17	18	22	22
Small-pox	-	-	-	-	-	-	1	1	1	-	-	-	-
Measles	26	25	30	27	33	26	25	28	34	41	42	37	35
Scarlet fever	3695	3609	3535	3453	3345	3307	3255	3195	3238	3299	3427	3491	3500
Whooping cough	26	23	25	24	21	20	20	18	16	14	14	7	5
Diphtheria	2817	2777	2689	2626	2543	2564	2453	2343	2281	2215	2140	2020	1980

* The Metropolitan Asylums Board and London Fever Hospitals. The figures do not refer to London exclusively.

TABLE 3A. 96 Great Towns.—DEATHS from INFLUENZA in the last THIRTEEN WEEKS.

	Mar. 19.	Mar. 26.	Apr. 2.	Apr. 9.	Apr. 16.	Apr. 23.	Apr. 30.	May 7.	May 14.	May 21.	May 28.	June 4.	June 11.
Deaths from Influenza . . .	151	122	130	97	111	82	93	104	114	94	71	67	33

TABLE 4. LONDON.—DEATHS REGISTERED in the TWENTY-THIRD Week of the Year 1921.

CAUSES OF DEATH.	Deaths in the 23rd week of the year 1920.	DEATHS of PERSONS of the AGES													
		ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-10 years.	10-15 years.	15-20 years.	20-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and up- wards.
ALL CAUSES	888	795	96	26	20	17	14	20	17	50	51	84	120	143	137
Enteric fever	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	18	3	1	1	1	-	-	-	-	-	-	-	-	-	-
Scarlet fever	3	4	1	-	1	2	-	-	-	-	-	-	-	-	-
Whooping cough	10	11	5	4	1	1	-	-	-	-	-	-	-	-	-
Diphtheria	13	10	-	3	2	3	-	1	-	-	1	-	-	-	-
Influenza	13	6	1	1	-	-	-	-	-	1	-	1	1	1	-
Erysipelas	4	2	-	-	-	-	-	-	-	-	-	1	1	-	-
Acute Poliomyelitis, Polioencepha- litis.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal meningitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other endemic and epidemic diseases.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pyæmia and septicæmia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis:—															
Pulmonary tuberculosis	67	73	2	1	-	2	2	8	8	17	13	10	8	1	1
Tuberculous meningitis	9	6	1	-	1	2	-	1	-	1	-	-	-	-	-
Abdominal tuberculosis	2	3	-	-	1	-	1	1	-	-	-	-	-	-	-
Tuberculosis of the spine	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Tuberculosis of the joints	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of other organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Disseminated tuberculosis	4	5	-	-	1	1	1	1	1	-	-	-	-	-	-
Venereal diseases	5	4	2	-	-	-	-	-	-	1	-	1	-	-	-
Cancer	103	109	-	-	-	-	-	-	-	3	3	18	33	35	17
Rheumatic fever	3	3	-	-	-	-	1	-	-	-	-	-	1	1	-
Diabetes	6	5	-	-	-	-	-	-	-	1	1	1	1	-	1
Anæmia, leucocythaemia	3	4	-	-	-	-	-	-	-	-	-	-	3	1	-
Other general diseases	11	2	-	-	-	-	-	-	1	-	-	-	1	-	-
Alcoholism	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Chronic poisonings	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	4	4	1	2	-	1	-	-	-	-	-	-	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	39	45	-	-	-	-	-	-	-	1	2	3	8	22	9
Softening of brain	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Paralysis, without specified cause	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epilepsy	4	4	-	-	-	-	-	-	1	1	-	2	-	-	-
"Convulsions" (not puerperal)	9	3	1	-	2	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system	15	17	-	-	1	-	1	1	-	2	3	5	2	-	2
Pericarditis	3	2	-	-	-	-	-	-	-	1	-	1	-	-	-
Acute endocarditis	6	11	-	-	-	1	2	1	-	1	4	-	2	-	-
Other diseases of heart	98	95	-	-	1	1	1	1	1	3	9	15	17	27	19
Embolism and thrombosis (exclud- ing cerebral).	6	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Other diseases of circulatory system.	26	32	-	-	-	-	1	-	-	-	-	-	4	9	18
Diseases of the larynx	4	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Bronchitis	56	31	1	-	1	-	-	-	-	-	1	-	7	7	14
Broncho-pneumonia	26	24	7	8	1	-	-	1	-	1	1	2	1	-	2
Lobar pneumonia	19	21	1	1	-	-	-	-	-	1	3	2	2	9	2
Pneumonia (type not distinguished)	17	17	2	-	1	-	-	1	-	1	1	4	4	3	-
Pleurisy	4	3	-	-	1	-	-	-	-	1	-	-	1	-	-
Pulmonary congestion, Pulmonary apoplexy.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of respiratory system.	7	5	-	-	-	-	-	-	-	-	1	-	1	-	3

TABLE 5.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM							
			Exclusive	of Stillborn.		Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria* 	Diarrhoeal Diseases† (under 2 years).	Influenza.
LONDON† . .	4,531,971	1921. June 11	2,128	795	9·1	-	-	3	4	11	10	11	6
CALCUTTA . .	896,067	May 7	-	492§	28·5	?	1	?	?	?	?	?	12
BOMBAY . .	979,445	" 7	416	1,217§	64·6	2	20	9	-	1	-	65	68
MADRAS . .	518,660	Apr. 30	375	335	33·6	-	1	1	?	-	-	35	3
PARIS . .	2,847,229	{ (10 days) May 10 }	1,509	1,234	15·8	1	-	12	3	1	7	31	25
BRUSSELS . .	792,919	- - -	-	-	-	-	-	-	-	-	-	-	-
ANTWERP . .	338,627	May 28	115	53	8·3	-	-	-	-	-	-	5	2
AMSTERDAM . .	680,484	" 28	322	114	8·7	-	-	1	-	4	-	1	-
COPENHAGEN . .	571,000	" 28	272	127	11·6	-	-	-	1	-	1	-	-
STOCKHOLM . .	419,788	" 21	127	105	13·0	-	-	1	-	-	-	-	3
GOTHENBURG . .	205,494	" 21	-	44	11·1	-	-	-	-	1	-	-	-
CHRISTIANIA . .	260,904	" 28	-	-	-	-	-	-	-	-	-	-	-
BERLIN . .	1,949,000	" 21	610	438	11·7	-	?	8	-	3	2	7	3
BRESLAU . .	547,000	" 21	271	177	16·8	-	?	-	-	-	3	10	2
COLOGNE . .	664,000	" 21	?	168	13·2	1	?	1	-	1	2	6	6
DRESDEN . .	595,000	" 21	226	139	12·1	-	?	-	-	-	1	5	4
FRANKFORT- ON-MAIN. . .	468,000	" 21	199	78	8·7	-	?	-	1	-	-	1	-
HAMBURG . .	1,003,000	" 21	385	262	13·6	-	?	4	-	2	1	6	4
LEIPZIG . .	631,000	" 21	225	136	11·2	-	?	-	-	-	1	4	4
MUNICH . .	670,000	{ " 14 " 21 }	216 252	175 177	13·6 13·7	-	?	9 7	-	1 2	3 -	6 7	6 3
VIENNA . .	1,842,005	" 21	684	678	19·1	1	-	3	-	3	-	20	10
PRAGUE AND SUBURBS. . .	676,454	" 7	280	207	16·0	2	-	-	-	-	-	4	12
BUDAPEST . .	933,000	Mar. 26	339	409	22·8	1	?	12	8	1	8	8	5
TRIESTE . .	248,428	May 28	-	-	-	-	-	-	-	-	-	-	-
CAIRO . .	765,200	Mar. 25	653	438	29·8	-	-	2	-	?	3	37	?
ALEXANDRIA . .	449,300	" 25	384	259	30·0	-	-	-	-	?	-	29	?
NEW YORK . .	5,753,151	May 14	2,485	1,256	11·4	2	-	10	10	8	19	22	9
CHICAGO . .	2,780,655	" 21	-	586	11·0	-	-	6	6	6	12	21	-

Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Cities, Vienna, Prague, and Suburbs, Budapest, and Trieste.

The deaths in this column relate to *all ages* for Bombay, Madras, Christiania, and Budapest, and to *children under 1 year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

The estimated population and deaths refer to the civilian population only.

Including 54 deaths from *plague* in Bombay, and from *Asiatic cholera*, 44 deaths in Calcutta and 1 in Bombay.

TABLE 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 11th June, 1921.

(Supplied by the Meteorological Office.)

TOWNS.	Temperature of Air.*				Rainfall in Milli- metres.†	TOWNS.	Temperature of Air.*				Rainfall in Milli- metres.†
	Highest.	Lowest.	Mean Maxi- mum.	Mean Mini- mum.			Highest.	Lowest.	Mean Maxi- mum.	Mean Mini- mum.	
LONDON (Greenwich) }	78	47	71·6	49·6	0·3	BRADFORD . .	69	43	62·6	46·4	0
BRIGHTON . .	75	49	69·3	51·6	0·3	SHEFFIELD . .	71	44	64·3	47·7	1
PORTSMOUTH . .	76	49	71·9	51·3	0	YORK (Museum) . .	70	42	65·7	47·4	1
WORWICH (Eaton) . .	72	46	66·1	49·9	0	HULL (Pearson Park)	67	41	62·9	47·3	0
PLYMOUTH . .	74	51	68·4	52·6	0	TYNEMOUTH . .	63	43	59·6	48·4	2
BISTOL (Clifton) . .	75	47	69·4	50·4	0	CARDIFF . .	75	44	68·6	48·9	0
BIRMINGHAM . .	73	44	66·3	47·6	1	EDINBURGH . .	70·0	42·0	61·1	46·0	7
NOTTINGHAM . .	71	40	65·6	48·0	0	GLASGOW . .	74·2	45·0	60·0	48·7	3
WIRKENHEAD (Bidston) }	72	44	64·1	49·1	0	DUBLIN :—					
MANCHESTER . .	75	47	65·7	49·7	0·3	Phoenix Park . .	65·9	40·2	63·0	46·8	4
BURNLEY . .	70	43	62·4	47·0	1	†Fitzwilliam Square	65·9	45·2	63·3	51·2	3
WUDDESFIELD . .	70	43	64·6	46·7	0·3	BELFAST . .	68·0	45·0	64·4	49·0	3

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.

† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.

‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

DATE.		ELECTRICITY. (For explanation of symbols, see Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
JUNE 1921.					
SUNDAY	5	w.P. till 9h., v.P. generally afterwards.	0·6	16·4	Overcast with few exceptions till 20h.; cloud thin afterwards with fine interval about 22h.
MONDAY	6	w.P. till 7h., v.P. till 20h., w.P. afterwards.	9·9	16·4	Nearly overcast till 2h.; overcast till 9h.; very cloudy till 16h., but cloud usually thin; nearly cloudless after 16h.; solar halo 11h. to 15h.; brisk wind in afternoon.
TUESDAY	7	w.P. till 8h., m.P. afterwards.	14·2	16·4	Nearly cloudless till 8h.; variably cloudy till 16h.; nearly cloudless afterwards; solar halo morning and afternoon.
WEDNESDAY	8	v.P. generally, a little v.N. about 21h.	6·7	16·4	Cloudless till 4h., nearly cloudless till 8h., sky then becoming veiled; nearly overcast generally from 9h.; cloud frequently thin till 14h.; solar halo 7h. 30m.; slight rain about 21h.
THURSDAY	9	v.P. throughout	3·6	16·4	Nearly cloudless till 4h., becoming nearly overcast by 5h.; clearing from 17h. to nearly cloudless by 18h.
FRIDAY	10	m.P. generally throughout.	10·3	16·4	Nearly overcast generally till 5h. 30m.; fine and variably cloudy afterwards with nearly overcast interval 9h. to 12h.; brisk wind 3h. to 9h.; solar halo about 18h.
SATURDAY	11	w.P. till 4h., loss of register till 9h., P. m.P. and s.P. afterwards.	12·0	16·5	Nearly cloudless till 3h.; thin cloud variably prevalent till 19h., becoming cloudless gene- rally by 20h.
			Sum 57·3	Sum 114·9	
No. of Col.		26	27	28	

The results apply to the civil day, or from midnight to midnight. The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level. Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables. The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916. In reading columns 9 and 24 it will be borne in mind that + indicates "higher," and - "lower," than the average. The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined. The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable. The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day. The reading of the barometer decreased generally from 29·89 in. at the beginning of the week to 29·88 in. by 17h. on 5th; increased to 29·96 in. by 8h. 30m. on 6th; decreased to 29·63 in. by 16h. on 8th; increased to 29·86 in. by 9h. on 9th; decreased to 29·67 in. by 2h. on 10th, and increased generally to 30·09 in. by midnight on 11th.

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "higher," and - "lower," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased generally from 29·89 in. at the beginning of the week to 29·88 in. by 17h. on 5th; increased to 29·96 in. by 8h. 30m. on 6th; decreased to 29·63 in. by 16h. on 8th; increased to 29·86 in. by 9h. on 9th; decreased to 29·67 in. by 2h. on 10th, and increased generally to 30·09 in. by midnight on 11th.

TABLE 8. LONDON.—DEATHS OF PERSONS BELONGING to the several METROPOLITAN BOROUGHs REGISTERED in the Week ended 4th June, 1921.

BOROUGHs.	Deaths from									Deaths of Infants under 1 Year of Age.
	ALL CAUSES.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Pulmonary Tuberculosis.	
COUNTY OF LONDON .	867	3	-	5	9	6	14	9	103	108
Western.										
PADDINGTON . . .	27	-	-	-	-	-	-	-	2	4
KENSINGTON . . .	39	-	-	-	-	-	-	-	3	2
HAMMERSMITH . . .	28	1	-	-	3	1	1	1	3	3
FULHAM . . .	35	-	-	-	1	-	1	-	8	6
CHELSEA . . .	7	-	-	-	-	-	-	-	-	-
CITY OF WESTMINSTER .	19	-	-	-	-	-	-	-	2	3
Northern.										
ST. MARYLEBONE . .	23	-	-	-	-	-	-	-	-	4
HAMPSTEAD . . .	12	-	-	-	-	1	-	1	1	3
ST. PANCRAS . . .	40	-	-	-	1	1	1	-	4	4
ISLINGTON . . .	68	-	-	-	-	1	-	-	7	12
STOKE NEWINGTON . .	6	-	-	-	-	-	-	-	2	-
HACKNEY . . .	44	-	-	1	-	1	2	2	7	7
Central.										
HOLBORN . . .	11	-	-	-	-	-	-	-	2	2
FINSBURY . . .	16	-	-	-	1	-	1	-	1	3
CITY OF LONDON . .	1	-	-	-	-	-	-	-	1	-
Eastern.										
SHOREDITCH . . .	14	-	-	-	-	-	-	-	1	3
BETHNAL GREEN . .	17	-	-	1	-	-	-	1	2	4
STEPNEY . . .	53	-	-	3	-	-	2	-	5	8
POPLAR . . .	26	-	-	-	-	-	-	-	3	5
Southern.										
SOUTHWARK . . .	50	1	-	-	-	1	1	-	6	6
BERMONDSEY . . .	24	1	-	-	-	-	-	-	6	4
LAMBETH . . .	62	-	-	-	1	-	-	-	4	6
BATTERSEA . . .	38	-	-	-	-	-	4	3	3	7
WANDSWORTH . . .	55	-	-	-	2	-	1	1	6	3
CAMBERWELL . . .	60	-	-	-	-	-	-	-	9	3
DEPTFORD . . .	11	-	-	-	-	-	-	-	3	-
GREENWICH . . .	18	-	-	-	-	-	-	-	1	2
LEWISHAM . . .	35	-	-	-	-	-	-	-	4	3
WOOLWICH . . .	28	-	-	-	-	-	-	-	7	1

The deaths in the above Table are, so far as concerns London as a whole, corrected by the exclusion of deaths of non-residents, and by the inclusion of those of residents occurring in the Outer Ring or in Metropolitan public institutions situated outside the County. As between individual Metropolitan Boroughs, however, correction is complete.

TABLE 9. LONDON.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED during the Week ended 4th June, 1921.*

BOROUGHs.	ESTI- MATED CIVILIAN POPU- LATION, MID. 1920.† (Provi- sional.)	Enteric Fever.	Malaria.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Group).	Pneumonia.	Erysipelas.	Cerebro-Spinal Fever.	Puerperal Fever.	Ophthalmia Neonatorum.	Poliomyelitis.	Dysentery.	Encephalitis Lethargica.	Anthrax.	Polio- encephalitis.
WESTERN.																	
Paddington . . .	149,673	1	-	-	-	14	5	1	4	-	-	-	-	-	-	-	-
Kensington . . .	164,177	-	-	-	-	7	5	1	-	-	-	-	-	-	-	-	-
Hammersmith . . .	136,200	-	1	1	-	22	6	-	-	-	-	-	-	-	-	-	-
Fulham . . .	158,621	-	-	-	-	15	11	1	-	-	-	-	-	-	-	-	-
Chelsea . . .	62,987	-	-	-	-	7	1	-	1	-	-	-	-	-	-	-	-
City of Westminster . . .	132,615	-	-	-	-	9	-	2	1	-	1	1	-	-	-	-	-
NORTHERN.																	
St. Marylebone . . .	101,856	1	-	-	-	15	3	1	2	-	-	1	-	-	1	-	-
Hampstead . . .	91,519	-	-	-	-	9	4	-	-	-	-	-	-	-	-	-	-
St. Pancras . . .	228,178	-	1	-	-	27	11	3	-	-	-	3	-	-	-	-	-
Islington . . .	335,907	-	-	-	-	27	20	1	3	-	1	7	-	-	-	-	-
Stoke Newington . . .	52,984	-	-	-	-	8	1	-	-	-	-	-	-	-	-	-	-
Hackney . . .	225,372	-	-	-	-	16	22	-	1	-	-	2	-	-	1	-	-
CENTRAL.																	
Holborn . . .	39,676	-	-	-	-	2	3	-	1	-	-	-	-	-	-	-	-
Finsbury . . .	78,291	-	-	-	-	11	6	-	-	-	-	-	1	-	-	-	-
City of London . . .	14,447	-	-	-	-	11	2	-	-	-	-	-	-	-	-	-	-
EASTERN.																	
Shoreditch . . .	102,044	1	-	-	-	42	13	-	1	-	-	2	-	-	-	-	-
Bethnal Green . . .	114,471	-	-	-	-	13	11	3	1	-	-	-	-	-	-	-	-
Stepney . . .	241,770	1	-	-	-	40	21	2	1	-	-	2	-	-	-	-	-
Poplar . . .	159,766	-	-	-	-	35	8	-	-	-	-	1	-	-	-	-	-
SOUTHERN.																	
Southwark . . .	187,142	-	-	-	-	25	5	2	3	-	-	1	-	-	-	-	-
Bermondsey . . .	129,189	1	-	-	-	26	8	-	2	-	-	-	-	-	-	-	-
Lambeth . . .	293,572	-	-	-	-	36	11	4	2	-	-	4	-	-	-	-	-
Battersea . . .	165,664	1	1	-	-	13	16	3	1	-	-	1	-	-	-	-	-
Wandsworth . . .	346,990	1	-	-	-	19	16	11	2	-	-	1	-	-	-	-	-
Camberwell . . .	284,712	-	-	-	-	26	7	1	2	-	1	-	-	2	-	-	-
Deptford . . .	115,636	-	1	-	-	19	3	1	2	-	-	-	-	-	-	-	-
Greenwich . . .	102,408	-	1	-	-	18	4	-	2	-	-	-	-	-	-	-	-
Lewisham . . .	174,438	-	-	-	-	13	12	-	1	-	-	1	-	-	-	-	-
Woolwich . . .	141,666	-	-	-	-	22	9	2	-	-	-	-	-	-	-	-	-
TOTAL . . .	4,531,971	7	5	1	-	547	244	39	33	-	3	27	1	2	2	-	-
Ages 0-1 . . .		-	-	-	-	3	5	1	1	-	-	27	-	-	-	-	-
„ 1-5 . . .		1	-	-	-	111	54	5	3	-	-	-	1	-	-	-	-
„ 5- . . .		-	-	-	-	249	87	6	2	-	-	-	-	-	-	-	-
„ 10- . . .		1	-	-	-	123	52	1	1	-	-	-	-	-	-	-	-
„ 15- . . .		-	-	-	-	30	15	1	1	-	-	-	-	-	-	-	-
„ 20- . . .		-	2	-	-	10	9	-	1	-	-	-	-	1	-	-	-
„ 25- . . .		3	1	-	-	11	17	6	4	-	3	-	-	-	-	-	-
„ 35- . . .		1	1	-	-	9	4	7	4	-	-	-	-	1	-	-	-
„ 45- . . .		-	1	-	-	1	1	4	6	-	-	-	-	-	2	-	-
„ 55- . . .		-	-	1	-	-	-	4	6	-	-	-	-	-	-	-	-
„ 65- . . .		1	-	-	-	-	-	3	4	-	-	-	-	-	-	-	-
„ 75 and upwards . . .		-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Age not stated . . .		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

† See note † on first page of this return.

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS AND DEATHS REGISTERED:—
LONDON AND
NINETY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General,

LONDON:

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from

H.M. STATIONERY OFFICE at the following addresses:

IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and

28, ABINGDON STREET, LONDON, S.W. 1;

37, PETER STREET, MANCHESTER;

1, ST. ANDREW'S CRESCENT, CARDIFF;

23, FORTH STREET EDINBURGH;

or from E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN.

No. 24. VOL. LXXXII. 1921. WEEK ENDED SATURDAY, JUNE 18.
[Price 9d. Net.]

*General Register Office, Somerset House,
June 21st, 1921.*

NINETY-SIX GREAT TOWNS.

For the NINETY-SIX GREAT TOWNS of England and Wales each of which had a population of 50,000 or over at the Census of 1911, the births registered last week numbered 8,922, and corresponded to an annual rate of 25·0 per 1,000. The deaths* among the civilian population only numbered 3,452, and corresponded to an annual rate of 9·7 per 1,000 of their aggregate civilian population, which is provisionally estimated† at 18,554,878 persons in the year 1920. In the three weeks ended May 28th, June 4th, and June 11th, the rates had been 11·2, 10·5, and 10·1 respectively. The infant mortality was 53, against 63, 59, and 61 in the preceding three weeks. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks; it also shows for the week ended last Saturday the births and the deaths from certain individual causes. A column showing the number of deaths

* Corrected as far as possible for deaths of non-residents and for those of residents occurring outside the area. Fully corrected figures will appear in the Registrar General's Annual Report.

† The estimates of population refer to the year 1920, and are based on the returns furnished under the scheme for rationing of food.

from influenza has been inserted in Table 1. The aggregate number of deaths from influenza in the 96 great towns in each of the last thirteen weeks is shown in Table 3A.

Measured by last week's mortality, the highest annual death-rates per 1,000 living were:—from *all causes*, 14·7 in Blackburn, 15·7 in Stockton-on-Tees, 16·8 in Merthyr Tydfil, 18·9 in Dewsbury, and 19·5 in Sunderland; from *measles*, 1·3 in Sunderland and 1·4 in Barrow-in-Furness; and from *whooping cough*, 1·5 Oldham and 1·8 in Bournemouth. No death from *small-pox* was registered in any of the ninety-six towns.

LONDON.* (The Administrative County, including the City of London.)

For LONDON there were 2,008 BIRTHS, corresponding to a rate of 23·0 per 1,000, and 800 DEATHS of civilians, corresponding to a rate of 9·2, as against 10·8, 10·0, and 9·1, per 1,000 in the three weeks ended May 28th, June 4th, and June 11th. The death-rate in the four weeks ended last Saturday averaged 9·8 per 1,000. The infant mortality was 46, against 60, 55, and 45 in the preceding three weeks.

There was no death from *enteric fever*, against 1, 3, and 0 in the preceding three weeks, the average for the corresponding weeks of the previous five years being 1. The deaths from *measles*, which had been 3, 5, and 3 in the preceding three weeks, were again 3 last week, and were 21 below the average. The deaths from *scarlet fever*, which had been 4, 9, and 4 in the preceding three weeks, rose last week to 8, and were 6 above the average. The deaths from *whooping-cough*, which had been 16, 6, and 11 in the preceding three weeks, fell last week to 9, and were 3 below the average. The deaths from *diphtheria*, which had been 22, 14, and 10 in the preceding three weeks, rose last week to 17, and were 8 above the average; 3 deaths belonged to the Borough of Fulham and 3 to Camberwell. The deaths from *diarrhoea and enteritis under 2 years of age*, which had been 14, 9, and 11 in the preceding three weeks, were again 11 last week, the average being 12; 3 deaths belonged to Islington and 3 to Southwark. The deaths from *influenza* numbered 4 as against 6, 9, and 6 in the preceding three weeks, and an average of 8.

Different forms of violence caused 29 deaths, of which 28 were the subject of coroners' inquests. Of these 29 deaths, 11 were cases of suicide and 1 of homicide, while the remaining 17 were attributed to other forms of violence. Nine of these latter were referred to vehicles in the streets.

CASES OF INFECTIOUS DISEASE.†

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital, there were 17 cases of enteric fever, 34 of measles, 3,569 of scarlet fever, 9 of whooping-cough, and 1,950 of diphtheria under treatment in these hospitals on Saturday last (Table 3). The admissions during the week,

* See note * on first page.

† The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

as compared with those in the preceding three weeks, were as follows :—Of enteric fever, 1 case, against 5, 4, and 3; of measles, 11 cases, against 10, 8, and 9; of scarlet fever, 549 cases, against 554, 490, and 463; of whooping-cough, 5 cases, against 2, 1, and 0; and of diphtheria, 240 cases, against 236, 236, and 225. Table 9, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the county during the week ended June 11th, 1921.

TABLE 1.—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH RATES in the Week ended Saturday, 18th June, 1921, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.		DEATH-RATES from all Causes.		Week ended 18th June 1921.		The DEATHS in the Week include										TOWNS.						
		Week ended		BIRTHS. DEATHS.		Deaths from										Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.				
		28th May, 1921.	4th June, 1921.	11th June, 1921.	18th June 1921.	Deaths of	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.	Violence.							
ESTIMATED CIVILIAN POPULATION, MID. 1920.* (Provisional.)	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
96 GREAT TOWNS.	18,554,878	11.2	10.5	10.1	9.7	8,922	3,452	477	1,077	3	-	26	14	47	39	46	35	131	254	1,182	18	96 GREAT TOWNS.
LONDON†	4,531,971	10.8	10.0	9.1	9.2	2,008	800	92	264	-	-	3	8	9	17	11	4	29	65	385	1	LONDON.†
(CROYDON.	191,530	7.1	9.5	7.1	8.7	62	32	4	16	-	-	-	-	-	-	-	-	2	2	8	-	(CROYDON.
WIMBLEDON.	62,174	5.0	5.0	8.4	8.4	23	10	3	2	-	-	-	-	-	-	-	-	-	-	3	-	WIMBLEDON.
EALING.	76,129	5.5	6.8	7.5	5.5	16	8	2	2	-	-	-	-	-	-	-	-	-	1	3	-	EALING.
ACTON.	64,192	6.5	10.6	6.5	8.1	26	10	1	6	-	-	-	-	-	-	1	-	1	2	3	-	ACTON.
WILLESDEN.	167,328	5.9	6.9	7.2	5.9	86	19	1	9	-	-	-	-	-	1	-	-	1	1	8	-	WILLESDEN.
HORNSEY.	98,107	8.0	8.0	3.7	5.8	14	11	-	5	-	-	-	-	-	-	-	-	-	1	2	-	HORNSEY.
TOTTENHAM	146,970	9.6	6.7	11.7	9.6	75	27	7	6	-	-	-	-	2	-	1	-	-	1	8	-	TOTTENHAM.
† EDMONTON.	73,529	6.4	4.3	13.5	9.9	36	14	2	5	-	-	-	-	-	2	-	-	1	3	8	-	† EDMONTON.
ENFIELD.	60,771	6.0	6.0	6.9	12.9	23	15	1	4	-	-	-	-	-	1	-	-	1	3	6	-	ENFIELD.
WEST HAM.	299,440	8.7	9.4	9.9	8.2	167	47	4	19	-	-	-	-	-	-	-	-	4	7	26	1	WEST HAM.
EAST HAM.	150,207	7.6	9.4	5.6	2.4	66	7	1	2	-	-	-	-	-	-	-	-	1	1	5	-	EAST HAM.
LEYTON.	128,832	8.5	11.7	5.3	5.7	37	14	4	5	-	-	-	-	-	-	1	-	-	-	6	-	LEYTON.
WALTHAMSTOW	132,771	9.8	6.7	8.2	7.9	64	20	1	5	-	-	-	-	-	2	-	-	3	4	7	-	WALTHAMSTOW.
(ILFORD.	82,693	8.8	8.8	1.9	7.6	29	12	-	5	-	-	-	-	-	-	-	-	1	1	3	-	(ILFORD.
GILLINGHAM.	45,233	11.5	10.4	13.8	9.2	29	8	1	3	-	-	-	-	-	-	-	-	1	1	1	-	GILLINGHAM.
HASTINGS.	59,972	9.6	12.2	4.3	8.7	13	10	-	5	-	-	-	-	-	-	-	-	-	-	3	-	HASTINGS.
EASTBOURNE.	50,354	10.4	7.2	6.2	9.3	15	9	-	5	-	-	-	-	-	-	-	-	-	-	2	-	EASTBOURNE.
BRIGHTON.	137,685	6.1	6.1	6.4	10.6	50	28	1	13	-	-	-	-	-	-	-	-	-	1	10	-	BRIGHTON.
PORTSMOUTH.	235,998	10.4	8.2	9.9	8.2	118	37	2	13	-	-	-	1	-	1	-	1	1	1	15	-	PORTSMOUTH.
BOURNEMOUTH.	85,919	12.1	7.9	9.1	11.5	30	19	4	8	-	-	-	-	3	-	-	-	-	1	6	-	BOURNEMOUTH.
SOUTHAMPTON.	162,338	9.6	8.3	10.3	6.7	70	21	4	7	-	-	-	-	-	-	-	-	-	1	5	1	SOUTHAMPTON.
READING.	95,006	9.3	5.5	9.3	6.0	44	11	3	3	-	-	-	-	-	-	-	-	1	1	3	-	READING.
OXFORD.	59,963	7.0	6.1	5.2	5.2	21	6	-	5	-	-	-	-	-	-	-	-	-	-	-	-	OXFORD.
NORTHAMPTON.	92,483	7.3	7.9	9.0	8.5	52	15	-	6	-	-	-	-	-	-	-	-	1	1	3	-	NORTHAMPTON.
CAMBRIDGE.	60,154	10.4	6.1	5.2	9.5	26	11	3	3	-	-	-	-	-	-	-	-	1	1	4	-	CAMBRIDGE.

TOWNS.	ESTIMATED CIVILIAN POPULATION, MID. 1920.* (Provisional.)	DEATH-RATES from all Causes.					Week ended 18th June, 1921.		The DEATHS in the Week include										Deaths in Public Inquest Cases.					Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
		Week ended					BIRTHS.	DEATHS.	Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from								Violence.							
		28th May, 1921.	4th June, 1921.	11th June, 1921.	18th June, 1921.	Deaths of Infants under 1 Year of Age.					Persons aged 65 Years and upwards.	Butteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).		Influenza.						
																					2.	3.	4.			
COLS.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	COLS.				
SOUTHEND ON SEA.	87,332	9.0	8.4	6.6	8.4	28	14	-	10	-	-	-	-	-	-	-	-	-	-	1	-	SOUTHEND ON SEA.				
IPSWICH.	81,119	6.4	14.8	8.4	5.1	41	8	1	4	-	-	-	-	-	-	1	-	-	-	3	-	IPSWICH.				
GREAT YARMOUTH.	55,193	18.0	5.7	15.1	7.6	22	8	1	4	-	-	-	-	-	-	-	-	-	1	-	-	GREAT YARMOUTH.				
NORWICH.	124,774	8.4	8.4	13.0	5.9	61	14	4	4	-	-	-	-	1	-	-	-	-	-	3	-	NORWICH.				
SWINDON.	53,580	5.8	6.8	9.7	5.8	28	6	-	4	-	-	-	-	-	-	-	1	-	1	1	-	SWINDON.				
EXETER.	61,365	13.6	11.9	15.3	5.1	17	6	-	3	-	-	-	-	-	1	-	-	-	-	3	-	EXETER.				
PLYMOUTH.	189,218	11.8	13.8	13.0	10.7	96	39	3	14	-	-	-	-	-	-	-	1	3	4	9	-	PLYMOUTH.				
BATH.	68,546	15.2	13.7	5.3	11.4	23	15	3	6	-	-	-	-	-	-	-	-	-	2	4	-	BATH.				
BRISTOL.	375,641	7.4	7.6	6.9	9.7	186	70	6	28	-	-	-	-	-	1	-	-	4	8	24	-	BRISTOL.				
GLOUCESTER.	52,096	7.0	16.0	17.0	9.0	32	9	1	3	-	-	-	-	-	-	-	-	-	-	4	-	GLOUCESTER.				
STOKE ON TRENT.	248,852	12.4	11.5	14.2	9.0	150	43	5	11	-	-	-	-	-	-	-	-	-	2	8	-	STOKE ON TRENT.				
WOLVERHAMPTON.	102,324	11.2	10.7	15.8	8.2	64	16	1	8	-	-	-	-	-	-	-	-	-	-	4	-	WOLVERHAMPTON.				
WALSALL.	96,419	12.4	12.4	16.2	11.4	60	21	6	9	-	-	-	-	-	-	-	-	-	-	4	-	WALSALL.				
WEST BROMWICH.	72,684	13.6	11.5	12.9	10.0	43	14	2	2	-	-	-	-	-	-	1	-	-	-	1	-	WEST BROMWICH.				
DUDLEY.	56,169	8.4	11.1	6.5	6.5	28	7	3	1	-	-	-	-	-	-	-	-	-	-	-	-	DUDLEY.				
BIRMINGHAM.	895,915	12.0	10.6	9.9	9.1	454	157	20	47	-	-	2	-	2	2	1	2	3	3	57	3	BIRMINGHAM.				
SMETHWICK.	75,027	8.3	7.6	10.4	11.1	37	16	4	3	-	-	-	-	-	1	-	-	-	-	2	-	SMETHWICK.				
COVENTRY.	137,310	12.5	6.8	9.1	2.3	55	6	1	1	-	-	-	-	-	-	-	-	-	-	1	-	COVENTRY.				
LEICESTER.	245,465	11.0	8.3	9.1	10.8	94	51	2	15	-	-	-	-	-	-	-	-	5	5	25	-	LEICESTER.				
LINCOLN.	67,543	8.5	6.9	7.7	3.9	37	5	2	1	-	-	-	-	-	-	-	1	-	-	1	-	LINCOLN.				
GRIMSBY.	81,953	6.4	10.2	12.1	9.5	45	15	2	5	-	-	-	-	-	-	-	-	-	-	1	-	GRIMSBY.				
NOTTINGHAM.	267,836	11.1	9.1	11.3	9.9	129	51	6	17	-	-	-	-	-	1	1	1	2	3	11	-	NOTTINGHAM.				
DERBY.	128,868	13.4	9.3	6.5	7.3	50	18	1	7	-	-	1	-	-	-	-	-	-	-	8	-	DERBY.				

* See note † on first page of this return.

TABLE 1 (cont.).—26 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH-RATE in the Week ended Saturday, 18th June, 1921, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	DEATH-RATES from all Causes.				Week ended 18th June, 1921.		The DEATHS in the Week include										Deaths in Public Institutions.		Uncertified Causes of Death.		TOWNS.			
	Week ended.				BIRTHS.	DEATHS.	Deaths from										Inquest Cases.	20.	21.					
	28th May, 1921.	4th June, 1921.	11th June, 1921.	18th June, 1921.			Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.	Violence.							
ESTIMATED CIVILIAN POPULATION MID. 1920.* (Provisional.)	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.		
STOCKPORT	130,635	9·6	10·4	11·2	10·8	62	27	4	11	-	-	-	-	-	-	-	2	1	2	8	-	STOCKPORT.		
BIRKENHEAD	153,951	7·5	8·5	9·5	8·5	91	25	4	5	-	-	-	-	1	-	1	1	2	3	7	-	BIRKENHEAD.		
WALLASEY	99,226	12·6	8·4	12·1	5·8	33	11	1	2	-	-	-	-	-	-	-	-	1	3	1	-	WALLASEY.		
LIVERPOOL	803,452	14·4	13·8	13·0	13·8	500	212	38	44	-	-	7	-	6	2	9	1	4	15	102	1	LIVERPOOL.		
BOOTLE	80,029	9·8	6·5	11·1	7·8	41	12	2	5	-	-	-	-	-	-	1	-	-	-	5	-	BOOTLE.		
ST. HELENS	104,822	14·4	11·9	13·4	14·4	65	29	3	9	-	-	-	-	1	-	-	3	-	-	8	2	ST. HELENS.		
SOUTHPORT	72,939	12·9	12·9	10·0	7·1	34	10	-	6	-	-	-	-	-	-	-	-	-	-	2	-	SOUTHPORT.		
WIGAN	90,866	11·5	10·3	14·3	9·2	46	16	1	6	-	-	-	-	-	-	-	-	-	1	2	-	WIGAN.		
WARRINGTON	77,939	10·7	8·0	12·0	8·7	43	13	-	3	1	-	-	-	-	-	-	-	3	3	8	-	WARRINGTON.		
BOLTON	184,533	15·0	12·2	15·5	11·3	83	40	6	14	-	-	-	-	1	1	-	-	1	5	11	-	BOLTON.		
BURY	56,410	20·3	13·9	14·8	12·0	20	13	-	3	-	-	-	-	-	-	-	-	4	4	3	-	BURY.		
MANCHESTER	770,597	12·7	13·7	12·5	10·8	388	160	25	40	-	-	-	1	-	-	3	5	4	9	70	-	MANCHESTER.		
SALFORD	235,239	14·9	13·3	12·6	13·3	121	60	7	15	-	-	-	2	2	-	-	-	2	3	15	-	SALFORD.		
OLDHAM	143,154	18·2	17·8	12·0	12·0	71	33	4	11	-	-	-	1	4	-	-	-	-	1	9	-	OLDHAM.		
ROCHDALE	93,639	12·8	15·0	12·3	10·6	37	19	2	7	-	-	-	-	-	-	-	2	1	1	8	-	ROCHDALE.		
BURNLEY	105,030	7·9	8·4	14·9	10·9	55	22	6	7	-	-	-	-	1	-	-	-	-	-	3	-	BURNLEY.		
BLACKBURN	131,012	11·5	17·1	11·9	14·7	68	37	8	10	-	-	-	-	-	-	-	4	1	1	7	1	BLACKBURN.		
PRESTON	121,950	13·7	13·7	11·5	12·0	67	28	6	8	-	-	-	-	2	-	-	-	1	1	5	-	PRESTON.		
BLACKPOOL	70,545	16·3	11·8	13·3	13·3	18	18	3	8	-	-	-	-	-	-	1	-	-	-	2	2	BLACKPOOL.		
BARROW IN FURNES	76,561	10·9	10·9	13·6	11·6	39	17	4	2	-	-	2	-	-	-	1	-	2	2	3	1	BARROW IN FURNES.		
HUDDERSFIELD	116,776	14·7	13·3	7·6	9·8	49	22	-	8	-	-	-	-	-	-	-	-	2	3	5	-	HUDDERSFIELD.		
HALIFAX	105,847	17·7	11·8	8·9	12·8	49	26	3	7	-	-	-	-	-	-	-	-	2	2	11	-	HALIFAX.		
BRADFORD	293,979	14·4	12·8	12·6	7·3	110	41	4	17	-	-	-	-	2	-	-	-	-	2	15	-	BRADFORD.		
LEEDS	449,212	14·0	12·4	10·7	10·7	221	92	19	27	-	-	-	-	-	1	1	-	6	12	32	-	LEEDS.		
DEWSBURY	55,080	16·1	9·5	13·3	18·9	38	20	4	4	-	-	-	-	-	-	-	1	1	2	6	-	DEWSBURY.		
WAKEFIELD	51,169	13·2	10·2	7·1	10·2	33	10	1	5	-	-	-	-	-	-	-	-	-	1	1	-	WAKEFIELD.		
BARNLEY	53,739	10·7	9·7	4·9	9·7	38	10	1	2	-	-	-	-	-	-	-	-	-	1	1	-	BARNLEY.		

TOWNS.	COLS.	ESTIMATED POPULATION, MID. 1920.* (Provisional).		Causas.				Week ended 18th June, 1921.		Deaths of		Deaths from								Inquest Cases.		Deaths in Public Institutions.		Unidentified Causes of Death.		TOWNS
		Week ended				18th June, 1921.		Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.	Violence.	18.	19.	20.	21.				
		Week ended				18th June, 1921.																				
		28th May, 1921.	4th June, 1921.	11th June, 1921.	18th June, 1921.	BIRTHS.	DEATHS.																			
		1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.				
SHEFFIELD	-	492,570	9.7	10.8	9.5	9.2	280	87	19	27	-	-	-	-	2	-	1	1	5	7	27	-	SHEFFIELD.			
ROTHERHAM	-	71,785	11.6	7.3	8.7	8.0	29	11	-	3	-	-	-	-	-	-	-	-	1	2	3	-	ROTHERHAM.			
YORK	-	77,501	8.7	10.8	15.5	7.4	35	11	2	3	-	-	1	-	-	-	-	-	-	-	4	-	YORK.			
HULL	-	290,808	15.1	10.0	8.8	12.6	171	70	11	23	1	-	-	-	-	1	3	-	3	6	22	-	HULL.			
MIDDLESBROUGH	-	132,208	11.4	10.3	7.1	13.0	62	33	9	5	-	-	-	-	1	-	-	-	1	3	4	-	MIDDLESBROUGH.			
DARLINGTON	-	66,610	13.3	7.8	7.8	14.1	38	18	5	7	-	-	-	-	-	-	-	-	-	-	-	2	DARLINGTON.			
STOCKTON ON TEES	-	63,114	12.4	11.6	19.0	15.7	36	19	1	6	-	-	-	-	-	-	-	-	2	2	3	-	STOCKTON ON TEES.			
WEST HARTLEPOOL	-	68,126	11.5	12.2	8.4	7.7	45	10	2	2	-	-	-	-	-	-	-	-	-	2	1	1	WEST HARTLEPOOL.			
SUNDERLAND	-	155,211	10.1	14.1	12.1	19.5	96	58	9	12	-	-	4	-	2	-	1	1	-	5	9	-	SUNDERLAND.			
SOUTH SHIELDS	-	115,945	15.7	15.7	13.5	12.6	52	28	4	6	-	-	2	-	1	-	1	1	2	2	1	-	SOUTH SHIELDS.			
GATESHEAD	-	128,309	11.4	13.8	9.8	13.8	65	34	3	14	-	-	1	-	-	-	-	-	2	2	1	1	GATESHEAD.			
NEWCASTLE ON TYNE.	-	286,061	9.8	11.8	13.5	11.7	150	64	12	17	-	-	1	-	2	1	-	-	3	7	17	1	NEWCASTLE ON TYNE.			
TYNEMOUTH	-	60,318	17.3	10.4	9.5	10.4	38	12	2	-	-	-	1	-	-	-	-	-	1	1	5	-	TYNEMOUTH.			
CARLISLE	-	57,397	13.6	8.2	10.0	10.9	21	12	3	2	-	-	-	-	1	-	-	-	-	-	2	-	CARLISLE.			
NEWPORT (MON.)	-	90,728	10.3	6.3	9.8	6.9	57	12	1	4	-	-	-	-	-	-	-	-	2	2	3	-	NEWPORT (MON.).			
CARDIFF	-	212,582	11.8	9.6	5.9	7.4	102	30	6	8	-	-	-	-	-	-	1	-	2	3	5	-	CARDIFF.			
RHONDDA	-	184,999	8.7	8.2	8.5	8.2	100	29	8	5	-	-	-	-	1	1	-	-	1	1	5	-	RHONDDA.			
MERTHYR TYDFIL	-	74,493	14.0	10.5	7.0	16.8	44	24	4	4	-	-	-	-	-	1	-	-	-	-	6	-	MERTHYR TYDFIL.			
ABERDARE	-	53,431	23.4	7.8	5.9	10.7	39	11	-	5	-	-	-	-	-	1	-	-	-	-	-	-	ABERDARE.			
SWANSEA	-	167,218	10.6	8.7	8.1	8.1	62	26	5	5	-	-	-	1	-	-	-	-	2	3	6	-	SWANSEA.			
GREATER LONDON	-	7,548,647	9.6	9.1	8.6	8.6	3265	1252	147	433	-	-	3	10	14	25	18	5	53	111	541	3	GREATER LONDON.			
OUTER RING	-	3,016,676	7.7	7.7	7.7	7.8	1257	452	55	169	-	-	-	2	5	8	7	1	24	46	156	2	OUTER RING.			
14 GREAT TOWNS IN OUTER RING.	-	1,734,723	7.7	8.2	7.7	7.4	724	246	31	91	-	-	-	-	2	6	5	-	15	27	96	1	14 GREAT TOWNS IN OUTER RING.			
REMAINDER OF OUTER RING.	-	1,281,953	7.8	7.0	7.8	8.4	533	206	24	78	-	-	-	2	3	2	2	1	9	19	60	1	REMAINDER OF OUTER RING.			
EDINBURGH†	-	446,200	13.8	13.7	10.2	12.2	211	104	8	37	-	-	-	1	2	-	1	-	3	?	?	?	EDINBURGH.†			
GLASGOW†	-	1,100,400	11.9	11.0	12.8	12.0	643	254	42	77	-	-	-	-	19	2	4	-	5	?	?	?	GLASGOW.†			
DUBLIN (Registration Area).†	-	423,000	13.9	14.8	12.7	12.6	217	102	12	31	1	-	-	-	-	1	-	1	5	3	47	2	DUBLIN (Registration Area).†			
BELFAST†	-	420,000	13.8	12.9	15.1	13.0	195	105	17	21	-	-	-	-	5	-	2	-	4	4	29	3	BELFAST.†			

* See note † on first page of this return.

† The populations are total populations and relate to 1921. Deaths and the death-rates in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week: those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

TABLE 2. LONDON.—Births and Deaths registered during the TWENTY-FOURTH Week of each of the Eleven Years, 1911–1921.

	1911.	1912.	1913.	1914.	1915.	1916.	1917.	1918.	1919.	1920.	1921.
Births (as registered).	2454	2297	2211	2191	2033	2027	1561	1373	1324	2293	2008
Males -	1245	1165	1103	1134	1066	1009	809	658	711	1165	1017
Females -	1209	1132	1108	1057	967	1018	752	715	613	1128	991
Deaths (of residents only).	974	1012	987	1053	996	906*	996*	849*	745*	838*	800*
Males -	529	511	528	558	545	471	518	453	414	459	402
Females -	445	501	459	495	451	435	478	396	331	379	398

* Deaths in civilian population only.

TABLE 3. LONDON.—BIRTHS and DEATHS REGISTERED, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the last THIRTEEN WEEKS.

	Mar. 26.	Apr. 2.	Apr. 9.	Apr. 16.	Apr. 23.	Apr. 30.	May 7.	May 14.	May 21.	May 28.	June 4.	June 11.	June 18.
Births (as registered)	1746	2016	2157	2099	2112	2082	1940	2068	1868	2188	1971	2128	2008
Deaths (of residents only).	1005	1149	1168	1077	1093	1049	999	1012	932	936	867	795	800
Under 1 year	117	144	166	128	144	136	147	108	116	132	108	96	92
1–2 years	32	39	38	39	36	33	28	25	35	32	16	26	29
2–5 "	18	25	24	21	28	17	23	28	15	25	15	20	20
5–10 "	19	28	22	21	19	28	24	20	29	24	32	17	31
10–15 "	14	21	12	16	14	13	14	17	13	18	19	14	16
15–20 "	26	21	30	15	29	31	19	23	23	22	23	20	13
20–25 "	23	33	29	21	28	25	34	24	22	14	20	17	15
25–35 "	50	42	69	52	41	43	41	50	53	56	58	50	42
35–45 "	80	90	91	84	90	88	73	89	72	65	68	51	68
45–55 "	108	125	122	120	132	96	103	108	109	100	95	84	85
55–65 "	130	177	178	161	168	176	146	145	119	133	133	120	125
65–75 "	182	188	190	179	201	173	169	191	166	174	155	143	136
75 years and upwards	206	216	197	220	163	190	178	184	160	141	125	137	128
Deaths from—													
Enteric fever	—	2	1	—	1	—	—	—	—	1	3	—	—
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	4	2	12	10	6	6	3	6	4	3	5	3	3
Scarlet fever	6	6	5	5	3	7	7	5	6	4	9	4	8
Whooping cough	12	8	13	10	10	8	11	12	7	16	6	11	9
Diphtheria	15	24	19	24	32	18	19	17	19	22	14	10	17
Diarrhoea and enteritis (under 2 years).	14	19	14	6	16	16	15	7	15	14	9	11	11
Pulmonary tuberculosis	109	95	116	85	101	99	92	87	82	83	103	73	69
Influenza	33	44	38	49	27	35	20	28	23	6	9	6	4
Pneumonia (all forms)	107	117	103	95	98	94	105	88	65	71	56	62	54
Bronchitis	93	102	90	88	85	81	70	74	55	38	42	31	37
Other dis. of resp. system	16	14	15	15	8	13	16	13	12	13	8	9	8
Dis. of circ. system	175	192	172	150	180	149	160	190	150	175	142	141	137
Violence	26	30	47	37	35	49	40	37	39	43	31	35	29
Inquest cases	69	88	105	80	86	92	98	96	91	92	73	70	65
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Enteric fever	13	10	2	10	9	10	10	13	17	18	22	22	17
Small-pox	—	—	—	—	—	1	1	1	—	—	—	—	—
Measles	25	30	27	33	26	25	28	34	41	42	87	35	34
Scarlet fever	3609	3535	3453	3345	3307	3255	3195	3238	3299	3427	3491	3501	3569
Whooping cough	23	25	24	21	20	20	18	16	14	14	7	5	9
Diphtheria	2777	2689	2626	2543	2564	2453	2343	2281	2215	2140	2020	1980	1950

* The Metropolitan Asylums Board and London Fever Hospitals. The figures do not refer to London exclusively.

TABLE 3A. 96 Great Towns.—DEATHS from INFLUENZA in the last THIRTEEN WEEKS.

	Mar. 26.	Apr. 2.	Apr. 9.	Apr. 16.	Apr. 23.	Apr. 30.	May 7.	May 14.	May 21.	May 28.	June 4.	June 11.	June 18.
Deaths from Influenza	122	130	97	111	82	93	104	114	94	71	67	33	33

TABLE 4. LONDON.—DEATHS REGISTERED in the TWENTY-FOURTH Week of the Year 1921.

CAUSES OF DEATH.	Deaths in the 24th week of the year 1920.	DEATHS of PERSONS of the AGES													
		ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-10 years.	10-15 years.	15-20 years.	20-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and up- wards.
ALL CAUSES	838	800	92	29	20	31	16	13	15	42	68	85	125	136	128
Enteric fever	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	15	3	-	3	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever	2	8	-	3	2	3	-	-	-	-	-	-	-	-	-
Whooping cough	7	9	3	3	3	-	-	-	-	-	-	-	-	-	-
Diphtheria	15	17	1	2	3	7	3	-	-	-	1	-	-	-	-
Influenza	7	4	-	-	-	1	-	-	-	1	-	1	-	1	-
Erysipelas	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Acute Poliomyelitis, Polioencepha- litis.	?	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	?	1	-	-	-	-	-	-	-	-	-	1	-	-	-
Meningococcal meningitis . . .	?	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other endemic and epidemic diseases.	1	2	-	-	-	-	-	-	-	1	-	-	-	-	1
Pyæmia and septicæmia	1	4	1	-	-	-	1	-	-	-	-	-	-	1	1
Tetanus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis :—															
Pulmonary tuberculosis	77	69	-	1	1	1	-	5	9	17	16	11	1	6	1
Tuberculous meningitis	10	10	3	1	2	1	1	2	-	-	-	-	-	-	-
Abdominal tuberculosis	4	2	1	-	-	-	-	1	-	-	-	-	-	-	-
Tuberculosis of the spine	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-
Tuberculosis of the joints	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of other organs . . .	1	2	-	-	1	-	-	-	-	-	-	-	-	1	-
Disseminated tuberculosis	3	9	3	2	1	2	-	1	-	-	-	-	-	-	-
Venereal diseases	10	2	1	-	-	-	-	-	-	1	-	-	-	-	-
Cancer	101	111	-	-	-	-	-	-	1	1	10	21	36	30	12
Rheumatic fever	8	2	-	-	-	1	-	-	-	-	1	-	-	-	-
Diabetes	7	8	-	-	-	-	-	-	-	2	-	1	3	2	-
Anæmia, leucocythaemia	12	8	-	-	-	-	-	-	-	1	1	4	2	-	-
Other general diseases	11	10	1	-	-	-	-	-	-	-	1	1	2	3	2
Alcoholism	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic poisonings	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	5	5	2	-	-	-	3	-	-	-	-	-	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	30	48	-	-	-	-	-	-	-	-	1	4	9	16	18
Softening of brain	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Paralysis, without specified cause .	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-
Epilepsy	2	6	-	-	-	1	-	1	1	1	-	-	-	2	-
"Convulsions" (not puerperal) . .	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system .	14	24	-	-	-	-	-	-	-	2	6	5	4	6	1
Pericarditis	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
Acute endocarditis	7	6	-	-	-	1	1	1	-	-	2	1	-	-	-
Other diseases of heart	92	105	1	-	1	1	-	1	1	3	9	11	24	25	28
Embolism and thrombosis (exclud- ing cerebral).	6	1	-	-	-	1	-	-	-	-	-	-	-	-	-
Other diseases of circulatory system.	24	24	-	-	-	-	-	-	-	-	2	3	6	7	6
Diseases of the larynx	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-
Bronchitis	40	37	1	3	-	-	-	-	-	1	-	3	6	12	11
Broncho-pneumonia	20	25	9	6	2	3	1	-	-	-	-	-	2	1	1
Lobar pneumonia	16	16	-	2	1	1	-	-	-	-	-	-	1	1	-
Pneumonia (type not distinguished)	18	13	1	-	-	1	-	-	-	1	-	3	2	2	3
Pleurisy	6	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Pulmonary congestion, Pulmonary apoplexy.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of respiratory system.	6	6	-	-	-	-	-	-	-	-	1	-	1	-	4

TABLE 4 (*cont.*) LONDON.—DEATHS REGISTERED in the TWENTY-FOURTH Week
of the Year 1921.

CAUSES OF DEATH.	Deaths in the 24th week of the year 1920.	DEATHS OF PERSONS OF THE AGES													
		ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-10 years.	10-15 years.	15-20 years.	20-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and up- wards.
Diseases of the pharynx, Tonsillitis	1	2	-	-	-	-	2	-	-	-	-	-	-	-	-
Diseases of stomach	8	10	2	-	-	-	1	-	-	1	2	-	-	3	1
Diarrhoea and enteritis	25	11	10	1	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and typhlitis	3	2	-	-	-	-	-	-	-	1	-	-	-	-	1
Hernia and Intestinal obstruction.	11	9	-	-	-	-	-	-	-	1	-	3	1	4	-
Cirrhosis of liver	2	4	-	-	-	-	-	-	-	-	1	3	-	-	-
Other diseases of liver	6	4	-	-	-	-	-	-	-	-	1	-	2	1	-
Peritonitis (cause unknown)	2	2	-	-	-	2	-	-	-	-	-	-	-	-	-
Other diseases of digestive system	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute nephritis	3	1	-	-	-	-	-	-	-	1	-	-	-	-	-
Chronic Bright's disease	27	24	-	-	-	-	-	-	1	3	5	10	4	1	-
Urinary calculi	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Uterine tumour (non-cancerous)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ovarian tumour (1	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Other diseases of genito-urinary system.	9	8	-	-	-	-	-	-	-	1	-	1	3	3	-
Puerperal fever, &c.	2	3	-	-	-	-	-	-	2	1	-	-	-	-	-
Other causes incident to child-birth.	-	3	-	-	-	-	-	1	1	1	-	-	-	-	-
Diseases of skin and cellular tissues.	3	2	-	-	-	-	-	-	-	-	-	1	-	1	-
Diseases of locomotor system	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital malformations	9	7	7	-	-	-	-	-	-	-	-	-	-	-	-
Premature birth	21	24	24	-	-	-	-	-	-	-	-	-	-	-	-
Debility, atrophy marasmus (Infants).	17	6	6	-	-	-	-	-	-	-	-	-	-	-	-
Old age	36	29	-	-	-	-	-	-	-	-	-	-	3	26	-
ACCIDENT.															
Poisons or poisonous vapours.	1	2	-	-	-	-	-	1	-	-	-	1	-	-	-
Conflagration	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Burns and scalds	3	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Drowning	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suffocation in bed	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other deaths by accident	27	14	-	1	1	2	2	-	3	1	1	1	1	1	1
Total deaths from accident	35	17	-	1	2	2	2	-	1	3	1	2	1	1	1
Included in above are deaths in connection with:—															
Railways	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	11	9	-	-	1	2	1	-	3	1	-	-	1	-	-
Ships, boats, docks	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Building operations	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIOLENCE OTHER THAN ACCIDENTAL.															
Homicide	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	4	11	-	-	-	-	-	1	2	3	3	1	1	-	-
Execution	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other specified diseases	7	13	12	-	1	-	-	-	-	-	-	-	-	-	-
Ill-defined Causes	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-

TABLE 5.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM							
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria*	Diarrhoeal Diseases† (under 2 years).	Influenza.
LONDON† . .	4,531,971	1921. June 18	2,008	800	9·2	-	-	3	8	9	17	11	4
Calcutta . .	896,067	May 14	-	483§	28·0	?	4	?	?	?	?	?	7
Bombay . .	979,445	" 14	298	1,154§	61·3	4	12	9	-	-	-	63	53
Madras . .	518,660	" 7	338	374	37·5	1	5	1	?	3	-	37	3
Paris . .	2,847,229	{ (10 days) May 20 }	1,477	1,076	13·8	5	-	16	2	2	7	27	9
Brussels . .	792,919	-	-	-	-	-	-	-	-	-	-	-	-
Antwerp . .	338,627	June 4	135	64	10·0	1	-	-	1	-	-	5	-
Amsterdam . .	680,484	" 4	316	136	10·4	1	-	1	-	2	1	1	1
Copenhagen . .	571,000	" 4	246	157	14·3	-	-	-	1	-	1	1	-
Stockholm . .	419,788	May 28	159	118	14·6	-	-	-	-	-	1	-	1
Gothenburg . .	205,494	" 28	-	37	9·4	-	-	-	-	-	-	1	-
Christiania . .	260,904	" 28	114	59	11·8	-	-	-	-	-	-	1	-
Berlin . .	1,949,000	" 28	534	422	11·3	-	?	7	1	4	4	13	4
Breslau . .	547,000	" 28	250	160	15·2	-	?	-	-	2	-	8	3
Cologne . .	664,000	" 28	309	162	12·7	-	?	2	1	-	2	13	6
Dresden . .	595,000	" 28	232	133	11·6	-	?	1	-	1	-	5	-
Sankt-Petersburg -ON-MAIN.	468,000	" 28	155	80	8·9	-	?	-	-	-	1	-	-
Hamburg . .	1,003,000	" 28	378	219	11·4	-	?	2	1	1	-	2	3
Poznań . .	631,000	" 28	259	140	11·5	-	?	-	1	-	-	9	3
Munich . .	670,000	" 28	234	163	12·7	-	?	4	-	1	-	4	4
Vienna . .	1,842,005	" 28	467	494	13·9	-	-	-	-	1	1	14	2
Prague AND SUBURBS.	676,454	" 14	267	218	16·8	1	-	-	1	-	-	12	3
Budapest . .	933,000	Apr. 2	460	472	26·3	1	?	18	9	-	-	17	1
Trieste . .	248,428	May 28	-	-	-	-	-	-	-	-	-	-	-
Cairo . .	765,200	Apr. 1	-	-	-	-	-	-	-	-	-	-	-
Alexandria . .	449,300	" 1	-	-	-	-	-	-	-	-	-	-	-
New York . .	5,755,151	May 21	-	-	-	-	-	-	-	-	-	-	-
Chicago . .	2,780,655	" 28	-	682	12·8	-	-	4	4	8	18	49	-

including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Cities, Vienna, Prague, and Suburbs, Budapest, and Trieste.

The deaths in this column relate to *all ages* for Bombay, Madras, Christiania, and Budapest, and to *children under 1 year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

The estimated population and deaths refer to the civilian population only.

including 4 deaths from *plague* in Calcutta and 39 in Bombay, and from *Asiatic cholera*, 66 deaths in Calcutta.

TABLE 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 18th June, 1921.

(Supplied by the Meteorological Office.)

TOWNS.	Temperature of Air.*				Rainfall in Milli- metres.†	TOWNS.	Temperature of Air.*				Rainfall in Milli- metres.†
	Highest.	Lowest.	Mean Maxi- mum.	Mean Mini- mum.			Highest.	Lowest.	Mean Maxi- mum.	Mean Mini- mum.	
LONDON (Greenwich) }	86	46	74·4	50·4	0	BRADFORD . .	74	42	66·6	48·1	0·4
LIGHTON . .	72	48	69·0	52·3	0	SHEFFIELD . .	78	45	68·7	51·6	2
PORTSMOUTH . .	78	45	69·9	53·6	0	YORK (Museum) .	78	42	69·3	49·7	0
BRIDGWICH (Eaton) .	82	41	68·6	48·0	10	HULL (Pearson Park)	82	42	67·7	48·6	0
PLYMOUTH . .	75	45	70·1	53·1	0	TYNEMOUTH . .	74	44	63·4	50·7	1
BIRMINGHAM (Clifton) .	80	45	71·6	51·9	0	CARDIFF . .	80	43	71·4	52·3	1
BIRMINGHAM . .	80	43	69·3	51·0	0	EDINBURGH . .	73·0	43·0	65·1	48·3	2
NOTTINGHAM . .	82	44	70·7	50·0	0·3	GLASGOW . .	74·1	45·5	65·0	51·0	7
LEICESTER (Bidston) }	-	Not received.				DUBLIN :—					
LEICESTER . .	81	42	68·7	49·7	3	Phoenix Park . .	73·2	40·9	68·0	47·8	1
MANCHESTER . .	75	42	65·6	48·9	1	†Fitzwilliam Square	73·0	48·2	67·2	53·7	0
GLASGOW . .	80	43	68·7	49·4	1	BELFAST . .	70·0	46·0	65·1	51·3	0

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.

† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.

‡ 1 millimetre = ·04 inch nearly ; 1 inch = 25·4 millimetres exactly.

TABLE 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 18th June 1921.

[Under the Superintendence of the Astronomer Royal.]

1921. MONTH AND DAY.		Phases of the Moon.	BARO- METER. Mean daily reading (cor- rected and re- duced to 32° Fahren- heit).	TEMPERATURE.						Difference between the Air Temperature and Dew Point Temperature.			De- gree of Hu- mid- ity (Satur- ation equals 100).	TEMPERATURE.			Wind as deduced from Anemometers.				Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.					
				Of the Air.					Of the Dew point.	Between the Air Temperature and Dew Point Temperature.		Of Radiation.		Of the Earth 4 feet below the Surface.	Osler's.		Robinson's.									
				High- est.	Low- est.	Daily Range.	Mean daily value.	De- parture from Average of 65 years.		Mean Great- est.	Least.				General Direction.	Pressure on the Square Foot.		Horizontal Movement of the Air on each Day.	Depar- ture from Average of 50 years.							
																Great- est.	Least.									
JUNE.				in.	°	°	°	°	°	°	°	°	°	lbs.	lbs.	Miles.	Miles.	in.								
SUNDAY	-	12	30·061	72·9	45·9	27·0	59·0	+ 0·6	43·7	15·3	27·7	6·2	57	140·7	37·2	52·9	NNW. & W.	W. & WSW. NNW.	3·6	0·0	0·3	319	+ 71	0·00		
MONDAY	-	13	29·982	67·3	52·6	14·7	59·4	+ 0·9	46·9	12·5	18·4	4·8	64	124·3	43·2	53·0	WSW. W. & NW.	N. & calm	2·8	0·0	0·4	374	+ 126	0·00		
TUESDAY	-	14	30·129	70·7	47·7	23·0	58·6	- 0·1	49·4	9·2	18·7	1·2	72	121·6	35·8	53·1	NNW. & calm.	NNW. & calm.	1·0	0·0	0·0	98	- 149	0·00		
WEDNESDAY	-	15	30·161	79·8	49·4	30·4	64·0	+ 5·2	52·5	11·5	22·5	1·0	66	142·6	38·0	53·4	Calm & NNE.	NNE. & E.	1·2	0·0	0·1	125	- 120	0·00		
THURSDAY	-	16	30·242	74·4	48·7	25·7	61·2	+ 2·3	50·0	11·2	21·3	1·2	67	137·0	37·7	53·6	Calm & E.	E. & calm	1·1	0·0	0·1	95	- 149	0·00		
FRIDAY	-	17	30·089	85·6	46·8	38·8	67·5	+ 8·5	48·6	18·9	28·7	1·9	51	140·0	36·4	53·9	Calm	Calm, W. & N.	2·6	0·0	0·1	104	- 139	0·00		
SATURDAY	-	18	30·069	67·9	45·6	22·3	54·9	- 4·3	42·0	12·9	24·9	8·7	62	134·4	35·2	53·9	N. & NE.	NE. & E.	2·2	0·0	0·3	291	+ 48	0·00		
MEANS		-	30·105	74·1	48·1	26·0	60·7	+ 1·9	47·6	13·1	23·2	3·6	63	134·4	37·6	53·4	W. & NNE.		20	21	22	23	24	25
No. of Column		-	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25		

DATE.		ELECTRICITY. (For explanation of symbols, see Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
JUNE 1921.					
SUNDAY	- 12	m.P. till noon, m.P. and w.P. afterwards.	6.4	16.5	Cloudless till 3h.; thin cloud prevalent till 9h., then very cloudy with overcast intervals; slight rain in afternoon.
MONDAY	- 13	v.P. throughout	2.2	16.5	Overcast or nearly overcast generally; clouds thin at times; solar halo between 18h. and 19h.
TUESDAY	- 14	s.P. generally, w.P. about both midnights.	0.7	16.5	Nearly cloudless till 4h., then sky becoming veiled with thin cloud and haze; nearly overcast from 6h. to 19h., becoming cloudless by 20h.
WEDNESDAY	- 15	v.P. throughout	12.3	16.5	Cloudless till 10h.; variably cloudy till 17h., then nearly cloudless; misty in early morning.
THURSDAY	- 16	m.P. generally, w.P. early and late.	8.3	16.5	Nearly cloudless till 2h.; nearly overcast till 12h. 30m., then becoming cloudless generally.
FRIDAY	- 17	v.P. throughout	13.9	16.5	Nearly overcast till 4h., then nearly cloudless; partially cloudy 11h. to 19h.; nearly cloudless again by 19h. 30m.
SATURDAY	- 18	w.P. till 9h., v.P. afterwards.	3.8	16.6	Nearly cloudless till 4h., nearly overcast till 13h.; variably cloudy till 21h., then overcast with thin cloud; solar halo about noon; damping by midnight.
No. of Col. - -		26	Sum 47.6	Sum 115.6	
			27	28	

The results apply to the civil day, or from midnight to midnight. The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "higher," and - "lower," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 30.09 in. at the beginning of the week to 30.13 in. by 8h. on 12th; decreased to 29.84 in. by 10h. on 13th; increased generally to 30.27 in. by 10h. on 16th; decreased generally to 29.99 in. by 18h. on 17th; increased to 30.10 in. by 11h. on 18th, and decreased to 30.05 in. by midnight on the same day.

TABLE 3. LONDON.—DEATHS of PERSONS BELONGING to the several METROPOLITAN BOROUGHs REGISTERED in the Week ended 11th June, 1921.

BOROUGHs.	Deaths from									Deaths of Infants under 1 Year of Age.
	ALL CAUSES.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Pulmonary Tuberculosis.	
COUNTY OF LONDON .	795	-	-	3	4	11	10	11	73	96
Western										
PADDINGTON . . .	19	-	-	-	-	1	-	2	2	3
KENSINGTON . . .	22	-	-	-	1	-	-	-	3	7
HAMMERSMITH . . .	28	-	-	-	-	-	1	1	2	6
FULHAM . . .	22	-	-	-	-	-	2	1	3	1
CHELSEA . . .	18	-	-	-	-	-	-	-	2	3
CITY OF WESTMINSTER .	26	-	-	-	-	-	-	-	1	2
Northern.										
ST. MARYLEBONE . .	23	-	-	-	-	-	-	-	-	2
HAMPSTEAD . . .	10	-	-	-	-	-	-	-	1	1
ST. PANCRAS . . .	40	-	-	1	-	2	-	2	5	10
ISLINGTON . . .	54	-	-	-	-	-	-	-	1	10
STOKE NEWINGTON . .	8	-	-	-	-	-	-	-	1	2
HACKNEY . . .	29	-	-	-	-	1	1	-	1	-
Central.										
HOLBORN . . .	10	-	-	-	-	-	-	-	1	1
FINSBURY . . .	20	-	-	-	-	-	1	-	1	1
CITY OF LONDON . .	1	-	-	-	-	-	-	-	-	-
Eastern.										
SHOREDITCH . . .	20	-	-	-	-	-	1	1	3	1
BETHNAL GREEN . .	24	-	-	-	-	1	-	-	3	2
STEPNEY . . .	44	-	-	-	-	-	-	-	3	5
POPLAR . . .	38	-	-	-	-	-	-	2	5	5
Southern.										
SOUTHWARK . . .	39	-	-	-	-	2	-	-	4	3
BERMONDSEY . . .	28	-	-	-	-	-	1	-	4	1
LAMBETH . . .	56	-	-	1	-	-	-	1	8	7
BATTERSEA . . .	32	-	-	-	1	-	-	1	1	4
WANDSWORTH . . .	47	-	-	-	-	-	-	-	5	5
CAMBERWELL . . .	59	-	-	1	1	1	2	-	3	4
DEPTFORD . . .	24	-	-	-	1	1	1	-	1	5
GREENWICH . . .	15	-	-	-	-	-	-	-	1	2
LEWISHAM . . .	22	-	-	-	-	1	-	-	1	-
WOOLWICH . . .	17	-	-	-	-	1	-	-	7	3

The deaths in the above Table are, so far as concerns London as a whole, corrected by the exclusion of deaths of non-residents, and by the inclusion of those of residents occurring in the Outer Ring or in Metropolitan public institutions situated outside the County. As between individual Metropolitan Boroughs, however, correction is complete.

TABLE 9. LONDON.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED during the Week ended 11th June, 1921.*

BOROUGHES.	ESTI- MATED CIVILIAN POPU- LATION, MID. 1920.† (Provi- sional.)	Enteric Fever.	Malaria.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Group).	Pneumonia.	Erysipelas.	Cerebro-Spinal Fever.	Puerperal Fever.	Ophthalmia Neonatorum.	Poliomyelitis.	Dysentery.	Encephalitis Lethargica.	Anthrax.	Polio- encephalitis.
WESTERN.																	
Paddington . . .	149,673	-	-	-	-	15	6	1	1	-	-	-	-	-	-	-	-
Kensington . . .	164,177	1	-	-	-	7	4	2	1	-	1	1	-	-	-	-	-
Hammersmith . . .	136,200	1	1	-	-	12	4	2	1	-	1	1	-	-	-	-	-
Fulham . . .	158,621	-	-	-	-	8	8	3	3	-	-	-	-	-	-	-	-
Chelsea . . .	62,987	-	-	-	-	7	-	-	-	-	-	-	-	-	-	-	-
City of Westminster . . .	132,615	-	-	-	-	7	3	-	1	-	1	-	-	-	-	-	-
NORTHERN.																	
St. Marylebone . . .	101,856	1	-	-	-	7	1	1	1	-	-	-	-	-	-	-	-
Hampstead . . .	91,519	-	-	-	-	5	4	-	1	-	-	-	-	-	-	-	-
St. Pancras . . .	228,178	-	1	-	-	22	13	2	1	-	1	4	-	-	-	-	-
Islington . . .	335,907	-	-	-	-	28	23	1	-	-	-	1	1	-	-	-	-
Stoke Newington . . .	52,984	-	-	-	-	10	3	-	-	-	-	-	-	-	-	-	-
Hackney . . .	225,372	-	-	-	-	23	23	-	1	-	-	-	-	-	-	-	-
CENTRAL.																	
Holborn . . .	39,676	-	-	-	-	-	4	-	1	-	-	-	-	-	-	-	-
Finsbury . . .	78,291	-	-	-	-	7	6	1	1	-	-	1	-	-	-	-	-
City of London . . .	14,447	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
EASTERN.																	
Shoreditch . . .	102,044	-	-	-	-	14	8	-	3	-	-	2	-	-	-	-	-
Bethnal Green . . .	114,471	-	-	-	-	5	8	1	2	-	-	1	-	-	-	-	-
Stepney . . .	241,770	-	-	-	-	42	19	5	-	-	-	-	-	-	-	-	-
Poplar . . .	159,766	-	-	-	-	17	6	7	1	-	1	-	-	-	-	-	-
SOUTHERN.																	
Southwark . . .	187,142	-	-	-	-	19	9	1	2	-	-	2	-	-	-	-	-
Bermondsey . . .	129,189	-	1	-	-	20	6	-	2	-	-	-	-	-	-	-	-
Lambeth . . .	293,572	-	-	-	-	22	8	2	-	-	-	2	-	-	1	-	-
Battersea . . .	165,664	-	1	-	-	16	8	4	-	-	-	-	-	-	-	-	-
Vandsworth . . .	346,990	-	-	-	-	17	11	5	1	-	-	-	-	-	-	-	-
Lamberwell . . .	284,712	-	-	-	-	26	15	1	3	-	1	-	-	-	-	-	-
Deptford . . .	115,636	-	-	-	-	8	4	1	1	-	-	-	-	-	-	-	-
Greenwich . . .	102,408	-	-	-	-	31	5	-	1	-	-	-	-	-	-	-	-
Lewisham . . .	174,438	-	-	-	-	11	10	2	1	-	-	-	-	-	-	-	-
Woolwich . . .	141,666	-	-	-	-	20	12	-	-	-	-	-	-	-	-	-	-
TOTAL . . .	4,531,971	3	4	-	-	427	232	42	30	-	6	15	1	-	1	-	-
AGES.																	
Ages 0-1 . . .		-	-	-	-	2	5	3	4	-	-	15	-	-	-	-	-
„ 1-5 . . .		-	-	-	-	71	48	6	3	-	-	-	1	-	1	-	-
„ 5- . . .		-	-	-	-	205	88	4	2	-	-	-	-	-	-	-	-
„ 10- . . .		-	-	-	-	100	55	1	1	-	-	-	-	-	-	-	-
„ 15- . . .		-	-	-	-	22	8	4	-	-	-	-	-	-	-	-	-
„ 20- . . .		-	3	-	-	11	10	5	1	-	2	-	-	-	-	-	-
„ 25- . . .		1	-	-	-	11	13	4	3	-	3	-	-	-	-	-	-
„ 35- . . .		2	1	-	-	4	2	4	7	-	1	-	-	-	-	-	-
„ 45- . . .		-	-	-	-	1	3	1	5	-	-	-	-	-	-	-	-
„ 55- . . .		-	-	-	-	-	-	6	3	-	-	-	-	-	-	-	-
„ 65- . . .		-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-
„ 75 and upwards . . .		-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
Age not stated . . .		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

† See note † on first page of this return.

Printed under the authority of
HIS MAJESTY'S STATIONERY OFFICE
By Eyre and Spottiswoode, Ltd., East Harding Street, E.C.4.
Printers to the King's most Excellent Majesty.

FOR OFFICIAL USE.

WEEKLY RETURN

OF

**BIRTHS AND DEATHS REGISTERED:—
LONDON AND
NINETY-FIVE OTHER GREAT TOWNS.**

~~~~~  
By Authority of the Registrar General.  
~~~~~

LONDON:

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from

H.M. STATIONERY OFFICE at the following addresses:

IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and

28, ABINGDON STREET, LONDON, S.W. 1;

37, PETER STREET, MANCHESTER;

1, ST. ANDREW'S CRESCENT, CARDIFF;

23, FORTH STREET EDINBURGH;

or from E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN.

No. 25. VOL. LXXXII. 1921. WEEK ENDED SATURDAY, JUNE 25.
[Price 9d. Net.]

*General Register Office, Somerset House,
June 28th, 1921.*

NINETY-SIX GREAT TOWNS.

For the NINETY-SIX GREAT TOWNS of England and Wales each of which had a population of 50,000 or over at the Census of 1911, the births registered last week numbered 8,361, and corresponded to an annual rate of 23·4 per 1,000. The deaths* among the civilian population only numbered 3,464, and corresponded to an annual rate of 9·7 per 1,000 of their aggregate civilian population, which is provisionally estimated† at 18,554,878 persons in the year 1920. In the three weeks ended June 4th, June 11th, and June 18th, the rates had been 10·5, 10·1, and 9·7 respectively. The infant mortality was 58, against 59, 61, and 53 in the preceding three weeks. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks; it also shows for the week ended last Saturday the births and the deaths from certain individual causes. A column showing the number of deaths

* Corrected as far as possible for deaths of non-residents and for those of residents occurring outside the area. Fully corrected figures will appear in the Registrar General's Annual Report.

† The estimates of population refer to the year 1920, and are based on the returns furnished under the scheme for rationing of food.

from influenza has been inserted in Table 1. The aggregate number of deaths from influenza in the 96 great towns in each of the last thirteen weeks is shown in Table 3A.

Measured by last week's mortality, the highest annual death-rates per 1,000 living were:—from *all causes*, 14·1 in York, 14·2 in Gateshead, 14·7 in Huddersfield, 14·8 in Sunderland, 15·5 in Wigan, and 17·4 in Oxford; from *measles*, 1·2 in Middlesbrough, 2·4 in Sunderland, and 3·3 in Stockton-on-Tees; and from *diphtheria*, 1·2 in Leyton, 1·4 in Ealing and in Smethwick, and 1·7 in Exeter. No death from *small-pox* was registered in any of the ninety-six towns.

LONDON.* (The Administrative County, including the City of London.)

For LONDON there were 1,919 BIRTHS, corresponding to a rate of 22·0 per 1,000, and 840 DEATHS of civilians, corresponding to a rate of 9·7, as against 10·0, 9·1, and 9·2 per 1,000 in the three weeks ended June 4th, June 11th, and June 18th. The death-rate in the four weeks ended last Saturday averaged 9·5 per 1,000. The infant mortality was 52, against 55, 45, and 46 in the preceding three weeks.

The death from *enteric fever*, which had been 3, 0, and 0 in the preceding three weeks, numbered 3, the average for the corresponding weeks of the previous five years being 1. The deaths from *measles*, which had been 5, 3, and 3 in the preceding three weeks, rose last week to 7, but were 12 below the average. The deaths from *scarlet fever*, which had been 9, 4, and 8 in the preceding three weeks, fell last week to 6, but were 5 above the average. The deaths from *whooping-cough*, which had been 6, 11, and 9 in the preceding three weeks, fell last week to 6, and were 4 below the average. The deaths from *diphtheria*, which had been 14, 10, and 17 in the preceding three weeks, fell last week to 12, but were 2 above the average. The deaths from *diarrhoea and enteritis under 2 years of age*, which had been 9, 11, and 11 in the preceding three weeks, were 12 last week, the average being 13. The deaths from *influenza* numbered 6 as against 9, 6, and 4 in the preceding three weeks, and an average of 5.

Different forms of violence caused 41 deaths, all of which were the subject of coroners' inquests. Of these 41 deaths, 15 were cases of suicide and 2 of homicide, while the remaining 24 were attributed to other forms of violence. Ten of these latter were referred to vehicles in the streets, 4 to burns or scalds, and 4 to drowning.

CASES OF INFECTIOUS DISEASE.†

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital, there were 18 cases of enteric fever, 35 of measles, 3,651 of scarlet fever, 10 of whooping-cough, and 1,928 of diphtheria under treatment in these hospitals on Saturday last (Table 3). The admissions during the week,

* See note * on first page.

† The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

as compared with those in the preceding three weeks, were as follows :—Of enteric fever, 4 cases, against 4, 3, and 1; of measles, 10 cases, against 8, 9, and 11; of scarlet fever, 548 cases, against 490, 463, and 549; of whooping-cough, 1 case, against 1, 0, and 5; and of diphtheria, 236 cases, against 236, 225, and 240. Table 9, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the county during the week ended June 18th, 1921.

in the week ended Saturday, 29th June 1921, and DEATH-RATES in each of the preceding three weeks.

TOWNS.	ESTIMATED CIVILIAN POPULATION, MID. 1920.* (Provisional.)	DEATH-RATES from all Causes.				Week ended 25th June, 1921.		The DEATHS in the Week include										TOWNS.				
		Week ended				BIRTHS.	DEATHS.	Deaths of		Deaths from												
		4th June, 1921.	11th June, 1921.	18th June, 1921.	28th June, 1921.			Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.		Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
SOUTHEND ON SEA.	87,382	8.4	6.6	8.4	9.5	29	16	-	7	-	-	-	-	-	-	-	-	-	-	2	1	SOUTHEND ON SEA.
IPSWICH . . .	81,119	14.8	8.4	5.1	9.0	24	14	3	7	-	-	-	-	-	-	-	1	1	2	3	-	IPSWICH.
GREAT YARMOUTH .	55,193	5.7	15.1	7.6	8.5	29	9	-	5	-	-	-	-	-	-	-	-	-	1	1	-	GREAT YARMOUTH.
NORWICH . . .	124,774	8.4	13.0	5.9	7.5	50	18	3	9	-	-	-	-	-	-	1	-	2	2	5	-	NORWICH.
SWINDON . . .	53,580	6.8	9.7	5.8	5.8	30	6	1	2	-	-	-	-	-	-	-	-	-	-	-	-	SWINDON.
EXETER . . .	61,365	11.9	15.3	5.1	13.6	29	16	2	5	-	-	-	-	-	2	-	-	1	1	3	-	EXETER.
PLYMOUTH . . .	189,218	13.8	13.0	10.7	10.5	92	38	6	18	-	-	-	-	-	-	1	-	-	1	5	-	PLYMOUTH.
BATH . . .	68,546	13.7	5.3	11.4	7.6	18	10	1	4	-	-	-	-	-	-	-	-	-	-	2	-	BATH.
BRISTOL . . .	375,641	7.6	6.9	9.7	8.2	161	59	5	20	-	-	1	-	1	-	-	-	2	6	25	-	BRISTOL.
GLOUCESTER . . .	52,096	16.0	17.0	9.0	7.0	19	7	2	2	-	-	-	-	-	-	1	-	-	-	3	-	GLOUCESTER.
STOKE ON TRENT .	248,852	11.5	14.2	9.0	10.1	148	48	12	13	-	-	-	-	-	-	3	-	1	1	10	-	STOKE ON TRENT.
WOLVERHAMPTON .	102,324	10.7	15.8	8.2	8.2	58	16	5	-	-	-	-	-	-	-	1	-	-	1	4	-	WOLVERHAMPTON.
WALSALL . . .	96,419	12.4	16.2	11.4	9.2	49	17	2	4	1	-	-	-	-	-	-	-	2	2	2	-	WALSALL.
WEST BROMWICH .	72,684	11.5	12.9	10.0	8.6	34	12	1	3	-	-	1	-	-	-	-	-	-	3	3	-	WEST BROMWICH.
DUDLEY . . .	56,169	11.1	6.5	6.5	3.7	37	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	DUDLEY.
BIRMINGHAM . . .	895,915	10.6	9.9	9.1	9.5	468	163	25	44	-	-	-	-	2	3	1	1	5	6	65	4	BIRMINGHAM.
SMETHWICK . . .	75,027	7.6	10.4	11.1	8.3	40	12	-	4	-	-	-	-	-	2	-	-	-	-	1	-	SMETHWICK.
COVENTRY . . .	137,310	6.8	9.1	2.3	8.7	46	23	3	6	-	-	-	-	-	-	-	-	1	1	7	1	COVENTRY.
LEICESTER . . .	245,465	8.3	9.1	10.8	8.3	101	39	3	11	-	-	-	-	-	-	-	-	-	1	9	1	LEICESTER.
LINCOLN . . .	67,543	6.9	7.7	3.9	9.3	29	12	4	3	-	-	-	-	1	-	-	2	1	1	1	-	LINCOLN.
GRIMSBY . . .	31,953	10.2	12.1	9.5	5.7	53	9	2	5	-	-	-	-	-	-	-	-	-	-	2	-	GRIMSBY.
NOTTINGHAM . . .	267,836	9.1	11.3	9.9	9.3	128	48	11	21	-	-	-	-	1	-	-	-	2	2	15	-	NOTTINGHAM.
DERBY . . .	128,868	9.3	6.5	7.3	8.5	50	21	5	6	-	-	-	-	2	-	1	-	-	-	5	-	DERBY.

* See note † on first page of this return.

TABLE 1 (cont.).—98 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH-RATE in the Week ended Saturday, 25th June, 1921, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	ESTIMATED CIVILIAN POPULATION MID. 1920.* (Provisional.)	DEATH-RATES from all Causes.					Week ended 25th June, 1921.		The DEATHS in the Week include										TOWNS.			
		Week ended					BIRTHS.	DEATHS.	Deaths from								Inquest Cases.	Deaths in Public Institutions.		Uncertified Causes or Death.		
		4th June, 1921.							Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.	Violence.						
		2.	3.	4.	5.	6.															7.	8.
STOCKPORT	130,635	10·4	11·2	10·8	8·8	41	22	2	7	-	-	-	-	-	1	1	-	1	1	5	-	STOCKPORT.
BIRKENHEAD	153,951	8·5	9·5	8·5	10·2	82	30	6	6	-	-	-	-	-	1	1	-	-	-	12	-	BIRKENHEAD.
WALLASEY	99,226	8·4	12·1	5·8	6·3	30	12	2	6	-	-	-	-	-	-	-	-	-	-	3	-	WALLASEY.
LIVERPOOL	803,452	13·8	13·0	13·8	11·6	431	179	41	49	-	5	1	11	2	1	1	-	2	8	75	2	LIVERPOOL.
BOOTLE	80,029	6·5	11·1	7·8	9·1	50	14	1	-	-	-	-	1	-	-	-	-	-	-	4	1	BOOTLE.
ST. HELENS	104,822	11·9	13·4	14·4	12·9	60	26	10	3	-	-	-	-	-	1	1	-	-	-	7	1	ST. HELENS.
SOUTHPORT	72,939	12·9	10·0	7·1	10·0	17	14	-	4	1	1	-	-	-	-	-	-	-	-	7	-	SOUTHPORT.
WIGAN	90,866	10·3	14·3	9·2	15·5	45	27	7	8	-	-	-	-	-	1	-	-	-	1	4	-	WIGAN.
WARRINGTON	77,939	8·0	12·0	8·7	8·7	43	13	-	3	-	-	-	-	-	-	-	1	-	-	4	-	WARRINGTON.
BOLTON	184,533	12·2	15·5	11·3	12·7	77	45	2	19	-	-	-	-	-	-	-	1	1	3	12	-	BOLTON.
BURY	56,410	13·9	14·8	12·0	12·0	22	13	-	6	-	-	-	-	-	-	-	-	-	-	1	1	BURY.
MANCHESTER	770,597	13·7	12·5	10·8	11·2	366	166	26	38	-	-	-	2	-	4	4	4	5	11	59	2	MANCHESTER.
SALFORD	235,239	13·3	12·6	13·3	13·7	103	62	8	13	-	-	-	2	-	-	-	-	3	6	16	-	SALFORD.
OLDHAM	143,154	17·8	12·0	12·0	8·4	45	23	4	8	-	-	-	-	-	-	-	-	-	1	7	-	OLDHAM.
ROCHDALE	93,639	15·0	12·3	10·6	12·8	31	23	-	5	-	-	-	-	-	-	-	2	-	1	10	-	ROCHDALE.
BURNLEY	105,030	8·4	14·9	10·9	11·4	69	23	5	6	-	-	-	2	-	-	-	-	2	2	4	-	BURNLEY.
BLACKBURN	131,012	17·1	11·9	14·7	8·4	57	21	2	8	-	-	1	1	-	-	1	-	-	-	5	-	BLACKBURN.
PRESTON	121,950	13·7	11·5	12·0	8·6	51	20	-	7	-	-	-	-	-	-	-	-	2	2	8	-	PRESTON.
BLACKPOOL	70,545	11·8	13·3	13·3	10·3	26	14	2	4	-	-	-	-	-	-	-	-	1	1	2	1	BLACKPOOL.
BARROW IN FURNESS	76,561	10·9	13·6	11·6	11·6	39	17	1	3	1	-	-	-	-	-	-	-	-	-	3	1	BARROW IN FURNESS.
HUDDERSFIELD	116,776	18·3	7·6	9·8	14·7	48	33	5	14	-	-	-	-	-	-	-	1	1	2	4	-	HUDDERSFIELD.
HALIFAX	105,847	11·8	8·9	12·8	9·9	38	20	5	7	-	-	-	-	-	-	-	1	1	2	4	-	HALIFAX.
BRADFORD	293,979	12·8	12·6	7·3	9·0	111	51	7	18	-	-	-	2	1	-	-	2	7	16	-	-	BRADFORD.
LEEDS	449,212	12·4	10·7	10·7	12·3	202	106	15	36	-	-	-	3	-	-	2	5	12	36	-	-	LEEDS.
DEWSBURY	55,030	9·5	13·3	18·9	7·6	22	8	1	3	-	-	-	-	-	-	-	1	1	1	1	-	DEWSBURY.
WAKEFIELD	51,169	10·2	7·1	10·2	8·2	27	8	1	3	-	-	-	-	-	-	-	-	-	2	-	-	WAKEFIELD.
BARNLEY	53,739	9·7	4·9	9·7	6·8	30	7	3	-	-	-	-	-	-	-	-	-	-	-	-	-	BARNLEY.

* See note † on first page of this return.

TOWNS.	ESTIMATED CIVILIAN POPULATION, MID. 1920.* (Provisional).	DEATH-RATES from all Causes.				Week ended 25th June, 1921.		The DEATHS in the Week include										Deaths of		TOWNS		
		Week ended				BIRTHS.	DEATHS.	Deaths from										Persons aged 65 Years and upwards.	Deaths in Public Institutions.		Uncertified Causes of Death.	
		4th June, 1921.						Violence.	Influenza.	Diarrhoea and Enteritis (under 2 years).	Whooping Cough.	Diphtheria.	Scarlet Fever.	Measles.	Small-pox.	Enteric Fever.						
		2.	3.	4.	5.												10.					11.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
SHEFFIELD	492,570	10.8	9.5	9.2	7.1	204	67	6	24	-	-	-	-	1	-	3	-	1	7	27	-	SHEFFIELD.
ROTHERHAM	71,785	7.3	8.7	8.0	10.2	50	14	2	5	-	-	-	-	1	-	-	-	-	1	1	-	ROTHERHAM.
YORK	77,501	10.8	15.5	7.4	14.1	26	21	3	8	-	-	-	-	-	-	-	-	1	1	5	-	YORK.
HULL	290,808	10.0	8.8	12.6	10.8	164	60	8	22	-	-	-	-	1	2	1	-	2	3	21	-	HULL.
MIDDLESBROUGH	132,208	10.3	7.1	13.0	11.8	93	30	8	9	-	-	3	-	-	-	2	1	1	2	3	1	MIDDLESBROUGH.
DARLINGTON	66,610	7.8	7.8	14.1	7.8	32	10	1	4	-	-	-	-	-	-	-	-	1	1	1	-	DARLINGTON.
STOCKTON ON TEES.	63,114	11.6	19.0	15.7	10.7	34	13	4	5	-	-	4	-	-	-	-	-	-	-	1	-	STOCKTON ON TEES.
WEST HARTLEPOOL.	68,126	12.2	8.4	7.7	13.8	36	18	2	4	-	-	1	-	-	-	-	1	1	2	4	-	WEST HARTLEPOOL.
SUNDERLAND	155,211	14.1	12.1	19.5	14.8	83	44	10	9	-	-	7	-	2	-	1	-	-	2	3	-	SUNDERLAND.
SOUTH SHIELDS	115,945	15.7	13.5	14.8†	12.6	58	28	5	8	-	-	2	-	-	-	1	-	-	-	4	-	SOUTH SHIELDS.
GATESHEAD	128,309	13.8	9.8	13.8	14.2	70	35	3	8	-	-	2	-	1	-	2	-	-	-	3	-	GATESHEAD.
NEWCASTLE ON TYNE.	286,061	11.8	13.5	11.7	10.8	123	59	8	17	-	-	1	-	-	-	1	1	4	5	18	1	NEWCASTLE ON TYNE.
TYNEMOUTH	60,318	10.4	9.5	10.4	13.0	42	15	2	7	-	-	-	-	1	-	-	-	-	-	4	1	TYNEMOUTH.
CARLISLE	57,397	8.2	10.0	10.9	10.9	25	12	2	1	-	-	-	-	-	-	-	-	1	1	3	-	CARLISLE.
NEWPORT (MON.)	90,728	6.3	9.8	6.9	9.8	59	17	3	7	-	-	-	-	-	1	1	-	-	-	3	-	NEWPORT (MON.).
CARDIFF	212,582	9.6	5.9	7.4	10.3	96	42	5	15	-	-	1	-	-	-	2	-	2	5	8	-	CARDIFF.
RHONDDA	184,999	8.2	8.5	8.2	9.9	94	35	6	5	-	-	-	-	-	-	2	-	-	2	3	-	RHONDDA.
MERTHYR TYDFIL	74,493	10.5	7.0	16.8	6.3	36	9	-	5	-	-	-	-	-	-	-	-	-	-	1	-	MERTHYR TYDFIL.
ABERDARE	53,431	7.8	5.9	10.7	6.8	32	7	1	2	-	-	-	-	-	-	-	-	-	-	1	-	ABERDARE.
SWANSEA	167,218	8.7	8.1	8.1	8.1	76	26	4	9	-	-	-	-	-	-	-	-	-	1	3	-	SWANSEA.
GREATER LONDON	7,548,647	9.1	8.6	8.6	9.0	3092	1310	155	448	3	-	8	9	16	26	16	8	62	124	574	3	GREATER LONDON.
OUTER RING	3,016,676	7.7	7.7	7.8	8.1	1173	470	55	175	-	-	1	3	10	14	4	2	21	39	154	1	OUTER RING.
14 GREAT TOWNS IN OUTER RING.	1,734,723	8.2	7.7	7.4	7.9	673	263	32	93	-	-	1	2	6	8	1	2	8	23	97	1	14 GREAT TOWNS IN OUTER RING.
REMAINDER OF OUTER RING.	1,281,953	7.0	7.8	8.4	8.4	500	207	23	82	-	-	-	1	4	6	3	-	13	16	57	-	REMAINDER OF OUTER RING.
EDINBURGH†	446,200	13.7	10.2	12.2	11.2	186	96	16	29	-	-	1	1	2	-	1	-	3	?	?	?	EDINBURGH.†
GLASGOW†	1,100,400	11.0	12.8	12.0	11.9	595	251	50	59	-	-	-	-	18	-	8	1	6	?	?	?	GLASGOW.†
DUBLIN (Registra- tion Area).†	423,000	14.8	12.7	12.6	14.1	285	114	15	25	-	-	-	-	-	-	2	-	14	11	54	2	DUBLIN (Registra- tion Area).†
BELFAST†	420,000	12.9	15.1	13.0	11.9	197	96	13	27	-	-	1	-	1	1	2	-	3	3	17	2	BELFAST.†

* See note † on first page of this return.
† The populations are total populations and relate to 1921. Deaths and the death-rates in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week: those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.
‡ Revised rate, due to receipt of outstanding return.

TABLE 2. LONDON.—Births and Deaths registered during the TWENTY-FIFTH Week of each of the Eleven Years, 1911-1921.

	1911.	1912.	1913.	1914.	1915.	1916.	1917.	1918.	1919.	1920.	1921.
Births (as registered).	1778	2157	2099	2271	1879	2108	1585	1341	1487	2406	1919
Males	895	1150	1038	1160	923	1071	795	705	785	1227	992
Females	883	1007	1061	1111	956	1037	790	636	702	1179	927
Deaths (of residents only).	921	916	954	1045	1022	1011*	991*	927*	763*	864*	840*
Males	467	493	494	561	551	543	534	474	405	492	447
Females	454	423	460	484	471	463	457	453	358	372	393

* Deaths in civilian population only.

TABLE 3. LONDON.—BIRTHS and DEATHS REGISTERED, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the last THIRTEEN WEEKS.

	Apr. 2.	Apr. 9.	Apr. 16.	Apr. 23.	Apr. 30.	May 7.	May 14.	May 21.	May 28.	June 4.	June 11.	June 18.	June 25.
Births (as registered) . . .	2016	2157	2099	2112	2082	1940	2068	1868	2188	1971	2128	2008	1919
Deaths (of residents only).	1149	1168	1077	1093	1049	999	1012	932	936	867	795	800	840
Under 1 year	144	166	128	144	136	147	108	116	132	108	96	92	100
1-2 years	39	38	39	36	33	28	25	35	32	16	26	29	16
2-5 "	25	24	21	28	17	23	28	15	25	15	20	20	20
5-10 "	28	22	21	19	28	24	20	29	24	32	17	31	22
Ages 10-15 "	21	12	16	14	13	14	17	13	18	19	14	16	18
15-20 "	21	30	15	29	31	19	23	23	22	23	20	13	24
at 20-25 "	33	29	21	28	25	34	24	22	14	20	17	15	21
25-35 "	42	69	52	41	43	41	50	53	56	58	50	42	55
Death 35-45 "	90	91	84	90	88	73	89	72	65	68	51	68	66
45-55 "	125	122	120	132	96	103	108	109	100	95	84	85	96
55-65 "	177	178	161	168	176	146	145	119	133	133	120	125	129
65-75 "	188	190	179	201	173	169	191	166	174	155	143	136	146
75 years and upwards	216	197	220	163	190	178	184	160	141	125	137	128	127
Deaths from—													
Enteric fever	2	1	-	1	-	-	-	-	1	3	-	-	3
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	2	12	10	6	6	3	6	4	3	5	3	3	7
Scarlet fever	6	5	5	3	7	7	5	6	4	9	4	8	6
Whooping cough	8	13	10	10	8	11	12	7	16	6	11	9	6
Diphtheria	24	19	24	32	18	19	17	19	22	14	10	17	12
Diarrhoea and enteritis (under 2 years).	19	14	6	16	16	15	7	15	14	9	11	11	12
Pulmonary tuberculosis .	95	116	85	101	99	92	87	82	83	103	73	69	101
Influenza	44	38	49	27	35	20	28	23	6	9	6	4	6
Pneumonia (all forms) . .	117	103	95	98	94	105	88	65	71	56	62	54	53
Bronchitis	102	90	88	85	81	70	74	55	38	42	31	37	23
Other dis. of resp. system .	14	15	15	8	13	16	13	12	13	8	9	8	8
Dis. of circ. system . . .	192	172	150	180	149	160	190	150	175	142	141	137	135
Violence	30	47	37	35	49	40	37	39	43	31	35	29	41
Inquest cases	88	105	80	86	92	98	96	91	92	73	70	65	85

CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.

Enteric fever	10	2	10	9	10	10	13	17	18	22	22	17	18
Small-pox	-	-	-	-	1	1	1	-	-	-	-	-	-
Measles	30	27	33	26	25	28	34	41	42	37	35	34	35
Scarlet fever	3535	3453	3345	3307	3255	3195	3238	3299	3427	3491	3501	3569	3651
Whooping cough	25	24	21	20	20	18	16	14	14	7	5	9	10
Diphtheria	2689	2626	2543	2564	2453	2343	2281	2215	2140	2020	1980	1950	1928

* The Metropolitan Asylums Board and London Fever Hospitals. The figures do not refer to London exclusively.

TABLE 3A. 96 Great Towns.—DEATHS from INFLUENZA in the last THIRTEEN WEEKS.

	Apr. 2.	Apr. 9.	Apr. 16.	Apr. 23.	Apr. 30.	May 7.	May 14.	May 21.	May 28.	June 4.	June 11.	June 18.	June 25.
Deaths from Influenza . . .	130	97	111	82	93	104	114	94	71	67	33	33	32

TABLE 4. LONDON.—DEATHS REGISTERED in the TWENTY-FIFTH Week of the Year 1921.

CAUSES OF DEATH.	Deaths in the 25th week of the year 1920.	DEATHS OF PERSONS OF THE AGES													
		ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-10 years.	10-15 years.	15-20 years.	20-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards.
ALL CAUSES	864	840	100	16	20	22	18	24	21	55	66	96	129	146	127
Enteric fever	-	3	-	-	-	1	-	-	-	-	2	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	7	7	-	3	1	2	1	-	-	-	-	-	-	-	-
Scarlet fever	-	6	-	1	1	2	1	1	-	-	-	-	-	-	-
Whooping cough	11	6	5	1	-	-	-	-	-	-	-	-	-	-	-
Diphtheria	13	12	1	3	5	2	1	-	-	-	-	-	-	-	-
Influenza	6	6	-	-	-	-	-	-	-	1	-	1	1	2	1
Erysipelas	2	3	-	-	-	-	-	-	-	-	1	1	-	1	-
Acute Poliomyelitis, Polioencephalitis.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	2	2	-	-	-	-	-	-	-	-	1	-	-	-	1
Meningococcal meningitis	2	4	2	-	-	-	1	-	-	-	-	-	-	1	-
Other endemic and epidemic diseases.	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-
Pyæmia and septicæmia	1	4	-	-	1	-	-	-	1	2	-	-	-	-	-
Tetanus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis :—															
Pulmonary tuberculosis	105	101	-	-	-	1	4	12	12	21	18	13	13	7	-
Tuberculous meningitis	8	8	-	-	1	5	1	1	-	-	-	-	-	-	-
Abdominal tuberculosis	3	4	-	-	-	-	1	2	-	1	-	-	-	-	-
Tuberculosis of the spine	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Tuberculosis of the joints	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
Tuberculosis of other organs	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1
Disseminated tuberculosis	3	5	-	1	1	1	-	-	-	2	-	-	-	-	-
Venereal diseases	6	4	4	-	-	-	-	-	-	-	-	-	-	-	-
Cancer	92	103	-	-	-	1	-	-	-	-	5	20	32	28	17
Rheumatic fever	4	1	-	-	-	-	1	-	-	-	-	-	-	-	-
Diabetes	6	6	-	-	-	-	-	-	-	1	-	2	1	1	-
Anæmia, leucocythæmia	5	4	-	-	-	-	-	-	-	1	-	-	1	1	1
Other general diseases	9	12	-	-	-	-	-	-	-	-	3	1	3	3	2
Alcoholism	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Chronic poisonings	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	9	3	1	-	-	-	1	-	-	-	-	-	1	-	-
Cerebral hæmorrhage, &c., Apoplexy	36	49	-	-	-	-	-	-	1	-	1	6	10	21	10
Softening of brain	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Paralysis, without specified cause	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epilepsy	1	6	-	-	-	-	-	-	-	-	1	-	-	-	-
"Convulsions" (not puerperal)	2	2	2	-	-	-	-	-	-	-	-	-	1	2	2
Other diseases of nervous system	19	19	1	1	-	-	-	-	1	1	3	3	7	1	1
Pericarditis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute endocarditis	7	9	-	-	1	1	-	1	-	3	1	1	1	-	-
Other diseases of heart	104	103	-	-	-	1	-	2	-	4	5	14	18	29	30
Embolism and thrombosis (excluding cerebral).	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of circulatory system.	34	23	-	-	-	-	-	-	-	-	1	3	5	6	8
Diseases of the larynx	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis	43	23	-	-	1	-	-	-	-	1	1	1	4	6	9
Broncho-pneumonia	16	22	6	4	2	-	-	1	-	2	2	1	2	1	1
Lobar pneumonia	13	13	-	-	-	-	1	-	-	2	2	2	2	2	2
Pneumonia (type not distinguished)	11	18	3	-	1	1	-	-	-	1	1	4	3	2	2
Pleurisy	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Pulmonary congestion, Pulmonary apoplexy.	4	3	-	-	-	-	-	-	-	-	-	-	-	1	2
Other diseases of respiratory system.	4	4	-	-	-	-	-	-	-	-	-	1	1	2	-

TABLE 5.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM							
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria*	Diarrhoeal Diseases† (under 2 years).	Influenza.
LONDON† . .	4,531,971	1921. June 25	1,919	840	9·7	3	-	7	6	6	12	12	6
CALCUTTA . .	896,067	May 21	-	537	31·1	?	1	?	?	?	?	?	7
BOMBAY . .	979,445	" 21	376	1,034§	54·9	3	7	5	-	-	-	75	24
MADRAS . .	518,660	" 14	344	384	38·5	3	3	2	?	-	1	39	2
PARIS . .	2,847,229	{ (11 days) May 31 }	1,565	1,201	14·0	4	-	9	-	1	4	35	8
BRUSSELS . .	792,919	- - -	-	-	-	-	-	-	-	-	-	-	-
ANTWERP . .	339,523	June 11	121	52	8·1	1	-	-	-	-	1	2	-
AMSTERDAM . .	680,583	" 11	313	109	8·4	-	-	-	-	5	1	3	-
COPENHAGEN . .	571,000	" 11	231	140	12·8	-	-	-	1	-	2	1	-
STOCKHOLM . .	419,788	" 4	133	80	9·9	-	-	-	-	1	-	2	-
GOTHENBURG . .	205,494	" 4	-	41	10·4	-	-	-	-	-	1	2	-
CHRISTIANIA . .	260,904	{ " 4 " 11 }	106 105	63 44	12·6 8·8	- -	- -	1 -	- -	- -	- -	- -	- -
BERLIN . .	1,949,000	" 4	573	457	12·2	-	?	1	-	6	2	14	4
BRESLAU . .	547,000	" 4	238	148	14·1	1	?	-	-	-	1	8	1
COLOGNE . .	664,000	" 4	304	145	11·4	1	?	1	-	-	1	12	1
DRESDEN . .	595,000	" 4	248	121	10·6	-	?	1	-	1	-	5	1
FRANKFORT- ON-MAIN.	468,000	" 4	136	64	7·1	-	?	-	-	1	1	2	1
HAMBURG . .	1,003,000	" 4	345	225	11·7	-	?	1	-	-	-	4	2
LEIPZIG . .	631,000	" 4	219	126	10·4	-	?	1	-	1	-	7	2
MUNICH . .	670,000	" 4	222	147	11·4	-	?	2	-	-	1	8	3
VIENNA . .	1,842,005	" 4	524	416	11·7	2	-	2	1	1	1	8	3
PRAGUE AND SUBURBS.	676,454	May 21	260	211	16·3	-	-	-	-	-	-	7	4
BUDAPEST . .	933,000	Apr. 9	400	368	20·5	3	?	9	6	2	2	9	2
TRIESTE . .	248,428	May 28	-	-	-	-	-	-	-	-	-	-	-
CAIRO . .	765,200	Apr. 1	-	-	-	-	-	-	-	-	-	-	-
ALEXANDRIA . .	449,300	" 1	-	-	-	-	-	-	-	-	-	-	-
NEW YORK . .	5,755,151	May 21	-	-	-	-	-	-	-	-	-	-	-
CHICAGO . .	2,780,655	June 4	-	-	-	-	-	-	-	-	-	-	-

Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Cities, Vienna, Prague and Suburbs, Budapest, and Trieste.

The deaths in this column relate to *all ages* for Bombay, Madras, Christiania, and Budapest, and to *children under 1 year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

The estimated population and deaths refer to the civilian population only.

Including 3 deaths from *plague* in Calcutta and 48 in Bombay, and from *Asiatic cholera*, 70 deaths in Calcutta.

TABLE 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 25th June, 1921.

(Supplied by the Meteorological Office.)

TOWNS.	Temperature of Air.*				Rainfall in Milli- metres.†	TOWNS.	Temperature of Air.*				Rainfall in Milli- metres.†
	Highest.	Lowest.	Mean Maxi- mum.	Mean Mini- mum.			Highest.	Lowest.	Mean Maxi- mum.	Mean Mini- mum.	
LONDON (Greenwich) }	86	37	73·1	49·3	6	BRADFORD . .	86	42	67·7	49·9	0·2
BRIGHTON . .	78	42	67·7	51·3	0·2	SHEFFIELD . .	86	45	68·1	52·3	0·2
PORTSMOUTH . .	78	46	70·9	54·4	1	YORK (Museum) . .	86	43	69·3	51·1	4
NORWICH (Eaton) . .	81	39	67·9	48·6	2	HULL (Pearson Park)	81	41	69·6	48·4	3
PLYMOUTH . .	78	49	69·9	52·9	1	TYNEMOUTH . .	80	43	64·7	50·3	6
BRISTOL (Clifton) . .	85	48	73·3	53·1	4	CARDIFF . .	85	46	72·3	52·1	1
BIRMINGHAM . .	85	44	69·1	51·4	4	EDINBURGH . .	81·0	43·0	65·4	50·3	1
NOTTINGHAM . .	88	42	70·3	51·0	4	GLASGOW . .	79·3	45·9	63·1	51·4	4
BIRKENHEAD (Bidston) }	86	50	65·4	53·3	1	DUBLIN :—					
MANCHESTER . .	89	45	68·3	51·6	2	Phoenix Park . .	75·2	45·2	67·7	50·8	0
BURNLEY . .	85	40	65·7	49·6	3	†Fitzwilliam Square	74·0	53·0	68·0	55·4	0
HUDDERSFIELD . .	88	45	68·7	50·6	1	BELFAST . .	73·0	49·5	64·3	51·7	8

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.

† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.

‡ 1 millimetre = '04 inch nearly; 1 inch = 25·4 millimetres exactly.

TABLE 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 25th June 1921.

[Under the Superintendence of the Astronomer Royal.]

1921. MONTH AND DAY.		Phases of the Moon.	BARO- METER. Mean daily reading (cor- rected and re- duced to 32° Fahren- heit).	TEMPERATURE.					TEMPERATURE.			TEMPERATURE.		Wind as deduced from Anemometers.					Rain collected in a Gauge whose surface is 5 inches above the Ground.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
				Of the Air.			Of the Dew point.		Difference between the Air Temperature and Dew Point Temperature.		De- gree of Hu- mid- ity (Satu- ration equals 100).	Of Radiation.		Of the Earth 4 feet below the Surface.	Oster's.		Robinson's.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
				High- est.	Low- est.	Daily Range.	Mean daily value.	De- parture from Average of 65 years.	Mean daily value.	Great- est.		Least.	General Direction.		Pressure on the Square Foot.		Horizontal Movement of the Air on each Day.	Depar- ture from Average of 50 years.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
															A.M.	P.M.				Great- est.	Least, hourly obs.	Miles.	lbs.	lbs.	Miles.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
in.	°	°	°	°	°	°	°	°	°	°	°	°	°	°			°	°	°							°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°

DATE.		ELECTRICITY. (For explanation of symbols, see Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
JUNE 1921.					
SUNDAY	- 19	v.P. generally, v.N. at times.	2.8	16.6	Few thin clouds till 6h., becoming overcast by 7h. 30m.; solar halo 6h. 30m. till 11h.; slight rain 13h. to 14h.
MONDAY	- 20	w.P. till 10h., loss of register afterwards.	1.0	16.6	Overcast with few very cloudy intervals; occasional slight rain till 10h.
TUESDAY	- 21	No register	5.8	16.6	Overcast generally till noon; cloudy till 17h., then nearly overcast; occasional damp- ing or slight rain until 9h.
WEDNESDAY	- 22	No register	1.7	16.6	Overcast generally till 16h. 30m., cloudy till 19h. 30m., becoming nearly cloudless generally by 20h.
THURSDAY	- 23	No register	11.7	16.6	Nearly cloudless till 5h.; thin cloud and haze prevalent until noon, gradually clearing to cloudless generally by 15h.
FRIDAY	- 24	No register	13.2	16.6	Cloudless generally till 10h.; variable thin cloud and haze prevalent till 20h., then nearly cloudless; solar halo between 17h. and 18h.
SATURDAY	- 25	No register	13.2	16.6	Nearly cloudless till 16h. 30h., slowly cloud- ing up; very cloudy from 17h.; nearly over- cast by 21h.
No. of Col. - -		26	Sum 49.4	Sum 116.2	28

The results apply to the civil day, or from midnight to midnight. The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level. Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables. The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916. In reading columns 9 and 24 it will be borne in mind that + indicates "higher," and - "lower," than the average. The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined. The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable. The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day. The reading of the barometer decreased from 30.05 in. at the beginning of the week to 29.82 in. by 4h. on 20th; increased to 30.12 in. by 6h. on 24th, and decreased generally to 29.80 in. by midnight on 25th,
--

The results apply to the civil day, or from midnight to midnight.
The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "higher," and - "lower," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 30.05 in. at the beginning of the week to 29.82 in. by 4h. on 20th; increased to 30.12 in. by 6h. on 24th, and decreased generally to 29.80 in. by midnight on 25th.

TABLE 8. LONDON.—DEATHS of PERSONS BELONGING to the several METROPOLITAN BOROUGHs REGISTERED in the Week ended 18th June, 1921.

BOROUGHs.	Deaths from									Deaths of Infants under 1 Year of Age.
	ALL CAUSES.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Pulmonary Tuberculosis.	
COUNTY OF LONDON .	800	-	-	3	8	9	17	11	69	92
Western										
PADDINGTON . . .	14	-	-	-	-	-	-	-	1	1
KENSINGTON . . .	36	-	-	-	-	1	1	-	1	2
HAMMERSMITH . . .	28	-	-	-	-	-	1	1	3	4
FULHAM . . .	40	-	-	-	-	1	3	-	3	6
CHELSEA . . .	3	-	-	-	-	-	-	-	-	-
CITY OF WESTMINSTER .	19	-	-	-	-	1	-	1	1	3
Northern.										
ST. MARYLEBONE . . .	19	-	-	-	-	-	-	-	-	3
HAMPSTEAD . . .	19	-	-	-	-	-	-	-	2	5
ST. PANCRAS . . .	46	-	-	-	-	1	-	-	10	3
ISLINGTON . . .	48	-	-	-	-	1	1	3	4	5
STOKE NEWINGTON . . .	8	-	-	-	-	-	-	-	1	1
HACKNEY . . .	38	-	-	-	-	-	1	-	5	1
Central.										
HOLBORN . . .	10	-	-	-	1	-	-	-	-	-
FINSBURY . . .	14	-	-	-	-	1	1	-	-	1
CITY OF LONDON . . .	4	-	-	-	-	-	-	-	-	-
Eastern.										
SHOREDITCH . . .	17	-	-	-	1	-	1	-	1	4
BETHNAL GREEN . . .	21	-	-	-	1	-	-	2	1	7
STEPNEY . . .	48	-	-	1	1	-	-	-	4	3
POPLAR . . .	27	-	-	-	2	-	1	-	2	1
Southern.										
SOUTHWARK . . .	41	-	-	-	1	1	-	3	4	8
BERMONDSEY . . .	17	-	-	-	1	-	-	-	-	3
LAMBETH . . .	51	-	-	-	-	-	1	-	5	6
BATTERSEA . . .	28	-	-	-	-	-	2	1	1	5
WANDSWORTH . . .	73	-	-	1	-	1	1	-	4	6
CAMBERWELL . . .	46	-	-	1	-	-	3	-	5	5
DEPTFORD . . .	13	-	-	-	-	-	-	-	4	-
GREENWICH . . .	16	-	-	-	-	-	-	-	1	3
LEWISHAM . . .	35	-	-	-	-	1	-	-	3	1
WOOLWICH . . .	21	-	-	-	-	-	-	-	3	5

The deaths in the above Table are, so far as concerns London as a whole, corrected by the exclusion of deaths of non-residents, and by the inclusion of those of residents occurring in the Outer Ring or in Metropolitan public institutions situated outside the County. As between individual Metropolitan Boroughs, however, correction is complete.

TABLE 9. LONDON.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED during the Week ended 18th June, 1921.*

BOROUGHES.	ESTI- MATED CIVILIAN POPU- LATION, MID. 1920.† (Provi- sional.)	Enteric Fever.	Malaria.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Group).	Pneumonia.	Erysipelas.	Cerebro-Spinal Fever.	Puerperal Fever.	Ophthalmia Neonatorum.	Poliomyelitis.	Dysentery.	Encephalitis Lethargica.	Anthrax.	Polio- encephalitis.
WESTERN.																	
Paddington . . .	149,673	-	-	-	-	9	5	-	1	-	-	3	-	-	-	-	-
Kensington . . .	164,177	-	-	-	-	15	9	1	4	-	-	-	-	-	-	-	-
Hammersmith . . .	136,200	-	1	-	-	59	8	-	-	-	-	-	-	-	-	-	-
Fulham . . .	158,621	-	-	-	-	13	16	-	1	-	-	2	-	-	-	-	-
Chelsea . . .	62,987	-	-	-	-	2	1	-	1	-	-	-	-	-	-	-	-
City of Westminster . . .	132,615	1	-	1	-	10	6	2	-	-	-	-	-	-	-	-	-
NORTHERN.																	
St. Marylebone . . .	101,856	-	1	-	-	10	2	-	-	1	-	1	-	-	-	-	-
Hampstead . . .	91,519	-	-	-	-	7	2	1	-	-	-	-	-	-	1	-	-
St. Pancras . . .	228,178	-	1	-	-	25	14	-	-	-	1	2	-	-	-	-	-
Islington . . .	335,907	-	-	-	-	35	14	1	4	-	-	4	-	-	-	-	-
Stoke Newington . . .	52,984	-	-	-	-	5	-	-	-	-	-	-	-	-	-	-	-
Hackney . . .	225,372	-	-	-	-	34	18	1	-	-	-	-	-	-	-	-	-
CENTRAL.																	
Holborn . . .	39,676	-	-	-	-	1	5	-	-	-	-	-	-	-	-	-	-
Finsbury . . .	78,291	-	-	-	-	4	6	-	1	-	1	-	-	-	-	-	-
City of London . . .	14,447	-	-	-	-	1	3	-	-	-	-	-	-	-	-	-	-
EASTERN.																	
Shoreditch . . .	102,044	-	-	-	-	22	5	4	-	-	1	1	-	-	-	-	-
Bethnal Green . . .	114,471	-	-	-	-	11	11	5	-	-	-	-	-	-	-	-	-
Stepney . . .	241,770	-	1	-	-	34	14	6	3	-	-	-	-	-	-	-	-
Poplar . . .	159,766	-	-	-	-	26	6	7	1	-	-	1	-	-	-	-	-
SOUTHERN.																	
Southwark . . .	187,142	-	-	-	-	24	10	1	5	-	-	-	-	-	-	-	-
Bermondsey . . .	129,189	-	-	-	-	23	4	2	-	-	-	-	-	-	-	-	-
Lambeth . . .	293,572	-	-	-	-	44	16	5	4	1	-	1	-	-	1	-	-
Battersea . . .	165,664	-	-	-	-	17	3	4	1	-	-	2	-	-	-	-	-
Wandsworth . . .	346,990	-	-	-	-	20	19	6	2	-	-	2	1	-	-	-	-
Camberwell . . .	284,712	-	-	-	-	16	14	3	-	-	-	-	-	-	-	-	-
Deptford . . .	115,636	1	-	-	-	14	8	1	-	-	-	-	-	-	-	-	-
Greenwich . . .	102,408	-	-	-	-	14	1	4	1	-	-	-	-	-	-	-	-
Lewisham . . .	174,438	-	-	-	-	19	1	-	1	-	-	-	-	-	-	-	-
Woolwich . . .	141,666	1	1	-	-	44	8	2	1	-	-	1	-	-	-	-	-
TOTAL . . .	4,531,971	3	5	1	-	558	229	56	31	2	3	20	1	-	2	-	-
Ages 0-1 . . .		-	-	-	-	4	6	-	-	-	-	20	-	-	-	-	-
„ 1-5 . . .		-	-	-	-	113	52	12	2	1	-	-	1	-	-	-	-
„ 5- . . .		-	-	-	-	229	82	13	-	-	-	-	-	-	-	-	-
„ 10- . . .		-	-	-	-	150	47	5	2	-	-	-	-	-	1	-	-
„ 15- . . .		-	-	-	-	39	17	2	-	-	-	-	-	-	-	-	-
„ 20- . . .		-	2	-	-	10	10	3	1	-	1	-	-	-	-	-	-
„ 25- . . .		1	2	-	-	6	8	9	2	-	-	-	-	-	1	-	-
„ 35- . . .		1	-	1	-	5	7	3	8	-	2	-	-	-	-	-	-
„ 45- . . .		1	1	-	-	2	-	5	7	1	-	-	-	-	-	-	-
„ 55- . . .		-	-	-	-	-	-	2	5	-	-	-	-	-	-	-	-
„ 65- . . .		-	-	-	-	-	-	2	3	-	-	-	-	-	-	-	-
„ 75 and upwards . . .		-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Age not stated . . .		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

† See note † on first page of this return.

FOR OFFICIAL USE.

WEEKLY RETURN

OF

**BIRTHS AND DEATHS REGISTERED:—
LONDON AND
NINETY-FIVE OTHER GREAT TOWNS.**

~~~~~  
**By Authority of the Registrar General,**  
~~~~~

LONDON:

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
H.M. STATIONERY OFFICE at the following addresses:

IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and

28, ABINGDON STREET, LONDON, S.W. 1;

37, PETER STREET, MANCHESTER;

1, ST. ANDREW'S CRESCENT, CARDIFF;

23, FORTH STREET, EDINBURGH;

or from E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN.

No. 26. VOL. LXXXII. 1921. WEEK ENDED SATURDAY, JULY 2.
[Price 9d. Net.]

*General Register Office, Somerset House,
July 5th, 1921.*

NINETY-SIX GREAT TOWNS.

For the NINETY-SIX GREAT TOWNS of England and Wales each of which had a population of 50,000 or over at the Census of 1911, the births registered last week numbered 8,301, and corresponded to an annual rate of 23·2 per 1,000. The deaths* among the civilian population only numbered 3,328, and corresponded to an annual rate of 9·4 per 1,000 of their aggregate civilian population, which is provisionally estimated† at 18,554,878 persons in the year 1920. In the three weeks ended June 11th, June 18th, and June 25th, the rates had been 10·1, 9·7, and 9·7 respectively. The infant mortality was 53, against 61, 53, and 58 in the preceding three weeks. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks; it also shows for the week ended last Saturday the births and the deaths from certain individual causes. A column showing the number of deaths

* Corrected as far as possible for deaths of non-residents and for those of residents occurring outside the area. Fully corrected figures will appear in the Registrar General's Annual Report.

† The estimates of population refer to the year 1920, and are based on the returns furnished under the scheme for rationing of food.

from influenza has been inserted in Table 1. The aggregate number of deaths from influenza in the 96 great towns in each of the last thirteen weeks is shown in Table 3A.

Measured by last week's mortality, the highest annual death-rates per 1,000 living were:—from *all causes*, 13·3 in Newcastle-on-Tyne and in Merthyr Tydfil, 14·2 in Dewsbury, 14·6 in Barnsley, and 15·0 in Gillingham; and from *measles*, 1·0 in Sunderland. No death from *small-pox* was registered in any of the ninety-six towns.

LONDON.* (The Administrative County, including the City of London.)

For LONDON there were 1,904 BIRTHS, corresponding to a rate of 21·8 per 1,000, and 779 DEATHS of civilians, corresponding to a rate of 9·0, as against 9·1, 9·2, and 9·7 per 1,000 in the three weeks ended June 11th, June 18th, and June 25th. The death-rate in the four weeks ended last Saturday averaged 9·3 per 1,000. The infant mortality was 44, against 45, 46, and 52 in the preceding three weeks.

There was no death from *enteric fever*, against 0, 0, and 3 in the preceding three weeks, the average for the corresponding weeks of the previous five years being 1. There was no death from *measles*, against 3, 3, and 7 in the preceding three weeks, the average being 20. The deaths from *scarlet fever*, which had been 4, 8, and 6 in the preceding three weeks, were again 6 last week, and were 4 above the average; 3 deaths belonged to the Borough of Poplar. The deaths from *whooping-cough*, which had been 11, 9, and 6 in the preceding three weeks, were 5 last week, and were 6 below the average. The deaths from *diphtheria*, which had been 10, 17, and 12 in the preceding three weeks, fell to 10 last week, and were equal to the average. The deaths from *diarrhoea and enteritis under 2 years of age*, which had been 11, 11, and 12 in the preceding three weeks, fell to 9 last week, the average being 10. The deaths from *influenza* numbered 5 as against 6, 4, and 6 in the preceding three weeks, and an average of 16.

Different forms of violence caused 36 deaths, of which 35 were the subject of coroners' inquests. Of these 36 deaths, 14 were cases of suicide and 6 of homicide, while the remaining 16 were attributed to other forms of violence. Five of these latter were referred to vehicles in the streets, 2 to burns or scalds, and 4 to drowning.

CASES OF INFECTIOUS DISEASE.†

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital, there were 24 cases of enteric fever, 41 of measles, 3,672 of scarlet fever, 10 of whooping-cough, and 1,915 of diphtheria under treatment in these hospitals on Saturday last (Table 3). The admissions during the week,

* See note * on first page.

† The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

as compared with those in the preceding three weeks, were as follows :—Of enteric fever, 8 cases, against 3, 1, and 4; of measles, 13 cases, against 9, 11, and 10; of scarlet fever, 520 cases, against 463, 549, and 548; of whooping-cough, 0 case, against 0, 5, and 1; and of diphtheria, 254 cases, against 225, 240, and 236. Table 9, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the county during the week ended June 25th, 1921.

TABLE 1.—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH RATES in the Week ended Saturday, 2nd July, 1921, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.		DEATH RATES from all Causes.		Week ended		Week ended 2nd July 1921.		The DEATHS in the Week include										TOWNS.																			
		ESTIMATED CIVILIAN POPULATION.				Deaths of		Deaths from								Deaths in Public Institutions.				Uncertified Causes of Death.																	
		1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.			17.	18.	19.	20.	21.													
CIVILIAN POPULATION.		11th June, 1921.		18th June, 1921.		25th June, 1921.		2nd July, 1921.		Infants under 1 Year of Age.		Persons aged 65 Years and upwards.		Butteric Fever.								Violence.								Inquest Cases.		Deaths in Public Institutions.		Uncertified Causes of Death.		Cols.	
MID. 1920* (Provisional).		1921.		1921.		1921.		1921.		444		1,070		2		20		15		40		35		54		20		130		238		1,179		27		96 GREAT TOWNS.	
LONDON†		4,531,971		9.1		9.2		9.7		9.0		1,904		779		84		259		-		-		-		-		-		-		-		-		LONDON.†	
CROYDON.		191,580		7.1		8.7		10.1		9.3		72		34		5		14		-		-		-		1		3		11		61		426		CROYDON.	
WIMBLEDON.		62,174		8.4		8.4		8.4		6.7		23		8		-		6		-		-		-		-		-		-		-		-		WIMBLEDON.	
EALING.		76,129		7.5		5.5		6.8		7.5		23		11		-		3		-		1		-		-		3		2		3		-		EALING.	
ACTON.		64,192		6.5		8.1		5.7		3.2		26		4		1		-		-		-		-		-		-		-		-		-		ACTON.	
WILLESDEN.		167,328		7.2		5.9		6.9		11.5		75		37		6		10		1		-		3		-		15		2		2		15		WILLESDEN.	
HORNSEY.		98,107		3.7		5.8		6.4		7.4		32		14		1		6		-		-		-		1		3		2		3		-		HORNSEY.	
TOTTENHAM		146,970		11.7		9.6		7.5		8.5		66		24		1		10		-		-		-		-		14		1		14		-		TOTTENHAM.	
EDMONTON.		73,529		13.5		9.9		4.3		5.0		35		7		1		1		-		-		-		-		-		1		1		-		EDMONTON.	
ENFIELD.		60,771		6.9		12.9		8.6		12.0		24		14		1		6		-		1		-		-		-		5		1		-		ENFIELD.	
WEST HAM.		299,440		9.9		8.2		8.7		8.2		149		47		5		18		-		1		-		-		18		4		18		1		WEST HAM.	
EAST HAM.		150,207		5.6		2.4		6.2		8.7		59		25		2		8		-		-		-		-		-		2		9		-		EAST HAM.	
LEYTON.		128,832		5.3		5.7		10.9		4.9		43		12		2		4		-		-		2		-		-		2		7		-		LEYTON.	
WALTHAMSTOW		132,771		8.2		7.9		7.5		9.8		55		25		1		4		-		-		-		-		-		5		9		-		WALTHAMSTOW.	
ILFORD.		82,693		1.9		7.6		8.8		5.7		24		9		-		2		-		-		-		-		-		1		1		-		ILFORD.	
GILLINGHAM.		45,233		13.8		9.2		11.5		15.0		24		13		1		7		-		-		-		-		2		2		5		-		GILLINGHAM.	
HASTINGS.		59,972		4.3		8.7		8.7		10.4		10		12		1		7		-		-		-		-		1		2		4		-		HASTINGS.	
EASTBOURNE		50,354		6.2		9.3		9.3		6.2		10		6		-		5		-		-		-		-		-		-		-		-		EASTBOURNE	
BRIGHTON.		137,855		6.4		10.6		8.7		7.2		39		19		2		9		-		-		-		-		-		-		9		-		BRIGHTON.	
PORTSMOUTH.		235,998		9.9		8.2		6.8		6.8		107		31		3		7		-		1		1		-		2		2		10		-		PORTSMOUTH.	
BOURNEMOUTH.		85,919		9.1		11.5		10.3		9.7		31		16		4		9		-		-		-		-		1		1		3		-		BOURNEMOUTH.	
SOUTHAMPTON.		162,388		10.3		6.7		6.4		10.9		73		34		4		12		-		-		1		-		2		2		9		1		SOUTHAMPTON.	
READING.		95,006		9.3		6.0		8.8		7.1		37		13		2		5		-		-		-		-		1		1		3		1		READING.	
OXFORD.		59,963		5.2		5.2		17.4		8.7		19		10		1		4		-		-		-		-		-		-		2		-		OXFORD.	
NORTHAMPTON.		92,483		9.0		8.5		7.9		9.6		37		17		-		7		-		-		-		-		1		1		5		-		NORTHAMPTON.	
CAMBRIDGE.		60,154		5.2		9.5		13.0		6.9		18		8		-		3		-		-		-		-		-		1		2		-		CAMBRIDGE.	

TABLE 1 (cont.).—96 GREAT TOWNS, GREATER LONDON, AND FOUR SCOTISH TOWNS.—BIRTHS AND DEATHS REGISTERED, AND DEATH-RATES in the Week ended Saturday, 2nd July 1921, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	ESTIMATED CIVILIAN POPULATION, MID. 1920.* (Provisional.)	DEATH-RATES from all Causes.				Week ended 2nd July, 1921.		The DEATHS in the Week include										TOWNS.				
		Week ended				BIRTHS.	DEATHS.	Deaths of		Deaths from									Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	
								Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.					Violence.
		11th June, 1921.	18th June, 1921.	25th June, 1921.	2nd July, 1921.																	
Cols.	1.	2	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
SOUTHEND ON SEA.	87,392	6·6	8·4	9·5	7·8	31	13	-	6	-	-	-	-	-	-	-	-	-	-	7	-	SOUTHEND ON SEA.
IPSWICH.	81,119	8·4	5·1	9·0	9·0	30	14	4	5	-	-	-	-	-	-	-	-	-	3	1	-	IPSWICH.
GREAT YARMOUTH.	55,193	15·1	7·6	8·5	4·7	22	5	-	2	-	-	-	-	-	-	-	-	-	-	1	-	GREAT YARMOUTH.
NORWICH.	124,774	13·0	5·9	7·5	9·2	54	22	1	12	-	-	-	-	-	-	-	-	1	4	8	-	NORWICH.
SWINDON.	53,580	9·7	5·8	5·8	11·7	22	12	1	4	-	-	-	-	-	-	-	-	-	2	1	-	SWINDON.
EXETER.	61,365	15·3	5·1	13·6	6·8	18	8	-	4	-	-	-	-	-	-	-	-	-	-	3	-	EXETER.
PLYMOUTH.	189,218	13·0	10·7	10·5	9·1	93	33	3	8	-	-	-	-	-	1	1	1	2	2	6	-	PLYMOUTH.
BATH.	68,546	5·3	11·4	7·6	12·2	23	16	-	9	-	-	-	-	-	-	-	-	-	2	6	-	BATH.
BRISTOL.	375,641	6·9	9·7	8·2	7·5	186	54	12	16	-	-	-	-	1	-	1	-	2	6	20	-	BRISTOL.
GLOUCESTER.	52,096	17·0	9·0	7·0	4·0	21	4	-	-	-	-	-	-	-	1	-	-	-	-	2	-	GLOUCESTER.
STOKE ON TRENT.	248,852	14·2	9·0	10·1	9·6	161	46	8	11	-	-	-	-	1	-	-	-	1	2	11	1	STOKE ON TRENT.
WOLVERHAMPTON.	102,324	15·8	8·2	8·2	10·2	63	20	4	4	-	-	-	-	-	-	2	-	1	1	4	-	WOLVERHAMPTON.
WALSALL.	96,419	16·2	11·4	9·2	10·3	54	19	1	7	-	-	-	-	-	1	-	-	-	-	4	-	WALSALL.
WEST BROMWICH.	72,684	12·9	10·0	8·6	10·8	36	15	3	6	-	-	-	-	-	-	-	-	-	-	3	1	WEST BROMWICH.
DUDLEY.	56,169	6·5	6·5	3·7	11·1	31	12	3	4	-	-	-	-	-	-	-	1	1	1	2	-	DUDLEY.
BIRMINGHAM.	895,915	9·9	9·1	9·5	9·3	408	160	22	49	-	-	-	-	-	1	4	1	7	9	60	4	BIRMINGHAM.
SMETHWICK.	75,027	10·4	11·1	8·3	4·9	46	7	1	4	-	-	-	-	-	-	-	-	-	-	2	-	SMETHWICK.
COVENTRY.	137,310	9·1	2·3	8·7	5·3	64	14	3	6	-	-	-	-	-	-	1	-	-	1	3	-	COVENTRY.
LEICESTER.	245,465	9·1	10·8	8·3	6·4	97	30	7	15	-	-	-	-	2	-	1	-	1	1	10	1	LEICESTER.
LINCOLN.	67,543	7·7	3·9	9·3	8·5	29	11	2	2	-	-	-	-	-	-	1	-	-	1	2	-	LINCOLN.
GRIMSBY.	31,953	12·1	9·5	5·7	8·9	51	14	1	5	-	-	-	-	-	-	-	-	1	2	5	-	GRIMSBY.
NOTTINGHAM.	267,836	11·3	9·9	9·3	7·6	110	39	6	12	-	-	-	-	3	-	-	-	4	4	8	-	NOTTINGHAM.
DERBY.	128,868	6·5	7·3	8·5	10·9	56	27	3	6	-	-	-	1	-	-	-	2	2	2	6	-	DERBY.

* See note † on first page of this return.

TABLE 1 (cont.).—98 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH-RATE in the Week ended Saturday, 2nd July, 1921, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	ESTIMATED CIVILIAN POPULATION MID. 1920.* (Provisional.)	DEATH-RATES from all Causes.				Week ended 2nd July, 1921.		The DEATHS in the Week include										TOWNS.				
		Week ended				BIRTHS.	DEATHS.	Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from									Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes or Death.	
										Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.					Violence.
		11th June, 1921.	18th June, 1921.	25th June, 1921.	2nd July, 1921.																	
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
STOCKPORT	130,635	11·2	10·3	8·8	8·0	42	20	5	6	-	-	-	-	1	-	-	-	-	-	4	-	STOCKPORT.
BIRKENHEAD	153,951	9·5	8·5	10·2	9·8	72	29	7	10	-	-	-	-	-	-	4	1	1	1	13	-	BIRKENHEAD.
WALLASEY	99,226	12·1	5·8	6·3	3·2	31	6	1	3	-	-	-	-	-	-	-	-	-	-	1	-	WALLASEY.
LIVERPOOL	803,452	13·1	13·8	11·6	10·4	387	160	29	37	-	-	3	-	7	2	2	2	5	13	57	2	LIVERPOOL.
BOOTLE	80,029	11·1	7·8	9·1	5·9	53	9	2	4	-	-	-	-	-	-	-	-	1	1	2	1	BOOTLE.
ST. HELENS	104,822	13·4	14·4	12·9	9·9	60	20	6	3	-	-	-	-	-	-	-	-	-	1	9	-	ST. HELENS.
SOUTHPORT	72,989	10·0	7·1	10·0	10·0	26	14	-	12	-	-	-	-	-	-	-	-	-	-	-	1	SOUTHPORT.
WIGAN	90,866	14·3	9·2	15·5	11·5	48	20	4	1	-	-	-	-	1	-	-	-	-	2	8	-	WIGAN.
WARRINGTON	77,989	12·0	8·7	8·7	6·7	22	10	1	2	-	-	-	-	-	-	-	-	-	-	2	1	WARRINGTON.
BOLTON	184,533	15·5	11·3	12·7	10·5	48	37	5	13	-	-	-	-	-	-	-	-	1	3	11	-	BOLTON.
BURY	56,410	14·8	12·0	12·0	12·0	22	13	1	8	-	-	-	-	-	-	1	-	1	1	6	1	BURY.
MANCHESTER	770,597	12·5	10·8	11·2	12·4	356	183	32	52	-	-	-	1	3	-	6	1	11	13	76	1	MANCHESTER.
SALFORD	235,239	12·6	13·3	13·7	10·2	125	46	9	13	-	-	-	-	1	-	2	-	2	4	16	-	SALFORD.
OLDHAM	143,154	12·0	12·0	8·4	8·4	61	23	-	10	1	-	-	-	1	-	-	1	3	3	4	-	OLDHAM.
ROCHDALE	93,639	12·3	10·6	12·8	12·8	47	23	2	5	-	-	-	-	-	-	-	-	-	2	8	1	ROCHDALE.
BURNLEY	105,030	14·9	10·9	11·4	12·9	41	26	4	10	-	-	-	-	-	-	-	1	-	-	6	-	BURNLEY.
BLACKBURN	131,012	11·9	14·7	8·4	10·7	41	27	1	8	-	-	-	-	-	-	-	-	2	2	5	-	BLACKBURN.
PRESTON	121,950	11·5	12·0	8·6	8·6	49	20	3	8	-	-	-	-	1	-	-	1	-	-	5	5	PRESTON.
BLACKPOOL	70,545	13·3	13·3	10·3	5·2	16	7	1	2	-	-	-	-	-	-	-	-	-	-	-	-	BLACKPOOL.
BARROW IN FURNESS	76,561	13·6	11·6	11·6	12·3	30	18	1	6	-	-	1	-	-	-	-	-	-	-	4	-	BARROW IN FURNESS.
HUDDERSFIELD	116,776	7·6	9·8	14·7	8·9	34	20	2	7	-	-	-	-	-	-	-	-	-	2	-	-	HUDDERSFIELD.
HALIFAX	105,847	8·9	12·8	9·9	11·3	45	23	1	5	-	-	-	-	-	-	1	-	1	3	9	-	HALIFAX.
BRADFORD	293,979	12·6	7·3	9·0	12·1	111	68	12	23	-	-	4	1	1	1	1	-	-	4	25	-	BRADFORD.
LEEDS	449,212	10·7	10·7	12·3	10·9	187	94	20	35	-	-	-	-	2	-	1	-	3	6	25	-	LEEDS.
DEWSBURY	55,080	13·3	18·9	7·6	14·2	29	15	2	2	-	-	-	1	-	-	-	-	-	-	4	-	DEWSBURY.
WAKEFIELD	51,169	7·1	10·2	8·2	12·2	17	12	-	2	-	-	-	-	1	1	-	-	1	2	3	-	WAKEFIELD.
BARNSELY	53,739	4·9	9·7	6·	14·6	32	15	6	2	-	-	-	-	-	-	-	-	-	-	1	-	BARNSELY.

TOWNS.		ESTIMATED		DEATH-RATES from all Causes.				Week ended		The DEATHS in the Week include										TOWNS									
		1.	Cols.	Causes.				2nd July, 1921.		Deaths of		Deaths from										Inquest Cases.		Deaths in Public Institutions.		Uncertified Causes of Death.			
				Week ended				BIRTHS.																				DEATHS.	
				11th June, 1921.	18th June, 1921.	25th June, 1921.	2nd July, 1921.	6.	7.																				
				2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.					
SHEFFIELD . . .	492,570	9.5	9.2	7.1	10.1	220	95	13	30	-	-	-	-	-	1	1	1	2	-	5	9	30	-	SHEFFIELD.					
ROTHERHAM . . .	71,785	8.7	8.0	10.2	6.5	41	9	2	3	-	-	-	-	-	-	-	1	-	-	-	-	2	-	ROTHERHAM.					
YORK . . .	77,501	15.5	7.4	14.1	8.7	38	13	1	5	-	-	-	-	-	-	1	-	-	-	1	2	4	-	YORK.					
HULL . . .	290,808	8.8	12.6	10.8	10.2	163	57	6	12	-	-	-	-	-	-	1	4	-	3	8	17	-	-	HULL.					
MIDDLESBROUGH . . .	132,208	7.1	13.0	11.8	9.1	97	23	2	5	-	-	-	-	1	-	-	-	-	1	1	3	-	-	MIDDLESBROUGH.					
DARLINGTON . . .	66,610	7.8	14.1	7.8	11.7	32	15	3	7	-	-	-	-	-	-	-	-	-	-	-	-	1	1	DARLINGTON.					
STOCKTON ON TEES . . .	63,114	19.0	15.7	10.7	5.8	51	7	1	1	-	-	-	-	1	-	-	-	1	-	1	1	2	-	STOCKTON ON TEES.					
WEST HARTLEPOOL . . .	68,126	8.4	7.7	13.8	9.9	41	13	2	5	-	-	-	-	-	1	-	-	-	-	-	-	3	1	WEST HARTLEPOOL.					
SUNDERLAND . . .	155,211	12.1	19.5	14.8	9.4	82	28	6	6	-	-	-	-	3	-	1	-	-	-	-	1	6	-	SUNDERLAND.					
SOUTH SHIELDS . . .	115,945	13.5	14.8†	12.6	10.3	79	23	2	9	-	-	-	-	1	1	-	-	-	-	-	-	1	2	SOUTH SHIELDS.					
GATESHEAD . . .	128,309	9.8	13.8	14.2	11.4	82	28	5	6	-	-	-	-	1	1	1	-	-	1	-	-	3	-	GATESHEAD.					
NEWCASTLE ON TYNE.	286,061	13.5	11.7	10.8	13.3	179	73	4	22	-	-	-	-	2	-	-	-	2	-	1	2	17	-	NEWCASTLE ON TYNE.					
TYNEMOUTH . . .	60,318	9.5	10.4	13.0	11.2	33	13	2	3	-	-	-	-	1	-	1	-	-	-	-	-	1	-	TYNEMOUTH.					
CARLISLE . . .	57,397	10.0	10.9	10.9	10.9	25	12	1	4	-	-	-	-	-	-	1	-	-	-	1	1	2	-	CARLISLE.					
NEWPORT (MON.) . . .	90,728	9.8	6.9	9.8	6.3	50	11	1	3	-	-	-	-	-	-	-	1	-	-	-	-	3	-	NEWPORT (MON.).					
CARDIFF . . .	212,582	5.9	7.4	10.3	8.8	99	36	9	6	-	-	-	-	-	-	-	1	3	-	-	1	11	-	CARDIFF.					
RHONDDA . . .	184,999	8.5	8.2	9.9	7.6	93	27	7	8	-	-	-	-	-	-	-	-	2	-	-	-	1	-	RHONDDA.					
MERTHYR TYDFIL . . .	74,493	7.0	16.8	6.3	13.3	42	19	2	6	-	-	-	-	-	-	-	-	-	-	2	3	-	-	MERTHYR TYDFIL.					
ABERDARE . . .	53,431	5.9	10.7	6.8	9.8	24	10	2	3	-	-	-	-	-	-	-	-	1	-	1	1	1	-	ABERDARE.					
SWANSEA . . .	167,218	8.1	8.1	8.1	10.6	77	34	3	14	-	-	-	-	-	-	-	-	2	-	3	3	12	-	SWANSEA.					
GREATER LONDON . . .	7,548,647	8.6	8.6	9.0	8.5	3083	1236	126	419	1	-	-	-	-	8	7	21	10	7	60	107	575	1	GREATER LONDON.					
OUTER RING . . .	3,016,676	7.7	7.8	8.1	7.9	1179	457	42	160	1	-	-	-	-	2	2	11	1	2	24	46	149	1	OUTER RING.					
14 GREAT TOWNS IN OUTER RING.	1,734,723	7.7	7.4	7.9	8.1	706	271	26	92	-	-	-	-	-	1	1	8	-	2	12	27	99	1	14 GREAT TOWNS IN OUTER RING.					
REMAINDER OF OUTER RING.	1,281,953	7.8	8.4	8.4	7.6	473	186	16	68	-	-	-	-	-	1	1	3	1	-	12	19	50	-	REMAINDER OF OUTER RING.					
EDINBURGH† . . .	446,200	10.2	12.2	11.2	12.3	175	105	16	35	-	1	-	-	-	-	4	-	3	-	9	?	?	?	?	EDINBURGH.†				
GLASGOW† . . .	1,100,400	12.8	12.0	11.9	11.7	585	247	43	57	-	-	-	-	-	1	13	2	10	2	15	?	?	?	GLASGOW.†					
DUBLIN (Registration Area).†	423,000	12.7	12.6	14.1	12.7	199	103	21	26	-	-	-	-	-	1	-	1	3	1	4	4	41	1	DUBLIN (Registration Area).†					
BELFAST† . . .	420,000	15.1	13.0	11.9	13.3	257	107	22	17	-	-	-	-	-	-	1	-	4	1	11	14	28	2	BELFAST.†					

* See note † on first page of this return.
† The populations are total populations and relate to 1921. Deaths and the death-rates in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week: those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.
† Revised rate, due to receipt of outstanding return.

TABLE 2. LONDON.—Births and Deaths registered during the TWENTY-SIXTH Week of each of the Eleven Years, 1911-1921.

	1911.	1912.	1913.	1914.	1915.	1916.	1917.	1918.	1919.	1920.	1921.
Births (as registered).	2571	2041	2333	2087	1883	1974	1672	1340	1607	2337	1904
Males	1239	1019	1209	1040	966	998	848	698	822	1206	1002
Females -	1232	1022	1124	1047	917	976	824	642	785	1131	902
Deaths (of residents only).	962	933	891	1148	1010	904*	919*	1017*	696*	749*	779*
Males	506	508	467	583	546	460	502	537	370	418	418
Females -	456	425	424	565	464	444	417	480	326	331	361

* Deaths in civilian population only.

TABLE 3. LONDON.—BIRTHS and DEATHS REGISTERED, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the last THIRTEEN WEEKS.

	Apr. 9.	Apr. 16.	Apr. 23.	Apr. 30.	May 7.	May 14.	May 21.	May 28.	June 4.	June 11.	June 18.	June 25.	July 2.
Births (as registered)	2157	2099	2112	2082	1940	2068	1868	2188	1971	2128	2008	1919	1804
Deaths (of residents only).	1168	1077	1093	1049	999	1012	932	936	867	795	800	840	779
Under 1 year	166	128	144	136	147	108	116	132	108	96	92	100	84
1-2 years	38	39	36	33	28	25	35	32	16	26	29	16	24
2-5 "	24	21	28	17	23	28	15	25	15	20	20	20	23
5-10 "	22	21	19	28	24	20	29	24	32	17	31	22	16
Ages 10-15 "	12	16	14	13	14	17	13	18	19	14	16	18	14
15-20 "	30	15	29	31	19	23	23	22	23	20	13	24	24
at 20-25 "	29	21	28	25	34	24	22	14	20	17	15	21	22
25-35 "	69	52	41	43	41	50	53	56	58	50	42	55	45
Death 35-45 "	91	84	90	88	73	89	72	65	68	51	68	66	58
45-55 "	122	120	132	96	103	108	109	100	95	84	85	96	84
55-65 "	178	161	168	176	146	145	119	133	133	120	125	129	126
65-75 "	190	179	201	173	169	191	166	174	155	143	136	146	150
75 years and upwards	197	220	163	190	178	184	160	141	125	137	128	127	109
Deaths from—													
Enteric fever	1	-	1	-	-	-	-	1	3	-	-	3	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	12	10	6	6	3	6	4	3	5	3	3	7	-
Scarlet fever	5	5	3	7	7	5	6	4	9	4	8	6	6
Whooping cough	13	10	10	8	11	12	7	16	6	11	9	6	5
Diphtheria	19	24	32	18	19	17	19	22	14	10	17	12	10
Diarrhoea and enteritis (under 2 years).	14	6	16	16	15	7	15	14	9	11	11	12	9
Pulmonary tuberculosis . .	116	85	101	99	92	87	82	83	103	73	69	101	93
Influenza	38	49	27	35	20	28	23	6	9	6	4	6	5
Pneumonia (all forms) . .	103	95	98	94	105	88	65	71	56	62	54	53	36
Bronchitis	90	88	85	81	70	74	55	38	42	31	37	23	29
Other dis. of resp. system .	15	15	8	13	16	13	12	13	8	9	8	8	8
Dis. of circ. system . . .	172	150	180	149	160	190	150	175	142	141	137	135	124
Violence	47	37	35	49	40	37	39	43	31	35	29	41	36
Inquest cases	105	80	86	92	98	96	91	92	73	70	65	85	61
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Enteric fever	2	10	9	10	10	13	17	18	22	22	17	18	24
Small-pox	-	-	-	1	1	1	-	-	-	-	-	-	-
Measles	27	33	26	25	28	34	41	42	37	35	34	35	41
Scarlet fever	3453	3345	3307	3255	3195	3238	3299	3427	3491	3501	3569	3651	3672
Whooping cough	24	21	20	20	18	16	14	14	7	5	9	10	10
Diphtheria	2626	2543	2564	2453	2343	2281	2215	2140	2020	1980	1950	1928	1915

* The Metropolitan Asylums Board and London Fever Hospitals. The figures do not refer to London exclusively.

TABLE 3A. 96 Great Towns.—DEATHS from INFLUENZA in the last THIRTEEN WEEKS.

	Apr. 9.	Apr. 16.	Apr. 23.	Apr. 30.	May 7.	May 14.	May 21.	May 28.	June 4.	June 11.	June 18.	June 25.	July 2.
Deaths from Influenza . . .	97	111	82	93	104	114	94	71	67	33	33	32	20

TABLE 4. LONDON.—DEATHS REGISTERED in the TWENTY-SIXTH Week of the Year 1921.

CAUSES OF DEATH.	Deaths in the 26th week of the year 1920.	DEATHS OF PERSONS OF THE AGES												65-75 years.	75 years and upwards.
		ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-10 years.	10-15 years.	15-20 years.	20-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.		
ALL CAUSES	749	779	84	24	23	16	14	24	22	45	58	84	126	150	109
Enteric fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever	2	6	1	-	4	-	1	-	-	-	-	-	-	-	-
Whooping cough	7	5	4	-	1	-	-	-	-	-	-	-	-	-	-
Diphtheria	13	10	-	-	5	4	1	-	-	-	-	-	-	-	-
Influenza	4	5	-	-	-	-	-	1	-	-	-	1	1	1	1
Erysipelas	1	3	-	-	-	-	1	-	-	-	-	1	1	-	-
Acute Poliomyelitis, Polioencephalitis.	?	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	?	2	-	-	-	-	-	2	-	-	-	-	-	-	-
Meningococcal meningitis	?	2	1	1	-	-	-	-	-	-	-	-	-	-	-
Other endemic and epidemic diseases.	2	2	-	-	-	-	-	-	1	-	1	-	-	-	-
Pyæmia and septicæmia	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Tetanus	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
Tuberculosis:—															
Pulmonary tuberculosis	59	93	1	2	3	-	3	8	12	18	20	13	6	6	1
Tuberculous meningitis	7	11	-	7	-	1	1	1	-	1	-	-	-	-	-
Abdominal tuberculosis	4	3	-	1	1	1	-	-	-	-	-	-	-	-	-
Tuberculosis of the spine	-	3	-	-	-	-	-	1	-	-	-	-	1	1	-
Tuberculosis of the joints	2	2	-	-	-	-	-	-	1	-	-	1	-	-	-
Tuberculosis of other organs	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Disseminated tuberculosis	4	5	-	-	1	-	1	2	-	1	-	-	1	1	-
Venereal diseases	8	2	2	-	-	-	-	-	-	-	-	-	-	-	-
Cancer	90	138	-	-	1	-	-	1	-	2	7	14	52	41	20
Rheumatic fever	2	3	-	-	-	1	-	2	-	-	-	-	-	-	-
Diabetes	6	12	-	-	-	-	-	1	-	-	2	2	3	3	1
Anæmia, leucocythæmia	6	4	-	-	-	-	-	-	-	-	2	-	-	1	1
Other general diseases	5	4	-	1	-	-	-	-	-	-	-	-	-	3	-
Alcoholism	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic poisonings	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	9	3	1	-	-	1	-	-	1	-	-	-	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	35	37	-	-	-	-	-	-	-	-	-	5	8	15	9
Softening of brain	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Paralysis, without specified cause	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epilepsy	4	6	-	-	-	-	1	1	1	1	-	2	-	-	-
"Convulsions" (not puerperal)	5	5	3	2	-	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system	18	25	1	2	-	-	1	-	-	5	2	5	6	3	-
Pericarditis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute endocarditis	8	5	-	-	-	-	-	-	3	1	-	-	1	-	-
Other diseases of heart	84	89	-	-	-	-	1	2	-	7	4	13	13	22	27
Embolism and thrombosis (excluding cerebral).	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of circulatory system.	32	30	-	-	-	-	-	-	-	-	-	4	4	9	13
Diseases of the larynx	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis	39	29	2	-	-	-	-	-	-	-	1	4	6	6	10
Broncho-pneumonia	21	10	4	2	1	-	-	-	-	1	-	-	-	2	-
Lobar pneumonia	10	15	-	-	1	2	-	-	-	-	2	3	3	3	1
Pneumonia (type not distinguished)	7	11	1	1	-	-	-	-	-	-	2	1	1	4	1
Pleurisy	7	2	-	-	-	-	-	-	-	1	-	-	-	1	-
Pulmonary congestion, Pulmonary apoplexy.	2	2	-	-	-	-	-	-	-	-	-	-	-	2	-
Other diseases of respiratory system.	2	4	-	-	-	1	-	-	-	1	-	-	1	1	-

TABLE 5.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM							
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria*	Diarrhoeal Diseases† (under 2 years).	Influenza.
LONDON† . .	4,531,971	1921. July 2	1,904	779	9·0	-	-	-	6	5	10	9	5
CALCUTTA . .	896,067	May 28	-	610§	35·3	?	1	?	?	?	?	?	11
BOMBAY . .	979,445	" 28	339	1,002§	53·2	2	4	-	-	-	-	58	33
MADRAS . .	518,660	" 21	377	387	38·8	1	1	-	?	2	1	38	3
PARIS . .	2,847,229	(10 days) June 10	1,563	977	12·5	2	-	13	-	1	2	30	2
BRUSSELS . .	792,919	- - -	-	-	-	-	-	-	-	-	-	-	-
ANTWERP . .	339,523	June 18	134	54	8·4	-	-	-	-	-	-	7	-
AMSTERDAM . .	680,583	" 18	268	113	8·7	1	-	-	-	5	-	2	-
COPENHAGEN . .	571,000	" 18	212	115	10·5	-	-	1	-	-	1	1	-
STOCKHOLM . .	419,788	" 11	145	78	9·7	1	-	3	-	-	-	1	1
GOTHENBURG . .	205,494	" 11	-	38	9·6	1	-	-	-	-	-	1	1
CHRISTIANIA . .	260,904	" 18	91	45	9·0	-	-	-	-	-	-	-	-
BERLIN . .	1,949,000	" 11	486	474	12·6	-	?	3	-	2	2	24	-
BRESLAU . .	547,000	" 11	215	149	14·2	-	?	-	-	1	-	18	-
COLOGNE . .	664,000	" 11	288	144	11·3	1	?	-	-	2	-	17	2
DRESDEN . .	595,000	" 11	226	129	11·3	-	?	1	-	-	-	4	1
FRANKFORT- ON-MAIN.	468,000	" 11	157	52	5·8	-	?	-	-	2	-	-	-
HAMBURG . .	1,003,000	" 11	331	205	10·6	-	?	3	3	1	1	6	-
LEIPZIG . .	631,000	" 11	228	135	11·1	-	?	3	-	2	-	9	1
MUNICH . .	670,000	" 11	232	132	10·2	-	?	1	-	-	1	2	2
VIENNA . .	1,842,005	" 11	447	566	16·0	2	-	3	-	2	1	14	2
PRAGUE AND SUBURBS.	676,454	May 28	255	189	14·6	-	-	-	-	-	-	12	2
BUDAPEST . .	933,000	Apr. 16	369	368	20·5	2	?	6	9	1	1	10	-
TRIESTE . .	248,428	May 28	-	-	-	-	-	-	-	-	-	-	-
CAIRO . .	765,200	Apr. 1	593	388	26·4	2	-	-	-	?	-	32	?
ALEXANDRIA . .	449,300	" 1	372	235§	27·2	-	-	-	1	?	-	21	?
NEW YORK . .	5,751,859	May 21	2,599	1,215	11·0	2	-	4	13	3	23	20	11
CHICAGO . .	2,780,655	June 4	-	-	-	-	-	-	-	-	-	-	-

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Cities, Vienna, Prague and Suburbs, Budapest, and Trieste.

† The deaths in this column relate to *all ages* for Bombay, Madras, Christiania, and Budapest, and to *children under 1 year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

§ Including 1 death from *plague* in Calcutta and 25 in Bombay, and 1 in Alexandria, and from *Asiatic cholera*, 97 deaths in Calcutta.

TABLE 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 2nd July, 1921.

(Supplied by the Meteorological Office.)

TOWNS.	Temperature of Air.*				Rainfall in Milli- metres.†	TOWNS.	Temperature of Air.*				Rainfall in Milli- metres.†
	Highest.	Lowest.	Mean Maxi- mum.	Mean Mini- mum.			Highest.	Lowest.	Mean Maxi- mum.	Mean Mini- mum.	
LONDON (Greenwich) }	78	44	71·3	48·7	1	BRADFORD . .	4	39	66·4	45·9	0
BRIGHTON . .	73	43	66·9	52·1	0	SHEFFIELD . .	74	40	66·6	47·0	0
PORTSMOUTH . .	73	50	68·7	53·3	0	YORK (Museum) .	74	39	67·1	46·4	0
NORWICH (Eaton) .	77	43	63·4	48·9	1	HULL (Pearson Park)	74	40	64·4	45·4	0
PLYMOUTH . .	74	53	70·0	56·3	0	TYNEMOUTH . .	6	42	57·3	47·9	7
BRISTOL (Clifton) .	-	Not available			-	CARDIFF . .	-	45	70·9	51·1	0
BIRMINGHAM . .	76	45	69·7	49·7	3	EDINBURGH . .	-	Not available			-
NOTTINGHAM . .	72	37	67·9	46·6	1	GLASGOW . .	74·7	44·8	69·1	49·1	0
BIRKENHEAD (Bidston) }	70	47	66·9	49·1	0·2	DUBLIN :—					
MANCHESTER . .	82	41	71·0	48·0	0	Phoenix Park .	71·9	36·8	67·1	43·8	2
BURNLEY . .	71	37	65·6	46·1	0·4	† Fitzwilliam Square	69·1	47·0	66·0	52·3	2
HUDDERSFIELD . .	77	39	69·0	47·6	0	BELFAST . .	78·8	44·0	68·5	48·9	0

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.

† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.

‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

DATE.		ELECTRICITY. (For explanation of symbols, see Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
JUNE 1921.					
SUNDAY	- 26	No register	5·4	16·5	Overcast generally till 4h.; fine interval till 7h., then overcast generally with fine interval about 15h.; thunderstorm till 2h., with rain till 1h.; rain again about 18h. Overcast till 16h.; cloudy generally afterwards, with fine interval about 18h.; damping at 3h. Thin cloud prevalent till 4h., nearly cloudless generally afterwards.
MONDAY	- 27	No register	1·2	16·5	
TUESDAY	- 28	No register	15·1	16·5	
WEDNESDAY	- 29	No register	14·6	16·5	Cloudless till 9h.; misty about 4h.; partially cloudy 9h. to 20h., becoming nearly overcast by 21h., clearing from 23h.
THURSDAY	30	No register	6·7	16·5	Nearly cloudless till 1h. 30h.; overcast generally till 11h.; variably cloudy till 19h. 30m., becoming nearly cloudless by 20h. 30m.; partial solar halo in afternoon.
JULY. FRIDAY	- 1	No register till 10h., v.P. afterwards.	9·6	16·5	Few thin clouds generally till 10h., with hazy sky from 8h.; cloudy generally and nearly overcast at times afterwards; sky hazy till 15h.
SATURDAY	- 2	v.P. generally	11·6	16·5	Cloudless generally till 11h.; variably cloudy till 17h.; overcast till 18h. 30m., then cloudless generally.
No. of Col. - -		26	Sum 64·2	Sum 115·5	
			27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean value of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "higher," and - "lower," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·80 in. at the beginning of the week to 29·77 in. by 17h. on June 26th; increased to 30·16 in. by 8h. on June 28th; decreased generally to 29·97 in. by 18h. on June 30th; increased to 30·05 in. by 8h. on July 1st; decreased to 29·97 in. by 18h. on the same day; increased to 30·07 in. by 8h. on July 2nd, and decreased generally to 30·04 in. by midnight on the same day.

TABLE 8. LONDON.—DEATHS OF PERSONS BELONGING to the several METROPOLITAN BOROUGHs REGISTERED in the Week ended 25th June, 1921.

BOROUGHs.	Deaths from									Deaths of Infants under 1 Year of Age.
	ALL CAUSES.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Pulmonary Tuberculosis.	
COUNTY OF LONDON .	840	3	-	7	6	6	12	12	101	100
Western.										
PADDINGTON . . .	18	-	-	-	-	1	1	1	-	3
KENSINGTON . . .	34	-	-	-	1	-	1	-	4	3
HAMMERSMITH . . .	19	-	-	-	-	-	-	-	3	2
FULHAM	23	-	-	-	-	1	-	-	1	7
CHELSEA	6	-	-	-	-	-	-	1	1	2
CITY OF WESTMINSTER .	31	-	-	-	-	1	-	1	1	4
Northern.										
ST. MARYLEBONE . . .	19	1	-	-	-	-	-	-	1	1
HAMPSTEAD	17	-	-	-	-	-	-	-	1	2
ST. PANCRAS	41	-	-	-	1	-	-	1	7	4
ISLINGTON	72	-	-	2	1	1	1	1	13	10
STOKE NEWINGTON . . .	14	-	-	-	-	-	-	-	-	1
HACKNEY	41	-	-	-	-	-	-	-	5	4
Central.										
HOLBORN	12	-	-	-	-	-	1	1	2	2
FINSBURY	24	-	-	-	-	-	2	-	4	2
CITY OF LONDON . . .	1	-	-	-	-	-	-	-	-	-
Eastern.										
SHOREDITCH	23	-	-	1	1	-	-	1	2	3
BETHNAL GREEN	19	-	-	-	-	-	-	-	1	2
STEPNEY	47	-	-	2	-	1	1	-	9	4
POPULAR	32	1	-	-	1	1	-	1	-	5
Southern.										
SOUTHWARK	39	-	-	-	-	-	-	-	6	5
BERMONDSEY	17	-	-	-	-	-	-	-	3	3
LAMBETH	54	-	-	1	1	-	-	2	7	8
BATTERSEA	26	-	-	-	-	-	1	-	4	1
WANDSWORTH	63	-	-	-	-	-	1	-	8	4
CAMBERWELL	48	-	-	-	-	-	2	1	9	8
DEPTFORD	31	1	-	-	-	-	-	1	3	5
GREENWICH	20	-	-	-	-	-	-	-	2	3
LEWISHAM	33	-	-	-	-	-	1	-	2	2
WOOLWICH	16	-	-	1	-	-	-	-	2	-

The deaths in the above Table are, so far as concerns London as a whole, corrected by the exclusion of deaths of non-residents, and by the inclusion of those of residents occurring in the Outer Ring or in Metropolitan public institutions situated outside the County. As between individual Metropolitan Boroughs, however, correction is complete.

TABLE 9. LONDON.—NUMBER OF CASES OF INFECTIOUS DISEASE NOTIFIED during the Week ended 25th June, 1921.*

BOROUGH.	ESTI- MATED CIVILIAN POPU- LATION, MID. 1920.† (Provi- sional.)	Enteric Fever.	Malaria.	Continued Fever.	Small- pox.	Scarlet Fever.	Diphtheria (including Membranous Group).	Pneumonia.	Erysipelas.	Cerebro-Spinal Fever.	Puerperal Fever.	Ophthalmia Neonatorum.	Poliomyelitis.	Dysentery.	Encephalitis Lethargica.	Anthrax.	Polio- encephalitis.
WESTERN.																	
Paddington	149,673	-	-	-	-	20	7	-	1	-	-	1	-	-	-	-	-
Kensington	164,177	-	-	-	-	11	8	-	2	-	-	2	-	-	-	-	-
Hammersmith	136,200	1	-	-	-	33	8	1	2	-	-	-	-	-	-	-	-
Fulham	158,621	-	-	-	-	15	12	-	1	-	-	1	-	-	-	-	-
Chelsea	62,987	-	-	-	-	4	3	-	-	-	-	-	-	-	-	-	-
City of Westminster .	132,615	-	-	-	-	9	3	-	1	-	-	-	-	-	-	-	-
NORTHERN.																	
St. Marylebone . . .	101,856	1	-	-	-	9	4	1	-	-	-	-	-	-	-	-	-
Hampstead	91,519	-	-	-	-	5	4	-	-	-	-	-	-	-	-	-	-
St. Pancras	228,178	-	1	-	-	23	8	1	3	-	-	3	1	-	-	-	-
Islington	335,907	-	1	-	-	47	15	-	3	1	1	5	-	-	-	-	-
Stoke Newington . .	52,984	-	-	-	-	10	-	-	-	-	1	-	-	-	-	-	-
Hackney	225,372	-	-	-	-	43	20	1	-	-	-	1	-	-	-	-	-
CENTRAL.																	
Holborn	39,676	-	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-
Finsbury	78,291	-	-	-	-	6	6	-	1	-	-	-	-	-	-	-	-
City of London . . .	14,447	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
EASTERN.																	
Shoreditch	102,044	-	-	-	-	9	9	5	-	-	-	-	-	-	-	-	-
Bethnal Green . . .	114,471	-	-	-	-	15	12	2	1	-	-	1	-	-	-	-	-
Stepney	241,770	2	1	-	-	36	11	5	1	-	-	-	-	-	-	-	-
Poplar	152,766	1	-	-	-	25	7	7	1	1	1	2	-	-	-	-	-
SOUTHERN.																	
Southwark	187,142	-	-	-	-	18	6	5	3	-	-	-	-	-	-	-	-
Bermondsey	129,189	-	-	-	-	15	7	4	-	-	-	-	-	-	-	-	-
Lambeth	293,572	-	1	-	-	27	8	6	2	-	-	1	-	-	-	-	-
Battersea	165,664	1	1	-	-	14	13	5	2	-	2	-	-	-	-	-	-
Wandsworth	346,990	1	-	-	-	28	20	2	2	-	-	1	-	-	1	-	-
Camberwell	284,712	-	2	-	-	26	9	1	4	-	-	1	-	-	-	-	-
Deptford	115,636	-	-	-	-	17	6	1	2	-	-	-	-	-	-	-	-
Greenwich	102,408	-	-	-	-	16	7	1	1	-	-	-	-	-	-	-	-
Lewisham	174,438	1	-	-	-	28	6	2	-	-	-	-	-	-	1	-	-
Woolwich	141,666	-	-	-	-	35	11	2	-	-	-	-	-	-	-	-	-
TOTAL	4,531,971	8	7	-	-	546	234	52	33	2	5	19	1	-	2	-	-
AGES.																	
Ages 0-1		-	-	-	-	8	4	6	-	-	-	19	-	-	-	-	-
" 1-5		1	-	-	-	107	55	11	-	-	-	-	1	-	-	-	-
" 5-		1	-	-	-	252	78	8	1	1	-	-	-	-	-	-	-
" 10-		2	-	-	-	114	52	4	2	1	-	-	-	-	-	-	-
" 15-		-	-	-	-	33	16	4	1	-	-	-	-	-	-	-	-
" 20-		2	2	-	-	9	9	2	1	-	-	-	-	-	-	-	-
" 25-		1	3	-	-	8	10	1	6	-	5	-	-	-	-	-	-
" 35-		1	2	-	-	12	4	6	8	-	-	-	-	-	1	-	-
" 45-		-	-	-	-	2	3	2	6	-	-	-	-	-	-	-	-
" 55-		-	-	-	-	-	3	3	4	-	-	-	-	-	-	-	-
" 65-		-	-	-	-	1	-	2	3	-	-	-	-	-	-	-	-
" 75 and upwards .		-	-	-	-	-	-	3	1	-	-	-	-	-	1	-	-
Age not stated . . .		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

† See note † on first page of this return.

Printed under the authority of
HIS MAJESTY'S STATIONERY OFFICE
By Eyre and Spottiswoode, Ltd., East Harding Street, E.C.4.
Printers to the King's most Excellent Majesty.

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS AND DEATHS REGISTERED:—

LONDON AND

NINETY-FIVE OTHER GREAT TOWNS.

~~~~~  
By Authority of the Registrar General.  
~~~~~

LONDON:

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from

H.M. STATIONERY OFFICE at the following addresses:

IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and

28, ABINGDON STREET, LONDON, S.W. 1;

37, PETER STREET, MANCHESTER;

1, ST. ANDREW'S CRESCENT, CARDIFF;

23, FORTH STREET EDINBURGH;

or from E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN.

No. 27. VOL. LXXXII. 1921. WEEK ENDED SATURDAY, JULY 9.
[Price 9d. Net.]

*General Register Office, Somerset House,
July 12th, 1921.*

NINETY-SIX GREAT TOWNS.

For the NINETY-SIX GREAT TOWNS of England and Wales each of which had a population of 50,000 or over at the Census of 1911, the births registered last week numbered 8280, and corresponded to an annual rate of 23·2 per 1,000. The deaths* among the civilian population only numbered 3,369, and corresponded to an annual rate of 9·5 per 1,000 of their aggregate civilian population, which is provisionally estimated† at 18,554,878 persons in the year 1920. In the three weeks ended June 18th, June 25th, and July 2nd, the rates had been 9·7, 9·7, and 9·4 respectively. The infant mortality was 53, against 53, 58, and 53 in the preceding three weeks. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks; it also shows for the week ended last Saturday the births and the deaths from certain individual causes. A column showing the number of deaths

* Corrected as far as possible for deaths of non-residents and for those of residents occurring outside the area. Fully corrected figures will appear in the Registrar General's Annual Report.

† The estimates of population refer to the year 1920, and are based on the returns furnished under the scheme for rationing of food.

from influenza has been inserted in Table 1. The aggregate number of deaths from influenza in the 96 great towns in each of the last thirteen weeks is shown in Table 3A.

Measured by last week's mortality, the highest annual death-rates per 1,000 living were:—from *all causes*, 15·0 in Gloucester, 15·5 in Blackpool, 16·1 in Exeter, 16·4 in Carlisle, and 17·5 in South Shields; from *measles*, 1·0 in Sunderland; from *whooping cough*, 1·3 in Preston; and from *diphtheria*, 1·2 in Leyton and 2·1 in Eastbourne. No death from *small-pox* was registered in any of the ninety-six towns.

LONDON.* (The Administrative County, including the City of London.)

For LONDON there were 1,955 BIRTHS, corresponding to a rate of 22·4 per 1,000, and 751 DEATHS of civilians, corresponding to a rate of 8·6, as against 9·2, 9·7 and 9·0, per 1,000 in the three weeks ended June 18th, June 25th, and July 2nd. The death-rate in the four weeks ended last Saturday averaged 9·1 per 1,000. The infant mortality was 44, against 46, 52, and 44 in the preceding three weeks.

There was no death from *enteric fever*, which had been 0, 3, and 0 in the preceding three weeks, the average for the corresponding weeks of the previous five years being 1. The deaths from *measles*, which had been 3, 7, and 0 in the preceding three weeks, rose to 4 last week, but were 18 below the average. The deaths from *scarlet fever*, which had been 8, 6, and 6 in the preceding three weeks, fell last week to 2, the average being 3. The deaths from *whooping-cough*, which had been 9, 6, and 5 in the preceding three weeks, rose last week to 9, but were 3 below the average. The deaths from *diphtheria*, which had been 17, 12, and 10 in the preceding three weeks, were again 10 last week, and were equal to the average; 3 deaths belonged to the Borough of Bermondsey. The deaths from *diarrhoea and enteritis under 2 years of age*, which had been 11, 12, and 9 in the preceding three weeks, rose last week to 13, the average being 14; 3 deaths belonged to Stepney. The deaths from *influenza* numbered 5 as against 4, 6, and 5 in the preceding three weeks, and an average of 46.

Different forms of violence caused 26 deaths, of which 25 were the subject of coroners' inquests. Of these 26 deaths, 9 were cases of suicide, while the remaining 17 were attributed to other forms of violence. Three of these latter were referred to vehicles in the streets, 1 to burns or scalds, and 2 to drowning.

CASES OF INFECTIOUS DISEASE.†

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital, there were 24 cases of enteric fever, 40 of measles, 3,844 of scarlet fever, 9 of whooping-cough, and 1,921 of diphtheria under treatment in these hospitals on Saturday last (Table 3). The admissions during the week,

* See note * on first page.

† The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

as compared with those in the preceding three weeks, were as follows :—Of enteric fever, 3 cases, against 1, 4, and 8; of measles, 8 cases, against 11, 10, and 13; of scarlet fever, 638 cases, against 549, 548, and 520; of whooping-cough, 0 case, against 5, 1, and 0; and of diphtheria, 239 cases, against 240, 236, and 254. Table 9, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the county during the week ended July 2nd, 1921.

in the Week ended Saturday, 9th July 1921, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	ESTIMATED CIVILIAN POPULATION, MID. 1920.* (Provisional.)	DEATH-RATES from all Causes.					Week ended 9th July, 1921.		The DEATHS in the Week include										Deaths in Public Inquest Cases.					Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.	
		Week ended					BIRTHS.	DEATHS.	Deaths from										Violence.	18.	19.	20.	21.				
		18th June, 1921.	25th June, 1921.	2nd July, 1921.	9th July, 1921.	Persons aged 65 Years and upwards.			Infants under 1 Year of Age.	8.	9.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).									Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.					
SOUTHEND ON SEA.	87,332	8.4	9.5	7.8	9.0	25	15	1	9	-	-	-	-	-	-	1	-	-	-	3	-	SOUTHEND ON SEA.					
IPSWICH.	81,119	5.1	9.0	9.0	5.8	30	9	-	4	-	-	-	-	-	1	-	-	1	1	2	-	IPSWICH.					
GREAT YARMOUTH.	55,193	7.6	8.5	4.7	14.2	29	15	1	8	-	-	-	-	-	-	-	-	2	2	2	-	GREAT YARMOUTH.					
NORWICH.	124,774	5.9	7.5	9.2	7.5	40	18	1	7	-	-	-	-	-	1	-	-	2	2	6	-	NORWICH.					
SWINDON.	53,580	5.8	5.8	11.7	4.9	25	5	-	3	-	-	-	-	-	-	-	-	-	-	1	-	SWINDON.					
EXETER.	61,365	5.1	13.6	6.8	16.1	22	19	2	10	-	-	-	-	-	-	-	-	2	5	3	-	EXETER.					
PLYMOUTH.	189,218	10.7	10.5	9.1	12.7	94	46	6	18	1	-	-	-	-	-	-	-	2	2	17	-	PLYMOUTH.					
BATH.	68,546	11.4	7.6	12.2	9.9	23	13	-	6	-	-	-	-	-	-	-	-	-	-	3	-	BATH.					
BRISTOL.	375,641	9.7	8.2	7.5	8.9	176	64	6	19	-	-	-	-	-	-	1	1	3	5	16	-	BRISTOL.					
GLOUCESTER.	52,096	9.0	7.0	4.0	15.0	24	15	1	7	-	-	-	-	-	1	-	-	-	-	7	-	GLOUCESTER.					
STOKE ON TRENT.	248,852	9.0	10.1	10.1	11.5	123	55	14	9	-	-	-	-	-	-	6	-	3	3	13	1	STOKE ON TRENT.					
WOLVERHAMPTON.	102,324	8.2	8.2	10.2	10.7	49	21	2	8	-	-	-	-	1	-	-	-	1	3	5	-	WOLVERHAMPTON.					
WALSALL.	96,419	11.4	9.2	10.3	6.5	42	12	1	5	-	-	-	-	-	-	-	-	-	-	2	-	WALSALL.					
WEST BROMWICH.	72,684	10.0	8.6	10.8	10.0	40	14	-	4	-	-	1	-	-	-	-	-	-	-	5	1	WEST BROMWICH.					
DUDLEY.	56,169	6.5	3.7	11.1	13.0	47	14	2	5	-	-	-	-	-	-	-	-	1	1	-	-	DUDLEY.					
BIRMINGHAM.	895,915	9.1	9.5	9.3	8.9	457	153	27	45	-	-	-	-	3	1	8	2	7	7	59	6	BIRMINGHAM.					
SMETHWICK.	75,027	11.1	8.3	4.9	6.3	42	9	1	4	-	-	-	-	-	-	-	-	-	-	-	-	SMETHWICK.					
COVENTRY.	137,310	2.3	8.7	5.3	11.8	67	31	2	9	-	-	-	-	-	1	-	-	-	2	5	-	COVENTRY.					
LEICESTER.	245,465	10.8	8.3	6.4	9.3	96	44	2	14	1	-	-	-	-	-	-	2	2	2	15	-	LEICESTER.					
LINCOLN.	67,543	3.9	9.3	8.5	8.5	25	11	-	4	-	-	-	-	-	-	-	-	-	-	1	-	LINCOLN.					
GRIMSBY.	31,953	9.5	5.7	8.9	9.5	49	15	5	3	-	-	-	-	-	-	1	-	1	2	4	-	GRIMSBY.					
NOTTINGHAM.	267,836	9.9	9.3	7.6	7.2	115	37	9	12	-	-	-	-	1	-	1	-	2	2	10	1	NOTTINGHAM.					
DERBY.	128,868	7.3	8.5	10.9	12.1	54	30	-	13	1	-	-	-	-	-	-	1	1	4	14	-	DERBY.					

* See note † on first page of this return.

TABLE 1 (cont.).--98 GREAT TOWNS, (GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.--BIRTHS and DEATHS REGISTERED, and DEATH-RATE in the Week ended Saturday, 9th July, 1921, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	ESTIMATED CIVILIAN POPULATION MID. 1920.* (Provisional.)	DEATH-RATES from all Causes.				Week ended 9th July, 1921.		The DEATHS in the Week include										TOWNS				
		Week ended				BIRTHS.	DEATHS.	Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from									Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes or Death.	
		Week ended								Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.					Violence.
		18th June, 1921.	25th June, 1921.	2nd July, 1921.	9th July, 1921.																	
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
STOCKPORT	130,635	10.8	8.8	8.0	11.6	48	29	5	5	-	-	-	-	-	-	1	1	-	1	8	-	STOCKPORT.
BIRKENHEAD	153,951	8.5	10.2	9.8	9.1	84	27	3	6	-	-	-	-	-	1	2	-	2	3	12	-	BIRKENHEAD.
WALLASEY	99,226	5.8	6.3	3.2	7.9	38	15	-	4	-	-	-	-	-	-	-	-	2	2	2	-	WALLASEY.
LIVERPOOL	803,452	13.8	11.6	10.4	11.1	418	171	22	41	-	-	2	2	4	-	2	-	12	16	74	2	LIVERPOOL.
BOOTLE	80,029	7.8	9.1	5.9	9.8	34	15	4	4	-	-	-	-	-	-	-	-	-	-	5	2	BOOTLE.
ST. HELENS	104,822	14.4	12.9	9.9	9.0	51	18	2	5	-	-	-	-	-	-	-	-	-	-	5	-	ST. HELENS.
SOUTHPORT	72,939	7.1	10.0	10.0	14.3	20	20	-	6	-	-	-	-	1	1	-	-	-	-	4	1	SOUTHPORT.
WIGAN	90,866	9.2	15.5	11.5	9.2	37	16	3	5	-	-	-	-	-	-	-	-	-	2	5	-	WIGAN.
WARRINGTON	77,939	8.7	8.7	6.7	8.0	42	12	1	2	-	-	-	-	-	-	-	-	2	2	3	-	WARRINGTON.
BOLTON	184,533	11.3	12.7	10.5	11.6	101	41	7	13	-	-	-	-	-	1	1	-	3	4	10	1	BOLTON.
BURY	56,410	12.0	12.0	12.0	13.9	20	15	1	5	-	-	-	-	-	1	1	-	-	-	5	-	BURY.
MANCHESTER	770,597	10.8	11.2	12.4	9.5	352	141	23	43	-	-	-	1	5	1	3	2	5	5	54	-	MANCHESTER.
SALFORD	235,239	13.3	13.7	10.2	10.0	120	45	8	12	-	-	-	-	-	-	3	-	3	6	10	-	SALFORD.
OLDHAM	143,154	12.0	8.4	8.4	10.6	52	29	4	9	-	-	-	-	2	-	-	-	1	1	5	-	OLDHAM.
ROCHDALE	93,639	10.6	12.8	12.8	11.1	31	20	-	5	-	-	-	-	-	-	-	-	3	3	9	-	ROCHDALE.
BURNLEY	105,030	10.9	11.4	12.9	12.4	37	25	2	10	-	-	-	-	-	-	-	-	3	7	4	-	BURNLEY.
BLACKBURN	131,012	14.7	8.4	10.7	9.2	49	23	2	9	-	-	-	-	-	-	-	1	1	2	5	-	BLACKBURN.
PRESTON	121,950	12.0	8.6	8.6	13.7	36	32	6	8	-	-	-	-	3	-	-	-	1	1	7	-	PRESTON.
BLACKPOOL	70,545	13.3	10.3	5.2	15.5	25	21	1	10	1	-	-	-	-	-	-	-	-	-	2	-	BLACKPOOL.
BARROW IN FURNESS	76,561	11.6	11.6	12.3	9.5	35	14	-	5	-	-	1	-	-	-	-	1	3	2	5	1	BARROW IN FURNESS.
HUDDERSFIELD	116,776	9.8	14.7	8.9	12.5	39	28	2	8	-	-	-	-	-	-	-	1	1	3	5	-	HUDDERSFIELD.
HALIFAX	105,847	12.8	9.9	11.3	11.3	39	23	2	9	-	-	1	-	-	-	-	1	1	2	5	-	HALIFAX.
BRADFORD	293,979	7.3	9.0	12.1	12.6	119	71	12	18	-	-	5	1	-	-	-	1	1	3	20	-	BRADFORD.
LEEDS	449,212	10.7	12.3	10.9	11.5	161	99	17	37	-	-	-	1	-	-	1	-	3	8	31	-	LEEDS.
DEWSBURY	55,080	18.9	7.6	14.2	4.7	18	5	-	3	-	-	-	-	-	-	-	-	-	-	1	-	DEWSBURY.
WAKEFIELD	51,169	10.2	8.2	12.2	11.2	29	11	3	5	-	-	-	-	1	-	-	-	-	1	3	-	WAKEFIELD.
BARNSELEY	53,739	9.7	6.8	14.6	12.6	31	13	2	2	-	-	-	-	-	-	1	1	-	1	1	-	BARNSELEY.

* See note at top of first page of this return.

TOWNS.	CIVILIAN POPULATION, MID. 1920* (Provisional).	Week ended					9th July, 1921.		Deaths of		Deaths from										Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS		
		18th June, 1921.					BIRTHS.		Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.				20.	21.
		2.	3.	4.	5.	6.	7.																		
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.			
SHEFFIELD	492,570	9.2	7.1	10.1	8.9	241	84	14	25	-	-	-	-	-	-	-	1	3	7	28	-	SHEFFIELD.			
ROTHERHAM	71,785	8.0	10.2	6.5	10.9	38	15	1	3	-	-	-	-	-	-	-	1	1	1	5	-	ROTHERHAM.			
YORK	77,501	7.4	14.1	8.7	9.4	20	14	2	5	1	-	-	-	-	-	-	-	2	4	4	-	YORK.			
HULL	290,808	12.6	10.8	10.2	8.4	149	47	8	16	-	-	-	-	-	1	1	1	1	2	11	-	HULL.			
MIDDLESBROUGH	132,208	13.0	11.8	9.1	11.4	80	29	6	6	-	-	2	-	1	-	-	-	2	3	5	-	MIDDLESBROUGH.			
DARLINGTON	66,610	14.1	7.8	11.7	10.2	30	13	2	3	-	-	-	-	-	-	-	-	-	-	3	-	DARLINGTON.			
STOCKTON ON TEES	63,114	15.7	10.7	5.8	5.8	52	7	1	1	-	-	-	-	-	-	-	-	-	-	1	-	STOCKTON ON TEES.			
WEST HARTLEPOOL	68,126	7.7	13.8	9.9	9.9	33	13	5	5	-	-	-	-	-	-	1	-	-	-	5	-	WEST HARTLEPOOL.			
SUNDERLAND	155,211	19.5	14.8	9.4	13.1	83	39	7	6	-	-	3	-	2	1	1	-	-	2	10	-	SUNDERLAND.			
SOUTH SHIELDS	115,945	14.8†	12.6	10.3	17.5	61	39	3	10	-	-	2	-	1	-	-	1	1	1	8	-	SOUTH SHIELDS.			
GATESHEAD	128,309	13.8	14.2	11.4	11.4	80	28	9	3	-	-	1	-	-	-	2	-	-	-	7	-	GATESHEAD.			
NEWCASTLE ON TYNE.	286,061	11.7	10.8	13.3	9.7	164	53	10	13	-	-	1	-	-	-	1	-	-	1	18	-	NEWCASTLE ON TYNE.			
TYNEMOUTH	60,318	10.4	13.0	11.2	12.1	31	14	3	1	-	-	-	-	-	-	2	-	1	2	2	-	TYNEMOUTH.			
CARLISLE	57,397	10.9	10.9	10.9	16.4	24	18	-	7	-	-	-	-	1	-	-	2	1	2	3	-	CARLISLE.			
NEWPORT (MON.)	90,728	6.9	9.8	6.3	8.6	43	15	1	2	-	-	-	-	-	-	-	-	1	1	2	-	NEWPORT (MON.).			
CARDIFF	212,582	7.4	10.3	8.8	9.8	96	40	5	13	1	-	-	-	-	1	3	-	2	2	15	-	CARDIFF.			
RHONDDA	184,999	8.2	9.9	7.6	5.1	89	18	5	4	-	-	-	-	-	-	1	1	-	-	2	-	RHONDDA.			
MERTHYR TYDFIL	74,493	16.8	6.3	13.3	9.8	34	14	4	1	-	-	-	-	-	-	1	-	1	1	3	-	MERTHYR TYDFIL.			
ABERDARE	53,431	10.7	6.8	9.8	12.7	34	13	3	2	-	-	-	-	-	-	2	-	-	-	1	-	ABERDARE.			
SWANSEA	167,218	8.1	8.1	10.6	6.2	65	20	3	6	-	-	-	-	-	-	-	-	1	3	4	-	SWANSEA.			
GREATER LONDON	7,548,647	8.7	9.0	8.5	8.3	3167	1198	132	423	-	-	5	3	16	18	18	6	49	109	621	3	GREATER LONDON.			
OUTER RING	3,016,676	7.8	8.1	7.9	7.7	1212	447	46	159	-	-	1	1	7	8	5	1	23	38	168	-	OUTER RING.			
14 GREAT TOWNS IN OUTER RING.	1,734,723	7.4	7.9	8.1	7.8	730	259	28	86	-	-	-	-	4	7	1	1	13	22	105	-	14 GREAT TOWNS IN OUTER RING.			
REMAINDER OF OUTER RING.	1,281,953	8.4	8.4	7.6	7.6	482	188	18	73	-	-	1	1	3	1	4	-	10	16	63	-	REMAINDER OF OUTER RING.			
EDINBURGH†	446,200	12.2	11.2	12.3	8.6	181	74	10	29	-	-	-	1	2	1	-	-	3	?	?	?	EDINBURGH.†			
GLASGOW†	1,100,400	12.0	11.9	11.7	11.8	517	249	37	67	1	-	1	2	6	3	8	1	13	?	?	?	GLASGOW.†			
DUBLIN (Registration Area).†	423,000	12.6	14.1	12.7	12.9	247	105	12	31	-	-	-	-	-	1	4	1	10	9	50	-	DUBLIN (Registration Area).†			
BELFAST†	420,000	13.0	11.9	13.3	11.8	203	95	15	16	-	-	-	-	3	-	4	1	8	8	35	1	BELFAST.†			

* See note † on first page of this return.

† The populations are total populations and relate to 1921. Deaths and the death-rates in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week: those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

† Revised rate, due to receipt of outstanding return.

TABLE 2. LONDON.—Births and Deaths registered during the TWENTY-SEVENTH Week of each of the Eleven Years, 1911-1921.

	1911.	1912.	1913.	1914.	1915.	1916.	1917.	1918.	1919.	1920.	1921.
Births (as registered).	2223	2095	2137	2225	1909	1903	1492	1305	1448	2187	1955
Males	1108	1106	1126	1125	964	987	784	663	755	1102	974
Females	1115	989	1011	1100	945	916	708	642	693	1085	981
Deaths (of residents only).	953	890	921	920	1000	887*	847*	1338*	773*	799*	751*
Males	478	490	494	489	523	484	431	674	406	428	391
Females	475	400	427	431	477	403	416	664	367	371	360

* Deaths in civilian population only.

TABLE 3. LONDON.—BIRTHS and DEATHS REGISTERED, and CASES of INFECTIOUS SICKNESS in HOSPITALS. in the last THIRTEEN WEEKS.

	Apr. 16.	Apr. 23.	Apr. 30.	May 7.	May 14.	May 21.	May 28.	June 4.	June 11.	June 18.	June 25.	July 2.	July 9.
Births (as registered) . . .	2099	2112	2082	1940	2068	1868	2188	1971	2128	2008	1919	1804	1955
Deaths (of residents only).	1077	1093	1049	999	1012	932	986	867	795	801	840	779	751
Under 1 year	128	144	136	147	108	116	132	108	96	92	100	84	86
1-2 years	39	36	33	28	25	35	32	16	26	29	16	24	24
2-5 "	21	28	17	23	28	15	25	15	20	20	20	23	23
5-10 "	21	19	28	24	20	29	24	32	17	31	22	16	10
Age 10-15 "	16	14	13	14	17	13	18	19	14	16	18	14	10
15-20 "	15	29	31	19	23	23	22	23	20	13	24	24	20
at 20-25 "	21	28	25	34	24	22	14	20	17	16	21	22	18
Death 25-35 "	52	41	43	41	50	53	56	58	50	42	55	45	29
35-45 "	84	90	88	73	89	72	65	68	51	68	66	58	53
45-55 "	120	132	96	103	108	109	100	95	84	85	96	84	109
55-65 "	161	168	176	146	145	119	133	133	120	125	129	126	105
65-75 "	179	201	173	169	191	166	174	155	143	136	146	150	137
(75 years and upwards)	220	163	190	178	184	160	141	125	137	128	127	109	127
Deaths from—													
Enteric fever	—	1	—	—	—	—	1	3	—	—	3	—	—
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	10	6	6	3	6	4	3	5	3	3	7	—	4
Scarlet fever	5	3	7	7	5	6	4	9	4	8	6	6	2
Whooping cough	10	10	8	11	12	7	16	6	11	9	6	5	9
Diphtheria	24	32	18	19	17	19	22	14	10	17	12	10	10
Diarrhoea and enteritis (under 2 years).	6	16	16	15	7	15	14	9	11	11	12	9	13
Pulmonary tuberculosis . . .	85	101	69	92	87	82	83	103	73	70	101	93	55
Influenza	49	27	35	20	28	23	6	9	6	4	6	5	5
Pneumonia (all forms) . . .	95	98	94	105	88	65	71	56	62	54	53	36	46
Bronchitis	88	85	81	70	74	55	38	42	31	37	23	29	27
Other dis. of resp. system . .	15	8	13	16	13	12	13	8	9	8	8	8	9
Dis. of circ. system	150	180	149	160	190	150	175	142	141	137	135	124	148
Violence	37	35	49	40	37	39	43	31	35	29	41	36	26
Inquest cases	80	86	92	98	16	91	92	73	70	65	85	61	71
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Enteric fever	10	9	10	10	13	17	18	22	22	17	18	24	24
Small-pox	—	—	1	1	1	—	—	—	—	—	—	—	—
Measles	33	26	25	28	34	41	42	37	35	34	35	41	40
Scarlet fever	3345	3307	3255	3195	3238	3299	3427	3491	3501	3569	3651	3672	3844
Whooping cough	21	20	20	18	16	14	14	7	5	9	10	10	9
Diphtheria	2543	2564	2453	2343	2281	2215	2140	2020	1980	1950	1928	1915	1921

* The Metropolitan Asylums Board and London Fever Hospitals. The figures do not refer to London exclusively.

TABLE 3A. 96 Great Towns.—DEATHS from INFLUENZA in the last THIRTEEN WEEKS.

	Apr. 16.	Apr. 23.	Apr. 30.	May 7.	May 14.	May 21.	May 28.	June 4.	June 11.	June 18.	June 25.	July 2.	July 9.
Deaths from Influenza	111	82	93	104	114	94	71	67	33	33	32	20	25

TABLE 4. LONDON.—DEATHS REGISTERED in the TWENTY-SEVENTH Week of the Year 1921.

CAUSES OF DEATH.	Deaths in the 27th week of the year 1929.	DEATHS of PERSONS of the AGES													
		ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-10 years.	10-15 years.	15-20 years.	20-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and up- wards.
ALL CAUSES	799	751	86	24	23	10	10	20	18	29	53	109	105	137	127
Enteric fever	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	20	4	-	4	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever	3	2	-	-	2	-	-	-	-	-	-	-	-	-	-
Whooping cough	3	9	6	2	1	-	-	-	-	-	-	-	-	-	-
Diphtheria	8	10	-	1	4	3	2	-	-	-	-	-	-	-	-
Influenza	3	5	-	-	-	-	-	-	-	-	1	1	1	2	-
Erysipelas	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-
Acute Poliomyelitis, Polioencepha- litis.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal meningitis	2	5	4	1	-	-	-	-	-	-	-	-	-	-	-
Other endemic and epidemic diseases.	2	2	1	-	-	-	-	-	-	-	-	1	-	-	-
Pyæmia and septicæmia	-	3	-	-	-	-	-	1	-	-	1	-	-	1	-
Tetanus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis :—															
Pulmonary tuberculosis	82	55	-	-	3	-	-	7	7	7	13	9	3	3	3
Tuberculous meningitis	10	6	-	-	3	1	1	-	-	-	-	-	-	-	1
Abdominal tuberculosis	5	2	1	-	1	-	-	-	-	-	-	-	-	-	-
Tuberculosis of the spine	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-
Tuberculosis of the joints	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of other organs	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-
Disseminated tuberculosis	5	3	-	-	-	-	1	1	-	-	1	-	-	-	-
Venereal diseases	2	5	4	-	-	-	-	-	-	-	1	-	-	-	-
Cancer	89	119	-	-	-	-	-	-	1	1	6	23	36	37	15
Rheumatic fever	4	5	-	-	-	1	1	-	-	-	1	2	-	1	-
Diabetes	2	3	-	-	-	-	-	1	-	-	-	1	-	-	-
Anæmia, leucocythæmia	7	6	-	-	-	1	-	-	1	-	3	-	1	1	-
Other general diseases	6	8	-	1	-	-	-	-	-	-	1	3	1	2	-
Alcoholism	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic poisonings	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	1	2	-	1	-	1	-	-	-	-	-	-	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	37	41	-	-	-	-	-	-	-	-	-	9	5	18	9
Softening of brain	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Paralysis, without specified cause	5	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Epilepsy	7	4	-	1	-	-	-	1	-	-	-	2	-	-	-
"Convulsions" (not puerperal)	8	3	2	1	-	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system	16	13	1	-	-	-	-	1	-	4	-	3	3	1	-
Pericarditis	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Acute endocarditis	9	7	-	-	-	-	1	1	2	1	-	1	-	1	-
Other diseases of heart	94	112	-	-	-	-	3	5	3	3	3	12	19	25	39
Embolism and thrombosis (exclud- ing cerebral).	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of circulatory system.	23	28	-	1	-	-	-	-	-	-	-	4	6	6	11
Diseases of the larynx	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis	30	27	-	-	-	-	-	-	-	-	-	-	-	-	-
Broncho-pneumonia	17	18	5	4	2	-	-	-	-	-	1	7	6	6	8
Lobar pneumonia	13	16	-	1	2	-	-	-	-	-	4	4	1	2	3
Pneumonia (type not distinguished)	14	12	1	-	-	-	-	-	1	-	2	4	1	4	1
Pleurisy	3	4	-	-	-	-	-	-	-	-	-	3	1	4	1
Pulmonary congestion, Pulmonary apoplexy.	1	1	-	-	-	-	-	-	-	-	-	1	1	1	1
Other diseases of respiratory system.	5	4	-	-	-	-	-	-	-	-	-	-	1	-	3

TABLE 5.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM							
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria* and Croup.	Diarrhoeal Diseases† (under 2 years).	Influenza.
LONDON‡ . .	4,531,971	1921. July 9	1,955	751	8·6	-	-	4	2	9	10	13	5
CALCUTTA . .	896,067	June 4	-	494§	28·6	?	1	?	?	?	?	?	2
BOMBAY . .	979,445	" 4	347	914§	43·5	2	9	1	-	-	-	63	23
MADRAS . .	518,660	May 28	384	399	40·0	3	3	2	?	-	1	43	6
PARIS . .	2,847,229	(10 days) June 20	-	-	-	-	-	-	-	-	-	-	-
BRUSSELS . .	792,919	" " "	-	-	-	-	-	-	-	-	-	-	-
ANTWERP . .	339,523	June 25	115	57	8·9	1	-	-	-	-	-	3	-
AMSTERDAM . .	680,583	" 25	288	125	9·6	-	-	-	-	4	-	1	1
COPENHAGEN . .	571,000	" 25	248	120	10·9	-	-	-	-	1	1	4	-
STOCKHOLM . .	419,788	" 18	112	78	9·7	-	-	1	-	-	-	3	-
GOTHENBURG . .	205,494	" 18	-	45	11·4	-	-	-	-	-	-	2	-
CHRISTIANIA . .	260,904	" 25	100	49	9·8	-	-	-	-	-	1	1	-
BERLIN . .	1,949,000	" 18	537	337	9·0	1	?	4	-	3	2	9	2
POZNAN . .	547,000	" 18	222	147	14·0	-	?	1	-	-	-	13	1
COLOGNE . .	664,000	" 18	331	145	11·4	1	?	1	1	-	-	21	2
BRISTOL . .	595,000	" 18	215	131	11·4	-	?	-	-	-	-	5	2
FRANKFURT- ON-MAIN . .	468,000	" 18	152	73	8·1	-	?	-	-	-	-	1	1
HAMBURG . .	1,003,000	" 18	340	192	10·0	1	?	3	-	-	3	3	1
LEIPZIG . .	631,000	" 18	247	119	9·8	-	?	-	-	1	-	11	2
MUNICH . .	670,000	" 18	245	156	12·1	1	?	1	-	5	2	4	1
VIENNA . .	1,842,005	" 18	-	-	-	-	-	-	-	-	-	-	-
PRAGUE AND SUBURBS . .	676,454	" 4	287	191	14·7	1	-	-	-	2	-	10	1
BUDAPEST . .	933,600	Apr. 23	419	416	23·2	3	?	5	4	-	3	26	1
TRIESTE . .	248,428	May 28	-	-	-	-	-	-	-	-	-	-	-
CAIRO . .	765,200	Apr. 8	646	410	27·9	1	-	2	-	?	-	39	?
ALEXANDRIA . .	449,300	" 15	589	410	27·9	1	-	1	-	?	2	34	?
		" 8	328	253	29·3	3	-	2	1	?	2	19	?
		" 15	340	262§	30·3	2	-	1	1	?	-	21	?
NEW YORK . .	5,751,859	May 28	2,456	1,216	11·0	2	-	6	7	12	16	19	6
CHICAGO . .	2,780,655	June 11	-	511	9·6	-	-	-	5	7	16	25	1

including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Cities, Vienna, Prague and Suburbs, Budapest, and Trieste.
 The deaths in this column relate to *all ages* for Bombay, Madras, Christiania, and Budapest, and to *children under 1 year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.
 The estimated population and deaths refer to the civilian population only.
 including 1 death from *plague* in Calcutta and 16 in Bombay, and 3 in Alexandria, and from *Asiatic cholera*, 72 deaths in Calcutta, and 3 in Bombay.

TABLE 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 9th July, 1921.
(Supplied by the Meteorological Office.)

TOWNS.	Temperature of Air.*				Rainfall in Milli- metres.‡	TOWNS.	Temperature of Air.*				Rainfall in Milli- metres.‡
	Highest.	Lowest.	Mean Maxi- mum.	Mean Mini- mum.			Highest.	Lowest.	Mean Maxi- mum.	Mean Mini- mum.	
LONDON (Greenwich) }	85	49	78·1	52·9	0·3	BRADFORD . .	83	40	73·7	51·7	0·2
RIGHTON . .	68	50	66·4	52·7	0	SHEFFIELD . .	Not available				
PORTSMOUTH . .	76	50	71·3	54·9	0	YORK (Museum) . .	87	37	72·2	51·4	3
BRISTOL (Eaton) . .	Not available					HULL (Pearson Park)	84	46	71·7	53·0	1
PLYMOUTH . .	78	51	71·6	55·3	0	TYNEMOUTH . .	77	44	65·7	53·7	2
GLoucester (Clifton) . .	86	50	78·7	54·0	0	CARDIFF . .	86	47	77·7	54·3	0
BIRMINGHAM . .	88	47	77·4	54·4	0	EDINBURGH . .	80·0	47·0	?	?	1
LEEDS . .	89	44	77·0	51·4	1	GLASGOW . .	75·2	49·8	71·6	55·6	2
LEEDS (Bidston) }	80	50	70·4	54·1	1	DUBLIN :—					
MANCHESTER . .	88	42	76·1	50·6	0	Phoenix Park . .	84·6	45·1	74·8	53·5	0
ARNLEY . .	84	37	72·9	47·4	1	†Fitzwilliam Square	81·6	51·2	73·4	59·2	0
WOLVERHAMPTON . .	85	39	74·6	52·6	1	BELFAST . .	78·5	45·0	70·8	53·6	2

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.

† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R. Met.Soc., Dublin.

‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

TABLE 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 9th July 1921.

[Under the Superintendence of the Astronomer Royal.]

1921.			Phases of the Moon.	BARO- METER. Mean daily reading (cor- rected and re- duced to 32° Fahren- heit).	TEMPERATURE.					TEMPERATURE.			De- gree of Hu- mid- ity (Satu- ration equals 100).	Difference between the Air Temperature and Dew Point Temperature.			TEMPERATURE.			Wind as deduced from Anemometers.					Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
MONTH AND DAY.	JULY.	Of the Air.				De- parture from Average of 65 years.	Of the Dew point.		Difference between the Air Temperature and Dew Point Temperature.		Of Radiation.			Of the Earth 4 feet below the Surface.	Osler's.		Pressure on the Square Foot.		Robinson's.						
		High- est.			Low- est.		Daily Range.	Mean daily value.	Mean daily value.	Mean Great- est.	High- est in Sun's Rays.	Lowest on the Grass.			A.M.	P.M.	Great- est.	Least. hourly obs.	Mean Movement of 24 of the Air on each Day.	Horizontal Movement from Average of 50 years.					
				in.	°	°	°	°	°	°	°	°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.			
	3	..	30.032	78.5	51.2	27.3	63.9	+ 2.1	50.0	13.9	28.2	°	138.8	40.8	55.7	Calm & ENE.	N.E., ESE. & calm.	1.1	0.0	0.1	137	-113	0.00		
	4	Greatest declination N.	30.065	64.2	50.7	13.5	55.4	- 6.7	46.4	9.0	18.3	°	105.8	43.0	55.5	N. & NNE.	N. & NNE.	1.9	0.0	0.2	245	- 7	0.00		
	5	New	30.112	74.8	49.3	25.5	60.0	- 2.3	46.1	13.9	27.3	°	134.0	35.8	55.8	NNE.	N. & calm	1.0	0.0	0.1	150	-103	0.00		
	6	Perigee	30.043	85.0	48.7	36.3	67.8	+ 5.4	47.2	20.6	34.8	°	143.0	35.0	56.0	SW.	SW. & N.	1.6	0.0	0.1	237	- 18	0.00		
	7	..	30.028	77.8	55.8	22.0	65.1	+ 2.7	55.1	10.0	23.0	°	135.6	43.3	55.9	N., NE. & calm.	N., E. & calm.	1.7	0.0	0.1	162	- 93	0.00		
	8	..	30.054	81.8	55.8	26.0	69.0	+ 6.6	53.9	15.1	25.4	°	147.9	43.3	56.0	Calm	Calm, SE. & S.	0.7	0.0	0.0	94	-160	0.00		
	9	..	30.101	83.6	52.7	30.9	69.4	+ 7.0	50.9	18.5	28.7	°	146.3	40.0	56.3	Calm, E. & NE.	Calm & E.	1.3	0.0	0.1	130	-123	0.00		
			30.062	78.0	52.0	25.9	64.4	+ 2.1	49.9	14.4	26.5	°	135.9	40.2	55.9	NNE.		Sum 1155	Sum -617	Sum 0.00		

DATE.		ELECTRICITY. (For explanation of symbols, see Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
JULY 1921.					
SUNDAY	3	v.P. throughout	8.7	16.5	Cloudless till 1h.; very cloudy till 5h.; partially cloudy by 6h.; variably cloudy from noon; nearly cloudless by 22h. 30m.
MONDAY	4	v.P. till 10h., no register afterwards.	1.2	16.4	Nearly cloudless till 2h. 30m., becoming overcast generally by 4h.; cloudy intervals between 15h. and 17h. 30m.
TUESDAY	5	No register	10.5	16.4	Overcast generally till 9h., becoming cloudless generally by 9h. 30m.; thin cloud prevalent about 15h.
WEDNESDAY	6	No register	9.7	16.4	Cloudless till 2h. 30m., nearly cloudless till 9h.; thin cloud increasing to nearly overcast by 14h.; overcast generally from 15h., with very cloudy intervals; solar halo about noon.
THURSDAY	7	No register	4.2	16.4	Overcast generally until 15h., becoming nearly cloudless after 17h.; slight rain and damping between 0h. and 6h.
FRIDAY	8	No register	9.4	16.3	Nearly cloudless till 1h., then overcast; cloudy until 16h., and cloudless after 17h.; haze during day.
SATURDAY	9	No register	14.9	16.3	Cloudless with very slight exceptions.
No. of Col.		26	Sum 58.6	Sum 114.7	
			27	28	

The results apply to the civil day, or from midnight to midnight.
The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "higher," and - "lower," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 30.04 in. at the beginning of the week to 29.99 in. by 17h. on 3rd; increased to 30.14 in. by 9h. on 5th; decreased generally to 29.98 in. by 22h. on 6th; increased generally to 30.12 in. by 19h. on 9th, and was 30.10 in. at midnight on the same day.

TABLE 3. LONDON.—DEATHS OF PERSONS BELONGING to the several METROPOLITAN BOROUGHs REGISTERED in the Week ended 2nd July, 1921.

BOROUGHs.	ALL CAUSES.	Deaths from								Deaths of Infants under 1 Year of Age.
		Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Pulmonary Tuberculosis.	
COUNTY OF LONDON -	779	-	-	-	6	5	10	9	93	84
Western										
PADDINGTON - . . .	16	-	-	-	-	-	-	1	1	2
KENSINGTON - . . .	37	-	-	-	-	1	-	1	2	5
HAMMERSMITH - . . .	21	-	-	-	-	-	-	-	4	6
FULHAM -	26	-	-	-	-	-	-	-	2	4
CHELSEA -	10	-	-	-	-	-	-	-	-	1
CITY OF WESTMINSTER -	19	-	-	-	-	-	-	-	2	1
Northern.										
ST. MARYLEBONE - . .	25	-	-	-	-	-	1	-	2	-
HAMPSTEAD - . . .	15	-	-	-	-	-	-	-	2	2
ST. PANCRAS - . . .	37	-	-	-	-	2	-	-	3	4
ISLINGTON -	51	-	-	-	-	-	1	-	8	3
STOKE NEWINGTON - . .	12	-	-	-	-	-	-	-	2	-
HACKNEY -	35	-	-	-	-	-	1	-	6	4
Central.										
HOLBORN -	5	-	-	-	-	-	-	-	-	2
FINSBURY -	16	-	-	-	-	-	-	1	2	3
CITY OF LONDON - . .	4	-	-	-	-	-	-	-	1	1
Eastern.										
SHOREDITCH - . . .	24	-	-	-	-	-	-	-	-	7
BETHNAL GREEN - . .	19	-	-	-	-	-	-	-	6	-
STEPNEY -	35	-	-	-	1	-	-	1	5	3
POPLAR -	35	-	-	-	3	-	2	-	4	5
Southern.										
SOUTHWARK - . . .	47	-	-	-	-	-	1	1	4	4
BERMONDSEY - . . .	23	-	-	-	-	-	-	-	3	3
LAMBETH -	48	-	-	-	-	-	-	-	6	5
BATTERSEA -	40	-	-	-	1	-	1	1	5	2
WANDSWORTH - . . .	49	-	-	-	1	1	2	2	7	5
CAMBERWELL - . . .	48	-	-	-	-	1	-	-	8	7
DEPTFORD -	22	-	-	-	-	-	-	1	2	1
GREENWICH -	14	-	-	-	-	-	1	-	-	1
LEWISHAM -	21	-	-	-	-	-	-	-	1	2
WOOLWICH -	25	-	-	-	-	-	-	-	5	1

The deaths in the above Table are, so far as concerns London as a whole, corrected by the exclusion of deaths of non-residents, and by the inclusion of those of residents occurring in the Outer Ring or in Metropolitan public institutions situated outside the County. As between individual Metropolitan Boroughs, however, correction is complete.

TABLE 9. LONDON.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED during the Week ended 2nd July, 1921.*

BOROUGHs.	ESTI- MATED CIVILIAN POPU- LATION, MID. 1920.† (Provi- sional.)	Enteric Fever.	Malaria.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Group).	Pneumonia.	Erysipelas.	Cerebro-Spinal Fever.	Puerperal Fever.	Ophthalmia Neonatorum.	Poliomylitis.	Dysentery.	Encephalitis Lethargica.	Anthrax.	Polio- encephalitis.
WESTERN.																	
Paddington . . .	149,673	-	-	-	-	22	4	2	1	-	-	-	-	-	-	-	-
Kensington . . .	164,177	2	1	-	-	13	3	2	-	-	1	-	-	-	-	-	-
Hammersmith . . .	136,200	-	-	-	-	35	9	1	2	-	1	1	-	-	-	-	-
Fulham . . .	158,621	-	-	-	-	24	12	1	1	-	-	1	-	-	-	-	-
Chelsea . . .	62,987	-	-	-	-	4	1	-	1	-	-	-	-	-	-	-	-
City of Westminster . . .	132,615	-	-	-	-	13	2	-	3	-	-	-	-	-	-	-	-
NORTHERN.																	
St. Marylebone . . .	101,856	-	-	-	-	5	5	-	2	-	-	1	-	-	-	-	-
Hampstead . . .	91,519	1	-	-	-	9	7	-	-	-	-	1	-	-	-	-	-
St. Pancras . . .	228,178	3	1	-	-	16	11	6	2	-	-	2	-	-	-	-	-
Islington . . .	335,907	1	-	-	-	31	25	-	-	1	-	2	-	-	-	-	-
Stoke Newington . . .	52,984	-	-	-	-	3	1	-	-	-	-	-	-	-	-	-	-
Hackney . . .	225,372	1	-	-	-	39	26	2	1	-	-	3	-	-	-	-	-
CENTRAL.																	
Holborn . . .	39,676	1	-	-	-	3	2	-	-	-	-	1	-	-	-	-	-
Finsbury . . .	78,291	-	-	-	-	7	10	-	-	-	-	2	-	-	1	-	-
City of London . . .	14,447	-	-	-	-	3	2	-	-	-	-	1	-	-	-	-	-
EASTERN.																	
Shoreditch . . .	102,044	-	-	-	-	19	13	3	1	-	-	1	-	-	-	-	-
Bethnal Green . . .	114,471	-	-	-	-	17	8	4	1	-	-	-	-	-	-	-	-
Stepney . . .	241,770	-	-	-	-	36	9	5	2	-	-	-	-	-	-	-	-
Poplar . . .	159,766	-	-	-	-	14	14	4	2	-	-	-	-	-	-	-	-
SOUTHERN.																	
Southwark . . .	187,142	1	2	-	-	19	12	3	1	-	-	-	-	-	1	-	-
Bermondsey . . .	129,189	1	1	-	-	21	10	1	-	-	-	-	-	-	-	-	-
Lambeth . . .	293,572	-	1	-	-	29	16	2	1	-	-	2	-	-	-	-	-
Battersea . . .	165,664	-	1	-	-	17	11	3	4	-	-	1	-	-	-	-	-
Wandsworth . . .	346,990	1	3	-	-	25	23	8	1	-	-	-	-	-	1	-	-
Camberwell . . .	284,712	3	1	-	-	20	13	1	2	-	-	-	-	-	-	-	-
Deptford . . .	115,636	-	-	-	-	18	4	1	1	-	-	-	-	-	-	-	-
Greenwich . . .	102,408	-	1	-	-	11	7	2	-	-	-	-	-	-	-	-	-
Lewisham . . .	174,438	-	1	-	-	27	6	2	1	-	-	-	-	-	-	-	-
Woolwich . . .	141,666	-	-	-	-	42	10	2	-	-	-	-	-	-	-	-	-
TOTAL . . .	4,531,971	15	13	-	-	542	276	55	30	1	2	19	-	-	3	-	-
AGES.																	
Ages 0-1 . . .		-	-	-	-	4	3	1	-	1	-	19	-	-	-	-	-
„ 1-5 . . .		2	-	-	-	101	59	10	1	-	-	-	-	-	-	-	-
„ 5- . . .		1	-	-	-	241	94	10	1	-	-	-	-	-	-	-	-
„ 10- . . .		2	-	-	-	135	73	5	1	-	-	-	-	-	-	-	-
„ 15- . . .		1	-	-	-	32	17	2	3	-	-	-	-	-	1	-	-
„ 20- . . .		1	2	-	-	10	15	3	4	-	-	-	-	-	-	-	-
„ 25- . . .		3	9	-	-	9	9	5	4	-	2	-	-	-	-	-	-
„ 35- . . .		3	2	-	-	8	5	8	6	-	-	-	-	-	1	-	-
„ 45- . . .		1	-	-	-	2	-	5	3	-	-	-	-	-	1	-	-
„ 55- . . .		1	-	-	-	-	-	4	5	-	-	-	-	-	-	-	-
„ 65- . . .		-	-	-	-	-	1	2	1	-	-	-	-	-	-	-	-
„ 75 and upwards . . .		-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Age not stated . . .		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

† See note † on first page of this return.

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS AND DEATHS REGISTERED:—

LONDON AND

NINETY-FIVE OTHER GREAT TOWNS.

~~~~~  
By Authority of the Registrar General.  
~~~~~

LONDON:

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
H.M. STATIONERY OFFICE at the following addresses:

IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and

28, ABINGDON STREET, LONDON, S.W. 1;

37, PETER STREET, MANCHESTER;

1, ST. ANDREW'S CRESCENT, CARDIFF;

23, FORTH STREET EDINBURGH;

or from E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN.

No. 28. VOL. LXXXII. 1921. WEEK ENDED SATURDAY, JULY 16.
[Price 9d. Net.]

*General Register Office, Somerset House,
July 19th, 1921.*

NINETY-SIX GREAT TOWNS.

For the NINETY-SIX GREAT TOWNS of England and Wales each of which had a population of 50,000 or over at the Census of 1911, the births registered last week numbered 8,203, and corresponded to an annual rate of 23·0 per 1,000. The deaths* among the civilian population only numbered 3,666, and corresponded to an annual rate of 10·3 per 1,000 of their aggregate civilian population, which is provisionally estimated† at 18,554,878 persons in the year 1920. In the three weeks ended June 25th, July 2nd, and July 9th, the rates had been 9·7, 9·4, and 9·5 respectively. The infant mortality was 65, against 58, 53, and 53 in the preceding three weeks. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks; it also shows for the week ended last Saturday the births and the deaths from certain individual causes. A column showing the number of deaths

* Corrected as far as possible for deaths of non-residents and for those of residents occurring outside the area. Fully corrected figures will appear in the Registrar General's Annual Report.

† The estimates of population refer to the year 1920, and are based on the returns furnished under the scheme for rationing of food.

from influenza has been inserted in Table 1. The aggregate number of deaths from influenza in the 96 great towns in each of the last thirteen weeks is shown in Table 3A.

Measured by last week's mortality, the highest annual death-rates per 1,000 living were :—from *all causes*, 15·5 in Barnsley, 16·3 in Wakefield, 16·6 in South Shields, 17·4 in St. Helens, 18·7 in Exeter, and 18·9 in Merthyr Tydfil; and from *measles*, 1·3 in South Shields, 1·5 in West Hartlepool, and 2·7 in Sunderland. No death from *small-pox* was registered in any of the ninety-six towns.

LONDON.* (The Administrative County, including the City of London.)

For LONDON there were 1,910 BIRTHS, corresponding to a rate of 21·9 per 1,000, and 941 DEATHS of civilians, corresponding to a rate of 10·8, as against 9·7 9·0, and 8·6, per 1,000 in the three weeks ended June 25th, July 2nd, and July 9th. The death-rate in the four weeks ended last Saturday averaged 9·5 per 1,000. The infant mortality was 65, against 52, 44, and 44 in the preceding three weeks.

The deaths from *enteric fever*, which had been 3, 0, and 0 in the preceding three weeks, numbered 3, the average for the corresponding weeks of the previous five years being 2. There was no deaths from *measles*, against 7, 0, and 4 in the preceding three weeks, and an average of 17. The deaths from *scarlet fever*, which had been 6, 6, and 2 in the preceding three weeks, rose last week to 6, and were 3 above the average. The deaths from *whooping-cough*, which had been 6, 5, and 9 in the preceding three weeks, further rose last week to 13, the average being 14. The deaths from *diphtheria*, which had been 12, 10, and 10 in the preceding three weeks, rose last week to 18, and were 8 above the average; 3 deaths belonged to the Borough of Islington. The deaths from *diarrhœa and enteritis under 2 years of age*, which had been 12, 9, and 13 in the preceding three weeks, further rose last week to 30, and were 16 above the average; 5 deaths belonged to Stepney, and 5 to Lambeth. The deaths from *influenza* numbered 4 as against 6, 5, and 5 in the preceding three weeks, and an average of 62.

Different forms of violence caused 52 deaths, of which 46 were the subject of coroners' inquests. Of these 52 deaths, 8 were cases of suicide, and 1 of homicide, while the remaining 43 were attributed to other forms of violence. Eight of these latter were referred to vehicles in the streets, 2 to burns or scalds, 7 to drowning, and 1 of an infant under one year of age to suffocation in bed.

CASES OF INFECTIOUS DISEASE.†

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital, there were 23 cases of enteric fever, 43 of measles, 3,882 of scarlet fever, 10 of whooping-cough, and 1,961 of diphtheria under treatment in these hospitals on Saturday last (Table 3). The admissions during the week,

* See note * on first page.

† The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

as compared with those in the preceding three weeks, were as follows :—Of enteric fever, 4 cases, against 4, 8, and 3; of measles, 9 cases, against 10, 13, and 8; of scarlet fever, 588 cases, against 548, 520, and 638; of whooping-cough, 1 case, against 1, 0, and 0; and of diphtheria, 256 cases, against 236, 254, and 239. Table 9, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the county during the week ended July 9th, 1921.

TABLE 1.—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH RATES in the Week ended Saturday, 16th July, 1921, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.		ESTIMATED CIVILIAN POPULATION, MID. 1920 * (Provisional.)	DEATH-RATES from all Causes.					Week ended 16th July 1921.		The DEATHS in the Week include															
			Week ended				BIRTHS.	DEATHS.	Deaths from																
			25th June, 1921.	2nd July, 1921.	9th July, 1921.	16th July, 1921			Deaths of																
Cols.		1.	2.	3.	4.	5.	6.	7.	8.	9.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.	
96 GREAT TOWNS.		18,554,878	9.7	9.4	9.5	10.3	8,203	3,666	535	1,211	7	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	21.	96 GREAT TOWNS.
LONDON†		4,531,971	9.7	9.0	8.6	10.8	1,910	941	124	311	3	10.	-	-	6	13	18	30	4	52	87	476	3	3	LONDON.†
CROYDON.		191,580	10.1	9.3	4.6	10.1.	81	37	6	13	-	-	-	-	-	1	1	-	-	2	5	13	-	-	CROYDON.
WIMBLEDON.		62,174	8.4	6.7	7.5	5.9	23	7	1	1	-	-	-	-	-	1	1	-	-	-	-	3	-	-	WIMBLEDON.
EALING.		76,129	6.8	7.5	7.5	6.2	30	9	1	4	-	-	-	-	-	-	-	-	-	-	-	3	-	-	EALING.
ACTON.		64,192	5.7	3.2	7.3	9.7	16	12	-	4	-	-	-	-	-	-	1	-	-	-	-	6	-	-	ACTON.
WILLESDEN.		167,328	6.9	11.5	6.5	6.2	73	20	2	10	-	-	-	-	-	-	-	-	-	-	1	7	-	-	WILLESDEN.
HORNSEY.		98,107	6.4	7.4	13.3	5.3	24	10	2	5	-	-	-	-	-	-	-	-	-	-	-	3	-	-	HORNSEY.
TOTTENHAM		146,970	7.5	8.5	7.8	7.5	60	21	5	11	-	-	-	-	-	-	-	-	-	-	3	6	-	-	TOTTENHAM.
EDMONTON.		73,529	4.3	5.0	8.5	9.2	40	13	2	5	-	-	-	-	-	-	-	-	-	-	-	7	-	-	EDMONTON.
ENFIELD.		60,771	8.6	12.0	6.0	7.7	16	9	-	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	ENFIELD.
WEST HAM.		299,440	8.7	8.2	10.1	12.0	140	69	12	29	-	-	-	-	1	-	-	5	-	1	3	35	-	-	WEST HAM.
EAST HAM.		150,207	6.2	8.7	6.2	6.2	49	18	2	6	-	-	-	-	-	-	-	-	-	1	3	8	-	-	EAST HAM.
LEYTON.		128,832	10.9	4.9	6.1	9.7	43	24	2	8	-	-	-	-	-	-	-	-	-	2	3	15	-	-	LEYTON.
WALTHAMSTOW		132,771	7.5	9.8	10.6	8.6	41	22	3	8	-	-	-	1	-	-	-	-	1	1	2	7	-	-	WALTHAMSTOW.
ILFORD.		82,693	8.8	5.7	5.0	6.9	24	11	3	3	-	-	-	-	-	-	-	1	-	-	-	2	-	-	ILFORD.
GILLINGHAM.		45,233	11.5	15.0	8.1	6.9	24	6	2	2	-	-	-	-	-	-	-	1	-	1	1	-	-	-	GILLINGHAM.
HASTINGS.		59,972	8.7	10.4	4.3	11.3	18	13	-	9	-	-	-	-	-	-	-	-	-	-	-	2	-	-	HASTINGS.
EASTBOURNE		50,354	9.3	6.2	11.4	9.3	17	9	2	1	-	-	-	-	-	-	-	-	-	-	-	3	-	-	EASTBOURNE
BRIGHTON.		137,685	8.7	7.2	6.1	11.0	46	29	2	18	-	-	-	-	-	-	1	-	-	-	-	10	-	-	BRIGHTON.
PORTSMOUTH.		235,998	6.8	6.8	10.4	8.2	113	37	2	12	-	-	-	-	-	1	1	-	-	-	-	12	-	-	PORTSMOUTH.
BOURNEMOUTH.		85,919	10.3	9.7	11.5	11.5	26	19	-	13	-	-	-	-	-	-	-	-	-	-	-	4	-	-	BOURNEMOUTH
SOUTHAMPTON.		162,388	6.4	10.9	8.3	4.8	67	15	2	7	-	-	-	-	-	-	-	-	-	2	2	1	-	-	SOUTHAMPTON.
READING.		95,006	8.8	7.1	11.0	12.6	35	23	2	12	-	-	-	-	-	-	-	-	-	-	-	6	-	-	READING.
OXFORD.		59,963	17.4	8.7	7.8	12.2	17	14	1	5	-	-	-	-	-	-	-	-	-	-	-	4	-	-	OXFORD.
NORTHAMPTON.		92,483	7.9	9.6	6.2	7.9	35	14	1	9	-	-	-	-	-	-	-	-	-	-	1	-	-	-	NORTHAMPTON.
CAMBRIDGE.		60,154	13.0	7.8	9.5	7.8	17	9	2	4	-	-	-	-	-	-	-	-	-	-	-	3	-	-	CAMBRIDGE.

in the week ended Saturday, 16th July 1921, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	ESTIMATED CIVILIAN POPULATION, MID. 1920.* (Provisional.)	DEATH-RATES from all Causes.					Week ended 16th July, 1921.		The DEATHS in the Week include										TOWNS.				
		Week ended.					BIRTHS. DEATHS.		Deaths of Infants under 1 Year of Age.		Persons aged 65 Years and upwards.		Deaths from								Deaths in Public Institutions.	Uncertified Causes of Death.	
		Week ended.											Deaths from										
		25th June, 1921.	2nd July, 1921.	9th July, 1921.	16th July, 1921.			8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.		19.	20.	21.	
Cols.	1.	2.	3.	4.	5.	6.	7.													Cols.			
SOUTHEND ON SEA.	87,382	9.5	7.8	9.0	9.5	35	16	2	6	-	-	-	-	-	1	-	-	1	-	SOUTHEND ON SEA.			
IPSWICH.	81,119	9.0	9.0	5.8	7.7	39	12	1	7	-	-	-	-	-	1	-	1	2	3	IPSWICH.			
GREAT YARMOUTH.	55,193	8.5	4.7	14.2	6.6	29	7	-	4	-	-	-	-	-	-	-	-	-	1	GREAT YARMOUTH.			
NORWICH.	124,774	7.5	9.2	7.5	7.1	43	17	1	5	-	-	-	-	-	-	-	-	-	3	NORWICH.			
SWINDON.	53,580	5.8	11.7	4.9	4.9	13	5	-	2	-	-	-	-	-	-	-	1	2	2	SWINDON.			
EXETER.	61,365	13.6	6.8	16.1	18.7	25	22	4	9	-	-	-	-	1	3	-	-	1	3	EXETER.			
PLYMOUTH.	189,218	10.5	9.1	12.7	11.3	61	41	4	17	-	-	-	-	1	3	1	1	2	10	PLYMOUTH.			
BATH.	68,546	7.6	12.2	9.9	12.9	20	17	1	7	-	-	-	-	-	1	-	1	1	7	BATH.			
BRISTOL.	375,641	8.2	7.5	8.9	11.2	165	81	7	41	-	-	-	2	5	2	1	1	6	32	BRISTOL.			
GLOUCESTER.	52,096	7.0	4.0	15.0	5.0	21	5	1	2	-	-	-	-	1	-	-	-	-	1	GLOUCESTER.			
STOKE ON TRENT.	248,852	10.1	10.1	11.5	12.4	134	59	18	14	-	-	-	-	-	5	2	1	2	12	STOKE ON TRENT.			
WOLVERHAMPTON.	102,324	8.2	10.2	10.7	9.2	36	18	2	4	-	-	2	-	-	1	-	-	-	4	WOLVERHAMPTON.			
WALSALL.	96,419	9.2	10.3	6.5	11.9	43	22	6	9	-	-	-	-	-	-	-	2	4	5	WALSALL.			
WEST BROMWICH.	72,684	8.6	10.8	10.0	10.0	49	14	3	6	-	-	-	-	-	2	-	-	-	3	WEST BROMWICH.			
DUDLEY.	56,169	3.7	11.1	13.0	6.5	25	7	-	2	-	-	-	-	-	-	-	1	1	2	DUDLEY.			
BIRMINGHAM.	895,915	9.5	9.3	8.9	10.7	432	183	27	55	-	-	1	3	2	6	-	4	4	69	BIRMINGHAM.			
SMETHWICK.	75,027	8.3	4.9	6.3	7.0	38	10	3	1	-	-	-	-	-	-	-	1	1	2	SMETHWICK.			
COVENTRY.	137,310	8.7	5.3	11.8	8.7	71	23	4	8	-	-	-	-	-	-	-	2	2	7	COVENTRY.			
LEICESTER.	245,465	8.3	6.4	9.3	8.5	106	40	7	15	-	-	-	1	-	1	-	2	2	12	LEICESTER.			
LINCOLN.	67,543	9.3	8.5	8.5	5.4	22	7	1	5	-	-	-	-	-	-	-	-	-	2	LINCOLN.			
GRIMSBY.	81,953	5.7	8.9	9.5	10.8	31	17	6	6	-	-	-	-	-	-	-	1	3	1	GRIMSBY.			
NOTTINGHAM.	267,836	9.3	7.6	7.2	10.1	110	52	10	17	-	-	-	-	-	-	-	4	4	21	NOTTINGHAM.			
DERBY.	128,868	8.5	10.9	12.1	7.7	65	19	2	11	-	-	-	-	1	-	-	-	3	4	DERBY.			

* See note † on first page of this return.

TABLE 1 (cont.).—98 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH-RATE in the Week ended Saturday, 16th July, 1921, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	ESTIMATED CIVILIAN POPULATION MID. 1920.* (Provisional.)	DEATH-RATES from all Causes.				Week ended 16th July, 1921.		The DEATHS in the Week include										Deaths in Public Institutions.				Uncertified Causes of Death.		TOWNS
		Week ended				BIRTHS.	DEATHS.	Deaths from										Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.				
		Deaths of						Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.	Violence.											
		25th June, 1921.	2nd July, 1921.	9th July, 1921.	16th July, 1921.									Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.				Measles.	10.	11.	
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.		
STOCKPORT	130,635	8·8	8·0	11·6	13·6	37	34	3	12	-	-	-	-	-	-	-	3	3	4	7	-	STOCKPORT.		
BIRKENHEAD	153,951	10·2	9·8	9·1	11·2	74	33	3	9	-	-	-	-	-	-	-	-	2	3	11	-	BIRKENHEAD.		
WALLASEY	99,226	6·3	3·2	7·9	8·9	37	17	3	5	-	-	-	-	-	-	-	-	-	-	4	-	WALLASEY.		
LIVERPOOL	803,452	11·6	10·4	11·1	12·2	442	188	32	40	-	-	7	1	2	-	8	-	12	23	92	4	LIVERPOOL.		
BOOTLE	80,029	9·1	5·9	9·8	10·4	42	16	5	2	-	-	-	-	-	-	2	1	-	-	5	-	BOOTLE.		
ST. HELENS	104,822	12·9	9·9	9·0	17·4	64	35	6	10	-	-	1	1	-	-	1	-	2	3	11	1	ST. HELENS.		
SOUTHPORT	72,989	10·0	10·0	14·3	7·9	15	11	-	6	-	-	-	-	-	-	-	-	1	1	3	-	SOUTHPORT.		
WIGAN	90,866	15·5	11·5	9·2	11·5	51	20	5	3	-	-	-	-	1	-	2	2	2	5	1	-	WIGAN.		
WARRINGTON	77,989	8·7	6·7	8·0	5·4	39	8	2	1	-	-	-	-	-	-	-	1	-	-	1	-	WARRINGTON.		
BOLTON	184,533	12·7	10·5	11·6	10·5	86	37	2	13	-	-	-	-	1	-	-	-	1	5	9	-	BOLTON.		
BURY	56,410	12·0	12·0	13·9	10·2	24	11	1	6	-	-	-	-	-	-	-	-	1	2	3	-	BURY.		
MANCHESTER	770,597	11·2	12·4	9·5	9·5	371	140	22	23	1	-	-	1	1	1	3	3	6	16	55	-	MANCHESTER.		
SALFORD	235,239	13·7	10·2	10·0	9·3	121	42	6	13	1	-	-	1	1	-	1	2	2	3	20	-	SALFORD.		
OLDHAM	143,154	8·4	8·4	10·6	10·6	45	29	3	8	-	-	-	-	1	-	-	2	2	3	6	-	OLDHAM.		
ROCHDALE	93,639	12·8	12·8	11·1	7·2	27	13	2	6	-	-	-	-	-	-	1	-	-	-	1	-	ROCHDALE.		
BURNLEY	105,030	11·4	12·9	12·4	10·4	37	21	7	4	-	-	-	-	1	-	1	-	-	-	6	-	BURNLEY.		
BLACKBURN	131,012	8·4	10·7	9·2	10·3	57	26	4	8	-	-	-	-	-	-	1	-	2	2	6	-	BLACKBURN.		
PRESTON	121,950	8·6	8·6	13·7	9·0	58	21	4	7	-	-	-	-	-	-	-	-	-	-	5	1	PRESTON.		
BLACKPOOL	70,545	10·3	5·2	15·5	8·9	26	12	-	7	-	-	-	-	-	-	-	-	1	2	4	-	BLACKPOOL.		
BARROW IN FURNESS	76,561	11·6	12·3	9·5	10·2	28	15	2	5	-	-	-	-	-	-	-	-	-	-	1	1	BARROW IN FURNESS.		
HUDDERSFIELD	116,776	14·7	8·9	12·5	9·4	36	21	1	7	-	-	-	-	-	-	-	-	1	1	6	-	HUDDERSFIELD.		
HALIFAX	105,847	9·9	11·3	11·3	13·8	27	28	2	12	-	-	-	-	-	-	-	-	1	3	10	-	HALIFAX.		
BRADFORD	293,979	9·0	12·1	12·6	10·1	131	57	8	23	-	-	2	-	2	-	-	1	1	2	24	-	BRADFORD.		
LEEDS	449,212	12·3	10·9	11·5	8·9	225	77	7	28	-	-	-	-	-	-	-	1	3	7	24	-	LEEDS.		
DEWSBURY	55,080	7·6	14·2	4·7	9·5	19	10	3	4	-	-	-	-	-	-	-	-	-	-	4	-	DEWSBURY.		
WAKEFIELD	51,169	8·2	12·2	11·2	16·3	26	16	2	3	-	-	-	-	-	-	-	-	2	5	3	-	WAKEFIELD.		
BARNSELY	53,739	6·8	14·6	12·6	15·5	24	16	1	5	-	-	-	-	-	-	1	-	2	3	3	-	BARNSELY.		

The DEATHS in the Week include

TOWNS.		ESTIMATED POPULATION, MID. 1920.* (Provisional).		Causes.					Week ended 16th July, 1921.		Deaths in the Week include										Deaths from Deaths in Public Institutions. Uncertified Causes of Death.					TOWNS	
				Week ended					BIRTHS.	DEATHS.	Persons aged under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from														
				25th June, 1921.									Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.	Violence.								
				2.	3.	4.	5.	6.												7.							
Cols.	1.	7.1	10.1	8.9	9.5	233	90	21	30	-	-	-	1	-	-	-	-	6	-	4	8	30	-	-	SHEFFIELD.		
-	-	10.2	6.5	10.9	6.5	27	9	1	4	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	ROTHERHAM.		
-	-	14.1	8.7	9.4	11.4	32	17	1	7	-	-	-	-	-	-	-	-	-	-	2	3	6	-	-	YORK.		
-	-	10.8	10.2	8.4	11.1	151	62	13	15	-	-	-	-	-	-	-	-	3	1	3	3	17	1	-	HULL.		
-	-	11.8	9.1	11.4	6.7	91	17	2	4	-	-	-	-	-	-	-	-	1	-	1	1	6	-	-	MIDDLESBROUGH.		
-	-	7.8	11.7	10.2	11.0	25	14	1	5	-	-	-	-	-	-	-	-	-	-	1	2	7	-	-	DARLINGTON.		
-	-	10.7	5.8	5.8	9.9	31	12	2	6	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	STOCKTON ON TEES.		
-	-	13.8	9.9	9.9	11.5	40	15	-	4	-	-	-	2	-	-	-	-	-	-	-	-	4	-	-	WEST HARTLEPOOL.		
-	-	14.8	9.4	13.1	13.4	116	40	5	12	-	-	-	8	-	-	-	-	1	-	2	3	10	-	-	SUNDERLAND.		
-	-	12.6	10.3	17.5	16.6	61	37	4	7	-	-	-	3	1	-	-	-	-	-	4	3	12	1	-	SOUTH SHIELDS.		
-	-	14.2	11.4	11.4	13.0	73	32	7	8	-	-	-	2	-	-	-	-	3	1	-	-	6	3	-	GATESHEAD.		
-	-	10.8	13.3	9.7	10.0	179	55	9	16	-	-	-	3	-	-	-	-	-	-	4	6	13	-	-	NEWCASTLE ON TYNE.		
-	-	13.0	11.2	12.1	8.6	31	10	2	4	-	-	-	-	-	-	-	-	-	1	-	-	3	-	-	TYNEMOUTH.		
-	-	10.9	10.9	16.4	9.1	30	10	2	4	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	CARLISLE.		
-	-	9.8	6.3	8.6	12.6	26	22	2	8	-	-	-	-	-	-	-	-	-	-	2	2	5	-	-	NEWPORT (MON.).		
-	-	10.3	8.8	9.8	14.5	104	59	15	12	-	-	-	-	1	-	-	-	13	-	4	5	6	-	-	CARDIFF.		
-	-	9.9	7.6	5.1	10.1	63	36	9	9	-	-	-	-	-	-	-	-	2	1	1	2	6	-	-	RHONDDA.		
-	-	6.3	13.3	9.8	18.9	37	27	4	8	-	-	-	-	-	-	-	-	1	1	1	1	8	-	-	MERTHYR TYDFIL.		
-	-	6.8	9.8	12.7	14.6	22	15	4	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	ABERDARE.		
-	-	8.1	10.6	6.2	8.7	64	28	4	9	-	-	-	-	-	-	-	-	1	-	1	1	3	-	-	SWANSEA.		
-	-	7.548,647	9.0	8.5	8.3	3012	1438	181	505	4	-	-	1	7	16	22	22	38	7	69	123	656	3	-	GREATER LONDON.		
-	-	3,016,676	8.1	7.9	7.7	1102	497	57	194	1	-	-	1	1	3	4	4	8	3	17	36	180	-	-	OUTER RING.		
-	-	1,734,723	7.9	8.1	7.8	660	282	41	110	-	-	-	1	1	2	3	3	6	1	7	20	116	-	-	14 GREAT TOWNS IN OUTER RING.		
-	-	1,281,953	8.4	7.6	7.6	442	215	16	84	1	-	-	-	-	1	1	1	2	2	10	16	64	-	-	REMAINDER OF OUTER RING.		
-	-	446,200	11.2	12.3	8.6	197	101	17	30	-	-	-	1	-	1	-	-	5	-	7	?	?	?	?	EDINBURGH.†		
-	-	1,100,400	11.9	11.7	11.8	586	225	48	44	-	-	-	-	-	8	1	1	10	3	8	?	?	?	?	GLASGOW.†		
-	-	423,000	14.1	12.7	12.9	222	128	27	28	-	-	-	-	-	-	-	-	14	-	8	5	59	1	-	DUBLIN (Registration Area).†		
-	-	420,000	11.9	13.3	11.8	115	90	16	19	-	-	-	1	-	-	2	-	9	1	4	3	17	3	-	BELFAST.†		

* See note † on first page of this return.

† The populations are total populations and relate to 1921. Deaths and the death-rates in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week: those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

TABLE 2. LONDON.—Births and Deaths registered during the TWENTY-EIGHTH Week of each of the Eleven Years, 1911-1921.

	1911.	1912.	1913.	1914.	1915.	1916.	1917.	1918.	1919	1920.	1921.
Births (as registered).	2242	2070	2295	2125	1751	1936	1578	1249	1612	2389	1910
Males	1169	1072	1168	1103	903	1035	797	676	846	1217	953
Females -	1073	998	1127	1022	848	901	781	573	766	1172	957
Deaths (of residents only).	982	980	958	1020	956	889*	979*	1423*	774*	846*	941*
Males	538	495	523	554	506	491	553	697	402	434	498
Females -	444	485	435	466	450	398	426	726	372	412	443

* Deaths in civilian population only.

TABLE 3. LONDON.—BIRTHS and DEATHS REGISTERED, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the last THIRTEEN WEEKS.

	Apr. 23.	Apr. 30.	May 7.	May 14.	May 21.	May 28.	June 4.	June 11.	June 18.	June 25.	July 2.	July 9.	July 16.
Births (as registered)	2112	2082	1940	2068	1868	2188	1971	2128	2008	1919	1804	1955	1910
Deaths (of residents only).	1093	1049	999	1012	932	936	867	795	801	840	779	751	941
Age { Under 1 year	144	136	147	108	116	132	108	96	92	100	84	86	124
1-2 years	36	33	28	25	35	32	16	26	29	16	24	24	28
2-5 "	28	17	23	28	15	25	15	20	20	20	23	23	21
5-10 "	19	28	24	20	29	24	32	17	31	22	16	10	22
10-15 "	14	13	14	17	13	18	19	14	16	18	14	10	21
15-20 "	29	31	19	23	23	22	23	20	13	24	24	20	24
at { 20-25 "	28	25	34	24	22	14	20	17	16	21	22	18	22
25-35 "	41	43	41	50	53	56	58	50	42	55	45	29	49
Death { 35-45 "	90	88	73	89	72	65	68	51	68	66	58	53	54
45-55 "	132	96	103	108	109	100	95	84	85	96	84	109	109
55-65 "	168	176	146	145	119	133	133	120	125	129	126	105	156
65-75 "	201	173	169	191	166	174	155	143	136	146	150	137	153
75 years and upwards	163	190	178	184	160	141	125	137	128	127	109	127	158
Deaths from—													
Enteric fever	1	-	-	-	-	1	3	-	-	3	-	-	3
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	6	6	3	6	4	3	5	3	3	7	-	4	-
Scarlet fever	3	7	7	5	6	4	9	4	8	6	6	2	6
Whooping cough	10	8	11	12	7	16	6	11	9	6	5	9	13
Diphtheria	32	18	19	17	19	22	14	10	17	12	10	10	18
Diarrhoea and enteritis (under 2 years).	16	16	15	7	15	14	9	11	11	12	9	13	30
Pulmonary tuberculosis . .	101	99	92	87	82	83	103	73	70	101	93	55	77
Influenza	27	35	20	28	23	6	9	6	4	6	5	5	4
Pneumonia (all forms) . . .	98	94	105	88	65	71	56	62	54	53	36	46	40
Bronchitis	85	81	70	74	55	38	42	31	37	23	29	27	27
Other dis. of resp. system .	8	13	16	13	12	13	8	9	8	8	8	9	14
Dis. of circ. system	180	149	160	190	150	175	142	141	137	135	124	148	145
Violence	35	49	40	37	39	43	31	35	29	41	36	26	52
Inquest cases	86	92	98	96	91	92	73	70	65	85	61	71	87
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Enteric fever	9	10	10	13	17	18	22	22	17	18	24	24	23
Small-pox	-	1	1	1	-	-	-	-	-	-	-	-	-
Measles	26	25	28	34	41	42	37	35	34	35	41	40	43
Scarlet fever	3307	3255	3195	3238	3299	3427	3491	3501	3569	3651	3672	3844	3882
Whooping cough	20	20	18	16	14	14	7	5	9	10	10	9	10
Diphtheria	2564	2453	2343	2281	2215	2140	2020	1980	1950	1928	1915	1921	1961

* The Metropolitan Asylums Board and London Fever Hospitals. The figures do not refer to London exclusively.

TABLE 3A. 96 Great Towns.—DEATHS from INFLUENZA in the last THIRTEEN WEEKS.

	Apr. 23.	Apr. 30.	May 7.	May 14.	May 21.	May 28.	June 4.	June 11.	June 18.	June 25.	July 2.	July 9.	July 16.
Deaths from Influenza	82	93	104	114	94	71	67	33	33	32	20	25	27

TABLE 4. LONDON.—DEATHS REGISTERED in the TWENTY-EIGHTH Week of the Year 1921.

CAUSES OF DEATH.	Deaths in the 28th week of the year 1920.	DEATHS of PERSONS of the AGES													
		ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-10 years.	10-15 years.	15-20 years.	20-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and up- wards.
ALL CAUSES	846	941	124	28	21	22	21	24	22	49	54	109	156	153	158
Enteric fever	2	3	-	-	-	-	1	-	-	2	-	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever	2	6	1	-	2	1	1	-	1	-	-	-	-	-	-
Whooping cough	4	13	8	4	1	-	-	-	-	-	-	-	-	-	-
Diphtheria	10	18	-	2	5	5	4	1	-	-	-	1	-	-	-
Influenza	6	4	-	-	-	-	1	-	-	-	1	1	1	-	-
Erysipelas	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute Poliomyelitis, Polioencepha- litis.	?	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	?	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal meningitis . . .	?	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Other endemic and epidemic diseases.	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
Pyæmia and septicæmia	1	2	1	-	-	-	-	-	-	-	1	-	-	-	-
Tetanus	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-
Tuberculosis:—															
Pulmonary tuberculosis	78	77	-	-	1	-	3	8	8	19	14	15	6	3	-
Tuberculous meningitis	16	13	1	3	3	2	2	1	1	-	-	-	-	-	-
Abdominal tuberculosis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of the spine	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
Tuberculosis of the joints	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Tuberculosis of other organs . . .	1	2	-	-	-	-	-	-	1	-	-	1	-	-	-
Disseminated tuberculosis . . .	4	4	-	-	-	-	2	-	1	-	1	-	-	-	-
Venereal diseases	3	4	2	-	-	-	-	-	-	1	1	-	-	-	-
Cancer	110	154	-	-	1	-	-	2	3	5	8	28	48	44	15
Rheumatic fever	3	5	-	-	-	1	-	-	1	-	2	1	-	-	-
Diabetes	5	4	-	-	-	-	1	-	-	-	-	-	1	2	-
Anæmia, leucocythæmia	6	8	1	-	-	1	1	-	-	2	-	1	2	-	-
Other general diseases	12	13	1	-	-	-	-	-	-	-	2	3	1	2	4
Alcoholism	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic poisonings	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	5	2	-	-	-	1	-	-	-	-	1	-	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	47	54	-	-	-	-	-	-	-	-	-	5	14	19	16
Softening of brain	1	2	-	-	-	-	-	-	-	-	-	-	-	1	1
Paralysis, without specified cause .	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epilepsy	3	4	-	-	-	-	-	-	-	1	1	1	-	-	1
"Convulsions" (not puerperal) . .	6	7	7	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system .	14	26	3	-	1	-	-	-	-	2	4	3	4	7	2
Pericarditis	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-
Acute endocarditis	7	6	-	-	-	1	1	1	-	1	-	1	-	-	1
Other diseases of heart	97	98	-	-	-	-	1	2	1	1	3	13	19	26	32
Embolism and thrombosis (exclud- ing cerebral).	10	1	-	-	-	-	-	-	-	-	-	1	-	-	-
Other diseases of circulatory system.	32	39	2	-	-	-	-	-	-	-	1	2	7	7	20
Diseases of the larynx	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Bronchitis	32	27	2	1	-	-	-	-	-	-	-	1	8	9	6
Broncho-pneumonia	14	18	6	4	2	-	-	1	-	-	-	2	1	2	2
Lobar pneumonia	15	13	-	1	1	-	-	-	-	2	1	1	5	2	-
Pneumonia (type not distinguished)	7	9	-	-	-	-	-	1	-	2	-	2	2	-	2
Pleurisy	3	5	-	-	-	-	-	-	-	-	1	1	2	1	-
Pulmonary congestion, Pulmonary apoplexy.	3	3	1	-	-	-	-	-	-	-	-	-	-	1	1
Other diseases of respiratory system.	7	5	-	-	-	1	-	-	-	1	-	-	-	-	3

TABLE 5.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS. of Stillborn.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM							
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria* Diarrhoeal Diseases† (under 2 years).	Influenza.	
LONDON† . .	4,531,971	1921. July 16	1,910	941	10·8	3	-	-	6	13	18	30	4
CALCUTTA . .	896,067	June 11	-	458§	26·5	?	1	?	?	?	?	?	6
BOMBAY . .	979,445	" 11	310	814§	43·2	3	10	3	-	-	-	49	15
MADRAS . .	518,660	" 4	-	-	-	-	-	-	-	-	-	-	-
PARIS . .	2,847,229	(10 days) June 20	1,438	954	12·2	5	-	8	1	1	2	26	1
BRUSSELS . .	792,919	- - -	-	-	-	-	-	-	-	-	-	-	-
ANTWERP . .	339,523	July 2	113	48	7·5	-	-	-	-	-	-	6	-
AMSTERDAM . .	680,583	" 2	294	107	8·2	1	-	-	-	1	-	-	-
COPENHAGEN . .	571,000	" 2	222	112	10·2	-	-	-	-	-	-	1	-
STOCKHOLM . .	419,788	June 25	132	87	10·8	-	-	2	-	-	1	-	-
GOTHENBURG . .	205,547	" 25	-	28	7·8	-	-	-	1	-	-	-	-
CHRISTIANIA . .	260,904	July 2	-	44	11·1	-	-	-	-	-	-	-	-
		" 2	82	55	11·0	-	-	-	-	1	-	1	-
BERLIN . .	1,949,000	June 25	467	375	10·0	1	?	-	1	3	-	11	1
BRESLAU . .	547,000	" 25	241	158	15·0	1	?	1	-	-	-	10	1
DÜSSELDORF . .	664,000	" 25	312	141	11·0	-	?	-	-	1	-	13	-
LEIPZIG . .	595,000	" 25	198	106	9·3	-	?	-	-	-	-	3	-
FRANKFURT- ON-MAIN . .	468,000	" 25	133	83	9·2	-	?	-	-	-	-	5	-
HAMBURG . .	1,003,000	" 25	356	209	10·8	-	?	2	1	1	-	3	2
PIETZIG . .	631,000	" 25	231	115	9·5	-	?	-	-	-	-	3	2
MUNICH . .	670,000	" 25	-	-	-	-	-	-	-	-	-	-	-
VIENNA . .	1,842,005	" 18	-	-	-	-	-	-	-	-	-	-	-
PRAGUE AND SUBURBS . .	676,454	" 11	277	231	17·8	2	-	2	-	2	-	13	1
BUDAPEST . .	933,000	Apr. 30	357	348	19·4	1	?	10	3	2	1	23	1
TRIESTE . .	248,428	May 28	-	-	-	-	-	-	-	-	-	-	-
CAIRO . .	765,200	Apr. 22	564	435	29·6	3	-	-	-	?	-	54	?
		" 29	586	460	31·3	2	1	1	-	?	1	62	?
ALEXANDRIA . .	449,300	" 22	331	277§	32·1	3	-	1	1	?	2	20	?
		" 29	304	242§	28·0	-	-	1	1	?	1	27	?
NEW YORK . .	5,751,859	June 4	2,466	1,208	11·0	1	-	5	3	6	27	24	6
CHICAGO . .	2,780,655	" 18	-	523	9·8	1	-	2	6	3	7	23	1

including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Cities, Vienna, Prague and Suburbs, Budapest, and Trieste.

The deaths in this column relate to *all ages* for Bombay, Madras, Christiania, and Budapest, and to *children under 1 year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

The estimated population and deaths refer to the civilian population only.

Including 9 deaths from *plague* in Bombay, and 6 and 6 in Alexandria, and from *Asiatic cholera*, 67 deaths in Calcutta.

TABLE 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 16th July, 1921.
(Supplied by the Meteorological Office.)

TOWNS.	Temperature of Air.*				Rainfall in Milli- metres.†	TOWNS.	Temperature of Air.*				Rainfall in Milli- metres.†
	Highest.	Lowest.	Mean Maxi- mum.	Mean Mini- mum.			Highest.	Lowest.	Mean Maxi- mum.	Mean Mini- mum.	
LONDON (Greenwich) }	94	52	85·0	56·6	0	BRADFORD . .	85	50	75·4	54·0	2
LIGHTON . .	84	59	80·4	61·6	0	SHEFFIELD . .	89	53	78·9	56·7	0·4
PORTSMOUTH . .	88	55	80·6	60·6	2	YORK (Museum) . .	89	48	77·6	54·9	3
WARWICK (South- well Lodge) }	90	50	79·2	54·1	2	HULL (Pearson Park)	89	52	74·9	56·3	2
PLYMOUTH . .	81	55	77·4	59·1	2	TYNEMOUTH . .	77	53	66·3	56·0	8
GLISTOL (Clifton) .	87	54	82·7	59·7	5	CARDIFF . .	87	56	81·4	59·7	6
BIRMINGHAM . .	89	54	82·3	58·0	2	EDINBURGH . .	-	-	-	-	-
NOTTINGHAM . .	92	48	83·0	55·7	2	GLASGOW . .	79·6	52·5	69·8	55·8	10
GLASGOW (Bidston) }	80	56	75·7	59·4	4	DUBLIN :—	-	-	-	-	-
CHESTER . .	89	51	81·1	58·1	4	Phoenix Park . .	-	-	-	-	-
MANCHESTER . .	84	41	75·6	52·4	1	† Fitzwilliam Square	79·0	58·8	72·7	60·4	20
RODDERSFIELD . .	87	51	77·9	55·6	1	BELFAST . .	-	-	-	-	-

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.

† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.

‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

TABLE 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 16th July 1921.

[Under the Superintendence of the Astronomer Royal.]

1921. MONTH AND DAY.		Phases of the Moon.	BARO- METER. Mean daily reading (cor- rected and re- duced to 32° Fahren- heit).	TEMPERATURE.						Difference between the Air Temperature and Dew Point Temperature.			De- gree of Hu- mid- ity (Satu- ration equals 100).	TEMPERATURE.		Wind as deduced from Anemometers.				Rain collected in a Gauge whose surface is 5 inches above the Ground.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
				Of the Air.				De- parture from Average of 65 years.	Of the Dew point.		Mean daily value.	Great- est.		Least.	Osler's.		Robinson's.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
				High- est.	Low- est.	Daily Range.	Mean daily value.		General Direction.	Pressure on the Square Foot.					Horizontal Movement of the Air on each Day.	Depart- ure from Average of 50 years.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
JULY.			in.	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°</

DATE.		ELECTRICITY. (For explanation of symbols, see Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
JULY 1921.					
SUNDAY	- 10	No register	14.8	16.3	Cloudless with very slight exceptions; misty between 4h. and 7h.
MONDAY	- 11	No register	14.8	16.3	Cloudless throughout; hazy at times.
TUESDAY	- 12	No register	14.1	16.2	Cloudless throughout with one slight excep- tion; hazy in early morning.
WEDNESDAY	- 13	No register till 10h., v.P. afterwards.	13.6	16.2	Cloudless generally till 15h.; thin cloud increasingly prevalent afterwards.
THURSDAY	- 14	v.P. generally	7.1	16.2	Nearly cloudless till 2h.; variable thin cloud till noon; nearly overcast generally by 13h.; slight rain between 15h. 30m. and 17h. 30m.
FRIDAY	- 15	No register till 13h., imperfect afterwards.	7.0	16.1	Nearly cloudless till 6h.; thin cloud variably prevalent afterwards becoming generally by 14h.; hazy in forenoon.
SATURDAY	- 16	Register very imperfect.	11.2	16.1	Nearly overcast generally till 6h.; variably cloudy till 18h. 30m.; nearly overcast till 22h., then partially cloudy.
No. of Col. -		26	Sum 82.6	Sum 113.4	
			27	28	

The results apply to the civil day, or from midnight to midnight.
The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "higher," and - "lower," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased generally from 30.10 in. at the beginning of the week to 29.73 in. by 5h. on 16th, and increased to 29.83 in. by midnight on the same day.

The results apply to the civil day, or from midnight to midnight.
The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.
Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.
The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.
In reading columns 9 and 24 it will be borne in mind that + indicates "higher," and - "lower," than the average.
The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.
The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.
The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.
The reading of the barometer decreased generally from 30.10 in. at the beginning of the week to 29.73 in. by 5h. on 16th, and increased to 29.83 in. by midnight on the same day.

TABLE 8. LONDON.—DEATHS OF PERSONS BELONGING to the several METROPOLITAN BOROUGHs REGISTERED in the Week ended 9th July, 1921.

BOROUGHs.	Deaths from									Deaths of Infants under 1 Year of Age.
	ALL CAUSES.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Pulmonary Tuberculosis.	
COUNTY OF LONDON .	751	-	-	4	2	9	10	13	55	86
Western										
PADDINGTON . . .	21	-	-	-	-	1	-	-	2	1
KENSINGTON . . .	35	-	-	-	-	-	-	-	2	3
HAMMERSMITH . . .	20	-	-	-	-	-	1	1	1	3
FULHAM	25	-	-	-	-	1	-	-	2	3
CHELSEA	14	-	-	-	-	-	-	-	2	1
CITY OF WESTMINSTER .	27	-	-	-	-	-	-	1	2	3
Northern.										
ST. MARYLEBONE . . .	14	-	-	-	-	-	-	-	-	1
HAMPSTEAD	12	-	-	-	-	-	-	-	1	-
ST. PANCRAS	31	-	-	-	-	1	1	1	2	3
ISLINGTON	49	-	-	-	-	1	-	-	3	8
STOKE NEWINGTON . . .	7	-	-	-	-	-	-	-	-	-
HACKNEY	30	-	-	-	-	1	-	-	2	6
Central.										
HOLBORN	8	-	-	-	-	-	-	-	-	-
FINSBURY	14	-	-	-	-	-	1	-	2	1
CITY OF LONDON . . .	2	-	-	-	-	-	-	-	-	-
Eastern.										
SHOREDITCH	25	-	-	-	-	-	-	-	3	4
BETHNAL GREEN . . .	14	-	-	-	-	-	-	-	-	2
STEPNEY	56	-	-	1	1	-	-	3	6	10
POPLAR	23	-	-	-	-	-	-	-	1	1
Southern.										
SOUTHWARK	29	-	-	1	-	1	-	-	2	1
BERMONDSEY	28	-	-	-	1	1	4	1	2	4
LAMBETH	50	-	-	-	-	-	-	1	2	6
BATTERSEA	25	-	-	1	-	-	-	-	-	5
WANDSWORTH	51	-	-	-	-	-	1	-	8	5
CAMBERWELL	58	-	-	-	-	2	-	2	3	7
DEPTFORD	26	-	-	1	-	-	-	1	5	3
GREENWICH	18	-	-	-	-	-	1	-	-	1
LEWISHAM	20	-	-	-	-	-	-	-	1	2
WOOLWICH	19	-	-	-	-	-	1	2	1	2

The deaths in the above Table are, so far as concerns London as a whole, corrected by the exclusion of deaths of non-residents, and by the inclusion of those of residents occurring in the Outer Ring or in Metropolitan public institutions situated outside the County. As between individual Metropolitan Boroughs, however, correction is complete.

TABLE 9. LONDON.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED during the Week ended 9th July, 1921.*

Boroughs.	ESTI- MATED CIVILIAN POPU- LATION, MID. 1920.† (Provi- sional.)	Enteric Fever.	Malaria.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Pneumonia.	Erysipelas.	Cerebro-Spinal Fever.	Puerperal Fever.	Ophthalmia Neonatorum.	Polionyelitis.	Dysentery.	Encephalitis Lethargica.	Trench Fever.	Polio- encephalitis.
WESTERN.																	
Paddington . . .	149,673	-	-	-	-	16	7	2	1	-	-	1	-	-	-	-	-
Kensington . . .	164,177	1	-	-	-	20	3	1	1	-	-	1	-	-	-	-	-
Hammersmith . . .	136,200	-	-	-	-	28	5	3	-	-	-	1	-	-	-	-	-
Fulham . . .	158,621	-	-	-	-	12	8	-	2	-	1	2	-	-	-	-	-
Chelsea . . .	62,987	-	-	-	-	4	-	1	-	-	-	-	-	-	-	-	-
City of Westminster . . .	132,615	-	-	-	-	11	1	-	-	-	1	-	-	-	-	-	-
NORTHERN.																	
St. Marylebone . . .	101,856	-	-	-	-	7	4	2	2	1	-	2	-	-	-	-	-
Hampstead . . .	91,519	-	-	-	-	5	3	1	2	-	-	-	-	-	-	-	-
St. Pancras . . .	228,178	1	1	-	-	21	13	-	2	-	-	1	-	-	-	-	-
Islington . . .	335,907	1	-	-	-	47	12	-	1	-	1	3	-	1	-	-	-
Stoke Newington . . .	52,984	-	-	-	-	14	1	-	-	-	-	-	-	-	-	-	-
Hackney . . .	225,372	-	-	-	-	32	18	-	-	-	-	-	-	-	-	-	-
CENTRAL.																	
Holborn . . .	39,676	-	-	-	-	1	3	-	-	-	-	-	-	-	-	-	-
Finsbury . . .	78,291	-	-	-	-	12	6	-	2	-	-	1	-	-	-	-	-
City of London . . .	14,447	-	-	-	-	2	3	-	-	-	-	-	-	-	-	-	-
EASTERN.																	
Shoreditch . . .	102,044	1	-	-	-	26	10	1	2	-	2	-	-	-	-	-	-
Bethnal Green . . .	114,471	-	-	-	-	7	6	3	-	-	-	1	-	-	-	-	-
Stepney . . .	241,770	-	-	-	-	50	15	6	1	-	-	-	-	-	-	-	-
Poplar . . .	159,766	-	-	-	-	32	12	4	-	-	-	2	-	-	-	-	-
SOUTHERN.																	
Southwark . . .	187,142	-	-	-	-	29	7	3	1	-	1	-	-	-	1	-	-
Bermondsey . . .	129,189	-	-	-	-	35	15	1	1	-	1	-	-	-	-	-	-
Lambeth . . .	293,572	-	-	-	-	37	10	1	1	-	-	1	1	-	-	-	-
Battersea . . .	165,664	-	-	-	-	25	13	4	3	-	-	3	-	-	-	-	-
Wandsworth . . .	346,990	-	-	-	-	27	24	2	1	-	-	1	-	-	-	-	-
Camberwell . . .	284,712	-	2	-	-	35	10	-	1	-	-	-	-	1	-	1	-
Deptford . . .	115,636	-	-	-	-	18	6	3	2	-	-	-	-	-	-	-	-
Greenwich . . .	102,408	-	-	-	-	15	6	-	-	-	-	-	-	-	-	-	-
Lewisham . . .	174,458	-	-	-	-	29	15	2	-	-	-	-	-	-	-	-	-
Woolwich . . .	141,666	1	-	-	-	28	12	3	-	-	-	-	-	-	-	-	-
TOTAL . . .	4,531,971	5	3	-	-	625	250	43	26	1	7	20	2	2	1	1	-
AGES.																	
Ages 0-1 . . .		-	-	-	-	7	3	1	2	1	-	20	-	-	-	-	-
" 1-5 . . .		-	-	-	-	107	49	9	1	-	-	-	1	-	-	-	-
" 5- . . .		1	-	-	-	295	99	7	1	-	-	-	1	-	-	-	-
" 10- . . .		-	-	-	-	154	56	4	-	-	-	-	-	-	-	-	-
" 15- . . .		-	-	-	-	25	15	1	-	-	-	-	-	-	1	-	-
" 20- . . .		-	-	-	-	21	5	3	1	-	1	-	-	-	-	-	-
" 25- . . .		3	1	-	-	10	15	1	3	-	4	-	-	-	-	-	-
" 35- . . .		-	2	-	-	5	5	9	7	-	2	-	-	-	-	1	-
" 45- . . .		-	-	-	-	1	2	5	5	-	-	-	-	2	-	-	-
" 55- . . .		1	-	-	-	-	-	1	3	-	-	-	-	-	-	-	-
" 65- . . .		-	-	-	-	-	1	2	2	-	-	-	-	-	-	-	-
" 75 and upwards . . .		-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Age not stated . . .		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

† See note † on first page of this return.

Printed under the authority of
HIS MAJESTY'S STATIONERY OFFICE
By Eyre and Spottiswoode, Ltd., East Harding Street, E.C.4.
Printers to the King's most Excellent Majesty.

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS AND DEATHS REGISTERED:—

**LONDON AND
NINETY-FIVE OTHER GREAT TOWNS.**

~~~~~  
By Authority of the Registrar General,  
~~~~~

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased through any Bookseller or directly from
H.M. STATIONERY OFFICE at the following addresses:
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and
28, ABINGDON STREET, LONDON, S.W. 1;
37, PETER STREET, MANCHESTER;
1, ST. ANDREW'S CRESCENT, CARDIFF;
23, FORTH STREET EDINBURGH;
or from E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN.

No. 29. VOL. LXXXII. 1921. WEEK ENDED SATURDAY, JULY 23.
[Price 9d. Net.]

*General Register Office, Somerset House,
July 26th, 1921.*

NINETY-SIX GREAT TOWNS.

For the NINETY-SIX GREAT TOWNS of England and Wales each of which had a population of 50,000 or over at the Census of 1911, the births registered last week numbered 8,670, and corresponded to an annual rate of 24·3 per 1,000. The deaths* among the civilian population only numbered 3,630, and corresponded to an annual rate of 10·2 per 1,000 of their aggregate civilian population, which is provisionally estimated† at 18,554,878 persons in the year 1920. In the three weeks ended July 2nd, July 9th, and July 16th, the rates had been 9·4, 9·5, and 10·3 respectively. The infant mortality was 73, against 53, 53, and 65 in the preceding three weeks. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks; it also shows for the week ended last Saturday the births and the deaths from certain individual causes. A column showing the number of deaths

* Corrected as far as possible for deaths of non-residents and for those of residents occurring outside the area. Fully corrected figures will appear in the Registrar General's Annual Report.

† The estimates of population refer to the year 1920, and are based on the returns furnished under the scheme for rationing of food.

from influenza has been inserted in Table 1. The aggregate number of deaths from influenza in the 96 great towns in each of the last thirteen weeks is shown in Table 3A.

Measured by last week's mortality, the highest annual death-rates per 1,000 living were :—from *all causes*, 14·1 in Walsall, 14·8 in Liverpool, 14·9 in Wigan, 15·0 in Gateshead, 16·5 in Barnsley, and 17·6 in West Hartlepool; and from *measles*, 1·0 in St. Helens and in Sunderland. No death from *small-pox* was registered in any of the ninety-six towns.

LONDON.* (The Administrative County, including the City of London.)

For LONDON there were 1,891 BIRTHS, corresponding to a rate of 21·7 per 1,000, and 857 DEATHS of civilians, corresponding to a rate of 9·9, as against 9·0, 8·6, and 10·8 per 1,000 in the three weeks ended July 2nd, July 9th, and July 16th. The death-rate in the four weeks ended last Saturday averaged 9·6 per 1,000. The infant mortality was 68, against 44, 44, and 65 in the preceding three weeks.

There was no death from *enteric fever*, against 0, 0, and 3, in the preceding three weeks, the average for the corresponding weeks of the previous five years being 1. The deaths from *measles*, which had been 0, 4, and 0 in the preceding three weeks, rose last week to 6, but were 8 below the average. The deaths from *scarlet fever*, which had been 6, 2, and 6 in the preceding three weeks, fell last week to 4, but were 2 above the average. The deaths from *whooping-cough*, which had been 5, 9, and 13 in the preceding three weeks, fell last week to 12, but were 4 above the average. The deaths from *diphtheria*, which had been 10, 10, and 18 in the preceding three weeks, fell last week to 12, but were 4 above the average. The deaths from *diarrhoea and enteritis under 2 years of age*, which had been 9, 13, and 30 in the preceding three weeks, were 29 last week, and were 17 above the average. The deaths from *influenza* numbered 3 as against 5, 5, and 4 in the preceding three weeks, and an average of 41.

Different forms of violence caused 45 deaths, of which 42 were the subject of coroners' inquests. Of these 45 deaths, 13 were cases of suicide, while the remaining 32 were attributed to other forms of violence. Ten of these latter were referred to vehicles in the streets, 3 to burns or scalds, and 4 to drowning.

CASES OF INFECTIOUS DISEASE.†

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital, there were 27 cases of enteric fever, 52 of measles, 3,884 of scarlet fever, 10 of whooping-cough, and 1,983 of diphtheria under treatment in these hospitals on Saturday last (Table 3). The admissions during the week,

* See note * on first page.

† The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

as compared with those in the preceding three weeks, were as follows :—Of enteric fever, 11 cases, against 8, 3, and 4; of measles, 11 cases, against 13, 8, and 9; of scarlet fever, 570 cases, against 520, 638, and 588; of whooping-cough, 1 case, against 0, 0, and 1; and of diphtheria, 259 cases, against 254, 239, and 256. Table 9, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the county during the week ended July 16th, 1921.

TABLE 1.—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH RATES in the Week ended Saturday, 23rd July, 1921, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.		DEATH-RATES from all Causes.		Week ended		Week ended		The DEATHS in the Week include										TOWNS.								
		CIVILIAN		23rd July 1921.		Deaths from																				
		ESTIMATED	POPULATION, MID. 1920.* (Provisional.)	2nd July, 1921.	9th July, 1921.	16th July, 1921.	23rd July, 1921.	Deaths of								Inquest Cases.				Deaths in Public Institutions.	Uncertified Causes of Death.					
Cols.		1.	2.	3.	4.	5.	6.	7.	8.	9.	Persons aged under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.	Violence.	19.	20.	21.	Cols.	
96 GREAT TOWNS.		13,554,878	9.4	9.5	10.3	10.2	9,670	3,630	637	1,109	1	-	27	8	52	30	198	19	170	282	1,318	24				96 GREAT TOWNS.
LONDON†		4,531,971	9.0	8.6	10.8	9.9	1,891	857	128	284	-	-	6	4	12	12	29	3	45	83	442	3				LONDON.†
(CROYDON.		191,580	9.3	4.6	10.1	13.9	85	51	10	18	-	-	-	-	-	2	-	-	1	2	19	-				(CROYDON.
WIMBLEDON.		62,174	6.7	7.5	5.9	12.6	26	15	2	3	-	-	-	-	-	2	1	-	1	1	5	-				WIMBLEDON.
EALING.		76,129	7.5	7.5	6.2	8.2	32	12	2	5	-	-	-	-	-	-	-	-	-	1	5	-				EALING.
ACTON.		64,192	3.2	7.3	9.7	8.1	33	10	-	2	-	-	-	-	-	-	-	-	1	1	6	-				ACTON.
WILLESDEN.		167,328	11.5	6.5	6.2	8.4	79	27	5	6	-	-	-	-	-	1	1	-	1	2	18	-				WILLESDEN.
HORNSEY.		98,107	7.4	13.3	5.3	4.8	30	9	-	3	-	-	-	-	-	-	-	-	-	-	4	-				HORNSEY.
TOTTENHAM		146,970	8.5	7.8	7.5	6.0	59	17	2	5	-	-	-	-	1	-	-	1	1	1	8	-				TOTTENHAM.
† EDMONTON.		73,529	5.0	8.5	9.2	8.5	42	12	3	3	-	-	-	-	-	1	-	-	-	1	6	-				† EDMONTON.
ENFIELD.		60,771	12.0	6.0	7.7	12.9	13	15	2	6	-	-	-	-	-	-	-	-	-	-	2	-				ENFIELD.
WEST HAM.		299,440	8.2	10.1	12.0	8.9	163	51	4	24	-	-	1	-	-	-	3	-	-	3	21	-				WEST HAM.
EAST HAM.		150,207	8.7	6.2	6.2	6.6	55	19	3	6	-	-	-	-	-	-	1	-	-	-	12	-				EAST HAM.
LEYTON.		128,832	4.9	6.1	9.7	6.9	47	17	2	7	-	-	-	-	-	-	2	-	1	1	7	-				LEYTON.
WALTHAMSTOW.		132,771	9.8	10.6	8.6	9.0	67	23	4	8	-	-	-	-	-	-	-	-	4	6	10	-				WALTHAMSTOW.
ILFORD.		82,693	5.7	5.0	6.9	5.7	30	9	-	4	-	-	-	-	-	-	-	-	-	-	4	-				ILFORD.
GILLINGHAM.		45,233	15.0	8.1	6.9	4.6	18	4	-	1	-	-	-	-	-	-	-	-	-	-	2	-				GILLINGHAM.
HASTINGS.		59,972	10.4	4.3	11.3	12.2	19	14	-	6	-	-	-	-	-	-	-	-	-	1	3	-				HASTINGS.
EASTBOURNE.		50,354	6.2	11.4	9.3	10.4	19	10	-	6	-	-	-	-	-	-	-	-	-	-	3	-				EASTBOURNE.
BRIGHTON.		137,685	7.2	6.1	11.0	3.7	55	23	3	12	-	-	-	-	-	-	-	-	-	1	6	-				BRIGHTON.
PORTSMOUTH.		235,993	6.8	10.4	8.2	8.8	124	40	10	14	-	-	-	-	-	-	-	-	-	2	14	-				PORTSMOUTH.
BOURNEMOUTH.		85,919	9.7	11.5	11.5	12.7	26	21	1	7	-	-	-	-	-	-	-	-	5	6	7	-				BOURNEMOUTH.
SOUTHAMPTON.		162,358	10.9	8.3	4.8	7.1	70	22	2	3	-	-	-	-	-	-	5	-	2	2	9	-				SOUTHAMPTON.
READING.		95,006	7.1	11.0	12.6	9.3	44	17	3	8	-	-	-	-	-	-	2	-	2	2	4	-				READING.
OXFORD.		59,963	8.7	7.8	12.2	7.0	25	8	-	5	-	-	-	-	-	-	-	-	1	1	2	-				OXFORD.
NORTHAMPTON.		92,488	9.6	6.2	7.9	7.9	34	14	1	5	-	-	-	-	-	-	-	-	1	1	5	-				NORTHAMPTON.
CAMBRIDGE.		60,154	7.8§	9.5	7.8	10.4	20	12	1	7	-	-	-	-	-	-	1	-	2	2	2	-				CAMBRIDGE.

* See note † on first page of this return.

† For Greater London see end of Table.

‡ These towns are included within the area of Greater London.

in the Week ended Saturday, 23rd July 1921, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	ESTIMATED CIVILIAN POPULATION, MID. 1920.* (Provisional.)	DEATH-RATES from all Causes.					Week ended 23rd July, 1921.		The DEATHS in the Week include										TOWNS.				
		Week ended					BIRTHS.	DEATHS.	Deaths of		Deaths from									Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified (Causes of Death.
		2nd July, 1921.	9th July, 1921.	16th July, 1921.	23rd July, 1921.	Infants under 1 Year of Age.			Persons aged 65 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.							
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.	
SOUTHEND ON SEA.	87,382	7.8	9.0	9.5	8.4	45	14	1	7	-	-	-	-	-	-	-	-	1	1	2	1	SOUTHEND ON SEA.	
IPSWICH . . .	81,119	9.0	5.8	7.7	9.0	29	14	2	3	-	-	-	-	-	-	-	-	2	-	7	-	IPSWICH.	
GREAT YARMOUTH .	55,193	4.7	14.2	6.6	13.2	23	14	3	4	-	-	-	-	-	-	-	-	1	1	1	-	GREAT YARMOUTH.	
NORWICH . . .	124,774	9.2	7.5	7.1	8.8	60	21	1	11	-	-	-	-	-	-	-	-	-	1	9	-	NORWICH.	
SWINDON . . .	53,580	11.7	4.9	4.9	7.8	29	8	2	1	-	-	-	-	-	-	-	-	-	1	1	-	SWINDON.	
EXETER . . .	61,365	6.8	16.1	18.7	10.2	37	12	4	3	-	-	-	-	-	-	2	-	-	-	4	-	EXETER.	
PLYMOUTH . . .	189,218	9.1	12.7	11.3	10.5	109	38	7	12	-	-	-	-	-	-	4	-	2	3	5	-	PLYMOUTH.	
BATH . . .	68,546	12.2	9.9	12.9	9.9	25	13	2	7	-	-	-	-	-	-	1	-	-	-	1	-	BATH.	
BRISTOL . . .	375,641	7.5	8.9	11.2	9.4	184	68	10	19	-	-	1	-	1	2	2	-	3	8	25	-	BRISTOL.	
GLOUCESTER . . .	52,096	4.0	15.0	5.0	6.0	30	6	1	1	-	-	-	-	-	-	1	-	-	-	3	-	GLOUCESTER.	
STOKE ON TRENT .	248,852	10.1	11.5	12.4	9.8	127	47	12	7	-	-	-	-	-	-	6	2	-	-	13	1	STOKE ON TRENT.	
WOLVERHAMPTON .	102,324	10.2	10.7	9.2	6.1	45	12	-	8	-	-	-	-	-	-	-	-	1	2	3	-	WOLVERHAMPTON.	
WALSALL . . .	96,419	10.3	6.5	11.9	14.1	57	26	4	8	-	-	-	-	-	-	2	-	1	1	4	-	WALSALL.	
WEST BROMWICH .	72,684	10.8	10.0	10.0	7.9	43	11	1	2	-	-	-	-	-	-	-	-	-	-	-	-	WEST BROMWICH.	
DUDLEY . . .	56,169	11.1	13.0	6.5	12.1	31	13	3	4	-	-	-	-	1	-	1	-	-	-	2	1	DUDLEY.	
BIRMINGHAM . . .	895,915	9.3	8.9	10.7	8.8	464	151	24	42	-	-	-	-	1	-	5	1	7	9	56	6	BIRMINGHAM.	
SMETHWICK . . .	75,027	4.9	6.3	7.0	11.8	50	17	5	2	-	-	-	-	-	-	1	-	-	-	3	-	SMETHWICK.	
COVENTRY . . .	137,310	5.3	11.8	8.7	9.1	57	24	4	10	-	-	-	-	-	-	-	-	-	1	9	-	COVENTRY.	
LEICESTER . . .	245,465	6.4	9.3	8.5	10.6	102	50	14	17	-	-	-	-	-	-	6	-	1	2	18	3	LEICESTER.	
LINCOLN . . .	67,543	8.5	8.5	5.4	9.3	27	12	2	2	-	-	-	-	1	1	-	-	-	-	5	-	LINCOLN.	
GRIMSBY . . .	31,953	8.9	9.5	10.8	8.3	63	13	3	2	-	-	-	-	2	-	-	-	-	-	1	-	GRIMSBY.	
NOTTINGHAM . . .	267,886	7.6	7.2	10.1	10.7	134	55	9	17	-	-	-	-	-	-	5	-	1	5	25	-	NOTTINGHAM.	
DERBY . . .	128,868	10.9	12.1	7.7	8.9	78	22	1	10	-	-	-	-	2	-	-	-	2	4	5	-	DERBY.	

* See note † on first page of this return.

TABLE 1 (cont.).—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH-RATE in the Week ended Saturday, 23rd July, 1921, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	ESTIMATED CIVILIAN POPULATION MID. 1920.* (Provisional.)	DEATH-RATES from all Causes.				Week ended 23rd July, 1921.		The DEATHS in the Week include										TOWNS																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
		Week ended				BIRTHS.	DEATHS.	8.	9.	Deaths from									Deaths in Public Institutions.	Uncertified Causes or Death.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
		2nd July, 1921.	9th July, 1921.	16th July, 1921.	23rd July, 1921.					Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diptheria.				Diarrhoea and Enteritis (under 2 years).	Influenza.	Violence.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
	1.	2.	3.	4.	5.	6.	7.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										</

* See note t on first page of this return.

TOWNS.	CIVILIAN POPULATION, MID. 1920.* (Provisional).	Week ended				23rd July, 1921.		Deaths of		Deaths from										Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS
						BIRTHS.	DEATHS.	Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Intertitis (under 2 years).	Influenza.	Violence.				
		2nd July, 1921.	9th July, 1921.	16th July, 1921.	23rd July, 1921.																	
	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
SHEFFIELD	492,570	10.1	8.9	9.5	10.5	219	99	23	38	-	-	-	1	3	-	4	-	5	13	29	-	SHEFFIELD.
ROTHERHAM	71,785	6.5	10.9	6.5	11.6	40	16	3	5	-	-	-	-	-	-	-	-	-	-	4	-	ROTHERHAM.
YORK	77,501	8.7	9.4	11.4	8.7	46	13	5	4	-	-	-	-	1	-	2	-	1	1	5	-	YORK.
HULL	290,808	10.2	8.4	11.1	10.4	128	58	10	18	-	-	-	-	-	-	5	-	3	7	25	-	HULL.
MIDDLESBROUGH	132,208	9.1	11.4	6.7	11.8	89	30	7	7	-	-	-	-	-	-	1	-	6	7	12	-	MIDDLESBROUGH.
DARLINGTON	66,610	11.7	10.2	11.0	11.0	31	14	2	8	-	-	-	-	-	-	-	-	1	-	1	2	DARLINGTON.
STOCKTON ON TEES	63,114	5.8	5.8	9.9	9.9	35	12	1	3	-	-	-	-	-	-	-	1	-	1	1	-	STOCKTON ON TEES.
WEST HARTLEPOOL	68,126	9.9	9.9	11.5	17.6	51	23	4	3	-	-	1	-	1	-	-	-	-	-	5	-	WEST HARTLEPOOL.
SUNDERLAND	155,211	9.4	13.1	13.4	13.8	109	41	10	9	-	-	3	-	2	-	-	-	1	1	4	-	SUNDERLAND.
SOUTH SHIELDS	115,945	10.3	17.5	16.6	10.3	66	23	5	5	-	-	2	-	-	-	-	-	1	1	6	-	SOUTH SHIELDS.
GATESHEAD	128,309	11.4	11.4	13.0	15.0	76	37	9	8	-	-	2	-	1	-	2	-	1	1	4	1	GATESHEAD.
NEWCASTLE ON TYNE.	286,061	13.3	9.7	10.0	10.0	179	55	10	13	-	-	-	-	-	1	4	-	3	5	26	-	NEWCASTLE ON TYNE.
TYNEMOUTH	60,318	11.2	12.1	8.6	10.4	40	12	2	3	-	-	-	-	-	-	1	-	1	1	2	-	TYNEMOUTH.
CARLISLE	57,397	10.9	16.4	9.1	10.9	17	12	3	5	-	-	-	-	-	-	1	-	-	-	2	1	CARLISLE.
NEWPORT (MON.)	90,728	6.3	8.6	12.6	10.3	46	18	5	4	-	-	-	-	-	-	2	-	1	1	5	-	NEWPORT (MON.).
CARDIFF	212,582	8.8	9.8	14.5	12.3	100	50	23	10	-	-	-	-	-	-	19	-	2	3	12	-	CARDIFF.
RHONDDA	184,999	7.6	5.1	10.1	7.3	100	26	8	3	-	-	-	-	1	1	6	-	1	1	2	-	RHONDDA.
MERTHYR TYDFIL	74,493	13.3	9.8	18.9	9.8	34	14	3	3	-	-	-	-	-	-	-	-	1	1	1	-	MERTHYR TYDFIL.
ABERDARE	53,431	9.8	12.7	14.6	10.7	44	11	5	5	-	-	-	-	-	-	2	-	-	-	-	-	ABERDARE.
SWANSEA	167,218	10.6	6.2	8.7	11.2	79	36	7	10	-	-	-	-	-	-	4	-	2	3	6	-	SWANSEA.
GREATER LONDON	7,548,647	8.5	8.3	9.9	9.3	3143	1348	196	467	-	-	7	5	14	19	44	5	68	124	619	4	GREATER LONDON.
OUTER RING	3,016,676	7.9	7.7	8.6	8.5	1252	491	68	183	-	-	1	1	2	7	15	2	23	41	177	1	OUTER RING.
14 GREAT TOWNS IN OUTER RING.	1,734,723	8.1	7.8	8.5	8.6	761	257	39	100	-	-	1	-	1	6	9	1	10	19	127	-	14 GREAT TOWNS IN OUTER RING.
REMAINDER OF OUTER RING.	1,281,953	7.6	7.6	8.7	8.3	491	204	29	83	-	-	-	1	1	1	6	1	13	22	50	1	REMAINDER OF OUTER RING.
EDINBURGH†	420,267	12.3	8.6	11.8	12.0	183	97	13	34	-	-	-	3	3	2	1	-	3	?	?	?	EDINBURGH.†
GLASGOW†	1,034,069	11.7	11.8	10.7	12.4	567	245	45	59	-	-	-	1	4	1	9	-	18	?	?	?	GLASGOW.†
DUBLIN (Registration Area).†	423,000	12.7	12.9	15.8	15.4	231	125	42	26	-	-	-	-	-	1	27	-	5	5	?	3	DUBLIN (Registration Area).†
BELFAST†	420,000	13.3	11.8	11.2	12.7	279	102	22	23	-	-	-	-	-	1	12	-	2	3	24	3	BELFAST.†

* See note † on first page of this return.

† The populations are total populations and relate to 1921, those for Edinburgh and Glasgow being Census populations. Deaths and the death-rates in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week: those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

TABLE 2. LONDON.—Births and Deaths registered during the TWENTY-NINTH Week of each of the Eleven Years, 1911-1921.

	1911.	1912.	1913.	1914.	1915.	1916.	1917.	1918.	1919.	1920.	1921.
Births (as registered).	2175	2072	2139	2066	1907	2031	1566	1327	1369	2229	1891
Males	1064	1010	1100	1047	983	1053	784	699	749	1128	992
Females	1111	1062	1039	1019	924	978	782	628	620	1101	899
Deaths (of residents only).	985	1057	901	923	967	894*	861*	1171*	708*	762*	857*
Males	516	524	483	500	536	468	466	587	369	408	450
Females	469	533	418	423	431	426	395	584	339	354	407

* Deaths in civilian population only.

TABLE 3. LONDON.—BIRTHS and DEATHS REGISTERED, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the last THIRTEEN WEEKS.

	Apr. 30.	May 7.	May 14.	May 21.	May 28.	June 4.	June 11.	June 18.	June 25.	July 2.	July 9.	July 16.	July 23.
Births (as registered)	2082	1940	2068	1868	2188	1971	2128	2008	1919	1904	1955	1910	1891
Deaths (of residents only).	1049	999	1012	932	936	867	795	801	840	779	751	941	857
Under 1 year	136	147	108	116	132	108	96	92	100	84	86	124	128
1-2 years	33	28	25	35	32	16	26	29	16	24	24	28	44
2-5 "	17	23	28	15	25	15	20	20	20	23	23	21	26
5-10 "	28	24	20	29	24	32	17	31	22	16	10	22	18
Age 10-15 "	13	14	17	13	18	19	14	16	18	14	10	21	10
15-20 "	31	19	23	23	22	23	20	13	24	24	20	24	23
at 20-25 "	25	34	24	22	14	20	17	16	21	22	18	22	13
25-35 "	43	41	50	53	56	58	50	42	55	45	29	49	33
Death 35-45 "	88	73	89	72	65	68	51	68	66	58	53	54	51
45-55 "	96	103	108	109	100	95	84	85	96	84	109	109	102
55-65 "	176	146	145	119	133	133	120	125	129	126	105	156	120
65-75 "	173	169	191	166	174	155	143	136	146	150	137	153	146
75 years and upwards	190	178	184	160	141	125	137	128	127	109	127	158	138
Deaths from—													
Enteric fever	—	—	—	—	1	3	—	—	3	—	—	3	—
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	6	3	6	4	3	5	3	3	7	—	4	—	6
Scarlet fever	7	7	5	6	4	9	4	8	6	6	2	6	4
Whooping cough	8	11	12	7	16	6	11	9	6	5	9	13	12
Diphtheria	18	19	17	19	22	14	10	17	12	10	10	18	12
Diarrhoea and enteritis (under 2 years).	16	15	7	15	14	9	11	11	12	9	13	30	29
Pulmonary tuberculosis	99	92	87	82	83	103	73	70	101	93	55	77	71
Influenza	35	20	28	23	6	9	6	4	6	5	5	4	3
Pneumonia (all forms)	94	105	88	65	71	56	62	54	53	36	46	40	60
Bronchitis	81	70	74	55	38	42	31	37	23	29	27	27	36
Other dis. of resp. system	13	16	13	12	13	8	9	8	8	8	9	14	13
Dis. of circ. system	149	160	190	150	175	142	141	137	135	124	148	145	126
Violence	49	40	37	39	43	31	35	29	41	36	26	52	45
Inquest cases	92	98	96	91	92	73	70	65	85	61	71	87	83

CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.

Enteric fever	10	10	13	17	18	22	22	17	18	24	24	23	27
Small-pox	1	1	1	—	—	—	—	—	—	—	—	—	—
Measles	25	28	34	41	42	37	35	34	35	41	40	43	52
Scarlet fever	3255	3195	3238	3299	3427	3491	3501	3569	3651	3672	3844	3879	3884
Whooping cough	20	18	16	14	14	7	5	9	10	10	9	10	10
Diphtheria	2453	2343	2281	2215	2140	2020	1980	1950	1928	1915	1921	1961	1983

* The Metropolitan Asylums Board and London Fever Hospitals. The figures do not refer to London exclusively.

TABLE 3A. 96 Great Towns.—DEATHS from INFLUENZA in the last THIRTEEN WEEKS.

	Apr. 30.	May 7.	May 14.	May 21.	May 28.	June 4.	June 11.	June 18.	June 25.	July 2.	July 9.	July 16.	July 23.
Deaths from Influenza	93	104	114	94	71	67	33	33	32	20	25	27	19

TABLE 2. LONDON.—DEATHS REGISTERED in the TWENTY-NINTH Week of the Year 1921.

CAUSES OF DEATH.	Deaths in the 29th week of the year 1920.	DEATHS of PERSONS of the AGES													
		ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-10 years.	10-15 years.	15-20 years.	20-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards.
ALL CAUSES	762	857	128	44	26	18	10	23	18	33	51	102	120	146	138
Enteric fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	4	6	1	2	3	-	-	-	-	-	-	-	-	-	-
Scarlet fever	1	4	-	2	-	2	-	-	-	-	-	-	-	-	-
Whooping cough	4	12	5	6	-	-	-	-	-	-	-	-	-	-	-
Diphtheria	13	12	-	2	4	4	1	-	-	-	-	-	-	-	-
Influenza	2	3	1	-	1	-	-	-	-	-	1	-	-	-	-
Erysipelas	1	2	-	-	-	-	-	-	-	1	-	1	-	-	-
Acute Poliomyelitis, Polioencephalitis.	?	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Encephalitis lethargica	?	1	-	-	-	-	-	1	-	-	-	-	-	-	-
Meningococcal meningitis . . .	?	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other endemic and epidemic diseases.	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-
Pyæmia and septicæmia	-	3	-	-	-	-	-	-	-	-	-	2	-	1	-
Tetanus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis:—															
Pulmonary tuberculosis	66	71	1	1	-	1	-	9	10	13	11	12	8	3	2
Tuberculous meningitis	7	10	1	5	4	-	-	-	-	-	-	-	-	-	-
Abdominal tuberculosis	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-
Tuberculosis of the spine	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of the joints	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of other organs . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Disseminated tuberculosis . . .	2	2	-	1	-	1	-	-	-	-	-	-	-	-	-
Venereal diseases	1	4	3	-	-	-	-	-	-	-	-	1	-	-	-
Cancer	100	106	-	-	-	-	-	-	-	-	8	19	27	36	16
Rheumatic fever	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Diabetes	6	6	-	-	-	-	-	-	-	-	-	-	2	2	2
Anæmia, leucocythæmia	5	6	-	-	-	-	-	-	-	1	-	-	2	2	1
Other general diseases	3	9	3	1	-	-	-	-	-	1	-	1	-	1	2
Alcoholism	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic poisonings	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	5	9	1	5	2	-	-	-	-	-	1	-	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	27	30	-	-	-	-	-	-	-	1	-	2	7	14	6
Softening of brain	-	3	-	-	-	-	-	-	-	-	-	-	-	-	2
Paralysis, without specified cause .	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Epilepsy	5	10	-	-	-	-	-	-	-	-	-	-	-	-	-
"Convulsions" (not puerperal) . .	5	4	1	2	-	1	-	-	1	1	-	-	5	2	1
Other diseases of nervous system .	25	28	1	1	-	-	1	1	1	3	4	7	3	4	2
Pericarditis	2	3	-	-	-	-	-	2	-	-	-	-	-	1	-
Acute endocarditis	6	4	-	-	-	-	-	-	1	1	1	1	-	-	-
Other diseases of heart	100	78	-	-	-	1	2	-	-	2	7	22	23	21	-
Embolism and thrombosis (excluding cerebral).	6	4	-	-	-	-	-	-	-	2	-	-	-	-	-
Other diseases of circulatory system.	28	37	-	-	-	-	-	-	-	1	8	7	13	8	-
Diseases of the larynx	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis	32	36	-	1	-	-	-	-	-	-	-	-	1	10	20
Broncho-pneumonia	18	29	15	5	2	-	-	1	-	3	4	-	-	-	2
Lobar pneumonia	11	24	4	3	1	-	-	1	-	1	8	3	-	-	1
Pneumonia (type not distinguished)	12	7	-	1	-	-	-	-	-	1	-	2	1	-	1
Pleurisy	2	5	-	-	1	-	-	-	-	1	-	1	-	-	-
Pulmonary congestion, Pulmonary apoplexy.	2	3	-	-	-	-	-	-	-	-	-	1	-	-	1
Other diseases of respiratory system.	5	5	-	-	-	-	-	-	-	-	2	-	2	1	-

TABLE 5.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS. Stillborn.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM							
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria*	Diarrhoeal Diseases† (under 2 years).	Influenza.
LONDON† . .	4,531,971	1921. July 23	1,891	857	9·9	-	-	6	4	12	12	29	3
CALCUTTA . .	896,067	June 18	-	419§	24·3	?	-	?	?	?	?	?	5
BOMBAY . .	979,445	" 18	323	752§	39·9	2	7	1	-	-	1	45	19
MADRAS . .	518,660	" 4	308	320§	32·1	1	2	1	?	2	-	35	1
PARIS . .	2,847,229	(10 days) June 30	1,425	972	12·5	3	-	7	3	-	4	30	1
BRUSSELS . .	792,919	- - -	-	-	-	-	-	-	-	-	-	-	-
ANTWERP . .	339,523	July 9	127	41	6·4	-	-	-	-	-	-	4	1
AMSTERDAM . .	680,912	" 9	286	99	7·6	1	-	-	-	-	4	-	-
COPENHAGEN . .	571,000	" 9	225	98	8·9	-	-	-	-	-	-	1	1
STOCKHOLM . .	419,788	" 2	119	86	10·7	-	-	-	-	1	-	1	-
GOTHENBURG . .	205,547	" 9	-	-	-	-	-	-	-	-	-	-	-
CHRISTIANIA . .	260,904	" 9	71	50	10·0	-	-	-	-	1	-	1	-
BERLIN . .	1,949,000	" 2	462	310	8·3	-	?	1	-	3	1	9	2
BRESLAU . .	547,000	" 2	224	137	13·0	-	?	1	1	1	2	13	-
COLOGNE . .	664,000	" 2	296	179	14·0	-	?	3	1	1	-	21	1
DRESDEN . .	595,000	" 2	206	121	10·6	1	?	-	2	-	-	2	-
FRANKFORT- ON-MAIN.	468,000	" 2	147	71	7·9	-	?	-	-	-	-	3	-
HAMBURG . .	1,003,000	" 2	296	186	9·6	-	?	-	1	-	1	6	1
LEIPZIG . .	631,000	" 2	252	127	10·5	-	-	-	-	1	-	5	-
MUNICH . .	670,000	" 2	252	143	11·1	-	?	4	1	2	1	6	1
VIENNA . .	1,842,005	" 2	468	518	14·6	3	-	-	-	2	1	8	1
PRAGUE AND SUBURBS.	676,454	" 18	255	192	14·8	2	-	-	-	1	1	11	4
BUDAPEST . .	933,000	" 25	247	184	14·2	-	-	-	-	-	1	9	-
TRIESTE . .	248,428	May 7	395	431	24·0	5	?	4	5	-	1	23	-
CAIRO . .	765,200	" 28	-	-	-	-	-	-	-	-	-	-	-
ALEXANDRIA . .	449,300	" 6	597	497	33·8	2	-	1	-	?	2	65	?
NEW YORK . .	5,751,859	" 6	359	280§	32·4	3	-	-	-	?	1	46	?
CHICAGO . .	2,780,655	June 11	2,693	1,070	9·7	1	-	2	7	4	12	21	4
		" 18	2,620	1,128	10·2	1	-	10	12	8	9	37	6
		" 25	-	551	10·3	1	-	1	5	5	10	23	1

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Cities, Vienna, Prague and Suburbs, Budapest, and Trieste.

† The deaths in this column relate to *all ages* for Bombay, Madras, Christiania, and Bucarest, and to *children under 1 year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

§ Including 2 deaths from *plague* in Calcutta, 6 in Bombay, and 1 in Alexandria, and from *Asiatic cholera*, 71 deaths in Calcutta, 6 in Bombay, and 1 in Madras.

TABLE 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 23rd July, 1921.

(Supplied by the Meteorological Office.)

TOWNS.	Temperature of Air.*				Rainfall in Milli- metres.†	TOWNS.	Temperature of Air.*				Rainfall in Milli- metres.†
	Highest.	Lowest.	Mean Maxi- mum.	Mean Mini- mum.			Highest.	Lowest.	Mean Maxi- mum.	Mean Mini- mum.	
LONDON (Greenwich)	91	54	86·0	58·7	2	BRADFORD . .	82	49	73·7	56·6	7
BRIGHTON . .	87	51	76·9	58·6	4	SHEFFIELD . .	84	49	76·4	57·6	3
PORTSMOUTH . .	89	55	80·0	62·0	4	YORK (Museum) . .	84	55	77·1	57·9	7
NORWICH (South- well Lodge)	86	55	80·4	58·4	0	HULL (Pearson Park)	81	50	76·7	55·4	3
PLYMOUTH . .	85	55	75·9	61·3	3	TYNEMOUTH . .	73	53	67·1	56·9	6
BRISTOL (Clifton) .	87	53	79·4	60·6	7	CARDIFF . .	85	51	78·0	58·3	7
BIRMINGHAM . .	86	49	79·3	58·4	0	EDINBURGH . .	Not available				
NOTTINGHAM . .	86	50	79·6	58·4	3	GLASGOW . .	79·8	52·5	67·6	56·7	13
BIRKENHEAD (Bidston)	76	56	71·4	59·0	7	DUBLIN :—					
MANCHESTER . .	86	48	75·9	57·6	12	Phoenix Park . .	78·9	50·1	73·4	56·3	11
BURNLEY . .	83	49	72·3	54·9	22	†Fitzwilliam Square	78·2	54·4	73·1	58·7	12
HUDDERSFIELD . .	85	49	75·1	56·7	11	BELFAST . .	78·0	50·0	72·9	57·4	26

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.

† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.

‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

TABLE 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 23rd July 1921.

[Under the Superintendence of the Astronomer Royal.]

1921. MONTH AND DAY.		Phases of the Moon.	BARO- METER. Mean daily reading (cor- rected and re- duced to 32° Fahren- heit).	TEMPERATURE.					Difference between the Air Temperature and Dew Point Temperature.			De- gree of Hu- mid- ity (Satu- ration equals 100).	TEMPERATURE.			Wind as deduced from Anemometers.				Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.					
				Of the Air.					Of the Dew point.	Of Radiation.			Of the Earth 4 feet below the Surface.	Osler's.		Robinson's.									
				High- est.	Low- est.	Daily Range.	Mean daily value.	De- parture from Average of 65 years.		Mean daily value.	Great- est.			Least.	General Direction.	Pressure on the Square Foot.		Horizontal Movement of the Air on each Day.	Depar- ture from Average of 50 years.						
																A.M.	P.M.				Great- est.	Least. hourly obs.			
in.	°	°	°	°	°	°	°	°	°	°	lbs.	lbs.	Miles.	Miles.	in.										
SUNDAY	-	17	Greatest declination S.	29·818	87·6	57·1	30·5	69·6	+ 6·2	60·4	9·2	30·5	1·5	73	157·4	46·6	58·0	Calm	Calm	1·4	0·0	0·0	68	- 177	0·08
MONDAY	-	18	..	29·839	88·3	58·7	29·6	73·4	+ 10·1	53·4	20·0	32·7	1·5	50	145·6	48·5	58·1	Calm, N.E. & N.	N. & calm	1·6	0·0	0·1	159	- 86	0·00
TUESDAY	-	19	..	29·916	91·0	60·9	30·1	75·3	+ 12·1	51·7	23·6	38·6	7·7	44	141·8	52·6	58·3	N. & calm	N. & calm	1·1	0·0	0·0	148	- 98	0·00
WEDNESDAY	-	20	Full	29·979	90·0	60·2	29·8	74·9	+ 11·7	50·3	18·6	29·5	4·1	52	152·1	51·1	58·7	Calm & WNW.	NNW.	4·0	0·0	0·2	226	- 21	0·00
THURSDAY	-	21	Apogee	30·096	79·4	54·3	25·1	65·6	+ 2·4	46·2	19·4	31·9	7·8	50	136·2	42·1	58·8	NNW. & N.	NNW. & N.	1·1	0·0	0·1	201	- 48	0·00
FRIDAY	-	22	..	29·827	81·8	55·1	26·7	68·3	+ 5·2	53·4	14·9	27·1	6·1	59	141·2	41·2	58·9	SW. & WSW.	WSW. & SW.	3·8	0·0	0·5	384	+ 132	0·00
SATURDAY	-	23	..	29·623	83·5	65·5	18·0	72·2	+ 9·2	62·1	10·1	27·1	4·5	71	146·8	60·7	59·0	SW. & WSW.	WSW.	5·5	0·5	1·0	537	+ 283	0·00
MEANS	-	-	-	29·871	85·9	58·8	27·1	71·3	+ 8·1	54·8	16·5	31·1	4·7	57	145·9	49·0	58·5	N. and SW.		Sum 1723	Sum - 15	Sum 0·08
No. of Column		-	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE.		ELECTRICITY. (For explanation of symbols, see Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
JULY 1921.					
SUNDAY	- 17	No register	4·3	16·1	Few clouds till 2h.; nearly overcast by 3h.; cloudy intervals throughout the day; slight rain at times between 11h. and 17h., with squall shortly before 15h. Nearly overcast till 1h.; partially cloudy with cloudless intervals till 20h., then very cloudy or overcast.
MONDAY	- 18	No register	12·5	16·0	Few clouds generally till 9h.; variably cloudy till 13h.; nearly cloudless till 18h., very cloudy till 21h. 30m., then becoming cloudless but hazy. Little cloud till 4h., nearly overcast till 7h. 30m.; partially cloudy generally afterwards, with few overcast periods.
TUESDAY	- 19	Practically no register.	12·5	16·0	Nearly cloudless till 13h., then cloudy with overcast intervals; solar halo about 15h., clearing from 21h.
WEDNESDAY	- 20	Practically no register.	9·4	15·9	Few thin clouds till 3h.; sky veiled 4h. to 7h.; partially cloudy 7h. 30m. to 10h. 30h.; nearly overcast by 11h.; slight damping about 20h.
THURSDAY	- 21	No register	10·6	15·9	Nearly overcast generally but with occasional bright intervals, brisk wind from 1h.; damping about 3h. and between 19h. and 21h.
FRIDAY	- 22	No register	6·8	15·8	
SATURDAY	- 23	No register	6·9	15·8	
No. of Col. - -		26	Sum 63·0	Sum 111·5	
			27	28	

The results apply to the civil day, or from midnight to midnight.
The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.
Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.
The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.
In reading columns 9 and 24 it will be borne in mind that + indicates "higher," and - "lower," than the average.
The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.
The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.
The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.
The reading of the barometer increased generally from 29·83 in. at the beginning of the week to 30·15 in. by 8h. on 21st, then decreased and was 29·60 in. at midnight on 23rd.

TABLE 3. LONDON.—DEATHS of PERSONS BELONGING to the several METROPOLITAN BOROUGHs REGISTERED in the Week ended 16th July, 1921.

BOROUGHs.	Deaths from									Deaths of Infants under 1 Year of Age.
	ALL CAUSES.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Pulmonary Tuberculosis.	
COUNTY OF LONDON -	940	3	-	-	6	13	18	30	77	124
Western										
PADDINGTON - . . .	27	-	-	-	-	1	-	-	1	3
KENSINGTON - . . .	46	-	-	-	-	-	-	1	2	5
HAMMERSMITH - . . .	27	-	-	-	-	-	1	1	2	5
FULHAM - . . .	27	-	-	-	1	-	-	-	-	2
CHELSEA - . . .	13	-	-	-	-	-	-	-	1	-
CITY OF WESTMINSTER -	28	-	-	-	-	-	-	1	1	3
Northern.										
ST. MARYLEBONE - . .	20	-	-	-	-	-	-	-	1	-
HAMPSTEAD - . . .	13	-	-	-	1	-	-	1	-	3
ST. PANCRAS - . . .	40	-	-	-	-	1	2	1	2	7
ISLINGTON - . . .	80	1	-	-	-	2	3	1	5	9
STOKE NEWINGTON - . .	10	-	-	-	-	-	-	-	1	-
HACKNEY - . . .	39	-	-	-	-	-	2	2	5	4
Central.										
HOLBORN - . . .	7	-	-	-	-	-	-	-	1	2
FINSBURY - . . .	23	-	-	-	-	-	-	-	2	5
CITY OF LONDON - . .	2	-	-	-	-	-	-	-	-	-
Eastern.										
SHOREDITCH - . . .	22	-	-	-	-	-	1	2	-	4
BETHNAL GREEN - . .	19	-	-	-	1	1	-	-	2	3
STEPNEY - . . .	63	-	-	-	-	-	2	5	8	8
POPLAR - . . .	46	1	-	-	-	-	1	3	2	9
Southern.										
SOUTHWARK - . . .	43	-	-	-	-	-	-	2	4	6
BERMONDSEY - . . .	31	-	-	-	1	-	-	-	1	7
LAMBETH - . . .	68	-	-	-	-	2	1	5	8	12
BATTERSEA - . . .	33	-	-	-	-	1	1	-	4	4
WANDSWORTH - . . .	56	1	-	-	-	2	1	3	6	9
CAMBERWELL - . . .	52	-	-	-	1	1	-	-	4	5
DEPTFORD - . . .	23	-	-	-	-	1	-	-	4	2
GREENWICH - . . .	18	-	-	-	-	-	1	1	5	1
LEWISHAM - . . .	34	-	-	-	1	-	2	-	1	3
WOOLWICH - . . .	30	-	-	-	-	1	-	1	4	3

The deaths in the above Table are, so far as concerns London as a whole, corrected by the exclusion of deaths of non-residents, and by the inclusion of those of residents occurring in the Outer Ring or in Metropolitan public institutions situated outside the County. As between individual Metropolitan Boroughs, however, correction is complete.

TABLE 9. LONDON.—NUMBER OF CASES OF INFECTIOUS DISEASE NOTIFIED
during the Week ended 16th July, 1921.*

BOROUGHES.	ESTI- MATED CIVILIAN POPU- LATION, MID. 1920.†	Enteric Fever.	Malaria.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Group).	Pneumonia.	Erysipelas.	Cerebro-Spinal Fever.	Puerperal Fever.	Ophthalmia Neonatorum.	Polio-myelitis.	Dysentery.	Encephalitis Lethargica.	Anthrax.	Polio- encephalitis.
WESTERN.																	
Paddington . . .	149,673	-	-	-	-	24	5	-	-	-	-	1	-	-	-	-	-
Kensington . . .	164,177	1	1	-	-	19	4	-	-	-	-	1	-	-	-	-	-
Hammersmith . . .	136,200	-	-	-	-	16	7	1	-	-	-	-	-	-	-	-	-
Fulham . . .	158,621	-	-	-	-	12	13	3	1	-	2	-	-	-	1	-	-
Chelsea . . .	62,987	-	-	-	-	2	2	-	-	1	1	-	-	-	-	-	-
City of Westminster . . .	132,615	1	-	-	-	14	4	1	1	-	-	1	-	-	-	-	-
NORTHERN.																	
St. Marylebone . . .	101,856	-	-	-	-	4	6	1	-	-	-	1	-	-	-	-	-
Hampstead . . .	91,519	-	-	-	-	5	4	-	-	-	-	-	-	-	-	-	-
St. Pancras . . .	228,178	-	1	-	-	26	11	2	-	-	-	2	-	-	-	-	-
Islington . . .	335,907	-	-	-	-	48	16	2	3	-	3	3	-	-	-	-	-
Stoke Newington . . .	52,984	1	-	-	-	17	4	-	-	-	-	-	-	-	-	-	-
Hackney . . .	225,372	-	-	-	-	31	12	2	1	-	-	1	-	-	-	-	-
CENTRAL.																	
Holborn . . .	39,673	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Finsbury . . .	78,291	1	-	-	-	19	8	-	-	-	-	-	-	-	-	-	-
City of London . . .	14,447	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
EASTERN.																	
Shoreditch . . .	102,044	-	-	-	-	24	18	1	1	-	-	1	-	-	-	-	-
Bethnal Green . . .	114,471	-	-	-	-	14	6	-	2	1	-	2	-	-	-	-	-
Stepney . . .	241,770	-	-	-	-	53	14	7	1	-	-	1	-	-	-	-	1
Poplar . . .	159,763	-	-	-	-	24	5	5	-	1	-	-	-	-	-	-	-
SOUTHERN.																	
Southwark . . .	187,142	-	1	-	-	21	8	-	2	-	-	2	-	-	1	-	-
Bermondsey . . .	129,189	-	-	-	-	27	10	1	1	-	-	-	-	-	1	-	-
Lambeth . . .	293,572	-	-	-	-	26	11	2	1	1	1	4	-	-	-	-	-
Battersea . . .	165,664	-	-	-	-	20	18	5	1	-	-	1	-	-	-	-	-
Wandsworth . . .	346,990	-	-	-	-	21	12	4	1	-	1	2	-	-	-	-	-
Camberwell . . .	284,712	1	-	-	-	34	10	-	2	-	-	-	-	-	1	-	-
Deptford . . .	115,636	-	1	-	-	11	5	-	3	-	-	-	-	-	-	-	-
Greenwich . . .	102,408	-	-	-	-	19	9	1	-	-	-	1	-	-	-	-	-
Lewisham . . .	174,438	-	-	-	-	12	3	1	-	-	-	-	-	-	-	-	-
Woolwich . . .	141,666	-	-	-	-	46	10	1	-	-	-	-	-	-	-	-	-
TOTAL . . .	4,531,971	5	4	-	-	593	237	40	21	3	8	24	-	-	4	-	1
AGES.																	
Ages 0-1 . . .		-	-	-	-	11	1	1	1	1	-	24	-	-	-	-	-
" 1-5 . . .		-	-	-	-	108	50	14	-	2	-	-	-	-	1	-	1
" 5- . . .		-	-	-	-	269	87	3	1	-	-	-	-	-	1	-	-
" 10- . . .		1	-	-	-	144	55	1	2	-	-	-	-	-	-	-	-
" 15- . . .		-	-	-	-	24	20	5	2	-	-	-	-	-	1	-	-
" 20- . . .		1	1	-	-	14	6	1	1	-	-	-	-	-	-	-	-
" 25- . . .		3	2	-	-	13	9	5	1	-	5	-	-	-	-	-	-
" 35- . . .		-	1	-	-	7	5	3	6	-	3	-	-	-	-	-	-
" 45- . . .		-	-	-	-	2	2	3	3	-	-	-	-	-	1	-	-
" 55- . . .		-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-
" 65- . . .		-	-	-	-	1	1	2	1	-	-	-	-	-	-	-	-
" 75 and upwards . . .		-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
Age not stated . . .		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

† See note † on first page of this return.

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS AND DEATHS REGISTERED:—

LONDON AND

NINETY-FIVE OTHER GREAT TOWNS.

~~~~~  
By Authority of the Registrar General.  
~~~~~

LONDON :

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from

H.M. STATIONERY OFFICE at the following addresses:

IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and

28, ABINGDON STREET, LONDON, S.W. 1;

37, PETER STREET, MANCHESTER;

1, ST. ANDREW'S CRESCENT, CARDIFF;

23, FORTH STREET EDINBURGH;

or from E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN.

No. 30. Vol. LXXXII. 1921. WEEK ENDED SATURDAY, JULY 30.
[Price 9d. Net.]

*General Register Office, Somerset House,
August 2nd, 1921.*

NINETY-SIX GREAT TOWNS.

For the NINETY-SIX GREAT TOWNS of England and Wales each of which had a population of 50,000 or over at the Census of 1911, the births registered last week numbered 8,774, and corresponded to an annual rate of 24·6 per 1,000. The deaths* among the civilian population only numbered 3,656, and corresponded to an annual rate of 10·3 per 1,000 of their aggregate civilian population, which is provisionally estimated† at 18,554,878 persons in the year 1920. In the three weeks ended July 9th, July 16th, and July 23rd, the rates had been 9·5, 10·3, and 10·2 respectively. The infant mortality was 79, against 53, 65, and 73 in the preceding three weeks. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks; it also shows for the week ended last Saturday the births and the deaths from certain individual causes. A column showing the number of deaths

* Corrected as far as possible for deaths of non-residents and for those of residents occurring outside the area. Fully corrected figures will appear in the Registrar General's Annual Report.

† The estimates of population refer to the year 1920, and are based on the returns furnished under the scheme for rationing of food.

from influenza has been inserted in Table 1. The aggregate number of deaths from influenza in the 96 great towns in each of the last thirteen weeks is shown in Table 3A.

Measured by last week's mortality, the highest annual death-rates per 1,000 living were :—from *all causes*, 16·1 in Gillingham, 17·5 in Sunderland, 17·8 in Wigan, and 18·6 in Cardiff; from *measles*, 1·7 in Sunderland and in Tynemouth; and from *whooping-cough*, 2·2 in Rotherham, and 2·6 in Tynemouth. No death from *small-pox* was registered in any of the ninety-six towns.

LONDON.* (The Administrative County, including the City of London.)

For LONDON there were 2,023 BIRTHS, corresponding to a rate of 23·2 per 1,000, and 846 DEATHS of civilians, corresponding to a rate of 9·7, as against 8·6, 10·8, and 9·9 per 1,000 in the three weeks ended July 9th, July 16th, and July 23rd. The death-rate in the four weeks ended last Saturday averaged 9·8 per 1,000. The infant mortality was 63, against 44, 65, and 68, in the preceding three weeks.

There was no death from *enteric fever*, the numbers having been 0, 3, and 0, in the preceding three weeks, and the average for the corresponding weeks of the previous five years being 1. The deaths from *measles*, which had been 4, 0, and 6 in the preceding three weeks, fell last week to 2, and were 9 below the average. The deaths from *scarlet fever*, which had been 2, 6, and 4 in the preceding three weeks, were 3 last week, and were equal to the average. The deaths from *whooping-cough*, which had been 9, 13, and 12 in the preceding three weeks, fell last week to 6, and were equal to the average. The deaths from *diphtheria*, which had been 10, 18, and 12 in the preceding three weeks, were 13 last week, and were 3 above the average; 3 deaths belonged to the Borough of Islington. The deaths from *diarrhoea and enteritis under 2 years of age*, which had been 13, 30, and 29 in the preceding three weeks, rose last week to 52, and were 34 above the average; 7 deaths belonged to Stepney, 6 to Poplar, and 4 each to Islington and to Hackney. The deaths from *influenza* numbered 3 as against 5, 4, and 3 in the preceding three weeks, and an average of 20.

Different forms of violence caused 47 deaths, of which 46 were the subject of coroners' inquests. Of these 47 deaths, 12 were cases of suicide, while the remaining 35 were attributed to other forms of violence. Seven of these latter were referred to vehicles in the streets, 2 to burns or scalds, 3 to drowning, and 1 of an infant under one year of age to suffocation in bed.

CASES OF INFECTIOUS DISEASE.†

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital, there were 28 cases of enteric fever, 49 of measles, 3,765 of scarlet fever, 10 of whooping-cough, and 1,979 of diphtheria under treatment in these hospitals on Saturday last (Table 3). The admissions during the week,

* See note * on first page.

† The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

as compared with those in the preceding three weeks, were as follows :—Of enteric fever, 3 cases, against 3, 4, and 11; of measles, 15 cases, against 8, 9, and 11; of scarlet fever, 500 cases, against 638, 588, and 570; of whooping-cough, 0 case, against 0, 1, and 1; and of diphtheria, 252 cases, against 239, 256, and 259. Table 9, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the county during the week ended July 23rd, 1921.

TABLE 1.—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH RATES in the Week ended Saturday, 30th July, 1921, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.		DEATH RATES from all Causes.				Week ended 30th July 1921.		The DEATHS in the Week include										Deaths in Public Institutions.		Unverified Causes of Death.		TOWNS.	
		Week ended				BIRTHS.	DEATHS.	Deaths from										Inquest Cases.					
		9th July, 1921.	16th July, 1921.	23rd July, 1921.	30th July, 1921.			Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.	Violence.							
ESTIMATED CIVILIAN POPULATION.		1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Colts.
MID. 1920.* (Provisional).		18,554,878	9.5	10.3	10.2	10.3	8,774	3,656	690	1,087	4	-	25	10	37	26	300	25	155	277	1,312	20	96 GREAT TOWNS.
LONDON†		4,531,971	8.6	10.8	9.9	9.7	2,023	846	128	271	-	-	2	3	6	13	52	3	47	77	461	-	LONDON.†
CROYDON.		191,580	4.6	10.1	13.9	7.6	54	23	4	12	-	-	-	-	-	-	-	-	1	3	8	-	CROYDON.
WIMBLEDON.		62,174	7.5	5.9	12.6	9.2	21	11	2	2	-	-	-	-	-	1	1	1	-	1	3	-	WIMBLEDON.
EALING.		76,129	7.5	6.2	8.2	9.6	29	14	1	7	-	-	-	-	-	-	-	1	1	1	4	-	EALING.
ACTON.		64,192	7.3	9.7	8.1	7.3	30	9	1	6	-	-	-	-	-	-	-	-	-	-	2	-	ACTON.
WILLESDEN.		167,328	6.5	6.2	8.4	4.1	75	13	2	5	-	-	-	-	-	-	-	-	1	1	5	-	WILLESDEN.
HORNSEY.		98,107	13.3	5.3	4.8	11.7	27	22	6	6	-	-	1	-	-	-	1	-	-	1	10	-	HORNSEY.
TOTTENHAM		146,970	7.8	7.5	6.0	9.2	52	26	3	7	-	-	-	-	-	1	-	-	2	4	9	-	TOTTENHAM.
EDMONTON.		73,529	8.5	9.2	8.5	10.6	45	15	2	4	-	-	-	-	1	-	-	-	2	4	7	-	EDMONTON.
ENFIELD.		60,771	6.0	7.7	12.9	7.7	23	9	1	4	-	-	-	-	-	-	1	-	1	1	2	-	ENFIELD.
WEST HAM.		299,440	10.1	12.0	8.9	12.9	179	74	20	15	-	-	-	1	1	-	15	-	2	8	31	-	WEST HAM.
EAST HAM.		150,207	6.2	6.2	6.6	9.4	68	27	1	9	-	-	-	1	-	-	-	-	3	3	11	-	EAST HAM.
LEYTON.		128,832	6.1	9.7	6.9	8.5	47	21	1	11	-	-	-	-	-	-	-	1	-	-	8	-	LEYTON.
WALTHAMSTOW		132,771	10.6	8.6	9.0	7.5	50	19	4	4	-	-	-	-	-	-	1	-	-	-	9	-	WALTHAMSTOW.
ILFORD.		82,693	5.0	6.9	5.7	6.3	23	10	2	5	-	-	-	-	-	-	1	-	-	-	4	-	ILFORD.
GILLINGHAM.		45,233	8.1	6.9	4.6	16.1	30	14	4	4	-	-	-	-	1	-	-	-	-	2	5	1	GILLINGHAM.
HASTINGS.		59,972	4.3	11.3	12.2	11.3	17	13	-	7	-	-	-	-	-	-	-	1	1	1	4	-	HASTINGS.
EASTBOURNE.		50,354	11.4	9.3	10.4	14.5	13	14	2	5	-	-	-	-	-	-	-	1	1	1	3	-	EASTBOURNE.
BRIGHTON.		137,685	6.1	11.0	8.7	12.9	61	34	2	20	-	-	-	-	1	-	-	-	2	3	14	-	BRIGHTON.
PORTSMOUTH.		235,998	10.4	8.2	8.8	10.8	119	49	3	18	-	-	-	-	-	-	3	-	3	5	9	-	PORTSMOUTH.
BOURNEMOUTH.		85,919	11.5	11.5	12.7	10.3	24	17	1	9	-	-	-	-	-	-	-	-	-	-	4	-	BOURNEMOUTH.
SOUTHAMPTON.		162,388	8.3	4.8	7.1	6.7	67	21	5	8	-	-	-	-	-	-	-	-	1	1	7	-	SOUTHAMPTON.
READING.		95,006	11.0	12.6	9.3	7.7	40	14	1	6	-	-	-	-	-	-	-	-	2	1	5	-	READING.
OXFORD.		59,963	7.8	12.2	7.0	6.1	31	7	1	3	-	-	-	-	-	-	-	-	-	-	2	-	OXFORD.
NORTHAMPTON.		92,483	6.2	7.9	7.9	12.4	22	22	-	12	-	-	-	-	-	-	-	-	-	-	6	-	NORTHAMPTON.
CAMBRIDGE.		60,154	9.5	7.8	10.4	6.9	22	8	-	6	-	-	-	-	-	-	-	-	-	1	4	-	CAMBRIDGE.

* See note † on first page of this return.

† For Greater London see end of Table.

‡ These towns are included within the area of Greater London.

TABLE 1 (cont).—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH-RATES in the Week ended Saturday, 30th July 1921, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	ESTIMATED CIVILIAN POPULATION, MID. 1920.* (Provisional.)	DEATH-RATES from all Causes.				Week ended 30th July, 1921.		The DEATHS in the Week include										TOWNS.				
		Week ended				6.	7.	Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from									Deaths in Public Institutions.	Uncertified Causes of Death.		
		9th July, 1921.	16th July, 1921.	23rd July, 1921.	30th July, 1921.					Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.				Violence.	Inquest Cases.
Cols.	1.	2.	3.	4.	5.			8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
SOUTHEAD ON SEA.	87,332	9.0	9.5	8.4	7.8	26	13	1	6	-	-	-	-	-	-	1	-	1	1	5	-	SOUTHEAD ON SEA.
IPSWICH.	81,119	5.8	7.7	9.0	8.4	37	13	-	4	-	-	-	-	-	-	-	-	-	1	5	-	IPSWICH.
GREAT YARMOUTH.	55,193	14.2	6.6	13.2	6.6	23	7	3	2	-	-	-	-	-	-	1	-	-	-	1	-	GREAT YARMOUTH.
NORWICH.	124,774	7.5	7.1	8.8	7.5	41	18	2	4	-	-	-	-	-	-	1	-	-	4	4	-	NORWICH.
SWINDON.	53,580	4.9	4.9	7.8	8.8	22	9	1	4	-	-	-	-	-	-	-	-	-	7	1	-	SWINDON.
EXETER.	61,365	16.1	18.7	10.2	11.9	27	14	4	3	-	-	-	-	-	-	4	-	1	2	2	-	EXETER.
PLYMOUTH.	189,218	12.7	11.3	10.5	12.1	91	44	7	18	-	-	-	-	1	1	2	1	2	5	10	-	PLYMOUTH.
BATH.	68,546	9.9	12.9	9.9	10.6	19	14	2	4	-	-	-	-	-	-	1	-	-	-	7	-	BATH.
BRISTOL.	375,641	8.9	11.2	9.4	12.5	183	90	10	45	-	-	-	-	-	1	6	1	3	9	26	-	BRISTOL.
GLOUCESTER.	52,066	15.0	5.0	6.0	10.0	15	10	1	3	-	-	-	-	-	-	-	1	-	-	2	-	GLOUCESTER.
STOKE ON TRENT.	218,852	11.5	12.4	9.8	14.5	138	69	27	16	-	-	-	-	-	-	11	1	1	3	22	2	STOKE ON TRENT.
WOLVERHAMPTON.	102,324	10.7	9.2	6.1	12.7	51	25	4	9	-	-	-	-	-	-	3	-	3	3	8	-	WOLVERHAMPTON.
WALSALL.	96,419	6.5	11.9	14.1	15.7	47	29	11	6	-	-	-	-	-	-	6	-	-	1	2	-	WALSALL.
WEST BROMWICH.	72,684	10.0	10.0	7.9	7.9	54	11	4	2	-	-	-	-	-	-	2	-	1	1	-	-	WEST BROMWICH.
DUDLEY.	56,169	13.0	6.5	12.1	13.0	43	14	3	7	-	-	1	-	-	-	-	-	-	-	1	-	DUDLEY.
BIRMINGHAM.	895,915	8.9	10.7	8.8	10.0	445	172	30	64	-	1	-	1	1	1	17	2	6	8	67	7	BIRMINGHAM.
SMETHWICK.	75,027	6.3	7.0	11.8	7.6	40	11	1	3	-	-	-	-	-	-	-	-	2	2	1	-	SMETHWICK.
COVENTRY.	137,310	11.8	8.7	9.1	6.5	69	17	5	4	-	-	-	-	-	-	3	-	1	1	4	-	COVENTRY.
LEICESTER.	245,465	9.3	8.5	10.6	7.6	126	36	10	10	-	-	-	-	-	-	6	-	3	4	7	1	LEICESTER.
LINCOLN.	67,543	8.5	5.4	9.3	10.8	23	14	2	4	-	-	-	-	-	1	-	1	-	-	2	-	LINCOLN.
GRIMSBY.	31,953	9.5	10.8	8.3	7.6	49	12	2	4	-	-	-	-	-	-	-	-	1	1	4	-	GRIMSBY.
NOTTINGHAM.	267,836	7.2	10.1	10.7	8.6	126	44	8	15	-	-	-	-	-	-	3	-	1	1	18	-	NOTTINGHAM.
DERBY.	128,868	12.1	7.7	8.9	6.1	77	15	2	4	-	-	-	-	-	-	-	-	-	-	6	-	DERBY.

* See note † on first page of this return.

TABLE 1 (cont.).—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH-RATE in the Week ended Saturday, 30th July, 1921, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	ESTIMATED CIVILIAN POPULATION MID. 1920.* (Provisional.)	DEATH-RATES from all Causes.				Week ended 30th July, 1921.		The DEATHS in the Week include										TOWNS			
		Week ended				Week ended 30th July, 1921.		Deaths of													
		Causes.																			
		9th July, 1921.	16th July, 1921.	23rd July, 1921.	30th July, 1921.	BIRTHS.	DEATHS.	Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric fever.	Small pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.		Violence.	Inquest Cases.	Deaths in Public Institutions.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.
STOCKPORT	130,635	11.6	13.6	5.6	12.4	58	31	6	7	-	-	-	-	1	1	1	1	1	2	5	-
BIRKENHEAD	153,951	9.1	11.2	12.5	10.8	83	32	13	5	-	-	-	-	-	-	7	-	2	3	14	2
WALLASEY	99,226	7.9	8.9	8.4	6.8	33	13	-	4	-	-	-	-	-	-	-	1	-	-	4	-
LIVERPOOL	803,452	11.1	12.2	14.8	11.6	416	178	40	28	-	-	6	1	1	1	25	-	7	16	71	1
BOOTLE	80,029	9.8	10.4	11.1	9.8	41	15	2	4	-	-	-	1	1	-	2	-	1	2	3	-
ST. HELENS	104,822	9.0	17.4	12.4	9.0	59	18	4	2	-	-	-	-	-	-	1	-	1	1	6	-
SOUTHPORT	72,939	14.3	7.9	10.7	11.4	33	16	3	8	-	-	-	-	-	-	-	-	-	-	2	-
WIGAN	90,866	9.2	11.5	14.9	17.8	59	31	9	4	-	-	-	-	-	-	7	1	5	5	4	-
WARRINGTON	77,939	8.0	5.4	6.0	13.4	36	20	4	4	-	-	-	-	-	-	2	-	-	-	7	1
BOLTON	184,533	11.6	10.5	9.0	10.5	63	37	4	9	-	-	-	-	-	-	3	1	1	1	8	-
BURY	56,410	13.9	10.2	7.4	2.8	20	3	-	1	-	-	-	-	-	-	-	-	-	-	2	-
MANCHESTER	770,597	9.5	9.5	11.5	10.1	384	149	24	34	-	-	-	1	-	-	9	-	6	10	67	1
SALFORD	235,239	10.0	9.3	10.2	12.4	130	56	15	11	1	-	-	-	2	-	9	-	4	5	19	-
OLDHAM	143,154	10.6	10.6	12.0	9.1	53	25	6	6	-	-	-	-	-	-	-	-	-	3	5	-
ROCHDALE	93,639	11.1	7.2	10.6	6.1	35	11	1	5	-	-	-	-	-	-	-	-	-	1	5	-
BURNLEY	105,030	12.4	10.4	10.4	12.4	55	25	8	8	-	-	-	-	1	-	-	-	-	2	8	-
BLACKBURN	131,012	9.2	10.3	11.9	7.2	67	18	1	5	-	-	-	-	1	-	-	1	-	2	-	-
PRESTON	121,950	13.7	9.0	9.0	9.4	48	22	3	6	-	-	-	-	1	-	1	-	1	1	4	-
BLACKPOOL	70,545	15.5	8.9	8.1	11.8	20	16	4	4	-	-	-	-	1	-	-	-	-	1	1	1
BARROW IN FURNESS	73,561	9.5	10.2	7.5	7.5	47	11	2	3	-	-	-	-	-	-	-	-	1	1	5	-
HUDDERSFIELD	116,776	12.5	9.4	12.1	8.9	38	20	2	7	-	-	-	-	-	-	-	-	-	1	9	-
HALIFAX	105,847	11.3	13.8	8.9	9.4	32	19	1	10	-	-	-	-	-	-	2	-	1	2	3	-
BRADFORD	293,979	12.6	10.1	12.4	11.9	117	67	13	18	-	-	2	-	2	-	3	1	3	3	26	-
LEEDS	449,212	11.5	8.9	11.8	13.5	240	116	21	35	-	-	-	-	-	-	6	-	1	8	42	-
DEWSBURY	55,080	4.7	9.5	10.4	15.1	27	16	2	5	-	-	-	-	-	-	-	-	1	1	6	-
WAKEFIELD	51,169	11.2	16.3	6.1	10.2	27	10	1	5	-	-	-	-	-	-	-	-	-	-	5	-
BARNLEY	53,739	12.6	15.5	16.5	13.6	32	14	2	4	-	-	-	-	-	-	-	1	-	-	4	-

* See note † on first page of this return.

TOWNS.		ESTIMATED CIVILIAN POPULATION, MID. 1920 * (Provisional).		DEATH-RATES from all Causes.					Week ended 30th July, 1921.		Deaths of										Deaths from										Inquest Cases.			Deaths in Public Institutions.		Uncertified Causes of Death.	TOWNS
				Week ended					30th July, 1921.		Persons aged under 1 Year of Age.		65 Years and upwards.		Deaths from																						
				Week ended					30th July, 1921.		Persons aged under 1 Year of Age.		65 Years and upwards.		Deaths from																						
				9th July, 1921.	16th July, 1921.	23rd July, 1921.	30th July, 1921.	30th July, 1921.	BIRTHS.	DEATHS.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.												
SHEFFIELD	492,570	8·9	9·5	10·5	9·8	268	93	27	24	-	-	1	-	2	-	8	-	2	6	34	-	SHEFFIELD.															
ROTHERHAM	71,785	10·9	6·5	11·6	11·6	46	16	3	5	-	-	-	-	3	-	1	-	-	-	1	-	ROTHERHAM.															
YORK	77,501	9·4	11·4	8·7	7·4	35	11	1	3	-	-	-	-	-	-	-	1	-	-	3	-	YORK.															
HULL	290,808	8·4	11·1	10·4	9·3	182	52	8	12	2	-	-	-	1	-	5	1	5	8	11	-	HULL.															
MIDDLESBROUGH	132,208	11·4	6·7	11·8	7·1	74	18	3	4	-	-	-	-	-	-	1	-	-	1	4	1	MIDDLESBROUGH.															
DARLINGTON	66,610	10·2	11·0	11·0	14·9	29	19	6	5	-	-	-	-	-	-	-	-	2	2	5	-	DARLINGTON.															
STOCKTON ON TEES.	63,114	5·8	9·9	9·9	7·4	54	9	4	1	-	-	-	-	-	-	1	-	-	-	-	-	STOCKTON ON TEES.															
WEST HARTLEPOOL.	68,126	9·9	11·5	17·6	13·0	40	17	4	7	-	-	1	-	-	2	1	1	1	1	-	-	WEST HARTLEPOOL.															
SUNDERLAND	155,211	13·1	13·4	13·8	17·5	90	52	14	9	-	-	5	-	-	-	5	-	4	8	16	1	SUNDERLAND.															
SOUTH SHIELDS	115,945	17·5	16·6	10·3	13·9	64	31	9	3	-	-	2	-	2	1	1	-	3	3	7	-	SOUTH SHIELDS.															
GATESHEAD	128,309	11·4	13·0	15·0	13·0	75	32	9	5	-	-	2	1	1	-	5	-	-	-	6	1	GATESHEAD.															
NEWCASTLE ON TYNE.	286,061	9·7	10·0	10·0	9·8	162	54	14	15	-	-	-	-	1	-	3	-	3	6	17	-	NEWCASTLE ON TYNE.															
TYNEMOUTH	60,318	12·1	8·6	10·4	11·2	37	13	4	3	-	-	2	-	3	-	-	-	-	-	4	-	TYNEMOUTH.															
CARLISLE	57,397	16·4	9·1	10·9	15·4	20	17	4	4	-	-	-	-	-	-	1	-	-	-	5	-	CARLISLE.															
NEWPORT (MON.)	90,728	8·6	12·6	10·3	9·8	43	17	2	6	-	-	-	-	-	-	2	-	-	-	3	-	NEWPORT (MON.).															
CARDIFF	212,552	9·8	14·5	12·3	18·6	98	76	29	15	-	-	-	-	-	1	29	-	3	3	10	-	CARDIFF.															
RHONDDA.	184,999	5·1	10·1	7·3	8·5	103	30	13	7	-	-	-	-	-	-	8	-	1	3	2	-	RHONDDA.															
MERTHYR TYDFIL	74,493	9·8	18·9	9·8	7·7	47	11	3	2	-	-	-	-	-	-	4	-	-	-	-	-	MERTHYR TYDFIL.															
ABERDARE	53,431	12·7	14·6	10·7	14·6	25	15	6	2	-	-	-	-	-	-	2	-	-	-	1	-	ABERDARE.															
SWANSEA	167,218	6·2	8·7	11·2	8·1	71	26	3	6	-	-	-	-	-	1	3	1	1	2	6	-	SWANSEA.															
GREATER LONDON	7,548,647	8·3	9·9	9·3	9·3	3235	1346	207	438	1	-	3	7	10	17	88	6	63	114	639	-	GREATER LONDON.															
OUTER RING	3,016,676	7·7	8·6	8·5	8·6	1212	500	79	167	1	-	1	4	4	4	36	3	16	37	178	-	OUTER RING.															
14 GREAT TOWNS IN OUTER RING.	1,734,723	7·8	8·5	8·6	9·0	723	298	46	97	-	-	1	2	2	2	20	3	13	27	113	-	14 GREAT TOWNS IN OUTER RING.															
REMAINDER OF OUTER RING.	1,281,953	7·6	8·7	8·3	8·2	489	202	33	70	1	-	-	2	2	2	16	-	3	10	65	-	REMAINDER OF OUTER RING.															
EDINBURGH†	420,267	8·6	11·8	12·0	11·8	174	95	13	33	-	-	-	6	3	-	3	-	8	?	?	?	EDINBURGH.†															
GLASGOW†	1,034,069	11·8	10·7	12·4	13·3	625	264	65	68	-	-	-	1	7	1	30	2	6	?	?	?	GLASGOW.†															
DUBLIN (Registra- tion Area).†	423,000	12·9	15·8	15·4	16·4	191	133	50	36	-	-	-	-	-	-	34	1	4	4	43	-	DUBLIN (Registra- tion Area).†															
BELFAST†	420,000	11·8	11·2	12·7	14·3	225	115	29	20	-	-	-	-	2	-	23	-	8	7	25	1	BELFAST.†															

* See note † on first page of this return.

† The populations are total populations and relate to 1921, those for Edinburgh and Glasgow being Census populations. Deaths and the death-rates in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week: those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

TABLE 2. LONDON.—Births and Deaths registered during the THIRTIETH Week of each of the Eleven Years, 1911-1921.

	1911.	1912.	1913.	1914.	1915.	1916.	1917.	1918.	1919	1920.	1921.
Births (as registered).	2133	2309	2195	2307	1944	1935	1495	1289	1651	2297	2023
Males	1098	1173	1148	1159	965	983	752	639	873	1239	1018
Females	1035	1136	1047	1148	979	952	743	650	778	1058	1005
Deaths (of residents only).	1184	968	918	1049	940	878*	848*	914*	809*	796*	846*
Males	613	515	482	552	487	490	464	448	427	408	465
Females	571	453	436	497	453	388	384	466	382	388	381

* Deaths in civilian population only.

TABLE 3. LONDON.—BIRTHS and DEATHS REGISTERED, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the last THIRTEEN WEEKS.

	May 7.	May 14.	May 21.	May 28.	June 4.	June 11.	June 18.	June 25.	July 2.	July 9.	July 16.	July 23.	July 30.
Births (as registered)	1940	2068	1868	2188	1971	2128	2008	1919	1804	1955	1910	1891	2023
Deaths (of residents only).	999	1012	932	936	867	795	801	840	779	751	941	857	846
Age	Under 1 year	147	108	116	132	108	96	92	100	84	86	124	128
1-2 years	28	25	35	32	16	26	29	16	24	24	28	44	29
2-5 "	23	28	15	25	15	20	20	20	23	23	21	26	19
5-10 "	24	20	29	24	32	17	31	22	16	10	22	18	20
10-15 "	14	17	13	18	19	14	16	18	14	10	21	10	12
15-20 "	19	23	23	22	23	20	13	24	24	20	24	23	15
at	20-25 "	34	24	22	14	20	17	16	21	22	18	22	19
Death	25-35 "	41	50	53	56	58	50	42	55	45	29	49	33
35-45 "	73	89	72	65	68	51	68	66	58	53	54	51	55
45-55 "	103	108	109	100	55	84	85	96	84	109	109	102	104
55-65 "	146	145	119	133	133	120	125	129	126	105	156	120	133
65-75 "	169	191	166	174	155	143	136	146	150	137	153	146	155
(75 years and upwards)	178	184	160	141	125	137	128	127	109	127	158	138	116
Deaths from—													
Enteric fever	—	—	—	1	3	—	—	3	—	—	3	—	—
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	3	6	4	3	5	3	3	7	—	4	—	6	2
Scarlet fever	7	5	6	4	9	4	8	6	6	2	6	4	3
Whooping cough	11	12	7	16	6	11	9	6	5	9	13	12	6
Diphtheria	19	17	19	22	14	10	17	12	10	10	18	12	13
Diarrhoea and enteritis (under 2 years).	15	7	15	14	9	11	11	12	9	13	30	29	52
Pulmonary tuberculosis . .	92	87	82	83	103	73	70	101	93	55	77	71	66
Influenza	20	28	23	6	9	6	4	6	5	5	4	3	3
Pneumonia (all forms) . .	105	88	65	71	56	62	54	53	36	46	40	60	44
Bronchitis	70	74	55	38	42	31	37	23	29	27	27	36	25
Other dis. of resp. system .	16	13	12	13	8	9	8	8	8	9	14	13	8
Dis. of circ. system . . .	160	190	150	175	142	141	137	135	124	148	145	126	135
Violence	40	37	39	43	31	35	29	41	36	26	52	45	47
Inquest cases	98	96	91	92	73	70	65	85	61	71	87	83	77

CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.

Enteric fever	10	13	17	18	22	22	17	18	24	24	23	27	28
Small-pox	1	1	—	—	—	—	—	—	—	—	—	—	—
Measles	28	34	41	42	37	35	34	35	41	40	43	52	49
Scarlet fever	3195	3238	3299	3427	3491	3501	3569	3651	3672	3844	3879	3886	3765
Whooping cough	18	16	14	14	7	5	9	10	10	9	10	10	10
Diphtheria	2343	2281	2215	2140	2020	1980	1950	1928	1915	1921	1961	1983	1979

* The Metropolitan Asylums Board and London Fever Hospitals. The figures do not refer to London exclusively.

TABLE 3A. 96 Great Towns.—DEATHS from INFLUENZA in the last THIRTEEN WEEKS.

	May 7.	May 14.	May 21.	May 28.	June 4.	June 11.	June 18.	June 25.	July 2.	July 9.	July 16.	July 23.	July 30.
Deaths from Influenza	104	114	94	71	67	33	33	32	20	25	27	19	25

TABLE 4. LONDON,—DEATHS REGISTERED in the THIRTIETH Week of the Year 1921.

CAUSES OF DEATH.	Deaths in the 30th week of the year 1920.	DEATHS OF PERSONS OF THE AGES													
		ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-10 years.	10-15 years.	15-20 years.	20-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and up- wards.
ALL CAUSES	796	846	128	29	19	20	12	15	19	41	55	104	133	155	116
Enteric fever	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	5	2	1	-	1	-	-	-	-	-	-	-	-	-	-
Scarlet fever	3	3	-	1	1	1	-	-	-	-	-	-	-	-	-
Whooping cough	7	6	1	3	1	1	-	-	-	-	-	-	-	-	-
Diphtheria	13	13	-	1	3	8	-	-	-	1	-	-	-	-	-
Influenza	5	3	-	-	-	1	-	-	-	-	-	1	1	-	-
Erysipelas	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Acute Poliomyelitis, Polioencepha- litis.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal meningitis . . .	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other endemic and epidemic diseases.	-	2	-	1	-	-	-	-	-	-	-	1	-	-	-
Pyæmia and septicæmia	1	4	-	-	-	1	-	-	-	-	1	-	-	2	-
Tetanus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis :—															
Pulmonary tuberculosis	72	66	1	-	1	-	1	4	9	12	10	15	11	2	-
Tuberculous meningitis	6	5	-	1	-	2	1	1	-	-	-	-	-	-	-
Abdominal tuberculosis	1	2	-	-	-	-	-	-	-	1	-	-	-	-	-
Tuberculosis of the spine	-	2	-	-	-	-	-	1	-	-	-	-	-	1	-
Tuberculosis of the joints	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of other organs . .	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Disseminated tubercenlosis . .	5	6	1	1	-	-	1	-	1	-	-	-	1	1	-
Venereal diseases	4	5	4	-	-	-	-	-	-	1	-	-	-	-	-
Cancer	107	132	-	-	1	-	-	-	-	2	6	32	41	33	17
Rheumatic fever	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Diabetes	8	2	-	-	-	-	-	-	-	-	-	1	-	1	-
Anæmia, leucocythaemia	2	8	-	-	-	-	1	1	-	1	2	1	-	2	-
Other general diseases	4	10	1	-	-	-	-	-	1	1	1	1	1	2	2
Alcoholism	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Chronic poisonings	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	6	2	-	1	-	-	-	-	-	-	-	-	-	1	-
Cerebral hæmorrhage, &c., Apoplexy	33	31	-	-	-	-	-	-	-	-	1	1	9	13	7
Softening of brain	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Paralysis, without specified cause .	-	2	-	-	-	-	-	-	-	-	-	1	-	1	-
Epilepsy	3	5	-	-	-	-	1	-	-	1	-	1	1	1	-
"Convulsions" (not puerperal) . .	7	6	5	1	-	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system .	12	23	-	-	1	-	-	-	2	-	1	8	5	3	3
Pericarditis	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Acute endocarditis	8	2	-	-	-	-	1	-	-	-	1	-	-	-	-
Other diseases of heart	95	98	-	-	-	1	1	1	2	2	8	13	14	32	24
Embolism and thrombosis (exclud- ing cerebral).	7	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Other diseases of circulatory system.	26	33	-	-	-	-	-	-	-	-	1	3	8	14	7
Diseases of the larynx	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Bronchitis	30	25	1	1	-	-	-	-	-	-	-	2	5	6	10
Broncho-pneumonia	19	18	8	5	-	-	-	-	-	-	-	1	1	2	1
Lobar pneumonia	17	18	1	1	1	2	-	1	-	-	3	2	5	2	-
Pneumonia (type not distinguished)	7	8	-	1	-	-	-	-	1	-	-	2	1	2	1
Pleurisy	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pulmonary congestion, Pulmonary apoplexy.	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1
Other diseases of respiratory system.	6	6	1	-	-	-	-	-	-	-	1	2	-	1	1

TABLE 5.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM								
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria*	Diarrhoeal Diseases† (under 2 years).	Influenza.	
LONDON† . .	4,531,971	1921. July 30	2,023	846	9·7	-	-	2	3	6	13	52	3	
CALCUTTA . .	896,067	June 25	-	484	29·2	?	1	?	?	?	?	?	3	
BOMBAY . .	979,445	" 25	320	739	39·2	5	4	2	-	-	-	59	12	
MADRAS . .	518,660	" 11	368	352	35·3	2	3	-	?	2	-	45	1	
PARIS . .	2,847,229	{ (10 days) June 10	{ 1,563	977	12·5	2	-	13	-	1	2	30	2	
BRUSSELS . .	792,919	- - -	-	-	-	-	-	-	-	-	-	-	-	
ANTWERP . .	339,523	July 16	-	-	-	-	-	-	-	-	-	-	-	
AMSTERDAM . .	680,912	" 16	270	90	6·9	2	-	-	-	4	-	1	-	
COPENHAGEN . .	571,000	" 16	262	101	9·2	-	-	-	1	-	-	3	-	
STOCKHOLM . .	419,788	" 9	113	81	10·0	-	-	-	-	-	-	-	-	
GOTHENBURG . .	205,547	" 9	-	-	-	-	-	-	-	-	-	-	-	
CHRISTIANIA . .	260,904	" 16	93	44	8·8	-	-	1	-	-	-	1	-	
BERLIN . .	1,951,000	" 9	519	442	11·8	1	?	1	-	2	1	18	3	
BRESLAU . .	547,000	" 9	222	148	14·1	-	?	-	-	2	-	12	1	
COLOGNE . .	666,000	" 9	224	136	10·6	-	?	-	-	-	1	10	4	
DRESDEN . .	595,000	" 9	217	126	11·0	1	?	1	-	1	-	6	1	
FRANKFORT- ON-MAIN.	469,000	" 9	135	77	8·5	-	?	-	-	-	-	5	1	
HAMBURG . .	1,031,000	" 9	362	248	12·5	-	?	1	-	2	2	6	2	
LEIPZIG . .	629,000	" 9	218	130	10·7	-	?	1	-	-	-	3	1	
MUNICH . .	670,000	" 9	-	-	-	-	-	-	-	-	-	-	-	
VIENNA . .	1,842,005	" 9	555	427	12·0	1	-	-	3	-	1	13	1	
PRAGUE AND SUBURBS.	676,454	" 2	252	174	13·4	1	-	-	-	1	-	11	1	
BUDAPEST . .	933,000	May 14	431	425	23·7	3	?	16	8	2	5	14	2	
TRIESTE . .	248,428	" 28	-	-	-	-	-	-	-	-	-	-	-	
CAIRO . .	765,200	{ " 13	639	471	32·0	5	-	2	-	?	2	66	?	
ALEXANDRIA . .	449,300	" 20	600	462	31·4	2	-	2	-	?	3	88	?	
		" 13	335	241	27·9	-	-	2	2	?	2	27	?	
		" 20	319	266§	30·8	1	-	1	1	?	-	37	?	
NEW YORK . .	5,751,859	June 25	2,447	1,147	10·4	2	-	4	6	8	21	25	3	
CHICAGO . .	2,780,655	July 2	-	550	10·3	-	-	5	1	5	11	36	-	

Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Cities, Vienna, Prague and Suburbs, Budapest, and Trieste.

The deaths in this column relate to *all ages* for Bombay, Madras, Christiania, and Budapest, and to *children under 1 year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

The estimated population and deaths refer to the civilian population only.

Including 7 deaths from *plague* in Bombay, and 1 in Alexandria, and from *Asiatic cholera*, 76 deaths in Calcutta.

TABLE 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 30th July, 1921.
(Supplied by the Meteorological Office.)

TOWNS.	Temperature of Air.*				Rainfall in Milli- metres.†	TOWNS.	Temperature of Air.*				Rainfall in Milli- metres.†
	Highest.	Lowest.	Mean Maxi- mum.	Mean Mini- mum.			Highest.	Lowest.	Mean Maxi- mum.	Mean Mini- mum.	
LONDON (Greenwich) }	85	51	79·1	57·6	1	BRADFORD . .	74	48	68·3	54·0	29
BRIGHTON . .	82	53	71·4	58·6	6	SHEFFIELD . .	81	50	72·3	53·7	7
PORTSMOUTH . .	77	53	72·7	60·0	1	YORK (Museum) . .	83	49	71·1	54·3	10
OXFORD (South- well Lodge) }	85	51	77·9	57·1	6	HULL (Pearson Park)	86	50	74·1	54·7	9
PLYMOUTH . .	71	52	68·6	58·1	19	TYNEMOUTH . .	74	47	65·0	52·9	20
Bristol (Clifton) .	76	53	72·9	57·3	31	CARDIFF . .	78	50	70·7	55·9	13
BIRMINGHAM . .	79	50	71·3	55·0	15	EDINBURGH . .	Not available				
NOTTINGHAM . .	82	49	75·1	55·4	17	GLASGOW . .	70·0	47·8	61·3	51·6	61
BERKENHEAD (Bidston) }	76	52	69·9	55·1	11	DUBLIN :—					
MANCHESTER . .	79	50	72·0	55·4	13	Phoenix Park . .	71·6	46·8	66·6	51·2	61
WIMBORNE . .	78	49	68·1	53·1	17	†Fitzwilliam Square	70·1	50·2	65·4	54·2	74
WIDDERSFIELD . .	79	49	69·9	53·3	16	BELFAST . .	72·5	46·5	64·6	52·0	50

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.

† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.

‡ 1 millimetre = '04 inch nearly; 1 inch = 25·4 millimetres exactly.

TABLE 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 30th July 1921.

[Under the Superintendence of the Astronomer Royal.]

1921. MONTH AND DAY.		Phases of the Moon.	BARO- METER. Mean daily reading (cor- rected and re- duced to 32° Fahren- heit).	TEMPERATURE.					Difference between the Air Temperature and Dew Point Temperature.				De- gree of Hu- mid- ity (Satu- ration equals 100).	TEMPERATURE.			TEMPERATURE.		Wind as deduced from Anemometers.					Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.			
				Of the Air.			Of the Dew point.		Mean daily value.					Of Radiation.			Of the Earth 4 feet below the Surface.		Osler's.		Pressure on the Square Foot.				Robinson's.		
				High- est.	Low- est.	Daily Range.	Mean daily value.	De- parture from Average of 65 years.	Mean daily value.	Great- est.	Least.	Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 4 feet below the Surface.	General Direction.		P.M.	Great- est.	Least. hourly obs.	Horizontal Movement of the Air on each Day.	Average of 50 years.	Miles.	lbs.		lbs.	Miles.	in.
															A.M.												
			in.	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°		
SUNDAY	-	24	29·783	82·0	61·3	20·7	69·1	+ 6·2	49·0	20·1	33·5	4·7	49	138·3	54·7	59·0	SW., W. & Calm & SW.	SW., W. & Calm & SW.	3·8	0·0	0·2	231	- 23	0·00			
MONDAY	-	25	29·735	82·0	58·8	23·2	70·3	+ 7·6	56·4	11·9	21·9	5·6	66	137·0	52·0	59·4	SSW. & SW.	SW.	4·9	0·0	0·5	363	+ 116	0·00			
TUESDAY	-	26	29·807	79·0	56·8	22·2	65·6	+ 3·1	54·9	10·7	25·5	6·3	68	133·0	44·2	59·2	SW. & W.	SW., WSW. & calm.	3·5	0·0	0·3	291	+ 41	0·01			
WEDNESDAY	-	27	29·803	77·4	54·2	23·2	66·4	+ 4·0	48·8	17·6	25·0	3·4	53	136·6	41·1	59·8	Calm	E.	1·3	0·0	0·1	122	- 124	0·00			
THURSDAY	-	28	29·424	84·8	50·1	28·7	70·5	+ 8·2	54·7	15·8	29·5	2·1	57	143·6	41·0	59·8	Calm	E. & SW.	7·8	0·0	0·4	237	- 5	0·01			
FRIDAY	-	29	29·458	74·9	57·7	17·2	63·8	+ 1·5	55·7	8·1	18·1	1·7	75	130·9	56·1	59·8	SW., S. & W.	W. & WNW.	7·0	0·0	0·6	423	+ 183	0·06			
SATURDAY	-	30	29·878	77·0	51·2	25·8	64·5	+ 2·2	48·7	15·8	25·7	2·2	57	140·0	37·0	59·9	W., calm & SW.	SW.	2·8	0·0	0·2	209	- 31	0·00			
MEANS	-	-	29·698	79·6	56·6	23·0	67·2	+ 4·7	52·9	14·3	25·6	3·7	61	137·1	47·0	59·6	SW.		Sum 1881	Sum + 157	Sum 0·07			
No. of Column	-	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25			

DATE.		ELECTRICITY. (For explanation of symbols, see Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
JULY 1921.					
SUNDAY	- 24	No register	11.0	15.8	Overcast generally till 8h., with slight rain about 3h., clearing to cloudless generally by 10h.; thin cloud from 13h.; nearly overcast generally from 14h. Very cloudy generally till 17h.; little cloud till 23h., then becoming overcast.
MONDAY	- 25	No register till 15h., v.P. afterwards.	7.4	15.7	Nearly overcast till noon, with slight rain from about 9h.; nearly cloudless but hazy from 13h.; sky veiled from 16h. to 20h.
TUESDAY	- 26	v.P. generally	4.7	15.7	Nearly overcast with few cloudy intervals till about 17h., then overcast.
WEDNESDAY	- 27	v.P. generally	3.2	15.6	Overcast till 2h., and sky veiled till 6h.; nearly cloudless till 14h. 30m., then cloudy generally; brisk wind towards midnight.
THURSDAY	- 28	v.P. throughout	11.0	15.6	Becoming overcast by 2h.; few cloudy intervals afterwards; frequent damping; slight rain between 3h. and 9h.; brisk wind before 3h., and from noon till 17h.
FRIDAY	- 29	v.P. throughout	1.1	15.5	Overcast, at first cloudless 2h. to 8h. 30m.; partially cloudy till 17h., then nearly overcast.
SATURDAY	- 30	v.P. throughout	12.7	15.5	
No. of Col. - -			26	Sum 51.1	Sum 109.4
				27	28

The results apply to the civil day, or from midnight to midnight. The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level. Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables. The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916. In reading columns 9 and 24 it will be borne in mind that + indicates "higher," and - "lower," than the average. The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined. The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable. The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day. The reading of the barometer increased generally from 29.60 in. at the beginning of the week to 29.90 in. by 7h. on 27th; decreased to 29.12 in. by 6h. on 29th; increased to 29.91 in. by 8h. on 30th, and decreased generally to 29.85 in. by midnight on the same day.

The results apply to the civil day, or from midnight to midnight.
The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.
Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.
The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.
In reading columns 9 and 24 it will be borne in mind that + indicates "higher," and - "lower," than the average.
The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.
The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.
The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.
The reading of the barometer increased generally from 29.60 in. at the beginning of the week to 29.90 in. by 7h. on 27th; decreased to 29.12 in. by 6h. on 29th; increased to 29.91 in. by 8h. on 30th, and decreased generally to 29.85 in. by midnight on the same day.

TABLE 3. LONDON.—DEATHS OF PERSONS BELONGING to the several METROPOLITAN BOROUGHs REGISTERED in the Week ended 23rd July, 1921.

BOROUGHs.	Deaths from									Deaths of Infants under 1 Year of Age.
	ALL CAUSES.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Pulmonary Tuberculosis.	
COUNTY OF LONDON -	857	-	-	6	4	12	12	29	71	128
Western										
PADDINGTON . . .	24	-	-	-	-	-	-	2	-	7
KENSINGTON . . .	34	-	-	-	-	1	-	-	2	5
HAMMERSMITH . . .	26	-	-	-	-	1	-	2	3	3
FULHAM . . .	18	-	-	-	-	1	-	-	-	5
CHELSEA . . .	15	-	-	-	-	-	-	-	2	2
CITY OF WESTMINSTER .	24	-	-	-	-	-	-	-	1	3
Northern.										
ST. MARYLEBONE . . .	14	-	-	-	-	-	-	-	1	1
HAMPSTEAD . . .	7	-	-	-	-	-	-	-	-	-
ST. PANCRAS . . .	40	-	-	-	-	-	1	-	5	1
ISLINGTON . . .	69	-	-	-	1	-	1	-	7	8
STOKE NEWINGTON . . .	15	-	-	-	-	-	1	-	3	1
HACKNEY . . .	40	-	-	-	-	1	-	2	2	7
Central.										
HOLBORN . . .	8	-	-	-	-	1	-	-	3	1
FINSBURY . . .	19	-	-	-	-	-	-	-	2	1
CITY OF LONDON . . .	4	-	-	-	-	-	-	-	-	-
Eastern.										
SHOREDITCH . . .	17	-	-	-	-	-	-	1	-	3
BETHNAL GREEN . . .	19	-	-	-	-	1	1	2	2	2
STEPNEY . . .	58	-	-	2	1	1	-	2	3	17
POPLAR . . .	34	-	-	2	-	-	1	2	4	6
Southern.										
SOUTHWARK . . .	45	-	-	1	-	-	-	2	4	8
BERMONDSEY . . .	36	-	-	-	1	-	1	2	5	8
LAMBETH . . .	55	-	-	-	-	1	2	1	4	9
BATTERSEA . . .	32	-	-	-	-	-	-	2	2	3
WANDSWORTH . . .	42	-	-	-	-	1	1	1	2	4
CAMBERWELL . . .	60	-	-	1	1	2	1	2	2	8
DEPTFORD . . .	28	-	-	-	-	-	-	1	2	7
GREENWICH . . .	16	-	-	-	-	-	1	1	-	1
LEWISHAM . . .	31	-	-	-	-	1	-	2	5	4
WOOLWICH . . .	27	-	-	-	-	-	1	2	5	3

The deaths in the above Table are, so far as concerns London as a whole, corrected by the exclusion of deaths of non-residents, and by the inclusion of those of residents occurring in the Outer Ring or in Metropolitan public institutions situated outside the County. As between individual Metropolitan Boroughs, however, correction is complete.

TABLE 9. LONDON.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED during the Week ended 23rd July, 1921.*

BOROUGHES.	ESTI- MATED CIVILIAN POPU- LATION, MID. 1920.† (Provi- sional.)	Enteric Fever.	Malaria.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Group).	Pneumonia.	Erysipelas.	Cerebro-Spinal Fever.	Puerperal Fever.	Ophthalmia Neonatorum.	Poliomyelitis.	Dysentery.	Encephalitis Lethargica.	Anthrax.	Polio- encephalitis.
WESTERN.																	
Paddington . . .	149,673	-	-	-	-	11	7	1	1	-	-	1	-	-	-	-	-
Kensington . . .	164,177	-	-	-	-	22	4	1	1	-	-	1	-	-	-	-	-
Hammersmith . . .	136,200	-	-	-	-	13	11	-	3	-	-	2	-	-	-	-	-
Fulham . . .	158,621	-	-	-	-	20	5	2	3	-	-	2	-	-	-	-	-
Chelsea . . .	62,987	-	-	-	-	3	1	1	-	-	-	-	-	-	-	-	-
City of Westminster . . .	132,615	1	-	-	-	21	7	5	1	-	-	-	-	-	-	-	-
NORTHERN.																	
St. Marylebone . . .	101,856	1	-	-	-	14	4	-	1	-	-	-	-	-	-	-	-
Hampstead . . .	91,519	-	-	-	-	4	1	-	-	-	-	-	-	-	-	-	-
St. Pancras . . .	228,178	3	-	-	-	25	13	6	-	-	-	2	-	-	-	-	-
Islington . . .	335,907	-	-	-	-	36	41	-	1	-	1	3	-	-	-	-	-
Stoke Newington . . .	52,984	-	-	-	-	8	1	-	1	-	-	-	-	-	-	-	-
Hackney . . .	225,372	-	-	-	-	36	19	-	2	-	1	1	-	-	-	-	-
CENTRAL.																	
Holborn . . .	39,676	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Finsbury . . .	78,291	1	-	-	-	16	6	1	2	-	-	-	-	-	-	-	-
City of London . . .	14,447	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-
EASTERN.																	
Shoreditch . . .	102,044	-	-	-	-	22	3	3	2	-	-	1	-	-	-	-	-
Bethnal Green . . .	114,471	-	1	-	-	17	4	2	1	-	-	1	-	-	-	-	-
Stepney . . .	241,770	-	-	-	-	46	15	4	5	-	2	1	1	-	-	-	-
Poplar . . .	159,766	1	-	-	-	31	7	8	3	-	1	5	-	-	-	-	-
SOUTHERN.																	
Southwark . . .	187,142	1	-	-	-	14	15	3	3	-	-	2	-	-	-	-	-
Bermondsey . . .	129,189	-	-	-	-	32	9	1	-	-	-	3	-	-	-	-	-
Lambeth . . .	293,572	-	-	-	-	35	7	3	4	1	1	1	-	-	-	-	-
Battersea . . .	165,664	-	-	-	-	16	7	3	-	-	1	1	-	-	-	-	-
Wandsworth . . .	346,990	3	2	-	-	26	15	1	2	1	-	-	-	1	-	-	-
Camberwell . . .	284,712	-	2	-	-	49	19	1	4	-	-	-	2	-	-	-	-
Deptford . . .	115,636	-	-	-	-	21	4	-	1	-	-	4	-	-	-	-	-
Greenwich . . .	102,408	-	-	-	-	15	10	-	-	-	-	5	-	-	-	-	-
Lewisham . . .	174,458	2	-	-	-	22	10	2	-	-	-	-	-	-	1	-	-
Woolwich . . .	141,666	1	1	-	-	22	8	4	1	-	-	1	-	-	-	-	-
TOTAL . . .	4,531,971	14	6	-	-	602	255	52	42	2	7	37	3	1	1	-	-
AGES.																	
Ages 0-1 . . .		-	-	-	-	5	2	-	-	-	-	37	-	-	-	-	-
" 1-5 . . .		1	-	-	-	92	57	9	-	1	-	-	2	-	-	-	-
" 5- . . .		2	-	-	-	304	89	3	2	1	-	-	1	-	-	-	-
" 10- . . .		2	-	-	-	128	56	5	4	-	-	-	-	-	-	-	-
" 15- . . .		2	-	-	-	45	11	11	5	-	-	-	-	-	-	-	-
" 20- . . .		3	1	-	-	9	12	3	3	-	1	-	-	-	-	-	-
" 25- . . .		3	1	-	-	15	18	8	3	-	3	-	-	-	1	-	-
" 35- . . .		-	1	-	-	2	7	4	8	-	3	-	-	1	-	-	-
" 45- . . .		1	1	-	-	2	2	6	6	-	-	-	-	-	-	-	-
" 55- . . .		-	1	-	-	-	-	1	7	-	-	-	-	-	-	-	-
" 65- . . .		-	1	-	-	-	-	2	2	-	-	-	-	-	-	-	-
" 75 and upwards . . .		-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-
Age not stated . . .		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

† See note † on first page of this return.

Printed under the authority of
HIS MAJESTY'S STATIONERY OFFICE
By Eyre and Spottiswoode, Ltd., East Harding Street, E.C.4.
Printers to the King's most Excellent Majesty.

FOR OFFICIAL USE.

WEEKLY RETURN

OF

**BIRTHS AND DEATHS REGISTERED:—
LONDON AND
NINETY-FIVE OTHER GREAT TOWNS.**

~~~~~  
**By Authority of the Registrar General,**  
~~~~~

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased through any Bookseller or directly from
H.M. STATIONERY OFFICE at the following addresses:
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and
28, ABINGDON STREET, LONDON, S.W. 1;
37, PETER STREET, MANCHESTER;
1, ST. ANDREW'S CRESCENT, CARDIFF;
23, FORTH STREET EDINBURGH;
or from E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN.

No. 31. Vol. LXXXII. 1921. WEEK ENDED SATURDAY, AUG. 6.
[Price 9d. Net.]

*General Register Office, Somerset House,
August 9th, 1921.*

NINETY-SIX GREAT TOWNS.

For the NINETY-SIX GREAT TOWNS of England and Wales each of which had a population of 50,000 or over at the Census of 1911, the births registered last week numbered 7,269, and corresponded to an annual rate of 20·3 per 1,000. The deaths* among the civilian population only numbered 3,612, and corresponded to an annual rate of 10·2 per 1,000 of their aggregate civilian population, which is provisionally estimated† at 18,554,878 persons in the year 1920. In the three weeks ended July 16th, July 23rd, and July 30th, the rates had been 10·3, 10·2, and 10·3 respectively. The infant mortality was 111, against 65, 73, and 79 in the preceding three weeks. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks; it also shows for the week ended last Saturday the births and the deaths from certain individual causes. A column showing the number of deaths

* Corrected as far as possible for deaths of non-residents and for those of residents occurring outside the area. Fully corrected figures will appear in the Registrar General's Annual Report.

† The estimates of population refer to the year 1920, and are based on the returns furnished under the scheme for rationing of food.

from influenza has been inserted in Table 1. The aggregate number of deaths from influenza in the 96 great towns in each of the last thirteen weeks is shown in Table 3A.

Measured by last week's mortality, the highest annual death-rates per 1,000 living were:—from *all causes*, 15·4 in Burnley, 15·5 in Eastbourne, 15·8 in Gateshead, 16·1 in Great Yarmouth and in Wigan, 16·6 in South Shields, and 18·9 in Walsall; and from *measles*, 1·0 in Sunderland, and 2·2 South Shields. No death from *small-pox* was registered in any of the ninety-six towns.

LONDON.* (The Administrative County, including the City of London.)

For LONDON there were 1,823 BIRTHS, corresponding to a rate of 20·9 per 1,000, and 821 DEATHS of civilians, corresponding to a rate of 9·4, as against 10·8, 9·9 and 9·7, per 1,000 in the three weeks ended July 16th, July 23rd, and July 30th. The death-rate in the four weeks ended last Saturday averaged 10·0 per 1,000. The infant mortality was 91, against 65, 68, and 63, in the preceding three weeks.

The deaths from *enteric fever*, which had been 3, 0, and 0, in the preceding three weeks, numbered 3, the average for the corresponding weeks of the previous five years being 2. The deaths from *measles*, which had been 0, 6, and 2 in the preceding three weeks, rose last week to 5, but were 9 below the average; 3 deaths belonged to the Borough of Stepney. The deaths from *scarlet fever*, which had been 6, 4, and 3 in the preceding three weeks, were again 3 last week, and were 2 above the average. The deaths from *whooping-cough*, which had been 13, 12, and 6 in the preceding three weeks, were 7 last week, the average being 8. The deaths from *diphtheria*, which had been 18, 12, and 13 in the preceding three weeks, further rose last week to 30, and were 18 above the average; 4 deaths belonged to Kensington, and 3 each to Islington, Poplar, and Southwark. The deaths from *diarrhoea and enteritis under 2 years of age*, which had been 30, 29, and 52 in the preceding three weeks, further rose last week to 68, and were 50 above the average; 9 deaths belonged to Poplar, 9 to Lambeth, and 7 each to Hackney and Stepney. There was 1 death from *influenza*, as against 4, 3, and 3 in the preceding three weeks, and an average of 11.

Different forms of violence caused 33 deaths, all of which were the subject of coroners' inquests. Of these 33 deaths, 9 were cases of suicide, while the remaining 24 were attributed to other forms of violence. Seven of these latter were referred to vehicles in the streets, 5 to drowning, and 2 of infants under one year of age to suffocation in bed.

CASES OF INFECTIOUS DISEASE.†

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital, there were 28 cases of enteric fever, 54 of measles, 3,717 of scarlet fever, 23 of whooping-cough, and 1,957 of diphtheria under treatment in these hospitals on Saturday last (Table 3). The admissions during the week,

* See note * on first page.

† The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

as compared with those in the preceding three weeks, were as follows :—Of enteric fever, 4 cases, against 4, 11, and 3; of measles, 11 cases, against 9, 11, and 15; of scarlet fever, 418 cases, against 588, 570, and 500; of whooping-cough, 14 cases, against 1, 1, and 0; and of diphtheria, 248 cases, against 256, 259, and 252. Table 9, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the county during the week ended July 30th, 1921.

TABLE 1 (cont).—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH-RATES in the Week ended Saturday, 6th August 1921, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	ESTIMATED CIVILIAN POPULATION, MID. 1920.* (Provisional.)	DEATH-RATES from all Causes.					Week ended 6th Aug., 1921.		The DEATHS in the Week include										Cols.	TOWNS.		
		Week ended					6th Aug., 1921.	DEATHS.	Deaths from													
		16th July, 1921.	23rd July, 1921.	30th July, 1921.	6th Aug., 1921.	Deaths of																
						Infants under 1 Year of Age.			Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.	Violence				
	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	
SOUTHEND ON SEA.	87,332	9.5	8.4	7.8	6.6	23	11	-	4	-	-	-	-	-	-	-	-	1	1	2	1	SOUTHEND ON SEA.
IPSWICH.	81,119	7.7	9.0	8.4	9.0	47	14	2	6	-	-	-	-	-	-	-	1	1	-	3	-	IPSWICH.
GREAT YARMOUTH.	55,193	6.6	13.2	6.6	16.1	19	17	3	5	-	-	-	-	-	-	3	-	-	1	3	-	GREAT YARMOUTH.
NORWICH.	124,774	7.1	8.8	7.5	9.2	38	22	3	9	-	-	-	-	-	1	-	1	1	2	7	-	NORWICH.
SWINDON.	53,580	4.9	7.8	8.8	7.8	8	8	-	4	-	-	-	-	-	-	-	-	-	-	1	-	SWINDON.
EXETER.	61,365	18.7	10.2	11.9	11.0	22	13	6	3	-	-	-	-	-	1	2	-	-	-	2	-	EXETER.
PLYMOUTH.	189,218	11.3	10.5	12.1	13.5	75	49	11	18	-	-	-	-	1	-	4	-	-	-	13	-	PLYMOUTH.
BATH.	68,546	12.9	9.9	10.6	8.4	24	11	1	6	-	-	-	-	-	-	-	1	1	1	2	-	BATH.
BRISTOL.	375,641	11.2	9.4	12.5	11.0	124	79	16	21	-	-	-	-	1	1	9	-	1	8	33	-	BRISTOL.
GLOUCESTER.	52,066	5.0	6.0	10.0	13.0	26	13	4	2	-	-	-	-	-	-	1	-	1	1	4	-	GLOUCESTER.
STOKE ON TRENT.	243,852	12.4	9.8	14.5	14.0	122	67	32	11	-	-	-	-	-	-	20	-	2	6	13	-	STOKE ON TRENT.
WOLVERHAMPTON.	102,324	9.2	6.1	12.7	9.2	33	18	6	6	-	-	-	-	-	-	4	-	-	-	6	-	WOLVERHAMPTON.
WALSALL.	96,419	11.9	14.1	15.7	18.9	52	35	15	10	-	-	-	-	1	-	8	-	-	-	2	-	WALSALL.
WEST BROMWICH.	72,684	10.0	7.9	7.9	10.8	36	15	5	3	-	-	-	-	-	-	1	-	-	-	3	1	WEST BROMWICH.
DUDLEY.	56,169	6.5	12.1	13.0	12.1	24	13	6	3	-	-	-	-	-	-	6	-	-	-	2	1	DUDLEY.
BIRMINGHAM.	893,915	10.7	8.8	10.0	10.3	305	177	41	59	-	-	-	-	-	-	25	1	3	5	53	7	BIRMINGHAM.
SMETHWICK.	75,027	7.0	11.8	7.6	7.0	35	10	-	3	-	-	-	-	-	-	-	-	-	-	1	-	SMETHWICK.
COVENTRY.	137,310	8.7	9.1	6.5	6.8	30	18	5	4	-	-	-	-	-	-	1	-	1	1	7	-	COVENTRY.
LEICESTER.	243,465	8.5	10.6	7.6	10.0	63	47	9	15	-	-	-	-	-	-	6	-	1	1	18	-	LEICESTER.
LINCOLN.	67,543	5.4	9.3	10.8	8.5	21	11	2	4	-	-	-	-	-	1	-	-	-	-	4	-	LINCOLN.
GRIMSBY.	31,953	10.8	8.3	7.6	13.4	32	21	6	6	-	-	-	-	-	-	1	-	-	-	1	1	GRIMSBY.
NOTTINGHAM.	267,836	10.1	10.7	8.6	12.1	104	62	9	21	-	-	-	-	1	-	5	1	3	3	22	-	NOTTINGHAM.
DERBY.	128,568	7.7	8.9	6.1	7.7	42	19	1	10	-	-	-	-	-	-	1	-	1	1	4	-	DERBY.

* See note † on first page of this return.

TABLE 1 (cont.).—26 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH-RATE in the Week ended Saturday, 6th August, 1921, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	ESTIMATED CIVILIAN POPULATION MID. 1920.* (Provisional.)	DEATH-RATES from all Causes.					Week ended 6th Aug., 1921.		The DEATHS in the Week include										TOWNS.			
		Week ended					BIRTHS. DEATHS.		Deaths from								Inquest Cases.	Deaths in Public Institutions.		Uncertified Causes of Death.		
		Week ended							Deaths from													
		1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.		18.	19.	20.
STOCKPORT	130,635	13.6	5.6	12.4	11.2	40	28	9	8	-	-	-	-	-	-	4	-	-	1	8	-	STOCKPORT.
BIRKENHEAD	153,951	11.2	12.5	10.8	10.8	72	32	6	10	-	-	-	-	-	1	3	-	2	3	11	-	BIRKENHEAD.
WALLASEY	99,226	8.9	8.4	6.8	6.3	22	12	2	4	-	-	-	-	-	-	1	1	-	1	1	-	WALLASEY.
LIVERPOOL	803,452	12.2	14.8	11.6	13.2	365	203	52	34	-	-	4	1	2	-	32	1	2	16	83	1	LIVERPOOL.
BOOTLE	80,029	10.4	11.1	9.8	7.2	36	11	1	2	-	-	-	-	-	-	2	-	-	-	-	1	BOOTLE.
ST. HELENS	104,822	17.4	12.4	9.0	12.4	43	25	7	3	-	-	-	1	-	-	1	-	2	3	3	-	ST. HELENS.
SOUTHPORT	72,939	7.9	10.7	12.2†	13.6	21	19	2	11	-	-	-	-	-	1	1	-	-	1	7	-	SOUTHPORT.
WIGAN	90,866	11.5	14.9	17.8	16.1	33	28	8	9	-	-	-	1	-	-	9	-	1	1	5	-	WIGAN.
WARRINGTON	77,939	5.4	6.0	13.4	9.4	31	14	5	3	-	-	-	-	-	-	2	-	-	-	5	1	WARRINGTON.
BOLTON	134,533	10.5	9.0	10.5	12.2	87	43	5	15	-	-	-	-	1	-	2	-	2	3	11	-	BOLTON.
BURY	56,410	10.2	7.4	2.8	12.9	14	14	1	4	-	-	-	-	-	-	1	-	-	-	4	-	BURY.
MANCHESTER	770,597	9.5	11.5	10.1	8.9	306	131	26	38	-	-	-	1	2	2	9	-	5	8	43	3	MANCHESTER.
SALFORD	235,239	9.3	10.2	12.4	14.2	99	64	17	14	1	-	-	-	-	-	7	-	3	4	22	-	SALFORD.
OLDHAM	143,154	10.6	12.0	9.1	9.5	70	26	2	7	-	-	1	1	-	-	1	2	2	2	6	-	OLDHAM.
ROCHDALE	93,639	7.2	10.6	6.1	11.7	27	21	-	6	-	-	-	-	-	-	-	1	1	1	12	-	ROCHDALE.
BURNLEY	105,030	10.4	10.4	12.4	15.4	40	31	8	8	-	-	-	-	-	1	4	-	-	2	11	-	BURNLEY.
BLACKBURN	131,012	10.3	11.9	7.2	5.2	53	13	2	3	-	-	-	-	-	-	1	-	1	3	2	-	BLACKBURN.
PRESTON	121,950	9.0	9.0	9.4	11.1	53	26	7	6	-	-	-	-	1	-	5	1	2	2	5	2	PRESTON.
BLACKPOOL	70,545	8.9	8.1	11.8	5.9	17	8	-	2	-	-	-	-	-	-	-	-	-	-	-	-	BLACKPOOL.
BARROW IN FURNESS	76,561	10.2	7.5	7.5	6.1	35	9	1	1	-	-	-	-	-	-	-	1	-	-	3	-	BARROW IN FURNESS.
HUDDERSFIELD	116,776	9.4	12.1	8.9	8.0	38	18	3	7	-	-	-	-	-	-	1	-	-	-	1	-	HUDDERSFIELD.
HALIFAX	105,847	13.8	8.9	9.4	10.8	48	22	1	12	-	-	-	-	-	-	-	-	2	2	1	-	HALIFAX.
BRADFORD	293,979	10.1	12.4	11.9	10.5	111	59	15	16	-	-	-	-	-	-	7	-	3	5	22	-	BRADFORD.
LEEDS	449,212	8.9	11.8	13.5	12.2	144	105	20	34	-	-	-	1	1	1	11	-	2	7	31	-	LEEDS.
DEWSBURY	55,080	9.5	10.4	15.1	6.6	19		1	1	-	-	-	-	-	1	-	-	-	-	3	-	DEWSBURY.
WAKEFIELD	51,169	16.3	6.1	10.2	9.2	20	9	1	2	-	-	-	1	-	-	-	-	-	1	1	-	WAKEFIELD.
BARNSELEY	53,739	15.5	16.5	13.6	12.6	21	13	4	4	-	-	-	-	-	-	2	1	1	3	2	-	BARNSELEY.

* See note † on first page of this return † Revised rate.

TOWNS.		ESTIMATED CIVILIAN POPULATION, MID. 1920.* (Provisional).	Causes.					Week ended 6th Aug., 1921.		Deaths of		Deaths from										Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS
			Week ended					BIRTHS.	DEATHS.	Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.	Violence.					
			16th July, 1921.	23rd July, 1921.	30th July, 1921.	6th Aug., 1921.	6.														7.				
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.			
	SHEFFIELD.	492,570	9.5	10.5	9.8	10.1	204	95	28	-	-	-	-	2	1	10	-	3	4	27	1	SHEFFIELD.			
	ROTHERHAM.	71,785	6.5	11.6	11.6	8.0	30	11	5	-	-	-	-	1	-	1	-	1	-	4	1	ROTHERHAM.			
	YORK.	77,501	11.4	8.7	7.4	8.1	35	12	4	-	-	-	-	1	-	-	-	-	-	4	-	YORK.			
	HULL.	290,808	11.1	10.4	9.3	13.3	115	74	15	-	-	-	-	2	1	17	-	2	5	21	1	HULL.			
	MIDDLESBROUGH.	132,208	6.7	11.8	7.1	6.3	80	16	4	-	-	-	-	-	1	2	-	2	2	2	-	MIDDLESBROUGH.			
	DARLINGTON.	66,610	11.0	11.0	14.9	11.7	28	15	5	-	-	-	-	-	-	3	-	1	1	-	2	DARLINGTON.			
	STOCKTON ON TEES.	63,114	9.9	9.9	7.4	5.0	31	6	2	-	-	-	-	-	-	1	-	-	-	1	-	STOCKTON ON TEES.			
	WEST HARTLEPOOL.	68,126	11.5	17.6	13.0	9.9	31	13	3	1	-	-	-	-	-	1	-	-	-	3	-	WEST HARTLEPOOL.			
	SUNDERLAND.	155,211	13.4	13.8	17.5	10.8	104	32	10	-	-	3	-	1	-	4	-	1	1	5	1	SUNDERLAND.			
	SOUTH SHIELDS.	115,945	16.6	10.3	13.9	16.6	58	37	11	-	-	5	-	-	-	7	-	2	2	6	1	SOUTH SHIELDS.			
	GATESHEAD.	128,309	13.0	15.0	13.0	15.8	64	39	16	-	-	-	-	1	-	6	-	-	-	8	-	GATESHEAD.			
	NEWCASTLE ON TYNE.	286,061	10.0	10.0	9.8	10.4	151	57	14	-	-	-	-	2	-	6	-	1	3	17	-	NEWCASTLE ON TYNE.			
	TYNEMOUTH.	60,318	8.6	10.4	11.2	13.0	33	15	4	-	-	1	-	-	-	-	1	-	-	4	1	TYNEMOUTH.			
	CARLISLE.	57,397	9.1	10.9	15.4	13.6	31	15	2	-	-	-	-	-	-	-	1	1	1	3	-	CARLISLE.			
	NEWPORT (MON.)	90,728	12.6	10.3	9.8	9.8	28	17	3	-	-	-	-	-	-	3	-	-	-	2	-	NEWPORT (MON.).			
	CARDIFF.	212,582	14.5	12.3	18.6	12.8	68	52	13	-	-	-	-	-	-	13	-	4	7	14	-	CARDIFF.			
	RHONDDA.	184,999	10.1	7.3	8.5	13.5	66	48	21	-	-	-	-	-	-	11	-	3	3	2	-	RHONDDA.			
	MERTHYR TYDFIL.	74,493	18.9	9.8	7.7	11.2	39	16	3	-	-	-	-	-	-	4	-	1	1	3	-	MERTHYR TYDFIL.			
	ABERDARE.	53,431	14.6	10.7	14.6	10.7	34	11	4	-	-	-	-	-	-	-	-	2	2	-	-	ABERDARE.			
	SWANSEA.	167,218	8.7	11.2	8.1	10.0	54	32	9	-	-	-	-	-	-	4	-	-	-	5	-	SWANSEA.			
	GREATER LONDON.	7,548,647	9.9	9.3	9.3	9.0	2859	1310	393	4	-	6	3	12	34	128	3	49	109	578	2	GREATER LONDON.			
	OUTER RING.	3,016,676	8.6	8.5	8.7	8.5	1036	489	170	1	-	1	-	5	4	60	2	16	36	149	-	OUTER RING.			
	14 GREAT TOWNS IN OUTER RING.	1,734,723	8.5	8.6	9.0	7.8	605	261	81	-	-	1	-	2	1	35	1	10	24	88	-	14 GREAT TOWNS IN OUTER RING.			
	REMAINDER OF OUTER RING.	1,281,953	8.7	8.3	8.3	9.3	431	228	89	1	-	-	-	3	3	25	1	6	12	61	-	REMAINDER OF OUTER RING.			
	EDINBURGH†.	420,267	11.8	12.0	11.8	11.8	198	95	35	-	-	-	-	1	1	3	1	4	?	?	?	EDINBURGH.†			
	GLASGOW†.	1,034,069	10.7	12.4	13.3	13.5	549	268	58	-	-	1	-	3	1	28	-	11	?	?	?	GLASGOW.†			
	DUBLIN (Registra- tion Area).†	423,000	15.8	15.4	16.4	15.2	172	123	32	-	-	-	-	-	-	26	-	3	1	43	-	DUBLIN (Registra- tion Area).†			
	BELFAST†.	420,000	11.2	12.7	14.3	14.5	214	117	22	-	-	-	-	2	-	22	-	4	5	26	1	BELFAST.†			

* See note † on first page of this return.
† The populations are total populations and relate to 1921, those for Edinburgh and Glasgow being Census populations. Deaths and the death-rates in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week : those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

TABLE 2. LONDON.—Births and Deaths registered during the THIRTY-FIRST Week of each of the Eleven Years, 1911-1921.

	1911.	1912.	1913.	1914.	1915.	1916.	1917.	1918.	1919.	1920.	1921.
Births (as registered).	2295	2148	2219	1813	1680	1893	1351	1399	1630	2155	1823
Males	1162	1164	1068	904	816	953	690	709	824	1113	937
Females	1133	984	1151	909	864	940	661	690	806	1042	886
Deaths (of residents only).	1344	970	898	1033	936	936*	840*	878*	737*	763*	821
Males	710	519	446	541	521	463	437	446	403	406	423
Females	634	451	452	492	415	473	403	432	334	357	398

* Deaths in civilian population only.

TABLE 3. LONDON.—BIRTHS and DEATHS REGISTERED, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the last THIRTEEN WEEKS.

	May 14.	May 21.	May 28.	June 4.	June 11.	June 18.	June 25.	July 2.	July 9.	July 16.	July 23.	July 30.	Aug 6.
Births (as registered)	2068	1868	2188	1971	2128	2008	1919	1904	1955	1910	1891	2023	1823
Deaths (of residents only).	1012	932	936	867	795	801	840	779	751	941	857	846	823
Under 1 year	108	116	132	108	96	92	100	84	86	124	128	128	163
1-2 years	25	35	32	16	26	29	16	24	24	28	44	29	33
2-5 "	28	15	25	15	20	20	20	23	23	21	26	19	24
5-10 "	20	29	24	32	17	31	22	16	10	22	18	20	30
Age at Death { 10-15 "	17	13	18	19	14	16	18	14	10	21	10	12	11
15-20 "	23	23	22	23	20	13	24	24	20	24	23	15	21
20-25 "	24	22	14	20	17	16	21	22	18	22	18	19	23
25-35 "	50	53	56	58	50	42	55	45	29	49	33	41	47
35-45 "	89	72	65	68	51	68	66	58	53	54	51	55	50
45-55 "	108	109	100	95	84	85	96	84	109	109	102	104	87
55-65 "	145	119	133	133	120	125	129	126	105	156	120	133	98
65-75 "	191	166	174	155	143	136	146	150	137	153	146	155	110
75 years and upwards	184	160	141	125	137	128	127	109	127	158	138	116	113
Deaths from—													
Enteric fever	—	—	1	3	—	—	3	—	—	3	—	—	3
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	6	4	3	5	3	3	7	—	4	—	6	2	5
Scarlet fever	5	6	4	9	4	8	6	6	2	6	4	3	3
Whooping cough	12	7	16	6	11	9	6	5	9	13	12	6	7
Diphtheria	17	19	22	14	10	17	12	10	10	18	12	13	30
Diarrhoea and enteritis (under 2 years).	7	15	14	9	11	11	12	9	13	30	29	52	68
Pulmonary tuberculosis	87	82	83	103	73	70	101	93	55	77	71	66	77
Influenza	28	23	6	9	6	4	6	5	5	4	3	3	1
Pneumonia (all forms)	88	65	71	56	62	54	53	36	46	40	60	44	39
Bronchitis	74	55	38	42	31	37	23	29	27	27	36	25	19
Other dis. of resp. system	13	12	13	8	9	8	8	8	9	14	13	8	8
Dis. of circ. system	190	150	175	142	141	137	135	124	148	145	126	135	133
Violence	37	39	43	31	35	29	41	36	26	52	45	47	33
Inquest cases	96	91	92	73	70	65	85	61	71	87	83	77	73
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Enteric fever	13	17	18	22	22	17	18	24	24	23	27	28	28
Small-pox	1	—	—	—	—	—	—	—	—	—	—	—	—
Measles	34	41	42	37	35	34	35	41	40	43	52	49	54
Scarlet fever	3238	3299	3427	3491	3501	3569	3651	3672	3844	3879	3886	3765	3717
Whooping cough	16	14	14	7	5	9	10	10	9	10	10	10	23
Diphtheria	2281	2215	2140	2020	1980	1950	1928	1915	1921	1961	1983	1979	1957

* The Metropolitan Asylums Board and London Fever Hospitals. The figures do not refer to London exclusively.

TABLE 3A. 96 Great Towns.—DEATHS from INFLUENZA in the last THIRTEEN WEEKS

	May 14.	May 21.	May 28.	June 4.	June 11.	June 18.	June 25.	July 2.	July 9.	July 16.	July 23.	July 30.	Aug 6.
Deaths from Influenza	114	94	71	67	33	33	32	20	25	27	19	25	1

TABLE 4. LONDON.—DEATHS REGISTERED in the THIRTY-FIRST Week of the Year 1921.

CAUSES OF DEATH.	Deaths in the 31st week of the year 1920.	DEATHS OF PERSONS OF THE AGES													
		ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-10 years.	10-15 years.	15-20 years.	20-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and up- wards.
ALL CAUSES	763	821	165	38	24	30	11	21	25	43	56	87	98	110	113
Enteric fever	2	3	-	-	-	-	-	1	-	1	-	-	-	1	-
Small-pox	1	3	1	4	-	-	-	-	-	-	-	-	-	-	-
Measles	1	3	-	-	2	1	-	-	-	-	-	-	-	-	-
Scarlet fever	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough	3	7	5	2	-	-	-	-	-	-	-	-	-	-	-
Diphtheria	8	30	1	5	11	13	-	-	-	-	-	-	-	-	-
Influenza	9	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Erysipelas	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute Poliomyelitis, Polioencepha- litis.	2	2	-	1	1	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal meningitis . . .	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-
Other endemic and epidemic diseases.	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Pyæmia and septicæmia	1	3	-	-	-	1	-	-	-	-	-	-	1	1	-
Tetanus	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Tuberculosis :—															
Pulmonary tuberculosis	75	77	-	-	-	-	3	7	13	22	13	9	8	2	-
Tuberculous meningitis	8	6	1	-	2	1	1	-	1	-	-	-	-	-	-
Abdominal tuberculosis	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of the spine	1	2	-	-	-	-	1	-	-	-	1	-	-	-	-
Tuberculosis of the joints	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of other organs . .	1	2	-	-	-	-	-	-	-	-	1	-	1	-	-
Disseminated tuberculosis . . .	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Venereal diseases	4	5	4	1	-	-	-	-	-	-	-	-	-	-	-
Cancer	89	108	-	-	-	-	-	-	-	1	9	26	27	29	16
Rheumatic fever	6	3	-	-	-	1	-	-	-	2	-	-	-	-	-
Diabetes	3	5	-	-	-	-	-	-	-	-	1	1	1	1	1
Anæmia, leucocythæmia	4	5	-	-	-	-	1	-	1	-	-	-	1	1	1
Other general diseases	9	6	-	-	-	-	-	-	-	-	1	2	-	2	1
Alcoholism	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic poisonings	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	4	6	1	1	-	2	-	1	1	-	-	-	1	-	-
Cerebral hæmorrhage, &c., Apoplexy	28	30	-	-	-	-	-	-	-	-	-	6	6	11	7
Softening of brain	-	4	-	-	-	-	-	-	-	-	1	-	1	-	2
Paralysis, without specified cause .	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epilepsy	6	1	-	-	-	-	-	-	-	-	1	-	-	-	-
"Convulsions" (not puerperal) . .	5	6	6	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system .	10	15	1	1	-	-	1	1	1	-	3	4	1	1	1
Pericarditis	3	1	-	-	-	1	-	-	-	-	-	-	-	-	-
Acute endocarditis	3	7	-	-	-	-	1	1	-	1	2	1	1	-	-
Other diseases of heart	102	104	-	-	-	1	1	2	1	4	9	13	18	30	25
Embolism and thrombosis (exclud- ing cerebral).	6	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Other diseases of circulatory system.	27	20	1	-	-	-	-	-	-	-	1	4	3	5	6
Diseases of the larynx	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis	33	12	-	-	-	-	-	1	-	-	1	-	2	1	7
Broncho-pneumonia	14	17	7	5	2	-	-	-	-	-	-	-	-	-	3
Lobar pneumonia	12	14	1	-	1	-	-	1	-	1	1	1	5	1	2
Pneumonia (type not distinguished)	9	3	-	-	-	1	-	-	-	-	-	-	-	-	2
Pleurisy	2	3	-	-	-	-	-	-	1	-	-	2	-	-	-
Pulmonary congestion, Pulmonary apoplexy.	3	2	-	-	-	-	-	-	-	-	-	1	-	-	1
Other diseases of respiratory system.	2	3	-	-	-	-	-	-	-	1	-	-	-	-	2

TABLE 5.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM								
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria*	Diarrhoeal Diseases† (under 2 years).	Influenza.	
LONDON† . .	4,531,971	1921. Aug. 6	1,823	821	9·4	3	-	5	3	7	30	68	1	
CALCUTTA . .	896,067	July 2	-	426§	24·7	?	3	?	?	?	?	?	6	
BOMBAY . .	979,445	" 2	318	752	39·9	8	8	-	-	-	-	60	17	
MADRAS . .	518,660	June 18	343	272§	27·3	3	2	1	?	1	-	25	-	
		" 25	375	332	33·3	1	2	-	?	-	-	33	3	
PARIS . .	2,847,229	(10 days) June 20	1,438	954	12·2	5	-	8	1	1	2	26	1	
BRUSSELS . .	792,919	- - -	-	-	-	-	-	-	-	-	-	-	-	
ANTWERP . .	340,209	June 16	116	58	9·0	1	-	-	-	-	1	4	-	
AMSTERDAM . .	680,912	July 23	323	131	10·0	-	-	-	1	4	-	3	-	
COPENHAGEN . .	571,000	" 23	205	105	9·6	-	-	-	1	-	-	2	-	
STOCKHOLM . .	419,788	" 16	103	85	10·5	-	-	-	-	-	-	1	-	
GOTHENBURG . .	205,547	" 9	-	27	6·8	-	-	-	1	-	-	1	-	
CHRISTIANIA . .	260,904	" 23	85	39	7·8	-	-	-	-	1	-	2	-	
BERLIN . .	1,951,000	" 16	505	379	10·1	-	?	-	-	3	1	14	-	
BRESLAU . .	547,000	" 16	227	164	15·6	-	?	2	1	6	4	22	1	
COLOGNE . .	666,000	" 16	306	167	13·0	-	?	1	-	1	-	30	2	
DRESDEN . .	595,000	" 16	204	124	10·8	-	?	-	1	-	-	4	-	
FRANKFORT- ON-MAIN.	469,100	" 16	138	94	10·4	1	?	-	-	1	-	7	1	
HAMBURG . .	1,031,000	" 16	361	201	10·1	-	?	-	-	1	1	4	2	
LEIPZIG . .	629,000	" 16	219	143	11·8	-	?	-	1	2	-	11	1	
MUNICH . .	670,000	" 16	177	163	12·7	-	-	1	-	1	1	5	1	
VIENNA . .	1,842,005	" 16	470	456	12·9	1	-	1	1	1	-	18	1	
PRAGUE AND SUBURBS.	676,454	" 9	250	154	11·9	2	-	-	-	1	-	9	3	
BUDAPEST . .	933,000	May 21	362	405	22·6	1	?	11	8	2	2	18	2	
TRIESTE . .	248,428	" 28	-	-	-	-	-	-	-	-	-	-	-	
CAIRO . .	765,200	" 27	-	-	-	-	-	-	-	?	-	-	?	
ALEXANDRIA . .	449,300	" 27	-	-	-	-	-	-	-	?	-	-	?	
NEW YORK . .	5,751,859	July 2	2,492	1,072	9·7	3	-	8	4	3	12	39	1	
CHICAGO . .	2,780,655	{ " 9	-	597	11·2	-	-	3	-	5	5	47	-	
		" 16	-	561	10·5	3	-	3	-	5	12	51	-	

Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Cities, Vienna, Prague and Suburbs, Budapest, and Trieste.
The deaths in this column relate to *all ages* for Bombay, Madras, Christiania, and Budapest, and to *children under 1 year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.
The estimated population and deaths refer to the civilian population only.
Including 1 death from *plague* in Madras, and from *Asiatic cholera*, 76 deaths in Calcutta.

TABLE 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 6th August, 1921.
(Supplied by the Meteorological Office.)

TOWNS.	Temperature of Air.*				Rainfall in Milli- metres.†	TOWNS.	Temperature of Air.*				Rainfall in Milli- metres.†
	Highest.	Lowest.	Mean Maxi- mum.	Mean Mini- mum.			Highest.	Lowest.	Mean Maxi- mum.	Mean Mini- mum.	
LONDON (Greenwich) }	79	48	75·7	56·7	5	BRADFORD . .	77	49	67·0	55·7	25
RIGHTON . .	69	50	67·1	59·9	9	SHEFFIELD . .	80	48	70·3	55·4	14
PORTSMOUTH . .	71	54	68·4	59·6	10	YORK (Museum) . .	80	50	69·3	56·6	21
ORWICH (South- well Lodge) }	84	51	74·7	57·4	7	HULL (Pearson Park)	83	52	72·9	57·0	17
LYMOUTH . .	69	54	65·0	58·0	33	TYNEMOUTH . .	74	48	66·9	65·0	29
Bristol (Clifton) .	75	53	69·6	57·4	33	CARDIFF . .	75	51	68·1	56·6	46
IRMINGHAM . .	75	51	68·3	55·7	31	EDINBURGH . .	70·0	45·0	?	?	13
OTTINGHAM . .	80	51	70·6	58·0	33	GLASGOW . .	67·5	45·5	63·2	53·3	31
IRKENHEAD (Bidston) }	77	50	67·1	55·4	48	DUBLIN :— Phoenix Park . .	74·9	44·6	67·0	52·5	33
MANCHESTER . .	77	51	68·7	56·7	34	†Fitzwilliam Square	73·2	48·0	66·2	54·4	32
URNLEY . .	73	47	65·0	54·3	68	BELFAST . .	70·5	44·0	63·0	52·4	38
UDDERSFIELD . .	79	48	68·3	55·1	27						

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.

† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.

‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

TABLE 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 6th August 1921.

[Under the Superintendence of the Astronomer Royal.]

1921.		Phases of the Moon.	BARO- METER. Mean daily reading (cor- rected and re- duced to 32° Fahren- heit).	TEMPERATURE.					Difference between the Air Temperature and Dew Point Temperature.			De- gree of Hu- mid- ity (Satu- ration equals 100).	TEMPERATURE.			Wind as deduced from Anemometers.				Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
MONTH AND DAY	Of the Air.			De- parture from Average of 65 years.	Of the Dew point.		Of the Earth 4 feet below the Surface.		Of Radiation.	Pressure on the Square Foot.			Osler's.		Robinson's.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
					High- est.	Low- est.	Daily Range.	Mean daily value.		Mean daily value.	Great- est.		Least.	General Direction.	Great- est.	Mean of 24 hourly obs.	Horizontal Movement of the Air on each Day.	Depar- ture from Average of 50 years.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
JULY.				in.	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°

DATE.		ELECTRICITY. (For explanation of symbols, see Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
JULY 1921.					
SUNDAY	31	v.P. generally	9.1	15.4	Overcast till 6h.; very cloudy generally till 15h.; cloudless with few exceptions from 17h. to 23h., then clouding up.
AUGUST. MONDAY	1	w.P. generally	0.4	15.4	Cloudy to overcast by 1h. 30m.; few cloudy intervals during the day, clearing from 20h. 30m.; nearly cloudless till 22h., then clouding up.
TUESDAY	2	w.P. till 10h., s.P. generally afterwards, a little v.N. before noon. v.P. generally, v.N. at times till noon, register imperfect afterwards.	10.2	15.3	Overcast generally till 10h., variably cloudy afterwards; slight rain between 7h. 30m. and 10h.; brisk wind 10h. to 19h.
WEDNESDAY	3	No register till afternoon, then imperfect.	7.4	15.3	Few clouds till 3h., becoming nearly overcast by 5h.; variably cloudy 9h. to 15h., with overcast intervals; partially cloudy afterwards; frequent rain between 8h. 30m. and 14h., with occasional thunder.
THURSDAY	4	w.P. till noon, v.P. afterwards.	2.7	15.2	Cloudless till 3h.; clouding up 5h. to 11h., then overcast; occasional slight rain or damping after 15h.
FRIDAY	5	v.P. generally	0.4	15.2	Overcast with few exceptions; brisk wind generally after noon; damping 4h.; frequent rain after 18h.
SATURDAY	6		12.7	15.1	Very cloudy or overcast till 9h.; variably cloudy till 15h., then rapidly clearing nearly cloudless from 16h.; brisk wind till 20h.
No. of Col.		26	Sum 42.9	Sum 106.9	
			27	28	

The results apply to the civil day, or from midnight to midnight.
The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.
Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.
The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.
In reading columns 9 and 24 it will be borne in mind that + indicates "higher," and - "lower," than the average.
The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.
The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.
The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.
The reading of the barometer decreased generally from 29.85 in. at the beginning of the week to 29.60 in. by 8h. on August 2nd; increased to 29.91 in. by 8h. on August 4th; decreased to 29.48 in. by 3h. on August 6th, and increased to 29.78 in. by midnight on the same day.

TABLE 8. LONDON.—DEATHS OF PERSONS BELONGING to the several METROPOLITAN BOROUGHs REGISTERED in the Week ended 30th July, 1921.

BOROUGHs.	Deaths from									Deaths of Infants under 1 Year of Age.
	ALL CAUSES.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Pulmonary Tuberculosis.	
COUNTY OF LONDON -	846	-	-	2	3	6	13	52	66	128
Western										
PADDINGTON . . .	29	-	-	-	-	-	-	2	-	5
KENSINGTON . . .	42	-	-	-	-	-	2	2	3	5
HAMMERSMITH . . .	21	-	-	-	-	-	-	3	2	4
FULHAM . . .	17	-	-	-	-	1	-	1	2	2
CHELSEA . . .	11	-	-	-	-	-	-	-	-	1
CITY OF WESTMINSTER -	25	-	-	-	-	-	-	-	4	1
Northern.										
ST. MARYLEBONE . . .	23	-	-	-	-	1	-	-	-	1
HAMPSTEAD . . .	14	-	-	-	-	1	1	-	1	2
ST. PANCRAS . . .	43	-	-	-	-	1	-	-	5	3
ISLINGTON . . .	62	-	-	2	-	1	3	4	5	8
STOKE NEWINGTON . . .	17	-	-	-	-	-	-	1	1	2
HACKNEY . . .	27	-	-	-	-	-	-	4	3	4
Central.										
HOLBORN . . .	10	-	-	-	-	-	-	-	-	-
FINSBURY . . .	14	-	-	-	-	-	-	1	-	4
CITY OF LONDON . . .	2	-	-	-	-	-	-	-	-	1
Eastern.										
SHOREDITCH . . .	32	-	-	-	-	-	-	3	1	7
BETHNAL GREEN . . .	23	-	-	-	-	-	-	-	2	3
STEPNEY . . .	67	-	-	-	-	-	-	7	4	16
POPLAR . . .	35	-	-	-	-	-	1	6	1	8
Southern.										
SOUTHWARK . . .	33	-	-	-	1	-	1	3	4	7
BERMONDSEY . . .	18	-	-	-	1	-	-	1	2	2
LAMBETH . . .	61	-	-	-	-	-	-	2	7	11
BATTERSEA . . .	13	-	-	-	-	-	-	-	1	2
WANDSWORTH . . .	47	-	-	-	-	-	1	2	7	5
CAMBERWELL . . .	49	-	-	-	-	1	2	1	4	6
DEPTFORD . . .	25	-	-	-	1	-	-	3	2	5
GREENWICH . . .	21	-	-	-	-	-	-	2	1	4
LEWISHAM . . .	29	-	-	-	-	-	2	2	2	5
WOOLWICH . . .	31	-	-	-	-	-	-	2	2	4

The deaths in the above Table are, so far as concerns London as a whole, corrected by the exclusion of deaths of non-residents, and by the inclusion of those of residents occurring in the Outer Ring or in Metropolitan public institutions situated outside the County. As between individual Metropolitan Boroughs, however, correction is complete.

TABLE 9. LONDON.—NUMBER OF CASES OF INFECTIOUS DISEASE NOTIFIED during the Week ended 30th July, 1921.*

BOROUGHs.	ESTI- MATED CIVILIAN POPU- LATION, MID. 1920.† (Provi- sional.)	Enteric Fever.	Malaria.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Group).	Pneumonia.	Erysipelas.	Cerebro-Spinal Fever.	Puerperal Fever.	Ophthalmia Neonatorum.	Poliomyelitis.	Dysentery.	Encephalitis Lethargica.	Anthrax.	Polio- encephalitis.
WESTERN.																	
Paddington . . .	149,673	-	1	-	-	7	2	1	2	-	-	-	-	-	-	-	-
Kensington . . .	164,177	-	-	-	-	18	6	-	1	-	-	-	-	-	-	-	-
Hammersmith . . .	136,200	1	-	-	-	28	9	-	3	-	1	2	-	-	-	-	-
Fulham . . .	158,621	1	1	-	-	12	6	2	1	-	-	1	-	-	-	-	-
Chelsea . . .	62,987	-	-	-	-	6	2	1	-	-	-	-	-	-	-	-	-
City of Westminster . . .	132,615	-	-	-	-	17	6	-	-	-	1	-	-	-	-	-	-
NORTHERN.																	
St. Marylebone . . .	101,856	-	-	-	-	4	7	1	1	-	-	2	-	-	1	-	-
Hampstead . . .	91,519	-	-	-	-	4	5	-	-	-	-	-	-	-	-	-	-
St. Pancras . . .	228,178	1	-	-	-	26	4	1	2	-	1	3	1	-	-	-	-
Islington . . .	335,907	-	-	-	-	37	23	1	-	-	1	2	-	-	-	-	-
Stoke Newington . . .	52,984	-	-	-	-	23	6	-	1	-	-	-	-	-	-	-	-
Hackney . . .	225,372	-	-	-	-	18	16	-	2	-	-	-	-	-	-	-	-
CENTRAL.																	
Holborn . . .	39,676	-	-	-	-	1	4	3	-	-	-	-	-	-	-	-	-
Finsbury . . .	78,291	-	-	-	-	17	4	-	4	1	-	-	-	-	-	-	-
City of London . . .	14,447	-	-	-	-	2	1	-	1	-	-	-	-	-	-	-	-
EASTERN.																	
Shoreditch . . .	102,044	-	-	-	-	28	13	3	-	-	-	1	-	-	-	-	-
Bethnal Green . . .	114,471	-	-	-	-	12	6	3	-	-	-	-	-	-	-	-	-
Stepney . . .	241,770	-	-	-	-	47	21	3	3	-	1	-	-	-	-	-	-
Poplar . . .	159,766	-	-	-	-	23	7	6	2	-	-	2	-	-	-	-	-
SOUTHERN.																	
Southwark . . .	187,142	-	1	-	-	25	12	4	3	-	1	1	-	-	-	-	-
Bermondsey . . .	129,189	-	-	-	-	18	15	1	1	-	-	-	-	-	-	-	-
Lambeth . . .	293,572	1	-	-	-	28	11	6	3	-	-	2	2	-	1	-	-
Battersea . . .	165,664	-	1	-	-	18	10	2	1	-	-	1	-	-	-	-	-
Wandsworth . . .	346,990	1	1	-	-	23	16	4	5	-	-	2	-	1	-	-	-
Camberwell . . .	284,712	1	1	-	-	27	15	-	2	-	1	-	-	-	-	-	-
Deptford . . .	115,636	1	-	-	-	16	6	1	1	-	-	-	-	-	-	-	-
Greenwich . . .	102,408	1	-	-	-	11	7	1	-	-	-	-	-	-	-	-	-
Lewisham . . .	174,438	-	-	-	-	14	9	1	-	-	1	1	-	-	-	-	-
Woolwich . . .	141,666	-	-	-	-	20	10	-	1	-	-	1	-	-	-	-	-
TOTAL . . .	4,531,971	8	6	-	-	530	259	45	40	1	8	21	3	1	3	-	-
AGES.																	
Ages 0-1 . . .		-	-	-	-	5	3	3	2	-	-	21	-	-	-	-	-
" 1-5 . . .		1	-	-	-	114	64	3	1	1	-	-	1	-	-	-	-
" 5- . . .		-	-	-	-	217	94	10	2	-	-	-	1	1	-	-	-
" 10- . . .		-	-	-	-	112	51	6	3	-	-	-	-	-	-	-	-
" 15- . . .		2	-	-	-	39	10	5	2	-	-	-	1	-	-	-	-
" 20- . . .		1	3	-	-	15	8	2	1	-	1	-	-	-	-	-	-
" 25- . . .		2	1	-	-	19	19	3	3	-	4	-	-	-	-	-	-
" 35- . . .		-	1	-	-	7	7	7	10	-	3	-	-	-	1	-	-
" 45- . . .		1	1	-	-	1	2	1	8	-	-	-	-	-	-	-	-
" 55- . . .		1	-	-	-	1	1	3	6	-	-	-	-	-	2	-	-
" 65- . . .		-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-
" 75 and upwards . . .		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Age not stated . . .		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

† See note † on first page of this return.

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS AND DEATHS REGISTERED:—

**LONDON AND
NINETY-FIVE OTHER GREAT TOWNS.**

~~~~~  
**By Authority of the Registrar General.**  
~~~~~

LONDON :
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased through any Bookseller or directly from
H.M. STATIONERY OFFICE at the following addresses:
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and
28, ABINGDON STREET, LONDON, S.W. 1;
37, PETER STREET, MANCHESTER;
1, ST. ANDREW'S CRESCENT, CARDIFF;
23, FORTH STREET EDINBURGH;
or from E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN.

No. 32. VOL. LXXXII. 1921. WEEK ENDED SATURDAY, AUG. 13.
[Price 9d. Net.]

*General Register Office, Somerset House,
August 16th, 1921.*

NINETY-SIX GREAT TOWNS.

For the NINETY-SIX GREAT TOWNS of England and Wales, each of which had a population of 50,000 or over at the Census of 1911, the births registered last week numbered 9,344, and corresponded to an annual rate of 26·1 per 1,000. The deaths* among the civilian population only numbered 3,766, and corresponded to an annual rate of 10·6 per 1,000 of their aggregate civilian population, which is provisionally estimated† at 18,554,878 persons in the year 1920. In the three weeks ended July 23rd, July 30th, and August 6th, the rates had been 10·2, 10·3, and 10·2 respectively. The infant mortality was 94, against 73, 79, and 111 in the preceding three weeks. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks; it also shows for the week ended last Saturday the births and the deaths from certain individual causes. A column showing the number of deaths

* Corrected as far as possible for deaths of non residents and for those of residents occurring outside the area. Fully corrected figures will appear in the Registrar General's Annual Report.

† The estimates of population refer to the year 1920, and are based on the returns furnished under the scheme for rationing of food.

from influenza has been inserted in Table 1. The aggregate number of deaths from influenza in the 96 great towns in each of the last thirteen weeks is shown in Table 3A.

Measured by last week's mortality, the highest annual death-rates per 1,000 living were :—from *all causes*, 16·1 in Sunderland, 16·2 in South Shields, 16·5 in Barnsley, and 18·3 in Gateshead; from *measles*, 1·0 in Sunderland, and 1·3 Bootle and in South Shields; and from *whooping-cough*, 1·2 in Blackburn, and 1·7 in Preston. No death from *small-pox* was registered in any of the ninety-six towns.

LONDON.* (The Administrative County, including the City of London.)

For LONDON there were 2,214 BIRTHS, corresponding to a rate of 25·4 per 1,000, and 871 DEATHS of civilians, corresponding to a rate of 10·0, as against 9·9, 9·7, and 9·4, per 1,000 in the three weeks ended July 23rd, July 30th, and August 6th. The death-rate in the four weeks ended last Saturday averaged 9·8 per 1,000. The infant mortality was 84, against 68, 63, and 91, in the preceding three weeks.

There was no death from *enteric fever*, against 0, 0, and 3 in the preceding three weeks, the average for the corresponding weeks of the previous five years being 1. The deaths from *measles*, which had been 6, 2, and 5 in the preceding three weeks, further rose last week to 8, but were 3 below the average; 4 deaths belonged to the Borough of Stepney. There was 1 death from *scarlet fever*, against 4, 3, and 3 in the preceding three weeks, and an average of 1. The deaths from *whooping-cough*, which had been 12, 6, and 7 in the preceding three weeks, fell last week to 5, and were 1 below the average. The deaths from *diphtheria*, which had been 12, 13, and 30 in the preceding three weeks, fell last week to 16, but were 7 above the average; 3 deaths belonged to Bermondsey. The deaths from *diarrhoea and enteritis under 2 years of age*, which had been 29, 52, and 68 in the preceding three weeks, further rose last week to 103, and were 76 above the average; 12 deaths belonged to Hackney, 11 to Stepney, and 8 each to Fulham and Lambeth. The deaths from *influenza* numbered 3, as against 3, 3, and 1 in the preceding three weeks, and an average of 7.

Different forms of violence caused 28 deaths, all of which were the subject of coroners' inquests. Of these 28 deaths, 7 were cases of suicide, and 1 of homicide, while the remaining 20 were attributed to other forms of violence. Six of these latter were referred to vehicles in the streets, 2 to burns or scalds, and 4 to drowning.

CASES OF INFECTIOUS DISEASE.†

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital, there were 31 cases of enteric fever, 59 of measles, 3,572 of scarlet fever, 36 of whooping-cough, and 1,879 of diphtheria under treatment in these hospitals on Saturday last (Table 3). The admissions during the week,

* See note * on first page.

† The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

as compared with those in the preceding three weeks, were as follows :—Of enteric fever, 6 cases, against 11, 3, and 4; of measles, 11 cases, against 11, 15, and 11; of scarlet fever, 413 cases, against 570, 500, and 418; of whooping-cough, 14 cases, against 1, 0, and 14; and of diphtheria, 180 cases, against 259, 252, and 248. Table 9, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the county during the week ended August 6th, 1921.

TABLE 1.—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS,—BIRTHS and DEATHS REGISTERED, and DEATH-RATES in the Week ended Saturday, 13th August, 1921, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.		ESTIMATED CIVILIAN POPULATION, MID. 1920.* (Provisional.)	DEATH RATES from all Causes.				Week ended 13th Aug. 1921.		The DEATHS in the Week include										Deaths of				Deaths from								Inquest Cases.			Deaths in Public Institutions.		Uncertified Causes of Death.	TOWNS.	
			Week ended				BIRTHS.	DEATHS.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.															
			23rd July 1921	30th July, 1921.	6th Aug., 1921.	13th Aug., 1921.																																
Cols.		1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.															
96 GREAT TOWNS.		18,554,878	10·2	10·3	10·2	10·6	9,344	3,766	878	1,022	3	-	28	7	35	31	469	15	124	247	1,278	12	96 GREAT TOWNS.															
LONDON†		4,531,971	9·9	9·7	9·4	10·0	2,214	871	186	231	-	-	8	1	5	16	103	3	28	73	443	2	LONDON.†															
{ CROYDON.		191,580	13·9	7·6	9·3	6·0	99	22	6	12	-	-	-	-	-	-	1	-	-	1	6	-	{ CROYDON.															
WIMBLEDON.		62,174	12·6	9·2	8·4	13·4	22	16	2	8	-	-	-	-	-	1	2	1	1	1	6	-	WIMBLEDON.															
EALING.		76,129	8·2	9·6	6·2	4·8	37	7	-	3	-	-	-	-	-	1	-	-	-	-	2	-	EALING.															
ACTON.		64,192	8·1	7·3	6·5	6·5	32	8	3	1	-	-	-	-	-	-	5	-	-	-	1	-	ACTON.															
WILLESDEN.		167,328	8·4	4·1	5·9	7·8	60	25	6	10	-	-	-	-	-	-	4	-	-	1	11	-	WILLESDEN.															
HORNSEY.		98,107	4·8	11·7	4·3	9·0	31	17	-	7	-	-	-	-	-	-	-	-	-	-	7	-	HORNSEY.															
TOTTENHAM		146,970	6·0	9·2	12·8	8·9	62	25	3	10	-	-	-	1	-	-	3	-	-	-	11	-	TOTTENHAM.															
{ EDMONTON.		73,529	8·5	10·6	6·4	11·3	30	16	7	3	-	-	-	-	-	-	2	-	-	3	4	-	{ EDMONTON.															
ENFIELD.		60,771	12·9	7·7	9·4	7·7	19	9	1	3	-	-	-	-	-	-	-	-	-	-	2	-	ENFIELD.															
WEST HAM.		299,410	8·9	12·9	9·9	15·8	165	91	30	23	1	-	-	-	-	-	22	-	1	4	36	-	WEST HAM.															
EAST HAM.		150,207	6·6	9·4	5·6	7·3	67	21	3	10	-	-	-	-	-	-	1	-	-	1	5	-	EAST HAM.															
LEYTON.		128,832	6·9	8·5	7·3	13·4	34	33	6	14	-	-	-	-	-	-	4	-	1	2	12	-	LEYTON.															
WALTHAMSTOW		132,771	9·0	7·5	5·1	7·9	51	20	8	2	-	-	-	-	-	-	7	-	1	1	6	-	WALTHAMSTOW.															
{ ILFORD.		82,693	5·7	6·3	8·2	5·0	37	8	6	-	-	-	-	-	-	-	2	-	-	-	1	-	{ ILFORD.															
GILLINGHAM.		45,233	4·6	16·1	6·9	11·5	25	10	2	3	-	-	-	-	-	-	1	-	-	-	1	-	GILLINGHAM.															
HASTINGS.		59,972	12·2	11·3	10·4	13·0	19	15	2	9	-	-	-	-	-	1	-	-	1	1	2	-	HASTINGS.															
EASTBOURNE.		50,354	10·4	14·5	15·5	12·4	15	12	1	5	-	-	-	-	-	-	-	-	1	1	3	-	EASTBOURNE.															
BRIGHTON.		137,685	8·7	12·9	8·7	9·1	64	24	6	5	-	-	-	-	-	-	1	-	1	4	8	-	BRIGHTON.															
PORTSMOUTH.		235,998	8·8	10·8	7·7	11·5	129	52	11	13	-	-	-	-	3	-	10	-	2	4	14	-	PORTSMOUTH.															
BOURNEMOUTH.		85,919	12·7	10·3	9·7	15·2	22	25	4	13	-	-	-	-	-	-	-	-	-	2	5	-	BOURNEMOUTH.															
SOUTHAMPTON.		162,388	7·1	6·7	8·0	7·7	72	24	5	5	-	-	-	-	-	1	3	-	3	3	7	-	SOUTHAMPTON.															
READING.		95,006	9·3	7·7	9·9	11·5	49	21	3	10	-	-	-	-	-	-	-	-	2	2	9	-	READING.															
OXFORD.		59,963	7·0	6·1	8·7	5·2	11	6	1	4	-	-	-	-	-	-	-	-	1	-	4	-	OXFORD.															
NORTHAMPTON.		92,483	7·9	12·4	5·1	9·6	52	17	3	6	1	-	-	-	-	-	1	-	-	-	5	-	NORTHAMPTON.															
CAMBRIDGE.		60,154	10·4	6·9	6·1	10·4	22	12	2	5	-	-	-	-	-	-	1	-	-	1	4	-	CAMBRIDGE.															

TABLE 1 (cont.).—98 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH-RATES in the Week ended Saturday, 13th August, 1921, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	ESTIMATED CIVILIAN POPULATION Mid. 1920.* (Provisional.)	DEATH-RATES from all Causes.					Week ended 13th Aug., 1921.		The DEATHS in the Week include										TOWNS			
		Week ended					BIRTHS.	DEATHS.	Deaths of		Deaths from									Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
									Persons aged 65 Years and upwards.	Infants under 1 Year of Age.	Small pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphteria.	Diarrhoea and Enteritis (under 2 years).	Influenza.	Violence.				
		23rd July, 1921.	30th July, 1921	6th Aug., 1921.	13th Aug., 1921.																	
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
STOCKPORT	130,635	5·6	12·4	11·2	12·4	59	31	4	7	-	-	-	-	-	-	1	-	4	4	6	1	STOCKPORT.
BIRKENHEAD	153,951	12·5	10·8	10·8	9·5	85	28	4	8	-	-	-	-	-	-	4	-	1	1	15	-	BIRKENHEAD.
WALLASEY	59,226	8·4	6·8	6·3	7·4	40	14	-	3	-	-	-	-	-	-	-	-	-	-	5	-	WALLASEY.
LIVERPOOL	803,452	14·8	11·6	13·2	15·3	501	235	68	44	-	-	6	1	5	1	55	1	7	12	95	1	LIVERPOOL.
BOOTLE	80,029	11·1	9·8	7·2	9·1	37	14	2	4	-	-	2	-	1	-	1	-	-	-	5	-	BOOTLE.
ST. HELENS	104,822	12·4	9·0	12·4	10·9	53	22	5	5	-	-	1	-	-	-	3	-	1	1	3	-	ST. HELENS.
SOUTHPORT	72,939	10·7	12·2	13·6	7·9	24	11	1	2	-	-	-	-	-	-	-	-	1	2	4	-	SOUTHPORT.
WIGAN	90,866	14·9	17·8	16·1	14·3	59	25	11	3	-	-	-	-	-	-	7	-	1	2	3	-	WIGAN.
WARRINGTON	77,939	6·0	13·4	9·4	8·7	42	13	4	1	-	-	-	-	-	-	5	-	-	-	1	-	WARRINGTON.
BOLTON	184,533	9·0	10·5	12·2	14·1	81	50	8	17	-	-	-	-	2	-	3	-	2	4	16	-	BOLTON.
BURY	56,410	7·4	2·8	12·9	7·4	13	8	1	2	-	-	-	-	-	-	-	-	-	-	1	-	BURY.
MANCHESTER	770,597	11·5	10·1	8·9	10·3	381	132	28	36	-	-	-	1	5	-	8	-	4	9	69	-	MANCHESTER.
SALFORD	235,239	10·2	12·4	14·2	10·2	120	46	11	9	-	-	-	-	1	2	4	-	-	4	12	-	SALFORD.
OLDHAM	143,154	12·0	9·1	9·5	13·5	64	37	6	8	-	-	-	-	-	-	2	1	2	2	9	-	OLDHAM.
ROCHDALE	93,639	10·6	6·1	11·7	8·9	27	16	1	3	-	-	-	-	-	-	-	-	2	4	8	-	ROCHDALE.
BURNLEY	105,030	10·4	12·4	15·4	10·4	48	21	7	3	-	-	-	-	-	-	5	-	1	4	4	-	BURNLEY.
BLACKBURN	131,012	11·9	7·2	5·2	12·7	50	32	6	9	-	-	-	-	3	-	-	1	-	-	7	-	BLACKBURN.
PRESTON	121,950	9·0	9·4	11·1	11·5	37	27	10	6	-	-	-	-	4	-	3	-	2	2	6	-	PRESTON.
BLACKPOOL	70,545	8·1	11·8	5·9	9·6	20	13	-	8	-	-	-	-	-	1	-	1	1	1	6	-	BLACKPOOL.
BARROW IN FURNESS	76,561	7·5	7·5	6·1	7·5	40	11	1	3	-	-	-	-	-	1	-	-	-	-	3	-	BARROW IN FURNESS.
HUDDERSFIELD	116,776	12·1	8·9	8·0	5·8	49	13	3	2	-	-	-	-	-	-	-	-	-	2	3	-	HUDDERSFIELD.
HALIFAX	105,847	8·9	9·4	10·8	8·9	29	18	3	6	-	-	-	-	-	-	-	-	1	1	7	-	HALIFAX.
BRADFORD	293,979	12·4	11·9	10·5	11·0	128	62	13	19	-	-	3	-	-	-	2	1	1	5	20	-	BRADFORD.
LEEDS	449,212	11·8	13·5	12·2	10·3	226	89	21	22	-	-	-	-	-	-	10	2	4	8	26	-	LEEDS.
DEWSBURY	55,080	10·4	15·1	6·6	12·3	42	13	5	4	-	-	-	-	-	-	3	-	-	-	1	-	DEWSBURY.
WAKEFIELD	51,169	6·1	10·2	9·2	13·2	24	13	3	3	-	-	-	-	-	-	1	-	-	1	4	-	WAKEFIELD.
BARNLEY	53,739	16·5	13·6	12·6	16·5	42	17	9	2	-	-	-	-	-	-	4	-	-	1	3	-	BARNLEY.

* See note + on first page of this return.

TOWNS.		ESTIMATED		Causes.				Week ended		Deaths from										Deaths of		Inquest Cases.		Deaths in Public Institutions.		Uncertified Causes of Death.		TOWNS																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
		CIVILIAN	POPULATION, MID. 1920.* (Provisional).	Week ended				13th Aug., 1921.		Deaths from										Deaths of		Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
				Week ended				13th Aug., 1921.		Deaths from										Deaths of																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
				23rd July, 1921.	30th July, 1921.	6th Aug., 1921.	13th Aug., 1921.	BIRTHS.	DEATHS.	10.	11.	12.	13.	14.	15.	16.	17.	18.	9.	8.	7.				6.	5.	4.		3.	2.	1.	Cols.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
SHEFFIELD	.	.	492,570	10.5	9.8	10.1	10.2	219	96	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* See note † on first page of this return.

† The populations are total populations and relate to 1921, those for Edinburgh and Glasgow being Census populations. Deaths and the death-rates in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week: those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

TABLE 2. LONDON.—Births and Deaths registered during the THIRTY-SECOND Week of each of the Eleven Years, 1911-1921.

	1911.	1912.	1913.	1914.	1915.	1916.	1917.	1918.	1919	1920.	1921.
Births (as registered).	1880	2001	1894	2329	1962	1892	1473	1352	1538	2335	2214
Males	921	1015	927	1182	1008	985	747	707	769	1200	1186
Females	959	986	967	1147	954	907	726	645	769	1135	1028
Deaths (of residents only).	1618	973	986	1056	1009	878*	838*	810*	730*	710*	871*
Males	861	536	518	539	494	463	454	413	387	369	478
Females	757	437	468	517	515	415	384	397	343	341	393

* Deaths in civilian population only.

TABLE 3. LONDON.—BIRTHS and DEATHS REGISTERED, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the last THIRTEEN WEEKS.

	May 21.	May 28.	June 4.	June 11.	June 18.	June 25.	July 2.	July 9.	July 16.	July 23.	July 30.	Aug. 6.	Aug. 13.
Births (as registered)	1868	2188	1971	2128	2008	1919	1804	1955	1910	1891	2023	1823	2214
Deaths (of residents only).	92	96	867	795	801	840	779	751	941	857	846	822	871
Age at Death													
Under 1 year	116	132	108	116	92	100	84	86	124	128	128	166	186
1-2 years	35	32	16	26	29	16	24	24	28	44	29	38	36
2-5 "	15	25	15	20	20	20	23	23	21	26	19	24	13
5-10 "	29	24	32	17	31	22	16	10	22	18	20	30	20
10-15 "	13	18	19	14	16	18	14	10	21	10	12	11	8
15-20 "	23	22	23	20	13	24	24	20	24	23	15	21	24
20-25 "	22	14	20	17	16	21	22	18	22	18	19	25	17
25-35 "	53	56	58	50	42	55	45	29	49	33	41	43	62
35-45 "	72	65	68	51	68	66	58	53	54	51	55	56	50
45-55 "	109	100	15	84	85	96	84	109	109	102	104	87	87
55-65 "	119	133	133	120	125	129	126	105	156	120	133	98	137
65-75 "	166	174	155	143	136	146	150	137	153	146	155	110	122
75 years and upwards	160	141	125	137	128	127	109	127	158	138	116	113	109
Deaths from—													
Enteric fever	-	1	3	-	-	3	-	-	3	-	-	3	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	4	3	5	3	3	7	-	4	-	6	2	5	8
Scarlet fever	6	4	9	4	8	6	6	2	6	4	3	3	1
Whooping cough	7	16	6	11	9	6	5	9	13	12	6	7	5
Diphtheria	19	22	14	10	17	12	10	10	18	12	13	30	16
Diarrhoea and enteritis (under 2 years).	15	14	9	11	11	12	9	13	30	29	52	68	103
Pulmonary tuberculosis	82	83	103	73	70	101	93	55	77	71	66	77	82
Influenza	23	6	9	6	4	6	5	5	4	3	3	1	3
Pneumonia (all forms)	65	71	56	62	54	53	36	46	40	60	44	34	39
Bronchitis	55	38	42	31	37	23	29	27	27	36	25	12	24
Other dis. of resp. system	12	13	8	9	8	8	8	9	14	13	8	8	10
Dis. of circ. system	150	175	142	141	137	135	124	148	145	126	135	133	119
Violence	39	43	31	35	29	41	36	26	52	45	47	33	28
Inquest cases	91	92	73	70	65	85	61	71	87	83	77	73	73
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Enteric fever	17	18	22	22	17	18	24	24	23	27	28	28	31
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	41	42	37	35	34	35	41	40	43	52	49	54	59
Scarlet fever	3249	3427	3491	3501	3369	3651	3672	3844	3879	3886	3765	3717	3572
Whooping cough	14	14	7	5	9	10	10	9	10	10	10	23	36
Diphtheria	2215	2140	2020	1980	1950	1928	1915	1921	1961	1983	1979	1957	1879

* The Metropolitan Asylums Board and London Fever Hospitals. The figures do not refer to London exclusively.

TABLE 3A. 96 Great Towns.—DEATHS from INFLUENZA in the last THIRTEEN WEEKS.

	May 21.	May 28.	June 4.	June 11.	June 18.	June 25.	July 2.	July 9.	July 16.	July 23.	July 30.	Aug. 6.	Aug. 13.
Deaths from Influenza	94	71	67	33	33	32	20	25	27	19	25	14	15

TABLE 4. LONDON.—DEATHS REGISTERED in the THIRTY-SECOND Week of the Year 1921.

CAUSES OF DEATH.	Deaths in the 32nd week of the year 1920.	DEATHS OF PERSONS OF THE AGES													
		ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-10 years.	10-15 years.	15-20 years.	20-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and up- wards.
ALL CAUSES	710	871	186	36	13	20	8	24	17	62	50	87	137	122	109
Enteric fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	1	8	3	3	1	1	-	-	-	-	-	-	-	-	-
Scarlet fever	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Whooping cough	4	5	3	2	-	-	-	-	-	-	-	-	-	-	-
Diphtheria	18	16	2	-	5	8	-	-	-	-	-	-	1	-	-
Influenza	6	3	-	-	-	-	-	-	-	-	-	1	1	-	1
Erysipelas	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Acute Poliomyelitis, Polioencepha- litis.	?	1	-	-	-	-	-	-	-	-	-	1	-	-	-
Encephalitis lethargica	?	3	-	1	-	1	-	-	-	-	1	-	-	-	-
Meningococcal meningitis . . .	?	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other endemic and epidemic diseases.	-	2	1	-	-	-	-	-	-	-	-	1	-	-	-
Pyæmia and septicæmia	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis :—															
Pulmonary tuberculosis	63	82	-	-	-	-	1	13	11	22	11	10	11	2	1
Tuberculous meningitis	14	3	2	-	-	-	-	-	-	1	-	-	-	-	-
Abdominal tuberculosis	5	3	1	-	-	-	1	-	-	-	1	-	-	-	-
Tuberculosis of the spine	1	2	-	-	1	1	-	-	-	-	-	-	-	-	-
Tuberculosis of the joints	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-
Tuberculosis of other organs . .	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Disseminated tuberculosis . . .	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
Venereal diseases	4	5	3	-	-	-	-	-	-	-	1	1	-	-	-
Cancer	90	108	-	-	-	-	-	-	-	4	3	23	34	30	14
Rheumatic fever	5	4	-	-	-	-	2	-	1	1	-	-	-	-	-
Diabetes	3	6	-	-	-	-	-	-	-	2	1	1	1	1	-
Anæmia, leucocythæmia	5	6	1	-	-	1	-	-	-	1	1	-	-	2	-
Other general diseases	6	15	1	1	-	-	-	-	1	-	1	1	1	4	5
Alcoholism	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
Chronic poisonings	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	4	3	2	-	1	-	-	-	-	-	-	-	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	34	39	-	-	-	-	-	-	-	-	-	6	10	11	12
Softening of brain	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Paralysis, without specified cause .	3	1	-	-	-	-	-	-	-	-	-	1	-	-	-
Epilepsy	4	4	-	-	-	-	-	-	-	-	-	2	-	2	-
"Convulsions" (not puerperal) . .	6	8	8	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system .	16	17	-	1	-	-	-	-	-	2	1	4	5	3	1
Pericarditis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute endocarditis	2	2	-	-	-	-	-	-	-	-	2	-	-	-	-
Other diseases of heart	81	90	-	-	-	-	-	2	2	5	4	11	23	21	22
Embolism and thrombosis (exclud- ing cerebral).	9	4	-	-	-	-	-	-	-	-	1	2	1	-	-
Other diseases of circulatory system.	25	23	1	-	-	-	-	-	-	1	-	2	8	5	6
Diseases of the larynx	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-
Bronchitis	25	24	-	-	-	-	-	-	1	-	2	1	6	7	7
Broncho-pneumonia	7	15	5	4	1	-	-	-	-	-	1	2	1	1	-
Lobar pneumonia	11	12	1	-	-	-	-	-	-	1	3	-	4	2	1
Pneumonia (type not distinguished)	6	12	1	1	-	-	-	-	-	1	2	2	2	2	1
Pleurisy	3	2	-	-	-	-	-	-	-	1	-	-	-	1	-
Pulmonary congestion, Pulmonary apoplexy.	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Other diseases of respiratory system.	5	6	-	-	-	-	1	-	-	-	2	-	1	2	-

TABLE 5.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS. Exclusive of Stillborn.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM							
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria*	Diarrhoeal Diseases† (under 2 years).	Influenza.
LONDON† . .	4,531,971	1921. Aug. 13	2,214	871	10·0	-	-	8	1	5	16	103	3
CALCUTTA . .	896,067	July 9	-	444§	25·7	?	-	?	?	?	?	?	6
BOMBAY . .	979,445	" 9	325	747§	39·6	1	7	-	-	1	1	49	4
MADRAS . .	518,660	" 2	355	258	25·2	1	-	-	?	1	-	37	1
PARIS . .	2,847,229	(10 days) June 30	1,425	972	12·5	3	-	7	3	-	4	30	1
BRUSSELS . .	792,919	- - -	-	-	-	-	-	-	-	-	-	-	-
ANTWERP . .	340,209	July 23	128	48	7·5	-	-	-	-	-	1	8	-
AMSTERDAM . .	680,912	" 30	240	109	8·3	2	-	-	-	1	-	4	-
COPENHAGEN . .	571,000	" 30	275	114	10·4	-	-	-	1	-	1	1	-
STOCKHOLM . .	419,788	" 23	144	73	9·0	-	-	-	-	-	-	-	-
GOTHENBURG . .	205,547	" 16	-	34	8·6	-	-	-	-	-	-	-	-
CHRISTIANIA . .	260,904	" 30	82	47	9·4	-	-	-	-	-	-	2	-
BERLIN . .	1,951,000	" 23	513	456	12·2	-	?	1	-	5	-	21	4
BRESLAU . .	547,000	" 23	259	150	14·3	-	?	-	-	4	1	12	1
COLOGNE . .	666,000	" 23	321	162	12·6	-	?	-	-	-	-	10	-
DRESDEN . .	595,000	" 23	216	150	13·0	-	?	-	-	-	-	11	1
FRANKFORT- ON-MAIN.	469,000	" 23	156	93	10·3	-	?	-	1	-	-	9	2
HAMBURG . .	1,031,000	" 23	320	192	9·7	1	?	-	-	1	1	6	1
LEIPZIG . .	629,000	" 23	203	144	11·9	-	?	1	-	-	-	16	-
MUNICH . .	670,000	" 23	240	136	10·6	-	?	3	-	1	-	7	1
VIENNA . .	1,842,005	" 23	464	470	13·2	1	-	1	3	1	-	22	1
PRAGUE AND SUBURBS.	676,454	" 16	-	-	-	-	-	-	-	-	-	-	-
BUDAPEST . .	933,000	May 28	-	-	-	-	-	-	-	-	-	-	-
TRIESTE . .	248,428	" 28	-	-	-	-	-	-	-	-	-	-	-
CAIRO . .	765,200	" 27	-	-	-	-	-	-	-	-	-	-	-
ALEXANDRIA . .	449,300	" 27	-	-	-	-	-	-	-	-	-	-	-
NEW YORK . .	5,751,859	July 9	2,469	1,069	9·7	3	-	3	5	7	18	44	1
CHICAGO . .	2,780,655	" 23	-	537	10·1	-	-	-	-	4	4	47	2

Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Cities, Vienna, Prague and Suburbs, Budapest, and Trieste.
 The deaths in this column relate to *all ages* for Bombay, Madras, Christiania, and Budapest, and to *children under 1 year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.
 The estimated population and deaths refer to the civilian population only.
 Including 5 deaths from *plague* in Bombay, and from *Asiatic cholera*, 25 deaths in Calcutta and 2 in Bombay.

TABLE 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 13th August, 1921.
(Supplied by the Meteorological Office.)

TOWNS.	Temperature of Air.*				Rainfall in Milli- metres.†	TOWNS.	Temperature of Air.*				Rainfall in Milli- metres.†
	Highest.	Lowest.	Mean Maxi- mum.	Mean Mini- mum.			Highest.	Lowest.	Mean Maxi- mum.	Mean Mini- mum.	
LONDON (Greenwich) }	79	50	75·4	51·9	4	BRADFORD . .	63	50	60·4	51·8	49
RIGHTON . .	70	52	67·7	54·4	6	SHEFFIELD . .	66	49	62·7	51·7	56
PORTSMOUTH . .	72	51	69·6	54·1	9	YORK (Museum) . .	66	50	62·3	52·7	37
WORWICH (South- well Lodge) }	74	51	68·7	53·1	17	HULL (Pearson Park)	68	49	64·0	52·0	27
PLYMOUTH . .	68	48	65·4	52·6	12	TYNEMOUTH . .	66	48	60·4	51·9	22
Bristol (Clifton) .	67	50	63·6	52·9	25	CARDIFF . .	67	49	64·1	52·6	14
BIRMINGHAM . .	67	49	63·6	51·6	29	EDINBURGH . .	Not available.				
NOTTINGHAM . .	69	50	65·3	53·0	36	GLASGOW . .	63·6	48·2	60·0	51·4	29
BRISTOLHEAD (Bidston) }	64	52	61·9	53·1	42	DUBLIN :—					
MANCHESTER . .	66	41	63·3	50·3	42	Phoenix Park . .	64·1	46·6	62·9	49·2	11
BURNLEY . .	66	47	61·0	50·9	42	†Fitzwilliam Square	63·8	50·0	62·4	51·6	10
WIDDERSFIELD . .	66	49	62·3	51·6	47	BELFAST . .	Not available.				

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.

† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.

‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

DATE.		ELECTRICITY. (For explanation of symbols, <i>see</i> Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
AUGUST 1921.					
SUNDAY	7	v. P. generally	6.0	15.0	Partially cloudy till noon, becoming overcast, with slight exceptions, by 13h.; slight rain about 20h. to 21h. 30m.; brisk wind from 15h.
MONDAY	8	v. P. throughout	11.0	15.0	Clearing about 1h.; nearly cloudless till 8h.; variably cloudy till 17h.; nearly cloudless from 18h.
TUESDAY	9	v. P. throughout	9.4	14.9	Cloudless till 5h.; partially cloudy till 10h.; cloudy to nearly overcast by 14h., clearing from 16h., nearly cloudless from 18h. 30m.
WEDNESDAY	10	v. P. throughout	4.4	14.9	Nearly overcast generally; few cloudy intervals; rain about 17h. 30m.
THURSDAY	11	v. P. generally	6.9	14.8	Overcast generally till 10h. 30m., becoming partially cloudy by 11h.; thin cloud prevalent after 19h.
FRIDAY	12	v. P. generally	6.3	14.8	Cloudless till 8h.; variably cloudy till 15h., then becoming overcast; thunder about 14h.; frequent slight rain from 17h. 30m.
SATURDAY	13	w. P. generally till noon with little v. N. at times, v. P. afterwards.	3.7	14.7	Cloudy between 1h. and 5h., otherwise nearly overcast till noon; variably cloudy afterwards, becoming overcast by 23h.; frequent rain between 6h. 30m. and 14h.; gloom in forenoon.
No. of Col. - -		26	Sum 47.7	Sum 104.1	
			27	28	

The results apply to the civil day, or from midnight to midnight.
The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "higher," and - "lower," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29.78 in. at the beginning of the week to 29.83 in. by 7h. on 7th; decreased to 29.64 in. by 21h. on the same day; increased to 29.87 in. by 10h. on 8th; decreased to 29.40 in. by 4h. on 11th, and increased generally to 29.79 in. by midnight on 13th.

TABLE 8. LONDON.—DEATHS OF PERSONS BELONGING to the several METROPOLITAN BOROUGHs REGISTERED in the Week ended 6th August, 1921.

BOROUGHs.	Deaths from									Deaths of Infants under 1 Year of Age.
	ALL CAUSES.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Pulmonary Tuberculosis.	
COUNTY OF LONDON -	822	3	1	5	3	7	30	68	77	166
Western.										
PADDINGTON . . .	17	-	-	-	-	-	-	-	2	4
KENSINGTON . . .	30	-	-	-	-	-	4	2	3	8
HAMMERSMITH . . .	18	-	-	-	-	-	2	-	5	2
FULHAM	27	-	-	-	-	-	1	2	-	5
CHELSEA	6	-	-	-	-	-	-	-	2	-
CITY OF WESTMINSTER -	21	-	-	-	-	-	1	1	3	3
Northern.										
ST. MARYLEBONE . . .	25	1	-	-	-	1	-	1	5	5
HAMPSTEAD	9	-	-	-	-	-	-	1	-	1
ST. PANCRAS	39	-	-	-	-	1	-	-	4	10
ISLINGTON	55	-	-	1	-	-	3	2	7	8
STOKE NEWINGTON . . .	7	-	-	-	-	-	-	-	-	-
HACKNEY	41	-	-	-	-	-	-	7	3	16
Central.										
HOLBORN	6	-	-	-	-	-	-	1	1	1
FINSBURY	19	-	-	-	-	1	-	-	-	2
CITY OF LONDON . . .	2	-	-	-	-	-	-	-	1	-
Eastern.										
SHOREDITCH	18	-	-	-	-	-	2	2	-	6
BETHNAL GREEN . . .	28	-	-	-	-	1	1	2	4	6
STEPNEY	54	-	-	3	1	-	1	7	5	11
POPLAR	44	1	-	1	-	2	3	9	1	13
Southern.										
SOUTHWARK	40	-	-	-	-	-	3	2	4	8
BERMONDSEY	36	-	-	-	1	-	2	2	1	10
LAMBETH	60	-	-	-	-	-	1	9	5	8
BATTERSEA	32	-	-	-	-	-	2	-	2	4
WANDSWORTH	55	-	-	-	-	-	-	5	5	12
CAMBERWELL	39	-	-	-	1	-	2	1	4	3
DEPTFORD	18	-	-	-	-	-	-	2	-	2
GREENWICH	28	1	-	-	-	-	-	4	4	7
LEWISHAM	21	-	-	-	-	-	-	2	1	4
WOOLWICH	27	-	-	-	-	1	2	4	5	7

The deaths in the above Table are, so far as concerns London as a whole, corrected by the exclusion of deaths of non-residents, and by the inclusion of those of residents occurring in the Outer Ring or in Metropolitan public institutions situated outside the County. As between individual Metropolitan Boroughs, however, correction is complete.

TABLE 9. LONDON.—NUMBER OF CASES OF INFECTIOUS DISEASE NOTIFIED during the Week ended 6th August, 1921.*

Boroughs...	ESTI- MATED CIVILIAN POPU- LATION, MID. 1920.† (Provi- sional.)	Enteric Fever.	Malaria.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Pneumonia.	Erysipelas.	Cerebro-Spinal Fever.	Puerperal Fever.	Ophthalmia Neonatorum.	Poliomyelitis.	Dysentery.	Encephalitis Lethargica.	Anthrax.	Polio- encephalitis.
WESTERN.																	
Paddington . . .	149,673	-	-	-	-	8	2	7	2	-	-	-	-	-	-	-	-
Kensington . . .	164,177	-	-	-	-	15	9	-	-	-	-	-	-	-	-	-	-
Hammersmith . . .	136,200	-	1	-	-	18	12	1	-	-	-	3	-	-	-	-	-
Fulham . . .	158,621	1	-	-	-	6	11	2	-	-	-	2	-	-	-	-	-
Chelsea . . .	62,987	2	-	-	-	5	-	-	1	-	1	1	-	-	-	-	-
City of Westminster . . .	132,615	-	-	-	-	12	2	-	-	-	-	-	-	-	-	-	-
NORTHERN.																	
St. Marylebone . . .	101,856	-	-	-	-	8	6	2	-	-	1	1	-	-	-	-	-
Hampstead . . .	91,519	-	-	-	-	4	4	-	-	-	-	1	-	-	-	-	-
St. Pancras . . .	228,178	-	-	-	-	18	6	3	-	-	-	-	-	-	-	-	-
Islington . . .	335,907	-	-	-	-	23	23	-	2	-	1	2	-	-	-	-	-
Stoke Newington . . .	52,984	-	-	-	-	7	2	-	-	-	-	-	-	-	-	-	-
Hackney . . .	225,372	-	-	-	-	30	26	-	2	-	-	1	-	1	-	-	-
CENTRAL.																	
Holborn . . .	39,373	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-
Finsbury . . .	78,291	-	-	-	-	11	9	2	6	-	-	-	-	-	-	-	-
City of London . . .	14,447	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-
EASTERN.																	
Shoreditch . . .	102,044	-	-	-	-	15	15	2	1	1	-	-	-	-	-	-	-
Bethnal Green . . .	114,471	-	-	-	-	13	7	1	3	-	1	-	-	-	-	-	-
Stepney . . .	241,770	-	-	-	-	56	15	5	2	-	-	1	-	-	-	-	-
Poplar . . .	159,763	-	-	-	-	24	7	8	1	1	-	1	-	-	-	-	-
SOUTHERN.																	
Southwark . . .	187,142	-	-	-	-	9	14	2	3	-	-	-	-	-	-	-	-
Bermondsey . . .	129,189	-	-	-	-	24	12	1	1	-	1	-	-	-	-	-	-
Lambeth . . .	293,572	-	1	-	-	15	10	5	1	-	1	2	-	-	-	-	-
Battersea . . .	165,664	-	-	-	-	14	17	2	1	-	-	-	-	-	-	-	-
Wandsworth . . .	346,990	-	-	-	-	18	14	3	1	-	-	1	-	-	-	-	-
Camberwell . . .	284,712	-	-	-	-	20	13	1	2	-	-	1	-	-	-	-	-
Deptford . . .	115,636	2	-	-	-	12	3	-	3	-	-	-	-	-	-	-	-
Greenwich . . .	102,408	-	-	-	-	12	6	-	-	-	1	-	-	-	-	-	-
Lewisham . . .	174,438	-	-	-	-	18	7	-	2	-	-	1	-	-	-	-	-
Woolwich . . .	141,666	-	-	-	-	16	6	1	1	1	-	-	-	1	-	-	-
TOTAL . . .	4,531,971	5	2	-	-	439	260	49	35	3	7	19	-	2	-	-	-
AGES.																	
Ages 0-1 . . .		-	-	-	-	8	8	5	1	1	-	19	-	-	-	-	-
" 1-5 . . .		-	-	-	-	101	72	12	-	-	-	-	-	-	-	-	-
" 5- . . .		1	-	-	-	169	89	4	2	-	-	-	-	-	-	-	-
" 10- . . .		-	-	-	-	95	41	1	2	1	-	-	-	-	-	-	-
" 15- . . .		1	-	-	-	28	23	4	1	-	-	-	-	1	-	-	-
" 20- . . .		-	-	-	-	15	11	3	3	1	1	-	-	-	-	-	-
" 25- . . .		1	-	-	-	13	10	5	4	-	5	-	-	-	-	-	-
" 35- . . .		1	2	-	-	8	5	4	5	-	1	-	-	-	-	-	-
" 45- . . .		-	-	-	-	1	-	2	9	-	-	-	-	-	-	-	-
" 55- . . .		-	-	-	-	-	-	5	4	-	-	-	-	1	-	-	-
" 65- . . .		1	-	-	-	1	-	2	3	-	-	-	-	-	-	-	-
" 75 and upwards . . .		-	-	-	-	-	1	2	1	-	-	-	-	-	-	-	-
Age not stated . . .		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

† See note † on first page of this return.

Printed under the authority of
HIS MAJESTY'S STATIONERY OFFICE
By Eyre and Spottiswoode, Ltd., East Harding Street, E.C.4
Printers to the King's most Excellent Majesty.

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS AND DEATHS REGISTERED:—

LONDON AND

NINETY-FIVE OTHER GREAT TOWNS.

~~~~~  
By Authority of the Registrar General.  
~~~~~

LONDON:

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from

H.M. STATIONERY OFFICE at the following addresses:

IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and

28, ABINGDON STREET, LONDON, S.W. 1;

37, PETER STREET, MANCHESTER;

1, ST. ANDREW'S CRESCENT, CARDIFF;

23, FORTH STREET EDINBURGH;

or from E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN.

No. 33. VOL. LXXXII. 1921. WEEK ENDED SATURDAY, AUG. 20.
[Price 9d. Net.]

*General Register Office, Somerset House,
August 23rd, 1921.*

NINETY-SIX GREAT TOWNS.

For the NINETY-SIX GREAT TOWNS of England and Wales, each of which had a population of 50,000 or over at the Census of 1911, the births registered last week numbered 8,626, and corresponded to an annual rate of 24·1 per 1,000. The deaths* among the civilian population only numbered 3,883, and corresponded to an annual rate of 10·9 per 1,000 of their aggregate civilian population, which is provisionally estimated† at 18,554,878 persons in the year 1920. In the three weeks ended July 30th, August 6th, and August 13th, the rates had been 10·3, 10·2, and 10·6 respectively. The infant mortality was 106, against 79, 111, and 94 in the preceding three weeks. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks; it also shows for the week ended last Saturday the births and the deaths from certain individual causes. A column showing the number of deaths

* Corrected as far as possible for deaths of non-residents and for those of residents occurring outside the area. Fully corrected figures will appear in the Registrar General's Annual Report.

† The estimates of population refer to the year 1920, and are based on the returns furnished under the scheme for rationing of food.

from influenza has been inserted in Table 1. The aggregate number of deaths from influenza in the 96 great towns in each of the last thirteen weeks is shown in Table 3A.

Measured by last week's mortality, the highest annual death-rates per 1,000 living were :—from *all causes*, 16·0 in Gloucester, 16·1 in Exeter and in Huddersfield, 16·5 in Plymouth and in Barnsley, and 16·7 in Gateshead. No death from *small-pox* was registered in any of the ninety-six towns.

LONDON.* (The Administrative County, including the City of London.)

For LONDON there were 1,948 BIRTHS, corresponding to a rate of 22·3 per 1,000, and 1,003 DEATHS of civilians, corresponding to a rate of 11·5, as against 9·7, 9·4, and 10·0, per 1,000 in the three weeks ended July 30th, August 6th, and August 13th. The death-rate in the four weeks ended last Saturday averaged 10·2 per 1,000. The infant mortality was 116, against 63, 91, and 84, in the preceding three weeks.

The deaths from *enteric fever*, which had been 0, 3, and 0 in the preceding three weeks, numbered 2, the average for the corresponding weeks of the previous five years being 2. There was 1 death from *measles*, against 2, 5, and 9 in the preceding three weeks, and an average of 8. The deaths from *scarlet fever*, which had been 3, 3, and 1 in the preceding three weeks, were 2 last week, the average being 1. The deaths from *whooping-cough*, which had been 6, 7, and 5 in the preceding three weeks, rose last week to 13, and were 8 above the average. The deaths from *diphtheria*, which had been 13, 30, and 16 in the preceding three weeks, were 17 last week, and were 6 above the average; 3 deaths belonged to the Borough of Kensington. The deaths from *diarrhoea and enteritis under 2 years of age*, which had been 52, 68, and 103 in the preceding three weeks, further rose to 154 last week, and were 119 above the average; 20 deaths belonged to Stepney, 14 to Islington, 12 to Shoreditch, and 11 each to Poplar and Lambeth. There was 1 death from *influenza* as against 3, 1, and 3 in the preceding three weeks, and an average of 6.

Different forms of violence caused 24 deaths, all of which were the subject of coroners' inquests. Of these 24 deaths, 5 were cases of suicide, and 1 of homicide, while the remaining 18 were attributed to other forms of violence. Four of these latter were referred to vehicles in the streets, 3 to burns or scalds, and 1 to drowning.

CASES OF INFECTIOUS DISEASE.†

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital, there were 34 cases of enteric fever, 60 of measles, 3,522 of scarlet fever, 40 of whooping-cough, and 1,816 of diphtheria under treatment in these hospitals on Saturday last (Table 3). The admissions during the week,

* See note * on first page.

† The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

as compared with those in the preceding three weeks, were as follows :—Of enteric fever, 7 cases, against 3, 4, and 6; of measles, 7 cases, against 15, 11, and 11; of scarlet fever, 457 cases, against 500, 418, and 413; of whooping-cough, 5 cases, against 0, 14, and 14; and of diphtheria, 198 cases, against 252, 248, and 180. Table 9, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the county during the week ended August 13th, 1921.

TABLE 1.—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH-RATES in the Week ended Saturday, 20th August, 1921, and DEATH-RATES in each of the preceasing three Weeks.

TOWNS.	ESTIMATED CIVILIAN POPULATION. MID. 1920.* (Provisional.)	DEATH-RATES from all Causes.				Week ended 20th Aug. 1921.		The DEATHS in the Week include										TOWNS.				
		Week ended				20th Aug. 1921.		Deaths from														
		30th July, 1921.	6th Aug., 1921.	13th Aug., 1921.	20th Aug., 1921.	BIRTHS.	DEATHS.	Deaths of														
								Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.		Violence.			
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
96 GREAT TOWNS.	18,554,878	10.3	10.2	10.6	10.9	8,626	3,883	916	1,083	5	-	8	10	41	40	533	9	124	254	1,350	21	96 GREAT TOWNS.
LONDON†	4,531,971	9.7	9.4	10.0	11.5	1,943	1,003	225	296	2	-	1	2	13	17	154	1	24	69	547	2	LONDON.†
(CROYDON.	191,580	7.6	9.3	6.0	10.3	66	38	8	12	-	-	-	-	-	1	5	-	-	1	14	-	(CROYDON.
WIMBLEDON.	62,174	9.2	8.4	13.4	6.7	21	8	-	1	-	-	-	-	1	-	-	-	-	1	3	-	WIMBLEDON.
EALING.	76,129	9.6	6.2	4.8	7.5	25	11	-	4	-	-	-	-	-	2	-	-	-	-	5	-	EALING.
ACTON.	64,192	7.3	6.5	6.5	7.3	22	9	2	3	-	-	-	-	-	-	2	-	-	-	2	-	ACTON.
WILLESDEN.	167,328	4.1	5.9	7.5	8.1	77	26	7	6	-	-	-	-	-	1	5	-	1	2	13	1	WILLESDEN.
HORNSEY.	98,107	11.7	4.3	9.0	9.0	30	17	1	11	-	-	-	-	-	-	1	-	1	3	5	-	HORNSEY.
TOTTENHAM	146,970	9.2	12.8	8.9	8.5	53	24	6	10	-	-	-	-	-	-	5	-	-	-	5	-	TOTTENHAM.
EDMONTON.	73,529	10.6	6.4	11.3	8.5	46	12	6	-	-	-	-	-	-	1	3	-	-	-	5	-	EDMONTON.
ENFIELD.	60,771	7.7	9.4	7.7	8.6	22	10	4	1	-	-	-	-	-	-	3	-	-	-	5	-	ENFIELD.
WEST HAM.	299,440	12.9	9.9	15.8	12.4	174	71	20	12	-	-	-	2	-	-	14	-	1	4	30	-	WEST HAM.
EAST HAM.	150,207	9.4	5.6	7.3	10.4	57	30	6	7	-	-	-	-	-	-	4	-	-	2	12	-	EAST HAM.
LEYTON.	128,832	8.5	7.3	13.4	6.5	51	1	2	4	-	-	-	-	-	1	2	-	-	-	10	-	LEYTON.
WALTHAMSTOW	132,771	7.5	5.1	7.9	7.5	48	19	3	8	-	-	-	-	-	1	2	-	-	-	9	-	WALTHAMSTOW.
(ILFORD.	82,693	6.3	8.2	5.0	6.3	32	10	-	4	-	-	-	-	-	1	-	1	-	-	3	-	(ILFORD.
GILLINGHAM.	45,233	16.1	6.9	11.5	10.4	19	9	4	-	-	-	-	-	-	-	1	-	-	-	3	-	GILLINGHAM.
HASTINGS.	59,972	11.3	10.4	13.0	8.7	20	10	-	6	-	-	-	-	-	-	-	-	1	1	3	-	HASTINGS.
EASTBOURNE.	50,354	14.5	15.5	12.4	12.4	20	12	-	5	-	-	-	-	-	-	-	-	2	2	1	-	EASTBOURNE.
BRIGHTON.	137,685	12.9	8.7	9.1	11.0	51	29	4	11	-	-	-	-	1	-	3	-	-	3	7	-	BRIGHTON.
PORTSMOUTH.	235,998	10.8	7.7	11.5	10.4	109	47	15	11	-	-	-	-	3	-	5	-	3	3	19	-	PORTSMOUTH.
BOURNEMOUTH.	85,919	10.3	9.7	15.2	7.9	18	13	2	4	-	-	-	-	-	-	-	-	1	2	2	-	BOURNEMOUTH.
SOUTHAMPTON.	162,388	6.7	8.0	7.7	11.9	77	37	10	10	-	-	-	-	1	-	5	-	3	3	13	-	SOUTHAMPTON.
READING.	95,006	7.7	9.9	11.5	4.9	31	9	1	3	-	-	-	-	-	-	1	-	-	-	2	-	READING.
OXFORD.	59,963	6.1	8.7	5.2	7.0	15	8	1	4	-	-	-	-	-	-	-	-	-	1	-	-	OXFORD.
NORTHAMPTON.	92,483	12.4	5.1	9.6	8.5	35	15	2	6	-	-	-	-	-	-	2	-	-	-	3	-	NORTHAMPTON.
CAMBRIDGE.	60,154	6.9	6.1	10.4	9.5	9	11	1	4	-	-	-	-	-	-	1	-	1	1	1	-	CAMBRIDGE.

* See note † on first page of this return. † For Greater London see end of Table. ‡ These towns are included within the area of Greater London.

TABLE 1 (cont).—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH-RATES in the Week ended Saturday, 20th August 1921, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	ESTIMATED CIVILIAN POPULATION, MID. 1920.* (Provisional.)	DEATH-RATES from all Causes.				Week ended 20th Aug., 1921.		The DEATHS in the Week include										Deaths in Public Institutions.		Uncertified Causes of Death.	TOWNS.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
		Week ended				20th Aug., 1921.		Deaths from								Violence	Inquest Cases.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
		30th July, 1921.	6th Aug., 1921.	13th Aug., 1921.	20th Aug., 1921.	BIRTHS.	DEATHS.	Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.			Diarrhoea and Enteritis (under 2 years).	Influenza.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
																						2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
Cols.	1.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	</

* See note † on first page of this return.

TABLE 1 (cont.).--96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.--BIRTHS and DEATHS REGISTERED, and DEATH-RATES in the Week ended Saturday, 20th August, 1921, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	ESTIMATED CIVILIAN POPULATION MID. 1920.* (Provisional.)	DEATH-RATES from all Causes.				Week ended 20th Aug., 1921.		The DEATHS in the Week include										TOWNS					
		Week ended				BIRTHS.	DEATHS.	Deaths of		Deaths from									Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.		
		30th July, 1921.	6th Aug., 1921.	13th Aug., 1921.	20th Aug., 1921.			Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.					Violence.	
																			8.	9.	10.		11.
STOCKPORT	130,635	12.4	11.2	12.4	8.4	39	21	8	7	-	-	-	-	-	-	1	-	1	2	4	-	21.	Colts.
BIRKENHEAD	153,951	10.8	10.8	9.5	9.1	89	27	13	6	-	-	-	-	1	-	11	-	-	-	11	-	-	STOCKPORT.
WALLASEY	99,226	6.8	6.3	7.4	8.9	28	17	2	2	-	-	-	-	-	-	1	-	-	-	1	-	-	BIRKENHEAD.
LIVERPOOL	803,452	11.6	13.2	15.3	13.8	439	213	66	41	-	3	1	2	-	-	57	-	8	17	88	1	-	WALLASEY.
BOOTLE	80,029	9.8	7.2	9.1	15.0	44	23	4	3	-	-	-	-	-	-	3	-	-	-	5	-	-	LIVERPOOL.
ST. HELENS	104,822	9.0	12.4	10.9	10.9	49	22	7	5	-	-	-	1	-	-	4	-	-	-	3	1	1	BOOTLE.
SOUTHPORT	72,939	12.2	13.6	7.9	14.3	33	20	4	8	-	-	-	-	-	-	2	-	-	-	3	-	-	ST. HELENS.
WIGAN	90,866	17.8	16.1	14.3	12.6	43	22	6	2	1	-	-	-	-	1	7	-	3	4	5	-	-	SOUTHPORT.
WARRINGTON	77,939	13.4	9.4	8.7	12.7	46	19	3	8	-	-	-	-	-	-	3	-	-	1	9	-	-	WIGAN.
BOLTON	184,533	10.5	12.2	14.1	11.6	82	41	9	11	-	-	-	-	-	-	3	-	2	3	10	-	-	WARRINGTON.
BURY	56,410	2.8	12.9	7.4	12.9	24	14	2	5	-	-	-	-	-	-	-	-	-	1	3	-	-	BOLTON.
MANCHESTER	770,597	10.1	8.9	10.3	9.7	356	143	30	40	-	-	-	1	4	-	-	3	11	13	49	1	-	BURY.
SALFORD	235,239	12.4	14.2	10.2	10.9	139	49	11	11	-	-	-	-	-	-	7	-	2	4	19	-	-	MANCHESTER.
OLDHAM	143,154	9.1	9.5	13.5	9.5	66	26	6	10	-	-	-	-	-	-	1	-	-	1	5	-	-	SALFORD.
ROCHDALE	93,639	6.1	11.7	8.9	11.7	51	21	4	8	-	-	-	-	-	-	-	-	-	-	9	-	-	OLDHAM.
BURNLEY	105,030	12.4	15.4	10.4	13.4	30	27	7	5	-	-	-	-	1	-	4	-	-	-	6	-	-	ROCHDALE.
BLACKBURN	131,012	7.2	5.2	12.7	4.8	48	12	1	5	-	-	-	-	1	-	-	-	1	1	-	-	-	BURNLEY.
PRESTON	121,950	9.4	11.1	11.5	13.7	98	32	8	11	-	-	1	-	-	-	2	-	-	-	8	2	-	BLACKBURN.
BLACKPOOL	70,545	11.8	5.9	9.6	8.9	24	12	1	6	-	-	-	-	-	-	-	-	-	-	1	1	2	PRESTON.
BARROW IN FURNESS	76,561	7.5	6.1	7.5	7.5	41	11	2	3	-	-	-	-	-	-	1	-	-	-	-	-	1	BLACKPOOL.
HUDDERSFIELD	116,776	8.9	8.0	5.8	16.1	45	36	5	11	-	-	-	-	-	-	2	-	-	2	-	2	-	BARROW IN FURNESS.
HALIFAX	105,847	9.4	10.8	8.9	10.3	48	21	3	7	-	-	-	-	-	-	2	-	-	2	7	-	-	HUDDERSFIELD.
BRADFORD	293,979	11.9	10.5	11.0	9.8	116	55	7	17	-	1	-	-	1	-	1	-	1	4	17	-	-	HALIFAX.
LEEDS	449,212	13.5	12.2	10.3	11.4	237	98	25	32	-	-	-	-	1	-	16	-	4	6	30	-	-	BRADFORD.
DEWSBURY	55,080	15.1	6.6	12.3	5.7	16	6	-	2	-	-	-	-	-	-	-	-	-	-	1	-	-	LEEDS.
WAKEFIELD	51,169	10.2	9.2	13.2	14.3	31	14	3	5	-	-	-	-	-	-	3	-	-	-	2	-	-	DEWSBURY.
BARNSELY	53,739	13.6	12.6	16.5	16.5	33	17	6	5	-	-	-	-	-	-	4	1	-	1	1	-	-	WAKEFIELD.

* See note 4 on first page of this return.

TOWNS.		DEATH-RATES from all Causes.				Week ended		The DEATHS in the Week include															
		OIVILIAN POPULATION, MID. 1920 * (Provisional).				20th Aug., 1921.		Deaths of		Deaths from								Deaths in Public Institutions.		Uncertified Causes of Death.		TOWNS	
		Week ended				BIRTHS. DEATHS.																	
		30th July, 1921.	6th Aug., 1921.	13th Aug., 1921.	20th Aug., 1921.	6.	7.	8.	9.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	20.	21.	Cols.	
SHEFFIELD. ROTHERHAM. YORK. HULL. MIDDLESBROUGH. DARLINGTON. STOCKTON ON TEES. WEST HARTLEPOOL. SUNDERLAND. SOUTH SHIELDS. GATESHEAD. NEWCASTLE ON TYNE. TYNEMOUTH. CARLISLE. NEWPORT (MON.). CARDIFF. RHONDDA. MERTHYR TYDFIL. ABERDARE. SWANSEA.	1.	492,570	9·8	10·1	10·2	10·7	259	101	29	22	-	-	-	-	-	-	1	4	25	-	-	SHEFFIELD.	
	71,785	11·6	8·0	6·5	10·9	33	15	4	3	-	-	-	-	-	-	-	3	4	3	-	-	ROTHERHAM.	
	77,501	7·4	8·1	9·4	8·1	35	12	1	2	-	-	-	-	-	-	-	-	1	1	5	-	-	YORK.
	290,808	9·3	13·3	12·7	13·3	152	74	27	14	-	-	-	1	-	18	-	3	9	25	-	-	HULL.	
	132,208	7·1	6·3	9·5	9·1	66	23	7	7	-	-	-	-	-	2	-	2	3	8	-	-	MIDDLESBROUGH.	
	66,610	14·9	11·7	9·4	9·4	33	12	2	6	-	-	-	-	-	1	-	-	-	-	3	-	-	DARLINGTON.
	63,114	7·4	5·0	8·3	11·6	34	14	5	4	-	-	-	-	-	2	-	-	1	2	-	-	STOCKTON ON TEES.	
	68,126	13·0	9·9	6·1	12·2	38	16	1	7	-	-	-	-	-	-	-	3	-	1	-	-	WEST HARTLEPOOL.	
	155,211	17·5	10·8	16·1	13·1	86	39	10	9	-	1	-	-	-	7	-	-	5	9	-	-	SUNDERLAND.	
	115,945	13·9	16·6	16·2	10·3	89	23	7	4	-	-	-	1	-	2	-	-	1	1	5	2	-	SOUTH SHIELDS.
	128,309	13·0	15·8	18·3	16·7	67	41	13	8	-	-	-	1	-	7	-	-	2	2	8	-	-	GATESHEAD.
	286,061	9·8	10·4	10·4	11·3	147	62	12	12	1	-	-	-	-	5	-	-	4	8	15	-	-	NEWCASTLE ON TYNE.
	60,318	11·2	13·0	8·6	12·1	41	14	1	3	-	1	-	-	-	-	-	-	1	1	2	1	-	TYNEMOUTH.
	57,397	15·4	13·6	12·7	10·0	30	11	2	4	-	-	-	-	-	-	-	-	-	-	3	-	-	CARLISLE.
	90,728	9·8	9·8	9·8	9·8	55	17	5	3	-	-	-	-	-	2	-	-	1	1	2	-	-	NEWPORT (MON.).
212,582	18·6	12·8	10·5	13·5	98	55	10	15	-	-	-	-	-	1	-	-	3	6	6	-	-	CARDIFF.	
184,999	8·5	13·5	11·8	12·7	97	45	8	9	-	-	-	-	-	1	-	-	3	4	4	-	-	RHONDDA.	
74,493	7·7	11·2	9·8	12·6	49	18	4	2	-	-	-	-	-	1	-	-	1	1	3	-	-	MERTHYR TYDFIL.	
53,431	14·6	10·7	10·7	8·8	26	9	4	1	-	-	-	-	-	-	1	-	1	1	-	-	-	ABERDARE.	
167,218	8·1	10·0	9·4	9·4	62	30	5	9	-	-	-	-	-	1	-	-	-	1	7	-	-	SWANSEA.	
GREATER LONDON.	7,548,647	9·3	9·0	9·7	10·6	3150	435	2	-	1	5	14	26	229	3	32	98	742	4	4	GREATER LONDON.		
OUTER RING.	3,016,676	8·7	8·5	9·2	9·2	1202	159	-	-	-	3	1	9	75	2	8	29	195	2	2	OUTER RING.		
14 GREAT TOWNS IN OUTER RING.	1,734,723	9·0	7·8	9·5	9·0	724	83	-	-	-	2	1	8	46	1	3	14	121	1	1	14 GREAT TOWNS IN OUTER RING.		
REMAINDER OF OUTER RING.	1,281,953	8·3	9·3	8·8	9·4	478	76	-	-	-	1	-	1	29	1	5	15	74	1	1	REMAINDER OF OUTER RING.		
EDINBURGH†	420,267	11·8	11·8	10·0	12·9	154	36	-	-	-	3	1	-	6	1	6	?	?	?	?	?	EDINBURGH.†	
GLASGOW†	1,034,069	13·3	13·5	13·1	12·5	530	51	1	-	1	2	5	1	28	1	10	?	?	?	?	?	GLASGOW.†	
DUBLIN (Registration Area).†	423,000	16·4	15·2	16·8	18·1	240	35	-	-	-	-	-	1	28	1	13	13	57	4	4	4	DUBLIN (Registration Area).†	
BELFAST†	420,000	14·3	14·5	14·5	12·9	222	24	-	-	-	-	-	-	6	-	6	10	27	2	2	2	BELFAST.†	

* See note † on first page of this return.

* See note † on first page of this return.
† The populations are total populations and relate to 1921, those for Edinburgh and Glasgow being Census populations. Deaths and the death-rates in Edinburgh and Glasgow are provisionally corrected by the deduction of years of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week: those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

TABLE 2. LONDON.—Births and Deaths registered during the THIRTY-THIRD Week of each of the Eleven Years, 1911-1921.

	1911.	1912.	1913.	1914.	1915.	1916.	1917.	1918.	1919	1920.	1921.
Births (as registered).	2311	2180	2306	2240	1912	1864	1694	1457	1704	2075	1948
Males -	1185	1119	1150	1162	984	953	873	734	855	1027	1011
Females -	1126	1061	1156	1078	928	911	821	723	849	1048	937
Deaths (of residents only).	1654	1017	1043	1109	993	846*	866*	756*	800*	815*	1003*
Males -	888	543	542	580	521	441	450	395	432	429	513
Females -	766	474	501	529	472	405	416	361	368	386	490

* Deaths in civilian population only.

TABLE 3. LONDON.—BIRTHS and DEATHS REGISTERED, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the last THIRTEEN WEEKS.

	May 28.	June 4.	June 11.	June 18.	June 25.	July 2.	July 9.	July 16.	July 23.	July 30.	Aug. 6.	Aug. 13.	Aug. 20.
Births (as registered) . .	2188	1971	2128	2008	1919	1904	1955	1910	1891	2023	1823	2214	1948
Deaths (of residents only).	936	867	795	801	840	779	751	940	857	846	822	872	1003
Under 1 year	132	108	96	92	100	84	86	124	128	128	166	186	225
1-2 years	32	16	26	29	16	24	24	28	44	29	38	36	43
2-5 "	25	15	20	20	20	23	23	21	26	19	24	13	21
5-10 "	24	32	17	31	22	16	10	22	18	20	30	20	23
Age at Death { 10-15 "	18	19	14	16	18	14	10	21	10	12	11	8	9
15-20 "	22	23	20	13	24	24	20	24	23	15	21	24	18
20-25 "	14	20	17	16	21	22	18	22	18	19	25	17	27
25-35 "	56	58	50	42	55	45	29	49	33	41	43	62	50
35-45 "	65	68	51	68	66	58	53	54	51	55	56	50	61
45-55 "	100	95	84	85	96	84	109	108	102	104	87	87	111
55-65 "	133	133	120	125	129	126	105	156	120	133	98	137	119
65-75 "	174	155	143	136	146	150	137	153	146	155	110	123	152
75 years and upwards	141	125	137	128	127	109	127	158	138	116	113	109	144
Deaths from—													
Enteric fever	1	3	-	-	3	-	-	3	-	-	3	-	2
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	3	5	3	3	7	-	4	-	6	2	5	9	1
Scarlet fever	4	9	4	8	6	6	2	6	4	3	3	1	2
Whooping cough	16	6	11	9	6	5	9	13	12	6	7	5	13
Diphtheria	22	14	10	17	12	10	10	18	12	13	30	16	17
Diarrhoea and enteritis (under 2 years).	14	9	11	11	12	9	13	30	29	52	68	103	154
Pulmonary tuberculosis . .	83	103	73	70	101	93	55	77	71	66	77	82	86
Influenza	6	9	6	4	6	5	5	4	3	3	1	3	1
Pneumonia (all forms) . .	71	56	62	54	53	36	46	40	60	44	34	19	45
Bronchitis	38	42	31	37	23	29	27	27	36	25	12	24	28
Other dis. of resp. system . .	13	8	9	8	8	8	9	14	13	8	8	10	15
Dis. of circ. system . .	175	142	141	137	135	124	148	145	126	135	133	119	140
Violence	43	31	35	29	41	36	26	51	45	47	33	28	24
Inquest cases	92	73	70	65	85	61	71	87	83	77	73	73	69

CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.

Enteric fever	18	22	22	17	18	24	24	23	27	28	28	31	34
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	42	37	35	34	35	41	40	43	52	49	54	59	60
Scarlet fever	3427	3491	3501	3569	3651	3672	3844	3879	3886	3765	3717	3572	3522
Whooping cough	14	7	5	9	10	10	9	10	10	10	23	36	40
Diphtheria	2140	2020	1980	1950	1928	1915	1921	1961	1983	1979	1957	1879	1816

* The Metropolitan Asylums Board and London Fever Hospitals. The figures do not refer to London exclusively.

TABLE 3A. 96 Great Towns.—DEATHS from INFLUENZA in the last THIRTEEN WEEKS.

	May 28.	June 4.	June 11.	June 18.	June 25.	July 2.	July 9.	July 16.	July 23.	July 30.	Aug. 6.	Aug. 13.	Aug. 20.
Deaths from Influenza . .	71	67	33	33	32	20	25	27	19	25	14	15	9

TABLE 4. LONDON.—DEATHS REGISTERED in the THIRTY-THIRD Week of the Year 1921.

CAUSES OF DEATH.	Deaths in the 33rd week of the year 1920.	DEATHS of PERSONS of the AGES													
		ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-10 years.	10-15 years.	15-20 years.	20-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and up-wards.
ALL CAUSES	815	1003	225	43	21	23	9	18	27	50	61	111	119	152	144
Enteric fever	1	2	-	-	-	-	-	-	1	-	-	-	-	1	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Scarlet fever	-	2	-	-	1	-	-	-	1	-	-	-	-	-	-
Whooping cough	3	13	6	5	2	-	-	-	-	-	-	-	-	-	-
Diphtheria	15	17	1	3	4	8	1	-	-	-	-	-	-	-	-
Influenza	3	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Erysipelas	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute Poliomyelitis, Polioencephalitis.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	2	1	-	-	-	-	-	-	-	1	-	-	-	-	-
Meningococcal meningitis	2	2	2	-	-	-	-	-	-	-	-	-	-	-	-
Other endemic and epidemic diseases.	4	1	-	-	-	-	-	-	-	-	-	-	-	-	1
Pyæmia and septicæmia	-	3	-	-	-	-	-	1	-	1	-	1	-	-	-
Tetanus	1	2	-	-	-	-	-	-	-	2	-	-	-	-	-
Tuberculosis:—															
Pulmonary tuberculosis	66	86	1	-	-	3	1	7	12	17	14	19	8	4	-
Tuberculous meningitis	7	6	-	1	3	1	-	-	1	-	-	-	-	-	-
Abdominal tuberculosis	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1
Tuberculosis of the spine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of the joints	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of other organs	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Disseminated tuberculosis	2	5	-	-	-	2	1	-	-	1	-	-	-	1	-
Venereal diseases	1	4	3	-	-	-	-	-	-	-	-	1	-	-	-
Cancer	93	127	-	-	-	-	-	-	-	2	12	32	32	33	16
Rheumatic fever	4	2	-	-	-	-	1	-	-	1	-	-	-	-	-
Diabetes	5	4	-	-	-	-	-	1	-	-	-	1	-	1	1
Anæmia, leucocythæmia	7	11	1	-	-	-	-	-	-	1	1	2	4	2	-
Other general diseases	7	11	1	-	-	1	-	-	-	1	2	-	2	2	2
Alcoholism	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-
Chronic poisonings	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	4	4	2	1	-	-	-	1	-	-	-	-	-	-	-
Cerebral hæmorrhage, &c., Apoplexy.	27	41	-	-	-	-	-	-	-	-	1	2	5	19	14
Softening of brain	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Paralysis, without specified cause	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epilepsy	2	4	-	-	-	-	-	-	-	3	-	1	-	-	-
"Convulsions" (not puerperal)	3	3	3	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system	22	20	-	-	-	1	-	-	1	1	2	7	2	2	4
Pericarditis	1	2	-	-	-	-	1	-	-	-	-	-	-	-	1
Acute endocarditis	11	5	-	-	-	-	-	1	1	2	-	1	-	-	-
Other diseases of heart	108	111	-	-	-	1	-	1	3	3	6	14	24	39	20
Embolism and thrombosis (excluding cerebral).	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of circulatory system.	39	22	-	-	-	-	-	-	-	-	-	2	7	7	6
Diseases of the larynx	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis	30	28	3	-	-	-	-	-	-	2	1	2	2	7	11
Broncho-pneumonia	14	21	8	6	2	2	-	-	-	-	2	-	1	-	-
Lobar pneumonia	11	14	1	1	2	-	1	-	-	2	-	2	5	-	-
Pneumonia (type not distinguished)	13	10	2	1	-	-	-	1	-	1	1	-	2	2	-
Pleurisy	1	9	-	-	-	-	-	1	1	1	2	2	1	1	-
Pulmonary congestion, Pulmonary apoplexy.	3	2	-	-	-	-	-	-	-	-	-	-	1	-	1
Other diseases of respiratory system.	6	4	-	-	-	-	-	-	-	-	-	1	1	1	1

TABLE 5.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM							
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria*	Diarrhoeal Diseases† (under 2 years).	Influenza.
LONDON† . .	4,531,971	1921. Aug. 20	1,948	1,003	11·5	2	-	1	2	13	17	154	1
CALCUTTA . .	896,067	July 16	-	426§	24·7	?	2	?	?	?	?	?	2
BOMBAY . .	979,445	" 16	274	741§	39·3	3	5	-	-	-	-	61	15
MADRAS . .	518,660	" 9	344	292	29·0	1	3	-	?	-	-	38	3
PARIS . .	2,847,229	" 10	1,406	1,130	14·5	4	-	8	4	2	5	58	2
BRUSSELS . .	792,919	- - -	-	-	-	-	-	-	-	-	-	-	-
ANTWERP . .	340,209	July 30	115	56	8·7	-	-	-	-	-	1	11	-
AMSTERDAM . .	680,912	Aug. 6	308	102	7·8	-	-	-	-	-	-	5	-
COPENHAGEN . .	571,000	" 6	235	99	9·0	-	-	1	-	-	-	1	-
STOCKHOLM . .	419,788	July 30	103	73	9·0	-	-	1	-	-	-	-	-
GOTHENBURG . .	205,547	" 23	-	34	8·6	-	-	-	-	-	-	-	-
CHRISTIANIA . .	260,904	Aug. 6	90	29	5·8	-	-	-	-	-	-	2	-
BERLIN . .	1,951,000	July 30	517	342	9·1	1	?	1	-	5	1	21	2
BRESLAU . .	547,000	" 30	223	210	20·0	-	?	-	-	-	-	38	3
COLOGNE . .	666,000	" 30	291	189	14·7	-	?	-	2	1	1	22	-
DRESDEN . .	595,000	" 30	200	139	12·1	-	?	-	-	-	-	8	-
FRANKFORT- ON-MAIN.	469,000	" 30	152	89	9·9	-	?	-	-	2	1	14	-
HAMBURG . .	1,031,000	" 30	298	208	10·5	-	?	-	-	1	2	8	1
LEIPZIG . .	629,000	" 30	223	166	13·7	-	?	2	-	-	-	22	2
MUNICH . .	670,000	" 30	254	167	13·0	-	?	4	-	1	-	7	2
VIENNA . .	1,842,005	" 30	504	537	15·2	2	?	1	1	-	1	36	1
PRAGUE AND SUBURBS.	676,454	" 16	269	184	14·2	-	-	1	-	3	-	8	2
BUDAPEST . .	933,000	May 28	-	-	-	-	-	-	-	-	-	-	-
TRIESTE . .	248,428	" 28	-	-	-	-	-	-	-	-	-	-	-
CAIRO . .	765,200	June 3	652	615	41·8	4	-	1	-	?	-	130	?
ALEXANDRIA . .	449,300	" 3	280	262	30·3	-	-	2	-	?	-	50	?
NEW YORK . .	5,751,859	July 16	2,793	1,041	9·4	7	-	2	1	8	11	66	1
CHICAGO . .	2,780,655	" 30	-	544	10·2	-	-	-	3	5	2	49	-

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Cities, Vienna, Prague and Suburbs, Budapest, and Trieste.

† The deaths in this column relate to *all ages* for Bombay, Madras, Christiania, and Budapest, and to *children under 1 year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

§ Including 5 deaths from *plague* in Bombay, and from *Asiatic cholera*, 22 deaths in Calcutta and 1 in Bombay.

TABLE 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 20th August, 1921.
(Supplied by the Meteorological Office.)

TOWNS.	Temperature of Air.*				Rainfall in Milli- metres.†	TOWNS.	Temperature of Air.*				Rainfall in Milli- metres.‡
	Highest.	Lowest.	Mean Maxi- mum.	Mean Mini- mum.			Highest.	Lowest.	Mean Maxi- mum.	Mean Mini- mum.	
LONDON (Greenwich) }	82	47	75·7	55·7	9	BRADFORD . .	73	46	68·3	51·4	-
BRIGHTON . .	81	52	73·3	58·9	10	SHEFFIELD . .	74	47	69·4	52·4	7
PORTSMOUTH . .	81	52	74·6	56·6	22	YORK (Museum) .	75	48	70·9	51·7	9
NORWICH (Eaton) .	80	48	72·3	54·9	5	HULL (Pearson Park)	73	47	68·1	53·0	4
PLYMOUTH . .	79	52	71·0	55·6	11	TYNEMOUTH . .	64	49	58·6	51·9	5
BRISTOL (Clifton) .	79	51	71·9	53·3	14	CARDIFF . .	77	50	69·0	54·9	6
BIRMINGHAM . .	76	49	68·6	51·7	13	EDINBURGH . .	Not available				-
NOTTINGHAM . .	76	46	70·6	52·7	9	GLASGOW . .	70·9	45·8	64·8	51·6	41
BIRKENHEAD (Bidston) }	69	51	65·9	54·0	16	DUBLIN :—					
MANCHESTER . .	80	46	70·7	53·3	1	Phoenix Park .	68·1	44·6	66·0	50·5	10
BURNLEY . .	76	48	69·1	51·7	1	†Fitzwilliam Square	68·1	51·1	64·9	55·0	7
HUDDERSFIELD . .	74	45	69·4	51·1	2	BELFAST . .	66·0	52·0	63·3	53·6	11

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.

† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R. Met.S., Dublin.

‡ 1 millimetre = 0·039 inch nearly; 1 inch = 25·4 millimetres exactly.

TABLE 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 20th August 1921.

[Under the Superintendence of the Astronomer Royal.]

1921. MONTH AND DAY.		Phases of the Moon.	BARO- METER. Mean daily reading (cor- rected and re- duced to 32° Fahren- heit).	TEMPERATURE.					Difference between the Air Temperature and Dew Point Temperature.			De- gree of Hu- mid- ity (Satu- ration equals 100).	TEMPERATURE.		Wind as deduced from Anemometers.				Rain collected in a Gauge whose surface is 5 inches above the Ground.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
				Of the Air.				Of the Dew point.	Of Radiation.		Of the Earth 4 feet below the Surface.		Osler's.		Robinson's.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
				High- est.	Low- est.	Daily Range.	Mean daily value.		De- parture from Average of 65 years.	General Direction.			Pressure on the Square Foot.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
													Great- est.	Least.			A.M.	P.M.		Mean of 24 hoursly obs.	Horizontal Movement of the Air on each Day. 50 years.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
AUGUST.			in.	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°

DATE.		ELECTRICITY. (For explanation of symbols, see Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
AUGUST 1921.					
SUNDAY	14	v.P. throughout	5.0	14.7	Overcast generally till 6h.; partially cloudy till 11h.; overcast generally afterwards with occasional slight rain.
MONDAY	15	v.P. throughout	2.1	14.6	Overcast generally with cloudy intervals, clearing from 20h. 30m.; occasional slight rain between 6h. and noon.
TUESDAY	16	v.P. throughout	9.0	14.5	Cloudless till 3h.; partially cloudy till 14h., afterwards overcast generally.
WEDNESDAY	17	w.P. generally	2.0	14.5	Overcast generally; few cloudy intervals; frequent rain between 3h. and 22h.
THURSDAY	18	w.P. generally	12.7	14.4	Overcast generally till 6h., then cloudless with few exceptions.
FRIDAY	19	w.P. generally	11.2	14.4	Cloudless generally till noon; misty about 4h.; partially cloudy till 18h. 30m., then cloudless generally; brisk wind 14h. to 17h.
SATURDAY	20	w.P. generally	6.6	14.3	Thin cloud till 6h.; nearly cloudless till 9h. 30m., clouding up to nearly overcast by noon with few fine intervals; nearly cloudless from 20h.; occasional rain between 13h. 45m. and 17h.; solar halo 15h.; thunder 17h.
			Sum 48.6	Sum 101.4	
No. of Col.			27	28	

The results apply to the civil day, or from midnight to midnight. The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level. Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables. The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916. In reading columns 9 and 24 it will be borne in mind that + indicates "higher," and - "lower," than the average. The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined. The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable. The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day. The reading of the barometer increased from 29.79 in. at the beginning of the week to 29.87 in. by 9h. on 14th; decreased to 29.53 in. by 5h. on 17th; increased to 29.97 in. by 22h. on 18th, and decreased to 29.57 in. by midnight on 20th.
--

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "higher," and - "lower," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29.79 in. at the beginning of the week to 29.87 in. by 9h. on 14th; decreased to 29.53 in. by 5h. on 17th; increased to 29.97 in. by 22h. on 18th, and decreased to 29.57 in. by midnight on 20th.

TABLE 8. LONDON.—DEATHS OF PERSONS BELONGING to the several METROPOLITAN BOROUGHs REGISTERED in the Week ended 13th August, 1921.

BOROUGHs.	Deaths from									Deaths of Infants under 1 Year of Age.
	ALL CAUSES.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Pulmonary Tuberculosis.	
COUNTY OF LONDON .	872	-	-	9	1	5	16	103	82	186
Western										
PADDINGTON . . .	22	-	-	-	-	-	-	3	1	6
KENSINGTON . . .	32	-	-	-	-	-	-	4	3	5
HAMMERSMITH . . .	21	-	-	-	-	-	1	2	4	3
FULHAM	32	-	-	-	-	-	2	9	2	10
CHELSEA	11	-	-	-	-	-	-	-	2	2
CITY OF WESTMINSTER .	19	-	-	-	-	-	1	2	-	5
Northern.										
ST. MARYLEBONE . . .	22	-	-	-	-	-	1	-	1	1
HAMPSTEAD	8	-	-	-	-	-	-	-	1	1
ST. PANCRAS	47	-	-	-	-	-	1	4	7	7
ISLINGTON	57	-	-	1	-	-	-	2	4	12
STOKE NEWINGTON . . .	11	-	-	-	-	-	-	-	-	1
HACKNEY	41	-	-	-	-	-	-	12	3	14
Central.										
HOLBORN	3	-	-	-	-	-	-	-	-	-
FINSBURY	13	-	-	-	-	1	1	-	2	2
CITY OF LONDON . . .	1	-	-	-	-	-	-	1	-	1
Eastern.										
SHOREDITCH	21	-	-	-	-	-	-	4	-	7
BETHNAL GREEN . . .	31	-	-	1	-	-	-	7	2	7
STEPNEY	65	-	-	4	-	-	1	11	8	17
POPULAR	39	-	-	3	-	-	-	3	6	8
Southern.										
SOUTHWARK	39	-	-	-	-	1	-	5	4	7
BERMONDSEY	34	-	-	-	-	-	3	3	3	8
LAMBETH	52	-	-	-	-	-	-	8	2	12
BATTERSEA	36	-	-	-	-	1	2	3	4	7
WANDSWORTH	62	-	-	-	-	-	-	6	6	13
CAMBERWELL	48	-	-	-	1	1	2	1	5	7
DEPTFORD	32	-	-	-	-	-	-	4	3	8
GREENWICH	19	-	-	-	-	-	-	1	3	3
LEWISHAM	32	-	-	-	-	1	-	4	3	7
WOOLWICH	22	-	-	-	-	-	1	4	3	5

The deaths in the above Table are, so far as concerns London as a whole, corrected by the exclusion of deaths of non-residents, and by the inclusion of those of residents occurring in the Outer Ring or in Metropolitan public institutions situated outside the County. As between individual Metropolitan Boroughs, however, correction is complete.

TABLE 9. LONDON.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED during the Week ended 13th August, 1921.*

BOROUGH.	ESTI- MATED CIVILIAN POPU- LATION, MID. 1920.† (Provi- sional.)	Enteric Fever.	Malaria.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Group).	Pneumonia.	Erysipelas.	Cerebro-Spinal Fever.	Puerperal Fever.	Ophthalmia Neonatorum.	Poliomyelitis.	Dysentery.	Encephalitis Lethargica.	Anthrax.	Polio- encephalitis.	Cholera.
WESTERN.																		
Paddington . . .	149,673	-	-	-	-	5	9	1	2	-	-	1	-	-	-	-	-	-
Kensington . . .	164,177	2	-	-	-	10	9	-	-	-	-	1	-	-	-	-	-	-
Hammersmith . . .	136,200	-	-	-	-	9	5	-	-	-	-	-	-	1	-	-	-	-
Fulham . . .	158,621	1	1	-	-	4	6	2	2	-	-	-	-	-	-	-	-	-
Chelsea . . .	62,987	-	-	-	-	3	2	1	-	-	-	-	-	-	-	-	-	-
City of Westminster . . .	132,615	-	-	-	-	9	3	-	1	-	1	-	-	-	-	-	-	-
NORTHERN.																		
St. Marylebone . . .	101,856	-	-	-	-	5	2	-	-	-	-	-	-	1	-	-	-	-
Hampstead . . .	91,519	-	-	-	-	7	2	1	1	-	1	-	-	-	-	-	-	-
St. Pancras . . .	228,178	1	-	-	-	14	4	-	1	-	-	-	-	-	-	-	-	-
Islington . . .	335,907	-	-	-	-	33	12	-	3	-	-	5	-	-	-	-	-	-
Stoke Newington . . .	52,984	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-
Hackney . . .	225,372	-	-	-	-	39	15	-	-	-	1	2	-	-	1	-	-	†1
CENTRAL.																		
Holborn . . .	39,676	-	-	-	-	2	-	-	-	-	-	1	-	-	-	-	-	-
Finsbury . . .	78,291	-	-	-	-	16	6	-	2	-	-	1	-	-	-	-	-	-
City of London . . .	14,447	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
EASTERN.																		
Shoreditch . . .	102,044	2	-	-	-	17	8	2	1	-	-	1	-	-	-	-	-	-
Bethnal Green . . .	114,471	-	-	-	-	13	7	2	1	-	-	-	-	-	-	-	-	-
Stepney . . .	241,770	-	-	-	-	38	12	4	3	-	-	2	-	-	1	-	-	-
Poplar . . .	159,766	-	-	-	-	15	5	3	-	-	1	1	-	-	-	-	1	-
SOUTHERN.																		
Southwark . . .	187,142	-	-	-	-	19	14	1	6	-	-	1	-	-	-	-	-	-
Bermondsey . . .	129,189	-	-	-	-	18	6	-	-	-	-	-	-	-	-	-	-	-
Lambeth . . .	293,572	-	-	-	-	21	7	2	1	1	1	-	-	-	-	-	-	-
Battersea . . .	165,664	-	-	-	-	16	15	2	1	-	-	1	-	-	-	-	-	-
Wandsworth . . .	346,990	-	1	-	-	15	7	3	3	1	-	3	-	-	-	-	-	-
Camberwell . . .	284,712	-	-	-	-	23	11	-	3	-	-	-	-	1	-	-	-	-
Deptford . . .	115,636	4	-	-	-	15	3	-	-	-	-	-	-	-	-	-	-	-
Greenwich . . .	102,408	-	-	-	-	6	2	2	1	-	-	-	1	-	-	-	-	-
Lewisham . . .	174,438	-	1	-	-	10	2	-	-	-	-	1	1	-	-	-	-	-
Woolwich . . .	141,666	-	-	-	-	8	8	-	-	-	-	1	-	-	-	-	-	-
TOTAL . . .	4,531,971	10	3	-	-	395	182	26	32	2	5	22	2	3	2	-	1	1
AGES.																		
Ages 0-1 . . .		-	-	-	-	5	6	-	2	-	-	22	-	-	-	-	-	-
„ 1-5 . . .		-	-	-	-	107	59	3	1	1	-	-	1	-	-	-	1	-
„ 5- . . .		1	-	-	-	157	49	3	1	-	-	-	-	-	1	-	-	-
„ 10- . . .		2	-	-	-	69	29	4	-	-	-	-	-	-	-	-	-	-
„ 15- . . .		3	-	-	-	27	11	1	-	-	-	-	-	-	-	-	-	-
„ 20- . . .		1	2	-	-	14	8	-	1	-	1	-	-	-	1	-	-	-
„ 25- . . .		1	-	-	-	9	13	3	4	-	2	-	-	-	-	-	-	1
„ 35- . . .		1	1	-	-	7	5	4	2	-	2	-	1	3	-	-	-	-
„ 45- . . .		-	-	-	-	-	1	1	7	-	-	-	-	-	-	-	-	-
„ 55- . . .		-	-	-	-	-	1	4	4	1	-	-	-	-	-	-	-	-
„ 65- . . .		1	-	-	-	-	-	3	4	-	-	-	-	-	-	-	-	-
„ 75 and upwards . . .		-	-	-	-	-	-	-	6	-	-	-	-	-	-	-	-	-
Age not stated . . .		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

† See note † on first page of this return.

‡ Subsequently found not to be a case of Cholera.

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS AND DEATHS REGISTERED:—

LONDON AND

NINETY-FIVE OTHER GREAT TOWNS.

~~~~~  
By Authority of the Registrar General,  
~~~~~

LONDON:

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
H.M. STATIONERY OFFICE at the following addresses:

IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and

28, ABINGDON STREET, LONDON, S.W. 1;

37, PETER STREET, MANCHESTER;

1, ST. ANDREW'S CRESCENT, CARDIFF;

23, FORTH STREET EDINBURGH;

or from E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN.

No. 34. VOL. LXXXII. 1921. WEEK ENDED SATURDAY, AUG. 27.
[Price 9d. Net.]

*General Register Office, Somerset House,
August 30th, 1921.*

NINETY-SIX GREAT TOWNS.

For the NINETY-SIX GREAT TOWNS of England and Wales, each of which had a population of 50,000 or over at the Census of 1911, the births registered last week numbered 8,456, and corresponded to an annual rate of 23·7 per 1,000. The deaths* among the civilian population only numbered 3,756, and corresponded to an annual rate of 10·6 per 1,000 of their aggregate civilian population, which is provisionally estimated† at 18,554,878 persons in the year 1920. In the three weeks ended August 6th, August 13th, and August 20th, the rates had been 10·2, 10·6, and 10·9 respectively. The infant mortality was 107, against 111, 94, and 106 in the preceding three weeks. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks; it also shows for the week ended last Saturday the births and the deaths from certain individual causes. A column showing the number of deaths

* Corrected as far as possible for deaths of non-residents and for those of residents occurring outside the area. Fully corrected figures will appear in the Registrar General's Annual Report.

† The estimates of population refer to the year 1920, and are based on the returns furnished under the scheme for rationing of food.

from influenza has been inserted in Table 1. The aggregate number of deaths from influenza in the 96 great towns in each of the last thirteen weeks is shown in Table 3A.

Measured by last week's mortality, the highest annual death-rates per 1,000 living were :—from *all causes*, 14·2 in Stoke-on-Trent, 14·4 in South Shields, 14·5 in Hull, 15·0 in Bootle, 15·3 in Liverpool, and 18·4 in Preston; and from *measles*, 1·3 in Sunderland, and 1·7 in Tynemouth. No death from *small-pox* was registered in any of the ninety-six towns.

LONDON.* (The Administrative County, including the City of London.)

For LONDON there were 2,003 BIRTHS, corresponding to a rate of 22·9 per 1,000, and 966 DEATHS of civilians, corresponding to a rate of 11·1, as against 9·4, 10·0, and 11·5 per 1,000 in the three weeks ended August 6th, August 13th, and August 20th. The death-rate in the four weeks ended last Saturday averaged 10·5 per 1,000. The infant mortality was 117, against 91, 84, and 116 in the preceding three weeks.

There was 1 death from *enteric fever*, against 3, 0, and 2 in the preceding three weeks, the average for the corresponding weeks of the previous five years being 2. The deaths from *measles*, which had been 5, 9, and 1 in the preceding three weeks, rose last week to 6, but were 4 below the average. The deaths from *scarlet fever*, which had been 3, 1, and 2 in the preceding three weeks, were 3 last week, and were 1 above the average. The deaths from *whooping-cough*, which had been 7, 5, and 13 in the preceding three weeks, further rose last week to 23, and were 19 above the average; 4 deaths belonged to the Borough of Camberwell, and 3 each to Paddington and to Islington. The deaths from *diphtheria*, which had been 30, 16, and 17 in the preceding three weeks, fell last week to 6, the average being 7. The deaths from *diarrhoea and enteritis under 2 years of age*, which had been 68, 103, and 154 in the preceding three weeks, fell last week to 142, but were 94 above the average; 12 deaths belonged to Shoreditch and 11 each to Islington, Stepney, Poplar and Lambeth. The deaths from *influenza* number 2, as against 1, 3, and 1 in the preceding three weeks, and an average of 6.

Different forms of violence caused 42 deaths, all of which were the subject of coroners' inquests. Of these 42 deaths, 13 were cases of suicide, and 1 of homicide, while the remaining 28 were attributed to other forms of violence. Eight of these latter were referred to vehicles in the streets, 2 to burns or scalds, and 4 to drowning.

CASES OF INFECTIOUS DISEASE.†

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital, there were 32 cases of enteric fever, 48 of measles, 3,394 of scarlet fever, 41 of whooping-cough, and 1,740 of diphtheria under treatment in these hospitals on Saturday last (Table 3). The admissions during the week,

* See note * on first page.

† The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

as compared with those in the preceding three weeks, were as follows :—Of enteric fever, 5 cases, against 4, 6, and 7; of measles, 10 cases, against 11, 11, and 7; of scarlet fever, 462 cases, against 418, 413, and 458; of whooping-cough, 2 cases, against 14, 14, and 5; and of diphtheria, 197 cases, against 248, 180, and 198. Table 9, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the county during the week ended August 20th, 1921.

TABLE 1.—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH-RATES in the Week ended Saturday, 27th August, 1921, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.		DEATH RATES from all Causes.				Week ended		The DEATHS in the Week include										TOWNS.					
		Causes.				27th Aug. 1921.		Deaths from															
		ESTIMATED CIVILIAN POPULATION, MID. 1920.* (Provisional.)				BIRTHS. DEATHS.		Deaths of															
Cols.		1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
96 GREAT TOWNS.		18,554,878	10.2	10.6	10.9	10.6	8,456	3,756	901	1,060	6	-	18	11	49	17	485	12	130	256	1,394	25	96 GREAT TOWNS.
LONDON†		4,531,971	9.4	10.0	11.5	11.1	2,003	966	235	274	1	-	6	3	23	6	142	2	42	86	516	-	LONDON.†
{CROYDON.		191,580	9.3	6.0	10.3	9.3	78	34	10	10	-	-	-	-	-	-	5	-	1	1	6	-	{CROYDON.
WIMBLEDON.		62,174	8.4	13.4	6.7	9.2	16	11	-	8	-	-	-	-	-	-	-	1	-	2	3	-	WIMBLEDON.
EALING.		76,129	6.2	4.8	7.5	7.5	23	11	3	5	-	-	-	-	-	-	3	-	-	-	4	-	EALING.
ACTON.		64,192	6.5	6.5	7.3	2.4	23	3	-	1	-	-	-	-	-	-	-	-	-	-	1	-	ACTON.
WILLESDEN.		167,328	5.9	7.5	8.1	9.7	76	31	4	10	-	-	-	-	1	-	1	-	3	4	13	-	WILLESDEN.
HORNSEY.		98,107	4.3	9.0	9.0	10.1	35	19	1	7	-	-	-	-	-	-	1	1	4	4	6	-	HORNSEY.
TOTTENHAM		146,970	12.8	8.9	8.5	8.2	56	23	7	5	-	-	-	-	-	-	5	-	-	2	8	-	{†TOTTENHAM.
{EDMONTON.		73,529	6.4	11.3	8.5	5.0	33	7	1	2	-	-	-	-	-	-	1	-	-	-	3	-	{†EDMONTON.
ENFIELD.		60,771	9.4	7.7	8.6	11.2	25	13	-	4	-	-	-	-	-	-	-	-	1	1	6	-	ENFIELD.
WEST HAM.		299,440	9.9	15.8	12.4	11.7	139	67	18	15	-	-	-	1	-	1	13	1	2	5	25	-	WEST HAM.
EAST HAM.		150,207	5.6	7.3	10.4	9.7	54	28	6	9	-	-	-	-	-	1	5	-	1	1	9	-	EAST HAM.
LEYTON.		128,832	7.3	13.4	6.5	11.7	44	29	7	13	-	-	-	-	-	-	3	-	-	1	15	-	LEYTON.
WALTHAMSTOW		132,771	5.1	7.9	7.5	5.1	47	13	4	3	-	-	-	-	-	-	4	-	-	1	5	-	WALTHAMSTOW.
{ILFORD.		82,693	8.2	5.0	6.3	5.0	35	8	1	2	-	-	-	-	-	-	-	-	-	-	3	-	{ILFORD.
GILLINGHAM.		45,233	6.9	11.5	10.4	13.8	21	12	4	4	-	-	-	-	1	-	1	-	-	1	3	1	GILLINGHAM.
HASTINGS.		59,972	10.4	13.0	8.7	12.2	20	14	-	8	-	-	-	-	-	-	-	-	-	-	2	-	HASTINGS.
EASTBOURNE.		50,354	15.5	12.4	12.4	8.3	20	8	-	3	-	-	-	-	-	-	-	-	-	-	2	-	EASTBOURNE.
BRIGHTON.		137,685	8.7	9.1	11.0	13.6	66	36	7	15	-	-	-	-	-	-	-	1	1	3	12	-	BRIGHTON.
PORTSMOUTH.		235,998	7.7	11.5	10.4	12.6	86	57	8	21	-	-	-	1	-	-	6	-	3	5	18	-	PORTSMOUTH.
BOURNEMOUTH.		85,919	9.7	15.2	7.9	9.1	28	15	1	8	-	-	-	-	-	-	-	1	2	2	2	-	BOURNEMOUTH.
SOUTHAMPTON.		162,388	8.0	7.7	11.9	11.6	66	36	12	12	-	-	-	-	-	-	8	-	4	5	9	-	SOUTHAMPTON.
READING.		95,006	9.9	11.5	4.9	10.4	42	19	3	8	-	-	-	-	1	-	-	1	1	1	4	-	READING.
OXFORD.		59,963	8.7	5.2	7.0	3.5	19	4	-	3	-	-	-	-	-	-	-	-	-	-	2	-	OXFORD.
NORTHAMPTON.		92,483	5.1	9.6	8.5	9.0	47	16	3	4	-	-	-	-	-	-	1	-	-	-	3	1	NORTHAMPTON.
CAMBRIDGE.		60,154	6.1	10.4	9.5	9.5	12	11	-	4	-	-	-	-	-	-	-	1	1	1	2	-	CAMBRIDGE.

* See note † on first page of this return.

† For Greater London see end of Table.

‡ These towns are included within the area of Greater London.

TABLE 1 (cont).—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH-RATES in the Week ended Saturday, 27th August 1921, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	ESTIMATED CIVILIAN POPULATION, MID. 1920.* (Provisional.)	DEATH-RATES from all Causes.				Week ended 27th Aug., 1921.		The DEATHS in the Week include										TOWNS.					
		Week ended				BIRTHS.	DEATHS.	Deaths from								Inquest Cases.	Deaths in Public Institutions.		Uncertified Causes of Death.				
		6th Aug., 1921.	13th Aug., 1921.	20th Aug., 1921.	27th Aug., 1921.			Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.					Violence.			
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.	
SOUTHEND ON SEA.	87,332	6·6	10·1	9·0	8·4	31	14	3	3	-	-	-	-	1	-	-	2	-	1	1	1	1	SOUTHEND ON SEA.
IPSWICH.	81,119	9·0	5·8	10·9	13·5	40	21	6	7	-	-	-	-	-	-	-	2	-	1	4	-	-	IPSWICH.
GREAT YARMOUTH.	55,193	16·1	13·2	9·4	5·7	25	6	1	2	-	-	-	-	-	-	-	-	1	1	1	1	-	GREAT YARMOUTH.
NORWICH.	124,774	9·2	7·1	9·2	6·7	49	16	4	8	-	-	-	-	-	-	-	-	-	1	7	-	-	NORWICH.
SWINDON.	53,580	7·8	9·7	7·8	9·7	22	10	3	1	-	-	-	-	-	1	-	2	-	-	2	-	-	SWINDON.
EXETER.	61,365	11·0	10·2	16·1	10·2	28	12	2	5	-	-	-	-	-	-	-	2	-	-	3	-	-	EXETER.
PLYMOUTH.	189,218	13·5	11·3	16·5	11·0	84	40	12	9	-	-	-	-	-	-	-	6	1	1	8	-	-	PLYMOUTH.
BATH.	68,546	8·4	3·8	12·9	7·6	20	10	1	5	-	-	-	-	-	-	-	1	-	-	4	-	-	BATH.
BRISTOL.	375,641	11·0	11·8	10·0	10·5	166	76	14	22	-	-	-	-	1	-	-	2	-	5	8	24	-	BRISTOL.
GLOUCESTER.	52,096	13·0	12·0	16·0	8·0	31	8	2	2	-	-	-	-	-	-	-	1	1	2	-	-	-	GLOUCESTER.
STOKE ON TRENT.	248,852	14·0	14·2	12·8	14·2	145	68	31	9	1	-	-	-	-	-	-	20	1	1	12	-	-	STOKE ON TRENT.
WOLVERHAMPTON.	102,324	9·2	8·2	9·7	8·7	52	17	4	5	-	-	-	-	-	-	-	2	-	-	8	-	-	WOLVERHAMPTON.
WALSALL.	96,419	18·9	15·7	14·1	11·4	53	21	10	4	-	-	-	-	-	-	-	7	-	2	2	-	-	WALSALL.
WEST BROMWICH.	72,684	10·8	13·6	12·9	11·5	40	16	4	6	-	-	-	-	-	-	-	1	-	-	4	1	1	WEST BROMWICH.
DUDLEY.	56,169	12·1	7·4	10·2	13·9	25	15	5	4	-	-	-	-	-	-	1	4	1	1	1	2	2	DUDLEY.
BIRMINGHAM.	885,915	10·3	10·1	10·1	9·1	451	157	42	46	-	-	-	1	2	1	1	20	3	5	58	2	2	BIRMINGHAM.
SMETHWICK.	75,027	7·0	9·0	11·8	7·6	43	11	3	3	-	-	-	-	-	-	-	-	-	-	1	-	-	SMETHWICK.
COVENTRY.	137,310	6·8	7·2	8·7	8·4	54	22	8	5	-	-	-	-	-	-	-	1	-	-	7	-	-	COVENTRY.
LEICESTER.	245,465	10·0	12·5	6·8	12·5	100	59	15	19	-	-	-	-	-	-	-	5	1	4	21	-	-	LEICESTER.
LINCOLN.	67,543	8·5	8·5	7·7	5·4	23	7	2	1	-	-	-	-	1	-	-	-	-	-	1	-	-	LINCOLN.
GRIMSBY.	81,953	13·4	9·5	8·3	12·7	49	20	6	2	-	-	-	-	-	-	-	5	-	-	3	-	-	GRIMSBY.
NOTTINGHAM.	267,836	12·1	9·7	9·3	9·3	124	48	14	14	-	-	-	-	-	-	-	5	-	-	17	-	-	NOTTINGHAM.
DERBY.	128,868	7·7	6·1	8·5	12·1	58	30	4	11	-	-	-	-	-	-	-	2	1	2	8	-	-	DERBY.

* See note † on first page of this return.

TABLE 1 (cont.).—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH-RATES in the Week ended Saturday, 27th August, 1921, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	ESTIMATED CIVILIAN POPULATION MID. 1920.* (Provisional.)	DEATH-RATES from all Causes.				Week ended 27th Aug., 1921.		The DEATHS in the Week include										TOWNS.				
		Week ended				BIRTHS.	DEATHS.	Deaths of		Deaths from									Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	
		6th Aug., 1921.	13th Aug., 1921.	20th Aug., 1921.	27th Aug., 1921.			Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.					Violence.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
STOCKPORT.	130,635	11.2	12.4	8.4	10.8	67	27	5	12	-	-	-	-	1	1	-	-	-	1	10	-	STOCKPORT.
BIRKENHEAD.	153,951	10.8	9.5	9.1	9.8	68	29	7	12	-	-	-	-	-	-	3	-	-	-	10	-	BIRKENHEAD.
WALLASEY.	99,226	6.3	7.4	8.9	8.9	24	17	2	7	-	-	-	-	-	1	-	-	-	1	5	-	WALLASEY.
LIVERPOOL.	803,452	13.2	15.3	13.8	15.3	412	235	72	49	-	-	3	-	2	1	62	1	4	16	113	1	LIVERPOOL.
BOOTLE.	80,029	7.2	9.1	15.0	15.0	48	23	4	3	-	-	-	-	-	-	3	1	1	2	7	-	BOOTLE.
ST. HELENS.	104,822	12.4	10.9	10.9	11.4	54	23	9	3	-	-	1	-	-	-	3	-	-	-	7	-	ST. HELENS.
SOUTHPORT.	72,939	13.6	7.9	14.3	8.6	21	12	2	6	-	-	-	-	-	-	-	-	-	-	-	1	SOUTHPORT.
WIGAN.	90,866	16.1	14.3	12.6	9.8	47	17	5	5	-	-	-	-	-	-	3	1	1	3	1	-	WIGAN.
WARRINGTON.	77,939	9.4	8.7	12.7	9.4	42	14	4	4	-	-	-	-	-	-	3	-	-	-	5	1	WARRINGTON.
BOLTON.	184,533	12.2	14.1	11.6	7.1	80	25	5	7	-	-	-	-	-	-	-	-	1	1	7	1	BOLTON.
BURY.	56,410	12.9	7.4	12.9	8.3	17	9	-	4	-	-	-	-	-	-	-	-	-	-	3	-	BURY.
MANCHESTER.	770,597	8.9	10.3	9.7	9.0	352	133	32	27	-	-	-	-	5	1	13	1	4	9	67	1	MANCHESTER.
SALFORD.	235,239	14.2	10.2	10.9	9.8	92	44	10	15	-	-	-	-	-	-	6	-	1	2	17	-	SALFORD.
OLDHAM.	143,154	9.5	13.5	9.5	10.9	75	30	3	11	-	-	-	1	1	-	1	-	-	-	4	-	OLDHAM.
ROCHDALE.	93,639	11.7	8.9	11.7	12.3	21	22	4	7	-	-	-	-	-	-	1	-	-	1	6	-	ROCHDALE.
BURNLEY.	105,030	15.4	10.4	13.4	8.9	25	18	2	8	-	-	-	-	-	-	1	-	-	2	3	-	BURNLEY.
BLACKBURN.	131,012	5.2	12.7	4.8	10.7	53	27	8	6	-	-	-	-	1	-	-	-	-	4	5	-	BLACKBURN.
PRESTON.	121,950	11.1	11.5	13.7	18.4	49	43	9	11	-	-	-	1	-	-	5	-	1	1	6	3	PRESTON.
BLACKPOOL.	70,545	5.9	9.6	8.9	11.1	25	15	2	4	-	-	-	-	-	-	-	-	-	-	4	-	BLACKPOOL.
BARROW IN FURNESS.	76,561	6.1	7.5	7.5	5.4	39	8	1	2	-	-	-	-	-	-	-	-	-	-	3	1	BARROW IN FURNESS.
HUDDERSFIELD.	116,776	8.0	5.8	16.1	5.8	47	13	1	4	-	-	-	-	-	-	-	-	-	-	3	-	HUDDERSFIELD.
HALIFAX.	105,847	10.8	8.9	10.3	13.8	41	28	-	11	-	-	-	-	-	-	-	-	-	-	8	-	HALIFAX.
BRADFORD.	293,979	10.5	11.0	9.8	9.4	140	53	11	8	1	-	-	-	1	-	1	1	-	4	23	-	BRADFORD.
LEEDS.	449,212	12.2	10.3	11.4	13.1	206	113	28	37	-	-	-	1	-	-	10	-	8	11	40	-	LEEDS.
DEWSBURY.	55,080	6.6	12.3	5.7	13.3	34	14	2	7	-	-	-	-	-	-	1	-	-	-	2	-	DEWSBURY.
WAKEFIELD.	51,169	9.2	13.2	14.3	10.2	24	10	-	1	-	-	-	-	-	-	-	-	-	-	1	-	WAKEFIELD.
BARNLEY.	53,739	12.6	16.5	16.5	11.6	33	12	3	2	-	-	-	-	-	-	2	-	1	1	-	-	BARNLEY.

* See note † on first page of this return.

TOWNS.	CIVILIAN POPULATION, MID. 1920.* (Provisional).	Causes.				Week ended 27th Aug., 1921.		Deaths of		Deaths from										Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS
		Week ended				27th Aug., 1921.		Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.	Violence.					
		6th Aug., 1921.	13th Aug., 1921.	20th Aug., 1921.	27th Aug., 1921.	BIRTHS.	DEATHS.																
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.	
SHEFFIELD	492,570	10.1	10.2	10.7	10.1	202	95	22	26	-	-	1	1	1	-	13	-	4	7	37	-	SHEFFIELD.	
ROTHERHAM	71,785	8.0	6.5	10.9	8.7	38	12	3	4	1	-	-	-	-	-	2	-	1	1	3	-	ROTHERHAM.	
YORK	77,501	8.1	9.4	8.1	6.1	36	9	2	2	-	-	-	-	1	-	1	-	-	2	2	-	YORK.	
HULL	290,808	13.3	12.7	13.3	14.5	148	81	20	20	1	-	-	1	-	1	18	-	4	6	31	1	HULL.	
MIDDLESBROUGH	132,208	6.3	9.5	9.1	9.5	86	24	8	4	-	-	-	-	-	-	5	-	-	-	7	-	MIDDLESBROUGH.	
DARLINGTON	66,610	11.7	9.4	9.4	7.8	35	10	-	4	-	-	-	-	-	-	-	-	-	-	1	-	DARLINGTON.	
STOCKTON ON TEES.	63,114	5.0	8.3	11.6	9.9	38	12	1	4	-	-	-	-	-	-	2	-	1	1	1	-	STOCKTON ON TEES.	
WEST HARTLEPOOL.	68,126	9.9	6.1	12.2	12.2	45	16	3	5	-	-	-	-	-	-	1	-	-	-	3	-	WEST HARTLEPOOL.	
SUNDERLAND	155,211	10.8	16.1	13.1	12.4	93	37	7	7	-	-	4	-	2	1	5	-	2	2	10	2	SUNDERLAND.	
SOUTH SHIELDS	115,945	16.6	16.2	10.3	14.4	73	32	13	3	-	-	-	-	1	-	6	-	1	2	5	2	SOUTH SHIELDS.	
GATESHEAD	128,309	15.8	18.3	16.7	13.4	76	33	7	14	-	-	-	-	-	-	5	-	-	1	9	-	GATESHEAD.	
NEWCASTLE ON TYNE.	286,061	10.4	10.4	11.3	10.0	144	55	20	13	-	-	-	-	1	-	9	-	1	4	11	2	NEWCASTLE ON TYNE.	
TYNEMOUTH	60,318	13.0	8.6	12.1	13.8	31	16	3	3	-	-	2	-	1	-	-	-	1	1	2	1	TYNEMOUTH.	
CARLISLE	57,397	13.6	12.7	10.0	8.2	18	9	4	2	-	-	-	-	-	-	-	-	-	-	1	-	CARLISLE.	
NEWPORT (MON.)	90,728	9.8	9.8	9.8	3.4	51	6	3	-	1	-	-	-	-	-	1	-	1	1	1	-	NEWPORT (MON.).	
CARDIFF	212,582	12.8	10.5	13.5	7.1	115	29	3	11	-	-	-	-	-	-	1	-	5	7	13	-	CARDIFF.	
RHONDDA	184,999	13.5	11.8	12.7	7.6	89	27	12	4	-	-	-	-	-	-	7	-	-	-	4	-	RHONDDA.	
MERTHYR TYDFIL	74,493	11.2	9.8	12.6	8.4	23	12	3	-	-	-	-	-	-	-	2	-	2	2	5	-	MERTHYR TYDFIL.	
ABERDARE	53,431	10.7	10.7	8.8	9.8	16	10	1	3	-	-	-	-	-	-	-	-	2	2	4	-	ABERDARE.	
SWANSEA	167,218	10.0	9.4	9.4	6.9	86	22	4	7	-	-	-	-	-	-	-	1	2	2	5	-	SWANSEA.	
GREATER LONDON	7,548,647	9.0	9.7	10.6	10.2	3213	1477	342	443	1	-	6	5	25	9	206	6	60	123	692	-	GREATER LONDON.	
OUTER RING	3,016,676	8.5	9.2	9.2	8.8	1210	511	107	169	-	-	-	2	2	3	64	4	18	37	176	-	OUTER RING.	
14 GREAT TOWNS IN OUTER RING.	1,734,723	7.8	9.5	9.0	8.9	734	297	62	94	-	-	-	1	1	2	41	3	10	22	107	-	14 GREAT TOWNS IN OUTER RING.	
REMAINDER OF OUTER RING.	1,281,953	9.3	8.8	9.4	8.7	476	214	45	75	-	-	-	1	1	1	23	1	8	15	69	-	REMAINDER OF OUTER RING.	
EDINBURGH†	420,267	11.8	10.0	12.9	12.7	172	102	18	33	-	-	-	2	3	-	2	2	6	?	?	?	EDINBURGH.†	
GLASGOW†	1,034,069	13.5	13.1	12.5	12.6	547	250	72	55	1	-	1	1	6	2	29	-	8	?	?	?	GLASGOW.†	
DUBLIN (Registration Area).†	423,000	15.2	16.8	18.1	15.0	183	122	37	27	-	-	-	-	-	-	25	-	9	9	45	1	DUBLIN (Registration Area).†	
BELFAST†	420,000	14.5	14.5	12.9	12.0	171	97	13	25	-	-	-	-	2	-	9	-	2	3	34	1	BELFAST.†	

* See note † on first page of this return.

† The populations are total populations and relate to 1921, those for Edinburgh and Glasgow being Census populations. Deaths and the death-rates in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week: those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

TABLE 2. LONDON.—Births and Deaths registered during the THIRTY-FOURTH Week of each of the Eleven Years, 1911-1921.

—	1911.	1912.	1913.	1914.	1915.	1916.	1917.	1918.	1919.	1920.	1921.
Births (as registered).	2223	2140	2179	2137	1897	1796	1423	1296	1826	2294	2003
Males -	1154	1090	1144	1080	941	914	694	668	935	1186	1015
Females -	1069	1050	1035	1057	956	882	729	628	891	1108	988
Deaths (of residents only).	1645	1012	1022	1180	1078	853*	857*	740*	804*	813*	966*
Males -	909	537	534	619	556	463	481	371	391	417	505
Females -	736	475	488	561	522	390	376	369	413	396	461

* Deaths in civilian population only.

TABLE 3. LONDON.—BIRTHS and DEATHS REGISTERED, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the last THIRTEEN WEEKS.

—	June 4.	June 11.	June 18.	June 25.	July 2.	July 9.	July 16.	July 23.	July 30.	Aug. 6.	Aug. 13.	Aug. 20.	Aug. 27.
Births (as registered) . . .	1971	2128	2008	1919	1804	1955	1910	1891	2023	1823	2214	1948	2003
Deaths (of residents only).	867	795	801	840	779	751	940	857	846	822	872	1003	966
Age at Death													
Under 1 year	108	96	92	100	84	86	124	128	123	166	186	225	235
1-2 years	16	26	29	16	24	24	23	44	29	38	36	43	44
2-5 "	15	20	20	20	23	23	21	26	19	24	13	21	15
5-10 "	32	17	31	22	16	10	22	18	20	30	20	23	21
10-15 "	19	14	16	18	14	10	21	10	12	11	8	9	9
15-20 "	23	20	13	24	24	20	24	23	15	21	24	18	20
20-25 "	20	17	16	21	22	18	22	18	19	25	17	27	21
25-35 "	58	50	42	55	45	29	49	33	41	43	62	50	33
35-45 "	68	51	68	66	58	53	54	51	55	56	50	61	56
45-55 "	95	84	85	96	84	109	108	102	104	87	87	111	108
55-65 "	133	120	125	129	126	105	156	120	133	98	137	119	130
65-75 "	155	143	136	146	150	137	153	146	155	110	123	152	134
75 years and upwards	125	137	128	127	109	127	158	138	116	113	109	144	140
Deaths from—													
Enteric fever	3	—	—	3	—	—	3	—	—	3	—	2	1
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	5	3	3	7	—	4	—	6	2	5	9	1	6
Scarlet fever	9	4	8	6	6	2	6	4	3	3	1	2	3
Whooping cough	6	11	9	6	5	9	13	12	6	7	5	13	23
Diphtheria	14	10	17	12	10	10	18	12	13	30	16	17	6
Diarrhoea and enteritis (under 2 years).	9	11	11	12	9	13	30	29	52	68	103	154	142
Pulmonary tuberculosis . .	103	73	70	101	93	55	77	71	66	77	82	86	55
Influenza	9	6	4	6	5	5	4	3	3	1	3	1	2
Pneumonia (all forms) . . .	56	62	54	53	36	46	40	60	44	34	39	45	44
Bronchitis	42	31	37	23	29	27	27	36	25	12	24	28	26
Other dis. of resp. system . .	8	9	8	8	8	9	14	13	8	8	10	15	10
Dis. of circ. system	142	141	137	135	124	148	145	126	135	133	119	140	137
Violence	31	35	29	41	36	26	51	45	47	33	28	24	42
Inquest cases	73	70	65	85	61	71	87	83	77	73	73	69	86
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Enteric fever	22	22	17	18	24	24	23	27	28	28	31	34	32
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	37	35	34	35	41	40	43	52	49	54	59	60	48
Scarlet fever	3491	3501	3569	3651	3672	3844	3879	3886	3765	3717	3572	3523	3394
Whooping cough	7	5	9	10	10	9	10	10	10	23	36	40	41
Diphtheria	2020	1980	1950	1928	1915	1921	1961	1983	1979	1957	1879	1816	1740

* The Metropolitan Asylums Board and London Fever Hospitals. The figures do not refer to London exclusively.

TABLE 3A. 96 Great Towns.—DEATHS from INFLUENZA in the last THIRTEEN WEEKS.

—	June 4.	June 11.	June 18.	June 25.	July 2.	July 9.	July 16.	July 23.	July 30.	Aug. 6.	Aug. 13.	Aug. 20.	Aug. 27.
Deaths from Influenza . . .	67	33	33	32	20	25	27	19	25	14	15	9	12

TABLE 4. LONDON.—DEATHS REGISTERED in the THIRTY-FOURTH Week of the Year 1921.

CAUSES OF DEATH.	Deaths in the 34th week of the year 1926.	DEATHS OF PERSONS OF THE AGES													
		ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-10 years.	10-15 years.	15-20 years.	20-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and up- wards.
ALL CAUSES	813	966	235	44	15	21	9	20	21	33	56	108	130	134	140
Enteric fever	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	3	6	1	3	2	-	-	-	-	-	-	-	-	-	-
Scarlet fever	5	3	-	-	1	1	-	-	-	-	-	-	1	-	-
Whooping cough	5	23	10	13	-	-	-	-	-	-	-	-	-	-	-
Diphtheria	15	6	-	1	2	1	1	-	-	1	-	-	-	-	-
Influenza	5	2	1	-	-	-	-	-	1	-	-	-	-	-	-
Erysipelas	-	2	-	-	-	-	-	-	-	1	-	-	1	-	-
Acute Poliomyelitis, Polioencepha- litis.	?	1	-	-	-	-	-	1	-	-	-	-	-	-	-
Encephalitis lethargica	?	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal meningitis . . .	?	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other endemic and epidemic diseases.	6	1	-	-	-	-	-	-	-	-	-	-	-	-	1
Pyæmia and septicæmia	1	2	-	-	-	1	-	-	-	-	-	-	-	1	-
Tetanus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis :—															
Pulmonary tuberculosis	86	55	-	-	-	2	-	4	7	10	13	9	9	1	-
Tuberculous meningitis	2	7	-	1	2	2	-	2	-	-	-	-	-	-	-
Abdominal tuberculosis	3	2	-	-	-	1	-	-	-	1	-	-	-	-	-
Tuberculosis of the spine	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
Tuberculosis of the joints	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Tuberculosis of other organs . . .	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Disseminated tuberculosis . . .	1	3	-	-	-	-	-	-	1	-	1	-	1	-	-
Venereal diseases	3	5	5	-	-	-	-	-	-	-	-	-	-	-	-
Cancer	113	115	-	-	-	-	-	-	-	2	5	31	34	24	19
Rheumatic fever	2	2	-	-	1	-	-	-	-	-	1	-	-	-	-
Diabetes	1	9	-	-	-	-	-	-	-	-	1	1	5	1	1
Anæmia, leucocythæmia	5	7	-	-	-	-	-	1	1	-	-	3	1	-	1
Other general diseases	7	10	2	-	-	-	-	-	1	1	-	-	2	1	3
Alcoholism	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-
Chronic poisonings	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	3	2	1	-	1	-	-	-	-	-	-	-	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	31	45	-	-	-	-	-	-	-	-	-	5	14	17	9
Softening of brain	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Paralysis, without specified cause .	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epilepsy	5	3	-	-	1	-	-	1	-	-	-	-	1	-	-
"Convulsions" (not puerperal) . .	2	6	6	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system .	14	26	1	-	-	1	1	1	2	1	6	4	4	3	2
Pericarditis	1	2	-	-	-	-	-	-	-	-	1	-	1	-	-
Acute endocarditis	9	5	-	-	1	-	1	-	-	2	1	-	-	-	-
Other diseases of heart	107	99	-	-	-	3	2	1	-	2	7	8	18	35	23
Embolism and thrombosis (exclud- ing cerebral).	2	2	1	-	-	-	-	-	-	1	-	-	-	-	-
Other diseases of circulatory system.	38	29	-	-	-	-	-	-	-	-	1	4	1	8	15
Diseases of the larynx	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis	33	26	2	-	-	-	-	1	1	-	1	4	3	5	9
Broncho-pneumonia	8	21	9	7	1	-	-	-	-	2	-	1	-	1	-
Lobar pneumonia	10	14	-	-	-	-	-	-	-	-	3	3	3	4	1
Pneumonia (type not distinguished)	10	9	1	-	-	-	1	-	-	1	-	1	2	2	1
Pleurisy	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-
Pulmonary congestion, Pulmonary apoplexy.	2	3	1	-	-	-	-	-	-	-	1	-	-	-	1
Other diseases of respiratory system.	2	6	-	-	-	-	-	-	-	-	-	4	1	1	-

TABLE 5.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS. of Stillborn.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM							
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria*	Diarrhoeal Diseases† (under 2 years).	Influenza.
LONDON† . .	4,531,971	1921. Aug 27	2,003	966	11·1	1	-	6	3	23	6	142	2
CALCUTTA . .	896,067	July 23	-	438§	25·4	?	-	?	?	?	?	?	12
BOMBAY . .	979,445	" 23	-	-	-	-	-	-	-	-	-	-	-
MADRAS . .	518,660	" 16	374	274§	27·2	1	2	-	?	2	-	24	-
PARIS . .	2,847,229	{ (10 days) July 20	1,523	1,099	14·1	6	-	8	3	3	4	66	-
BRUSSELS . .	792,919	- - -	-	-	-	-	-	-	-	-	-	-	-
ANTWERP . .	340,209	Aug. 6	93	51	7·9	-	-	-	-	-	-	10	-
AMSTERDAM . .	680,912	" 13	293	126	9·6	1	-	-	-	3	-	3	-
COPENHAGEN . .	571,000	" 13	220	104	9·5	-	-	-	1	-	2	1	-
STOCKHOLM . .	419,788	" 6	111	76	9·4	-	-	-	-	-	-	-	-
GOTHENBURG . .	205,547	July 30	-	34	8·6	-	-	-	-	1	-	-	-
CHRISTIANIA . .	260,904	Aug. 13	84	45	9·0	-	-	-	-	1	-	-	-
BERLIN . .	1,951,000	" 6	503	310	8·3	-	?	1	1	5	1	25	1
BRESLAU . .	547,000	" 6	241	166	15·8	1	?	1	-	1	1	28	1
STRASBOURG . .	666,000	" 6	300	168	13·1	-	?	-	-	-	1	39	1
DRESDEN . .	595,000	" 6	211	134	11·6	-	?	-	-	-	1	13	2
FRANKFORT- ON-MAIN. . .	469,000	" 6	167	94	10·4	-	?	-	-	-	-	12	1
HAMBURG . .	1,031,000	" 6	376	176	8·9	1	?	-	-	3	2	5	-
LEIPZIG . .	629,000	" 6	222	161	13·3	-	?	-	-	-	-	32	-
MUNICH . .	670,000	" 6	223	182	14·1	-	?	4	-	2	-	12	2
VIENNA . .	1,842,005	" 6	-	-	-	-	-	-	-	-	-	-	-
PRAGUE AND SUBURBS. . .	676,454	July 23	254	174	13·4	3	-	-	-	2	-	9	1
BUDAPEST . .	933,000	June 25	352	330	18·4	4	?	12	4	1	2	19	1
TRIESTE . .	248,428	May 28	-	-	-	-	-	-	-	-	-	-	-
CAIRO . .	765,200	June 10	642	569	38·7	1	-	-	1	?	2	109	?
ALEXANDRIA . .	449,300	" 10	298	279§	32·3	-	-	-	1	?	-	44	?
NEW YORK . .	5,751,859	July 23	2,594	984	8·9	4	-	-	1	12	9	75	3
CHICAGO . .	2,780,655	Aug. 6	-	496	9·3	1	6	2	1	8	8	66	-

Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Cities, Vienna, Prague and Suburbs, Budapest, and Trieste.

The deaths in this column relate to *all ages* for Bombay, Madras, Christiania, and Budapest, and to *children under 1 year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

The estimated population and deaths refer to the civilian population only.

Including 2 deaths from *plague* in Alexandria, and from *Asiatic cholera*, 12 deaths in Calcutta and 2 in Madras.

TABLE 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 27th August, 1921.

(Supplied by the Meteorological Office.)

TOWNS.	Temperature of Air.*				Rainfall in Milli- metres.†	TOWNS.	Temperature of Air.*				Rainfall in Milli- metres.†
	Highest.	Lowest.	Mean Maxi- mum.	Mean Mini- mum.			Highest.	Lowest.	Mean Maxi- mum.	Mean Mini- mum.	
LONDON (Greenwich) }	77	46	72·3	54·9	1	BRADFORD . .	68	52	65·6	55·3	3
BRIGHTON . .	69	51	66·7	57·3	16	SHEFFIELD . .	70	52	67·4	56·3	1
PORTSMOUTH . .	73	50	69·0	56·3	8	YORK (Museum) . .	70	49	68·0	54·6	2
IPSWICH (Eaton) . .	77	48	69·3	56·3	10	HULL (Pearson Park)	73	47	67·7	55·3	2
PLYMOUTH . .	73	48	65·4	53·3	15	TYNEMOUTH . .	65	48	61·1	53·3	17
BRISTOL (Clifton) . .	73	50	68·9	55·3	8	CARDIFF . .	72	48	67·1	54·4	7
BIRMINGHAM . .	74	49	67·6	54·1	18	EDINBURGH . .	Not available				34
NOTTINGHAM . .	73	47	68·3	55·9	25	GLASGOW . .	69·5	50·3	61·6	52·6	
WIRKSWORTH (Bidston) }	67	54	63·3	55·9	3	DUBLIN :—					5
MANCHESTER . .	69	49	66·7	54·7	3	Phoenix Park . .	68·2	47·8	64·3	52·2	
BURNLEY . .	69	46	63·9	53·7	5	†Fitzwilliam Square	67·3	50·0	63·6	53·7	10
RODDERSFIELD . .	70	51	67·3	55·9	6	BELFAST . .	66·0	49·5	64·6	51·5	4

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.†

† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.

‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

TABLE 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 27th August 1921.

[Under the Superintendence of the Astronomer Royal.]

1921. MONTH AND DAY.		Phases of the Moon.	BARO- METER. Mean daily reading (cor- rected and re- duced to 32° Fahren- heit).	TEMPERATURE.					Difference between the Air Temperature and Dew Point Temperature.			De- gree of Hu- mid- ity (Satu- ration equals 100).	TEMPERATURE.			Wind as deduced from Anemometers.				Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.							
				Of the Air.				De- parture from Average of 65 years.	Of the Dew point.		Mean Great- est. Least.		Of Radiation. Highest in Sun's Rays. Lowest on the Grass.		Of the Earth 4 feet below the Surface.	Osler's.		Robinson's.									
				High- est.	Low- est.	Daily Range.	Mean daily value.		General Direction.	P.M.						Great- est.	Mean of 24 of the Air on each Day.	Horizontal Movement of the Air Average of 50 years.									
																			Pressure on the Square Foot.		Horizontal Movement of the Air Average of 50 years.						
AUGUST.				In Equator. Last Quarter. ..	in.	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	
SUNDAY	-	21	29.526			62.0	57.5	4.5	59.0	- 2.3	53.9	5.1	7.4	0.0	83	74.0	47.8	59.1	NNW. & NW. Calm	NNW. & calm	1.5	0.0	0.1	177	- 63	0.00	
MONDAY	-	22	29.643			74.7	51.7	23.0	62.1	+ 1.0	51.9	10.2	21.8	1.9	69	133.6	39.4	59.5	S, SSW. & calm.	S, SSW. & calm.	0.6	0.0	0.0	116	- 126	0.00	
TUESDAY	-	23	29.775			71.2	49.1	22.1	61.3	+ 0.4	57.4	3.9	11.3	1.9	87	107.0	37.2	59.4	Calm & NE.	NE. S. & calm.	1.6	0.0	0.1	161	- 84	0.02	
WEDNESDAY	-	24	29.896			63.6	57.6	6.0	59.2	- 1.6	56.7	2.5	6.8	0.8	92	76.9	50.7	59.2	N. & NNE.	N. & calm.	1.0	0.0	0.1	175	- 74	0.01	
THURSDAY	-	25	29.877			76.0	55.4	20.6	63.5	+ 2.8	53.7	9.8	22.9	0.8	70	131.7	42.1	59.3	Calm & WNW.	WNW. & NNW.	3.2	0.0	0.2	225	- 32	0.00	
FRIDAY	-	26	29.938			76.7	46.2	30.5	62.1	+ 1.4	48.0	14.1	26.9	2.6	60	140.0	31.1	59.2	NNW. & WSW.	NNW. & SW.	2.6	0.0	0.2	277	+ 11	0.00	
SATURDAY	-	27	29.833	77.4	59.6	17.8	66.0	+ 5.4	57.0	8.1	19.2	2.8	75	117.2	52.6	59.1	SW.	SW.	3.2	0.0	0.4	393	+ 121	0.00			
MEANS				-	-	-	61.9	+ 1.0	54.2	7.7	16.6	1.5	77	111.5	43.0	59.3	N. and SW.				Sum 1524	Sum -247	Sum 0.03		
No. of Column				-	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE.		ELECTRICITY. (For explanation of symbols, see Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
AUGUST 1921.					
SUNDAY	- 21	w.P. throughout	0·0	14·2	Nearly cloudless till 1h.; becoming over- cast by about 2h.; occasional misty rain throughout.
MONDAY	- 22	w.P. throughout	3·0	14·2	Overcast generally till 10h.; thin cloud prevalent till 21h.; then partially cloudy; solar halo 16h.; cloudless after 21h.
TUESDAY	- 23	w.P. throughout	2·1	14·1	Cloudless till 4h.; thin cloud prevalent till 9h.; then overcast generally; occasional rain between 13h. 30m. and 20h.; thunder about 15h.
WEDNESDAY	- 24	w.P. throughout	0·0	14·0	Overcast throughout; rain between 2h. and 4h.; misty morning and evening.
THURSDAY	- 25	v.P. generally	3·5	14·0	Overcast and misty till 8h. 30m.; variably cloudy with overcast intervals afterwards; nearly cloudless from 22h.
FRIDAY	- 26	v.P. generally	8·3	13·9	Nearly cloudless till 6h.; nearly overcast till 7; variably cloudy till 16h. 30m.; overcast by 19h.
SATURDAY	- 27	v.P. generally	2·3	13·9	Overcast generally till 13h.; very cloudy till 18h.; nearly cloudless soon afterwards; damping about 1h.
No. of Col.		- 26	Sum 19·2	Sum 98·3	28

The results apply to the civil day, or from midnight to midnight.
The height of the cistern of the barometer is 152 feet above the mean level of the sea ; no correction has been applied to the readings to reduce to sea level.
Observations are usually taken at 9h. A.M., noon ; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.
The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.
In reading columns 9 and 24 it will be borne in mind that + indicates "higher," and - "lower," than the average.
The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.
The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are :—P. positive ; N. negative ; w. weak ; m. moderate ; s. strong ; and v. variable.
The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.
The reading of the barometer decreased from 29·57 in. at the beginning of the week to 29·51 in. by 8h. on 21st ; increased generally to 29·99 in. by 8h. on 26th, and decreased generally to 29·81 in. by midnight on 27th.

TABLE 8. LONDON.—DEATHS OF PERSONS BELONGING to the several METROPOLITAN BOROUGHs REGISTERED in the Week ended 20th August, 1921.

BOROUGHs.	Deaths from									Deaths of Infants under 1 Year of Age.
	ALL CAUSES.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Pulmonary Tuberculosis.	
COUNTY OF LONDON .	1003	2	-	1	2	13	17	154	86	225
Western										
PADDINGTON . . .	27	-	-	-	-	2	1	5	2	8
KENSINGTON . . .	36	-	-	-	-	1	3	2	2	10
HAMMERSMITH . . .	32	-	-	-	-	1	1	2	4	4
FULHAM	39	1	-	-	-	-	-	4	4	8
CHELSEA	15	-	-	-	-	-	-	3	-	3
CITY OF WESTMINSTER .	20	-	-	-	-	-	1	1	2	1
Northern.										
ST. MARYLEBONE . . .	15	-	-	-	-	-	-	2	-	2
HAMPSTEAD	8	-	-	-	-	-	-	1	-	1
ST. PANCRAS	41	-	-	-	-	-	-	4	4	11
ISLINGTON	73	-	-	-	-	-	2	14	3	21
STOKE NEWINGTON . . .	7	-	-	-	-	-	-	-	2	-
HACKNEY	48	-	-	-	1	-	-	6	4	10
Central.										
HOLBORN	5	-	-	-	-	-	-	-	-	-
FINSBURY	21	-	-	-	-	-	1	4	4	4
CITY OF LONDON . . .	1	-	-	-	-	-	-	-	-	-
Eastern.										
SHOREDITCH	32	-	-	-	1	-	1	12	-	13
BETHNAL GREEN . . .	31	-	-	-	-	1	-	10	-	10
STEPNEY	67	-	-	-	-	-	1	20	7	22
POPLAR	42	-	-	1	-	-	2	11	1	9
Southern.										
SOUTHWARK	59	-	-	-	-	-	-	10	6	17
BERMONDSEY	36	-	-	-	-	-	1	5	5	10
LAMBETH	55	-	-	-	-	1	2	11	5	10
BATTERSEA	38	-	-	-	-	2	-	2	3	3
WANDSWORTH	67	1	-	-	-	1	-	6	10	11
CAMBERWELL	63	-	-	-	-	-	1	3	4	12
DEPTFORD	37	-	-	-	-	1	-	6	5	6
GREENWICH	23	-	-	-	-	1	-	4	4	5
LEWISHAM	29	-	-	-	-	1	-	3	4	6
WOOLWICH	36	-	-	-	-	1	-	3	1	8

The deaths in the above Table are, so far as concerns London as a whole, corrected by the exclusion of deaths of non-residents, and by the inclusion of those of residents occurring in the Outer Ring or in Metropolitan public institutions situated outside the County. As between individual Metropolitan Boroughs, however, correction is complete.

TABLE 9. LONDON.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED during the Week ended 20th August, 1921.*

BOROUGHES.	ESTI- MATED CIVILIAN POPU- LATION, MID. 1920.† (Provi- sional.)	Enteric Fever.	Malaria.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Pneumonia.	Erysipelas.	Cerebro-Spinal Fever.	Puerperal Fever.	Ophthalmia Neonatorum.	Poliomyelitis.	Dysentery.	Encephalitis Lethargica.	Anthrax.	Polio- encephalitis.	Cholera.
WESTERN.																		
Paddington . . .	149,673	1	-	-	-	11	5	-	1	-	1	-	-	-	-	-	-	-
Kensington . . .	164,177	1	-	-	-	18	11	-	2	-	1	-	-	-	-	-	-	-
Hammersmith . . .	136,200	-	-	-	-	10	7	3	-	-	-	-	1	-	-	-	-	-
Fulham . . .	158,621	-	-	-	-	10	2	1	5	-	1	-	2	-	-	-	-	-
Chelsea . . .	62,987	-	-	-	-	4	2	-	-	-	2	-	-	-	-	-	-	-
City of Westminster . . .	132,615	-	-	-	-	15	3	-	1	1	1	1	-	-	-	-	-	-
NORTHERN.																		
St. Marylebone . . .	101,856	-	-	-	-	5	4	1	1	-	-	-	-	1	-	-	-	-
Hampstead . . .	91,519	-	1	-	-	4	6	-	-	-	-	-	-	-	-	-	-	-
St. Pancras . . .	228,178	-	-	-	-	30	8	-	1	-	-	3	-	-	1	-	-	-
Islington . . .	335,907	-	1	-	-	37	21	-	4	-	2	-	-	-	-	-	-	-
Stoke Newington . . .	52,984	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Hackney . . .	225,372	-	-	-	-	41	19	-	-	-	-	1	-	-	-	-	-	-
CENTRAL.																		
Holborn . . .	39,676	-	-	-	-	2	-	3	-	-	-	-	-	-	-	-	-	-
Finsbury . . .	78,291	-	-	-	-	10	2	-	2	-	1	1	-	-	-	-	-	-
City of London . . .	14,447	-	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
EASTERN.																		
Shoreditch . . .	102,044	-	-	-	-	28	13	5	1	-	-	1	-	-	-	-	-	-
Bethnal Green . . .	114,471	1	-	-	-	22	9	2	1	-	-	1	-	-	1	-	-	-
Stepney . . .	241,770	1	-	-	-	41	15	1	1	-	1	-	-	-	-	-	-	-
Poplar . . .	159,766	1	1	-	-	20	8	6	1	-	-	-	-	-	-	-	-	-
SOUTHERN.																		
Southwark . . .	187,142	-	-	-	-	16	8	1	1	-	-	-	-	-	-	-	-	-
Bermondsey . . .	129,189	-	-	-	-	17	9	-	2	-	-	1	-	-	-	-	-	-
Lambeth . . .	293,572	2	-	-	-	21	4	1	2	-	2	1	1	-	-	-	-	-
Battersea . . .	165,664	-	-	-	-	12	8	2	-	-	-	-	-	-	-	-	-	-
Wandsworth . . .	346,990	1	-	-	-	20	9	1	1	-	-	-	-	-	-	-	-	-
Camberwell . . .	284,712	-	-	-	-	24	12	-	1	-	-	-	-	1	-	-	-	-
Deptford . . .	115,636	-	-	-	-	18	2	-	-	-	-	2	-	-	-	-	-	-
Greenwich . . .	102,408	1	-	-	-	9	3	1	2	-	1	-	-	-	-	-	-	-
Lewisham . . .	174,438	-	-	-	-	18	3	-	1	-	-	-	-	-	-	-	-	-
Woolwich . . .	141,666	-	-	-	-	13	6	1	-	-	2	1	-	-	-	-	-	-
TOTAL . . .	4,531,971	10	5	-	-	478	200	29	31	1	15	13	4	2	2	-	-	-
AGES.																		
Ages 0-1 . . .		-	-	-	-	7	3	2	1	-	-	13	-	-	-	-	-	-
" 1-5 . . .		-	-	-	-	110	45	6	2	-	-	-	4	-	-	-	-	-
" 5- . . .		-	-	-	-	178	71	3	-	-	-	-	-	-	-	-	-	-
" 10- . . .		1	-	-	-	114	35	2	3	-	-	-	-	-	-	-	-	-
" 15- . . .		2	-	-	-	31	13	1	1	-	2	-	-	-	1	-	-	-
" 20- . . .		2	1	-	-	18	8	4	1	-	3	-	-	-	-	-	-	-
" 25- . . .		4	3	-	-	14	18	3	1	1	7	-	-	2	-	-	-	-
" 35- . . .		-	1	-	-	4	5	2	7	-	3	-	-	-	-	-	-	-
" 45- . . .		1	-	-	-	1	-	3	7	-	-	-	-	-	-	-	-	-
" 55- . . .		-	-	-	-	1	2	2	3	-	-	-	-	-	-	-	-	-
" 65- . . .		-	-	-	-	-	-	1	5	-	-	-	-	-	1	-	-	-
" 75 and upwards . . .		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Age not stated . . .		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

† See note † on first page of this return.

|||||

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS AND DEATHS REGISTERED:—

LONDON AND

NINETY-FIVE OTHER GREAT TOWNS.

~~~~~  
By Authority of the Registrar General,  
~~~~~

LONDON :
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased through any Bookseller or directly from
H.M. STATIONERY OFFICE at the following addresses:
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and
28, ABINGDON STREET, LONDON, S.W. 1;
37, PETER STREET, MANCHESTER;
1, ST. ANDREW'S CRESCENT, CARDIFF;
23, FORTH STREET EDINBURGH;
or from E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN.

No. 35. VOL. LXXXII. 1921. WEEK ENDED SATURDAY, SEPT. 3.
[Price 9d. Net.]

*General Register Office, Somerset House,
September 6th, 1921.*

NINETY-SIX GREAT TOWNS.

For the NINETY-SIX GREAT TOWNS of England and Wales, each of which had a population of 50,000 or over at the Census of 1911, the births registered last week numbered 7,995, and corresponded to an annual rate of 22·4 per 1,000. The deaths* among the civilian population only numbered 3,770, and corresponded to an annual rate of 10·6 per 1,000 of their aggregate civilian population, which is provisionally estimated† at 18,554,878 persons in the year 1920. In the three weeks ended August 13th, August 20th, and August 27th, the rates had been 10·6, 10·9, and 10·6 respectively. The infant mortality was 110, against 94, 106, and 107 in the preceding three weeks. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks; it also shows for the week ended last Saturday the births and the deaths from certain individual causes. A column showing the number of deaths

* Corrected as far as possible for deaths of non-residents and for those of residents occurring outside the area. Fully corrected figures will appear in the Registrar General's Annual Report.

† The estimates of population refer to the year 1920, and are based on the returns furnished under the scheme for rationing of food.

from influenza has been inserted in Table 1. The aggregate number of deaths from influenza in the 96 great towns in each of the last thirteen weeks is shown in Table 3A.

Measured by last week's mortality, the highest annual death-rates per 1,000 living were :—from *all causes*, 15·0 in Southport, 15·5 in Blackpool, 15·7 in Barrow-in-Furness, 15·8 in Leyton, 16·8 in Walsall, and 17·6 in Plymouth; and from *measles*, 1·0 in Sunderland. No death from *small-pox* was registered in any of the ninety-six towns.

LONDON.* (The Administrative County, including the City of London.)

For LONDON there were 1,893 BIRTHS, corresponding to a rate of 21·7 per 1,000, and 951 DEATHS of civilians, corresponding to a rate of 10·9, as against 10·0, 11·5, and 11·1 per 1,000 in the three weeks ended August 13th, August 20th, and August 27th. The death-rate in the four weeks ended last Saturday averaged 10·9 per 1,000. The infant mortality was 141, against 84, 116, and 117 in the preceding three weeks.

One death from *enteric fever*, was registered last week, against 0, 2, and 1 in the preceding three weeks, the average for the corresponding weeks of the previous five years being 2. The deaths from *measles*, which had been 9, 1, and 6 in the preceding three weeks, fell to 3, and were 4 below the average. The deaths from *scarlet fever*, which had been 1, 2, and 3 in the preceding three weeks, rose to 4, and were 3 above the average. The deaths from *whooping-cough*, which had been 5, 13, and 23 in the preceding three weeks, declined to 8, but were 3 above the average. The deaths from *diphtheria*, which had been 16, 17, and 6 in the preceding three weeks, rose to 11, and were 4 above the average. The deaths from *diarrhoea and enteritis under 2 years of age*, which had been 103, 154, and 142 in the preceding three weeks, rose to 191, and were 125 above the average; 19 deaths belonged to the Borough of Lambeth, 18 to Southwark, 16 to Stepney, 15 to Camberwell, and 13 to Islington. The deaths from *influenza* numbered 2, as against 3, 1, and 2 in the preceding three weeks, and an average of 3.

Different forms of violence caused 31 deaths, of which 30 were the subject of coroners' inquests. Of these 31 deaths, 9 were cases of suicide, and 1 of homicide, while the remaining 21 were attributed to other forms of violence. Seven of these latter were referred to vehicles in the streets, and 3 to drowning.

CASES OF INFECTIOUS DISEASE.†

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital, there were 34 cases of enteric fever, 1 of small-pox, 37 of measles, 3,433 of scarlet fever, 41 of whooping-cough, and 1,713 of diphtheria under treatment in these hospitals on Saturday last (Table 3). The admissions during

* See note * on first page.

† The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

the week, as compared with those in the preceding three weeks, were as follows :—Of enteric fever, 5 cases, against 6, 7, and 5; of small-pox, 1 case against 0, 0, and 0; of measles, 6 cases, against 11, 7, and 10; of scarlet fever, 604 cases, against 413, 458, and 462; of whooping-cough, 4 cases, against 14, 5, and 2; and of diphtheria, 233 cases, against 180, 198, and 197. Table 9, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the county during the week ended August 27th, 1921.

TABLE 1.—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS,—BIRTHS and DEATHS REGISTERED, and DEATH-RATES in the Week ended Saturday, 3rd September, 1921, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.		DEATH-RATES from all Causes.				Week ended 3rd Sept. 1921.		The DEATHS in the Week include										TOWNS.				
		Week ended				BIRTHS.	DEATHS.	Deaths of		Deaths from									Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	
		13th Aug., 1921.	20th Aug. 1921.	27th Aug., 1921.	3rd Sept., 1921.			Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.					Violence.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
96 GREAT TOWNS.	18,554,878	10·6	10·9	10·6	10·6	7,995	3,770	882	1,071	4	-	15	6	37	29	523	17	114	264	1,370	16	96 GREAT TOWNS.
LONDON†	4,531,971	10·0	11·5	11·1	10·9	1,893	951	267	260	1	-	3	4	8	11	191	2	31	70	530	1	LONDON.†
(CROYDON.	191,500	6·0	10·3	9·3	8·2	65	30	9	9	-	-	-	-	-	-	6	-	-	2	7	-	(CROYDON.
WIMBLEDON.	62,174	13·4	6·7	9·2	7·5	21	9	2	1	-	-	-	-	-	-	-	-	-	1	2	-	WIMBLEDON.
EALING.	76,129	4·8	7·5	7·5	5·5	23	8	-	5	-	-	-	-	-	-	-	-	-	-	1	-	EALING.
ACTON.	64,192	6·5	7·3	2·4	8·1	18	10	2	4	1	-	-	-	-	1	2	-	-	-	5	-	ACTON.
WILLESDEN.	167,328	7·5	8·1	9·7	9·0	62	29	8	9	-	-	-	-	-	-	1	1	-	3	6	-	WILLESDEN.
HORNSEY.	98,107	9·0	9·0	10·1	9·0	28	17	-	4	-	-	-	-	-	-	-	-	-	-	4	-	HORNSEY.
TOTTENHAM	146,970	8·9	8·5	8·2	7·5	51	21	7	1	-	-	-	-	-	-	3	-	-	-	12	-	TOTTENHAM.
EDMONTON.	73,529	11·3	8·5	5·0	6·4	30	9	2	-	-	-	-	-	-	-	-	-	-	1	4	-	EDMONTON.
ENFIELD.	60,771	7·7	8·6	11·2	7·7	22	9	1	3	-	-	-	-	-	-	-	-	-	-	5	-	ENFIELD.
WEST HAM.	299,440	15·8	12·4	11·7	9·4	157	54	13	16	-	-	-	-	2	-	9	-	2	2	22	-	WEST HAM.
EAST HAM.	150,207	7·3	10·4	9·7	13·9	56	40	4	14	-	-	-	-	-	-	1	-	-	2	14	-	EAST HAM.
LEYTON.	128,832	13·4	6·5	11·7	15·8	39	39	9	12	-	-	-	-	-	-	5	-	1	2	18	-	LEYTON.
WALTHAMSTOW.	132,771	7·9	7·5	5·1	6·7	53	17	6	5	-	-	-	-	-	-	4	-	2	2	8	-	WALTHAMSTOW.
(ILFORD.	82,693	5·0	6·3	5·0	3·8	23	6	1	1	-	-	-	-	-	-	-	-	-	1	1	-	(ILFORD.
GILLINGHAM.	45,233	11·5	10·4	13·8	9·2	22	8	3	1	-	-	-	-	-	-	2	-	1	1	1	1	GILLINGHAM.
HASTINGS.	59,972	13·0	8·7	12·2	5·2	18	6	1	3	-	-	-	-	-	-	-	-	-	1	1	-	HASTINGS.
EASTBOURNE.	50,351	12·4	12·4	8·3	7·2	12	7	-	2	-	-	-	-	-	-	-	-	-	1	1	-	EASTBOURNE.
BRIGHTON.	137,655	9·1	11·0	13·6	9·8	37	26	4	11	-	-	-	-	-	-	3	-	-	4	8	-	BRIGHTON.
PORTSMOUTH.	235,993	11·5	10·4	12·6	11·7	112	53	15	15	-	-	-	-	1	1	7	-	-	2	19	-	PORTSMOUTH.
BOURNEMOUTH.	85,909	15·2	7·9	9·1	13·4	26	22	4	12	-	-	-	-	1	-	-	-	-	1	1	-	BOURNEMOUTH.
SOUTHAMPTON.	162,308	7·7	11·9	11·6	11·6	67	36	7	16	-	-	-	-	-	-	3	-	-	3	17	-	SOUTHAMPTON.
READING.	95,006	11·5	4·9	10·4	10·4	28	19	3	10	-	-	-	-	-	-	1	-	2	3	5	-	READING.
OXFORD.	59,963	5·2	7·0	3·5	7·8	22	9	1	5	-	-	-	-	-	-	-	-	1	2	1	-	OXFORD.
NORTHAMPTON.	92,483	9·6	8·5	9·0	9·6	35	17	1	12	-	-	-	-	-	-	-	-	-	-	5	-	NORTHAMPTON.
CAMBRIDGE.	60,154	10·4	9·5	9·5	8·7	16	10	3	2	-	-	-	-	-	-	3	-	-	-	2	-	CAMBRIDGE.

* See note † on first page of this return. † For Greater London see end of Table. ‡ These towns are included within the area of Greater London.

TABLE 1 (cont.).—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH-RATES in the Week ended Saturday, 3rd September 1921, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	ESTIMATED CIVILIAN POPULATION, MID. 1920.* (Provisional.)	DEATH-RATES from all Causes.					Week ended 3rd Sept., 1921.		The DEATHS in the Week include										TOWNS.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
		Week ended				BIRTHS.	DEATHS.	Deaths of		Deaths from								Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
								Persons aged under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.				Violence																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
		18th Aug., 1921.	20th Aug., 1921.	27th Aug., 1921.	3rd Sept., 1921.													8.	9.	10.		11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
	1.	2.	3.	4.	5.	6.	7.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							</

* See note † on first page of this return.

TABLE 1 (cont.).—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH-RATES in the Week ended Saturday, 3rd September, 1921, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	ESTIMATED CIVILIAN POPULATION MID. 1920.* (Provisional.)	DEATH-RATES from all Causes.				Week ended 3rd Sept., 1921.		The DEATHS in the Week include											TOWNS.			
		Week ended				BIRTHS.	DEATHS.	Deaths of		Deaths from								Inquest Cases.		Deaths in Public Institutions.	Uncertified Causes or Death.	
		13th Aug., 1921.	20th Aug., 1921.	27th Aug., 1921.	3rd Sept., 1921.			Persons aged under 1 Year of Age.	65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.					Violence.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
STOCKPORT	130,635	12.4	8.4	10.8	10.0	59	25	5	8	-	-	-	-	-	1	2	-	-	-	7	-	STOCKPORT.
BIRKENHEAD	153,951	9.5	9.1	9.8	8.5	65	25	4	7	-	-	-	-	-	-	3	-	2	2	9	-	BIRKENHEAD.
WALLASEY	99,226	7.4	8.9	8.9	6.8	28	13	7	2	-	-	-	-	1	-	3	-	-	2	5	-	WALLASEY.
LIVERPOOL	803,452	15.3	13.8	15.3	13.1	357	202	56	41	-	-	2	-	2	1	46	3	1	11	78	-	LIVERPOOL.
BOOTLE	80,029	9.1	15.0	15.0	13.0	34	20	5	4	-	-	-	-	-	-	3	-	1	1	4	-	BOOTLE.
ST. HELENS	104,822	10.9	10.9	11.4	13.4	54	27	7	7	-	-	-	-	-	1	1	-	-	-	3	-	ST. HELENS.
SOUTHPORT	72,939	7.9	14.3	8.6	15.0	21	21	1	5	-	-	-	-	-	-	1	-	1	1	4	-	SOUTHPORT.
WIGAN	90,866	14.3	12.6	9.8	8.0	49	14	5	3	-	-	-	-	-	-	4	-	-	-	4	-	WIGAN.
WARRINGTON	77,939	8.7	12.7	9.4	6.7	37	10	4	1	-	-	-	-	1	-	-	-	-	-	1	-	WARRINGTON.
BOLTON	184,533	14.1	11.6	7.1	10.5	79	37	9	13	-	-	-	-	-	-	3	-	1	3	12	-	BOLTON.
BURY	56,410	7.4	12.9	8.3	12.9	15	14	2	6	-	-	-	-	-	-	1	-	1	2	2	-	BURY.
MANCHESTER	770,597	10.3	9.7	9.0	9.9	356	147	33	39	-	-	-	-	2	-	15	1	4	3	60	3	MANCHESTER.
SALFORD	235,239	10.2	10.9	9.8	8.2	107	37	9	8	-	-	-	2	-	3	3	-	-	2	15	-	SALFORD.
OLDHAM	143,154	13.5	9.5	10.9	9.8	27	27	7	5	-	-	-	-	1	-	1	-	1	1	5	-	OLDHAM.
ROCHDALE	98,639	8.9	11.7	12.3	11.1	45	20	3	3	-	-	-	-	-	-	1	-	1	1	6	-	ROCHDALE.
BURNLEY	105,030	10.4	13.4	8.9	11.4	47	23	4	9	-	-	-	-	-	-	2	-	-	2	6	-	BURNLEY.
BLACKBURN	131,012	12.7	4.8	10.7	12.7	43	32	7	12	-	-	1	-	1	-	2	-	1	1	4	-	BLACKBURN.
PRESTON	121,950	11.5	13.7	18.4	11.1	51	26	8	8	-	-	-	-	-	-	5	1	-	-	2	-	PRESTON.
BLACKPOOL	70,545	9.6	8.9	11.1	15.5	13	21	2	8	-	-	-	-	1	-	1	1	1	1	4	1	BLACKPOOL.
BARROW IN FURNESS	76,561	7.5	7.5	5.4	15.7	26	23	4	7	-	-	-	-	-	-	3	-	1	2	5	-	BARROW IN FURNESS.
HUDDERSFIELD	116,776	5.8	16.1	5.8	10.3	38	23	4	7	-	-	-	-	-	1	-	-	-	2	4	-	HUDDERSFIELD.
HALIFAX	105,847	8.9	10.3	13.8	7.4	26	15	3	7	-	-	-	-	-	-	-	-	-	2	-	-	HALIFAX.
BRADFORD	293,979	11.0	9.8	9.4	12.4	93	70	11	11	-	-	-	-	-	1	3	1	5	11	22	-	BRADFORD.
LEEDS	449,212	10.3	11.4	13.1	13.2	210	114	22	32	1	-	-	-	1	2	8	-	8	15	36	-	LEEDS.
DEWSBURY	55,080	12.3	5.7	13.3	10.4	22	11	1	4	-	-	-	-	-	-	-	-	1	1	-	-	DEWSBURY.
WAKEFIELD	51,169	13.2	14.3	10.2	13.2	20	13	3	3	-	-	-	-	-	-	-	-	1	1	5	-	WAKEFIELD.
BARNLEY	53,739	16.5	16.5	11.6	12.6	34	13	3	4	-	-	-	-	-	-	1	-	-	-	2	-	BARNLEY.

* See note † on first page of this return.

TOWNS.	ESTIMATED CIVILIAN POPULATION, MID. 1920 * (Provisional).	Causes.				Week ended 3rd Sept., 1921.		Deaths from										Deaths in Public Institutions.		Uncertified Causes of Death.		TOWNS
		Week ended				BIRTHS.	DEATHS.	Deaths of								Inquest Cases.	20.	21.	Cols.			
		13th Aug., 1921.	20th Aug., 1921.	27th Aug., 1921.	3rd Sept., 1921.			Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.					Diarrhoea and Enteritis (under 2 years).	Influenza.	
	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	
SHEFFIELD	492,570	10.2	10.7	10.1	11.0	240	104	18	29	-	-	-	-	1	-	15	1	1	6	35	-	SHEFFIELD.
ROTHERHAM	71,785	6.5	10.9	8.7	13.1	34	18	6	5	-	-	-	-	1	-	4	1	1	1	5	-	ROTHERHAM.
YORK	77,501	9.4	8.1	6.1	8.1	36	12	4	1	-	-	-	-	-	-	1	-	-	-	6	-	YORK.
HULL	290,808	12.7	13.3	14.5	10.2	158	57	17	14	-	-	-	-	1	-	16	-	-	4	15	1	HULL.
MIDDLESBROUGH	132,208	9.5	9.1	9.5	7.9	87	20	8	3	-	-	-	-	1	-	3	1	1	2	5	-	MIDDLESBROUGH.
DARLINGTON	66,610	9.4	9.4	7.8	7.8	30	10	1	4	-	-	-	-	-	-	1	-	1	1	4	-	DARLINGTON.
STOCKTON ON TEES	63,114	8.3	11.6	9.9	6.6	28	8	1	3	-	-	1	-	-	-	1	-	-	-	-	-	STOCKTON ON TEES.
WEST HARTLEPOOL	68,126	6.1	12.2	12.2	8.4	29	11	3	1	-	-	-	-	-	-	1	-	1	2	4	-	WEST HARTLEPOOL.
SUNDERLAND	155,211	16.1	13.1	12.4	14.1	82	42	9	12	-	-	3	-	-	-	9	-	1	3	9	-	SUNDERLAND.
SOUTH SHIELDS	115,945	16.2	10.3	14.4	11.7	59	26	3	7	-	-	-	-	-	-	2	-	2	2	6	-	SOUTH SHIELDS.
GATESHEAD	128,309	18.3	16.7	13.4	12.2	68	30	8	7	-	-	-	-	2	-	2	-	2	2	8	-	GATESHEAD.
NEWCASTLE ON TYNE.	286,061	10.4	11.3	10.0	13.1	164	72	15	19	-	-	-	-	3	-	4	-	-	2	23	-	NEWCASTLE ON TYNE.
TYNEMOUTH	60,318	8.6	12.1	13.8	13.0	25	15	2	5	-	-	-	-	-	-	-	-	-	-	1	1	TYNEMOUTH.
CARLISLE	57,397	12.7	10.0	8.2	13.6	28	15	5	4	-	-	-	-	-	-	5	-	-	-	6	1	CARLISLE.
NEWPORT (MON.)	90,728	9.8	9.8	3.4	9.8	56	17	6	5	-	-	-	-	-	-	3	-	-	-	1	-	NEWPORT (MON.).
CARDIFF	212,582	10.5	13.5	7.1	10.1	98	41	8	10	-	-	-	-	-	-	3	1	1	7	6	-	CARDIFF.
RHONDDA	184,999	11.8	12.7	7.6	13.7	96	38	8	12	-	-	-	-	-	-	5	-	4	3	9	-	RHONDDA.
MERTHYR TYDFIL	74,493	9.8	12.6	8.4	7.0	42	10	1	3	-	-	-	-	-	1	1	-	2	3	2	-	MERTHYR TYDFIL.
ABERDARE	53,431	10.7	8.8	9.8	7.8	26	8	1	3	-	-	-	-	-	-	1	-	1	1	2	-	ABERDARE.
SWANSEA	167,218	9.4	9.4	6.9	7.2	83	23	6	5	-	-	-	-	-	1	-	-	1	2	4	-	SWANSEA.
GREATER LONDON	7,548,647	9.7	10.6	10.2	10.1	5,013	1,455	372	411	2	-	4	5	11	14	247	3	51	107	697	1	GREATER LONDON.
OUTER RING	3,016,676	9.2	9.2	8.8	8.7	1,120	504	105	151	1	-	1	1	3	3	56	1	20	37	167	-	OUTER RING.
14 GREAT TOWNS IN OUTER RING.	1,734,723	9.5	9.0	8.9	9.0	648	298	64	84	1	-	-	-	2	1	31	1	5	16	109	-	14 GREAT TOWNS IN OUTER RING.
REMAINDER OF OUTER RING.	1,281,953	8.8	9.4	8.7	8.4	472	206	41	67	-	-	1	1	1	2	25	-	15	21	58	-	REMAINDER OF OUTER RING.
EDINBURGH†	420,281	10.0	12.9	12.7	9.6	159	77	9	30	-	-	-	-	-	-	2	-	3	?	?	?	EDINBURGH.†
GLASGOW†	1,034,069	13.1	12.5	12.6	12.9	506	256	62	65	1	-	1	1	3	1	34	-	9	?	?	?	GLASGOW.†
DUBLIN (Registra- tion Area).†	423,000	16.8	18.1	15.0	14.5	225	118	33	23	-	-	-	-	-	-	22	-	3	5	52	-	DUBLIN (Registra- tion Area).†
BELFAST†	420,000	14.5	12.9	12.0	12.3	204	99	19	23	-	-	1	-	-	1	8	-	7	6	36	2	BELFAST.†

* See note † on first page of this return.

† The populations are total populations and relate to 1921, those for Edinburgh and Glasgow being Census populations. Deaths and the death-rates in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths reported from elsewhere in Scotland during the week: those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

TABLE 2. LONDON.—Births and Deaths registered during the THIRTY-FIFTH Week of each of the Eleven Years, 1911-1921.

	1911.	1912.	1913.	1914.	1915.	1916.	1917.	1918.	1919.	1920.	1921.
Births (as registered).	2200	2179	2043	2188	1735	1822	1430	1321	1515	2134	1893
Males	1121	1146	1064	1099	894	932	724	718	748	1106	953
Females	1079	1033	979	1089	841	890	706	603	767	1028	940
Deaths (of residents only).	1529	992	1044	1332	1087	883*	860*	813*	738*	809*	951*
Males	805	537	536	686	587	468	468	421	372	440	512
Females	724	455	508	646	500	415	392	392	366	369	439

* Deaths in civilian population only.

TABLE 3. LONDON.—BIRTHS and DEATHS REGISTERED, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the last THIRTEEN WEEKS.

	June 11.	June 18.	June 25.	July 2.	July 9.	July 16.	July 23.	July 30.	Aug. 6.	Aug. 13.	Aug. 20.	Aug. 27.	Sept. 3.
Births (as registered)	2128	2008	1919	1804	1955	1910	1891	2023	1823	2214	1948	2003	1893
Deaths (of residents only).	795	801	840	779	751	940	857	846	822	872	1003	966	951
Age													
Under 1 year	96	92	100	84	86	124	128	128	166	186	225	235	267
1-2 years	26	29	16	24	24	28	44	29	38	36	43	44	50
2-5 "	20	20	20	23	23	21	26	19	24	13	21	15	11
5-10 "	17	31	22	16	10	22	18	20	30	20	23	21	22
10-15 "	14	16	18	14	10	21	10	12	11	8	9	9	10
15-20 "	20	13	24	24	20	24	23	15	21	24	18	20	15
at													
20-25 "	17	16	21	22	18	22	18	19	25	17	27	21	19
25-35 "	50	42	55	45	29	49	33	41	43	62	50	32	34
Death													
35-45 "	51	68	66	58	53	54	51	55	56	50	61	56	56
45-55 "	84	85	96	84	109	108	102	104	87	87	111	109	103
55-65 "	120	125	129	126	105	156	120	133	98	137	119	130	104
65-75 "	143	136	146	150	137	153	146	155	110	123	152	134	136
75 years and upwards	137	128	127	109	127	158	138	116	113	109	144	140	124
Deaths from—													
Enteric fever	-	-	3	-	-	3	-	-	3	-	2	1	1
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	3	3	7	-	4	-	6	2	5	9	1	6	3
Scarlet fever	4	8	6	6	2	6	4	3	3	1	2	3	4
Whooping cough	11	9	6	5	9	13	12	6	7	5	13	23	8
Diphtheria	10	17	12	10	10	18	12	13	30	16	17	6	11
Diarrhoea and enteritis (under 2 years).	11	11	12	9	13	30	29	52	68	103	154	142	191
Pulmonary tuberculosis	73	70	101	93	55	77	71	66	77	82	86	55	54
Influenza	6	4	6	5	5	4	3	3	1	3	1	2	2
Pneumonia (all forms)	62	54	53	36	46	40	60	44	34	39	45	44	52
Bronchitis	31	37	23	29	27	27	36	25	12	24	28	26	20
Other dis. of resp. system . . .	9	8	8	8	9	14	13	8	8	10	15	10	9
Dis. of circ. system	141	137	135	124	148	145	126	135	133	119	140	137	126
Violence	35	29	41	36	26	51	45	47	33	28	24	42	31
Inquest cases	70	65	85	61	71	87	83	77	73	73	69	86	70

CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.

Enteric fever	22	17	18	24	24	23	27	28	28	31	34	32	34
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	1
Measles	35	34	35	41	40	43	52	49	54	59	60	48	37
Scarlet fever	3501	3569	3651	3672	3844	3879	3886	3765	3717	3572	3523	3394	3433
Whooping cough	5	9	10	10	9	10	10	10	23	36	40	41	41
Diphtheria	1980	1950	1928	1915	1921	1961	1983	1979	1957	1879	1816	1740	1713

* The Metropolitan Asylums Board and London Fever Hospitals. The figures do not refer to London exclusively.

TABLE 3A. 96 Great Towns.—DEATHS from INFLUENZA in the last THIRTEEN WEEKS.

	June 11.	June 18.	June 25.	July 2.	July 9.	July 16.	July 23.	July 30.	Aug. 6.	Aug. 13.	Aug. 20.	Aug. 27.	Sept. 3.
Deaths from Influenza	33	33	32	20	25	27	19	25	14	15	9	12	17

TABLE 4. LONDON.—DEATHS REGISTERED in the THIRTY-FIFTH Week of the Year 1921.

CAUSES OF DEATH.	Deaths in the 35th week of the year 1920.	DEATHS of PERSONS of the AGES													
		ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-10 years.	10-15 years.	15-20 years.	20-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and up- wards.
ALL CAUSES	809	951	267	50	11	22	10	15	19	34	56	103	104	136	124
Enteric fever	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	1	3	2	1	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever	2	4	-	1	1	2	-	-	-	-	-	-	-	-	-
Whooping cough	2	8	6	2	-	-	-	-	-	-	-	-	-	-	-
Diphtheria	13	11	-	2	2	6	1	-	-	-	-	-	-	-	-
Influenza	-	2	-	-	-	-	-	-	-	-	-	1	1	-	-
Erysipelas	1	2	-	-	-	-	-	-	-	-	-	1	-	-	1
Acute Poliomyelitis, Polioencepha- litis.	?	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	?	2	-	-	-	-	-	-	-	-	-	-	2	-	-
Meningococcal meningitis . . .	?	3	-	2	-	-	-	-	-	-	-	1	-	-	-
Other endemic and epidemic diseases.	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Pyæmia and septicæmia	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-
Tetanus	-	2	1	-	-	-	-	-	-	-	1	-	-	-	-
Tuberculosis:—															
Pulmonary tuberculosis . . .	78	54	-	1	-	1	-	5	6	11	10	13	4	2	1
Tuberculous meningitis . . .	7	5	-	2	2	1	-	-	-	-	-	-	-	-	-
Abdominal tuberculosis . . .	2	2	-	-	-	1	-	-	1	-	-	-	-	-	-
Tuberculosis of the spine . . .	-	2	-	-	-	-	-	-	2	-	-	-	-	-	-
Tuberculosis of the joints . . .	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-
Tuberculosis of other organs . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Disseminated tuberculosis . .	1	3	-	-	-	1	-	-	-	-	1	-	1	-	-
Venereal diseases	3	6	3	-	-	-	-	-	-	-	2	1	-	-	-
Cancer	102	118	-	-	-	-	-	-	-	2	9	21	31	38	17
Rheumatic fever	3	5	-	-	-	1	-	-	-	2	-	-	1	1	-
Diabetes	10	8	-	-	-	-	-	-	-	-	1	1	2	1	3
Anæmia, leucocythæmia	3	4	-	-	-	-	-	1	1	-	-	1	1	1	-
Other general diseases	9	6	-	-	-	-	-	-	1	-	1	3	-	1	-
Alcoholism	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-
Chronic poisonings	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	2	3	1	-	1	-	-	-	-	-	-	1	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	27	44	-	-	-	-	-	-	-	-	1	6	9	16	12
Softening of brain	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Paralysis, without specified cause .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epilepsy	1	4	-	1	1	-	-	1	-	-	-	-	1	-	-
"Convulsions" (not puerperal) . .	7	5	5	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system .	26	14	1	-	-	-	-	1	-	3	2	4	1	1	1
Pericarditis	1	2	-	-	-	-	-	-	-	1	-	-	1	-	-
Acute endocarditis	10	5	-	-	-	-	-	1	1	2	-	-	-	1	-
Other diseases of heart	116	95	-	-	-	-	2	1	-	3	4	14	19	29	23
Embolism and thrombosis (exclud- ing cerebral).	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of circulatory system.	34	24	1	1	-	-	-	-	-	-	-	3	1	7	11
Diseases of the larynx	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis	33	20	1	2	-	-	-	-	1	-	-	5	1	3	7
Broncho-pneumonia	17	29	18	6	1	-	-	-	-	-	1	1	-	-	2
Lobar pneumonia	17	13	1	-	1	1	1	-	1	1	1	3	1	2	-
Pneumonia (type not distinguished)	14	10	1	2	-	-	-	-	-	-	3	1	1	2	-
Pleurisy	5	2	-	-	-	1	-	-	-	-	1	-	-	-	-
Pulmonary congestion, Pulmonary apoplexy.	2	5	-	-	-	-	-	-	-	-	-	1	1	-	3
Other diseases of respiratory system.	4	2	-	-	-	-	-	-	-	-	-	1	-	1	-

TABLE 4 (*cont.*) LONDON.—DEATHS REGISTERED in the THIRTY-FIFTH Week
of the Year 1921.

CAUSES OF DEATH.	Deaths in the 35th week of the year 1920.	DEATHS OF PERSONS OF THE AGES													
		ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-10 years.	10-15 years.	15-20 years.	20-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and up wards.
Diseases of the pharynx, Tonsillitis	3	2	-	-	-	1	-	1	-	-	-	-	-	-	
Diseases of stomach	12	7	1	-	-	-	-	-	1	2	2	1	-	-	
Diarrhoea and enteritis	37	206	166	25	1	3	-	-	-	-	2	-	4	4	
Appendicitis and typhlitis	2	9	-	-	-	1	1	-	1	4	-	1	1	2	
Hernia and Intestinal obstruction.	8	5	-	-	-	-	-	-	-	-	-	1	2	-	
Cirrhosis of liver	4	13	-	-	-	-	-	-	-	4	2	3	4	-	
Other diseases of liver	3	1	-	-	-	-	-	-	-	-	-	-	-	1	
Peritonitis (cause unknown)	-	1	-	-	-	-	-	-	-	-	-	-	-	1	
Other diseases of digestive system	5	-	-	-	-	-	-	-	-	-	-	-	-	-	
Acute nephritis	7	1	-	-	-	-	-	-	-	1	-	-	-	-	
Chronic Bright's disease	23	29	-	-	-	-	-	2	-	1	6	7	7	6	
Urinary calculi	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Uterine tumour (non-cancerous)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Ovarian tumour (1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other diseases of genito-urinary system.	7	8	-	-	-	-	-	-	1	-	2	1	3	1	
Puerperal fever, &c.	3	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other causes incident to child-birth.	1	3	-	-	-	-	-	1	2	-	-	-	-	-	
Diseases of skin and cellular tissues.	2	5	-	-	-	-	-	-	-	-	1	2	1	1	
Diseases of locomotor system	4	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital malformations	10	8	7	1	-	-	-	-	-	-	-	-	-	-	
Premature birth	23	31	31	-	-	-	-	-	-	-	-	-	-	-	
Debility, atrophy marasmus (Infants).	12	17	17	-	-	-	-	-	-	-	-	-	-	-	
Old age	28	31	-	-	-	-	-	-	-	-	-	3	4	24	
ACCIDENT.															
Poisons or poisonous vapours.	-	1	-	-	-	-	-	1	-	-	-	-	-	-	
Conflagration	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Burns and scalds	-	1	-	-	1	-	-	-	-	-	-	-	-	-	
Drowning	3	3	-	-	-	-	1	-	-	-	1	1	-	-	
Suffocation in bed	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other deaths by accident	25	16	-	1	-	1	1	1	1	1	3	3	1	3	
Total deaths from accident	28	21	-	1	1	1	2	2	-	1	1	4	1	3	
Included in above are deaths in connection with:—															
Railways	-	1	-	-	-	-	-	-	1	-	-	-	-	-	
Vehicles and horses	12	7	-	1	-	-	1	1	-	1	1	1	1	-	
Ships, boats, docks	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Building operations	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
VIOLENCE OTHER THAN ACCIDENTAL.															
Homicide	-	1	-	-	-	-	-	-	-	1	-	-	-	-	
Suicide	11	9	-	-	-	-	-	-	1	3	1	1	3	-	
Execution	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other specified diseases	8	10	4	-	-	1	3	-	-	1	-	-	-	-	
Ill-defined Causes	1	1	-	-	-	-	-	-	-	-	-	1	-	-	

TABLE 5.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM							
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria*.	Diarrhoeal Diseases† (under 2 years).	Influenza.
LONDON†	4,531,971	1921. Sept. 3	1,893	951	10·9	1	-	2	4	8	11	191	2
CUTTACK	896,067	July 30	-	464§	26·9	?	2	?	?	?	?	?	7
BOMBAY	979,445	" 23	315	792§	42·4	1	7	-	-	1	-	54	13
MADRAS	518,660	" 23	368	282	28·0	-	1	-	?	3	-	30	-
OSLO	2,847,229	July 30	-	-	-	-	-	-	-	-	-	-	-
BRUSSELS	792,919	- - -	-	-	-	-	-	-	-	-	-	-	-
AMSTERDAM	340,209	Aug. 13	143	55	8·6	-	-	-	-	-	-	8	-
ROTTERDAM	681,173	" 20	255	118	9·0	-	-	-	-	2	-	4	-
COPENHAGEN	571,000	" 20	194	91	8·3	-	-	-	-	-	-	4	-
STOCKHOLM	419,788	" 13	130	77	9·5	-	-	-	-	-	-	-	-
ST. PETERSBURG	205,547	" 6	-	31	7·8	-	-	-	-	-	1	-	-
CHRISTIANIA	260,904	Aug. 20	81	52	10·4	1	-	-	-	-	-	-	-
BERLIN	1,951,000	" 13	474	409	10·9	1	?	1	-	3	-	27	1
PRAGUE	547,000	" 13	269	134	12·7	-	?	-	-	3	-	19	1
BOLOGNE	666,000	" 13	269	172	13·4	-	?	-	1	-	1	36	1
GLASGOW	595,000	" 13	195	134	11·6	1	?	-	-	-	1	11	2
MANCHESTER	469,000	" 13	147	100	11·1	-	?	-	2	1	2	16	1
BRISBANE	1,031,000	" 13	368	193	9·7	1	?	-	-	2	-	6	-
VIENNA	629,000	" 13	206	149	12·3	-	?	2	-	-	-	26	2
PARIS	670,000	" 13	-	-	-	-	-	-	-	-	-	-	-
NEW YORK	1,842,005	" 13	511	497	14·0	5	-	2	1	1	1	50	-
SYDNEY	676,454	July 30	269	201	15·5	1	-	1	-	3	1	6	1
BUDAPEST	933,000	" 2	361	355	19·8	2	?	2	7	3	1	33	-
TRIESTE	248,428	May 28	-	-	-	-	-	-	-	-	-	-	-
ALEXANDRIA	765,200	June 17	609	599	40·7	2	-	3	-	?	3	128	?
CAIRO	449,300	" 17	298	312§	36·1	1	-	-	-	?	-	65	?
NEW YORK	5,751,859	Aug. 6	2,731	1,107	10·0	2	-	3	2	4	8	127	3
CHICAGO	2,780,655	" 13	-	554	10·4	-	-	-	3	5	5	75	-

including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Cities, Vienna, Prague and Suburbs, Budapest, and Trieste.
 The deaths in this column relate to *all ages* for Bombay, Madras, Christiania, and Budapest, and to *children under year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.
 The estimated population and deaths refer to the civilian population only.
 Including 2 deaths from *plague* in Alexandria and 4 in Bombay, and from *Asiatic cholera*, 13 deaths in Calcutta and 3 in Bombay.
 Pratum.—In week ended Aug. 6 for small-pox 6 read 0.

TABLE 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 3rd September, 1921.
 (Supplied by the Meteorological Office.)

TOWNS.	Temperature of Air.*				Rainfall in Milli- metres.†	TOWNS.	Temperature of Air.*				Rainfall in Milli- metres.†
	Highest.	Lowest.	Mean Maxi- mum.	Mean Mini- mum.			Highest.	Lowest.	Mean Maxi- mum.	Mean Mini- mum.	
LONDON (Greenwich)	78	40	73·1	51·7	0	BRADFORD	68	44	61·0	50·6	29
GLASGOW	69	45	67·3	55·4	1	SHEFFIELD	67	43	62·9	49·1	58
PLYMOUTH	71	47	68·9	53·7	0	YORK (Museum)	73	46	64·9	49·6	27
BRISTOL (Eaton)	76	41	67·7	52·1	4	HULL (Pearson Park)	68	44	65·1	49·9	24
GLASGOW	69	49	65·7	55·0	3	TYNEMOUTH	67	42	60·0	48·7	63
BRISTOL (Clifton)	69	45	66·4	48·7	7	CARDIFF	68	43	65·3	50·9	5
MANCHESTER	69	43	64·0	50·1	7	EDINBURGH	-	-	Not received.		-
LIVERPOOL	70	40	64·9	51·7	19	GLASGOW	63·5	40·7	58·0	46·3	35
GLASGOW	67	44	59·9	51·3	21	DUBLIN :—	-	-	-	-	-
MANCHESTER	71	40	62·7	50·1	29	Phoenix Park	66·9	35·6	63·5	45·1	9
GLASGOW	66	41	59·9	48·7	34	†Fitzwilliam Square	64·0	43·9	60·9	49·5	9
GLASGOW	68	45	62·4	49·3	33	BELFAST	64·0	43·0	60·7	48·1	26

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
 † Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.
 ‡ 1 millimetre = ·04 inch nearly ; 1 inch = 25·4 millimetres exactly.

DATE.		ELECTRICITY. (For explanation of symbols, see Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
AUGUST 1921.					
SUNDAY	- 28	w.P. till 9h., m.P. afterwards.	3·9	13·8	Nearly overcast till 13h., then cloudy generally; slight rain about 7h.
MONDAY	- 29	m.P. and s.P. generally.	11·1	13·8	Nearly overcast till 5h., becoming partially cloudy by 6h.; very cloudy generally after 18h. 30m.; slight rain 21h.; nearly cloudless by midnight.
TUESDAY	- 30	v.P. till 10h., no register afterwards.	6·4	13·7	Little cloud till 5h.; nearly overcast till 10h.; partially cloudy till 17h.; thin cloud prevalent till 19h., then nearly cloudless with few exceptions.
WEDNESDAY	- 31	No register	8·1	13·6	Nearly cloudless till 9h.; partially cloudy till 13h., then overcast with few exceptions; solar halo 13h. to 14h.
SEPTEMBER. THURSDAY	1	No register till 10h., w.P. generally afterwards.	6·2	13·6	Nearly overcast generally with partially cloudy intervals; rain about 22h. followed by damping.
FRIDAY	- 2	v.P. throughout	0·7	13·5	Overcast with few very cloudy intervals; fine about 3h.; damping for a time after 7h.
SATURDAY	- 3	v.P. throughout	8·5	13·4	Becoming cloudless by 2h.; clouding from 4h.; nearly overcast by 6h., clearing from 9h. to nearly cloudless by 10h.
No. of Col. - -		26	Sum 44·9	Sum 95·4	
			27	28	

The results apply to the civil day, or from midnight to midnight.
The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "higher," and - "lower," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·81 in. at the beginning of the week to 29·58 in. by 5h. on August 29th; increased to 31·07 in. by midnight on August 30th; decreased to 29·67 in. by 4h. on September 2nd; increased to 29·95 in. by 9h. on September 3rd, and decreased to 29·90 in. by midnight on the same day.

TABLE 8. LONDON.—DEATHS of PERSONS BELONGING to the several METROPOLITAN BOROUGHs REGISTERED in the Week ended 27th August, 1921.

BOROUGHs.	Deaths from									Deaths of Infants under 1 Year of Age.
	ALL CAUSES.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Pulmonary Tuberculosis.	
COUNTY OF LONDON .	966	1	-	6	3	23	6	142	55	235
Western										
PADDINGTON . . .	31	1	-	-	-	3	-	5	2	7
KENSINGTON . . .	46	-	-	-	-	-	-	9	4	11
HAMMERSMITH . . .	23	-	-	-	-	-	-	3	1	8
FULHAM	32	-	-	-	-	1	-	4	4	4
CHELSEA	10	-	-	-	-	-	-	1	-	3
CITY OF WESTMINSTER .	18	-	-	-	-	-	-	-	-	2
Northern.										
ST. MARYLEBONE . . .	18	-	-	-	-	-	-	1	-	5
HAMPSTEAD	16	-	-	-	-	-	-	-	-	2
ST. PANCRAS	41	-	-	2	-	2	1	2	1	8
ISLINGTON	76	-	-	-	1	3	-	11	2	20
STOKE NEWINGTON . . .	11	-	-	-	-	1	-	1	-	2
HACKNEY	29	-	-	-	1	1	1	2	2	6
Central.										
HOLBORN	8	-	-	-	-	-	-	1	1	1
FINSBURY	11	-	-	-	-	-	-	3	-	4
CITY OF LONDON . . .	2	-	-	-	-	-	-	-	-	-
Eastern.										
SHOREDITCH	28	-	-	-	-	-	1	12	3	13
BETHNAL GREEN . . .	37	-	-	-	-	1	-	10	2	16
STEPNEY	60	-	-	1	-	-	1	11	5	13
POPLAR	32	-	-	2	-	2	-	11	2	12
Southern.										
SOUTHWARK	39	-	-	-	-	-	-	6	4	8
BERMONDSEY	32	-	-	1	-	-	-	2	-	10
LAMBETH	84	-	-	-	-	1	-	11	4	20
BATTERSEA	35	-	-	-	-	1	-	4	4	4
WANDSWORTH	64	-	-	-	1	1	-	4	6	10
CAMBERWELL	61	-	-	-	-	4	-	7	2	14
DEPTFORD	34	-	-	-	-	1	-	5	-	9
GREENWICH	25	-	-	-	-	1	-	1	1	6
LEWISHAM	27	-	-	-	-	-	1	8	1	8
WOOLWICH	36	-	-	-	-	-	1	7	4	9

The deaths in the above Table are, so far as concerns London as a whole, corrected by the exclusion of deaths of non-residents, and by the inclusion of those of residents occurring in the Outer Ring or in Metropolitan public institutions situated outside the County. As between individual Metropolitan Boroughs, however, correction is complete.

TABLE 9. LONDON.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED during the Week ended 27th August, 1921.*

BOROUGH.	ESTI- MATED CIVILIAN POPU- LATION, MID. 1920.† (Provi- sional.)	Enteric Fever.	Malaria.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Group).	Pneumonia.	Erysipelas.	Cerebro-Spinal Fever.	Puerperal Fever.	Ophthalmia Neonatorum.	Polio- myelitis.	Dysentery.	Encephalitis Lethargica.	Anthrax.	Polio- encephalitis.	Cholera.
WESTERN.																		
Paddington	149,673	-	-	-	-	16	5	-	2	-	-	-	1	-	-	-	-	-
Kensington	164,177	-	-	-	-	14	5	-	2	-	-	3	-	-	-	-	-	-
Hammersmith . . .	136,200	-	-	-	-	10	4	1	2	-	-	1	-	-	-	-	-	-
Fulham	158,621	-	-	-	-	9	3	-	2	-	1	1	-	-	-	-	-	-
Chelsea	62,987	-	-	-	-	7	-	-	1	-	-	-	-	-	-	-	-	-
City of Westminster .	132,615	-	-	-	-	12	1	-	1	-	-	1	-	-	-	-	-	-
NORTHERN.																		
St. Marylebone . . .	101,856	-	-	-	-	6	-	-	-	-	-	1	-	1	-	-	-	-
Hampstead	91,519	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-
St. Pancras	228,178	-	-	-	-	20	9	1	4	-	-	-	-	-	-	-	-	-
Islington	335,907	-	-	-	-	31	21	1	2	-	2	2	-	-	-	-	-	-
Stoke Newington . .	52,984	-	-	-	-	4	2	-	-	-	-	1	-	-	-	-	-	-
Hackney	225,372	-	-	-	-	15	8	-	1	-	-	1	-	-	-	-	-	-
CENTRAL.																		
Holborn	39,676	2	-	-	-	4	1	-	-	-	-	-	-	-	-	-	-	-
Finsbury	78,291	-	-	-	-	17	3	-	2	-	-	-	-	-	-	-	-	-
City of London . . .	14,447	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
EASTERN.																		
Shoreditch	102,044	-	-	-	-	21	15	2	-	-	1	1	-	-	-	-	-	-
Bethnal Green . . .	114,471	-	-	-	-	19	8	6	1	-	-	-	-	-	-	-	-	-
Stepney	241,770	1	1	-	-	49	19	1	1	-	-	1	-	1	-	-	-	-
Poplar	159,766	1	-	-	-	15	7	3	5	-	-	2	-	-	-	-	-	-
SOUTHERN.																		
Southwark	187,142	-	-	-	-	10	2	-	5	-	1	1	-	-	-	-	-	-
Bernondsey	129,189	-	-	-	-	13	14	-	2	1	-	-	-	-	-	-	-	-
Lambeth	293,572	1	-	-	-	24	4	1	1	-	1	1	-	-	-	-	-	-
Battersea	165,664	-	1	-	-	17	7	1	3	-	-	1	-	-	-	-	-	-
Wandsworth	346,990	2	-	-	-	24	15	5	-	-	-	1	1	-	-	-	-	-
Camberwell	284,712	-	-	-	-	24	8	1	1	-	-	1	1	-	1	-	-	-
Deptford	115,636	-	-	-	-	10	5	-	-	-	-	1	-	-	-	-	-	-
Greenwich	102,408	-	-	-	-	7	3	1	-	-	-	-	-	-	-	-	-	-
Lewisham	174,438	-	-	-	-	13	2	-	1	-	1	-	-	-	-	-	-	-
Woolwich	141,666	1	-	-	-	20	5	3	1	-	1	-	-	-	-	-	-	-
TOTAL	4,531,971	8	2	-	-	434	176	28	40	1	8	21	3	2	1	-	-	-
AGES.																		
Ages 0-1		-	-	-	-	5	2	1	-	-	-	21	-	-	-	-	-	-
„ 1-5		2	-	-	-	103	48	6	3	-	-	-	2	-	-	-	-	-
„ 5-		1	-	-	-	188	58	4	2	1	-	-	-	-	-	-	-	-
„ 10-		1	-	-	-	84	31	1	1	-	-	-	1	-	-	-	-	-
„ 15-		3	-	-	-	33	15	1	3	-	-	-	-	-	-	-	-	-
„ 20-		-	-	-	-	9	8	5	2	-	2	-	-	1	-	-	-	-
„ 25-		1	2	-	-	6	10	3	7	-	5	-	-	-	-	-	-	-
„ 35-		-	-	-	-	4	4	3	7	-	1	-	-	1	1	-	-	-
„ 45-		-	-	-	-	2	-	2	7	-	-	-	-	-	-	-	-	-
„ 55-		-	-	-	-	-	-	1	4	-	-	-	-	-	-	-	-	-
„ 65-		-	-	-	-	-	-	1	3	-	-	-	-	-	-	-	-	-
„ 75 and upwards . .		-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Age not stated . . .		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

† See note † on first page of this return.

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS AND DEATHS REGISTERED:—
LONDON AND
NINETY-FIVE OTHER GREAT TOWNS.

~~~~~  
By Authority of the Registrar General,  
~~~~~

LONDON :
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased through any Bookseller or directly from
H.M. STATIONERY OFFICE at the following addresses:
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and
28, ABINGDON STREET, LONDON, S.W. 1;
37, PETER STREET, MANCHESTER;
1, ST. ANDREW'S CRESCENT, CARDIFF;
23, FORTH STREET EDINBURGH;
or from E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN.

No. 36. VOL. LXXXII. 1921. WEEK ENDED SATURDAY, SEPT. 10.
[Price 9d. Net.]

*General Register Office, Somerset House,
September 13th, 1921.*

NINETY-SIX GREAT TOWNS.

For the NINETY-SIX GREAT TOWNS of England and Wales, each of which had a population of 50,000 or over at the Census of 1911, the births registered last week numbered 8,023, and corresponded to an annual rate of 22·5 per 1,000. The deaths* among the civilian population only numbered 3,885, and corresponded to an annual rate of 10·9 per 1,000 of their aggregate civilian population, which is provisionally estimated† at 18,554,878 persons in the year 1920. In the three weeks ended August 20th, August 27th, and September 3rd, the rates had been 10·9, 10·6, and 10·6 respectively. The infant mortality was 114, against 106, 107, and 111 in the preceding three weeks. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks; it also shows for the week ended last Saturday the births and the deaths from certain individual causes. A column showing the number of deaths

* Corrected as far as possible for deaths of non-residents and for those of residents occurring outside the area. Fully corrected figures will appear in the Registrar General's Annual Report.

† The estimates of population refer to the year 1920, and are based on the returns furnished under the scheme for rationing of food.

from influenza has been inserted in Table 1. The aggregate number of deaths from influenza in the 96 great towns in each of the last thirteen weeks is shown in Table 3A.

Measured by last week's mortality, the highest annual death-rates per 1,000 living were :—from *all causes*, 15·1 in West Bromwich, 15·2 in Stockport, 15·7 in South Shields, 16·3 in Bootle, 17·3 in Wakefield, 18·0 in Great Yarmouth, and 21·5 in York; from *whooping cough*, 3·5 in Gillingham; and from *diphtheria*, 1·2 in Willesden. No death from *small-pox* was registered in any of the ninety-six towns.

LONDON.* (The Administrative County, including the City of London.)

For LONDON there were 1,782 BIRTHS, corresponding to a rate of 20·4 per 1,000, and 980 DEATHS of civilians, corresponding to a rate of 11·3, as against 11·5, 11·1, and 11·0 per 1,000 in the three weeks ended August 20th, August 27th, and September 3rd. The death-rate in the four weeks ended last Saturday averaged 11·2 per 1,000. The infant mortality was 129, against 116, 117, and 142 in the preceding three weeks.

The deaths from *enteric fever*, which had been 2, 1, and 1 in the preceding three weeks, numbered 3, the average for the corresponding weeks of the previous five years being 1. There was 1 death from *measles*, against 1, 6, and 3 in the preceding three weeks, and an average of 6. The deaths from *scarlet fever*, which had been 2, 3, and 4 in the preceding three weeks, rose to 7 last week, and were 5 above the average. The deaths from *whooping-cough*, which had been 13, 23, and 8 in the preceding three weeks, were 13 last week, being 7 above the average. The deaths from *diphtheria*, which had been 17, 6, and 11, in the preceding three weeks, were 13 last week, being 4 above the average. The deaths from *diarrhoea and enteritis under 2 years of age*, which had been 154, 142, and 191 in the preceding three weeks, fell to 159 last week, but were 79 above the average; 15 deaths belonged to the Borough of Stepney, 14 to Southwark, 12 each to Kensington and Camberwell, and 10 to Shoreditch. The deaths from *influenza* numbered 3, as against 1, 2, and 2 in the preceding three weeks, and an average of 5.

Different forms of violence caused 20 deaths, all of which were the subject of coroners' inquests. Of these 20 deaths, 4 were cases of suicide, while the remaining 16 were attributed to other forms of violence. Four of these latter were referred to vehicles in the streets, 2 to burns or scalds, 2 to drowning, and 1 of an infant under one year of age to suffocation in bed.

CASES OF INFECTIOUS DISEASE.†

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital, there were 37 cases of enteric fever, 37 of measles, 3,680 of scarlet fever, 45 of whooping-cough, and 1,773 of diphtheria under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as

* See note * on first page.

† The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

compared with those in the preceding three weeks, were as follows :—Of enteric fever, 8 cases, against 7, 5, and 5; of measles, 7 cases, against 7, 10, and 6; of scarlet fever, 801 cases, against 458, 462, and 604; of whooping-cough, 7 cases, against 5, 2, and 4; and of diphtheria, 282 cases, against 198, 197, and 233. Table 9, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the county during the week ended September 3rd, 1921.

TABLE 1.—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH-RATES in the Week ended Saturday, 10th September, 1921, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	ESTIMATED CIVILIAN POPULATION, MID. 1920.* (Provisional.)	DEATH-RATES from all Causes.				Week ended 10th Sept. 1921.		The DEATHS in the Week include										Inquest Cases.		Deaths in Public Institutions.		Uncertified Causes of Death.		TOWNS.						
		Week ended				2, 10-9	7, 3,885	Deaths from										18.	19.	20.	21.	Cols.								
		20th Aug. 1921	27th Aug., 1921.	3rd Sept., 1921.	10th Sept., 1921.			Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric fever.	Small-pox.	Measles.	Scarlet fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.						Violence.							
1.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	26	3	96 GREAT TOWNS. LONDON.†						
96 GREAT TOWNS.	18,554,878	10-9	10-6	10-6	10-9	8,023	3,885	911	1,131	8	-	12	16	40	40	439	21	124	244	1,336	26	3	3	3	LONDON.†					
LONDON.†	4,531,971	11-5	11-1	11-0	11-3	1,782	980	230	307	3	-	1	7	13	13	159	3	20	64	533	3	-	-	-	CROYDON.					
CROYDON.	191,580	10-3	9-3	8-2	7-6	57	28	6	8	-	-	-	-	-	-	1	1	1	2	2	5	-	-	-	WIMBLEDON.					
WIMBLEDON.	62,174	6-7	9-2	7-5	10-1	15	12	2	1	-	-	-	-	-	-	2	-	2	2	3	-	-	-	-	EALING.					
EALING.	76,129	7-5	7-5	5-5	11-0	19	16	4	4	-	-	-	-	-	-	1	1	1	1	7	-	-	-	-	ACTON.					
ACTON.	64,192	7-3	2-4	8-1	10-6	17	13	3	-	-	-	-	-	-	-	4	1	1	-	10	-	-	-	-	WILLESDEN.					
WILLESDEN.	167,328	8-1	9-7	9-0	7-2	83	23	1	8	1	-	-	-	-	-	-	-	-	-	4	-	-	-	-	HORNSEY.					
HORNSEY.	98,107	9-0	10-1	9-0	8-5	25	16	2	6	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	TOTTENHAM.					
TOTTENHAM	146,970	8-5	8-2	7-5	9-2	47	26	7	5	-	-	-	-	2	1	4	-	3	3	15	-	-	-	-	EDMONTON.					
EDMONTON.	73,529	8-5	5-0	6-4	5-7	30	8	2	1	-	-	-	-	-	-	1	1	1	2	3	-	-	-	-	ENFIELD.					
ENFIELD.	60,771	8-6	11-2	7-7	9-4	26	11	1	2	-	-	-	-	-	-	1	1	1	1	6	-	-	-	-	WEST HAM.					
WEST HAM.	299,440	12-4	11-7	9-4	11-0	155	63	15	17	-	-	-	-	1	-	10	1	2	3	27	1	-	-	-	EAST HAM.					
EAST HAM.	150,207	10-4	9-7	13-9	7-3	67	21	6	7	-	-	-	-	-	-	2	-	2	3	9	-	-	-	-	LEYTON.					
LEYTON.	128,832	6-5	11-7	15-8	6-1	49	15	3	7	-	-	-	-	1	2	2	-	-	1	6	-	-	-	-	WALTHAMSTOW.					
WALTHAMSTOW	132,771	7-5	5-1	6-7	5-9	57	15	2	5	-	-	-	-	-	-	1	-	1	2	4	-	-	-	-	ILFORD.					
ILFORD.	82,693	6-3	5-0	3-8	6-3	25	10	1	5	-	-	-	-	-	-	-	-	-	1	3	-	-	-	-	GILLINGHAM.					
GILLINGHAM.	45,233	10-4	13-8	9-2	11-5	22	10	2	2	-	-	-	-	3	-	-	-	1	-	1	-	-	-	-	HASTINGS.					
HASTINGS.	59,972	8-7	12-2	5-2	6-1	15	7	1	2	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	EASTBOURNE.					
EASTBOURNE.	50,354	12-4	8-3	7-2	11-4	16	11	2	5	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	BRIGHTON.					
BRIGHTON.	137,685	11-0	13-6	9-8	12-1	67	32	6	10	-	-	-	-	2	-	2	-	1	3	12	-	-	-	-	PORTSMOUTH.					
PORTSMOUTH.	235,998	10-4	12-6	11-7	10-6	102	48	11	14	-	-	-	1	-	-	4	-	-	3	12	-	-	-	-	BOURNEMOUTH.					
BOURNEMOUTH.	85,919	7-9	9-1	13-4	11-5	14	19	3	8	-	-	-	-	-	-	-	-	1	1	4	-	-	-	-	SOUTHAMPTON.					
SOUTHAMPTON.	162,338	11-9	11-6	11-6	10-3	67	32	9	12	-	-	-	-	-	-	4	-	-	1	10	-	-	-	-	READING.					
READING.	95,006	4-9	10-4	10-4	8-8	31	16	2	6	-	-	-	-	-	-	1	-	-	-	4	-	-	-	-	OXFORD.					
OXFORD.	59,963	7-0	3-5	7-8	11-3	21	13	1	6	-	-	-	-	-	-	-	-	-	-	5	-	-	-	-	NORTHAMPTON.					
NORTHAMPTON.	92,483	8-5	9-0	9-6	11-3	30	20	2	7	-	-	-	-	-	-	-	-	1	3	4	-	-	-	-	CAMBRIDGE.					
CAMBRIDGE.	60,154	9-5	9-5	8-7	10-4	23	12	-	8	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-						

* See note on first page of this return.

† For Greater London see end of Table.

‡ These towns are included within the area of Greater London.

in the Week ended Saturday, 10th September 1921, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	ESTIMATED CIVILIAN POPULATION, MID. 1920.* (Provisional.)	DEATH-RATES from all Causes.					Week ended 10th Sept., 1921.		The DEATHS in the Week include										TOWNS.			
		Week ended					BIRTHS.	DEATHS.	Deaths of													
		20th Aug., 1921.	27th Aug., 1921.	3rd Sept., 1921.	10th Sept., 1921.	Deaths from																
						Enteric Fever.			Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.	Violence.						
																	Infants under 1 Year of Age.	Persons aged 65 Years and upwards.		10.	11.	12.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
SOUTHEND ON SEA.	87,382	9.0	8.4	9.5	8.4	21	14	2	5	-	-	-	-	-	-	1	-	1	1	3	-	SOUTHEND ON SEA.
IPSWICH.	81,119	10.9	13.5	13.5	10.9	33	17	7	6	-	-	-	-	-	-	4	1	3	3	2	-	IPSWICH.
GREAT YARMOUTH.	55,193	9.4	5.7	10.4	18.0	25	19	4	4	-	-	-	-	-	-	1	-	-	1	8	-	GREAT YARMOUTH.
NORWICH.	124,774	9.2	6.7	10.4	8.8	44	21	1	12	-	-	-	-	-	-	-	-	-	2	4	-	NORWICH.
SWINDON.	53,580	7.8	9.7	10.7	10.7	27	11	3	5	-	-	-	-	-	-	1	1	-	-	-	-	SWINDON.
EXETER.	61,365	16.1	10.2	13.6	11.0	21	13	2	6	-	-	-	-	-	-	-	-	-	-	4	-	EXETER.
PLYMOUTH.	189,218	16.5	11.0	17.6	10.5	86	38	11	8	-	-	-	-	-	1	6	-	1	2	4	-	PLYMOUTH.
BATH.	68,546	12.9	7.6	6.8	9.1	26	12	1	9	-	-	-	-	-	-	-	-	-	-	4	-	BATH.
BRISTOL.	375,641	10.0	10.5	8.6	8.5	171	61	12	24	-	-	-	1	-	-	3	-	2	2	21	-	BRISTOL.
GLOUCESTER.	52,096	16.0	8.0	7.0	10.0	21	10	2	3	-	-	-	1	-	-	2	1	-	-	3	-	GLOUCESTER.
STOKE ON TRENT.	248,852	12.8	14.2	13.0	14.0	135	67	29	12	-	-	-	-	-	-	16	1	4	5	12	1	STOKE ON TRENT.
WOLVERHAMPTON.	102,324	9.7	8.7	10.2	9.2	57	18	3	7	-	-	-	-	1	-	2	-	-	-	2	-	WOLVERHAMPTON.
WALSALL.	96,419	14.1	11.4	16.8	13.0	42	24	4	7	-	-	-	-	1	-	3	-	1	2	6	-	WALSALL.
WEST BROMWICH.	72,684	12.9	11.5	10.0	15.1	32	21	9	4	-	-	-	-	-	-	3	1	-	-	2	-	WEST BROMWICH.
DUDLEY.	56,169	10.2	13.9	12.1	11.1	27	12	1	1	-	-	-	1	-	-	1	-	-	-	2	-	DUDLEY.
BIRMINGHAM.	895,915	10.1	9.1	9.1	9.6	411	165	39	44	-	-	-	-	-	1	11	3	5	6	58	6	BIRMINGHAM.
SMETHWICK.	75,027	11.8	7.6	8.3	4.2	34	6	2	1	-	-	-	-	-	-	1	-	-	-	1	-	SMETHWICK.
COVENTRY.	137,310	8.7	8.4	9.9	7.2	49	19	4	5	-	-	-	-	-	-	2	-	1	1	14	-	COVENTRY.
LEICESTER.	247,465	6.8	12.5	7.2	10.2	87	48	15	12	-	-	-	-	1	-	8	-	1	1	17	-	LEICESTER.
LINCOLN.	67,543	7.7	5.4	6.9	7.7	36	10	4	1	-	-	-	-	-	-	-	-	-	1	-	-	LINCOLN.
GRIMSBY.	31,953	8.3	12.7	13.4	12.7	27	20	10	4	-	-	-	-	2	1	3	-	-	-	2	-	GRIMSBY.
NOTTINGHAM.	267,836	9.3	9.3	9.0	10.1	115	52	14	19	-	-	-	-	-	-	8	-	4	4	17	-	NOTTINGHAM.
DERBY.	128,868	8.5	12.1	8.5	8.9	55	22	6	7	-	-	-	-	-	-	2	-	1	2	9	-	DERBY.

* See note † on first page of this return.

TOWNS.		DEATH-RATES from all Causes.				Week ended		Deaths of		Deaths from								Deaths in Public Institutions.		Uncertified Causes of Death.		TOWNS	
		CIVILIAN POPULATION.				10th Sept., 1921.		Persons aged 65 Years and upwards.		Deaths from								Deaths in Public Institutions.		Uncertified Causes of Death.			
		Week ended				BIRTHS. DEATHS.		Infants under 1 Year of Age.		Deaths from								Deaths in Public Institutions.		Uncertified Causes of Death.			
		20th Aug., 1921.	27th Aug., 1921.	3rd Sept., 1921.	10th Sept., 1921.	BIRTHS.	DEATHS.	8.	9.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.	Violence.	19.	20.	21.		Cols.
1.		10.7	10.1	11.0	10.2	235	96	29	25	-	-	-	-	1	-	12	-	2	5	31	-	-	SHEFFIELD.
492,570		10.9	8.7	13.1	7.3	36	10	1	2	-	-	-	-	-	1	1	-	-	-	4	-	-	ROTHERHAM.
71,785		8.1	6.1	8.1	21.5	33	32	7	11	-	-	-	1	-	6	-	1	2	9	-	-	-	YORK.
77,501		13.3	14.5	10.2	9.0	147	50	12	18	-	-	-	1	-	7	-	1	2	16	1	1	1	HULL.
290,808		9.1	9.5	7.9	14.6	94	37	10	8	-	-	-	-	-	3	1	2	3	7	1	1	1	MIDDLESBROUGH.
132,208		9.4	7.8	7.8	9.4	28	12	2	7	-	-	-	-	-	-	-	-	-	-	1	1	1	DARLINGTON.
66,610		11.6	9.9	6.6	12.4	41	15	4	5	-	-	-	-	-	2	1	1	1	3	1	1	1	STOCKTON ON TEES.
63,114		12.2	12.2	8.4	13.8	34	18	6	4	-	-	-	-	-	3	-	-	1	2	-	-	-	WEST HARTLEPOOL.
68,126		13.1	12.4	14.1	13.8	102	41	10	9	-	-	-	-	-	5	-	-	1	1	12	-	-	SUNDERLAND.
155,211		10.3	14.4	11.7	15.7	57	35	12	5	-	-	-	1	2	4	-	1	1	4	4	4	4	SOUTH SHIELDS.
115,945		16.7	13.4	12.2	13.0	70	32	9	9	-	-	-	1	-	5	-	-	-	8	1	1	1	GATESHEAD.
128,309		11.3	10.0	13.1	12.8	162	70	15	20	-	-	-	2	-	3	-	2	2	15	-	-	-	NEWCASTLE ON TYNE.
286,061		12.1	13.8	13.0	12.1	38	14	5	4	-	-	-	-	-	2	-	-	-	3	-	-	-	TYNEMOUTH.
60,318		10.0	8.2	13.6	14.5	25	16	5	5	-	-	-	-	-	4	-	1	1	4	-	-	-	CARLISLE.
57,397		9.8	3.4	9.8	7.5	47	13	5	4	-	-	-	-	-	1	-	1	2	1	-	-	-	NEWPORT (MON.).
90,728		13.5	7.1	10.1	8.8	100	36	9	8	-	-	-	1	-	2	-	2	5	1	1	-	-	CARDIFF.
212,552		12.7	7.6	10.7	11.8	76	42	15	7	-	-	-	-	2	3	-	2	3	1	1	-	-	RHONDDA.
184,999		12.6	8.4	7.0	14.7	41	21	5	2	-	-	-	-	1	2	-	2	4	3	-	-	-	MERTHYR TYDFIL.
74,493		8.8	9.8	7.8	5.9	30	6	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-	ABERDARE.
53,431		9.4	6.9	7.2	10.3	73	33	6	9	-	-	-	-	-	2	-	3	3	4	-	-	-	SWANSEA.
167,218		10.6	10.2	10.1	10.2	2893	1476	327	463	-	2	7	18	23	203	7	43	102	711	4	4	4	GREATER LONDON.
7,548,647		9.2	8.8	8.7	8.6	1111	496	97	156	-	1	-	5	10	44	4	23	38	178	1	1	1	OUTER RING.
3,016,676		9.0	8.9	9.0	8.3	672	277	55	76	-	-	-	4	9	27	3	14	21	107	1	1	1	14 GREAT TOWNS IN OUTER RING.
1,734,723		9.4	8.7	8.4	8.9	439	219	42	80	-	1	-	1	1	17	1	9	17	71	-	-	-	REMAINDER OF OUTER RING.
1,281,953		12.9	12.7	9.6	11.4	199	92	15	26	-	1	-	-	1	4	-	2	?	?	?	?	?	EDINBURGH.†
420,281		12.5	12.6	12.9	13.6	528	269	64	67	-	2	-	2	4	31	1	10	?	?	?	?	?	GLASGOW.†
1,034,069		18.1	15.0	14.5	16.3	201	132	36	23	-	-	-	2	1	16	-	2	6	55	3	3	3	DUBLIN (Registration Area).†
423,000		12.9	12.0	12.3	9.9	246	80	15	12	-	-	-	2	1	7	-	2	1	22	1	1	1	BELFAST.†
420,000																							

* See note † on first page of this return.

† The populations are total populations and relate to 1921, those for Edinburgh and Glasgow being Census populations. Deaths and the death-rates in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths reported from elsewhere in Scotland during the week: those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

TABLE 2. LONDON.—Births and Deaths registered during the THIRTY-SIXTH Week of each of the Eleven Years, 1911-1921.

	1911.	1912.	1913.	1914.	1915.	1916.	1917.	1918.	1919.	1920.	1921.
Births (as registered).	2104	2146	2024	2181	1770	1918	1403	1265	1695	2219	1782
Males	1083	1098	1016	1113	867	979	717	662	864	1132	931
Females	1021	1048	1008	1068	903	939	686	603	831	1087	851
Deaths (of residents only).	1509	1015	1074	1390	1218	912*	970*	874*	811*	831*	980*
Males	767	534	563	721	657	471	496	441	448	433	503
Females	742	481	511	669	561	441	474	433	363	398	477

* Deaths in civilian population only.

TABLE 3. LONDON.—BIRTHS and DEATHS REGISTERED, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the last THIRTEEN WEEKS.

	June 18.	June 25.	July 2.	July 9.	July 16.	July 23.	July 30.	Aug. 6.	Aug. 13.	Aug. 20.	Aug. 27.	Sept. 3.	Sept. 10.
Births (as registered)	2008	1919	1804	1955	1910	1891	2023	1823	2214	1948	2003	1893	1782
Deaths (of residents only).	801	840	779	751	940	857	846	822	872	1003	966	952	980
Age at Death													
Under 1 year	92	100	84	86	124	128	128	166	186	225	235	268	230
1-2 years	29	16	24	24	28	44	29	38	36	43	44	50	38
2-5 "	20	20	23	23	21	26	19	24	13	21	15	11	19
5-10 "	31	22	16	10	22	18	20	30	20	23	21	22	15
10-15 "	16	18	14	10	21	10	12	11	8	9	9	10	14
15-20 "	13	24	24	20	24	23	15	21	24	18	20	15	17
20-25 "	16	21	22	18	22	18	19	25	17	27	21	19	18
25-35 "	42	55	45	29	49	33	41	43	62	50	32	34	45
35-45 "	68	66	58	53	54	51	55	56	50	61	56	56	62
45-55 "	85	96	84	109	108	102	104	87	87	111	109	103	89
55-65 "	125	129	126	105	156	120	133	98	137	119	130	104	126
65-75 "	136	146	150	137	153	146	155	110	123	152	134	136	166
75 years and upwards	128	127	109	127	158	138	116	113	109	144	140	124	141
Deaths from—													
Enteric fever	-	3	-	-	3	-	-	3	-	2	1	1	3
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	3	7	-	4	-	6	2	5	9	1	6	3	1
Scarlet fever	8	6	6	2	6	4	3	3	1	2	3	4	7
Whooping cough	9	6	5	9	13	12	6	7	5	13	23	8	13
Diphtheria	17	12	10	10	18	12	13	30	16	17	6	11	13
Diarrhoea and enteritis (under 2 years).	11	12	9	13	30	29	52	68	103	154	142	191	159
Pulmonary tuberculosis	70	101	93	55	77	71	66	77	82	86	55	54	78
Influenza	4	6	5	5	4	3	3	1	3	1	2	2	3
Pneumonia (all forms)	54	53	36	46	40	60	44	34	39	45	44	52	47
Bronchitis	37	23	29	27	27	36	25	12	24	28	26	20	30
Other dis. of resp. system	8	8	8	9	14	13	8	8	10	15	10	9	5
Dis. of circ. system	137	135	124	148	145	126	135	133	119	140	137	126	134
Violence	29	41	36	26	51	45	47	33	28	24	42	31	20
Inquest cases	65	85	61	71	87	83	77	73	73	69	86	70	64
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Enteric fever	17	18	24	24	23	27	28	28	31	34	32	34	37
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-†	-
Measles	34	35	41	40	43	52	49	54	59	60	48	37	37
Scarlet fever	3569	3651	3672	3844	3879	3886	3765	3717	3572	3523	3394	3433	3680
Whooping cough	9	10	10	9	10	10	10	23	36	40	41	41	45
Diphtheria	1950	1928	1915	1921	1961	1983	1979	1957	1879	1816	1740	1713	1773

* The Metropolitan Asylums Board and London Fever Hospitals. The figures do not refer to London exclusively.
† The case returned in the week ended September 3rd was subsequently discharged, having been proved not to be small-pox.

TABLE 3A. 96 Great Towns.—DEATHS from INFLUENZA in the last THIRTEEN WEEKS.

	June 18.	June 25.	July 2.	July 9.	July 16.	July 23.	July 30.	Aug. 6.	Aug. 13.	Aug. 20.	Aug. 27.	Sept. 3.	Sept. 10.
Deaths from Influenza	33	32	20	25	27	19	25	14	15	9	12	17	21

TABLE 4. LONDON.—DEATHS REGISTERED in the THIRTY-SIXTH Week of the Year 1921.

CAUSES OF DEATH.	Deaths in the 36th week of the year 1926.	DEATHS of PERSONS of the AGES													
		ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-10 years.	10-15 years.	15-20 years.	20-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and up- wards.
ALL CAUSES	831	980	230	38	19	15	14	17	18	45	62	89	126	166	141
Enteric fever	-	3	-	-	-	-	-	-	1	1	-	-	-	-	1
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	5	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Scarlet fever	5	7	-	1	3	2	1	-	-	-	-	-	-	-	-
Whooping cough	3	13	8	2	3	-	-	-	-	-	-	-	-	-	-
Diphtheria	14	13	-	3	4	3	2	1	-	-	-	-	-	-	-
Influenza	2	3	-	-	-	-	-	-	-	-	1	-	-	-	1
Erysipelas	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Acute Poliomyelitis, Polioencepha- litis.	?	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	?	1	-	-	-	-	-	-	-	1	-	-	-	-	-
Meningococcal meningitis . . .	?	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Other endemic and epidemic diseases.	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Pyæmia and septicæmia	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
Tetanus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis:—															
Pulmonary tuberculosis	57	78	-	-	1	-	2	7	6	18	14	18	11	1	-
Tuberculous meningitis	3	3	-	1	1	-	1	-	-	-	-	-	-	-	-
Abdominal tuberculosis	4	3	-	1	-	-	-	-	-	-	1	-	1	-	-
Tuberculosis of the spine	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-
Tuberculosis of the joints	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of other organs . .	2	1	-	-	-	-	1	-	-	-	1	-	-	-	-
Disseminated tuberculosis . . .	2	5	1	-	-	1	-	1	-	-	-	1	-	1	-
Venereal diseases	7	4	1	1	-	-	-	1	-	-	-	1	-	-	-
Cancer	110	128	-	-	-	-	-	-	-	2	7	19	37	37	26
Rheumatic fever	4	3	-	-	-	-	1	1	-	1	-	-	-	-	-
Diabetes	5	9	-	-	-	-	-	-	-	-	-	-	-	-	-
Anæmia, leucocythæmia	7	3	-	1	-	1	-	-	1	-	1	1	4	1	2
Other general diseases	7	12	1	-	-	-	-	1	1	-	1	1	-	5	2
Alcoholism	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic poisonings	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	5	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	32	48	-	-	-	-	-	-	-	-	1	6	12	20	9
Softening of brain	1	2	-	-	-	-	-	-	-	-	-	-	1	-	1
Paralysis, without specified cause .	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epilepsy	1	3	-	-	-	1	-	-	-	2	-	-	-	-	-
"Convulsions" (not puerperal) . .	4	4	2	2	-	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system .	19	23	-	-	-	1	-	1	-	-	5	5	3	6	2
Pericarditis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute endocarditis	8	7	-	-	-	-	-	-	2	2	2	-	1	-	-
Other diseases of heart	110	95	-	-	-	-	-	1	4	5	7	10	12	34	22
Embolism and thrombosis (exclud- ing cerebral).	6	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Other diseases of circulatory system.	25	31	-	-	-	-	-	-	-	-	1	1	6	13	10
Diseases of the larynx	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis	32	30	2	-	-	-	-	-	-	-	-	-	-	-	-
Broncho-pneumonia	23	23	12	3	2	-	-	-	1	-	-	1	8	7	11
Lobar pneumonia	12	14	-	1	-	1	-	-	-	1	1	3	3	2	1
Pneumonia (type not distinguished)	10	10	1	-	-	-	-	1	-	2	3	3	3	3	-
Pleurisy	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pulmonary congestion, Pulmonary apoplexy.	3	3	-	-	-	-	-	-	-	-	-	-	-	-	3
Other diseases of respiratory system.	6	2	-	-	-	-	-	-	-	-	1	-	1	-	-

TABLE 4 (cont.) LONDON.—DEATHS REGISTERED in the THIRTY-SIXTH Week of the Year 1921.

CAUSES OF DEATH.	Deaths in the 36th week of the year 1920.	DEATHS of PERSONS of the AGES													
		ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-10 years.	10-15 years.	15-20 years.	20-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and up- wards.
Diseases of the pharynx, Tonsillitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of stomach	8	13	1	-	-	1	-	-	-	3	4	-	-	-	4
Diarrhoea and enteritis	49	172	137	22	2	-	-	-	-	-	2	1	5	3	-
Appendicitis and typhlitis	6	11	-	-	-	3	3	2	1	-	1	1	-	-	-
Hernia and Intestinal obstruction.	11	6	1	-	-	-	1	-	-	-	1	1	1	1	1
Cirrhosis of liver	9	5	-	-	-	-	1	-	-	-	1	-	1	2	-
Other diseases of liver	3	3	-	-	-	-	-	-	-	1	1	1	-	1	-
Peritonitis (cause unknown)	1	2	-	-	1	-	-	-	-	1	-	-	-	-	-
Other diseases of digestive system	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-
Acute nephritis	1	2	-	-	-	-	-	-	-	1	-	-	1	-	-
Chronic Bright's disease	11	19	-	-	1	-	-	-	-	-	2	1	7	7	1
Urinary calculi	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Uterine tumour (non-cancerous)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ovarian tumour	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of genito-urinary system.	7	17	1	-	-	-	-	-	-	2	-	2	2	5	5
Puerperal fever, &c.	1	4	-	-	-	-	-	-	-	4	-	-	-	-	-
Other causes incident to child-birth.	8	2	-	-	-	-	-	-	-	-	2	-	-	-	-
Diseases of skin and cellular tissues.	8	7	1	-	-	-	-	-	-	-	1	2	1	-	2
Diseases of locomotor system	3	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Congenital malformations	6	6	5	-	-	-	-	-	-	-	-	1	-	-	-
Premature birth	36	28	28	-	-	-	-	-	-	-	-	-	-	-	-
Debility, atrophy marasmus (Infants).	20	16	13	-	-	-	-	-	-	-	-	-	-	-	-
Old age	45	36	-	-	-	-	-	-	-	-	-	-	-	10	26
ACCIDENT.															
Poisons or poisonous vapours.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Conflagration	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Burns and scalds	-	2	-	-	-	-	1	-	-	-	-	-	-	-	1
Drowning	6	2	-	-	-	-	-	-	-	-	-	2	-	-	-
Suffocation in bed	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Other deaths by accident	22	11	-	-	-	-	-	-	-	1	-	1	1	2	6
Total deaths from accident	30	16	1	-	-	-	1	-	-	1	-	3	1	2	7
Included in above are deaths in connection with:—															
Railways	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	11	4	-	-	-	-	-	-	-	-	-	-	-	1	2
Ships, boats, docks	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Building operations	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIOLENCE OTHER THAN ACCIDENTAL.															
Homicide	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	6	4	-	-	-	-	-	-	-	-	-	1	2	1	-
Execution	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other specified diseases	13	13	10	-	-	-	-	-	1	-	2	-	-	-	-
Ill-defined Causes	-	4	-	-	-	-	-	-	-	-	1	-	2	1	-

TABLE 5.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of	DEATHS. Stillborn.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM							
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria*.	Diarrhoeal Diseases† (under 2 years).	Influenza.
LONDON† . .	4,531,971	1921. Sept. 10	1,782	980	11·3	3	-	1	7	13	13	159½	3
CALCUTTA . .	896,067	Aug. 6	-	466§	27·0	?	2	?	?	?	?	?	9
BOMBAY . .	979,445	July 30	342	903§	47·9	5	6	1	-	-	-	60	19
MADRAS . .	518,660	" 30	404	328§	32·6	-	3	-	?	3	-	53	-
PARIS . .	2,847,229	July 30	-	-	-	-	-	-	-	-	-	-	-
BRUSSELS . .	792,919	- - -	-	-	-	-	-	-	-	-	-	-	-
ANTWERP . .	340,209	Aug. 20	125	70	10·9	1	-	2	-	-	1	15	-
AMSTERDAM . .	681,173	" 27	278	106	8·1	-	-	-	-	3	1	4	-
COPENHAGEN . .	571,000	" 27	231	91	8·3	-	-	-	-	-	-	-	-
STOCKHOLM . .	419,788	" 20	110	77	9·5	-	-	-	-	-	-	-	-
GOTHENBURG . .	205,547	" 13	-	34	8·6	-	-	-	-	-	-	2	-
CHRISTIANIA . .	260,904	Aug. 27	95	50	10·0	-	-	-	-	-	-	1	-
BERLIN . .	1,951,000	" 20	496	447	11·9	-	?	-	-	6	2	22	-
BRÉS LAU . .	547,000	" 20	252	172	16·4	1	?	-	-	2	-	32	2
COLOGNE . .	666,000	" 20	292	177	13·8	-	?	-	2	-	1	54	-
DRESDEN . .	595,000	" 20	163	114	9·9	-	?	-	-	-	1	20	-
FRANKFORT- ON-MAIN.	469,000	" 20	128	97	10·7	-	?	-	-	-	-	13	-
LAMBURG . .	1,031,000	" 20	285	212	10·7	-	?	-	1	-	2	11	-
LEIPZIG . .	629,000	" 20	211	151	12·5	-	?	1	-	1	1	28	-
MÜNICH . .	670,000	" 20	212	140	10·9	-	?	1	1	1	-	10	1
VIENNA . .	1,842,005	" 20	453	441	12·4	4	-	-	-	1	1	40	2
PRAGUE AND SUBURBS.	676,454	" 6	252	180	13·9	4	-	-	-	-	-	11	-
BUDAPEST . .	933,000	July 9	377	293	16·3	-	?	2	4	3	2	16	-
TRIESTE . .	248,423	May 28	-	-	-	-	-	-	-	-	-	-	-
CAIRO . .	765,200	June 24	621	621	42·2	3	-	7	-	?	1	158	?
ALEXANDRIA . .	449,300	" 24	309	327	37·8	1	-	-	-	?	-	69	?
NEW YORK . .	5,751,859	Aug. 13	2,616	1,043	9·5	3	-	-	1	9	6	99	1
CHICAGO . .	2,780,655	" 20	-	474	8·9	-	-	1	1	3	10	58	1

Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Cities, Vienna, Prague and Suburbs, Budapest, and Trieste.

The deaths in this column relate to *all ages* for Bombay, Madras, Christiania, and Budapest, and to *children under 1 year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

The estimated population and deaths refer to the civilian population only.

Including 1 death from *plague* in Calcutta and 2 in Bombay, and from *Asiatic cholera*, 8 deaths in Calcutta, 3 in Bombay, and 1 in Madras.

TABLE 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 10th September, 1921.

(Supplied by the Meteorological Office.)

TOWNS.	Temperature of Air.*				Rainfall in Milli- metres.†	TOWNS.	Temperature of Air.*				Rainfall in Milli- metres.†
	Highest.	Lowest.	Mean Maxi- mum.	Mean Mini- mum.			Highest.	Lowest.	Mean Maxi- mum.	Mean Mini- mum.	
LONDON (Greenwich) }	88	42	78·7	49·0	0	BRADFORD . .	78	45	69·4	48·3	2
BRIGHTON . .	73	47	70·3	53·1	2	SHEFFIELD . .	79	45	72·9	50·6	1
PORSMOUTH . .	75	48	72·0	52·7	1	YORK (Museum) .	79	47	73·4	49·7	3
IPSWICH (Eaton) .	84	44	76·1	49·3	0	HULL (Pearson Park)	80	45	74·7	48·7	3
PLYMOUTH . .	78	47	72·6	51·0	3	TYNEMOUTH . .	74	49	68·9	51·4	1
BRISTOL (Clifton) .	81	45	74·1	50·9	32	CARDIFF . .	81	44	75·0	49·4	22
BIRMINGHAM . .	80	46	74·1	51·6	0·2	EDINBURGH . .	73·0	49·0	68·1	53·6	3
NOTTINGHAM . .	81	43	73·7	48·1	0·2	GLASGOW . .	71·0	50·3	65·4	54·6	14
LEICESTER (Bidston) }	76	50	68·6	52·3	7	DUBLIN :—					
MANCHESTER . .	81	46	74·6	49·9	2	Phoenix Park . .	74·9	44·7	68·8	48·8	7
BURNLEY . .	76	40	69·3	45·7	9	†Fitzwilliam Square	72·0	48·0	67·2	53·1	3
WOLVERHAMPTON	79	47	71·4	49·9	3	BELFAST . .	74·0	49·0	67·3	52·7	8

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.

† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.

‡ 1 millimetre = ·04 inch nearly ; 1 inch = 25·4 millimetres exactly.

TABLE 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 10th September 1921.

[Under the Superintendence of the Astronomer Royal.]

1921. MONTH AND DAY.		Phases of the Moon.	BARO- METER. Mean daily reading (cor- rected and re- duced to 32° Fahren- heit).	TEMPERATURE.					Difference between the Air Temperature and Dew Point Temperature.			De- gree of Hu- mid- ity (Satur- ation equals 100).	TEMPERATURE.			Wind as deduced from Anemometers.			Rain collected in a Gauge whose surface is 5 inches above the Ground.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
				Of the Air.				Of the Dew point.	Of Radiation.		Of the Earth 4 feet below the Surface.		Osler's.		Robinson's.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
				High- est.	Low- est.	Daily Range.	Mean daily value.		De- parture from Average of 65 years.	Mean daily value.			Great- est.	Least.	A.M.	P.M.	Great- est.	Least.		Mean of 24 hourly obs.	Horizontal Movement of the Air on each Day.	Depart- ure from Average of 50 years.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													

DATE.		ELECTRICITY. (For explanation of symbols, see Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SEPTEMBER 1921.					
SUNDAY	4	w.P. generally, a little m.P.	11.0	13.3	Cloudless or nearly cloudless generally ; thin cloud prevalent at times ; hoar frost in morning ; hazy during the day.
MONDAY	5	v.P. throughout	9.5	13.3	Cloudless or nearly cloudless except for an overcast period between 5h. and 8h. 30m. ; hazy till 2h.
TUESDAY	6	v.P. throughout	7.3	13.2	Cloudless with very slight exceptions ; hazy from 5h. 30m. to 15h., and misty in fore- noon.
WEDNESDAY	7	w.P. generally	11.1	13.2	Cloudless throughout ; haze and mist in early morning.
THURSDAY	8	w.P. generally	11.1	13.1	Cloudless throughout ; misty in morning ; dew in morning and at night.
FRIDAY	9	w.P. generally	10.8	13.0	Cloudless generally till 9h., with slight mist from 5h. ; partially cloudy till 15h. ; nearly cloudless till 19h., becoming overcast generally by 19h. 30m. ; rain about 22h.
SATURDAY	10	v.P. throughout	4.1	13.0	Overcast generally till noon, then very cloudy but gradually clearing to nearly cloud- less by 20h. ; cloudy period about 22h. ; occa- sional rain from 7h. to 11h. ; solar halo about noon.
No. of Col.		26	Sum- 64.9	Sum 92.1	
			27	28	

The results apply to the civil day, or from midnight to midnight. The height of the cistern of the barometer is 152 feet above the mean level of the sea ; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon ; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "higher," and - "lower," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are :—P. positive ; N. negative ; w. weak ; m. moderate ; s. strong ; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29.91 in. at the beginning of the week to 29.87 in. by 15h. on 4th ; increased to 30.06 in. by 9h. on 6th ; decreased to 29.56 in. by 4h. on 10th, and increased to 29.75 in. by midnight on the same day.

TABLE 3. LONDON.—DEATHS OF PERSONS BELONGING to the several METROPOLITAN BOROUGHs REGISTERED in the Week ended 3rd September, 1921.

BOROUGHs.	Deaths from									Deaths of Infants under 1 Year of Age.
	ALL CAUSES.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Pulmonary Tuberculosis.	
COUNTY OF LONDON .	952	1	-	3	4	8	11	191	54	268
Western										
PADDINGTON . . .	27	-	-	-	-	-	-	2	2	6
KENSINGTON . . .	47	-	-	-	-	-	-	5	2	8
HAMMERSMITH . . .	26	-	-	-	-	-	-	4	2	6
FULHAM	34	-	-	-	2	1	-	6	2	8
CHELSEA	11	-	-	-	-	-	-	2	-	2
CITY OF WESTMINSTER .	18	-	-	-	-	-	-	-	1	1
Northern.										
ST. MARYLEBONE . . .	20	-	-	-	1	-	-	2	1	6
HAMPSTEAD	15	-	-	-	-	1	1	1	1	2
ST. PANCRAS	44	-	-	1	-	-	2	6	2	
ISLINGTON	82	-	-	-	1	-	1	13	5	20
STOKE NEWINGTON . . .	7	1	-	-	-	-	-	1	-	2
HACKNEY	50	-	-	-	-	-	-	12	5	10
Central.										
HOLBORN	12	-	-	-	-	-	-	-	-	2
FINSBURY	20	-	-	-	-	1	1	3	1	10
CITY OF LONDON . . .	2	-	-	-	-	-	-	-	-	1
Eastern.										
SHOREDITCH	26	-	-	-	-	-	1	11	2	12
BETHNAL GREEN . . .	30	-	-	-	-	-	1	11	2	13
STEPNEY	59	-	-	-	-	-	-	16	7	18
POPLAR	42	-	-	1	-	2	1	7	-	13
Southern.										
SOUTHWARK	51	-	-	-	-	-	-	18	2	20
BERMONDSEY	21	-	-	1	-	1	1	6	1	9
LAMBETH	75	-	-	-	-	-	1	19	5	25
BATTERSEA	19	-	-	-	-	-	-	5	1	7
WANDSWORTH	54	-	-	-	-	1	1	5	4	8
CAMBERWELL	64	-	-	-	-	1	-	15	1	23
DEPTFORD	27	-	-	-	-	-	-	6	-	11
GREENWICH	14	-	-	-	-	-	-	1	-	2
LEWISHAM	23	-	-	-	-	-	-	7	3	7
WOOLWICH	32	-	-	-	-	-	-	7	2	7

The deaths in the above Table are, so far as concerns London as a whole, corrected by the exclusion of deaths of non-residents, and by the inclusion of those of residents occurring in the Outer Ring or in Metropolitan public institutions situated outside the County. As between individual Metropolitan Boroughs, however, correction is complete.

TABLE 9. LONDON.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED during the Week ended 3rd September, 1921.*

BOROUGHs.	ESTI- MATED CIVILIAN POPU- LATION, MID. 1920.† (Provi- sional.)	Enteric Fever.	Malaria.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Group).	Pneumonia.	Erysipelas.	Cerebro-Spinal Fever.	Puerperal Fever.	Ophthalmia Neonatorum.	Poliomyelitis.	Dysentery.	Encephalitis Lethargica.	Anthrax.	Polio- encephalitis.	Cholera.
WESTERN.																		
Paddington . . .	149,673	1	-	-	-	22	5	2	2	-	1	1	-	-	-	-	-	-
Kensington . . .	164,177	-	-	-	-	17	10	-	1	-	-	-	-	-	-	-	-	-
Hammer Smith . . .	136,200	-	-	-	-	11	5	-	1	-	-	-	-	-	-	-	-	-
Fulham . . .	158,621	-	-	-	-	7	3	4	-	-	-	2	-	-	-	-	-	-
Chelsea . . .	62,987	-	-	-	-	1	6	-	-	-	1	1	-	-	-	-	-	-
City of Westminster . . .	132,615	-	1	-	-	16	6	1	1	-	-	1	-	-	-	-	-	-
NORTHERN.																		
St. Marylebone . . .	101,856	-	1	-	-	10	4	-	-	1	-	1	-	-	-	-	-	-
St. Pancras . . .	91,519	-	-	-	-	3	6	1	-	-	-	-	-	-	-	-	-	-
St. Pancras . . .	228,178	3	-	-	-	32	12	3	1	-	-	2	-	-	-	-	-	-
St. Pancras . . .	335,907	-	-	-	-	46	17	-	1	-	-	4	-	-	-	-	-	-
St. Pancras . . .	52,984	-	-	-	-	11	10	-	1	-	-	-	1	-	-	-	-	-
St. Pancras . . .	225,372	-	-	-	-	39	19	-	-	-	-	-	-	-	-	-	-	-
CENTRAL.																		
St. Pancras . . .	39,676	-	-	-	-	6	2	-	-	-	-	-	-	-	-	-	-	-
St. Pancras . . .	78,291	-	-	-	-	19	8	-	1	-	-	1	-	-	-	-	-	-
St. Pancras . . .	14,447	-	-	-	-	4	-	-	1	-	-	-	-	-	-	-	-	-
EASTERN.																		
St. Pancras . . .	102,044	-	-	-	-	17	4	4	1	-	-	-	-	-	-	-	-	-
St. Pancras . . .	114,471	-	-	-	-	25	10	1	1	-	-	-	-	-	-	-	-	-
St. Pancras . . .	241,770	1	-	-	-	52	20	5	1	-	-	1	-	-	-	-	-	-
St. Pancras . . .	159,766	1	1	-	-	25	15	10	-	-	-	1	-	-	-	-	-	-
SOUTHERN.																		
St. Pancras . . .	187,142	-	-	-	-	21	5	1	2	-	-	2	-	-	-	-	-	-
St. Pancras . . .	129,189	1	-	-	-	32	10	-	2	-	-	-	-	-	-	-	-	-
St. Pancras . . .	293,572	-	-	-	-	16	9	-	1	-	1	2	-	-	-	-	-	-
St. Pancras . . .	165,664	-	-	-	-	33	11	4	-	1	-	-	1	-	-	-	-	-
St. Pancras . . .	346,990	1	-	-	-	35	6	3	1	-	-	-	-	-	-	-	-	-
St. Pancras . . .	284,712	-	-	-	-	38	7	-	1	-	-	-	-	-	-	-	-	-
St. Pancras . . .	115,636	-	-	-	-	15	2	-	-	-	-	1	-	-	-	-	-	-
St. Pancras . . .	102,408	2	-	-	-	12	6	-	2	-	-	-	-	-	-	-	-	-
St. Pancras . . .	174,438	-	-	-	-	15	4	-	-	-	-	-	1	-	-	-	-	-
St. Pancras . . .	141,666	-	-	-	-	25	12	-	2	-	-	1	-	-	-	-	-	-
TOTAL . . .	4,531,971	10	3	-	-	605	234	39	24	2	3	21	3	-	-	-	-	-
Ages 0-1 . . .		-	-	-	-	9	6	3	1	-	-	21	-	-	-	-	-	-
„ 1-5 . . .		-	-	-	-	139	48	8	1	1	-	-	2	-	-	-	-	-
„ 5- . . .		1	-	-	-	263	88	-	1	-	-	-	-	-	-	-	-	-
„ 10- . . .		3	-	-	-	129	44	2	1	-	-	-	1	-	-	-	-	-
„ 15- . . .		-	-	-	-	31	14	5	-	-	-	-	-	-	-	-	-	-
„ 20- . . .		1	-	-	-	13	14	1	3	-	1	-	-	-	-	-	-	-
„ 25- . . .		2	2	-	-	19	7	8	4	-	2	-	-	-	-	-	-	-
„ 35- . . .		2	-	-	-	2	10	3	5	-	-	-	-	-	-	-	-	-
„ 45- . . .		1	1	-	-	-	3	5	2	1	-	-	-	-	-	-	-	-
„ 55- . . .		-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
„ 65- . . .		-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-
„ 75 and upwards . . .		-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-
Age not stated . . .		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

† See note † on first page of this return.

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS AND DEATHS REGISTERED:—
LONDON AND
NINETY-FIVE OTHER GREAT TOWNS.

~~~~~  
By Authority of the Registrar General,  
~~~~~

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased through any Bookseller or directly from
H.M. STATIONERY OFFICE at the following addresses:
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and
28, ABINGDON STREET, LONDON, S.W. 1;
37, PETER STREET, MANCHESTER;
1, ST. ANDREW'S CRESCENT, CARDIFF; .
23, FORTH STREET EDINBURGH;
or from E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN.

No. 37. VOL. LXXXII. 1921. WEEK ENDED SATURDAY, SEPT. 17.
[Price 9d. Net.]

*General Register Office, Somerset House,
September 20th, 1921.*

NINETY-SIX GREAT TOWNS.

For the NINETY-SIX GREAT TOWNS of England and Wales, each of which had a population of 50,000 or over at the Census of 1911, the births registered last week numbered 7,836, and corresponded to an annual rate of 21·9 per 1,000. The deaths* among the civilian population only numbered 3,587, and corresponded to an annual rate of 10·1 per 1,000 of their aggregate civilian population, which is provisionally estimated† at 18,554,878 persons in the year 1920. In the three weeks ended August 27th, September 3rd, and September 10th, the rates had been 10·6, 10·6, and 10·9 respectively. The infant mortality was 97, against 107, 111, and 113 in the preceding three weeks. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks; it also shows for the week ended last Saturday the births and the deaths from certain individual causes. A column showing the number of deaths

* Corrected as far as possible for deaths of non-residents and for those of residents occurring outside the area. Fully corrected figures will appear in the Registrar General's Annual Report.

† The estimates of population refer to the year 1920, and are based on the returns furnished under the scheme for rationing of food.

from influenza has been inserted in Table 1. The aggregate number of deaths from influenza in the 96 great towns in each of the last thirteen weeks is shown in Table 3A.

Measured by last week's mortality, the highest annual death-rates per 1,000 living were :—from *all causes*, 14·0 in Stoke-on-Trent, 15·0 in Preston, 15·1 in Dewsbury, 15·2 in Bath, and 16·4 in Tynemouth; from *enteric fever*, 2·6 in Tynemouth; from *measles*, 2·6 in Tynemouth; and from *diphtheria*, 1·3 in Norwich. No death from *small-pox* was registered in any of the ninety-six towns.

LONDON.* (The Administrative County, including the City of London.)

For LONDON there were 1,918 BIRTHS, corresponding to a rate of 22·0 per 1,000, and 948 DEATHS of civilians, corresponding to a rate of 10·9, as against 11·1, 11·0, and 11·3 per 1,000 in the three weeks ended August 27th, September 3rd, and September 10th. The death-rate in the four weeks ended last Saturday averaged 11·1 per 1,000. The infant mortality was 106, against 117, 142, and 129 in the preceding three weeks.

There was 1 death from *enteric fever*, against 1, 1, and 3 in the preceding three weeks, the average for the corresponding weeks of the previous five years being 2. There was no death from *measles*, against 6, 3, and 1 in the preceding three weeks, and an average of 5. The deaths from *scarlet fever*, which had been 3, 4, and 7 in the preceding three weeks, were 2 last week, being equal to the average. The deaths from *whooping-cough*, which had been 23, 8, and 13 in the preceding three weeks, were 14 last week, being 6 above the average; 3 deaths belonged to the Borough of Stepney. The deaths from *diphtheria*, which had been 6, 11, and 13, in the preceding three weeks, rose to 20 last week, and were 13 above the average; 4 deaths belonged to Battersea. The deaths from *diarrhoea and enteritis under 2 years of age*, which had been 142, 191, and 159, in the preceding three weeks, fell to 121 last week, but were 50 above the average; 13 deaths belonged to Lambeth, 11 to Shoreditch, and 9 each to Islington and Stepney. The deaths from *influenza* numbered 5, as against 2, 2, and 3 in the preceding three weeks, and an average of 7.

Different forms of violence caused 25 deaths, of which 23 were the subject of coroners' inquests. Of these 25 deaths, 7 were cases of suicide, while the remaining 18 were attributed to other forms of violence. Six of these latter were referred to vehicles in the streets, 4 to burns or scalds, 2 to poisons or poisonous vapours, and 2 to drowning.

CASES OF INFECTIOUS DISEASE.†

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital, there were 40 cases of enteric fever, 37 of measles, 4,003 of scarlet fever, 59 of whooping-cough, and 1,834 of diphtheria under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as

* See note * on first page.

† The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

compared with those in the preceding three weeks, were as follows :—Of enteric fever, 7 cases, against 5, 5, and 8; of measles, 8 cases, against 10, 6, and 7; of scarlet fever, 818 cases, against 462, 604, and 801; of whooping-cough, 14 cases, against 2, 4, and 7; and of diphtheria, 326 cases, against 197, 233, and 282. Table 9, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the county during the week ended September 10th, 1921.

TOWNS.		DEATH-RATES from all Causes.										Week ended 17th Sept., 1921.		The DEATHS in the Week include																
		Week ended				BIRTHS. DEATHS.		Deaths of Infants under 1 Year of Age.		Persons aged 65 Years and upwards.		Deaths from								Inquest Cases.		Deaths in Public Institutions.		Uncertified Causes of Death.						
		TOWNS.																												
		27th Aug., 1921.	3rd Sept., 1921.	10th Sept., 1921.	17th Sept., 1921.	CIVILIAN POPULATION, MID. 1920.* (Provisional).		1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.	Violence.	18.	19.	20.	21.
SOUTHEAD ON SEA .	87,332	8.4	9.5	8.4	13.7	38	23	4	10	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	2	2	7	-	-	SOUTHEAD ON SEA.
IPSWICH . . .	81,119	13.5	13.5	10.9	10.9	25	17	3	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	5	3	-	-	IPSWICH.
GREAT YARMOUTH .	55,193	5.7	10.4	18.0	11.3	25	12	2	4	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	GREAT YARMOUTH.
NORWICH . . .	124,774	6.7	10.4	8.8	9.6	36	23	3	6	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	2	3	10	-	-	NORWICH.
SWINDON . . .	53,580	9.7	10.7	10.7	9.7	20	10	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	-	-	SWINDON.
EXETER . . .	61,365	10.2	13.6	11.0	6.8	21	8	2	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	EXETER.
PLYMOUTH . . .	189,218	11.0	17.6	10.5	11.3	97	41	7	14	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	1	6	7	-	-	PLYMOUTH.
BATH . . .	68,546	7.6	6.8	9.1	15.2	23	20	2	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	4	-	-	BATH.
BRISTOL . . .	375,641	10.5	8.6	8.5	10.3	134	74	10	21	-	-	-	-	-	-	-	-	-	-	-	-	4	3	-	2	5	23	-	-	BRISTOL.
GLOUCESTER . . .	52,096	8.0	7.0	10.0	13.0	23	13	2	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	3	-	-	GLOUCESTER.
STOKE ON TRENT .	248,852	14.2	13.0	14.0	14.0	121	67	30	8	-	-	-	-	-	-	-	-	-	-	-	-	-	23	-	2	3	15	-	-	STOKE ON TRENT.
WOLVERHAMPTON .	102,324	8.7	10.2	9.2	10.7	52	21	6	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	10	-	-	WOLVERHAMPTON.
WALSALL . . .	96,419	11.4	16.8	13.0	8.7	36	16	3	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	6	-	-	WALSALL.
WEST BROMWICH .	72,684	11.5	10.0	15.1	8.6	34	12	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	WEST BROMWICH.
DUDLEY . . .	56,169	13.9	12.1	11.1	10.2	34	11	2	4	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	-	-	DUDLEY.
BIRMINGHAM . . .	895,915	9.1	9.1	9.6	8.6	359	148	31	35	-	-	-	-	-	-	-	-	-	-	-	-	-	14	-	4	4	50	6	-	BIRMINGHAM.
SMETHWICK . . .	75,027	7.6	8.3	4.2	7.6	35	11	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	SMETHWICK.
COVENTRY . . .	137,310	8.4	9.9	7.2	5.7	41	15	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	COVENTRY.
LEICESTER . . .	245,465	12.5	7.2	10.2	11.0	80	52	12	21	-	-	-	-	-	-	-	-	-	-	-	-	-	5	1	2	4	15	2	-	LEICESTER.
LINCOLN . . .	67,543	5.4	6.9	7.7	10.0	32	13	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	2	-	LINCOLN.
GRIMSBY . . .	31,953	12.7	13.4	12.7	12.1	37	19	5	4	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	3	4	6	-	-	GRIMSBY.
NOTTINGHAM . . .	267,836	9.3	9.0	10.1	9.7	102	50	13	12	-	-	-	-	-	-	-	-	-	-	-	-	1	7	-	3	4	14	-	-	NOTTINGHAM.
DERBY . . .	128,868	12.1	8.5	8.9	9.3	51	23	4	11	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	9	-	-	DERBY.

* See note † on first page of this return.

THE DEATHS IN THE WEEK INCLUDE

TOWNS.	ESTIMATED CIVILIAN POPULATION, MID. 1920.* (Provisional).	Causes.				Week ended 17th Sept., 1921.		Deaths of		Deaths from										Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS	
		Week ended				17th Sept., 1921.		Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Hnterie Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and (under 2 years).	Influenza.	Violence.						
		Week ended				17th Sept., 1921.																		
		27th Aug., 1921.	3rd Sept., 1921.	10th Sept., 1921.	17th Sept., 1921.	BIRTHS.	DEATHS.																	
		1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.	
SHEFFIELD	492,570	10.1	11.0	11.0	10.2	9.5	200	90	12	36	-	-	-	-	-	-	4	2	1	4	34	-	SHEFFIELD.	
ROTHERHAM	71,785	8.7	13.1	13.1	7.3	11.6	40	16	5	5	-	-	-	-	-	-	3	-	1	1	4	1	ROTHERHAM.	
YORK	77,501	6.1	8.1	8.1	21.5	12.1	28	18	8	3	-	-	-	-	2	-	4	1	-	-	6	-	YORK.	
HULL	290,808	14.5	10.2	10.2	9.0	10.9	154	61	10	14	-	-	-	-	-	-	6	-	-	2	18	-	HULL.	
MIDDLESBROUGH	132,208	9.5	7.9	7.9	14.6	6.7	70	17	2	3	-	-	-	-	1	-	-	-	4	5	3	-	MIDDLESBROUGH.	
DARLINGTON	66,610	7.8	7.8	7.8	9.4	11.7	23	15	2	3	-	-	-	-	-	-	1	-	-	-	4	1	DARLINGTON.	
STOCKTON ON TEES	63,114	9.9	6.6	6.6	12.4	9.1	38	11	5	2	-	-	-	-	-	-	1	-	-	-	2	-	STOCKTON ON TEES.	
WEST HARTLEPOOL	68,126	12.2	8.4	8.4	13.8	9.9	30	13	1	6	-	-	-	-	-	-	1	1	-	-	5	1	WEST HARTLEPOOL.	
SUNDERLAND	155,211	12.4	14.1	14.1	13.8	12.1	97	36	7	5	-	-	1	-	1	-	5	-	2	2	15	1	SUNDERLAND.	
SOUTH SHIELDS	115,945	14.4	11.7	11.7	15.7	11.2	65	25	10	4	-	-	-	-	1	1	3	1	-	-	4	-	SOUTH SHIELDS.	
GATESHEAD	128,309	13.4	12.2	12.2	13.0	9.8	53	24	9	7	-	-	-	-	-	-	4	-	1	1	2	2	GATESHEAD.	
NEWCASTLE ON TYNE.	286,061	10.0	13.1	13.1	12.8	9.7	141	53	15	9	-	-	-	-	-	-	7	-	4	6	12	-	NEWCASTLE ON TYNE.	
TYNEMOUTH	60,318	13.8	13.0	13.0	12.1	16.4	36	19	7	3	3	-	3	-	-	-	2	-	-	-	5	1	TYNEMOUTH.	
CARLISLE	57,397	8.2	13.6	13.6	14.5	10.0	23	11	2	6	-	-	-	-	-	-	1	-	-	-	1	1	CARLISLE.	
NEWPORT (MON.)	90,728	3.4	9.8	9.8	7.5	8.0	38	14	1	3	-	-	-	-	-	-	-	1	-	1	5	-	NEWPORT (MON.).	
CARDIFF	212,582	7.1	10.1	10.1	8.8	9.8	91	40	13	16	-	-	-	-	-	-	4	-	-	-	10	-	CARDIFF.	
RHONDDA	184,999	7.6	10.7	10.7	11.8	8.7	83	31	8	7	-	-	-	-	-	1	-	1	-	1	2	-	RHONDDA.	
MERTHYR TYDFIL	74,493	8.4	7.0	7.0	14.7	10.5	44	15	4	1	-	-	-	-	1	1	1	-	-	-	5	-	MERTHYR TYDFIL.	
ABERDARE	53,431	9.8	7.8	7.8	5.9	6.8	30	7	2	1	-	-	-	-	-	-	-	-	1	-	1	-	ABERDARE.	
SWANSEA	167,218	6.9	7.2	7.2	10.3	9.0	73	29	5	5	-	-	-	-	-	-	1	-	3	4	9	-	SWANSEA.	
GREATER LONDON	7,548,647	10.2	10.0	10.0	10.2	9.8	2985	1419	299	426	3	-	-	3	16	28	174	6	44	102	692	3	GREATER LONDON.	
OUTER RING	3,016,676	8.8	8.7	8.7	8.6	8.1	1067	471	95	156	2	-	-	1	2	8	53	1	19	34	160	3	OUTER RING.	
14 GREAT TOWNS IN OUTER RING.	1,734,723	8.9	9.0	9.0	8.3	8.4	655	281	60	86	1	-	-	-	2	8	32	1	11	22	99	1	14 GREAT TOWNS IN OUTER RING.	
REMAINDER OF OUTER RING.	1,281,953	8.7	8.3	8.3	8.9	7.7	412	190	35	70	-	-	-	1	-	-	21	-	8	12	61	2	REMAINDER OF OUTER RING.	
EDINBURGH†	420,281	12.7	9.6	9.6	11.4	11.4	155	92	11	37	-	-	-	-	-	-	3	1	8	?	?	?	EDINBURGH.†	
GLASGOW†	1,034,069	12.6	12.9	12.9	13.6	11.2	557	223	42	60	-	-	-	-	2	1	21	2	5	?	?	?	GLASGOW.†	
DUBLIN (Registra- tion Area).†	423,000	15.0	14.5	14.5	16.3	13.2	193	107	25	32	-	-	-	-	-	-	12	-	3	4	45	1	DUBLIN (Registra- tion Area).†	
BELFAST†	420,000	12.0	12.3	12.3	9.9	8.8	175	71	12	16	-	-	-	1	-	1	6	-	1	1	21	1	BELFAST.†	

* See note † on first page of this return.

† The populations are total populations and relate to 1921, those for Edinburgh and Glasgow being Census populations. Deaths and the death-rates in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths reported from elsewhere in Scotland during the week: those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

TABLE 2. LONDON.—Births and Deaths registered during the THIRTY-SEVENTH Week of each of the Eleven Years, 1911-1921.

	1911.	1912.	1913.	1914.	1915.	1916.	1917.	1918.	1919.	1920.	1921.
Births (as registered).	1997	2120	2181	2091	1849	1859	1494	1373	1598	1876	1918
Males	1032	1082	1119	1091	919	981	755	703	832	982	1004
Females -	965	1038	1062	1000	930	878	739	670	766	894	914
Deaths (of residents only).	1323	984	1184	1347	1276	984*	800*	810*	840*	821*	948*
Males	687	498	624	718	698	537	402	398	435	417	515
Females -	636	486	560	629	578	447	398	412	405	404	433

* Deaths in civilian population only.

TABLE 3. LONDON.—BIRTHS and DEATHS REGISTERED, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the last THIRTEEN WEEKS.

	June 25.	July 2.	July 9.	July 16.	July 23.	July 30.	Aug. 6.	Aug. 13.	Aug. 20.	Aug. 27.	Sept. 3.	Sept. 10.	Sept. 17.
Births (as registered) . .	1919	1904	1955	1910	1891	2023	1823	2214	1948	2003	1893	1782	1918
Deaths (of residents only).	840	779	751	940	857	846	822	872	1003	966	952	980	948
Under 1 year	100	84	86	124	128	128	166	186	225	235	268	230	204
1-2 years	16	24	24	28	44	29	38	36	43	44	50	38	41
2-5 "	20	23	23	21	26	19	24	13	21	15	11	19	23
5-10 "	22	16	10	22	18	20	30	20	23	21	22	15	24
Age 10-15 "	18	14	10	21	10	12	11	8	9	9	10	14	14
15-20 "	24	24	20	24	23	15	21	24	18	20	15	17	21
20-25 "	21	22	18	22	18	19	25	17	27	21	19	18	19
25-35 "	55	45	29	49	33	41	43	62	50	32	34	45	53
Death 35-45 "	66	58	53	54	51	55	56	50	61	56	56	62	67
45-55 "	96	84	109	108	102	104	87	87	111	109	103	89	90
55-65 "	129	126	105	156	120	133	98	137	119	130	104	126	122
65-75 "	146	150	137	153	146	155	110	123	152	134	136	166	133
75 years and upwards	127	109	127	158	138	116	113	109	144	140	124	141	137
Deaths from—													
Enteric fever	3	—	—	3	—	—	3	—	2	1	1	3	1
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	7	—	4	—	6	2	5	9	1	6	3	1	—
Scarlet fever	6	6	2	6	4	3	3	1	2	3	4	7	2
Whooping cough	6	5	9	13	12	6	7	5	13	23	8	13	14
Diphtheria	12	10	10	18	12	13	30	16	17	6	11	13	20
Diarrhoea and enteritis (under 2 years).	12	9	13	30	29	52	68	103	154	142	191	159	121
Pulmonary tuberculosis .	101	93	55	77	71	66	77	82	86	55	54	78	80
Influenza	6	5	5	4	3	3	1	3	1	2	2	3	5
Pneumonia (all forms) . .	53	36	46	40	60	44	34	39	45	44	52	47	41
Bronchitis	23	29	27	27	36	25	12	24	28	26	20	30	34
Other dis. of resp. system .	8	8	9	14	13	8	8	10	15	10	9	5	12
Dis. of circ. system . . .	135	124	148	145	126	135	133	119	140	137	126	134	121
Violence	41	36	26	51	45	47	33	28	24	42	31	20	25
Inquest cases	85	61	71	87	83	77	73	73	69	86	70	64	68
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Enteric fever	18	24	24	23	27	28	28	31	34	32	34	37	40
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	35	41	40	43	52	49	54	59	60	48	37	37	37
Scarlet fever	3651	3672	3844	3879	3886	3765	3717	3572	3523	3394	3433	3680	4003
Whooping cough	10	10	9	10	10	10	23	36	40	41	41	45	59
Diphtheria	1928	1915	1921	1961	1983	1979	1957	1879	1816	1740	1713	1773	1834

* The Metropolitan Asylums Board and London Fever Hospitals. The figures do not refer to London exclusively.

† The case returned in the week ended September 3rd was subsequently discharged, having been proved not to be small-pox.

TABLE 3A. 96 Great Towns.—DEATHS from INFLUENZA in the last THIRTEEN WEEKS.

	June 25.	July 2.	July 9.	July 16.	July 23.	July 30.	Aug. 6.	Aug. 13.	Aug. 20.	Aug. 27.	Sept. 3.	Sept. 10.	Sept. 17.
Deaths from Influenza . . .	32	20	25	27	19	25	14	15	9	12	17	21	27

TABLE 4. LONDON.—DEATHS REGISTERED in the THIRTY-SEVENTH Week of the Year 1921.

CAUSES OF DEATH.	Deaths in the 37th week of the year 1920.	DEATHS of PERSONS of the AGES													
		ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-10 years.	10-15 years.	15-20 years.	20-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and up- wards.
ALL CAUSES	821	948	204	41	23	24	14	21	19	53	67	90	122	133	137
Enteric fever	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever	2	2	1	-	-	1	-	-	-	-	-	-	-	-	-
Whooping cough	3	14	7	6	1	-	-	-	-	-	-	-	-	-	-
Diphtheria	15	20	1	2	7	6	4	-	-	-	-	-	-	-	-
Influenza	7	5	-	-	-	-	-	-	1	-	-	2	-	1	1
Erysipelas	1	2	-	-	-	-	-	-	-	-	-	1	-	-	1
Acute Poliomyelitis, Polioencepha- litis.	?	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	2	2	-	1	-	-	-	-	-	1	-	-	-	-	-
Meningococcal meningitis . . .	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other endemic and epidemic diseases.	1	2	-	-	-	-	-	-	-	1	-	-	1	-	-
Pyæmia and septicæmia	1	3	-	-	-	-	-	-	1	1	-	-	-	1	-
Tetanus	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Tuberculosis:—															
Pulmonary tuberculosis	79	80	-	1	-	-	-	10	9	17	15	11	12	3	2
Tuberculous meningitis	5	7	2	1	-	2	1	1	-	-	-	-	-	-	-
Abdominal tuberculosis	2	9	3	1	1	1	1	-	1	-	-	1	-	-	-
Tuberculosis of the spine	1	2	-	-	-	-	-	-	-	1	-	-	-	1	-
Tuberculosis of the joints	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
Tuberculosis of other organs . .	-	3	-	1	-	-	-	-	-	-	2	-	-	-	-
Disseminated tuberculosis . . .	2	3	-	3	-	-	-	-	-	-	-	-	-	-	-
Venereal diseases	5	3	2	-	-	-	-	-	-	-	-	-	1	-	-
Cancer	114	91	1	-	-	-	-	2	-	1	6	21	25	28	7
Rheumatic fever	2	2	-	-	-	-	1	1	-	-	-	-	-	-	-
Diabetes	6	6	-	-	-	1	-	-	1	-	-	-	2	-	2
Anæmia, leucocythæmia	2	3	-	-	1	-	-	-	-	-	-	-	2	-	-
Other general diseases	11	9	1	1	-	-	-	-	-	-	2	1	1	2	1
Alcoholism	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic poisonings	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	6	3	2	-	1	-	-	-	-	-	-	-	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	33	48	-	-	-	-	-	-	-	2	2	8	8	15	13
Softening of brain	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Paralysis, without specified cause .	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epilepsy	1	5	-	-	-	-	-	-	1	2	-	-	-	2	-
"Convulsions" (not puerperal) . .	2	2	2	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system .	18	20	-	1	-	3	-	-	-	1	5	5	3	1	1
Pericarditis	2	1	-	-	-	-	-	-	-	1	-	-	-	-	-
Acute endocarditis	8	6	-	-	-	-	1	1	1	2	-	-	-	1	-
Other diseases of heart	88	85	-	-	-	-	2	1	1	2	6	7	18	22	26
Embolism and thrombosis (exclud- ing cerebral).	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of circulatory system.	31	29	-	-	-	-	-	-	-	-	1	1	5	7	15
Diseases of the larynx	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis	33	34	2	-	-	-	-	-	-	-	-	3	8	9	12
Broncho-pneumonia	23	20	5	5	3	-	-	-	-	-	1	-	2	1	3
Lobar pneumonia	17	14	-	-	1	2	-	1	-	2	2	2	2	2	-
Pneumonia (type not distinguished)	7	7	-	-	-	-	-	-	-	-	2	-	1	2	2
Pleurisy	3	3	1	-	-	-	-	-	-	-	1	1	-	-	-
Pulmonary congestion, Pulmonary apoplexy.	4	3	-	-	-	-	-	-	-	-	-	-	-	-	3
Other diseases of respiratory system.	6	6	-	-	-	-	-	-	-	2	-	-	1	2	1

TABLE 5.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM							
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria* 	Diarrhoeal Diseases† (under 2 years).	Influenza.
LONDON† . .	4,531,971	1921. Sept. 17	1,918	948	10·9	1	-	-	2	14	20	121	5
CALCUTTA . .	896,067	Aug. 13	-	499§	28·9	?	-	?	?	?	?	?	16
BOMBAY . .	978,445	" 6	363	862§	45·8	4	1	-	-	-	-	69	9
MADRAS . .	522,951	" 6	309	319§	31·7	2	1	-	?	4	-	41	-
PARIS . .	2,847,229	{ 11 days } July 31	1,467	1,171	13·6	9	-	7	2	1	4	126	1
BRUSSELS . .	792,919	- - -	-	-	-	-	-	-	-	-	-	-	-
ANTWERP . .	340,852	Aug. 27	112	60	9·3	1	-	-	-	-	-	10	-
AMSTERDAM . .	681,173	Sept. 3	273	107	8·2	1	-	-	1	2	-	2	-
COPENHAGEN . .	571,000	" 3	224	115	10·5	-	-	1	2	-	-	3	-
STOCKHOLM . .	419,788	Aug. 27	113	77	9·5	-	-	-	-	-	-	2	-
GOTHENBURG . .	205,547	" 20	-	14	3·5	-	-	-	-	-	-	-	-
CHRISTIANIA . .	260,904	Sept. 3	93	56	11·2	-	-	-	-	-	-	-	-
BERLIN . .	1,951,000	Aug. 27	441	413	11·0	1	?	-	-	3	1	34	-
BRÉS LAU . .	547,000	" 27	249	187	17·8	-	?	1	-	2	1	29	1
COLOGNE . .	666,000	" 27	277	159	12·4	-	?	-	-	-	-	29	-
DRESDEN . .	595,000	" 27	205	126	10·9	-	?	-	-	1	-	9	-
FRANKFORT- ON-MAIN . .	469,000	" 27	134	83	9·2	3	?	-	-	-	-	3	2
HAMBURG . .	1,031,000	" 27	354	227	11·5	-	?	-	-	3	1	11	1
LEIPZIG . .	629,000	" 27	219	162	13·4	-	?	-	-	2	1	36	-
MUNICH . .	670,000	" 27	196	134	10·4	-	?	-	-	3	-	4	-
VIENNA . .	1,842,005	" 27	420	405	11·4	3	-	-	-	2	-	25	-
PRAGUE AND SUBURBS . .	676,454	" 13	219	192	14·8	1	-	-	-	1	2	15	-
BUDAPEST . .	933,000	July 16	395	238	16·0	2	?	5	8	1	3	31	-
TRIESTE . .	248,428	May 28	-	-	-	-	-	-	-	-	-	-	-
CAIRO . .	765,200	July 1	646	587	39·9	1	-	-	-	?	3	121	?
ALEXANDRIA . .	449,300	" 1	286	310	35·9	-	-	1	-	?	1	63	?
NEW YORK . .	5,751,859	Aug. 20	2,692	1,086	9·9	3	-	3	2	11	9	97	1
CHICAGO . .	2,780,655	" 27	-	510	9·6	2	-	-	-	5	10	48	1

Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Cities, Vienna, Prague and Suburbs, Budapest, and Trieste.

The deaths in this column relate to *all ages* for Bombay, Madras, Christiania, and Budapest, and to *children under 1 year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

The estimated population and deaths refer to the civilian population only.

Including 5 deaths from *plague* in Bombay, and from *Asiatic cholera*, 7 deaths in Calcutta, 11 in Bombay, and 1 in Madras.

TABLE 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 17th September, 1921.
(Supplied by the Meteorological Office.)

TOWNS.	Temperature of Air.*				Rainfall in Milli- metres.†	TOWNS.	Temperature of Air.*				Rainfall in Milli- metres.†
	Highest.	Lowest.	Mean Maxi- mum.	Mean Mini- mum.			Highest.	Lowest.	Mean Maxi- mum.	Mean Mini- mum.	
LONDON (Greenwich) }	72	40	68·1	52·0	46	BRADFORD . .	66	43	59·7	46·4	23
BRIGHTON . .	67	45	65·3	55·0	12	SHEFFIELD . .	68	47	59·6	48·6	12
PORTSMOUTH . .	70	45	65·9	55·0	16	YORK (Museum) . .	68	43	60·6	48·4	11
IPSWICH (Eaton) . .	72	44	65·1	51·0	30	HULL (Pearson Park) . .	70	45	63·0	48·9	11
PLYMOUTH . .	66	44	63·4	53·1	22	TYNEMOUTH . .	65	45	57·0	47·1	17
BRISTOL (Clifton) . .	68	44	63·4	50·6	76	CARDIFF . .	67	43	62·3	48·7	64
BIRMINGHAM . .	67	44	62·7	48·6	26	EDINBURGH . .	59·0	43·0	54·0	44·4	22
NOTTINGHAM . .	68	42	62·1	48·7	27	GLASGOW . .	58·1	43·3	54·9	45·7	27
NEWCASTLE (Bidston) }	66	47	60·6	50·9	27	DUBLIN :—					
MANCHESTER . .	66	47	62·0	48·9	15	Phoenix Park . .	64·5	36·9	60·5	44·8	28
BURNLEY . .	62	40	58·9	45·7	29	†Fitzwilliam Square	63·0	43·9	59·6	48·5	29
LEEDS	66	45	58·7	47·7	22	BELFAST . .	61·5	42·0	59·3	45·1	26

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.

† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.

‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

TABLE 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 17th September 1921.

[Under the Superintendence of the Astronomer Royal.]

1921.		Phases of the Moon.	BARO- METER. Mean daily reading (cor- rected and re- duced to 32° Fahren- heit).	TEMPERATURE.					Difference between the Air Temperature and Dew Point Temperature.			De- gree of Hu- mid- ity (Satu- ration equals 100).	TEMPERATURE.			Wind as deduced from Anemometers.					Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.				
MONTH AND DAY.	Of the Air.				Of the Dew point.	between the Air Temperature and Dew Point Temperature.		De- gree of Hu- mid- ity (Satu- ration equals 100).	Of Radiation.		General Direction.		Pressure on the Square Foot.		Robinson's.										
	High- est.			Low- est.		Daily Range.	Mean daily value.		De- parture from Average of 65 years.	Mean daily value.	Great- est.		Least.	Highest in Sun's Rays.	Lowest on the Grass.	A.M.	P.M.	Great- est.	Least.	Mean of 24 hourly obs.		Horizontal Movement of the Air on each Day.	Depar- ture from Average of 50 years.		
SEPTEMBER.																									
SUNDAY	.	11	..	29·679	72·1	51·9	20·2	60·3	+ 2·2	49·0	11·3	21·9	0·0	66	132·9	43·0	59·0	WSW. & W.	WSW. & E.	3·8	0·0	0·4	382	+ 131	0·98
MONDAY	.	12	..	29·760	68·0	51·3	16·7	58·5	+ 0·5	48·4	10·1	18·4	0·0	69	120·2	44·9	58·8	N. NW. & WNW.	WNW. & WSW.	12·0	0·0	0·5	355	+ 103	0·33
TUESDAY	.	13	Apogee	29·720	70·6	56·1	14·5	63·0	+ 5·2	59·9	3·1	10·2	0·0	90	91·0	51·0	58·9	SW. & WSW.	W. & SW.	4·8	0·0	0·5	393	+ 143	0·49
WEDNESDAY	.	14	..	29·758	72·0	61·2	10·8	65·1	+ 7·4	56·2	8·9	14·2	4·0	73	123·3	54·3	58·9	SW. & WSW.	SW. & WSW.	4·6	0·0	0·6	401	+ 152	0·00
THURSDAY	.	15	..	29·844	66·5	51·0	15·5	57·1	— 0·5	43·5	13·6	19·5	4·9	61	104·0	37·7	58·8	NW. & N.	Calm & N.	0·9	0·0	0·0	169	— 78	0·00
FRIDAY	.	16	..	29·979	64·2	40·1	24·1	53·3	— 4·2	41·6	11·7	19·5	2·1	65	124·3	27·4	58·6	Calm & NNE.	NE. & ENE.	3·7	0·0	0·2	242	— 4	0·00
SATURDAY	.	17	Full. In Equator.	30·013	63·8	50·1	13·7	56·2	— 1·0	44·6	11·6	16·0	7·8	65	111·3	43·3	58·6	ENE. & E.	E. & ENE.	9·1	0·0	0·8	444	+ 199	0·01
MEANS	.	.	.	29·822	68·2	51·7	16·5	59·1	+ 1·4	49·0	10·0	17·1	2·7	70	115·3	43·1	58·8	WSW. & NE.		Sum 2386	Sum + 646	Sum 1·81
No. of Column	.	.	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE.		ELECTRICITY. (For explanation of symbols, see Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SEPTEMBER 1921.					
SUNDAY	11	v.P. throughout	8.0	12.9	Variably cloudy till 15h., with slight rain at times; overcast generally after 15h., with heavy rain from 18h. 30m.; brisk wind at times.
MONDAY	12	Register defective	6.8	12.8	Overcast generally till 11h.; variably cloudy till 21h., then nearly overcast; heavy rain with thunderstorm till 2h. 15m.; slight rain about 11h.; damping about 23h.
TUESDAY	13	Register defective	0.0	12.8	Overcast with very slight exceptions; rain from 1h. to 6h., and slight rain frequently till 21h.; brisk wind in morning.
WEDNESDAY	14	Register defective	6.2	12.7	Overcast generally till 6h.; very cloudy till 20h.; fine till 21h., then overcast generally; slight rain 9h.; brisk wind 11h. to 16h.
THURSDAY	15	w.P. throughout	3.4	12.7	Nearly overcast generally till 14h., but cloud generally thin with solar halo from 6h. 30m., clearing to variably cloudy by 15h., and cloudless by 20h. 30m.
FRIDAY	16	w.P. generally	10.4	12.6	Cloudless or nearly cloudless till 9h.; partially cloudy till 20h., then nearly cloudless.
SATURDAY	17	w.P. throughout	0.9	12.5	Overcast with few exceptions; slight rain about 15h.; brisk wind 9h. to 17h.
No. of Col.		26	Sum 35.7	Sum 89.0	
			27	28	

The results apply to the civil day, or from midnight to midnight.
The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.
Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.
The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.
In reading columns 9 and 24 it will be borne in mind that + indicates "higher," and - "lower," than the average.
The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.
The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.
The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.
The reading of the barometer increased from 29.75 in. at the beginning of the week to 29.18 in. by 1h. on 12th; increased to 29.83 in. by 21h. on the same day; decreased to 29.65 in. by 7h. on 13th, and increased generally to 30.08 in. by midnight on 17th.

TABLE 8. LONDON.—DEATHS of PERSONS BELONGING to the several METROPOLITAN BOROUGHs REGISTERED in the Week ended 10th September, 1921.

BOROUGHs.	Deaths from									Deaths of Infants under 1 Year of Age.
	ALL CAUSES.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Pulmonary Tuberculosis.	
COUNTY OF LONDON .	980	3	-	1	7	13	13	159	78	230
Western										
PADDINGTON . . .	37	-	-	-	-	1	-	6	1	11
KENSINGTON . . .	37	-	-	-	-	-	-	12	3	11
HAMMERSMITH . . .	28	-	-	-	-	1	-	5	2	11
FULHAM . . .	25	-	-	-	-	2	-	5	1	10
CHELSEA . . .	16	-	-	-	-	-	1	-	-	-
CITY OF WESTMINSTER .	28	1	-	-	-	-	-	5	2	7
Northern.										
ST. MARYLEBONE . . .	19	-	-	-	1	-	1	-	-	2
HAMPSTEAD . . .	14	-	-	-	1	-	-	-	2	-
ST. PANCRAS . . .	44	-	-	-	-	1	1	5	5	6
ISLINGTON . . .	81	-	-	-	-	1	-	9	5	15
STOKE NEWINGTON . . .	11	1	-	-	-	-	-	1	-	2
HACKNEY . . .	56	1	-	-	-	-	-	7	3	13
Central.										
HOLBORN . . .	7	-	-	-	-	-	-	-	-	-
FINSBURY . . .	18	-	-	-	1	-	1	1	2	2
CITY OF LONDON . . .	2	-	-	-	-	-	-	-	-	-
Eastern.										
SHOREDITCH . . .	31	-	-	-	-	1	-	10	2	12
BETHNAL GREEN . . .	19	-	-	-	-	-	-	3	3	7
STEPNEY . . .	60	-	-	-	-	-	2	15	5	19
POPLAR . . .	35	-	-	1	-	-	2	5	3	6
Southern.										
SOUTHWARK . . .	55	-	-	-	-	2	1	14	6	17
BERMONDSEY . . .	30	-	-	-	-	1	1	7	2	10
LAMBETH . . .	57	-	-	-	1	-	-	8	4	12
BATTERSEA . . .	32	-	-	-	-	-	2	3	8	2
WANDSWORTH . . .	51	-	-	-	-	-	-	8	2	12
CAMBERWELL . . .	68	-	-	-	-	1	-	12	6	13
DEPTFORD . . .	22	-	-	-	1	2	-	4	-	8
GREENWICH . . .	21	-	-	-	1	-	1	3	2	3
LEWISHAM . . .	41	-	-	-	-	-	-	7	4	12
WOOLWICH . . .	35	-	-	-	1	-	-	4	5	7

The deaths in the above Table are, so far as concerns London as a whole, corrected by the exclusion of deaths of non-residents, and by the inclusion of those of residents occurring in the Outer Ring or in Metropolitan public institutions situated outside the County. As between individual Metropolitan Boroughs, however, correction is complete.

TABLE 9. LONDON.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED during the Week ended 10th September, 1921.*

BOROUGH.	ESTI- MATED CIVILIAN POPU- LATION, MID. 1920.† (Provi- sional.)	Enteric Fever.	Malaria.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Group).	Pneumonia.	Erysipelas.	Cerebro-Spinal Fever.	Puerperal Fever.	Ophthalmia Neonatorum.	Polio- myelitis.	Dysentery.	Encephalitis Lethargica.	Anthrax.	Polio- encephalitis.	Cholera.
WESTERN.																		
Paddington . . .	149,673	-	-	-	-	24	4	-	2	-	-	2	-	-	-	-	-	-
Kensington . . .	164,177	1	-	-	-	24	7	-	-	-	-	-	-	-	-	-	-	-
Hammersmith . . .	136,200	-	-	-	-	30	8	1	1	-	-	2	-	-	-	-	-	-
Fulham . . .	158,621	-	-	-	-	12	12	1	-	-	2	-	1	-	-	-	-	-
Chelsea . . .	62,987	-	-	-	-	2	10	-	-	-	-	-	-	-	-	-	-	-
City of Westminster . . .	132,615	-	-	-	-	14	3	1	1	-	-	-	-	-	-	-	-	-
NORTHERN.																		
St. Marylebone . . .	101,856	1	-	-	-	11	4	-	1	-	-	1	-	-	-	-	-	-
Hampstead . . .	91,519	-	-	-	-	8	4	-	-	-	-	-	-	-	-	-	-	-
St. Pancras . . .	228,178	-	-	-	-	49	22	-	-	-	1	-	1	-	-	-	-	-
Islington . . .	335,907	-	-	-	-	54	15	-	6	-	-	5	-	-	-	-	-	-
Stoke Newington . . .	52,984	-	-	-	-	12	1	-	-	-	-	-	1	-	-	-	-	-
Hackney . . .	225,372	-	-	-	-	61	22	-	3	-	-	-	-	-	-	-	-	-
CENTRAL.																		
Holborn . . .	39,876	1	-	-	-	5	-	1	-	-	-	-	-	-	-	-	-	-
Finsbury . . .	78,291	-	-	-	-	14	8	1	1	-	-	-	-	-	-	-	-	-
City of London . . .	14,447	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-
EASTERN.																		
Shoreditch . . .	102,044	-	-	-	-	29	9	3	3	-	-	-	-	-	-	-	-	-
Bethnal Green . . .	114,471	-	-	-	-	32	6	3	3	-	-	-	-	-	-	-	-	-
Stepney . . .	241,770	-	-	-	-	54	28	2	4	-	-	2	-	-	-	-	-	-
Poplar . . .	159,766	4	-	-	-	26	17	4	3	-	-	2	-	-	-	-	-	-
SOUTHERN.																		
Southwark . . .	187,142	-	-	-	-	15	11	4	3	-	-	-	-	-	-	-	-	-
Bermondsey . . .	129,189	1	-	-	-	34	16	-	-	-	-	3	-	-	-	-	-	-
Lambeth . . .	293,572	1	1	-	-	28	10	2	1	1	-	1	-	-	-	-	-	-
Battersea . . .	165,664	-	-	-	-	30	14	1	1	-	1	-	-	-	-	-	-	-
Vandsworth . . .	346,990	1	-	-	-	45	9	3	1	-	1	1	-	-	-	-	-	-
Lamberwell . . .	284,712	1	3	-	-	42	6	-	3	-	-	-	-	-	-	-	-	-
Deptford . . .	115,636	-	-	-	-	14	4	-	2	-	-	-	-	-	-	-	-	-
Greenwich . . .	102,408	1	-	-	-	14	8	-	-	-	-	-	1	-	-	-	-	-
Lewisham . . .	174,438	-	-	-	-	15	6	-	1	-	-	-	-	-	-	-	-	-
Woolwich . . .	141,666	-	1	-	-	29	10	3	-	-	-	2	-	-	-	-	-	-
TOTAL . . .	4,531,971	12	5	-	-	730	274	30	40	1	5	21	4	-	-	-	-	-
AGES.																		
Ages 0-1 . . .		-	-	-	-	3	2	-	1	1	-	21	2	-	-	-	-	-
„ 1-5 . . .		1	-	-	-	129	69	9	3	-	-	-	1	-	-	-	-	-
„ 5- . . .		2	-	-	-	351	109	5	2	-	-	-	-	-	-	-	-	-
„ 10- . . .		1	-	-	-	177	48	1	2	-	-	-	-	-	-	-	-	-
„ 15- . . .		3	-	-	-	32	20	2	3	-	-	-	1	-	-	-	-	-
„ 20- . . .		1	-	-	-	14	11	2	1	-	-	-	-	-	-	-	-	-
„ 25- . . .		1	3	-	-	17	12	3	5	-	3	-	-	-	-	-	-	-
„ 35- . . .		1	2	-	-	5	1	2	8	-	2	-	-	-	-	-	-	-
„ 45- . . .		1	-	-	-	2	2	3	10	-	-	-	-	-	-	-	-	-
„ 55- . . .		1	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
„ 65- . . .		-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-
„ 75 and upwards . . .		-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-
Age not stated . . .		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

† See note † on first page of this return.

Printed under the authority of
HIS MAJESTY'S STATIONERY OFFICE
By Eyre and Spottiswoode, Ltd., East Harding Street, E.C.4
Printers to the King's most Excellent Majesty.

FOR OFFICIAL USE

WEEKLY RETURN

OF

BIRTHS AND DEATHS REGISTERED:—

LONDON AND

NINETY-FIVE OTHER GREAT TOWNS

~~~~~  
By Authority of the Registrar General.  
~~~~~

LONDON:

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from

H.M. STATIONERY OFFICE at the following addresses:

IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and

28, ABINGDON STREET, LONDON, S.W. 1;

37, PETER STREET, MANCHESTER;

1, ST. ANDREW'S CRESCENT, CARDIFF;

23, FORTH STREET EDINBURGH;

or from E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN.

No. 38. Vol. LXXXII. 1921. WEEK ENDED SATURDAY, SEPT. 24.
[Price 9d. Net.]

*General Register Office, Somerset House,
September 27th, 1921.*

NINETY-SIX GREAT TOWNS.

For the NINETY-SIX GREAT TOWNS of England and Wales, each of which had a population of 50,000 or over at the Census of 1911, the births registered last week numbered 8,064, and corresponded to an annual rate of 22·7 per 1,000. The deaths* among the civilian population only numbered 3,837, and corresponded to an annual rate of 10·8 per 1,000 of their aggregate civilian population, which is provisionally estimated† at 18,554,878 persons in the year 1920. In the three weeks ended September 3rd, September 10th, and September 17th, the rates had been 10·6, 10·9, and 10·1 respectively. The infant mortality was 102, against 111, 113, and 97 in the preceding three weeks. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks; it also shows for the week ended last Saturday the births and the deaths from certain individual causes. A column showing the number of deaths

* Corrected as far as possible for deaths of non-residents and for those of residents occurring outside the area. Fully corrected figures will appear in the Registrar General's Annual Report.

† The estimates of population refer to the year 1920, and are based on the returns furnished under the scheme for rationing of food.

from influenza has been inserted in Table 1. The aggregate number of deaths from influenza in the 96 great towns in each of the last thirteen weeks is shown in Table 3A.

Measured by last week's mortality, the highest annual death-rates per 1,000 living were :—from *all causes*, 14·3 in Wakefield, 14·4 in Burnley, 14·5 in Bath, 14·7 in Bradford, 15·5 in Sunderland, and 16·1 in York. No death from *small-pox* was registered in any of the ninety-six towns.

LONDON.* (The Administrative County, including the City of London.)

For LONDON there were 1,921 BIRTHS, corresponding to a rate of 22·0 per 1,000, and 974 DEATHS of civilians, corresponding to a rate of 11·2, as against 11·0, 11·3, and 10·9 per 1,000 in the three weeks ended September 3rd, September 10th, and September 17th. The death-rate in the four weeks ended last Saturday averaged 11·1 per 1,000. The infant mortality was 96, against 142, 129, and 106 in the preceding three weeks.

There was 1 death from *enteric fever*, against 1, 3, and 1 in the preceding three weeks, the average for the corresponding weeks of the previous five years being 1. The deaths from *measles*, which had been 3, 1, and 0 in the preceding three weeks, were 2 last week, and were 4 below the average. The deaths from *scarlet fever*, which had been 4, 7, and 2 in the preceding three weeks, were again 2 last week, and were equal to the average. The deaths from *whooping-cough*, which had been 8, 13, and 14 in the preceding three weeks, fell last week to 10, but were 6 above the average. The deaths from *diphtheria*, which had been 11, 13, and 20, in the preceding three weeks, rose last week to 24, and were 14 above the average; 3 deaths belonged to the Borough of Bermondsey. The deaths from *diarrhoea and enteritis under 2 years of age*, which had been 191, 159, and 121, in the preceding three weeks, further fell last week to 102, but were 22 above the average; 15 deaths belonged to Islington, 8 each to St. Pancras, Stepney and Southwark, and 7 to Kensington. The deaths from *influenza* numbered 8, as against 2, 3, and 5 in the preceding three weeks, and an average of 4.

Different forms of violence caused 41 deaths, of which 40 were the subject of coroners' inquests. Of these 41 deaths, 15 were cases of suicide, while the remaining 26 were attributed to other forms of violence. Five of these latter were referred to vehicles in the streets, 4 to burns or scalds, 5 to drowning, and 1 of an infant under one year of age to suffocation in bed.

CASES OF INFECTIOUS DISEASE.†

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital, there were 38 cases of enteric fever, 28 of measles, 4,428 of scarlet fever, 50 of whooping-cough, and 1,947 of diphtheria under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as

* See note * on first page.

† The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

compared with those in the preceding three weeks, were as follows :—Of enteric fever, 5 cases, against 5, 8, and 7; of measles, 4 cases, against 6, 7, and 8; of scarlet fever, 852 cases, against 604, 801, and 818; of whooping-cough, 5 cases, against 4, 7, and 14; and of diphtheria, 344 cases, against 233, 282, and 326. Table 9, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the county during the week ended September 17th, 1921.

TABLE 1.—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH-RATES in the Week ended Saturday, 24th September, 1921, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	ESTIMATED CIVILIAN POPULATION, Mid. 1920.* (Provisional.)	DEATH-RATES from all Causes.				Week ended 24th Sept. 1921.		The DEATHS in the Week include										TOWNS.				
		Week ended				BIRTHS.	DEATHS.	Deaths from														
		Causes.						Deaths of														
		3rd Sept., 1921.	10th Sept., 1921.	17th Sept., 1921.	24th Sept., 1921.			Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.		Violence.			
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
96 GREAT TOWNS.	18,554,878	10·6	10·9	10·1	10·8	8,064	3,837	820	1,146	9	-	6	6	35	52	375	22	151	290	1,341	26	96 GREAT TOWNS.
LONDON†	4,531,971	11·0	11·3	10·9	11·2	1,921	974	184	298	1	-	2	2	10	24	102	8	41	89	487	3	LONDON.†
(CROYDON.	191,580	8·2	7·6	7·6	8·7	59	32	8	12	-	-	-	-	1	-	5	-	1	3	7	-	(CROYDON.
WIMBLEDON.	62,174	7·5	10·1	9·2	9·2	13	11	1	3	-	-	-	-	-	1	-	-	1	2	3	-	WIMBLEDON.
EALING.	76,129	5·5	11·0	11·0	5·5	21	8	1	4	-	-	-	-	-	-	-	-	-	-	2	-	EALING.
ACTON.	64,192	8·1	10·6	8·1	3·2	29	4	-	1	-	-	-	-	-	-	-	-	2	2	2	-	ACTON.
WILLESDEN.	167,328	9·0	7·2	5·0	9·3	51	30	6	10	-	-	-	-	-	3	2	-	2	4	10	-	WILLESDEN.
HORNSEY.	98,107	9·0	8·5	7·4	5·8	30	11	-	5	-	-	-	-	-	-	-	-	-	-	2	-	HORNSEY.
TOTTENHAM	146,970	7·5	9·2	12·1	13·8	55	39	15	8	-	-	-	-	-	-	-	-	1	4	20	-	TOTTENHAM.
EDMONTON.	73,529	6·4	5·7	7·1	9·9	42	14	4	3	-	-	-	-	-	2	-	-	1	3	8	-	EDMONTON.
ENFIELD.	60,771	7·7	9·4	11·2	4·3	19	5	1	1	-	-	-	-	-	-	-	-	1	1	1	-	ENFIELD.
WEST HAM.	299,440	9·4	11·0	11·1	8·9	154	51	9	23	-	-	-	-	-	-	-	1	3	5	19	-	WEST HAM.
EAST HAM.	150,207	13·9	7·3	8·0	6·9	61	20	3	5	-	-	-	-	-	1	-	-	1	1	6	-	EAST HAM.
LEYTON.	128,832	15·8	6·1	3·6	11·7	40	29	7	12	-	-	-	-	-	-	-	-	1	2	12	-	LEYTON.
WALTHAMSTOW	132,771	6·7	5·9	8·2	11·4	35	29	5	6	-	-	-	1	1	-	3	1	1	1	10	-	WALTHAMSTOW.
ILFORD.	82,693	3·8	6·3	7·6	8·2	29	13	2	6	2	-	-	-	1	-	-	-	-	-	2	-	ILFORD.
GILLINGHAM.	45,233	9·2	11·5	12·7	10·4	31	9	3	2	-	-	-	-	-	-	-	-	-	-	2	-	GILLINGHAM.
HASTINGS.	59,972	5·2	6·1	10·4	12·2	15	14	1	6	-	-	-	-	-	-	1	-	-	-	4	-	HASTINGS.
EASTBOURNE.	50,354	7·2	11·4	7·2	10·4	21	10	2	4	-	-	-	-	-	-	2	-	-	-	3	-	EASTBOURNE.
BRIGHTON.	137,685	9·8	12·1	11·0	11·0	38	29	3	12	-	-	-	-	-	-	1	-	2	2	11	-	BRIGHTON.
PORTSMOUTH.	235,998	11·7	10·6	9·3	10·2	109	46	9	17	-	-	-	-	1	-	2	-	2	2	16	-	PORTSMOUTH.
BOURNEMOUTH.	85,919	13·4	11·5	12·7	11·5	22	19	2	9	-	-	-	-	-	-	1	-	1	2	2	-	BOURNEMOUTH.
SOUTHAMPTON.	162,388	11·6	10·3	9·3	8·3	58	26	3	6	1	-	-	-	-	-	1	-	-	2	8	-	SOUTHAMPTON.
READING.	95,006	10·4	8·8	8·2	9·3	27	17	4	6	-	-	-	-	-	-	2	1	-	-	2	-	READING.
OXFORD.	59,963	7·8	11·3	10·4	6·1	24	7	1	3	-	-	-	-	-	-	-	-	-	-	1	-	OXFORD.
NORTHAMPTON.	92,488	9·6	11·3	9·6	7·9	28	14	3	2	-	-	-	-	-	-	2	-	-	1	2	-	NORTHAMPTON.
CAMBRIDGE.	60,154	8·7	10·4	6·9	10·4	25	12	1	4	-	-	-	-	-	-	1	-	2	2	4	-	CAMBRIDGE.

in the week ended Saturday, 24th September 1921, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	ESTIMATED CIVILIAN POPULATION, MID. 1920.* (Provisional.)	DEATH-RATES from all Causes.					Week ended 24th Sept., 1921.		The DEATHS in the Week include										TOWNS.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
		Week ended					BIRTHS.	DEATHS.	Deaths of		Deaths from									Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
		3rd Sept., 1921.	10th Sept., 1921.	17th Sept., 1921.	24th Sept., 1921.	Persons aged under 1 Year of Age.			8.	9.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.					Violence.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
																								2.	3.	4.	5.	6.	7.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
Cols.	1.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														

* See note † on first page of this return.

TABLE 1 (cont.).—48 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH-RATES in the Week ended Saturday, 24th September, 1921, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	DEATH-RATES from all Causes.					Week ended 24th Sept., 1921.		The DEATHS in the Week include										TOWNS.				
	ESTIMATED CIVILIAN POPULATION MID. 1920.* (Provisional.)	Week ended				BIRTHS.	DEATHS.	Deaths of		Deaths from									Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes or Death.	
								Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Induenza.					Violence.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
STOCKPORT	130,635	19.0	15.2	8.0	6.4	39	16	2	4	-	-	-	-	-	-	-	-	-	1	9	-	STOCKPORT.
BIRKENHEAD	153,951	8.5	9.1	10.2	11.2	68	33	5	6	-	-	-	-	-	1	3	-	-	3	12	-	BIRKENHEAD.
WALLASEY	99,226	6.8	6.3	8.4	6.3	29	12	1	6	-	-	-	-	-	-	-	-	1	1	1	-	WALLASEY.
LIVERPOOL	803,452	13.1	13.3	11.2	13.4	435	207	58	44	-	-	1	-	5	3	30	7	7	14	91	5	LIVERPOOL.
BOOTLE	80,029	13.0	16.3	7.2	8.5	41	13	4	3	-	-	-	-	1	-	2	-	-	-	1	1	BOOTLE.
ST. HELENS	104,822	13.4	9.0	8.0	13.4	45	27	8	6	-	-	-	-	1	-	3	1	-	-	7	1	ST. HELENS.
SOUTHPORT	72,939	15.0	12.9	2.9	7.1	21	10	2	5	-	-	-	-	-	-	-	-	3	3	4	-	SOUTHPORT.
WIGAN	90,866	8.0	11.5	10.3	12.1	36	21	8	2	-	-	-	-	-	-	7	-	-	-	3	-	WIGAN.
WARRINGTON	77,939	6.7	11.4	10.7	7.4	36	11	3	4	-	-	-	-	-	-	2	-	1	1	1	-	WARRINGTON.
BOLTON	184,533	10.5	11.3	9.3	10.5	76	37	6	15	-	-	-	-	-	-	2	-	1	2	7	-	BOLTON.
BURY	56,410	12.9	5.5	9.2	10.2	18	11	1	6	-	-	-	-	-	-	1	-	1	1	4	1	BURY.
MANCHESTER	770,597	9.9	11.2	9.5	10.6	321	156	36	39	-	-	-	-	-	2	17	3	10	14	55	-	MANCHESTER.
SALFORD	235,239	8.2	10.6	11.1	9.5	116	43	18	5	-	-	1	-	1	1	7	-	-	1	15	1	SALFORD.
OLDHAM	143,154	9.8	11.7	10.2	11.7	64	32	3	11	-	-	-	-	-	-	1	-	2	2	7	-	OLDHAM.
ROCHDALE	93,639	11.1	11.1	6.1	10.0	39	18	7	5	-	-	-	-	-	-	-	-	-	-	6	-	ROCHDALE.
BURNLEY	105,030	11.4	11.4	7.4	14.4	43	29	9	3	-	-	-	-	-	-	4	-	1	3	10	-	BURNLEY.
BLACKBURN	131,012	12.7	13.5	9.6	10.0	39	25	5	10	-	-	-	-	-	1	-	-	1	3	3	-	BLACKBURN.
PRESTON	121,950	11.1	12.8	15.0	12.0	41	28	3	6	-	-	-	-	-	-	4	-	5	6	5	-	PRESTON.
BLACKPOOL	70,545	15.5	10.3	12.6	11.8	26	16	1	10	-	-	-	-	-	-	-	-	1	1	4	-	BLACKPOOL.
BARROW IN FURNESS	76,561	15.7	10.2	6.8	10.9	52	16	4	6	-	-	-	-	-	-	1	-	2	2	4	-	BARROW IN FURNESS.
HUDDERSFIELD	116,776	10.3	11.6	7.6	12.5	44	28	5	12	-	-	-	-	-	1	-	-	1	2	5	-	HUDDERSFIELD.
HALIFAX	105,847	7.4	10.8	10.3	12.3	42	25	5	6	-	-	-	-	-	-	-	-	1	4	9	-	HALIFAX.
BRADFORD	293,979	12.4	11.5	12.1	14.7	118	83	22	27	-	-	-	-	1	-	5	-	4	11	30	-	BRADFORD.
LEEDS	449,212	13.2	13.1	11.0	10.9	188	94	24	28	-	-	-	1	3	-	12	1	2	4	29	-	LEEDS.
DEWSBURY	55,080	10.4	12.3	15.1	9.5	24	10	3	3	-	-	-	-	1	-	2	-	-	-	-	-	DEWSBURY.
WAKEFIELD	51,169	13.2	17.3	7.1	14.3	28	14	-	6	-	-	-	-	-	-	-	-	1	2	2	-	WAKEFIELD.
BARNLEY	53,739	12.6	13.6	9.7	6.8	26	7	3	-	-	-	-	-	-	-	-	-	-	2	-	-	BARNLEY.

TOWNS.		ESTIMATED		Causes.				Week ended		Deaths from										Deaths of		Deaths in Public			Uncertified		TOWNS																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
		OIVILIAN		Week ended				24th Sept., 1921.		Deaths from										Persons aged		Inquest Cases.			Institutions.			Causes of Death.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
		POPULATION,						BIRTHS.		DEATHS.		Deaths from										under 1 Year		Measles.					Violence.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
		MID. 1920.*		3rd Sept., 1921.				10th Sept., 1921.		17th Sept., 1921.		24th Sept., 1921.		Deaths from										of Age.		Scarlet Fever.			Influenza.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
(Provisional).		1921.				1921.		1921.		1921.		1921.		Deaths from										65 Years and upwards.		Small-pox.			Enteric Fever.			Whooping Cough.			Diphtheria.			Diarrhoea and Enteritis (under 2 years).			17.			18.			19.			20.			21.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
Cols.		1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
SHEFFIELD	.	492,570	11'0	10'2	9'5	11'1	221	105	21	31	-	-	-	-	-	-	11	-	4	6	33	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* See note † on first page of this return.

† The populations are total populations and relate to 1921, those for Edinburgh and Glasgow being Census populations. Deaths and the death-rates in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week: those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

London : Births and Deaths.

TABLE 2. LONDON.—Births and Deaths registered during the THIRTY-EIGHTH Week of each of the Eleven Years, 1911-1921.

—	1911.	1912.	1913.	1914.	1915.	1916.	1917.	1918.	1919.	1920.	1921.
Births (as registered).	2155	2100	2085	2176	1906	1942	1442	1441	1662	2093	1921
Males	1105	1081	1080	1085	1016	1035	741	743	880	1073	968
Females	1050	1019	1005	1091	890	907	701	698	782	1020	953
Deaths (of residents only).	1356	1056	1186	1343	1212	968*	898*	915*	881*	825*	974*
Males	700	529	632	685	667	528	468	474	465	433	509
Females	656	527	554	658	545	440	430	441	416	392	465

* Deaths in civilian population only.

TABLE 3. LONDON.—BIRTHS and DEATHS REGISTERED, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the last THIRTEEN WEEKS.

—	July 2.	July 9.	July 16.	July 23.	July 30.	Aug. 6.	Aug. 13.	Aug. 20.	Aug. 27.	Sept. 3.	Sept. 10.	Sept. 17.	Sept. 24.
Births (as registered) . . .	1804	1955	1910	1891	2023	1823	2214	1948	2003	1893	1782	1918	1921
Deaths (of residents only).	779	751	940	857	846	822	872	1003	966	952	980	949	974
Under 1 year	84	86	124	128	128	166	186	225	235	268	230	204	184
1-2 years	24	24	28	44	29	38	36	43	44	50	38	41	39
2-5 "	23	23	21	26	19	24	13	21	15	11	19	23	25
5-10 "	16	10	22	18	20	30	20	23	21	22	15	24	33
Age 10-15 "	14	10	21	10	12	11	8	9	9	10	14	14	9
15-20 "	24	20	24	23	15	21	24	18	20	15	17	21	27
at 20-25 "	22	18	22	18	19	25	17	27	21	19	18	19	21
25-35 "	45	29	49	33	41	43	62	50	32	34	45	53	44
Death 35-45 "	58	53	54	51	55	56	50	61	56	56	62	68	67
45-55 "	84	109	108	102	104	87	87	111	109	103	89	90	113
55-65 "	126	105	156	120	133	98	137	119	130	104	126	122	114
65-75 "	150	137	153	146	155	110	123	152	134	136	166	133	149
75 years and upwards	109	127	158	138	116	113	109	144	140	124	141	137	149
Deaths from—													
Enteric fever	—	—	3	—	—	3	—	2	1	1	3	1	1
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	—	4	—	6	2	5	9	1	6	3	1	—	2
Scarlet fever	6	2	6	4	3	3	1	2	3	4	7	2	2
Whooping cough	5	9	13	12	6	7	5	13	23	8	13	14	10
Diphtheria	10	10	18	12	13	30	16	17	6	11	13	20	24
Diarrhoea and enteritis (under 2 years).	9	13	30	29	52	68	103	154	142	191	159	121	102
Pulmonary tuberculosis .	93	55	77	71	66	77	82	86	55	54	78	80	74
Influenza	5	5	4	3	3	1	3	1	2	2	3	5	8
Pneumonia (all forms) . .	36	46	40	60	44	34	39	45	44	52	47	41	54
Bronchitis	29	27	27	36	25	12	24	28	26	20	30	34	35
Other dis. of resp. system .	8	9	14	13	8	8	10	15	10	9	5	12	14
Dis. of circ. system . . .	124	148	145	126	135	133	119	140	137	126	134	121	137
Violence	36	26	51	45	47	33	28	24	42	31	20	25	41
Inquest cases	61	71	87	83	77	73	73	69	86	70	64	68	89
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Enteric fever	24	24	23	27	28	28	31	34	32	34	37	40	38
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	41	40	43	52	49	54	59	60	48	37	37	37	28
Scarlet fever	3672	3844	3879	3886	3765	3717	3572	3523	3394	3433	3680	4003	4428
Whooping cough	10	9	10	10	10	23	36	40	41	41	45	59	50
Diphtheria	1915	1921	1961	1983	1979	1957	1879	1816	1740	1713	1773	1834	1947

* The Metropolitan Asylums Board and London Fever Hospitals. The figures do not refer to London exclusively.

TABLE 3A. 96 Great Towns.—DEATHS from INFLUENZA in the last THIRTEEN WEEKS.

—	July 2.	July 9.	July 16.	July 23.	July 30.	Aug. 6.	Aug. 13.	Aug. 20.	Aug. 27.	Sept. 3.	Sept. 10.	Sept. 17.	Sept. 24.
Deaths from Influenza . . .	20	25	27	19	25	14	15	9	12	17	21	27	22

TABLE 4. LONDON.—DEATHS REGISTERED in the THIRTY-EIGHTH Week of the Year 1921.

CAUSES OF DEATH.	Deaths in the 38th week of the year 1920.	DEATHS of PERSONS of the AGES													
		ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-10 years.	10-15 years.	15-20 years.	20-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and up- wards.
ALL CAUSES	825	974	184	39	25	33	9	27	21	44	67	113	114	149	149
Enteric fever	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	2	2	1	-	1	-	-	-	-	-	-	-	-	-	-
Scarlet fever	1	2	-	1	-	1	-	-	-	-	-	-	-	-	-
Whooping cough	1	10	3	5	2	-	-	-	-	-	-	-	-	-	-
Diphtheria	22	24	1	4	8	9	2	-	-	-	-	-	-	-	-
Influenza	6	8	-	-	-	1	-	-	-	-	1	2	2	2	-
Erysipelas	4	2	1	-	-	-	-	-	-	-	-	1	-	-	-
Acute Poliomyelitis, Polioencepha- litis.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal meningitis . . .	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
Other endemic and epidemic diseases.	-	3	-	-	-	-	-	-	-	1	-	1	-	1	-
Pyæmia and septicæmia	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Tetanus	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis :—															
Pulmonary tuberculosis	69	74	-	-	-	1	3	14	9	12	10	16	5	3	1
Tuberculous meningitis	7	8	1	1	1	4	-	1	-	-	-	-	-	-	-
Abdominal tuberculosis	1	6	-	-	1	-	1	-	-	3	-	-	-	1	-
Tuberculosis of the spine	3	2	-	-	-	-	-	-	-	-	-	-	-	2	-
Tuberculosis of the joints	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of other organs . .	-	2	-	-	-	1	-	-	-	-	-	-	-	1	-
Disseminated tuberculosis . . .	1	4	1	-	-	2	-	-	-	1	-	-	-	-	-
Venereal diseases	6	5	3	-	-	-	-	-	1	1	-	-	-	-	-
Cancer	90	111	-	-	-	-	-	-	-	1	12	19	29	29	21
Rheumatic fever	2	2	-	-	-	-	-	-	-	-	1	1	-	-	-
Diabetes	8	10	-	-	-	-	-	-	-	3	1	-	2	3	1
Anæmia, leucocythæmia	2	8	-	-	-	1	-	1	-	-	3	-	2	1	-
Other general diseases	9	11	1	-	1	1	-	-	-	2	-	2	1	2	1
Alcoholism	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-
Chronic poisonings	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	3	2	2	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	35	38	-	-	1	-	-	-	-	-	2	9	8	8	10
Softening of brain	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Paralysis, without specified cause .	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Epilepsy	5	6	-	-	-	-	-	1	1	-	2	1	-	1	-
"Convulsions" (not puerperal) . .	3	2	1	1	-	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system .	19	15	-	1	-	-	-	-	1	-	2	3	5	2	1
Pericarditis	1	2	-	-	-	-	-	-	-	-	2	-	-	-	-
Acute endocarditis	6	9	-	-	-	-	-	-	2	4	3	-	-	-	-
Other diseases of heart	100	98	-	-	-	-	-	3	2	2	6	11	20	29	25
Embolism and thrombosis (exclud- ing cerebral).	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of circulatory system.	27	28	-	-	-	-	-	-	-	-	1	2	3	11	11
Diseases of the larynx	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-
Bronchitis	52	35	-	-	2	-	-	-	1	-	-	1	4	11	16
Broncho-pneumonia	18	27	7	9	2	1	-	-	-	1	1	1	1	4	-
Lobar pneumonia	16	14	1	1	-	-	-	1	-	1	3	2	4	-	1
Pneumonia (type not distinguished)	19	13	1	-	1	-	-	-	-	-	2	3	1	3	2
Pleurisy	2	4	1	-	-	-	-	-	-	1	1	-	-	-	1
Pulmonary congestion, Pulmonary apoplexy.	5	3	-	-	-	-	-	-	-	-	-	-	-	1	2
Other diseases of respiratory system.	3	6	-	-	-	-	-	-	-	-	1	2	1	1	1

TABLE 5.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive	DEATHS. of Stillborn.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM							
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria*.	Diarrhoeal Diseases† (under 2 years).	Influenza.
LONDON† . .	4,531,971	1921. Sept. 24	1,921	974	11·2	1	-	2	2	10	24	102	8
CALCUTTA . .	896,067	Aug. 20	-	472	27·3	?	1	?	?	?	?	?	29
BOMBAY . .	979,445	" 13	368	908§	48·2	5	2	-	-	-	-	74	12
MADRAS . .	522,951	" 13	411	427§	42·5	4	3	-	?	-	-	70	1
PARIS . .	2,847,229	{ 10 days } Aug. 10	1,354	1,070	13·7	8	-	5	-	-	3	129	-
BRUSSELS . .	792,919	" . . .	-	-	-	-	-	-	-	-	-	-	-
ANTWERP . .	340,852	Sept. 3	115	56	8·7	-	-	1	-	-	-	9	-
AMSTERDAM . .	681,173	" 10	285	109	8·3	2	-	-	-	2	1	2	-
COPENHAGEN . .	571,000	" 10	206	101	9·2	-	-	-	-	-	1	1	-
STOCKHOLM . .	419,788	" 3	120	76	9·4	-	-	-	-	-	-	-	-
GOTHENBURG . .	205,547	Aug. 27	-	28	7·1	1	-	-	-	-	-	-	-
CHRISTIANIA . .	260,904	Sept. 10	98	45	9·0	-	-	-	-	2	-	-	-
BERLIN . .	1,951,000	" 3	469	337	9·0	1	?	-	2	1	3	17	1
BRÉS LAU . .	547,000	" 3	257	181	17·2	-	?	3	-	3	-	25	1
COLOGNE . .	666,000	" 3	259	163	12·7	1	?	-	1	1	3	34	-
DRESDEN . .	595,000	" 3	226	143	12·4	1	?	-	1	2	-	12	1
FRANKFORT- ON-MAIN . .	469,000	" 3	151	81	9·0	1	?	-	-	1	-	7	-
HAMBURG . .	1,031,000	" 3	295	172	8·7	-	?	-	-	1	1	8	2
LEIPZIG . .	629,000	" 3	215	167	13·8	1	?	-	-	1	1	26	-
MUNICH . .	670,000	" 3	205	126	9·8	-	?	-	-	2	-	11	1
VIENNA . .	1,842,005	" 3	518	465	13·1	4	-	2	-	-	1	27	1
PRAGUE AND SUBURBS . .	676,454	Aug. 20	233	198	15·3	4	-	-	-	-	-	19	1
BUDAPEST . .	933,000	July 23	-	-	-	-	-	-	-	-	-	-	-
TRIESTE . .	248,428	May 28	-	-	-	-	-	-	-	-	-	-	-
CAIRO . .	765,200	July 8	696	676	45·9	1	-	2	-	?	1	164	?
ALEXANDRIA . .	449,300	" 8	309	316§	36·6	2	-	-	-	?	1	61	?
NEW YORK . .	5,751,859	Aug. 27	2,410	1,056	9·6	3	-	-	1	6	7	88	-
CHICAGO . .	2,780,655	Sept. 3	-	533	10·0	1	-	-	1	2	9	49	-

Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Cities, Vienna, Prague and Suburbs, Budapest, and Trieste.

The deaths in this column relate to *all ages* for Bombay, Madras, Christiania, and Budapest, and to *children under 1 year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

The estimated population and deaths refer to the civilian population only.

Including 1 death from *plague* in Alexandria and 5 in Bombay, and from *Asiatic cholera*, 5 deaths in Calcutta, 6 in Bombay, 1 in Madras.

TABLE 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 24th September, 1921.

(Supplied by the Meteorological Office.)

TOWNS.	Temperature of Air.*				Rainfall in Milli- metres.†	TOWNS.	Temperature of Air.*				Rainfall in Milli- metres.†
	Highest.	Lowest.	Mean Maxi- mum.	Mean Mini- mum.			Highest.	Lowest.	Mean Maxi- mum.	Mean Mini- mum.	
LONDON (Greenwich) }	78	48	69·9	54·1	0	BRADFORD . .	70	48	64·4	51·4	2
RIGHTON . .	71	48	66·6	54·6	0	SHEFFIELD . .	72	48	66·1	52·6	1
PORTSMOUTH . .	74	50	68·9	55·0	0	YORK (Museum) .	73	46	67·7	50·4	1
WORWICH (Eaton) .	75	48	67·3	54·0	0	HULL (Pearson Park)	74	48	65·6	52·6	0
PLYMOUTH . .	71	52	68·0	56·0	0	TYNEMOUTH . .	73	46	64·1	52·6	1
Bristol (Clifton) .	68	46	64·7	51·7	0	CARDIFF . .	68	50	65·1	53·6	0
BERMINGHAM . .	71	48	65·7	51·9	0	EDINBURGH . .		Not	receive d.		
NOTTINGHAM . .	73	46	66·4	52·6	0	GLASGOW . .	65·0	46·8	60·1	49·8	8
BERKENHEAD (Bidston) }	71	48	63·9	52·4	1	DUBLIN :—					
MANCHESTER . .	73	49	66·3	54·3	0	Phoenix Park . .		Not	receive d.		
BURNLEY . .	69	46	64·0	51·1	3	†Fitzwilliam Square	72·1	50·5	64·8	54·6	0
WIDDERSFIELD . .	69	49	65·4	52·0	1	BELFAST . .	73·0	46·0	63·3	51·8	5

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.

† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.

‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

TABLE 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 24th September 1921.

[Under the Superintendence of the Astronomer Royal.]

1921. MONTH AND DAY.	Phases of the Moon.	BARO- METER. Mean daily reading (cor- rected and re- duced to 32° Fahren- heit).	TEMPERATURE.						Difference between the Air Temperature and Dew Point Temperature.			De- gree of Hu- mid- ity (Satu- ration equals 100°).	TEMPERATURE.			Wind as deduced from Anemometers.				Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
			Of the Air.			Of the Dew point.	Of Radiation.		Of the Earth 4 feet below the Surface.	Osler's.			Robinson's.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
			High- est.	Low- est.	Daily Range.		Mean daily value.	De- parture from Average of 65 years.		Mean Great- est. Least.	Great- est. Least.		Horizontal Movement of the Air on each Day.	Depar- ture from Average of 50 years.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
SEPTEMBER.			°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	

DATE.		ELECTRICITY. (For explanation of symbols, see Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SEPTEMBER 1921.					
SUNDAY	18	w.P. throughout	0·3	12·4	Nearly cloudless till 4h., thin cloud then becoming prevalent; overcast generally by 6h.; brisk wind 8h. to noon; solar halo in afternoon.
MONDAY	19	w.P. throughout	0·0	12·4	Overcast throughout; frequent damping till afternoon.
TUESDAY	20	w.P. throughout	0·0	12·3	Overcast with very slight exceptions; misty in morning; sun visible through cloud at times; slight breaks about 22h.
WEDNESDAY	21	w.P. throughout	1·8	12·3	Overcast generally with mist and hazy sky till 14h. 30m., then clearing; nearly cloudless from 15h.
THURSDAY	22	w.P. throughout	7·7	12·2	Cloudless generally with heavy dew until 9h.; variable thin cloud till 13h.; nearly overcast till 14h. 30m., and veiled till 18h.; nearly cloudless again by 18h. 30m.
FRIDAY	23	w.P. throughout	3·6	12·1	Nearly cloudless till 6h., then nearly overcast generally with fine intervals in forenoon and at midnight; mist in morning.
SATURDAY	24	w.P. throughout	0·0	12·1	Overcast generally till 19½h.; then clearing to cloudless by 20½h.; damping about 15h.
No. of Col. -		26	Sum 13·4	Sum 85·8	
			27	28	

The results apply to the civil day, or from midnight to midnight. The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level. Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables. The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916. In reading columns 9 and 24 it will be borne in mind that + indicates "higher," and - "lower," than the average. The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined. The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable. The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day. The reading of the barometer increased from 30·08 in. at the beginning of the week to 30·14 in. by 10h. on 18th; decreased to 29·94 in. by 3h. on 20th; increased generally to 30·23 in. by 11h. on 22nd; decreased to 30·11 in. by 17h. on 23rd, then increased, and was 30·23 in. at midnight on 24th.
--

The results apply to the civil day, or from midnight to midnight.

The height of the eastern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "higher," and - "lower," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 30·08 in. at the beginning of the week to 30·14 in. by 10h. on 18th; decreased to 29·94 in. by 3h. on 20th; increased generally to 30·23 in. by 11h. on 22nd; decreased to 30·11 in. by 17h. on 23rd, then increased, and was 30·23 in. at midnight on 24th.

TABLE 8. LONDON.—DEATHS OF PERSONS BELONGING to the several METROPOLITAN BOROUGHs REGISTERED in the Week ended 17th September, 1921.

BOROUGHs.	Deaths from									Deaths of Infants under 1 Year of Age.
	ALL CAUSES.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Pulmonary Tuberculosis.	
COUNTY OF LONDON -	949	1	-	-	2	14	20	121	80	204
Western										
PADDINGTON	25	-	-	-	-	1	-	2	2	3
KENSINGTON	29	-	-	-	-	-	-	3	3	5
HAMMERSMITH	28	-	-	-	-	-	-	3	3	4
FULHAM	39	-	-	-	-	-	-	4	4	8
CHELSEA	12	-	-	-	-	1	-	1	-	4
CITY OF WESTMINSTER -	29	-	-	-	-	1	1	3	4	3
Northern.										
ST. MARYLEBONE . . .	22	-	-	-	-	-	1	2	1	1
HAMPSTEAD	16	-	-	-	-	-	2	1	-	4
ST. PANCRAS	41	-	-	-	-	-	-	7	3	8
ISLINGTON	55	-	-	-	-	1	1	9	6	16
STOKE NEWINGTON . . .	12	-	-	-	-	-	-	2	1	2
HACKNEY	51	-	-	-	-	-	-	7	3	12
Central.										
HOLBORN	11	-	-	-	-	-	-	-	1	2
FINSBURY	21	-	-	-	-	-	-	1	4	2
CITY OF LONDON . . .	7	-	-	-	-	-	1	1	1	1
Eastern.										
SHOREDITCH	26	-	-	-	-	-	1	11	3	10
BETHNAL GREEN	31	-	-	-	-	-	1	7	4	13
STEPNEY	56	-	-	-	-	3	2	9	3	18
POPLAR	36	-	-	-	-	2	-	2	1	5
Southern.										
SOUTHWARK	46	-	-	-	-	-	-	7	3	9
BERMONDSEY	22	-	-	-	1	-	2	1	3	4
LAMBETH	70	-	-	-	-	2	1	13	4	22
BATTERSEA	45	-	-	-	1	1	4	5	3	8
WANDSWORTH	54	1	-	-	-	1	1	4	7	9
CAMBERWELL	54	-	-	-	-	-	1	5	3	9
DEPTFORD	33	-	-	-	-	1	-	4	2	8
GREENWICH	22	-	-	-	-	-	-	1	3	3
LEWISHAM	29	-	-	-	-	-	-	2	1	5
WOOLWICH	27	-	-	-	-	-	1	4	4	6

The deaths in the above Table are, so far as concerns London as a whole, corrected by the exclusion of deaths of non-residents, and by the inclusion of those of residents occurring in the Outer Ring or in Metropolitan public institutions situated outside the County. As between individual Metropolitan Boroughs, however, correction is complete.

TABLE 9. LONDON.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED during the Week ended 17th September, 1921.*

BOROUGH.	ESTI- MATED CIVILIAN POPU- LATION, MID. 1920.† (Provi- sional.)	Enteric Fever.	Malaria.	Continued Fever.	Small- pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Pneumonia.	Erysipelas.	Cerebro-Spinal Fever.	Puerperal Fever.	Ophthalmia Neonatorum.	Poliomyelitis.	Dysentery.	Encephalitis Lethargica.	Anthrax.	Polio- encephalitis.	Cholera.
WESTERN.																		
Paddington . . .	149,673	-	-	-	-	21	6	1	2	-	-	1	-	-	-	-	-	-
St. Pancras . . .	164,177	1	-	-	-	26	3	1	2	-	-	2	-	-	-	-	-	-
St. James's . . .	136,200	-	-	-	-	32	5	1	1	-	-	-	-	-	-	-	-	-
St. Marylebone . . .	158,621	-	-	-	-	36	6	1	1	-	1	1	-	-	-	-	-	-
St. George's . . .	62,987	-	-	-	-	7	3	1	-	-	-	-	1	-	-	-	-	-
City of Westminster . . .	132,615	-	-	-	-	29	3	2	-	-	-	-	-	-	-	-	-	-
NORTHERN.																		
St. Marylebone . . .	101,856	1	-	-	-	11	4	-	3	1	-	-	-	-	-	-	-	-
St. Pancras . . .	91,519	-	-	-	-	10	9	-	-	-	-	-	-	-	-	-	-	-
St. James's . . .	228,178	-	-	-	-	52	24	4	1	-	-	1	-	-	-	-	-	-
St. George's . . .	335,907	-	-	-	-	90	36	1	1	-	1	5	-	-	1	-	-	-
St. Marylebone . . .	52,984	-	-	-	-	4	2	-	-	-	-	-	-	-	-	-	-	-
St. George's . . .	225,372	-	-	-	-	53	27	1	2	-	-	1	-	-	-	-	-	-
CENTRAL.																		
St. George's . . .	39,676	-	-	-	-	6	4	-	1	-	-	-	-	-	-	-	-	-
St. James's . . .	78,291	-	-	-	-	22	6	-	-	-	-	1	-	-	-	-	-	-
City of London . . .	14,447	1	-	-	-	4	3	-	-	-	-	-	-	-	-	-	-	-
EASTERN.																		
St. George's . . .	102,044	-	-	-	-	32	12	5	2	-	-	-	-	-	-	-	-	-
St. James's . . .	114,471	-	-	-	-	44	8	4	2	-	-	-	-	-	1	-	-	-
St. George's . . .	241,770	-	1	-	-	68	23	3	3	-	-	1	-	-	-	-	-	-
St. George's . . .	159,766	-	-	-	-	35	9	7	3	-	1	-	-	-	-	-	-	-
SOUTHERN.																		
St. George's . . .	187,142	-	-	-	-	29	15	4	3	-	1	1	1	-	-	-	-	-
St. James's . . .	129,189	-	1	-	-	37	16	1	-	-	-	-	-	-	-	-	-	-
St. George's . . .	293,572	-	-	-	-	35	10	2	1	-	1	-	-	-	-	-	-	-
St. James's . . .	165,664	-	-	-	-	30	9	3	1	1	-	-	-	-	-	-	-	-
St. George's . . .	346,990	2	-	-	-	34	20	4	3	-	-	1	-	-	-	-	-	-
St. James's . . .	284,712	1	1	-	-	52	14	-	2	-	-	-	-	-	-	-	-	-
St. George's . . .	115,636	-	1	-	-	20	4	-	-	-	-	-	-	-	-	-	-	-
St. James's . . .	102,408	-	1	-	-	24	22	1	3	-	-	-	-	-	-	-	-	-
St. George's . . .	174,438	-	-	-	-	20	18	1	2	-	-	-	-	-	-	-	-	-
St. George's . . .	141,666	1	-	-	-	15	9	4	1	-	-	-	-	-	-	-	-	-
TOTAL . . .	4,531,971	7	5	-	-	878	340	52	40	2	5	15	2	-	2	-	-	-
AGES.																		
Ages 0-1 . . .		-	-	-	-	-	3	1	2	-	-	15	-	-	-	-	-	-
" 1-5 . . .		-	-	-	-	159	88	12	1	-	-	-	1	-	-	-	-	-
" 5- . . .		-	-	-	-	399	133	3	-	-	-	-	-	-	-	-	-	-
" 10- . . .		2	-	-	-	233	70	7	3	-	-	-	-	-	-	-	-	-
" 15- . . .		2	-	-	-	40	18	5	2	1	-	-	-	-	-	-	-	-
" 20- . . .		1	-	-	-	15	11	1	-	-	-	-	1	-	-	-	-	-
" 25- . . .		-	4	-	-	22	13	5	5	1	3	-	-	-	1	-	-	-
" 35- . . .		-	1	-	-	7	3	8	5	-	2	-	-	-	-	-	-	-
" 45- . . .		2	-	-	-	3	1	4	7	-	-	-	-	-	-	-	-	-
" 55- . . .		-	-	-	-	-	-	4	6	-	-	-	-	-	1	-	-	-
" 65- . . .		-	-	-	-	-	-	2	6	-	-	-	-	-	-	-	-	-
" 75 and upwards . . .		-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-
Age not stated . . .		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

† See note † on first page of this return.

TABLE 8. LONDON.—DEATHS of PERSONS BELONGING to the several METROPOLITAN BOROUGHs REGISTERED in the Week ended 17th September, 1921.

BOROUGHs.	Deaths from									Deaths of Infants under 1 Year of Age.
	ALL CAUSES.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Pulmonary Tuberculosis.	
COUNTY OF LONDON .	949	1	-	-	2	14	20	121	80	204
Western.										
PADDINGTON . . .	25	-	-	-	-	1	-	2	2	3
KENSINGTON . . .	29	-	-	-	-	-	-	3	3	5
HAMMERSMITH . . .	28	-	-	-	-	-	-	3	3	4
FULHAM	39	-	-	-	-	-	-	4	4	8
CHELSEA	12	-	-	-	-	1	-	1	-	4
CITY OF WESTMINSTER .	29	-	-	-	-	1	1	3	4	3
Northern.										
ST. MARYLEBONE . . .	22	-	-	-	-	-	1	2	1	1
HAMPSTEAD	16	-	-	-	-	-	2	1	-	4
ST. PANCRAS	41	-	-	-	-	-	-	7	3	8
ISLINGTON	55	-	-	-	-	1	1	9	6	16
STOKE NEWINGTON . . .	12	-	-	-	-	-	-	2	1	2
HACKNEY	51	-	-	-	-	-	-	7	3	12
Central.										
HOLBORN	11	-	-	-	-	-	-	-	1	2
FINSBURY	21	-	-	-	-	-	-	1	4	2
CITY OF LONDON . . .	7	-	-	-	-	-	1	1	1	1
Eastern.										
SHOREDITCH	26	-	-	-	-	-	1	11	3	10
BETHNAL GREEN	31	-	-	-	-	-	1	7	4	13
STEPNEY	56	-	-	-	-	3	2	9	3	18
POPLAR	36	-	-	-	-	2	-	2	1	5
Southern.										
SOUTHWARK	46	-	-	-	-	-	-	7	3	9
BERMONDSEY	22	-	-	-	1	-	2	1	3	4
LAMBETH	70	-	-	-	-	2	1	13	4	22
BATTERSEA	45	-	-	-	1	1	4	5	3	8
WANDSWORTH	54	1	-	-	-	1	1	4	7	9
CAMBERWELL	54	-	-	-	-	-	1	5	3	9
DEPTFORD	33	-	-	-	-	1	-	4	2	8
GREENWICH	22	-	-	-	-	-	-	1	3	3
LEWISHAM	29	-	-	-	-	-	-	2	1	5
WOOLWICH	27	-	-	-	-	-	1	4	4	6

The deaths in the above Table are, so far as concerns London as a whole, corrected by the exclusion of deaths of non-residents, and by the inclusion of those of residents occurring in the Outer Ring or in Metropolitan public institutions situated outside the County. As between individual Metropolitan Boroughs, however, correction is complete.

TABLE 9. LONDON.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED during the Week ended 17th September, 1921.*

BOROUGH.	ESTI- MATED CIVILIAN POPU- LATION, MID. 1920.† (Provi- sional.)	Enteric Fever.	Malaria.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Group).	Pneumonia.	Erysipelas.	Cerebro-Spinal Fever.	Puerperal Fever.	Ophthalmia Neonatorum.	Poliomyelitis.	Dysentery.	Encephalitis Lethargica.	Anthrax.	Polio- encephalitis.	Cholera.
WESTERN.																		
Paddington	149,673	-	-	-	-	21	6	1	2	-	-	1	-	-	-	-	-	-
Kensington	164,177	1	-	-	-	26	8	1	2	-	-	2	-	-	-	-	-	-
Hammersmith . . .	136,200	-	-	-	-	32	5	1	1	-	-	-	-	-	-	-	-	-
Fulham	158,621	-	-	-	-	36	6	1	1	-	1	1	-	-	-	-	-	-
Chelsea	62,987	-	-	-	-	7	8	1	-	-	-	-	1	-	-	-	-	-
City of Westminster .	132,615	-	-	-	-	29	3	2	-	-	-	-	-	-	-	-	-	-
NORTHERN.																		
St. Marylebone . . .	101,856	1	-	-	-	11	4	-	3	1	-	-	-	-	-	-	-	-
Hampstead	91,519	-	-	-	-	10	9	-	-	-	-	-	-	-	-	-	-	-
St. Pancras	228,178	-	-	-	-	52	24	4	1	-	-	1	-	-	-	-	-	-
Islington	335,907	-	-	-	-	90	36	1	1	-	1	5	-	-	1	-	-	-
Stoke Newington . .	52,984	-	-	-	-	4	2	-	-	-	-	-	-	-	-	-	-	-
Hackney	225,372	-	-	-	-	53	27	1	2	-	-	1	-	-	-	-	-	-
CENTRAL.																		
Holborn	39,676	-	-	-	-	6	4	-	1	-	-	-	-	-	-	-	-	-
Finsbury	78,291	-	-	-	-	22	6	-	-	-	-	1	-	-	-	-	-	-
City of London . . .	14,447	1	-	-	-	4	3	-	-	-	-	-	-	-	-	-	-	-
EASTERN.																		
Shoreditch	102,044	-	-	-	-	32	12	5	2	-	-	-	-	-	-	-	-	-
Bethnal Green . . .	114,471	-	-	-	-	44	8	4	2	-	-	-	-	-	1	-	-	-
Stepney	241,770	-	1	-	-	68	23	3	3	-	-	1	-	-	-	-	-	-
Poplar	159,766	-	-	-	-	35	9	7	3	-	1	-	-	-	-	-	-	-
SOUTHERN.																		
Southwark	187,142	-	-	-	-	29	15	4	3	-	1	1	1	-	-	-	-	-
Bermondsey	129,189	-	1	-	-	37	16	1	-	-	-	-	-	-	-	-	-	-
Lambeth	293,572	-	-	-	-	35	10	2	1	-	1	-	-	-	-	-	-	-
Battersea	165,664	-	-	-	-	30	9	3	1	1	-	-	-	-	-	-	-	-
Wandsworth	346,990	2	-	-	-	34	20	4	3	-	-	1	-	-	-	-	-	-
Camberwell	284,712	1	1	-	-	52	14	-	2	-	-	-	-	-	-	-	-	-
Deptford	115,636	-	1	-	-	20	4	-	-	-	-	-	-	-	-	-	-	-
Greenwich	102,408	-	1	-	-	24	22	1	3	-	-	-	-	-	-	-	-	-
Lewisham	174,438	-	-	-	-	20	18	1	2	-	-	-	-	-	-	-	-	-
Woolwich	141,666	1	-	-	-	15	9	4	1	-	-	-	-	-	-	-	-	-
TOTAL	4,531,971	7	5	-	-	878	340	52	40	2	5	15	2	-	2	-	-	-
AGES.																		
Ages 0-1		-	-	-	-	-	3	1	2	-	-	15	-	-	-	-	-	-
" 1-5		-	-	-	-	159	88	12	1	-	-	-	1	-	-	-	-	-
" 5-		-	-	-	-	399	133	3	-	-	-	-	-	-	-	-	-	-
" 10-		2	-	-	-	233	70	7	3	-	-	-	-	-	-	-	-	-
" 15-		2	-	-	-	40	18	5	2	1	-	-	-	-	-	-	-	-
" 20-		1	-	-	-	15	11	1	-	-	-	-	1	-	-	-	-	-
" 25-		-	4	-	-	22	13	5	5	1	3	-	-	-	1	-	-	-
" 35-		-	1	-	-	7	3	8	5	-	2	-	-	-	-	-	-	-
" 45-		2	-	-	-	3	1	4	7	-	-	-	-	-	-	-	-	-
" 55-		-	-	-	-	-	-	4	6	-	-	-	-	-	1	-	-	-
" 65-		-	-	-	-	-	-	2	6	-	-	-	-	-	-	-	-	-
" 75 and upwards . .		-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-
Age not stated . . .		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

† See note † on first page of this return.

Printed under the authority of
HIS MAJESTY'S STATIONERY OFFICE
By Eyre and Spottiswoode, Ltd., East Harding Street, E.C.4.
Printers to the King's most Excellent Majesty.

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS AND DEATHS REGISTERED:—
LONDON AND
NINETY-FIVE OTHER GREAT TOWNS

~~~~~  
By Authority of the Registrar General.  
~~~~~

LONDON:

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from

H.M. STATIONERY OFFICE at the following addresses:

IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and

28, ABINGDON STREET, LONDON, S.W. 1;

37, PETER STREET, MANCHESTER;

1, ST. ANDREW'S CRESCENT, CARDIFF;

23, FORTH STREET EDINBURGH;

or from EASON AND SON, LTD., 41 and 42, LOWER SACKVILLE STREET, DUBLIN.

No. 39. Vol. LXXXII. 1921. WEEK ENDED SATURDAY, OCT. 1.
[Price 9d. Net.]

*General Register Office, Somerset House,
October 4th, 1921.*

NINETY-SIX GREAT TOWNS.

For the NINETY-SIX GREAT TOWNS of England and Wales, each of which had a population of 50,000 or over at the Census of 1911, the births registered last week numbered 8,034, and corresponded to an annual rate of 22·5 per 1,000. The deaths* among the civilian population only numbered 3,556, and corresponded to an annual rate of 10·0 per 1,000 of their aggregate civilian population, which is provisionally estimated† at 18,554,878 persons in the year 1920. In the three weeks ended September 10th, September 17th, and September 24th, the rates had been 10·9, 10·1, and 10·8 respectively. The infant mortality was 91, against 113, 97, and 102 in the preceding three weeks. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks; it also shows for the week ended last Saturday the births and the deaths from certain individual causes. A column showing the number of deaths

* Corrected as far as possible for deaths of non-residents and for those of residents occurring outside the area. Fully corrected figures will appear in the Registrar General's Annual Report.

† The estimates of population refer to the year 1920, and are based on the returns furnished under the scheme for rationing of food.

TABLE 1.—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH-RATES in the Week ended Saturday, 1st October, 1921, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.		DEATH-RATES from all Causes is.		Week ended		ESTIMATED CIVILIAN POPULATION.		The DEATHS in the Week include															
		Week ended				1st Oct., 1921.		Deaths of		Deaths from								Inquest Cases.		Deaths in Public Institutions.		Unverified Causes of Death.	
		10th Sept., 1921.	17th Sept., 1921.	24th Sept., 1921.	1st Oct., 1921.	BIRTHS.	DEATHS.	Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.	Violence.					
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.	
96 GREAT TOWNS.	18,554,878	10.9	10.1	10.8	10.0	8,034	3,556	730	1,070	6	-	6	13	33	39	308	37	123	249	1,288	26	96 GREAT TOWNS.	
LONDON†	4,531,971	11.3	10.9	11.2	10.2	1,910	884	184	280	2	-	-	6	13	16	97	5	37	82	460	3	LONDON.†	
(CROYDON.	191,580	7.6	7.6	8.7	9.3	72	34	8	14	-	-	-	-	-	-	4	-	-	3	18	-	(CROYDON.	
WIMBLEDON.	62,174	10.1	8.4	9.2	9.2	17	11	1	3	-	-	-	-	-	-	-	1	-	-	5	-	WIMBLEDON.	
EALING.	76,129	11.0	11.0	5.5	6.8	22	10	-	5	-	-	-	1	-	2	-	-	-	-	5	-	EALING.	
ACTON.	64,192	10.6	8.1	3.2	6.5	26	8	2	3	-	-	-	-	-	1	2	-	-	-	4	-	ACTON.	
WILLESDEN.	167,328	7.2	5.0	9.3	5.3	49	17	2	5	-	-	-	-	-	2	2	-	1	2	7	-	WILLESDEN.	
HORNSEY.	98,107	8.5	7.4	5.3	6.9	23	13	2	8	-	-	-	-	-	-	-	-	1	1	3	-	HORNSEY.	
TOTTENHAM	146,970	9.2	12.1	13.8	9.6	67	27	4	12	-	-	-	-	-	2	1	1	-	-	12	-	TOTTENHAM.	
EDMONTON.	73,529	5.7	7.1	9.9	10.6	38	15	6	4	-	-	-	-	-	-	1	-	1	1	5	-	EDMONTON.	
ENFIELD.	60,771	9.4	11.2	4.3	6.9	18	8	2	2	-	-	-	-	-	-	2	-	-	1	4	-	ENFIELD.	
WEST HAM.	299,440	11.0	11.1	8.9	8.9	160	51	9	19	-	-	-	-	-	-	5	-	5	6	22	-	WEST HAM.	
EAST HAM.	150,207	7.3	8.0	6.9	10.8	54	31	6	13	1	-	-	-	-	1	-	-	2	2	14	-	EAST HAM.	
LEYTON.	128,832	6.1	3.6	11.7	10.9	45	27	3	8	1	-	-	-	-	-	-	1	1	2	14	-	LEYTON.	
WALTHAMSTOW	132,771	5.9	8.2	11.4	7.1	53	18	2	3	-	-	-	-	-	-	-	-	1	1	6	-	WALTHAMSTOW.	
ILFORD.	82,693	6.3	7.6	8.2	5.7	31	9	-	3	-	-	-	-	-	1	-	-	-	-	3	-	ILFORD.	
GILLINGHAM.	45,233	11.5	12.7	10.4	13.8	17	12	3	4	-	-	-	-	1	-	-	-	-	-	4	-	GILLINGHAM.	
HASTINGS.	59,972	6.1	10.4	12.2	16.5	17	19	1	11	-	-	-	-	-	-	1	-	2	2	6	-	HASTINGS.	
EASTBOURNE.	50,354	11.4	7.2	10.4	12.4	16	12	1	8	-	-	-	-	-	-	1	-	-	1	4	-	EASTBOURNE.	
BRIGHTON.	137,685	12.1	11.0	11.0	12.1	46	32	5	10	-	-	-	-	-	-	3	-	2	4	12	-	BRIGHTON.	
PORTSMOUTH.	235,998	10.6	9.3	10.2	6.4	121	29	9	7	-	-	-	1	-	-	6	-	1	2	6	-	PORTSMOUTH.	
BOURNEMOUTH.	85,919	11.5	12.7	11.5	7.3	24	12	-	8	-	-	-	-	-	-	-	-	-	-	1	-	BOURNEMOUTH.	
SOUTHAMPTON.	162,388	10.3	9.3	8.3	5.1	70	16	3	4	-	-	-	-	-	-	1	-	2	2	4	-	SOUTHAMPTON.	
READING.	95,006	8.8	8.2	9.3	6.6	36	12	3	6	-	-	-	-	-	-	1	-	-	-	5	-	READING.	
OXFORD.	59,963	11.3	10.4	6.1	7.8	15	9	1	4	-	-	-	-	-	-	1	-	-	-	3	-	OXFORD.	
NORTHAMPTON.	92,483	11.3	9.6	7.9	11.3	37	20	3	7	-	-	-	-	-	-	-	-	-	1	4	1	NORTHAMPTON.	
CAMBRIDGE.	60,154	10.4	6.9	10.4	7.8	25	9	-	7	-	-	-	-	-	-	-	-	-	-	2	-	CAMBRIDGE.	

† For Greater London see end of Table. ‡ These towns are included within the area of Greater London.

TABLE 1 (cont.).—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH-RATES in the Week ended Saturday, 1st October 1921, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	ESTIMATED CIVILIAN POPULATION, MID. 1920.* (Provisional.)	DEATH-RATES from all Causes.				Week ended 1st Oct., 1921.		The DEATHS in the Week include										Deaths in Public Institutions.		Causes of Death.		TOWNS.
		Week ended				BIRTHS.	DEATHS.	Deaths from										Inquest Cases.	20.	21.	Cols.	
		10th Sept., 1921.	17th Sept., 1921.	24th Sept., 1921.	1st Oct., 1921			Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.	Violence						
																	8.					
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
SOUTHEND ON SEA.	87,382	8.4	13.7	10.7	9.0	31	15	3	2	-	-	-	-	-	-	2	2	-	-	3	1	SOUTHEND ON SEA.
IPSWICH.	81,119	10.9	10.9	7.7	9.6	31	15	4	5	-	-	-	-	-	1	1	-	-	-	5	-	IPSWICH.
GREAT YARMOUTH.	55,193	18.0	11.3	9.4	10.4	25	11	1	5	-	-	-	-	-	-	-	-	1	2	3	-	GREAT YARMOUTH.
NORWICH.	124,774	8.8	9.6	6.7	9.2	50	22	4	12	-	-	-	-	-	-	1	1	-	2	8	-	NORWICH.
SWINDON.	53,580	10.7	9.7	8.8	6.8	26	7	2	4	-	-	-	-	-	-	1	-	-	-	1	-	SWINDON.
EXETER.	61,365	11.0	6.8	8.5	6.8	16	8	-	3	-	-	-	-	-	-	-	-	1	2	4	-	EXETER.
PLYMOUTH.	189,218	10.5	11.3	9.1	12.1	104	44	7	15	-	-	-	1	-	-	1	-	-	1	14	-	PLYMOUTH.
BATH.	68,546	9.1	15.2	14.5	9.9	20	13	2	5	-	-	-	-	-	-	-	-	-	1	3	-	BATH.
BRISTOL.	375,641	8.5	10.3	11.9	11.0	141	79	8	33	1	-	1	-	1	2	-	1	4	-	27	-	BRISTOL.
GLOUCESTER.	52,096	10.0	12.0	4.0	7.0	13	7	2	1	-	-	-	-	-	-	-	-	-	-	3	-	GLOUCESTER.
STOKE ON TRENT.	248,852	14.0	14.0	10.5	9.8	130	47	13	6	-	-	-	-	-	-	10	-	2	3	14	-	STOKE ON TRENT.
WOLVERHAMPTON.	102,324	9.2	10.7	10.7	9.7	43	19	4	8	-	-	-	-	-	-	-	-	-	1	5	-	WOLVERHAMPTON.
WALSALL.	96,419	13.0	8.7	10.8	10.3	55	19	9	4	-	-	-	-	-	-	-	-	-	2	5	-	WALSALL.
WEST BROMWICH.	72,684	15.1	8.6	10.0	7.2	40	10	-	6	-	-	-	-	-	-	-	-	1	2	2	-	WEST BROMWICH.
DUDLEY.	56,169	11.1	10.2	12.1	12.1	27	13	2	2	-	-	-	-	-	-	-	-	-	-	2	-	DUDLEY.
BIRMINGHAM.	895,915	9.6	8.6	10.3	9.7	422	166	29	42	1	-	-	-	2	1	15	5	6	6	62	5	BIRMINGHAM.
SMETHWICK.	75,027	4.2	7.6	8.3	5.6	28	8	1	2	-	-	-	1	-	-	-	-	-	-	-	-	SMETHWICK.
COVENTRY.	137,310	7.2	5.7	8.4	7.6	54	20	4	9	-	-	-	-	-	-	1	1	1	1	4	-	COVENTRY.
LEICESTER.	245,465	10.2	11.0	10.8	10.4	89	49	14	16	-	-	-	-	1	1	7	-	1	2	15	3	LEICESTER.
LINCOLN.	67,543	7.7	10.0	10.8	8.5	27	11	1	5	-	-	-	-	-	-	-	-	-	-	3	-	LINCOLN.
GRIMSBY.	81,953	12.7	12.1	12.1	16.5	54	26	8	5	-	-	-	-	-	-	5	1	-	-	4	-	GRIMSBY.
NOTTINGHAM.	267,836	10.1	9.7	10.3	9.9	116	51	16	15	-	-	-	-	-	-	6	-	3	3	15	1	NOTTINGHAM.
DERBY.	128,868	8.9	9.3	12.5	6.1	59	15	2	8	-	-	-	-	-	-	-	1	1	2	7	-	DERBY.

* See note † on first page of this return.

TABLE 1 (cont.).—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH-RATES in the Week ended Saturday, 1st October, 1921, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	ESTIMATED CIVILIAN POPULATION MID. 1920.* (Provisional.)	DEATH-RATES from all Causes.					Week ended 1st Oct., 1921.		The DEATHS in the Week include										TOWNS														
		Week ended					1st Oct., 1921.	DEATHS.	Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from									Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.											
		10th Sept., 1921.									17th Sept., 1921.	24th Sept., 1921.	1st Oct., 1921.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.					Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.	Violence.							
		2.	3.	4.	5.	6.																					7.						
STOCKPORT	130,635	15.2	8.0	6.4	9.6	59	24	5	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	STOCKPORT.
BIRKENHEAD	153,951	9.1	10.2	11.2	10.5	70	31	4	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	BIRKENHEAD.
WALLASEY	99,226	6.3	8.4	6.3	10.0	25	19	1	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	WALLASEY.
LIVERPOOL	803,452	13.3	11.2	13.4	11.4†	408†	175†	39	33	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	LIVERPOOL.
BOOTLE	80,029	16.3	7.2	8.5	11.1	43	17	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	BOOTLE.
ST. HELENS	104,822	9.0	8.0	13.4	8.0	52	16	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	ST. HELENS.
SOUTHPORT	72,939	12.9	2.9	7.1	7.1	13	10	1	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	SOUTHPORT.
WIGAN	90,866	11.5	10.3	12.1	10.3	54	18	4	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	WIGAN.
WARRINGTON	77,939	11.4	10.7	7.4	8.0	43	12	2	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	WARRINGTON.
BOLTON	184,533	11.3	9.3	10.5	11.3	68	40	12	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	BOLTON.
BURY	56,410	5.5	9.2	10.2	4.6	24	5	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	BURY.
MANCHESTER	770,597	11.2	9.5	10.6	11.0	339	163	36	38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	MANCHESTER.
SALFORD	235,239	10.6	11.1	9.5	8.9	116	40	12	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	SALFORD.
OLDHAM	143,154	11.7	10.2	11.7	13.1	72	36	3	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	OLDHAM.
ROCHDALE	93,639	11.1	6.1	10.0	14.5	24	26	1	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	ROCHDALE.
BURNLEY	105,030	11.4	7.4	14.4	7.9	52	16	1	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	BURNLEY.
BLACKBURN	131,012	13.5	9.6	10.0	12.3	41	31	5	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	BLACKBURN.
PRESTON	121,950	12.8	15.0	12.0	7.7	46	18	5	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	PRESTON.
BLACKPOOL	70,545	10.3	12.6	11.8	15.5	21	21	1	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	BLACKPOOL.
BARROW IN FURNESS	76,561	10.2	6.8	10.9	4.8	38	7	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	BARROW IN FURNESS.
HUDDERSFIELD	116,776	11.6	7.6	12.5	10.7	36	24	7	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	HUDDERSFIELD.
HALIFAX	105,847	10.8	10.3	12.3	10.3	40	21	4	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	HALIFAX.
BRADFORD	293,979	11.5	12.1	14.7	9.8	107	55	9	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	BRADFORD.
LEEDS	449,212	13.1	11.0	10.9	9.9	160	85	22	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	LEEDS.
DEWSBURY	55,080	12.3	15.1	9.5	14.2	23	15	2	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	DEWSBURY.
WAKEFIELD	51,169	17.3	7.1	14.3	13.2	17	13	2	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	WAKEFIELD.
BARNLEY	53,738	13.6	9.7	6.8	11.6	29	12	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	BARNLEY.

Average numbers:—Births, 16; Deaths, 7.

in the Week ended Saturday, 1st October, 1921, and DEATH-RATES in each of the preceding three weeks.

TOWNS.	ESTIMATED CIVILIAN POPULATION, MID. 1920 * (Provisional).	DEATH-RATES from all Causes.					Week ended 1st Oct., 1921.		The DEATHS in the Week include										TOWNS							
		Week ended					BIRTHS.	DEATHS.	Deaths from								Inquest Cases.	Deaths in Public Institutions.		Uncertified Causes of Death.						
		10th Sept., 1921.							Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.	Violence.										
		17th Sept., 1921.	24th Sept., 1921.	1st Oct., 1921.	2.	3.															4.	5.	8.	9.	10.	11.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	Persons aged under 1 Year of Age.	65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.	Violence.	18.	19.	20.	21.	Cols.	
SHEFFIELD	492,570	10.2	9.5	11.1	8.9	230	84	8	27	-	-	-	-	-	-	-	-	4	2	1	6	31	-	-	SHEFFIELD.	
ROTHERHAM	71,785	7.3	11.6	9.4	12.3	41	17	7	4	-	-	-	-	-	-	-	-	1	-	-	1	5	1	1	ROTHERHAM.	
YORK	77,501	21.5	12.1	16.1	8.1	28	12	3	3	-	-	-	-	-	-	-	-	1	2	-	-	2	2	-	YORK.	
HULL	290,808	9.0	10.9	12.2	13.3	129	74	18	21	-	-	-	-	-	-	-	-	7	-	1	5	32	-	-	HULL.	
MIDDLESBROUGH	132,208	14.6	6.7	11.0	12.2	80	31	16	4	-	-	-	-	-	-	-	-	4	-	1	2	4	2	2	MIDDLESBROUGH.	
DARLINGTON	66,610	9.4	11.7	11.0	9.4	32	12	2	2	-	-	-	-	-	-	-	-	1	1	-	-	3	-	-	DARLINGTON.	
STOCKTON ON TEES.	63,114	12.4	9.1	11.6	14.0	31	17	7	4	-	-	-	-	-	-	-	-	1	-	2	2	2	2	-	STOCKTON ON TEES.	
WEST HARTLEPOOL.	68,126	13.8	9.9	13.0	12.2	48	16	3	5	-	-	-	-	-	-	-	2	3	-	-	1	3	3	-	WEST HARTLEPOOL.	
SUNDERLAND	155,211	13.8	12.1	15.5	15.5	90	46	14	7	-	-	-	-	3	-	-	-	5	-	2	4	7	1	1	SUNDERLAND.	
SOUTH SHIELDS	115,945	15.7	11.2	10.8	13.5	51	30	10	5	-	-	-	-	-	-	-	-	2	2	-	-	3	3	1	SOUTH SHIELDS.	
GATESHEAD	128,309	13.0	9.8	12.2	12.6	70	31	10	6	-	-	-	-	-	-	2	-	4	-	-	-	7	1	1	GATESHEAD.	
NEWCASTLE ON TYNE.	286,061	12.8	9.7	12.4	11.3	154	62	13	12	-	-	-	-	-	-	-	-	3	-	2	3	17	-	-	NEWCASTLE ON TYNE.	
TYNEMOUTH	60,318	12.1	16.4	13.8	9.5	24	11	4	2	-	-	-	-	-	-	-	-	2	-	1	1	1	1	-	TYNEMOUTH.	
CARLISLE	57,397	14.5	10.0	10.9	8.2	29	9	-	2	-	-	-	-	-	-	-	-	-	-	1	2	3	-	-	CARLISLE.	
NEWPORT (MON.)	90,728	7.5	8.0	7.5	13.8	39	24	6	6	-	-	-	-	-	-	-	-	2	-	-	-	2	2	-	NEWPORT (MON.).	
CARDIFF	212,582	8.8	9.8	8.3	8.6	97	35	7	9	-	-	-	-	-	-	-	-	1	1	1	2	9	-	-	CARDIFF.	
RHONDDA	184,999	11.8	8.7	13.0	6.5	82	23	5	6	-	-	-	-	-	-	-	-	3	-	-	-	3	-	-	RHONDDA.	
MERTHYR TYDFIL	74,493	14.7	10.5	10.5	10.5	41	15	2	1	-	-	-	-	-	-	1	-	1	-	-	-	4	-	-	MERTHYR TYDFIL.	
ABERDARE	53,431	5.9	6.8	10.7	16.6	32	17	8	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	ABERDARE.	
SWANSEA	167,218	10.3	9.0	9.4	6.2	76	20	1	8	-	-	-	-	-	-	-	1	-	-	1	1	3	-	-	SWANSEA.	
GREATER LONDON	7,548,647	10.2	9.8	10.4	9.5	3014	1375	254	467	4	-	-	-	-	8	13	30	125	11	57	116	639	3	-	GREATER LONDON.	
OUTER RING	3,016,676	8.6	8.1	9.1	8.5	1104	491	70	187	2	-	-	-	-	2	-	14	28	6	20	34	179	-	-	OUTER RING.	
14 GREAT TOWNS IN OUTER RING.	1,734,723	8.3	8.4	8.9	8.4	675	279	47	102	2	-	-	-	-	1	-	9	17	3	12	19	122	-	-	14 GREAT TOWNS IN OUTER RING.	
REMAINDER OF OUTER RING.	1,281,953	8.9	7.7	9.3	8.6	429	212	23	85	-	-	-	-	-	1	-	5	11	3	8	15	57	-	-	REMAINDER OF OUTER RING.	
EDINBURGH†	420,281	11.4	11.4	14.1	12.8	187	103	14	31	-	-	-	-	-	-	-	1	3	-	5	?	?	?	-	EDINBURGH.†	
GLASGOW†	1,034,069	13.6	11.2	13.0	10.8	566	215	42	49	-	-	-	-	-	2	4	4	15	1	17	?	?	?	-	GLASGOW.†	
DUBLIN (Registra- tion Area).†	423,000	16.3	13.2	13.7	13.8	223	112	28	33	2	-	-	-	-	1	-	1	11	-	1	4	44	-	-	DUBLIN (Registra- tion Area).†	
BELFAST†	420,000	9.9	8.8	12.5	12.0	207	97	23	15	-	-	-	-	1	-	2	-	6	1	10	11	27	-	-	BELFAST.†	

* See note † on first page of this return.

† The populations are total populations and relate to 1921, those for Edinburgh and Glasgow being Census populations. Deaths and the death-rates in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week: those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

TABLE 2. LONDON.—Births and Deaths registered during the THIRTY-NINTH Week of each of the Eleven Years, 1911-1921.

	1911.	1912.	1913.	1914.	1915.	1916.	1917.	1918.	1919.	1920.	1921.
Births (as registered).	2119	2179	2074	2112	1828	1787	1390	1502	1721	2165	1910
Males	1122	1136	1047	1065	927	938	712	779	905	1125	1000
Females	997	1043	1027	1047	901	849	678	723	816	1040	910
Deaths (of residents only).	1349	1058	1166	1290	1268	1114*	914*	938*	930*	861*	884*
Males	686	564	610	650	700	578	474	501	489	451	455
Females	663	494	556	640	568	536	440	437	441	410	429

* Deaths in civilian population only.

TABLE 3. LONDON.—BIRTHS and DEATHS REGISTERED, and CASES of INFECTIOUS SICKNESS in HOSPITALS. in the last THIRTEEN WEEKS.

	July 9.	July 16.	July 23.	July 30.	Aug. 6.	Aug. 13.	Aug. 20.	Aug. 27.	Sept. 3.	Sept. 10.	Sept. 17.	Sept. 24.	Oct. 1.
Births (as registered) . . .	1955	1910	1891	2023	1823	2214	1948	2003	1893	1782	1918	1921	1810
Deaths (of residents only).	751	940	857	846	822	872	1003	966	952	980	949	975	884
Age													
Under 1 year	86	124	128	128	166	186	225	235	268	230	204	184	184
1-2 years	24	28	44	29	38	36	43	44	50	38	41	39	28
2-5 "	23	21	26	19	24	13	21	15	11	19	23	25	17
5-10 "	10	22	18	20	30	20	23	21	22	15	24	33	24
10-15 "	10	21	10	12	11	8	9	9	10	14	14	9	12
15-20 "	20	24	23	15	21	24	18	20	15	17	21	27	8
at													
20-25 "	18	22	18	19	25	17	27	21	19	18	19	21	23
25-35 "	29	49	33	41	43	62	50	32	34	45	53	44	35
Death													
35-45 "	53	54	51	55	56	50	61	56	56	62	68	67	56
45-55 "	109	108	102	104	87	87	111	109	103	89	90	114	100
55-65 "	105	156	120	133	98	137	119	130	104	126	122	114	117
65-75 "	137	153	146	155	110	123	152	134	136	166	133	149	155
75 years and upwards	127	158	138	116	113	109	144	140	124	141	137	149	125
Deaths from—													
Enteric fever	-	3	-	-	3	-	2	1	1	3	1	1	2
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	4	-	6	2	5	9	1	6	3	1	-	2	-
Scarlet fever	2	6	4	3	3	1	2	3	4	7	2	2	6
Whooping cough	9	13	12	6	7	5	13	23	8	13	14	10	13
Diphtheria	10	18	12	13	30	16	17	6	11	13	20	24	16
Diarrhoea and enteritis (under 2 years).	13	30	29	52	68	103	154	142	191	159	121	102	97
Pulmonary tuberculosis	55	77	71	66	77	82	86	55	54	78	80	74	64
Influenza	5	4	3	3	1	3	1	2	2	3	5	8	5
Pneumonia (all forms)	46	40	60	44	34	59	45	44	52	47	41	54	61
Bronchitis	27	27	36	25	12	24	28	26	20	30	34	35	38
Other dis. of resp. system	9	14	13	8	8	10	15	10	9	5	12	14	7
Dis. of circ. system	148	145	126	135	133	119	140	137	126	134	121	137	139
Violence	26	51	45	47	33	28	24	42	31	20	25	41	37
Inquest cases	71	87	83	77	73	73	69	86	70	64	68	89	82
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Enteric fever	24	23	27	28	28	31	34	32	34	37	40	38	40
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	40	43	52	49	54	59	60	48	37	37	37	28	21
Scarlet fever	3844	3879	3886	3765	3717	3572	3523	3394	3433	3680	4003	4428	4887
Whooping cough	9	10	10	10	23	36	40	41	41	45	59	50	48
Diphtheria	1921	1961	1983	1979	1957	1879	1816	1740	1713	1773	1834	1947	2056

* The Metropolitan Asylums Board and London Fever Hospitals. The figures do not refer to London exclusively.

TABLE 3A. 96 Great Towns.—DEATHS from INFLUENZA in the last THIRTEEN WEEKS.

	July 9.	July 16.	July 23.	July 30.	Aug. 6.	Aug. 13.	Aug. 20.	Aug. 27.	Sept. 3.	Sept. 10.	Sept. 17.	Sept. 24.	Oct. 1.
Deaths from Influenza . . .	25	27	19	25	14	15	9	12	17	21	27	22	37

TABLE 4. LONDON.—DEATHS REGISTERED in the THIRTY-NINTH Week of the Year 1921.

CAUSES OF DEATH.	Deaths in the 39th week of the year 1920.	DEATHS OF PERSONS OF THE AGES													
		ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-10 years.	10-15 years.	15-20 years.	20-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and up- wards.
ALL CAUSES	861	884	184	28	17	24	12	8	23	35	56	100	117	155	125
Enteric fever	2	2	-	-	-	-	-	-	-	1	-	-	1	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever	11	6	-	-	2	2	1	-	1	-	-	-	-	-	-
Whooping cough	3	13	5	3	3	2	-	-	-	-	-	-	-	-	-
Diphtheria	18	16	-	-	3	2	2	-	-	-	-	1	-	1	-
Influenza	5	5	-	-	-	-	-	-	-	-	1	-	1	2	1
Erysipelas	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Acute Poliomyelitis, Polioencepha- litis.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal meningitis . . .	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-
Other endemic and epidemic diseases.	-	3	-	-	-	-	-	-	-	-	1	-	1	1	-
Pyæmia and septicæmia	2	2	-	-	-	-	1	-	-	1	-	-	-	-	-
Tetanus	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis:—															
Pulmonary tuberculosis	78	64	-	-	-	-	1	2	6	10	14	16	5	9	1
Tuberculous meningitis	8	5	2	1	1	1	-	-	-	-	-	-	-	-	-
Abdominal tuberculosis	3	5	2	1	-	1	-	-	1	-	-	-	-	-	-
Tuberculosis of the spine	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of the joints	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of other organs . . .	1	2	-	-	-	-	-	-	1	-	-	-	-	-	1
Disseminated tuberculosis . . .	1	5	1	-	1	1	-	-	1	1	-	-	-	-	-
Venereal diseases	4	3	1	-	-	-	-	-	-	-	1	1	-	-	-
Cancer	128	105	1	1	1	-	-	-	-	1	4	16	30	35	16
Rheumatic fever	2	3	-	-	-	-	-	-	-	1	-	1	1	-	-
Diabetes	5	7	-	-	-	-	-	1	-	-	-	-	1	5	-
Anæmia, leucocythæmia	5	7	-	-	-	1	-	-	1	-	1	1	3	-	-
Other general diseases	7	10	-	-	-	-	-	1	2	-	2	1	1	3	-
Alcoholism	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
Chronic poisonings	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Simple meningitis	9	3	-	1	-	-	1	-	-	-	1	-	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	32	33	-	-	-	-	-	1	-	-	1	3	9	11	8
Softening of brain	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Paralysis, without specified cause .	6	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Epilepsy	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
"Convulsions" (not puerperal) . .	6	4	4	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system .	19	19	1	-	-	-	-	-	1	-	1	5	2	6	3
Pericarditis	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute endocarditis	10	6	-	-	-	-	1	-	1	1	-	1	1	1	-
Other diseases of heart	112	96	-	-	-	-	3	1	4	5	8	15	19	20	21
Embolism and thrombosis (exclud- ing cerebral).	4	1	-	-	-	-	-	-	-	-	-	-	-	-	1
Other diseases of circulatory system.	32	36	-	-	-	-	-	-	1	-	-	3	5	12	15
Diseases of the larynx	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis	39	38	4	-	-	-	-	1	-	-	2	2	5	10	14
Broncho-pneumonia	24	31	17	2	2	-	-	-	-	1	-	4	1	1	3
Lobar pneumonia	8	17	1	2	1	-	-	-	-	1	1	5	3	3	-
Pneumonia (type not distinguished)	19	13	1	-	-	1	-	-	-	1	2	1	4	3	-
Pleurisy	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-
Pulmonary congestion, Pulmonary apoplexy.	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Other diseases of respiratory system.	6	5	1	-	-	-	-	-	-	-	-	1	1	2	-

TABLE 5.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM							
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria* Diarrhoeal Diseases† (under 2 years).	Influenza.	
LONDON† . .	4,531,971	1921. Oct. 1	1,910	884	10·2	2	-	-	6	13	16	97	5
CALCUTTA . .	896,067	Aug. 27	-	501§	29·0	?	-	?	?	?	?	?	15
BOMBAY . .	979,445	" 20	338	922§	49·0	2	4	-	-	1	-	66	15
MADRAS . .	522,951	" 20	362	429	42·7	1	8	-	?	1	-	58	1
PARIS . .	2,847,229	{ 10 days } Aug. 20 }	-	-	-	-	-	-	-	-	-	-	-
BRUSSELS . .	792,919	- . . .	-	-	-	-	-	-	-	-	-	-	-
ANTWERP . .	340,852	Sept. 10	94	66	10·3	1	-	-	-	-	-	9	-
AMSTERDAM . .	681,434	" 17	269	99	7·9	1	-	-	-	-	-	1	-
COPENHAGEN . .	571,000	" 17	234	96	8·8	1	-	-	-	-	-	1	-
STOCKHOLM . .	419,788	" 10	101	66	8·2	-	-	-	-	-	-	1	-
GOTHENBURG . .	205,547	" 3	-	29	7·3	-	-	-	-	-	-	4	-
CHRISTIANIA . .	260,904	" 17	93	43	8·6	-	-	-	-	-	-	1	-
BERLIN . .	1,951,000	" 10	462	305	8·1	-	?	-	-	4	2	27	1
BRESLAU . .	547,000	" 10	229	166	15·8	-	?	-	-	3	2	17	2
COLOGNE . .	666,000	" 10	260	181	14·1	1	?	1	-	-	2	23	1
DRESDEN . .	595,000	" 10	158	110	9·6	-	?	-	2	-	-	10	1
FRANKFORT- ON-MAIN.	469,000	" 10	124	89	9·9	-	?	-	-	-	2	4	2
HAMBURG . .	1,031,000	" 10	293	216	10·9	1	?	-	-	3	2	11	1
LEIPZIG . .	629,000	" 10	161	184	15·2	1	?	1	-	1	-	40	-
MUNICH . .	670,000	" 10	-	-	-	-	-	-	-	-	-	-	-
VIENNA . .	1,842,005	" 10	459	428	12·1	4	-	-	1	1	-	30	1
PRAGUE AND SUBURBS.	676,454	Aug. 27	234	167	12·9	3	-	-	-	1	-	15	-
BUDAPEST . .	933,000	July 23	-	-	-	-	-	-	-	-	-	-	-
TRIESTE . .	248,428	May 28	-	-	-	-	-	-	-	-	-	-	-
CAIRO . .	765,200	July 15	647	724	49·2	4	-	17	-	?	5	176	?
ALEXANDRIA . .	449,300	" 15	303	269§	31·1	1	-	-	-	?	-	48	?
NEW YORK . .	5,751,859	Sept. 3	-	-	-	-	-	-	-	-	-	-	-
CHICAGO . .	2,780,655	" 10	-	544	10·2	1	-	1	1	2	6	55	1

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Cities, Vienna, Prague and Suburbs, Budapest, and Trieste.

† The deaths in this column relate to *all ages* for Bombay, Madras, Christiania, and Budapest, and to *children under 1 year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

§ Including 2 deaths from *plague* in Bombay and 2 in Alexandria, and from *Asiatic cholera*, 14 deaths in Calcutta, and 9 in Bombay.

TABLE 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 1st October, 1921.
(Supplied by the Meteorological Office.)

TOWNS.	Temperature of Air.*				Rainfall in Milli- metres.†	TOWNS.	Temperature of Air.*				Rainfall in Milli- metres.‡
	Highest.	Lowest.	Mean Maxi- mum.	Mean Mini- mum.			Highest.	Lowest.	Mean Maxi- mum.	Mean Mini- mum.	
LONDON (Greenwich) }	74	37	68·4	42·6	0	BRADFORD . .	67	40	62·0	46·9	0
BRIGHTON . .	72	46	67·6	49·3	0	SHEFFIELD . .		Not	received.		
PORTSMOUTH . .	72	47	67·6	50·3	0	YORK (Museum) .	68	39	64·1	48·3	0
NORWICH (Eaton) .	69	37	64·8	40·8	0	HULL (Pearson Park)	71	41	65·1	47·6	0
PLYMOUTH . .	71	45	68·0	52·6	0	TYNEMOUTH . .	66	44	60·4	51·1	0·3
BRISTOL (Clifton) .	71	42	65·4	44·9	0	CARDIFF . .	70	42	65·3	45·6	0
BIRMINGHAM . .	71	42	65·6	46·1	0	EDINBURGH . .		Not	received.		
NOTTINGHAM . .	71	37	65·1	43·0	0	GLASGOW . .	62·8	46·8	59·5	50·1	29
BIRKENHEAD (Bidston) }	67	46	63·1	48·3	0	DUBLIN :— Phoenix Park .		Not	received.		
MANCHESTER . .	71	42	65·9	47·4	0	†Fitzwilliam Square	64·2	42·9	62·4	48·7	3
BURNLEY . .	70	38	62·6	45·0	0	BELFAST . .		Not	received.		
HUDDERSFIELD . .	73	44	63·3	48·7	0						

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.

† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.

‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

DATE.		ELECTRICITY. (For explanation of symbols, see Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SEPTEMBER 1921.					
SUNDAY	- 25	v.P. generally	10.1	12.0	Cloudless with very slight exceptions; misty with hoar frost in morning; dew at night.
MONDAY	- 26	w.P. generally, v.P. in afternoon.	6.7	11.9	Nearly cloudless till 14h., then cloudy to overcast by 15h. 30m.; dew and mist in morning.
TUESDAY	- 27	w.P. generally	3.5	11.9	Overcast generally till noon; nearly overcast till 15h., then clearing to nearly cloudless by 19h. 30m.; dew at night; damping in early morning.
WEDNESDAY	- 28	w.P. till noon, v.P. afterwards.	9.0	11.8	Cloudless throughout; mist and dew in morning; heavy dew at night.
THURSDAY	- 29	v.P. throughout	7.8	11.7	Cloudless till 10h. 30m.; partially cloudy till 16h., then cloudless; heavy dew and mist in morning.
FRIDAY	- 30	v.P. generally	7.8	11.7	Cloudless till 5h.; little cloud till 21h., then becoming cloudless; misty in morning; dew morning and evening.
OCTOBER. SATURDAY	- 1	w.P. till noon, v.P. afterwards.	8.1	11.6	Cloudless with few exceptions; heavy dew; thick mist and hoar frost in morning.
No. of Col. - -		26	Sum 53.0	Sum 82.6	
			27	28	

The results apply to the civil day, or from midnight to midnight.
The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.
Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.
The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.
In reading columns 9 and 24 it will be borne in mind that + indicates "higher," and - "lower," than the average.
The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.
The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.
The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.
The reading of the barometer increased from 30.23 in. at the beginning of the week to 30.24 in. by 9h. on September 25th; decreased to 30.12 in. by 4h. on September 26th; increased to 30.28 in. by 11h. on September 27th; decreased to 29.72 in. by 17h. on October 1st, and was 29.74 in. at midnight on the same day.

The results apply to the civil day, or from midnight to midnight. The height of the cistern of the barometer is 152 feet above the mean level of the sea ; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon ; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1903, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "higher," and - "lower," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are :—P. positive ; N. negative ; w. weak ; m. moderate ; s. strong ; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 30.23 in. at the beginning of the week to 30.24 in. by 9h. on September 25th ; decreased to 30.12 in. by 4h. on September 26th ; increased to 30.28 in. by 11h. on September 27th ; decreased to 29.72 in. by 17h. on October 1st, and was 29.74 in. at midnight on the same day.

TABLE 8. LONDON.—DEATHS of PERSONS BELONGING to the several METROPOLITAN BOROUGHs REGISTERED in the Week ended 24th September, 1921.

BOROUGHs.	Deaths from									Deaths of Infants under 1 Year of Age.
	ALL CAUSES.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Pulmonary Tuberculosis.	
COUNTY OF LONDON .	975	1	-	2	2	10	24	102	74	184
Western										
PADDINGTON	30	-	-	-	-	-	-	4	1	5
KENSINGTON	41	-	-	-	-	-	1	7	4	10
HAMMERSMITH	27	-	-	-	-	-	-	4	1	4
FULHAM	37	-	-	-	-	1	1	2	1	8
CHELSEA	13	-	-	-	-	-	-	3	2	3
CITY OF WESTMINSTER .	32	-	-	-	-	-	1	-	3	3
Northern.										
ST. MARYLEBONE . . .	18	1	-	-	-	-	1	1	1	1
HAMPSTEAD	13	-	-	-	-	-	2	1	1	1
ST. PANCRAS	48	-	-	-	-	-	1	8	6	10
ISLINGTON	86	-	-	-	-	-	-	15	7	19
STOKE NEWINGTON . . .	11	-	-	-	-	-	1	1	-	2
HACKNEY	41	-	-	-	-	1	-	2	5	4
Central.										
HOLBORN	6	-	-	-	-	-	-	-	1	-
FINSBURY	21	-	-	-	-	-	2	3	2	6
CITY OF LONDON . . .	2	-	-	-	-	-	-	-	-	-
Eastern.										
SHOREDITCH	20	-	-	-	-	-	1	4	-	9
BETHNAL GREEN	28	-	-	1	-	1	1	4	2	5
STEPNEY	57	-	-	-	1	2	-	8	1	11
POPLAR	46	-	-	1	1	2	2	3	4	13
Southern.										
SOUTHWARK	58	-	-	-	-	2	-	8	4	17
BERMONDSEY	39	-	-	-	-	-	3	6	6	8
LAMBETH	55	-	-	-	-	-	-	5	7	12
BATTERSEA	33	-	-	-	-	1	1	2	1	6
WANDSWORTH	58	-	-	-	-	-	1	5	1	7
CAMBERWELL	60	-	-	-	-	-	2	5	3	11
DEPTFORD	21	-	-	-	-	-	-	1	2	2
GREENWICH	16	-	-	-	-	-	1	-	3	2
LEWISHAM	30	-	-	-	-	-	1	-	1	2
WOOLWICH	28	-	-	-	-	-	1	-	4	3

The deaths in the above Table are, so far as concerns London as a whole, corrected by the exclusion of deaths of non-residents, and by the inclusion of those of residents occurring in the Outer Ring or in Metropolitan public institutions situated outside the County. As between individual Metropolitan Boroughs, however, correction is complete.

TABLE 9. LONDON.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED during the Week ended 24th September, 1921.*

BOROUGH.	ESTI- MATED CIVILIAN POPU- LATION, MID. 1920.† (Provi- sional.)	Enteric Fever.	Malaria.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Group).	Pneumonia.	Erysipelas.	Cerebro-Spinal Fever.	Puerperal Fever.	Ophthalmia Neonatorum.	Poliomyelitis.	Dysentery.	Encephalitis Lethargica.	Anthrax.	Polio- encephalitis.	Cholera.
WESTERN.																		
Paddington	149,673	-	-	-	-	27	8	-	5	-	-	1	-	-	-	-	-	-
Kensington	164,177	-	-	-	-	30	7	-	1	-	-	1	-	-	-	-	-	-
Hammersmith	136,200	-	-	-	-	25	6	-	1	-	-	1	-	-	-	-	-	-
Fulham	158,621	-	-	-	-	18	7	3	3	-	-	-	1	-	-	-	-	-
Chelsea	62,987	-	-	-	-	2	1	2	-	-	-	-	-	-	-	-	-	-
City of Westminster . .	132,615	1	-	-	-	31	5	-	1	-	-	-	-	-	-	-	-	-
NORTHERN.																		
St. Marylebone	101,856	2	-	-	-	14	-	-	-	-	-	-	-	-	-	-	-	-
Hampstead	91,519	1	-	-	-	10	14	-	1	-	-	1	-	-	-	-	-	-
St. Pancras	228,178	-	-	-	-	32	15	5	1	-	-	4	-	-	1	-	-	-
Islington	335,907	-	-	-	-	78	28	-	6	-	1	4	-	-	-	-	-	-
Stoke Newington	52,984	-	-	-	-	12	5	-	1	-	-	-	-	-	-	-	-	-
Hackney	225,372	-	-	-	-	58	23	3	2	-	-	-	-	-	-	-	-	-
CENTRAL.																		
Holborn	39,676	-	-	-	-	9	8	1	1	-	-	-	-	-	-	-	-	-
Finsbury	78,291	-	-	-	-	21	10	2	2	-	-	-	-	-	-	-	-	-
City of London	14,447	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
EASTERN.																		
Shoreditch	102,044	-	-	-	-	22	10	9	2	-	-	3	-	-	-	-	-	-
Bethnal Green	114,471	-	-	-	-	37	12	3	5	-	1	1	-	-	-	-	-	-
Stepney	241,770	1	-	-	-	51	26	7	-	-	-	1	-	-	-	-	-	-
Poplar	159,766	1	-	-	-	43	18	6	2	-	1	5	-	-	-	-	-	-
SOUTHERN.																		
Southwark	187,142	-	-	-	-	24	11	2	3	-	1	2	-	-	-	-	-	-
Bermondsey	129,189	1	-	-	-	35	21	-	1	-	-	-	-	-	-	-	-	-
Lambeth	293,572	-	-	-	-	35	14	1	-	-	-	1	-	-	1	-	-	-
Battersea	165,664	-	-	-	-	40	21	8	1	-	2	-	-	-	1	-	-	-
Wandsworth	346,990	5	-	-	-	46	10	9	3	-	-	-	-	-	-	-	-	-
Camberwell	284,712	-	2	-	-	38	20	1	4	-	-	-	-	-	-	-	-	-
Deptford	115,636	-	-	-	-	12	2	-	1	-	1	-	1	-	-	-	-	-
Greenwich	102,408	-	-	-	-	28	3	-	2	-	-	-	-	1	-	-	-	-
Lewisham	174,438	-	-	-	-	13	4	-	-	-	-	1	-	-	-	-	-	-
Woolwich	141,666	1	-	-	-	20	10	4	1	-	-	1	-	-	-	-	-	-
TOTAL	4,531,971	13	2	-	-	812	320	66	50	-	7	27	2	1	3	-	-	-
AGES.																		
Ages 0-1		-	-	-	-	4	4	6	-	-	-	27	-	-	-	-	-	-
" 1-5		-	-	-	-	138	77	13	3	-	-	-	-	-	-	-	-	-
" 5-		1	-	-	-	381	134	6	2	-	-	-	1	-	-	-	-	-
" 10-		-	-	-	-	197	53	4	6	-	-	-	1	-	-	-	-	-
" 15-		3	-	-	-	51	20	3	4	-	-	-	-	-	-	-	-	-
" 20-		3	-	-	-	17	9	3	2	-	-	-	-	-	-	-	-	-
" 25-		2	1	-	-	17	14	6	6	-	2	-	-	-	1	-	-	-
" 35-		1	-	-	-	6	7	6	6	-	5	-	-	1	-	-	-	-
" 45-		3	1	-	-	1	2	12	13	-	-	-	-	-	1	-	-	-
" 55-		-	-	-	-	-	-	4	3	-	-	-	-	-	1	-	-	-
" 65-		-	-	-	-	-	-	3	4	-	-	-	-	-	-	-	-	-
" 75 and upwards . . .		-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Age not stated		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

† See note † on first page of this return.



FOR OFFICIAL USE.

WEEKLY RETURN

OF

**BIRTHS AND DEATHS REGISTERED:-
LONDON AND
NINETY-FIVE OTHER GREAT TOWNS**

~~~~~  
By Authority of the Registrar General,  
~~~~~

LONDON:

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
H.M. STATIONERY OFFICE at the following addresses:

IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and

28, ABINGDON STREET, LONDON, S.W. 1;

37, PETER STREET, MANCHESTER;

1, ST. ANDREW'S CRESCENT, CARDIFF;

23, FORTH STREET EDINBURGH;

or from EASON AND SON, LTD., 41 and 42, LOWER SACKVILLE STREET, DUBLIN.

No. 40. Vol. LXXXII. 1921. WEEK ENDED SATURDAY, OCT. 8.
[Price 9d. Net.]

*General Register Office, Somerset House,
October 11th, 1921.*

NINETY-SIX GREAT TOWNS.

For the NINETY-SIX GREAT TOWNS of England and Wales, each of which had a population of 50,000 or over at the Census of 1911, the births registered last week numbered 7,922, and corresponded to an annual rate of 22·2 per 1,000. The deaths* among the civilian population only numbered 3,925, and corresponded to an annual rate of 11·0 per 1,000 of their aggregate civilian population, which is provisionally estimated† at 18,554,878 persons in the year 1920. In the three weeks ended September 17th, September 24th, and October 1st, the rates had been 10·1, 10·8, and 10·0 respectively. The infant mortality was 95, against 97, 102, and 91 in the preceding three weeks. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks; it also shows for the week ended last Saturday the births and the deaths from certain individual causes. A column showing the number of deaths

* Corrected as far as possible for deaths of non-residents and for those of residents occurring outside the area. Fully corrected figures will appear in the Registrar General's Annual Report.

† The estimates of population refer to the year 1920, and are based on the returns furnished under the scheme for rationing of food.

from influenza has been inserted in Table 1. The aggregate number of deaths from influenza in the 96 great towns in each of the last thirteen weeks is shown in Table 3A.

Measured by last week's mortality, the highest annual death-rates per 1,000 living were :—from *all causes*, 16·4 in Carlisle, 17·3 in Tynemouth, 17·6 in Aberdare, and 20·9 in York. No death from *small-pox* was registered in any of the ninety-six towns.

LONDON.* (The Administrative County, including the City of London.)

For LONDON there were 1,889 BIRTHS, corresponding to a rate of 21·6 per 1,000, and 986 DEATHS of civilians, corresponding to a rate of 11·3, as against 10·9, 11·2, and 10·2, per 1,000 in the three weeks ended September 17th, September 24th, and October 1st. The death-rate in the four weeks ended last Saturday averaged 10·9 per 1,000. The infant mortality was 99, against 106, 96, and 96, in the preceding three weeks.

The deaths from *enteric fever*, which had been 1, 1, and 2 in the preceding three weeks, numbered 5, the average for the corresponding weeks of the previous five years being 2. The deaths from *measles*, which had been 0, 2, and 0 in the preceding three weeks, were 3 last week, and were 3 below the average. The deaths from *scarlet fever*, which had been 2, 2, and 6 in the preceding three weeks, were again 6 last week, and were 4 above the average. The deaths from *whooping-cough*, which had been 14, 10, and 13 in the preceding three weeks, were 14 last week, and were 11 above the average. The deaths from *diphtheria*, which had been 20, 24, and 16 in the preceding three weeks, rose last week to 20, and were 8 above the average; 3 deaths belonged to the Borough of Islington and 3 to Lambeth. The deaths from *diarrhoea and enteritis under 2 years of age*, which had been 121, 102, and 97 in the preceding three weeks, further fell last week to 81, but were 11 above the average; 7 deaths belonged to Islington, 7 to Stepney, 6 to Bethnal Green, and 6 to Camberwell. The deaths from *influenza* numbered 4, as against 5, 8, and 5 in the preceding three weeks, and an average of 8.

Different forms of violence caused 29 deaths, all of which were the subject of coroners' inquests. Of these 29 deaths, 9 were cases of suicide, while the remaining 20 were attributed to other forms of violence. Six of these latter were referred to vehicles in the streets, 2 to burns or scalds, 3 to drowning, and 1 of an infant under one year of age to suffocation in bed.

CASES OF INFECTIOUS DISEASE.†

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital, there were 40 cases of enteric fever, 19 of measles, 5,508 of scarlet fever, 44 of whooping-cough, and 2,247 of diphtheria under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as

* See note * on first page.

† The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

compared with those in the preceding three weeks, were as follows :—Of enteric fever, 5 cases, against 7, 5, and 8; of measles, 4 cases, against 8, 4, and 1; of scarlet fever, 1,165 cases, against 818, 852, and 924; of whooping-cough, 3 cases, against 14, 5, and 5; and of diphtheria, 394 cases, against 326, 344, and 364. Table 9, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the county during the week ended October 1st, 1921.

TABLE 1 (cont.).—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH-RATES in the Week ended Saturday, 8th October 1921, and DEATH-RATES in each of the preceding three Weeks.

Great Towns, &c. : Births, Deaths, and Rates of Mortality.

629

TOWNS.	ESTIMATED CIVILIAN POPULATION, MID. 1920.* (Provisional.)	DEATH-RATES from all Causes.				Week ended 8th Oct., 1921.		The DEATHS in the Week include										TOWNS.					
		Week ended				BIRTHS.	DEATHS.	Deaths from											Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.		
		Deaths of						Deaths from															
		17th Sept., 1921.	24th Sept., 1921.	1st Oct., 1921.	8th Oct., 1921.			Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Inte- ritic Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping (Cough).	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.					Violence	
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.	
SOUTHEND ON SEA -	87,382	13·7	10·7	9·0	8·4	28	14	3	5	-	-	-	-	-	-	-	2	1	2	2	-	-	SOUTHEND ON SEA.
IPSWICH	81,119	10·9	7·7	9·6	12·2	27	19	2	7	1	-	-	-	-	-	-	1	-	-	6	-	-	IPSWICH.
GREAT YARMOUTH .	55,193	11·3	9·4	10·4	14·2	29	15	3	5	-	-	-	-	-	-	-	-	1	2	5	-	-	GREAT YARMOUTH.
NORWICH	124,774	9·6	6·7	9·2	12·5	47	30	5	14	-	-	-	-	1	-	-	2	-	-	7	-	-	NORWICH.
SWINDON	53,580	9·7	8·8	6·8	9·7	11	10	-	6	-	-	-	-	-	-	-	-	-	-	1	-	-	SWINDON.
EXETER	61,365	6·8	8·5	6·8	5·1	17	6	-	4	-	-	-	-	-	-	-	-	-	-	2	-	-	EXETER.
PLYMOUTH	189,218	11·3	9·1	12·1	7·4	84	27	2	10	-	-	-	-	-	-	-	-	1	1	6	-	-	PLYMOUTH.
BATH	68,546	15·2	14·5	9·9	15·2	23	20	1	7	-	-	-	-	-	-	-	-	-	-	5	-	-	BATH.
BRISTOL	375,641	10·3	11·9	11·0	9·2	165	66	12	25	-	-	1	-	-	2	-	3	-	2	6	17	-	BRISTOL.
GLOUCESTER	52,096	12·0	4·0	7·0	6·0	22	6	4	2	-	-	-	-	-	-	-	1	1	-	-	-	-	GLOUCESTER.
STOKE ON TRENT . .	248,852	14·0	10·5	9·8	10·3	115	49	10	11	-	-	-	1	1	-	7	-	3	6	18	1	1	STOKE ON TRENT.
WOLVERHAMPTON . .	102,324	10·7	10·7	9·7	11·7	63	23	6	3	-	-	-	-	-	-	3	-	1	1	3	-	-	WOLVERHAMPTON.
WALSALL	96,419	8·7	10·8	10·3	12·4	53	23	7	10	-	-	-	-	-	-	3	-	-	-	4	1	1	WALSALL.
WEST BROMWICH . .	72,684	8·6	10·0	7·2	9·8	42	13	2	4	-	-	-	-	-	1	-	-	-	-	4	2	2	WEST BROMWICH.
DUDLEY	56,169	10·2	12·1	12·1	14·9	25	16	2	2	-	-	-	1	-	-	1	-	1	1	4	1	1	DUDLEY.
BIRMINGHAM	895,915	8·6	10·3	9·7	10·9	427	188	42	62	-	-	-	-	2	2	15	5	6	7	66	4	4	BIRMINGHAM.
SMETHWICK	75,027	7·6	8·3	5·6	6·3	31	9	1	3	-	-	-	-	-	-	-	-	1	1	4	-	-	SMETHWICK.
COVENTRY	187,310	5·7	8·4	7·6	5·3	40	14	3	4	-	-	-	-	-	-	3	-	1	2	5	-	-	COVENTRY.
LEICESTER	245,465	11·0	10·8	10·4	10·6	104	50	11	9	-	-	-	-	-	-	3	1	4	7	11	-	-	LEICESTER.
LINCOLN	67,543	10·0	10·8	8·5	13·1	29	17	3	7	-	-	-	-	-	-	-	-	-	-	3	1	1	LINCOLN.
GRIMSBY	81,953	12·1	12·1	16·5	12·7	36	20	5	5	-	-	-	-	-	-	1	-	2	2	3	-	-	GRIMSBY.
NOTTINGHAM	267,886	9·7	10·3	9·9	9·0	108	46	10	14	-	-	-	-	-	-	2	-	1	5	20	1	1	NOTTINGHAM.
DERBY	128,868	9·3	12·5	6·1	12·5	65	31	5	13	-	-	-	-	1	-	1	-	2	2	14	-	-	DERBY.

* See note † on first page of this return.

TABLE 1 (cont.).—63 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH-RATES in the Week ended Saturday, 8th October, 1921, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	DEATH-RATES from all Causes.					Week ended 8th Oct., 1921.		The DEATHS in the Week include										TOWNS.					
	ESTIMATED CIVILIAN POPULATION MID. 1920.* (Provisional.)	Week ended				BIRTHS.	DEATHS.	Deaths of		Deaths from										Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	
		17th Sept., 1921.	24th Sept., 1921.	1st Oct., 1921.	3th Oct., 1921.			Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.		Violence.				
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.	
STOCKPORT	130,635	8.0	6.4	9.6	9.6	46	24	9	7	-	-	-	1	-	-	2	-	2	4	8	-	STOCKPORT.	
BIRKENHEAD	153,951	10.2	11.2	10.5	12.9	55	28	11	13	-	-	-	-	-	-	1	-	1	2	10	-	BIRKENHEAD.	
WALLASEY	99,226	8.4	6.3	10.0	10.5	22	20	1	7	-	-	-	1	-	-	-	-	-	-	2	-	WALLASEY.	
LIVERPOOL	803,452	11.2	13.4	11.4	13.5	430	298	45	39	1	4	4	1	4	4	26	1	4	8	86	1	LIVERPOOL.	
BOOTLE	80,029	7.2	8.5	11.1	10.4	31	16	6	4	-	-	-	-	-	-	4	-	-	-	4	-	BOOTLE.	
ST. HELENS	104,822	8.0	13.4	8.0	13.9	47	28	6	6	-	-	-	-	-	1	1	-	-	-	8	-	ST. HELENS.	
SOUTHPORT	72,939	2.9	7.1	7.1	8.6	11	12	-	10	-	-	-	-	-	-	-	-	-	-	-	-	SOUTHPORT.	
WIGAN	90,866	10.3	12.1	10.3	12.6	43	22	5	4	-	-	-	1	-	-	4	-	-	1	2	-	WIGAN.	
WARRINGTON	77,939	10.7	7.4	8.0	10.0	36	15	3	8	-	-	-	-	-	-	-	-	-	-	3	-	WARRINGTON.	
BOLTON	184,533	9.3	10.5	11.3	13.3	78	47	10	12	-	-	-	-	1	-	6	-	-	-	7	-	BOLTON.	
BURY	56,410	9.2	10.2	4.6	10.2	27	11	4	6	-	-	-	-	-	-	-	-	-	1	2	-	BURY.	
MANCHESTER	770,597	9.5	10.6	11.0	11.0	336	162	32	47	1	-	-	1	1	-	13	2	2	4	61	1	MANCHESTER.	
SALFORD	235,239	11.1	9.5	8.9	11.7	106	53	8	10	-	-	-	2	1	1	2	1	1	2	21	1	SALFORD.	
OLDHAM	143,154	10.2	11.7	13.1	14.2	63	39	5	10	-	-	-	-	-	1	-	-	1	4	6	-	OLDHAM.	
ROCHDALE	93,639	6.1	10.0	14.5	12.3	30	22	3	7	-	-	-	-	-	-	1	-	1	1	2	-	ROCHDALE.	
BURNLEY	105,030	7.4	14.4	7.9	13.9	48	28	7	13	-	-	-	-	-	-	1	-	1	3	7	-	BURNLEY.	
BLACKBURN	131,012	9.6	10.0	12.3	12.7	47	32	6	10	-	-	-	-	-	-	2	-	1	3	3	1	BLACKBURN.	
PRESTON	121,950	15.0	12.0	7.7	10.3	39	24	1	11	-	-	-	-	1	-	1	-	3	3	3	-	PRESTON.	
BLACKPOOL	70,545	12.6	11.8	15.5	13.3	20	18	3	9	-	-	-	-	-	-	-	-	3	3	4	-	BLACKPOOL.	
BARROW IN FURNESS	76,561	6.8	10.9	4.8	6.1	29	9	1	4	-	-	-	-	-	-	1	-	1	1	-	-	BARROW IN FURNESS.	
HUDDERSFIELD	116,776	7.6	12.5	10.7	12.1	27	27	4	10	-	-	-	-	-	-	1	-	-	-	3	1	HUDDERSFIELD.	
HALIFAX	105,847	10.3	12.3	10.3	7.4	31	15	3	5	-	-	-	-	-	-	-	-	1	1	3	-	HALIFAX.	
BRADFORD	293,979	12.1	14.7	9.8	11.9	119	67	11	23	-	-	-	1	-	-	2	-	-	4	22	-	BRADFORD.	
LEEDS	449,212	11.0	10.9	9.9	11.5	193	99	18	31	-	-	-	-	1	-	4	-	4	8	30	-	LEEDS.	
DEWSBURY	55,080	15.1	9.5	14.2	14.2	23	15	3	5	-	-	-	-	-	-	1	-	-	1	-	-	DEWSBURY.	
WAKEFIELD	51,119	7.1	14.3	13.2	10.2	29	10	2	4	-	-	-	-	-	-	1	-	-	-	4	-	WAKEFIELD.	
BARNLEY	53,739	9.7	6.8	11.6	14.6	28	15	2	4	-	-	-	-	-	-	-	4	-	-	3	1	BARNLEY.	

* Return for one sub-district outstanding. Average number of deaths equal to a rate of 0.5 per 1,000 civilian population.

TOWNS.		ESTIMATED POPULATION, MID. 1920.* (Provisional).		DEATH-RATES FROM all CAUSES.				Week ended 8th Oct., 1921.		The DEATHS in the Week include										TOWNS		
				Week ended				BIRTHS. DEATHS.		Deaths from												
				Week ended																		
				17th Sept., 1921.	24th Sept., 1921.	1st Oct., 1921.	8th Oct., 1921.	6.	7.	8.	9.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.			Violence.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
SHEFFIELD.	492,570	9.5	11.1	8.9	11.8	224	111	21	35	-	-	-	-	1	-	5	-	5	8	40	-	SHEFFIELD.
ROTHERHAM.	71,785	11.6	9.4	12.3	12.3	45	17	4	4	-	-	-	-	-	-	2	-	-	1	3	1	ROTHERHAM.
YORK.	77,501	12.1	16.1	8.1	20.9	32	31	9	12	-	-	-	-	-	-	6	-	-	1	6	-	YORK.
HULL.	290,808	10.9	12.2	13.3	12.0	131	67	13	20	-	-	-	-	-	3	6	-	2	6	25	1	HULL.
MIDDLESBROUGH.	132,208	6.7	11.0	12.2	11.4	62	29	8	4	-	-	-	-	-	-	1	-	3	4	6	2	MIDDLESBROUGH.
DARLINGTON.	66,610	11.7	11.0	9.4	10.2	28	13	2	5	-	-	-	-	2	-	1	1	-	-	4	-	DARLINGTON.
STOCKTON ON TEES.	63,114	9.1	11.6	14.0	9.1	33	11	3	1	-	-	-	-	1	-	2	-	-	1	3	-	STOCKTON ON TEES.
WEST HARTLEPOOL.	68,126	9.9	13.0	12.2	12.2	35	16	4	5	-	-	-	-	-	-	2	1	-	-	1	-	WEST HARTLEPOOL.
SUNDERLAND.	155,211	12.1	15.5	15.5	14.8	82	44	12	10	-	-	1	-	2	-	4	1	2	7	13	1	SUNDERLAND.
SOUTH SHIELDS.	115,945	11.2	10.8	13.5	15.7	67	35	7	12	-	-	-	-	-	-	2	-	2	2	5	-	SOUTH SHIELDS.
GATESHEAD.	128,309	9.8	12.2	12.6	14.2	74	35	9	7	-	-	-	-	-	1	1	-	2	2	7	3	GATESHEAD.
NEWCASTLE ON TYNE.	286,061	9.7	12.4	11.3	12.2	134	67	12	17	-	-	-	-	-	1	4	-	2	2	17	-	NEWCASTLE ON TYNE.
TYNEMOUTH.	60,318	16.4	13.8	9.5	17.3	41	20	5	3	-	-	-	-	-	-	3	1	3	4	3	-	TYNEMOUTH.
CARLISLE.	57,397	10.0	10.9	8.2	16.4	25	18	2	9	-	-	-	-	-	-	1	-	-	-	7	-	CARLISLE.
NEWPORT (MON.).	90,728	8.0	7.5	13.8	6.9	38	12	3	2	-	-	-	-	-	-	1	-	-	-	2	-	NEWPORT (MON.).
CARDIFF.	212,552	9.8	8.3	8.6	5.2	69	21	2	9	-	-	-	-	-	1	-	-	1	3	6	-	CARDIFF.
RHONDDA.	184,999	8.7	13.0	6.5	9.0	101	32	6	4	-	-	-	1	-	-	3	-	2	2	4	1	RHONDDA.
MERTHYR TYDFIL.	74,493	10.5	10.5	10.5	9.8	37	14	5	3	-	-	-	-	-	-	3	-	3	4	2	-	MERTHYR TYDFIL.
ABERDARE.	53,431	6.8	10.7	16.6	17.6	25	18	1	5	-	-	-	-	-	1	-	1	2	2	1	-	ABERDARE.
SWANSEA.	167,218	9.0	9.4	6.2	9.4	61	30	3	9	-	-	-	-	-	-	3	-	2	4	8	-	SWANSEA.
GREATER LONDON.	7,548,647	9.8	10.4	9.5	10.5	2995	1517	266	503	6	-	3	7	15	27	107	11	45	118	736	1	GREATER LONDON.
OUTER RING.	3,016,676	8.1	9.1	8.5	9.2	1106	531	79	187	1	-	-	1	1	7	26	7	16	33	201	1	OUTER RING.
14 GREAT TOWNS IN OUTER RING.	1,734,723	8.4	8.9	8.4	8.9	682	296	49	84	-	-	-	-	1	5	13	7	8	19	130	-	14 GREAT TOWNS IN OUTER RING.
REMAINDER OF OUTER RING.	1,281,953	7.7	9.3	8.6	9.6	424	235	30	103	1	-	-	1	-	2	13	-	8	14	71	1	REMAINDER OF OUTER RING.
EDINBURGH†	420,281	11.4	14.1	12.8	12.2	186	98	11	37	-	-	-	-	4	1	2	1	4	9	9	9	EDINBURGH.†
GLASGOW†	1,034,069	11.2	13.0	10.8	13.6	566	270	68	64	-	-	1	1	2	1	13	-	12	9	9	9	GLASGOW.†
DUBLIN (Registration Area).†	423,000	13.2	13.7	13.8	13.2	201	107	23	26	1	-	-	-	-	1	7	-	5	5	33	1	DUBLIN (Registration Area).†
BELFAST†	420,000	8.8	12.5	12.0	12.9	218	104	20	20	-	-	-	-	-	-	7	-	17	17	29	1	BELFAST.†

* See note † on first page of this return.

† The populations are total populations and relate to 1921, those for Edinburgh and Glasgow being Census populations. Deaths and the death-rates in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week : those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

TABLE 2. LONDON.—Births and Deaths registered during the FORTIETH Week of each of the Eleven Years, 1911-1921.

	1911.	1912.	1913.	1914.	1915.	1916.	1917.	1918.	1919	1920.	1921.
Births (as registered).	1998	1951	2079	2071	1958	1849	1300	1369	2313	2207	1889
Males	1042	981	1078	1058	966	948	675	709	1190	1156	983
Females	956	970	1001	1013	992	901	625	660	1123	1051	906
Deaths (of residents only).	1301	1150	1091	1191	1365	988*	932*	979*	946*	874*	986*
Males	686	597	578	623	722	504	480	501	488	466	485
Females	615	553	513	568	643	484	452	478	458	408	501

* Deaths in civilian population only.

TABLE 3. LONDON.—BIRTHS and DEATHS REGISTERED, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the last THIRTEEN WEEKS.

	July 16.	July 23.	July 30.	Aug. 6.	Aug. 13.	Aug. 20.	Aug. 27.	Sept. 3.	Sept. 10.	Sept. 17.	Sept. 24.	Oct. 1.	Oct. 8.
Births (as registered)	1910	1891	2023	1823	2214	1948	2003	1893	1782	1918	1921	1910	1889
Deaths (of residents only).	940	857	846	822	872	1003	966	952	980	949	975	884	986
Age at Death													
Under 1 year	124	128	128	166	186	225	235	268	230	204	184	184	187
1-2 years	28	44	29	38	36	43	44	50	38	41	39	28	38
2-5 "	21	26	19	24	13	21	15	11	19	23	25	17	32
5-10 "	22	18	20	30	20	23	21	22	15	24	33	24	27
10-15 "	21	10	12	11	8	9	9	10	14	14	9	12	22
15-20 "	24	23	15	21	24	18	20	15	17	21	27	8	13
20-25 "	22	18	19	25	17	27	21	19	18	19	21	23	18
25-35 "	49	33	41	43	62	50	32	34	45	53	44	35	42
35-45 "	54	51	55	56	50	61	56	56	62	68	67	56	67
45-55 "	108	102	104	87	87	111	109	103	89	90	114	100	101
55-65 "	156	120	133	98	137	119	130	104	126	122	114	117	123
65-75 "	153	146	155	110	123	152	134	136	166	133	149	155	157
75 years and upwards	158	138	116	113	109	144	140	124	141	137	149	125	159
Deaths from—													
Enteric fever	3	—	—	3	—	2	1	1	3	1	1	2	5
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	—	6	2	5	9	1	6	3	1	—	2	—	3
Scarlet fever	6	4	3	3	1	2	3	4	7	2	2	6	6
Whooping cough	13	12	6	7	5	13	23	8	13	14	10	13	14
Diphtheria	18	12	13	30	16	17	6	11	13	20	24	16	20
Diarrhoea and enteritis (under 2 years).	30	29	52	68	103	154	142	191	159	121	102	97	81
Pulmonary tuberculosis	77	71	66	77	82	86	55	54	78	80	74	64	73
Influenza	4	3	3	1	3	1	2	2	3	5	8	5	4
Pneumonia (all forms)	40	60	44	34	39	45	44	52	47	41	54	61	60
Bronchitis	27	36	25	12	24	28	26	20	30	34	35	38	41
Other dis. of resp. system	14	13	8	8	10	15	10	9	5	12	14	7	13
Dis. of circ. system	145	126	135	133	119	140	137	126	134	121	137	139	150
Violence	51	45	47	33	28	24	42	31	20	25	41	37	29
Inquest cases	87	83	77	73	73	69	86	70	64	68	89	82	85
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Enteric fever	23	27	28	28	31	34	32	34	37	40	38	40	40
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	43	52	49	54	59	60	48	37	37	37	28	21	19
Scarlet fever	3879	3886	3765	3717	3572	3523	3394	3433	3680	4003	4428	4887	5508
Whooping cough	10	10	10	23	36	40	41	41	45	59	50	48	44
Diphtheria	1961	1983	1979	1957	1879	1816	1740	1713	1773	1834	1947	2056	2247

* The Metropolitan Asylums Board and London Fever Hospitals. The figures do not refer to London exclusively.

TABLE 3A. 96 Great Towns.—DEATHS from INFLUENZA in the last THIRTEEN WEEKS.

	July 16.	July 23.	July 30.	Aug. 6.	Aug. 13.	Aug. 20.	Aug. 27.	Sept. 3.	Sept. 10.	Sept. 17.	Sept. 24.	Oct. 1.	Oct. 8.
Deaths from Influenza	27	19	25	14	15	9	12	17	21	27	22	37	34

TABLE 4. LONDON.—DEATHS REGISTERED in the FORTIETH Week of the Year 1921.

CAUSES OF DEATH.	Deaths in the 40th week of the year 1920.	DEATHS of PERSONS of the AGES													
		ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-10 years.	10-15 years.	15-20 years.	20-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and up- wards.
ALL CAUSES	874	986	187	38	32	27	22	13	18	42	67	101	123	157	159
Enteric fever	2	5	-	-	1	1	-	-	1	1	1	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	1	3	2	1	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever	3	6	-	2	3	1	-	-	-	-	-	-	-	-	-
Whooping cough	2	14	6	5	3	-	-	-	-	-	-	-	-	-	-
Diphtheria	17	20	-	1	9	6	3	1	-	-	-	-	-	-	-
Influenza	5	4	-	-	-	1	1	-	1	-	-	-	-	1	-
Erysipelas	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Acute Poliomyelitis, Polioencepha- litis.	?	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	?	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal meningitis . . .	?	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other endemic and epidemic diseases.	2	3	-	-	-	-	-	-	-	1	-	1	-	-	1
Pyæmia and septicæmia	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis:—															
Pulmonary tuberculosis	86	73	-	-	-	-	2	3	6	20	16	12	4	8	2
Tuberculous meningitis	13	7	2	1	-	2	1	1	-	-	-	-	-	-	-
Abdominal tuberculosis	5	4	2	-	-	1	-	-	-	-	-	1	-	-	-
Tuberculosis of the spine	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of the joints	1	2	-	-	-	1	-	-	1	-	-	-	-	-	-
Tuberculosis of other organs . .	3	3	-	-	1	-	-	-	-	-	-	-	1	-	1
Disseminated tuberculosis . . .	-	4	-	2	2	-	-	-	-	-	-	-	-	-	-
Venereal diseases	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Cancer	103	130	1	-	-	-	-	-	1	1	15	31	31	35	15
Rheumatic fever	3	2	-	-	-	2	-	-	-	-	-	-	-	-	-
Diabetes	7	9	-	-	-	-	1	-	-	-	-	1	5	2	-
Anæmia, leucocythæmia	5	3	-	-	-	-	-	-	-	-	-	-	3	-	-
Other general diseases	6	8	1	-	1	-	-	-	-	-	-	1	2	2	1
Alcoholism	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic poisonings	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	8	3	1	1	-	1	-	-	-	-	-	-	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	39	47	-	-	-	-	-	-	-	-	3	5	7	15	17
Softening of brain	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Paralysis, without specified cause .	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epilepsy	1	8	1	-	-	-	1	2	-	2	1	-	-	1	-
"Convulsions" (not puerperal) . .	4	5	5	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system .	19	27	-	-	-	-	-	-	-	2	2	11	7	4	1
Pericarditis	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute endocarditis	10	4	-	-	-	1	1	-	-	-	1	-	-	1	-
Other diseases of heart	95	110	-	-	-	1	1	2	-	5	6	5	20	33	37
Embolism and thrombosis (exclud- ing cerebral).	7	1	-	-	-	-	-	-	-	-	-	1	-	-	-
Other diseases of circulatory system.	34	35	-	-	-	-	-	-	-	-	2	1	7	7	18
Diseases of the larynx	-	3	2	-	1	-	-	-	-	-	-	-	-	-	-
Bronchitis	39	41	5	-	-	-	-	-	-	1	1	4	5	10	15
Broncho-pneumonia	21	33	13	4	4	2	1	1	1	-	-	2	2	1	2
Lobar pneumonia	19	19	1	1	-	1	-	1	1	2	5	3	2	2	2
Pneumonia (type not distinguished)	18	8	-	-	-	-	-	-	1	-	1	2	2	2	-
Pleurisy	4	2	-	-	-	-	-	-	-	-	-	-	-	1	1
Pulmonary congestion, Pulmonary apoplexy.	4	5	1	1	-	-	-	-	-	-	-	-	1	2	-
Other diseases of respiratory system.	3	3	-	-	-	-	-	-	-	-	1	1	1	-	-

TABLE 5.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week- ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM							
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria*	Diarrhoeal Diseases† (under 2 years).	Influenza.
LONDON† . .	4,531,971	1921. Oct. 8	1,889	986	11·3	5	-	3	6	14	20	81	4
CALCUTTA . .	896,067	Sept. 3	-	513§	29·7	?	-	?	?	?	?	?	19
BOMBAY . .	979,445	Aug. 27	361	903§	47·9	2	1	1	-	-	-	69	23
MADRAS . .	522,951	" 27	365	419§	41·7	3	2	-	?	-	-	58	-
PARIS . .	2,847,229	{ 10 days Aug. 20 }	1,364	904	11·6	6	-	1	-	1	2	85	-
BRUSSELS . .	792,919	- - -	-	-	-	-	-	-	-	-	-	-	-
ANTWERP . .	340,852	Sept. 17	96	54	8·4	-	-	-	-	1	-	11	-
AMSTERDAM .	681,434	" 24	290	102	7·8	-	-	-	-	2	2	4	1
COPENHAGEN .	571,000	" 24	217	85	7·8	-	-	-	-	-	-	5	-
STOCKHOLM .	419,788	" 17	99	73	9·0	-	-	-	1	-	-	1	-
GOTHENBURG .	205,547	" 10	-	41	10·4	1	-	-	-	-	-	1	-
CHRISTIANIA .	260,904	" 24	83	44	8·8	-	-	-	-	-	-	-	-
BERLIN . .	1,951,000	" 17	466	497	13·2	4	?	-	-	-	5	32	2
BRESLAU . .	547,000	" 17	191	163	15·5	2	?	1	-	1	1	22	1
COLOGNE . .	666,000	" 17	256	140	10·9	1	?	-	-	1	1	15	1
DRESDEN . .	595,000	" 17	183	102	8·9	-	?	-	-	1	1	9	1
FRANKFORT- ON-MAIN.	469,000	" 17	136	80	8·9	-	?	-	-	-	3	4	-
HAMBURG . .	1,031,000	" 17	410	191	9·6	-	?	1	1	2	1	10	3
LEIPZIG . .	629,000	" 17	219	164	13·6	-	?	-	-	2	1	27	-
MUNICH . .	670,000	" 17	207	159	12·3	-	?	-	-	-	1	11	1
VIENNA . .	1,842,005	" 17	461	443	12·5	2	-	-	-	2	1	32	-
PRAGUE AND SUBURBS.	676,454	" 3	276	170	13·1	3	-	-	-	-	1	17	-
BUDAPEST . .	933,000	July 23	391	313	17·4	6	?	1	10	3	-	31	-
TRIESTE . .	248,428	May 28	-	-	-	-	-	-	-	-	-	-	-
CAIRO . .	765,200	July 22	684	620	42·1	5	-	20	-	?	2	162	?
ALEXANDRIA .	449,300	" 22	315	293	33·9	1	-	-	-	?	-	69	?
NEW YORK . .	5,751,859	Sept. 17	2,642	967	8·8	7	-	1	-	3	3	66	3
CHICAGO . .	2,780,655	" 17	-	480	9·0	-	-	1	1	5	7	51	1

Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Cities, Vienna, Prague and Suburbs, Budapest, and Trieste.

The deaths in this column relate to *all ages* for Bombay, Madras, Christiania, and Budapest, and to *children under 1 year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

The estimated population and deaths refer to the civilian population only.

Including 1 death from *plague* in Madras and 6 in Bombay, and from *Asiatic cholera*, 14 deaths in Calcutta, and 4 in Bombay.

TABLE 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 8th October, 1921.

(Supplied by the Meteorological Office.)

TOWNS.	Temperature of Air.*				Rainfall in Milli- metres.†	TOWNS.	Temperature of Air.*				Rainfall in Milli- metres.†
	Highest.	Lowest.	Mean Maxi- mum.	Mean Mini- mum.			Highest.	Lowest.	Mean Maxi- mum.	Mean Mini- mum.	
LONDON (Greenwich) }	84	42	79·9	54·7	0	BRADFORD . . .	77	44	64·0	52·4	23
BRIGHTON . .	76	47	70·1	58·1	0	SHEFFIELD . . .	77	48	67·0	54·7	23
PORTSMOUTH . .	74	52	71·0	58·3	1	YORK (Museum) .	75	43	65·1	54·0	23
NORWICH (Eaton) .	77	41	71·0	55·1	14	HULL (Pearson Park)	78	38	68·0	53·1	13
PLYMOUTH . .	76	48	69·0	55·7	6	TYNEMOUTH . .	71	48	63·4	53·6	4
BRISTOL (Clifton) .	80	49	73·1	55·3	11	CARDIFF . . .	76	51	70·7	56·4	14
BIRMINGHAM . .	79	50	71·3	55·7	20	EDINBURGH . .	Not receive d.				28
NOTTINGHAM . .	79	40	69·9	54·1	28	GLASGOW . . .	67·6	46·5	60·6	51·6	
BIRKENHEAD (Bidston) }	73	46	66·7	54·3	26	DUBLIN :—	Not receive d.				17
MANCHESTER . .	79	48	68·1	55·1	27	Phoenix Park . .	Not receive d.				
BURNLEY . .	75	48	65·3	53·6	16	†Fitzwilliam Square	70·0	54·0	65·6	57·1	17
HUDDERSFIELD . .	82	43	65·4	52·7	23	BELFAST . . .	69·5	50·5	64·9	53·0	26

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.

† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.

‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

TABLE 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 8th October 1921.

[Under the Superintendence of the Astronomer Royal.]

1921. MONTH AND DAY.	Phases of the Moon.	BARO- METER. Mean reading (cor- rected and re- duced to 32° Fahren- heit).	TEMPERATURE.					TEMPERATURE.			De- gree of Hu- mid- ity (Satu- ration equals 100).	Difference between the Air Temperature and Dew Point Temperature.			TEMPERATURE.		Wind as deduced from Anemometers.				Rain collected in a Gauge whose surface is 5 inches above the Ground.					
			Of the Air.					Of the Dew point.		Of Radiation.		Of the Earth 4 feet below the Surface.		Oster's.		Pressure on the Square Foot.		Robinson's.								
			High- est.	Low- est.	Daily Range.	Mean daily value.	De- parture from Average of 65 years.	Mean daily value.	Great- est.			Mean daily value.	Least.	Great- est.	P.M.	Mean Movement of the Air on each Day.	Horizontal Movement of the Air on each Day.	Depart- ture Average of 50 years.								
																			General Direction.			Least. hourly obs.		Horizontal Movement of the Air on each Day.		
OCTOBER.																										
SUNDAY	-	2	..	29·641	76·8	42·0	34·8	60·5	48·5	12·0	25·9	27·6	57·3	Calm & SE.	SE., S. & SW.	2·9	0·0	0·1	175	-	87	0·00				
MONDAY	-	3	..	29·762	75·0	62·3	12·7	67·2	54·6	12·6	23·0	54·0	57·1	SW. & WSW.	W. & SW.	5·3	0·0	0·6	442	+ 177	0·01					
TUESDAY	-	4	..	29·884	80·8	59·0	21·8	68·3	56·5	11·8	24·5	49·8	57·3	SW. & calm	Calm & E.	0·9	0·0	0·0	126	- 139	0·00					
WEDNESDAY	-	5	..	29·836	83·3	57·7	25·6	68·8	56·7	12·1	24·4	45·9	57·4	Calm & ESE.	SE. & calm	2·0	0·0	0·1	165	- 99	0·00					
THURSDAY	-	6	..	29·814	84·4	56·7	27·7	69·5	56·9	12·6	25·2	44·0	57·4	SE. & calm	S. & SSW.	1·5	0·0	0·1	156	- 106	0·00					
FRIDAY	-	7	Greatest declination S.	29·913	79·7	58·2	21·5	66·9	54·8	12·1	24·9	46·0	57·5	SSW. & WSW.	SW.	2·2	0·0	0·2	252	- 6	0·00					
SATURDAY	-	8	First Quarter.	29·923	78·7	53·3	25·4	63·5	54·1	9·4	23·3	42·3	57·5	WSW.	WSW. & (calm).	0·8	0·0	0·0	151	- 102	0·00					
MEANS	-	-	-	29·825	79·8	55·6	24·2	66·4	54·6	11·8	24·3	44·2	57·4	SSW.		Sum 1467	Sum - 362	Sum 0·01					
No. of Column	-	-	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	

DATE.		ELECTRICITY. (For explanation of symbols, see Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
OCTOBER 1921.					
SUNDAY	2	v.P. generally	2.7	11.5	Cloudless till 4h.; nearly overcast by 7h.; very cloudy generally till 19h., then variably cloudy; solar halo frequently visible during the day. Nearly overcast till 9h.; partially cloudy till 13h. 30m.; very cloudy to overcast generally by 16h. 30m.; brisk wind 2h. to 15h.; solar halo 13h. 30m.; shower at 18h. 15m., followed by slight rain till 22h. Overcast generally till 8h., becoming cloudless with few exceptions by 9h. 30m.; dew at night.
MONDAY	3	w.P. generally, v.P. in afternoon.	6.2	11.5	
TUESDAY	4	w.P. generally, v.P. in afternoon.	8.7	11.4	
WEDNESDAY	5	w.P. till noon, v.P. afterwards.	9.3	11.3	Cloudless generally; thin cloud prevalent between 3h. and 7h.; dew morning and evening.
THURSDAY	6	w.P. till 10h., v.P. till 15h., register defective afterwards.	10.1	11.3	Cloudless with few exceptions; dew morning and evening.
FRIDAY	7	Register defective till 10h., v.P. generally afterwards.	8.9	11.2	Nearly cloudless till 9h., except for an overcast period between 4h. and 6h.; variably cloudy till noon, thin cloud prevalent afterwards; cloudless by 22h.; dew in morning; solar halo in afternoon.
SATURDAY	8	w.P. till 10h., v.P. afterwards.	4.9	11.2	Cloudless generally till 4h.; overcast or nearly overcast till noon; partially cloudy till 18h., then nearly cloudless; mist in morning; solar halo in afternoon; lunar halo in evening.
			Sum 50.8	Sum 79.4	
No. of Col. . . .			27	28	

The results apply to the civil day, or from midnight to midnight. The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level. Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables. The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916. In reading columns 9 and 24 it will be borne in mind that + indicates "higher," and - "lower," than the average. The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined. The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable. The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day. The reading of the barometer decreased generally from 29.74 in. at the beginning of the week to 29.58 in. by 15h. on 2nd; increased to 29.92 in. by 22h. on 4th; decreased generally to 29.78 in. by 16h. on 6th; increased generally to 29.96 in. by 8h. on 8th, and decreased to 29.87 in. by midnight on the same day.

The results apply to the civil day, or from midnight to midnight. The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "higher," and - "lower," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased generally from 29.74 in. at the beginning of the week to 29.58 in. by 15h. on 2nd; increased to 29.92 in. by 23h. on 4th; decreased generally to 29.78 in. by 16h. on 6th; increased generally to 29.96 in. by 8h. on 8th, and decreased to 29.87 in. by midnight on the same day.

TABLE 8. LONDON.—DEATHS OF PERSONS BELONGING to the several METROPOLITAN BOROUGHs REGISTERED in the Week ended 1st October, 1921.

BOROUGHs.	Deaths from									Deaths of Infants under 1 Year of Age.
	ALL CAUSES.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Pulmonary Tuberculosis.	
COUNTY OF LONDON .	884	2	-	-	6	13	16	97	64	184
Western										
PADDINGTON . . .	26	-	-	-	-	1	1	4	1	6
KENSINGTON . . .	30	-	-	-	-	1	-	3	2	7
HAMMERSMITH . . .	30	-	-	-	1	-	-	3	1	4
FULHAM . . .	40	-	-	-	1	1	1	6	5	7
CHELSEA . . .	9	-	-	-	1	-	-	-	2	-
CITY OF WESTMINSTER .	26	-	-	-	-	-	1	3	4	5
Northern.										
ST. MARYLEBONE . . .	23	-	-	-	-	-	-	1	1	4
HAMPSTEAD . . .	8	-	-	-	-	-	1	-	-	-
ST. PANCRAS . . .	36	1	-	-	-	-	2	8	5	8
ISLINGTON . . .	72	-	-	-	-	1	3	10	4	18
STOKE NEWINGTON . . .	7	-	-	-	-	-	-	-	1	1
HACKNEY . . .	58	-	-	-	2	3	-	6	2	13
Central.										
HOLBORN . . .	8	-	-	-	1	-	-	1	1	1
FINSBURY . . .	22	-	-	-	-	-	-	3	4	2
CITY OF LONDON . . .	1	-	-	-	-	-	-	-	-	-
Eastern.										
SHOREDITCH . . .	29	-	-	-	-	-	-	4	1	9
BETHNAL GREEN . . .	29	-	-	-	-	-	-	7	2	10
STEPNEY . . .	51	-	-	-	-	1	1	6	2	15
POPLAR . . .	27	-	-	-	-	1	-	5	-	8
Southern.										
SOUTHWARK . . .	43	-	-	-	-	-	-	7	5	10
BERMONDSEY . . .	25	-	-	-	-	-	-	2	4	3
LAMBETH . . .	67	-	-	-	-	1	3	4	4	12
BATTERSEA . . .	37	-	-	-	-	-	1	3	3	4
WANDSWORTH . . .	32	-	-	-	-	-	-	3	2	4
CAMBERWELL . . .	70	1	-	-	-	1	1	5	2	20
DEPTFORD . . .	18	-	-	-	-	2	-	-	2	3
GREENWICH . . .	11	-	-	-	-	-	-	-	-	1
LEWISHAM . . .	31	-	-	-	-	-	-	-	2	5
WOOLWICH . . .	18	-	-	-	-	-	1	3	2	4

The deaths in the above Table are, so far as concerns London as a whole, corrected by the exclusion of deaths of non-residents, and by the inclusion of those of residents occurring in the Outer Ring or in Metropolitan public institutions situated outside the County. As between individual Metropolitan Boroughs, however, correction is complete.

TABLE 9. LONDON.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED during the Week ended 1st October, 1921.*

BOROUGHs.	ESTI- MATED CIVILIAN POPU- LATION, MID. 1920.† (Provi- sional.)	Enteric Fever.	Malaria.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Group).	Pneumonia.	Erysipelas.	Cerebro-Spinal Fever.	Puerperal Fever.	Ophthalmia Neonatorum.	Polionyelitis.	Dysentery.	Encephalitis Lethargica.	Anthrax.	Polio- encephalitis.	Cholera.
WESTERN.																		
Paddington . . .	149,673	1	-	-	-	25	8	2	2	-	-	-	-	-	-	-	-	-
Kensington . . .	164,177	2	-	-	-	28	5	2	1	-	-	-	-	-	-	-	-	-
Hammersmith . . .	136,200	1	-	-	-	41	5	1	3	-	-	1	-	-	-	-	-	-
Fulham . . .	158,621	-	-	-	-	16	13	1	3	-	-	-	-	-	-	-	-	-
Chelsea . . .	62,987	-	-	-	-	5	3	-	-	-	-	-	-	-	-	-	-	-
City of Westminster . . .	132,615	1	-	-	-	30	14	-	1	-	-	-	-	-	-	-	-	-
NORTHERN.																		
St. Marylebone . . .	101,856	1	-	-	-	20	5	-	1	-	1	-	-	-	-	-	-	-
Hampstead . . .	91,519	-	-	-	-	11	17	-	1	-	-	-	-	-	-	-	-	-
St. Pancras . . .	228,178	-	-	-	-	48	17	2	1	-	-	-	-	-	-	-	-	-
Islington . . .	335,907	1	-	-	-	94	19	2	5	-	-	3	-	-	-	-	-	-
Stoke Newington . . .	52,984	-	-	-	-	15	-	-	-	-	-	-	-	-	-	-	-	-
Hackney . . .	225,372	-	-	-	-	48	25	1	1	-	-	1	-	-	-	-	-	-
CENTRAL.																		
Holborn . . .	39,676	-	-	-	-	4	9	2	-	-	-	-	1	-	-	-	-	-
Finsbury . . .	78,291	-	-	-	-	21	6	-	2	1	-	-	1	-	-	-	-	-
City of London . . .	14,447	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
EASTERN.																		
Shoreditch . . .	102,044	-	-	-	-	15	15	2	1	-	-	-	-	-	-	-	-	-
Bethnal Green . . .	114,471	-	-	-	-	24	10	-	1	-	-	1	-	-	-	-	-	-
Stepney . . .	241,770	1	-	-	-	70	33	7	6	-	1	2	-	-	-	-	-	-
Poplar . . .	159,766	1	-	-	-	49	18	4	1	-	-	1	-	-	-	-	-	-
SOUTHERN.																		
Southwark . . .	187,142	-	-	-	-	39	11	2	-	1	-	-	-	-	-	-	-	-
Bermondsey . . .	129,189	-	-	-	-	26	13	-	1	-	-	-	-	-	-	-	-	-
Lambeth . . .	293,572	1	-	-	-	41	16	3	2	-	1	1	-	-	-	-	-	-
Battersea . . .	165,664	1	-	-	-	36	18	4	-	-	1	1	-	-	-	-	-	-
Wandsworth . . .	346,990	-	-	-	-	43	15	6	4	-	-	-	-	-	-	-	-	-
Camberwell . . .	284,712	1	-	-	-	56	20	1	3	-	1	-	-	-	-	-	-	-
Deptford . . .	115,636	-	-	-	-	21	4	-	-	-	-	-	-	-	-	-	-	-
Greenwich . . .	102,408	-	-	-	-	17	11	1	-	-	-	-	-	-	-	-	-	-
Lewisham . . .	174,438	1	-	-	-	23	11	1	-	-	1	1	1	-	-	-	-	-
Woolwich . . .	141,666	-	-	-	-	28	8	2	-	-	-	-	-	-	-	-	-	-
TOTAL . . .	4,531,971	13	-	-	-	894	350	46	40	2	6	12	2	-	-	-	-	-
Agex																		
0-1 . . .		-	-	-	-	5	2	4	1	-	-	12	-	-	-	-	-	-
" 1-5 . . .		-	-	-	-	143	85	7	2	1	-	-	2	-	-	-	-	-
" 5- . . .		2	-	-	-	449	130	11	2	-	-	-	-	-	-	-	-	-
" 10- . . .		-	-	-	-	211	70	1	4	-	-	-	-	-	-	-	-	-
" 15- . . .		-	-	-	-	41	27	4	1	-	-	-	-	-	-	-	-	-
" 20- . . .		1	-	-	-	18	10	1	1	-	1	-	-	-	-	-	-	-
" 25- . . .		5	-	-	-	18	14	2	2	-	5	-	-	-	-	-	-	-
" 35- . . .		2	-	-	-	8	6	5	5	-	-	-	-	-	-	-	-	-
" 45- . . .		3	-	-	-	1	2	5	10	1	-	-	-	-	-	-	-	-
" 55- . . .		-	-	-	-	-	4	4	7	-	-	-	-	-	-	-	-	-
" 65- . . .		-	-	-	-	-	-	2	4	-	-	-	-	-	-	-	-	-
" 75 and upwards . . .		-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Age not stated . . .		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

† See note † on first page of this return.

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS AND DEATHS REGISTERED:—

LONDON AND

NINETY-FIVE OTHER GREAT TOWNS

~~~~~  
By Authority of the Registrar General.  
~~~~~

LONDON :

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
H.M. STATIONERY OFFICE at the following addresses:

IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and

28, ABINGDON STREET, LONDON, S.W. 1;

37, PETER STREET, MANCHESTER;

1, ST. ANDREW'S CRESCENT, CARDIFF;

23, FORTH STREET EDINBURGH;

or from EASON AND SON, LTD., 40 and 41, LOWER SACKVILLE STREET, DUBLIN.

No. 41. Vol. LXXXII. 1921. WEEK ENDED SATURDAY, OCT. 15.
[Price 9d. Net.]

*General Register Office, Somerset House,
October 18th, 1921.*

NINETY-SIX GREAT TOWNS.

For the NINETY-SIX GREAT TOWNS of England and Wales, each of which had a population of 50,000 or over at the Census of 1911, the births registered last week numbered 8,051, and corresponded to an annual rate of 22·5 per 1,000. The deaths* among the civilian population only numbered 3,714, and corresponded to an annual rate of 10·4 per 1,000 of their aggregate civilian population, which is provisionally estimated† at 18,554,878 persons in the year 1920. In the three weeks ended September 24th, October 1st, and October 8th, the rates had been 10·8, 10·0, and 11·0 respectively. The infant mortality was 83, against 102, 91, and 95 in the preceding three weeks. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks; it also shows for the week ended last Saturday the births and the deaths from certain individual causes. A column showing the number of deaths

* Corrected as far as possible for deaths of non-residents and for those of residents occurring outside the area. Fully corrected figures will appear in the Registrar General's Annual Report.

† The estimates of population refer to the year 1920, and are based on the returns furnished under the scheme for rationing of food.

from influenza has been inserted in Table 1. The aggregate number of deaths from influenza in the 96 great towns in each of the last thirteen weeks is shown in Table 3A.

Measured by last week's mortality, the highest annual death-rates per 1,000 living were :—from *all causes*, 18·0 in Dewsbury, 18·2 in Tynemouth, 18·6 in Oldham, 18·9 in Great Yarmouth, and 20·9 in York. No death from *small-pox* was registered in any of the ninety-six towns.

LONDON.* (The Administrative County, including the City of London.)

For LONDON there were 1,885 BIRTHS, corresponding to a rate of 21·6 per 1,000, and 979 DEATHS of civilians, corresponding to a rate of 11·3, as against 11·2, 10·2, and 11·3, per 1,000 in the three weeks ended September 24th, October 1st, and October 8th. The death-rate in the four weeks ended last Saturday averaged 11·0 per 1,000. The infant mortality was 94, against 96, 96, and 98, in the preceding three weeks.

The deaths from *enteric fever*, which had been 1, 2, and 5 in the preceding three weeks, numbered 2, the average for the corresponding weeks of the previous five years being 2. There was no death from *measles*, as against 2, 0, and 3 in the preceding three weeks, and an average of 5. There was 1 death from *scarlet fever*, as against 2, 6, and 6 in the preceding three weeks, the average being 2. The deaths from *whooping-cough*, which had been 10, 13, and 14 in the preceding three weeks, further fell last week to 8, but were 3 above the average. The deaths from *diphtheria*, which had been 24, 16, and 20 in the preceding three weeks, further rose last week to 27, and were 15 above the average; 3 deaths belonged to the Borough of Islington, 3 to Stoke Newington, and 3 to Stepney. The deaths from *diarrhoea and enteritis under 2 years of age*, which had been 102, 97, and 81 in the preceding three weeks, were 80 last week, and were 26 above the average; 9 deaths belonged to Islington, 8 to Camberwell, and 7 to Shoreditch. The deaths from *influenza* numbered 13, as against 8, 5, and 4 in the preceding three weeks, and an average of 21.

Different forms of violence caused 35 deaths, all of which were the subject of coroners' inquests. Of these 35 deaths, 8 were cases of suicide, while the remaining 27 were attributed to other forms of violence. Eight of these latter were referred to vehicles in the streets, 1 to burns or scalds, and 2 to drowning.

CASES OF INFECTIOUS DISEASE.†

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital, there were 42 cases of enteric fever, 26 of measles, 5,978 of scarlet fever, 41 of whooping-cough, and 2,447 of diphtheria under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as

* See note * on first page.

† The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

compared with those in the preceding three weeks, were as follows :—Of enteric fever, 4 cases, against 5, 8, and 5; of measles, 13 cases, against 4, 1, and 4; of scarlet fever, 1,091 cases, against 852, 924, and 1,165; of whooping-cough, 0 case, against 5, 5, and 3; and of diphtheria, 451 cases, against 344, 364, and 394. Table 9, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the county during the week ended October 8th, 1921.

TABLE 1.—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH-RATES in the Week ended Saturday, 15th October, 1921, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	DEATH-RATES from all Causes.					Week ended 15th Oct. 1921.		The DEATHS in the Week include										TOWNS.				
	ESTIMATED CIVILIAN POPULATION. MID. 1920.* (Provisional.)	Week ended				BIRTHS.	DEATHS.	Deaths of		Deaths from									Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	
		24th Sept., 1921.	1st Oct., 1921.	8th Oct., 1921.	15th Oct., 1921.			Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.					Violence.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
96 GREAT TOWNS.	18,554,878	10.8	10.0	11.0	10.4	8,051	3,714	672	1,106	8	-	14	11	23	55	267	49	120	257	1301	16	96 GREAT TOWNS.
LONDON†	4,531,971	11.2	10.2	11.3	11.3	1,885	979	177	310	2	-	-	1	8	27	80	13	35	96	496	-	LONDON.†
(CROYDON.	191,580	8.7	9.3	12.0	9.8	59	36	2	18	-	-	-	-	-	1	1	-	1	2	17	-	(CROYDON.
WIMBLEDON.	62,174	9.2	9.2	9.2	9.2	17	11	-	3	-	-	-	-	-	1	-	1	-	-	2	-	WIMBLEDON.
EALING.	76,129	5.5	6.8	6.2	7.5	22	11	2	5	1	-	-	-	-	-	-	-	1	2	3	-	EALING.
ACTON.	64,192	3.2	6.5	8.1	7.3	26	9	3	2	-	-	-	-	-	1	2	-	-	1	5	-	ACTON.
WILLESDEN.	167,328	9.3	5.3	10.6	8.7	60	28	3	9	-	-	-	-	-	1	1	-	1	3	18	-	WILLESDEN.
HORNSEY.	98,107	5.3	6.9	5.8	8.5	19	16	-	8	-	-	-	-	-	-	-	-	-	-	5	-	HORNSEY.
TOTTENHAM	146,970	13.8	9.6	7.1	7.1	62	20	4	3	-	-	-	-	-	1	1	-	-	-	13	-	TOTTENHAM.
EDMONTON.	73,529	9.9	10.6	7.8	10.6	45	15	-	8	-	-	-	-	-	2	-	-	-	-	8	-	EDMONTON.
ENFIELD.	60,771	4.3	6.9	5.1	8.6	22	10	1	3	-	-	-	-	-	-	-	-	1	-	4	-	ENFIELD.
WEST HAM.	299,440	8.9	8.9	11.7	7.7	154	44	6	13	-	-	-	-	-	-	4	1	1	1	14	-	WEST HAM.
EAST HAM.	150,207	6.9	10.8	8.3	7.6	58	22	2	3	-	-	-	-	-	-	-	1	1	1	3	-	EAST HAM.
LEYTON.	128,832	11.7	10.9	8.9	5.3	42	13	2	4	-	-	-	-	-	-	-	-	1	2	2	-	LEYTON.
WALTHAMSTOW.	132,771	11.4	7.1	7.5	11.8	52	30	1	9	-	-	-	-	1	-	-	2	1	1	17	-	WALTHAMSTOW.
ILFORD.	82,693	8.2	5.7	5.7	6.9	33	11	-	5	-	-	-	-	-	-	-	-	1	1	5	-	ILFORD.
GILLINGHAM.	45,233	10.4	13.8	12.7	6.9	22	6	1	3	-	-	-	-	-	-	-	-	-	-	2	-	GILLINGHAM.
HASTINGS.	59,972	12.2	16.5	12.2	11.3	24	13	1	5	-	-	-	-	-	-	-	-	-	-	3	-	HASTINGS.
EASTBOURNE.	50,354	10.4	12.4	12.4	5.2	13	5	1	1	1	-	-	-	-	-	-	-	-	1	1	-	EASTBOURNE.
BRIGHTON.	137,685	11.0	12.1	12.1	12.5	45	33	4	17	-	-	-	-	1	-	1	-	1	2	6	-	BRIGHTON.
PORTSMOUTH.	235,998	10.2	6.4	11.5	11.9	106	54	7	20	1	-	-	-	-	1	5	1	2	3	18	-	PORTSMOUTH.
BOURNEMOUTH.	85,918	11.5	7.3	10.9	4.9	40	8	1	3	-	-	-	-	-	-	-	-	1	1	3	-	BOURNEMOUTH.
SOUTHAMPTON.	162,388	8.3	5.1	9.0	9.6	74	30	6	12	-	-	-	-	-	-	5	-	-	-	13	-	SOUTHAMPTON.
READING.	95,006	9.3	6.6	8.2	12.1	41	22	3	7	-	-	-	-	-	-	1	-	-	-	3	-	READING.
OXFORD.	59,963	6.1	7.8	7.8	8.7	9	10	-	7	-	-	-	-	-	-	-	1	-	-	1	-	OXFORD.
NORTHAMPTON.	92,483	7.9	11.3	5.6	6.8	40	12	-	6	-	-	-	1	-	1	-	-	-	-	3	-	NORTHAMPTON.
CAMBRIDGE.	60,154	10.4	7.8	11.3	7.8	21	9	-	6	-	-	-	-	-	-	-	-	-	-	1	-	CAMBRIDGE.

TOWNS.	ESTIMATED CIVILIAN POPULATION, MID. 1920.* (Provisional.)	DEATH-RATES from all Causes.					Week ended 15th Oct., 1921.		The DEATHS in the Week include										TOWNS.			
		Week ended					BIRTHS.	DEATHS.	Deaths from													
		24th Sept., 1921.	1st Oct., 1921.	8th Oct., 1921.	15th Oct., 1921.	Deaths of																
						Infants under 1 Year of Age.			Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.	Violence.				
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
SOUTHEND ON SEA .	87,332	10.7	9.0	8.4	8.4	16	14	3	6	-	-	-	-	-	-	2	-	-	-	3	-	SOUTHEND ON SEA.
IPSWICH .	81,119	7.7	9.6	12.2	10.9	41	17	3	7	-	-	-	-	-	-	1	-	1	1	6	-	IPSWICH.
GREAT YARMOUTH .	55,193	9.4	10.4	14.2	18.9	30	20	1	6	-	-	-	-	-	-	2	-	1	1	6	-	GREAT YARMOUTH.
NORWICH .	124,774	6.7	9.2	12.5	7.5	37	18	1	7	-	-	-	1	-	2	-	-	1	1	7	-	NORWICH.
SWINDON .	53,580	8.8	6.8	9.7	7.8	26	8	2	3	-	-	-	-	1	-	-	-	-	-	1	-	SWINDON.
EXETER .	61,265	8.5	6.8	5.1	10.2	27	12	1	3	-	-	-	-	-	1	-	-	1	1	4	-	EXETER.
PLYMOUTH .	189,218	9.1	12.1	7.4	11.6	91	42	12	10	-	-	-	-	-	-	4	-	-	3	13	-	PLYMOUTH.
BATH .	68,546	14.5	9.9	15.2	9.1	24	12	1	8	-	-	-	-	-	-	1	-	-	1	5	-	BATH.
BRISTOL .	375,641	11.9	11.0	9.2	10.5	168	76	10	28	-	-	-	-	1	2	3	-	2	8	28	-	BRISTOL.
GLOUCESTER .	52,096	4.0	7.0	6.0	16.0	16	16	2	5	-	-	-	-	-	1	-	-	1	3	5	-	GLOUCESTER.
STOKE ON TRENT .	243,852	10.5	9.8	10.3	13.0	138	62	18	17	-	-	-	1	-	-	7	-	5	6	15	1	STOKE ON TRENT.
WOLVERHAMPTON .	102,324	10.7	9.7	11.7	10.2	36	20	4	8	-	-	-	-	-	-	1	1	1	2	6	-	WOLVERHAMPTON.
WALSALL .	96,419	10.8	10.3	12.4	13.0	66	24	7	9	-	-	-	-	-	-	3	-	2	5	2	-	WALSALL.
WEST BROMWICH .	72,684	10.0	7.2	9.3	10.8	40	15	3	3	-	-	-	-	-	-	2	1	1	1	4	-	WEST BROMWICH.
DUDLEY .	56,169	12.1	12.1	14.9	5.6	32	6	2	2	-	-	-	-	-	-	1	-	-	-	-	-	DUDLEY.
BIRMINGHAM .	895,915	10.3	9.7	10.9	8.8	401	152	30	43	-	-	-	1	-	1	13	1	3	3	58	6	BIRMINGHAM.
SMETHWICK .	75,027	8.3	5.6	6.3	7.6	38	11	2	4	-	-	-	-	-	-	-	-	-	-	1	-	SMETHWICK.
COVENTRY .	137,310	8.4	7.6	5.3	9.9	61	26	4	12	-	-	-	-	-	-	-	-	1	2	2	1	COVENTRY.
LEICESTER .	245,465	10.8	10.4	10.6	8.1	96	38	3	14	1	-	-	-	1	1	-	-	2	2	12	-	LEICESTER.
LINCOLN .	67,543	10.8	8.5	13.1	6.9	28	9	-	6	-	-	1	-	-	-	-	-	-	-	-	-	LINCOLN.
GRIMSBY .	81,953	12.1	16.5	12.7	10.2	49	16	4	3	-	-	-	-	1	-	1	-	1	1	6	-	GRIMSBY.
NOTTINGHAM .	267,836	10.3	9.9	9.0	6.2	120	32	4	10	-	-	-	-	-	1	1	-	1	2	7	-	NOTTINGHAM.
DERBY .	128,868	12.5	6.1	12.5	7.3	71	18	1	4	-	-	-	-	-	-	1	-	1	1	9	-	DERBY.

* See note † on first page of this return.

TABLE 1 (cont.).—98 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH-RATES in the Week ended Saturday, 15th October, 1921, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	DEATH-RATES from all Causes.				Week ended 15th Oct., 1921.		The DEATHS in the Week include										TOWNS.				
	CIVILIAN POPULATION				BIRTHS. DEATHS.		Deaths from														
	MID. 1920.* (Provisional.)						Deaths of														
	24th Sept. 1921.	1st Oct., 1921.	8th Oct., 1921.	15th Oct., 1921.			Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.		Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
STOCKPORT	130,635	6.4	9.6	9.6	43	20	4	7	-	-	-	-	-	-	1	-	-	1	5	-	STOCKPORT.
BIRKENHEAD	153,951	11.2	10.5	12.9	74	26	4	5	-	-	-	-	-	1	3	-	-	-	8	-	BIRKENHEAD.
WALLASEY	99,226	6.3	10.0	10.5	39	19	-	8	-	-	-	-	-	-	-	-	-	1	5	-	WALLASEY.
LIVERPOOL	803,452	13.4	11.4†	13.5	408	200	36	49	-	-	11	1	2	3	19	1	5	17	83	2	LIVERPOOL.
BOOTLE	80,029	8.5	11.1	10.4	30	14	3	3	-	-	1	-	-	-	3	-	-	-	4	-	BOOTLE.
ST. HELENS	104,822	13.4	8.0	13.9	53	15	4	3	-	-	-	-	-	-	3	-	1	1	1	1	ST. HELENS.
SOUTHPORT	72,939	7.1	7.1	8.6	21	16	2	4	-	-	-	-	-	-	-	-	-	-	3	1	SOUTHPORT.
WIGAN	90,866	12.1	10.3	12.6	41	18	5	4	-	-	-	-	-	-	4	1	-	-	3	-	WIGAN.
WARRINGTON	77,939	7.4	8.0	10.0	34	8	3	1	-	-	-	-	-	-	-	-	-	-	2	-	WARRINGTON.
BOLTON	134,533	10.5	11.3	13.3	71	28	6	7	-	-	-	-	-	1	5	-	1	1	6	-	BOLTON.
BURY	56,410	10.2	4.6	10.2	14	14	1	3	-	-	-	-	-	-	-	-	-	1	2	1	BURY.
MANCHESTER	770,597	10.6	11.0	11.0	355	167	36	32	-	-	-	1	1	1	10	3	3	4	61	-	MANCHESTER.
SALFORD	235,239	9.5	8.9	11.7	113	46	7	10	-	-	-	1	1	1	2	-	2	4	18	-	SALFORD.
OLDHAM	143,154	11.7	13.1	14.2	73	51	10	15	-	-	-	-	-	1	5	-	-	-	9	-	OLDHAM.
ROCHDALE	33,639	10.0	14.5	12.3	29	21	2	9	-	-	-	-	-	-	-	-	1	1	7	-	ROCHDALE.
BURNLEY	105,030	14.4	7.9	13.9	42	27	4	9	1	-	-	-	-	-	-	-	2	4	6	-	BURNLEY.
BLACKBURN	131,012	10.0	12.3	12.7	55	34	7	18	-	-	-	-	-	-	2	-	1	2	8	-	BLACKBURN.
PRESTON	121,950	12.0	7.7	10.3	52	24	5	7	-	-	-	-	-	-	3	1	2	3	2	-	PRESTON.
BLACKPOOL	70,545	11.8	15.5	13.3	21	18	3	8	-	-	-	-	-	-	-	1	-	-	3	-	BLACKPOOL.
BARROW IN FURNESS	76,561	10.9	4.8	6.1	35	9	-	4	-	-	-	-	-	-	-	1	1	1	1	-	BARROW IN FURNESS.
HUDDERSFIELD	116,776	12.5	10.7	12.1	31	21	1	11	-	-	-	-	-	-	-	-	2	3	6	-	HUDDERSFIELD.
HALIFAX	105,847	12.3	10.3	7.4	23	17	-	2	-	-	-	-	-	-	-	-	3	4	6	-	HALIFAX.
BRADFORD	293,979	14.7	9.8	11.9	95	64	6	19	-	-	-	1	-	-	1	-	1	4	21	1	BRADFORD.
LEEDS	449,212	10.9	9.9	11.5	196	88	20	25	-	-	-	-	-	-	4	2	2	5	21	-	LEEDS.
DEWSBURY	55,080	9.5	14.2	14.2	26	19	2	5	-	-	-	-	-	-	2	1	4	4	4	-	DEWSBURY.
WAKEFIELD	51,169	14.3	13.2	10.2	23	12	4	-	-	-	-	-	-	-	3	-	-	-	1	-	WAKEFIELD.
BARNLEY	53,739	6.8	11.6	14.6	21	15	7	3	-	-	-	-	-	-	4	2	-	-	1	-	BARNLEY.

TOWNS.		ESTIMATED		Week ended				Deaths of		Deaths from								Inquest Cases.		Deaths in Public Institutions.	Uncertified (Causes of Death.	TOWNS								
		CIVILIAN POPULATION, MID. 1920.* (Provisional).	15th Oct., 1921.	15th Oct., 1921.		Persons aged 65 Years and upwards.	Infants under 1 Year of Age.	8.	9.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.	Violence.												
				24th Sept., 1921.	1st Oct., 1921.														8th Oct., 1921.				15th Oct., 1921.							
Cols.		1.	2.	3.	4.	5.	6.	7.										10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
SHEFFIELD	.	492,570	11.1	8.9	11.8	12.1	214	114	33	-	-	24	33	-	-	-	2	-	-	-	8	3	4	12	32	-	-	SHEFFIELD.		
ROTHERHAM	.	71,785	9.4	12.3	12.3	6.5	39	9	-	-	-	3	-	-	-	-	-	-	-	1	-	-	1	2	2	-	-	ROTHERHAM.		
YORK	.	77,501	16.1	8.1	20.9	20.9	29	31	6	-	-	8	6	-	-	-	-	2	1	-	3	1	-	-	14	-	-	YORK.		
HULL	.	290,808	12.2	13.3	12.0	11.1	142	62	15	-	-	12	15	-	-	-	-	-	-	5	2	1	2	20	-	-	-	HULL.		
MIDDLESBROUGH	.	132,208	11.0	12.2	11.4	9.9	87	25	7	-	-	9	7	-	-	-	-	-	-	5	1	1	2	6	-	-	-	MIDDLESBROUGH.		
DARLINGTON	.	66,610	11.0	9.4	10.2	8.6	34	11	1	-	-	3	1	-	-	-	-	-	-	-	-	-	-	2	-	-	-	DARLINGTON.		
STOCKTON ON TEES	.	63,114	11.6	14.0	9.1	14.0	47	17	4	-	-	7	4	-	-	-	-	1	-	3	-	-	-	2	-	-	-	STOCKTON ON TEES.		
WEST HARTLEPOOL	.	68,126	13.0	12.2	12.2	8.4	35	11	4	-	-	1	4	-	-	-	-	-	-	2	1	1	1	3	-	1	-	WEST HARTLEPOOL.		
SUNDERLAND	.	155,211	15.5	15.5	14.8	13.1	94	39	4	-	-	15	4	-	-	-	-	-	-	4	1	1	2	8	-	-	-	SUNDERLAND.		
SOUTH SHIELDS	.	115,945	10.8	13.5	15.7	13.9	54	31	9	-	-	4	9	-	-	-	-	-	-	2	2	1	2	8	-	-	-	SOUTH SHIELDS.		
GATESHEAD	.	128,309	12.2	12.6	14.2	10.6	59	26	1	-	-	8	1	-	-	-	-	2	-	2	2	-	1	2	-	-	-	GATESHEAD.		
NEWCASTLE ON TYNE.	.	286,061	12.4	11.3	12.2	8.7	147	48	10	-	-	8	10	-	-	-	-	-	1	1	1	1	3	7	-	-	-	NEWCASTLE ON TYNE.		
TYNEMOUTH	.	60,318	13.8	9.5	17.3	18.2	33	21	-	-	-	8	-	-	-	-	-	-	-	4	-	-	-	3	-	1	-	TYNEMOUTH.		
CARLISLE	.	57,397	10.9	8.2	16.4	10.0	29	11	5	-	-	1	5	-	-	-	-	-	-	1	-	-	1	1	-	-	-	CARLISLE.		
NEWPORT (MON.)	.	90,728	7.5	13.8	6.9	7.5	39	13	-	-	-	5	-	-	-	-	-	-	-	1	-	-	-	5	-	-	-	NEWPORT (MON.).		
CARDIFF	.	212,582	8.3	8.6	5.2	7.6	86	31	8	-	-	7	8	-	-	-	-	-	-	-	-	-	2	5	-	-	-	CARDIFF.		
RHONDDA	.	184,999	13.0	6.5	9.0	8.2	88	29	5	-	-	9	5	-	-	-	-	-	-	3	1	1	1	1	-	-	-	RHONDDA.		
MERTHYR TYDFIL	.	74,493	10.5	10.5	9.8	11.2	27	16	3	-	-	5	3	-	-	-	-	-	-	2	-	-	-	5	-	-	-	MERTHYR TYDFIL.		
ABERDARE	.	53,431	10.7	16.6	17.6	10.7	30	11	5	-	-	1	5	-	-	-	-	-	-	-	-	1	1	-	-	-	-	ABERDARE.		
SWANSEA	.	167,218	9.4	6.2	9.4	8.1	77	26	7	-	-	7	7	-	-	-	-	-	-	1	-	1	4	7	-	-	-	SWANSEA.		
GREATER LONDON	.	7,548,647	10.4	9.5	10.5	10.2	2977	1477	502	-	-	227	502	-	-	-	3	13	38	98	21	50	123	673	-	-	-	GREATER LONDON.		
OUTER RING	.	3,016,676	9.1	8.5	9.2	8.6	1092	498	192	-	-	50	192	-	-	-	2	5	11	18	8	15	27	177	-	-	-	OUTER RING.		
14 GREAT TOWNS IN OUTER RING.	.	1,734,723	8.9	8.4	8.9	8.3	671	276	93	-	-	26	93	-	-	-	-	1	7	7	10	6	9	14	121	-	-	14 GREAT TOWNS IN OUTER RING.		
REMAINDER OF OUTER RING.	.	1,281,953	9.3	8.6	9.6	9.0	421	222	99	-	-	24	99	-	-	-	2	4	4	8	2	6	13	56	-	-	-	REMAINDER OF OUTER RING.		
EDINBURGH†	.	420,281	14.1	12.8	12.2	10.3	196	83	29	-	-	11	29	-	-	-	1	1	1	1	3	2	?	?	-	?	-	EDINBURGH.†		
GLASGOW†	.	1,034,069	13.0	10.8	13.6	13.5	618	267	57	-	-	62	57	-	-	-	-	-	2	20	4	7	?	?	-	?	-	GLASGOW.†		
DUBLIN (Registration Area).†	.	423,000	13.7	13.8	13.2	12.5	232	101	17	-	-	24	17	-	-	-	-	-	-	10	1	8	11	43	-	1	-	DUBLIN (Registration Area).†		
BELFAST†	.	420,000	12.5	12.0	12.9	10.1	224	81	14	-	-	14	14	-	-	-	1	-	-	4	1	9	9	20	-	1	-	BELFAST.†		

* See note † on first page of this return.

† The populations are total populations and relate to 1921, those for Edinburgh and Glasgow being Census populations. Deaths and the death-rates in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week: those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

TABLE 2. LONDON.—Births and Deaths registered during the FORTY-FIRST Week of each of the Eleven Years, 1911–1921.

	1911.	1912.	1913.	1914.	1915.	1916.	1917.	1918.	1919.	1920.	1921.
Births (as registered).	2073	2055	2039	1968	1892	2004	1588	1389	1886	2036	1885
Males	1088	1044	1051	1065	989	1057	797	725	968	1042	982
Females	985	1011	988	903	903	947	791	664	918	994	903
Deaths (of residents only).	1332	1343	1228	1205	1263	966*	976*	1077*	1002*	815*	979*
Males	658	702	672	641	674	494	481	497	530	401	523
Females	674	641	556	564	589	472	495	580	472	414	456

* Deaths in civilian population only.

TABLE 3. LONDON.—BIRTHS and DEATHS REGISTERED, and CASES of INFECTIOUS SICKNESS in HOSPITALS. in the last THIRTEEN WEEKS.

	July 23.	July 30.	Aug. 6.	Aug. 13.	Aug. 20.	Aug. 27.	Sept. 3.	Sept. 10.	Sept. 17.	Sept. 24.	Oct. 1.	Oct. 8.	Oct. 15.
Births (as registered)	1891	2023	1823	2214	1948	2003	1893	1782	1918	1921	1910	1889	1885
Deaths (of residents only).	857	846	822	872	1003	966	952	980	949	975	884	983	979
Under 1 year	128	128	166	186	225	235	268	230	204	184	184	185	177
1–2 years	44	29	38	36	43	44	50	38	41	39	28	38	25
2–5 "	26	19	24	13	21	15	11	19	23	25	17	32	21
5–10 "	18	20	30	20	23	21	22	15	24	33	24	27	25
10–15 "	10	12	11	8	9	9	10	14	14	9	12	22	20
15–20 "	23	15	21	24	18	20	15	17	21	27	8	13	19
20–25 "	18	19	25	17	27	21	19	18	19	21	23	18	20
25–35 "	33	41	43	62	50	32	34	45	53	44	35	42	35
35–45 "	51	55	56	50	61	56	56	62	68	67	56	67	62
45–55 "	102	104	87	87	111	109	103	89	90	114	100	101	115
55–65 "	120	133	98	137	119	130	104	126	122	114	117	123	150
65–75 "	146	155	110	123	152	134	136	166	133	149	155	156	158
75 years and upwards	138	116	113	109	144	140	124	141	137	149	125	159	152
Deaths from—													
Enteric fever	—	—	3	—	2	1	1	3	1	1	2	5	2
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	6	2	5	9	1	6	3	1	—	2	—	3	—
Scarlet fever	4	3	3	1	2	3	4	7	2	2	6	6	1
Whooping cough	12	6	7	5	13	23	8	13	14	10	13	14	8
Diphtheria	12	13	30	16	17	6	11	13	20	24	16	20	27
Diarrhoea and enteritis (under 2 years).	29	52	68	103	154	142	191	159	121	102	97	81	80
Pulmonary tuberculosis	71	66	77	82	86	55	54	78	80	74	64	73	74
Influenza	3	3	1	3	1	2	2	3	5	8	5	4	13
Pneumonia (all forms)	60	44	34	39	45	44	52	47	41	54	61	60	65
Bronchitis	36	25	12	24	28	26	20	30	34	35	38	41	45
Other dis. of resp. system	13	8	8	10	15	10	9	5	12	14	7	13	7
Dis. of circ. system	126	135	133	119	140	137	126	134	121	137	139	150	161
Violence	45	47	33	28	24	42	31	20	25	41	37	29	35
Inquest cases	83	77	73	73	69	86	70	64	68	89	82	85	96
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Enteric fever	27	28	28	31	34	32	34	37	40	38	40	40	42
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	52	49	54	59	60	48	37	37	37	28	21	19	26
Scarlet fever	3886	3765	3717	3572	3523	3394	3433	3680	4003	4428	4887	5508	5978
Whooping cough	10	10	23	36	40	41	41	45	59	50	48	44	41
Diphtheria	1983	1979	1957	1879	1816	1740	1713	1773	1834	1947	2056	2247	2447

* The Metropolitan Asylums Board and London Fever Hospitals. The figures do not refer to London exclusively.

TABLE 3A. 96 Great Towns.—DEATHS from INFLUENZA in the last THIRTEEN WEEKS.

	July 23.	July 30.	Aug. 6.	Aug. 13.	Aug. 20.	Aug. 27.	Sept. 3.	Sept. 10.	Sept. 17.	Sept. 24.	Oct. 1.	Oct. 8.	Oct. 15.
Deaths from Influenza	19	25	14	15	9	12	17	21	27	22	37	34	49

TABLE 4. LONDON.—DEATHS REGISTERED in the FORTY-FIRST Week of the Year 1921.

CAUSES OF DEATH.	Deaths in the 41st week of the year 1926.	DEATHS of PERSONS of the AGES.													
		ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-10 years.	10-15 years.	15-20 years.	20-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and up- wards.
ALL CAUSES	815	979	177	25	21	25	20	19	20	35	62	115	150	158	152
Enteric fever	-	2	-	-	-	-	1	-	-	-	1	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-
Whooping cough	4	8	4	2	2	-	-	-	-	-	-	-	-	-	-
Diphtheria	14	27	1	3	11	11	1	-	-	-	-	-	-	-	-
Influenza	3	13	-	-	-	-	-	-	1	-	-	2	1	5	4
Erysipelas	3	4	-	-	-	-	1	-	-	1	-	-	-	2	-
Acute Poliomyelitis, Polioencepha- litis.	?	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	?	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Meningococcal meningitis . . .	?	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other endemic and epidemic diseases.	2	2	-	-	-	-	-	-	-	-	-	-	1	-	1
Pyæmia and septicæmia	5	1	-	-	-	-	-	-	-	-	-	1	-	-	-
Tetanus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis :—															
Pulmonary tuberculosis	73	74	-	-	-	1	-	5	10	17	13	17	3	8	-
Tuberculous meningitis	4	5	1	2	-	-	2	-	-	-	-	-	-	-	-
Abdominal tuberculosis	1	5	-	-	-	1	3	1	-	-	-	-	-	-	-
Tuberculosis of the spine	-	3	-	-	-	-	1	-	-	-	1	1	-	-	-
Tuberculosis of the joints	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
Tuberculosis of other organs . .	2	2	-	-	-	-	-	-	-	-	-	1	-	1	-
Disseminated tuberculosis . . .	5	1	-	-	-	-	-	-	1	-	-	-	-	-	-
Venereal diseases	3	7	3	-	-	-	-	-	-	-	-	2	1	1	-
Cancer	92	142	-	-	-	-	-	-	1	1	11	30	40	39	20
Rheumatic fever	4	4	-	-	-	-	2	1	1	-	-	-	-	3	-
Diabetes	6	4	-	-	-	-	-	-	-	-	-	-	1	1	-
Anæmia, leucocythæmia	12	4	-	-	-	-	-	1	-	1	-	-	1	1	-
Other general diseases	8	8	2	-	-	-	-	-	-	-	2	1	2	1	-
Alcoholism	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic poisonings	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	6	4	-	1	1	-	-	1	-	-	-	-	1	-	-
Cerebral hæmorrhage, &c., Apoplexy	34	45	-	-	-	-	-	-	-	-	1	7	10	14	13
Softening of brain	2	4	-	-	-	-	-	-	-	-	-	-	1	2	1
Paralysis, without specified cause .	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epilepsy	2	6	-	-	-	2	1	-	-	1	1	1	-	-	-
"Convulsions" (not puerperal) . .	2	4	3	1	-	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system .	17	11	-	-	-	-	-	1	-	-	3	1	3	3	-
Pericarditis	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
Acute endocarditis	4	6	-	-	-	-	1	-	-	1	4	-	-	-	-
Other diseases of heart	108	112	-	-	-	-	-	3	1	1	7	13	31	26	30
Embolism and thrombosis (exclud- ing cerebral).	13	1	-	-	-	-	-	-	-	-	-	1	-	-	-
Other diseases of circulatory system.	28	41	-	-	-	-	-	-	-	-	1	3	10	9	18
Diseases of the larynx	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-
Bronchitis	39	45	4	-	-	-	-	-	1	-	1	4	7	9	19
Broncho-pneumonia	13	31	13	2	3	-	-	-	-	-	-	4	4	2	3
Lobar pneumonia	11	19	-	-	-	3	-	-	-	-	-	2	6	7	1
Pneumonia (type not distinguished)	10	15	-	1	1	-	-	-	1	2	2	3	1	2	2
Pleurisy	4	3	-	-	-	1	-	-	-	-	-	1	-	-	-
Pulmonary congestion, Pulmonary apoplexy.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of respiratory system.	5	3	1	-	-	-	-	1	-	-	-	1	-	-	-

TABLE 5.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM							
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria*.	Diarrhoeal Diseases† (under 2 years).	Influenza.
LONDON† . .	4,531,971	1921. Oct. 15	1,885	979	11·3	2	-	-	1	8	27	80	13
CALCUTTA . .	896,067	Sept. 10	-	468§	27·1	?	1	?	?	?	?	?	18
BOMBAY . .	979,445	" 3	394	931§	49·3	7	1	1	-	-	-	85	16
MADRAS . .	522,951	" 3	376	388	38·6	3	2	-	?	2	-	41	2
PARIS . .	2,847,229	{ 11 days } Aug. 31	-	-	-	-	-	-	-	-	-	-	-
BRUSSELS . .	792,919	" . .	-	-	-	-	-	-	-	-	-	-	-
ANTWERP . .	340,852	Sept. 24	105	46	7·2	1	-	-	-	1	-	11	-
AMSTERDAM . .	681,434	Oct. 1	248	117	8·9	1	-	-	-	-	-	3	-
COPENHAGEN . .	571,000	" 1	220	91	8·3	-	-	-	-	-	-	-	-
STOCKHOLM . .	419,788	Sept. 24	111	97	12·0	-	-	-	-	-	-	-	-
GOTHENBURG . .	205,547	" 17	-	28	7·1	-	-	-	-	-	-	3	-
CHRISTIANIA . .	260,920	Oct. 1	100	40	8·0	-	-	-	-	-	-	-	-
BERLIN . .	1,951,000	Sept. 24	457	397	10·6	1	?	-	-	3	2	14	1
BRESLAU . .	547,000	" 24	310	151	14·4	3	?	1	1	-	6	16	1
COLOGNE . .	666,000	" 24	244	130	10·1	-	?	-	-	1	1	17	1
DRESDEN . .	595,000	" 24	192	112	9·7	-	?	-	2	2	-	5	-
FRANKFORT- ON-MAIN.	469,000	" 24	125	77	8·5	-	?	-	1	-	-	2	1
HAMBURG . .	1,031,000	" 24	214	241	12·2	-	?	-	-	4	2	9	2
LEIPZIG . .	629,000	" 24	225	146	12·1	1	?	-	-	-	2	18	-
MUNICH . .	670,000	" 24	237	148	11·5	-	?	1	-	1	1	6	2
VIENNA . .	1,842,005	" 24	-	-	-	-	-	-	-	-	-	-	-
PRAGUE AND SUBURBS.	676,454	" 10	235	166	12·8	-	-	-	1	-	-	17	1
BUDAPEST . .	933,000	July 30	-	-	-	-	-	-	-	-	-	-	-
TRIESTE . .	248,428	May 28	-	-	-	-	-	-	-	-	-	-	-
CAIRO . .	765,200	July 29	656	(54	44·4	5	-	11	-	?	5	147	?
ALEXANDRIA . .	449,300	" 29	289	259§	30·0	3	-	-	-	?	-	53	?
NEW YORK . .	5,751,859	Sept. 24	-	-	-	-	-	-	-	-	-	-	-
CHICAGO . .	2,780,655	" 24	-	533	10·0	-	-	-	2	2	10	62	-

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Cities, Vienna, Prague and Suburbs, Budapest, and Trieste.

† The deaths in this column relate to *all ages* for Bombay, Madras, Christiania, and Budapest, and to *children under 1 year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

§ Including 5 deaths from *plague* in Bombay and 1 in Alexandria, and from *Asiatic cholera*, 5 deaths in Calcutta, and 2 in Bombay.

TABLE 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 15th October, 1921.

(Supplied by the Meteorological Office.)

TOWNS.	Temperature of Air.*				Rainfall in Milli- metres.‡	TOWNS.	Temperature of Air.*				Rainfall in Milli- metres.‡
	Highest.	Lowest.	Mean Maxi- mum.	Mean Mini- mum.			Highest.	Lowest.	Mean Maxi- mum.	Mean Mini- mum.	
LONDON (Greenwich) }	81	38	70·7	50·7	10	BRADFORD . .	71	43	64·1	50·3	9
BRIGHTON . .	74	46	67·1	53·9	12	SHEFFIELD . .	73	45	64·9	51·1	17
PORTSMOUTH . .	75	44	67·4	54·4	1	YORK (Museum) .	74	44	66·4	50·7	3
NORWICH (Eaton) .	77	39	67·4	51·0	8	HULL (Pearson Park)	75	43	68·3	51·0	0
PLYMOUTH . .	74	45	68·1	53·9	7	TYNEMOUTH . .	69	44	62·1	50·7	1
BRISTOL (Clifton) .	75	41	67·9	52·1	3	CARDIFF . .	74	40	66·1	51·7	6
BIRMINGHAM . .	76	42	67·0	51·0	3	EDINBURGH . .		Not	received.		10
NOTTINGHAM . .	75	40	66·6	50·6	6	GLASGOW . .	70·0	45·3	59·5	50·7	
BIRKENHEAD (Bidston) }	71	47	63·4	52·9	17	DUBLIN :—					1
MANCHESTER . .	79	42	67·6	51·7	7	Phoenix Park . .		Not	received.		
BURNLEY . .	74	39	64·4	49·3	13	†Fitzwilliam Square	68·0	40·9	62·1	52·2	
HUDDERSFIELD . .	72	42	65·6	49·0	6	BELFAST . .	69·5	45·0	63·6	50·0	3

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.

† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.

‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

TABLE 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 15th October 1921.

[Under the Superintendence of the Astronomer Royal.]

1921. MONTH AND DAY.		Phases of the Moon.	BARO- METER. Mean daily reading (cor- rected and re- duced to 32° Fahren- heit).	TEMPERATURE.						Difference between the Air Temperature and Dew Point Temperature.			De- gree of Hu- mid- ity (Satu- ration equals 100).	TEMPERATURE.		Wind as deduced from Anemometers.					Rain collected in a Gauge whose surface is 5 inches above the Ground.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
				Of the Air.				Of the Dew point.	Of Radiation.		Of the Earth 4 feet below the Surface.	Osler's.		Robinson's.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
				High- est.	Low- est.	Daily Range.	Mean daily value.		De- parture from Average of 65 years.	Highest in Sun's Rays.		Lowest on the Grass.		General Direction.	Pressure on the Square Foot.		Horizontal Movement of the Air on each Day.	Depart- ure from Average of 50 years.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
															A.M.	P.M.			Great- est.	Mean Least. hourly obs.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
OCTOBER.			in.	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°

DATE.		ELECTRICITY. (For explanation of symbols, see Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
OCTOBER 1921.					
SUNDAY	- 9	w.P. generally	9.3	11.1	Cloudless till 4h.; thin cloud till 6h. 30m.; fine and partially cloudy till 18h.; very cloudy generally afterwards.
MONDAY	- 10	w.P. generally, v.P. in afternoon.	5.0	11.0	Cloudy till 3h.; cloudless with dew till 6h., then becoming overcast till 10h.; cloudy till 16h., then nearly overcast generally; solar halo between 10h. and 16h.; slight thunderstorm with heavy rain between 20h. 30m. and 22h.; lunar rainbow 22h.
TUESDAY	- 11	w.P. generally	8.0	10.9	Nearly cloudless till 2h.; overcast generally till 7h., then variably cloudy with overcast intervals; misty in morning.
WEDNESDAY	- 12	w.P. generally	0.2	10.9	Overcast with few exceptions till 22h.; cloud thinner after 14h.; solar halo in afternoon; dew and mist in evening; few clouds by 23h.
THURSDAY	- 13	w.P. generally	6.6	10.8	Nearly cloudless till 10h., with heavy dew and thick mist 4h. 30m. to 8h. 30m.; partially cloudy till 19h.; cloudy to overcast by 21h.; solar halo 11h. to 15h.; lunar halo 20h. to 22h.
FRIDAY	- 14	w.P. till noon, s.P. generally till 18h., then w.P.	5.1	10.8	Overcast till 10h. 30m.; rain before 4h. and at times till 9h.; nearly cloudless from 11h.; cloudless from 17h.; slight mist morning and evening; heavy dew at night; hazy sky in evening.
SATURDAY	- 15	w.P. till noon, s.P. generally till 18h., then w.P.	8.3	10.7	Cloudless with slight exceptions; hazy sky; slight mist and hoar frost in morning; mist and dew at night.
No. of Col. . . .		26	Sum 42.5	Sum 76.2	
			27	28	

The results apply to the civil day, or from midnight to midnight. The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level. Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables. The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916. In reading columns 9 and 24 it will be borne in mind that + indicates "higher," and - "lower," than the average. The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined. The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable. The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day. The reading of the barometer decreased from 29.87 in. at the beginning of the week to 29.66 in. by 16h. on 9th; increased to 30.16 in. by 22h. on 12th; decreased to 29.97 in. by 3h. on 14th; increased to 30.42 in. by 9h. on 15th, and decreased to 30.27 in. by midnight on the same day.

The results apply to the civil day, or from midnight to midnight. The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "higher," and - "lower," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29.87 in. at the beginning of the week to 29.66 in. by 16h. on 9th; increased to 30.16 in. by 22h. on 12th; decreased to 29.97 in. by 3h. on 14th; increased to 30.42 in. by 9h. on 15th, and decreased to 30.27 in. by midnight on the same day.

TABLE 8. LONDON.—DEATHS OF PERSONS BELONGING to the several METROPOLITAN BOROUGHs REGISTERED in the Week ended 8th October, 1921.

BOROUGHs.	Deaths from									Deaths of Infants under 1 Year of Age.
	ALL CAUSES.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Pulmonary Tuberculosis.	
COUNTY OF LONDON .	983	5	-	3	6	14	20	81	73	185
Western										
PADDINGTON . . .	35	-	-	-	-	-	-	3	4	5
KENSINGTON . . .	27	-	-	-	-	1	-	5	1	5
HAMMERSMITH . . .	21	-	-	-	-	-	-	1	-	3
FULHAM	30	-	-	-	-	1	1	4	1	7
CHELSEA	17	-	-	-	-	-	-	2	3	5
CITY OF WESTMINSTER .	26	-	-	-	-	-	1	1	1	2
Northern.										
ST. MARYLEBONE . . .	23	-	-	-	-	1	-	-	2	3
HAMPSTEAD	25	-	-	-	-	-	2	1	2	3
ST. PANCRAS	43	-	-	-	-	1	-	4	1	8
ISLINGTON	74	-	-	-	-	-	3	7	4	18
STOKE NEWINGTON . . .	10	-	-	-	-	-	-	-	1	1
HACKNEY	48	-	-	-	1	-	1	4	4	5
Central.										
HOLBORN	9	-	-	-	-	-	-	-	1	1
FINSBURY	19	-	-	-	-	-	1	4	2	3
CITY OF LONDON . . .	1	-	-	-	-	-	-	-	1	-
Eastern.										
SHOREDITCH	30	1	-	1	-	-	2	2	1	9
BETHNAL GREEN . . .	29	-	-	-	-	-	1	6	2	9
STEPNEY	65	-	-	-	2	1	1	7	4	11
POPLAR	39	1	-	1	-	2	2	1	2	12
Southern.										
SOUTHWARK	39	-	-	-	-	-	-	4	1	10
BERMONDSEY	27	-	-	-	-	1	-	2	3	5
LAMBETH	82	-	-	-	-	-	3	5	8	16
BATTERSEA	39	-	-	-	-	1	1	3	3	12
WANDSWORTH	59	-	-	-	-	1	1	4	4	8
CAMBERWELL	54	-	-	1	1	2	-	6	7	11
DEPTFORD	35	-	-	-	1	1	-	2	1	6
GREENWICH	26	-	-	-	1	1	-	1	2	3
LEWISHAM	28	2	-	-	-	-	-	1	2	2
WOOLWICH	23	1	-	-	-	-	-	1	5	2

The deaths in the above Table are, so far as concerns London as a whole, corrected by the exclusion of deaths of non-residents, and by the inclusion of those of residents occurring in the Outer Ring or in Metropolitan public institutions situated outside the County. As between individual Metropolitan Boroughs, however, correction is complete.

TABLE 9. LONDON.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED during the Week ended 8th October, 1921.*

BOROUGH.	ESTI- MATED CIVILIAN POPU- LATION, MID.1920.† (Provi- sional.)	Enteric Fever.	Malaria.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Pneumonia.	Erysipelas.	Cerebro-Spinal Fever.	Puerperal Fever.	Ophthalmia Neonatorum.	Polio- myelitis.	Dysentery.	Encephalitis Lethargica.	Anthrax.	Polio- encephalitis.	Cholera.
WESTERN.																		
Paddington . . .	149,673	-	1	-	-	25	7	2	-	-	-	2	-	-	-	-	-	-
Kensington . . .	164,177	2	-	-	-	38	5	1	2	-	-	1	-	-	-	-	-	-
Hammersmith . . .	136,200	-	-	-	-	29	6	1	1	-	-	-	-	-	-	-	-	-
Fulham . . .	158,621	-	-	-	-	28	8	3	2	-	2	-	-	-	-	-	-	-
Chelsea . . .	62,987	1	-	-	-	7	4	-	1	-	-	1	-	-	-	-	-	-
City of Westminster . . .	132,615	-	-	-	-	29	9	-	-	-	-	1	-	-	-	-	-	-
NORTHERN.																		
St. Marylebone . . .	101,856	-	-	-	-	27	11	-	-	-	-	-	-	-	-	-	-	-
Hampstead . . .	91,519	-	-	-	-	4	10	-	1	-	1	1	-	-	-	-	-	-
St. Pancras . . .	228,178	1	-	-	-	73	15	2	3	-	-	-	-	-	-	-	-	-
Islington . . .	335,907	-	-	-	-	150	41	-	1	-	-	1	-	-	-	-	-	-
Stoke Newington . . .	52,984	-	-	-	-	11	5	-	-	-	-	-	-	-	-	-	-	-
Hackney . . .	225,372	1	-	-	-	57	14	-	3	-	-	-	-	-	-	-	-	-
CENTRAL.																		
Holborn . . .	39,676	-	-	-	-	11	6	1	-	-	-	-	-	-	-	-	-	-
Finsbury . . .	78,291	-	-	-	-	17	5	1	5	-	-	1	-	-	-	-	-	-
City of London . . .	14,447	-	-	-	-	3	-	1	-	-	-	-	-	-	-	-	-	-
EASTERN.																		
Shoreditch . . .	102,044	-	-	-	-	32	13	4	2	-	-	3	-	-	-	-	-	-
Bethnal Green . . .	114,471	-	-	-	-	39	21	7	1	-	1	-	-	-	-	-	-	-
Stepney . . .	241,770	-	-	-	-	63	40	2	4	1	-	-	-	-	-	-	-	-
Poplar . . .	159,766	-	-	-	-	57	17	4	3	-	-	-	-	-	-	-	-	-
SOUTHERN.																		
Southwark . . .	187,142	-	1	-	-	48	15	1	2	-	-	-	-	-	-	-	-	-
Bermondsey . . .	129,189	-	-	-	-	47	25	3	2	-	1	-	-	-	-	-	-	-
Lambeth . . .	293,572	-	1	-	-	68	14	4	5	-	-	-	-	-	-	-	-	-
Battersea . . .	165,664	1	-	-	-	56	27	1	-	-	-	3	-	-	-	-	-	-
Wandsworth . . .	346,990	-	1	-	-	42	15	3	3	-	-	2	-	-	-	-	-	-
Camberwell . . .	284,712	-	-	-	-	89	14	1	1	-	-	1	-	-	-	-	-	-
Deptford . . .	115,636	-	-	-	-	25	8	-	3	-	-	-	-	-	-	-	-	-
Greenwich . . .	102,408	-	-	-	-	22	15	2	-	-	-	-	1	-	-	-	-	-
Lewisham . . .	174,438	-	-	-	-	24	9	1	-	-	1	-	-	-	-	-	-	-
Woolwich . . .	141,666	-	-	-	-	33	10	1	-	-	-	-	-	-	-	-	-	-
TOTAL . . .	4,531,971	6	4	-	-	1154	389	46	45	1	7	17	1	-	-	-	-	-
AGES.																		
Ages 0-1 . . .		-	-	-	-	6	6	3	2	-	-	17	-	-	-	-	-	-
„ 1-5 . . .		-	-	-	-	181	97	10	3	-	-	-	-	-	-	-	-	-
„ 5- . . .		-	-	-	-	534	129	4	-	-	-	-	-	-	-	-	-	-
„ 10- . . .		1	-	-	-	302	86	1	-	-	-	-	1	-	-	-	-	-
„ 15- . . .		2	-	-	-	73	34	5	3	-	-	-	-	-	-	-	-	-
„ 20- . . .		1	2	-	-	22	14	2	4	-	-	-	-	-	-	-	-	-
„ 25- . . .		1	2	-	-	22	14	4	3	-	5	-	-	-	-	-	-	-
„ 35- . . .		-	-	-	-	13	6	5	3	1	2	-	-	-	-	-	-	-
„ 45- . . .		1	-	-	-	1	3	4	11	-	-	-	-	-	-	-	-	-
„ 55- . . .		-	-	-	-	-	-	6	10	-	-	-	-	-	-	-	-	-
„ 65- . . .		-	-	-	-	-	-	1	3	-	-	-	-	-	-	-	-	-
„ 75 and upwards . . .		-	-	-	-	-	-	1	3	-	-	-	-	-	-	-	-	-
Age not stated . . .		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

† See note † on first page of this return.

FOR OFFICIAL USE.

WEEKLY RETURN

OF

**BIRTHS AND DEATHS REGISTERED:—
LONDON AND
NINETY-FIVE OTHER GREAT TOWNS**

~~~~~  
By Authority of the Registrar General.  
~~~~~

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased through any Bookseller or directly from
H.M. STATIONERY OFFICE at the following addresses:
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and
28, ABINGDON STREET, LONDON, S.W. 1;
37, PETER STREET, MANCHESTER;
1, ST. ANDREW'S CRESCENT, CARDIFF;
23, FORTH STREET EDINBURGH;
or from EASON AND SON, LTD., 40 and 41, LOWER SACKVILLE STREET, DUBLIN.

No. 42. Vol. LXXXII. 1921. WEEK ENDED SATURDAY, OCT. 22.
[Price 9d. Net.]

*General Register Office, Somerset House,
October 25th, 1921.*

NINETY-SIX GREAT TOWNS.

For the NINETY-SIX GREAT TOWNS of England and Wales, each of which had a population of 50,000 or over at the Census of 1911, the births registered last week numbered 8,203, and corresponded to an annual rate of 23·0 per 1,000. The deaths* among the civilian population only numbered 3,852, and corresponded to an annual rate of 10·8 per 1,000 of their aggregate civilian population, which is provisionally estimated† at 18,554,878 persons in the year 1920. In the three weeks ended October 1st, October 8th, and October 15th, the rates had been 10·0, 11·0, and 10·4 respectively. The infant mortality was 88, against 91, 95, and 83 in the preceding three weeks. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks; it also shows for the week ended last Saturday the births and the deaths from certain individual causes. A column showing the number of deaths

* Corrected as far as possible for deaths of non-residents and for those of residents occurring outside the area. Fully corrected figures will appear in the Registrar General's Annual Report.

† The estimates of population refer to the year 1920, and are based on the returns furnished under the scheme for rationing of food.

from influenza has been inserted in Table 1. The aggregate number of deaths from influenza in the 96 great towns in each of the last thirteen weeks is shown in Table 3A.

Measured by last week's mortality, the highest annual death-rates per 1,000 living were :—from *all causes*, 15·5 in Barnsley, 16·6 in Eastbourne, 17·0 in Dewsbury, and 17·8 in Wigan. No death from *small-pox* was registered in any of the ninety-six towns.

LONDON.* (The Administrative County, including the City of London.)

For LONDON there were 1,944 BIRTHS, corresponding to a rate of 22·3 per 1,000, and 996 DEATHS of civilians, corresponding to a rate of 11·5, as against 10·2, 11·3, and 11·3, per 1,000 in the three weeks ended October 1st, October 8th, and October 15th. The death-rate in the four weeks ended last Saturday averaged 11·1 per 1,000. The infant mortality was 87, against 96, 98, and 94, in the preceding three weeks.

There was one death from *enteric fever*, against 2, 5, and 2 in the preceding three weeks, the average for the corresponding weeks of the previous five years being 2. The deaths from *measles*, which had been 0, 3, and 0 in the preceding three weeks, were 4 last week, and were equal to the average. The deaths from *scarlet fever*, which had been 6, 6, and 1 in the preceding three weeks, rose last week to 9 and were 5 above the average. The deaths from *whooping-cough*, which had been 13, 14, and 8 in the preceding three weeks, were again 8 last week and were 5 above the average. The deaths from *diphtheria*, which had been 16, 20, and 27 in the preceding three weeks, were 28 last week and were 13 above the average; 9 deaths belonged to the Borough of Stepney and 3 to Hackney. The deaths from *diarrhoea and enteritis under 2 years of age*, which had been 97, 81, and 80 in the preceding three weeks, further fell last week to 61, but were 13 above the average; 7 deaths belonged to Islington, 7 to Shoreditch, 6 to Lambeth, and 5 to Hammersmith. The deaths from *influenza* numbered 12, as against 5, 4, and 13 in the preceding three weeks, and an average of 82.

Different forms of violence caused 35 deaths, all of which were the subject of coroners' inquests. Of these 35 deaths, 8 were cases of suicide, while the remaining 27 were attributed to other forms of violence. Six of these latter were referred to vehicles in the streets, 2 to burns or scalds, and 5 to drowning.

CASES OF INFECTIOUS DISEASE.†

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital, there were 34 cases of enteric fever, 27 of measles, 6,065 of scarlet fever, 38 of whooping-cough, and 2,625 of diphtheria under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as

* See note * on first page.

† The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

compared with those in the preceding three weeks, were as follows :—Of enteric fever, 3 cases, against 8, 5, and 4; of measles, 4 cases, against 1, 4, and 13; of scarlet fever, 889 cases, against 924, 1,165, and 1,091; of whooping-cough, 1 case, against 5, 3, and 0; and of diphtheria, 499 cases, against 364, 394, and 451. Table 9, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the county during the week ended October 15th, 1921.

TABLE 1.—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH-RATES in the Week ended Saturday, 22nd October, 1921, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	ESTIMATED CIVILIAN POPULATION, MID. 1920.* (Provisional.)	DEATH-RATES from all Causes.					Week ended 22nd Oct. 1921.		The DEATHS in the Week include										Deaths of										Deaths from										TOWNS.
		Week ended					BIRTHS. DEATHS.		10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Deaths in Public Institutions.	Uncertified Causes of Death.																	
		1st Oct., 1921.	8th Oct., 1921.	15th Oct., 1921.	22nd Oct., 1921.	6.	7.																																
								2.															3.	4.	5.														
96 GREAT TOWNS.	18,554,878	10.0	11.0	10.4	10.8	8,203	3,852	722	1,140	4	15	16	28	57	259	46	146	281	1367	24	96 GREAT TOWNS.	COLS.																	
LONDON†	4,531,971	10.2	11.3	11.3	11.5	1,944	996	170	322	1	4	9	8	28	61	12	35	83	533	-	LONDON.†																		
(CROYDON.	191,530	9.3	12.0	9.8	8.4	59	31	3	15	-	-	-	-	-	2	1	2	3	10	-	(CROYDON.																		
WIMBLEDON.	62,174	9.2	9.2	9.2	9.2	22	11	2	3	-	-	-	-	-	1	-	1	2	3	-	WIMBLEDON.																		
EALING.	76,129	6.8	6.2	7.5	5.5	23	8	-	2	-	-	-	-	-	-	-	2	2	3	-	EALING.																		
ACTON.	64,192	6.5	8.1	7.3	6.5	20	8	1	3	-	-	-	-	-	1	-	-	-	2	-	ACTON.																		
WILLESDEN.	167,328	5.3	10.6	8.7	6.9	76	22	5	3	-	-	-	-	2	2	-	2	2	13	-	WILLESDEN.																		
HORNSEY.	98,107	6.9	5.8	8.5	10.1	21	19	2	6	-	-	-	-	1	-	-	-	1	9	-	HORNSEY.																		
TOTTENHAM	146,970	9.6	7.1	7.1	9.6	62	27	5	9	-	-	-	-	-	2	-	-	1	12	-	TOTTENHAM.																		
EDMONTON.	73,529	10.6	7.8	10.6	9.9	33	14	2	5	-	-	-	-	-	-	-	-	1	7	-	EDMONTON.																		
ENFIELD.	60,771	6.9	5.1	8.6	10.3	33	12	2	4	-	1	-	-	-	1	-	-	1	3	-	ENFIELD.																		
WEST HAM.	299,440	8.9	11.7	7.7	12.7	202	73	13	20	-	-	-	1	-	7	2	4	6	22	-	WEST HAM.																		
EAST HAM.	150,207	10.8	8.3	7.6	8.7	57	25	6	4	-	-	-	-	-	2	-	2	2	10	1	EAST HAM.																		
LEYTON.	128,832	10.9	8.9	5.3	13.0	45	32	2	18	-	-	-	-	-	1	-	1	2	8	-	LEYTON.																		
WALTHAMSTOW	132,771	7.1	7.5	11.8	12.2	63	31	3	9	-	-	-	-	1	1	-	1	1	14	-	WALTHAMSTOW.																		
ILFORD.	82,693	5.7	5.7	6.9	7.6	31	12	2	2	-	-	-	-	-	-	1	2	2	6	-	ILFORD.																		
GILLINGHAM.	45,233	13.8	12.7	6.9	13.8	20	12	3	2	-	-	-	-	1	-	-	1	1	5	-	GILLINGHAM.																		
HASTINGS.	59,972	16.5	12.2	11.3	11.3	16	13	1	5	-	-	-	-	-	-	-	-	-	4	-	HASTINGS.																		
EASTBOURNE.	50,354	12.4	12.4	5.2	16.6	14	16	2	8	-	-	-	-	-	2	1	-	-	2	-	EASTBOURNE.																		
BRIGHTON.	137,685	12.1	12.1	12.5	11.0	42	29	7	8	-	-	-	1	-	4	-	1	3	8	-	BRIGHTON.																		
PORTSMOUTH.	235,998	6.4	11.5	11.9	6.6	101	30	-	12	-	-	-	-	1	-	-	2	4	11	-	PORTSMOUTH.																		
BOURNEMOUTH.	85,919	7.3	10.9	4.9	10.9	28	18	3	7	-	-	-	-	-	-	-	2	2	7	-	BOURNEMOUTH.																		
SOUTHAMPTON.	162,338	5.1	9.0	9.6	7.7	49	24	1	7	-	-	-	-	-	-	-	3	5	6	-	SOUTHAMPTON.																		
READING.	95,006	6.6	8.2	12.1	7.1	44	13	3	4	-	-	-	-	-	-	-	-	-	5	-	READING.																		
OXFORD.	59,963	7.8	7.8	8.7	9.6	18	11	-	4	-	-	-	-	1	-	1	1	1	6	-	OXFORD.																		
NORTHAMPTON.	92,483	11.3	5.6	6.8	7.9	28	14	2	1	-	-	-	-	-	-	-	1	2	3	-	NORTHAMPTON.																		
CAMBRIDGE.	60,154	7.8	11.3	7.8	11.3	19	13	1	6	-	-	-	-	-	-	-	1	1	5	-	CAMBRIDGE.																		

* See note † on first page of this return.

† For Greater London see end of Table.

‡ These towns are included within the area of Greater London.

TABLE 1 (cont.).—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH-RATES in the Week ended Saturday, 22nd October 1921, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	ESTIMATED CIVILIAN POPULATION, MID. 1920.* (Provisional.)	DEATH-RATES from all Causes.					Week ended 22nd Oct., 1921.		The DEATHS in the Week include										Deaths in Public Institutions.					Uncertified (Causes of Death.	TOWNS.
		Week ended					BIRTHS.	DEATHS.	Deaths of		Deaths from								Violence	Inquest Cases.	Deaths in Public Institutions.	Uncertified (Causes of Death.			
		Week ended							Persons aged 65 Years and upwards.	Infants under 1 Year of Age.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.										
		1st Oct., 1921.	8th Oct., 1921.	15th Oct., 1921.	22nd Oct., 1921.																				
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.			
SOUTHEND ON SEA.	87,382	9·0	8·4	8·4	7·8	29	13	1	6	-	-	-	-	-	-	-	-	1	1	2	-	SOUTHEND ON SEA.			
IPSWICH.	81,119	9·6	12·2	10·9	11·6	27	18	3	6	-	-	-	-	-	-	1	1	2	2	3	-	IPSWICH.			
GREAT YARMOUTH.	55,193	10·4	14·2	18·9	10·4	24	11	1	4	-	-	-	-	-	-	-	-	-	-	2	-	GREAT YARMOUTH.			
NORWICH.	124,774	9·2	12·5	7·5	13·8	55	33	6	17	-	-	-	-	-	-	2	-	1	2	6	-	NORWICH.			
SWINDON.	53,580	6·8	9·7	7·8	2·9	21	3	1	2	-	-	-	-	-	-	-	-	-	-	1	-	SWINDON.			
EXETER.	61,365	6·8	5·1	10·2	7·6	27	9	2	5	-	-	-	-	-	-	1	-	-	-	2	-	EXETER.			
PLYMOUTH.	189,218	12·1	7·4	11·6	9·1	92	33	5	8	-	-	-	-	-	-	3	2	-	1	6	-	PLYMOUTH.			
BATH.	68,546	9·9	15·2	9·1	15·2	27	20	1	8	-	-	-	-	-	-	-	-	1	1	8	-	BATH.			
BRISTOL.	375,641	11·0	9·2	10·5	8·9	158	64	5	20	-	-	-	-	-	2	3	-	2	5	22	-	BRISTOL.			
GLOUCESTER.	52,096	7·0	6·0	16·0	10·0	24	10	3	4	-	-	-	-	-	-	1	1	-	-	3	-	GLOUCESTER.			
STOKE ON TRENT.	243,852	9·8	10·3	13·0	12·2	131	58	15	10	-	-	-	-	-	-	9	-	2	5	10	-	STOKE ON TRENT.			
WOLVERHAMPTON.	102,324	9·7	11·7	10·2	10·2	50	20	7	5	-	-	-	-	-	-	2	-	-	-	2	-	WOLVERHAMPTON.			
WALSALL.	96,419	10·3	12·4	13·0	8·7	47	16	7	5	-	-	-	-	-	-	1	-	1	2	4	-	WALSALL.			
WEST BROMWICH.	72,684	7·2	9·3	10·8	11·5	37	16	3	4	-	-	-	-	-	-	3	-	1	2	5	-	WEST BROMWICH.			
DUDLEY.	56,169	12·1	14·9	5·6	13·9	35	15	3	5	-	-	-	-	1	-	2	-	-	-	2	1	DUDLEY.			
BIRMINGHAM.	895,915	9·7	10·9	8·8	10·6	401	182	27	49	-	-	-	-	-	3	7	2	2	2	77	3	BIRMINGHAM.			
SMETHWICK.	75,027	5·6	6·3	7·6	6·3	30	9	1	1	-	-	-	-	-	1	-	-	-	-	2	-	SMETHWICK.			
COVENTRY.	137,310	7·6	5·3	9·9	10·6	44	28	3	9	-	-	1	2	-	-	1	-	-	-	5	-	COVENTRY.			
LEICESTER.	245,465	10·4	10·6	8·1	11·3	83	53	9	14	-	-	-	-	-	2	4	-	-	-	21	1	LEICESTER.			
LINCOLN.	67,543	8·5	13·1	6·9	15·4	21	20	2	9	-	-	-	-	-	1	2	-	-	-	3	-	LINCOLN.			
GRIMSBY.	31,953	16·5	12·7	10·2	12·7	36	20	6	8	-	-	-	-	-	-	4	-	-	1	1	-	GRIMSBY.			
NOTTINGHAM.	267,836	9·9	9·0	6·2	10·5	124	54	13	20	-	-	-	-	-	-	5	1	1	3	17	1	NOTTINGHAM.			
DERBY.	128,868	6·1	12·5	7·3	12·1	66	30	4	10	-	-	-	-	1	-	1	-	1	1	10	-	DERBY.			

* See note † on first page of this return.

TABLE 1 (cont.).—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH-RATES in the Week ended Saturday, 22nd October, 1921, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	ESTIMATED CIVILIAN POPULATION MID. 1920.* (Provisional.)	DEATH-RATES from all Causes.					Week ended 22nd Oct., 1921.		The DEATHS in the Week include										TOWNS			
		Week ended					22nd Oct., 1921.		Deaths from													
		1st Oct., 1921.	8th Oct., 1921.	15th Oct., 1921.	22nd Oct., 1921.	BIRTHS. DEATHS.	Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.		Deaths in Public Institutions.	Uncertified Causes or Death.	
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
STOCKPORT.	130,635	9.6	9.6	8.0	8.4	38	21	3	9	-	-	-	-	-	-	1	-	-	3	6	1	STOCKPORT.
BIRKENHEAD.	153,951	10.5	12.9	8.8	8.1	66	24	7	6	-	-	-	-	1	-	2	-	1	1	7	-	BIRKENHEAD.
WALLASEY.	99,226	10.0	10.5	10.0	8.4	23	16	1	7	-	-	-	1	1	-	-	-	1	1	3	-	WALLASEY.
LIVERPOOL.	808,452	11.4†	13.5	13.0	11.6	431	179	43	33	-	-	9	-	-	-	21	3	6	15	79	3	LIVERPOOL.
BOOTLE.	80,029	11.1	10.4	9.1	9.8	45	15	2	5	-	-	-	-	-	1	1	-	-	-	3	-	BOOTLE.
ST. HELENS.	104,822	8.0	13.9	7.5	11.4	65	23	6	5	-	-	-	-	-	-	1	-	1	-	7	-	ST. HELENS.
SOUTHPORT.	72,939	7.1	8.6	11.4	10.7	27	15	3	9	-	-	-	-	1	-	1	-	-	-	-	1	SOUTHPORT.
WIGAN.	90,866	10.3	12.6	10.3	17.8	44	31	8	7	-	-	-	-	-	-	7	-	1	1	7	-	WIGAN.
WARRINGTON.	77,939	8.0	10.0	5.4	14.7	35	22	4	1	-	-	-	-	-	1	-	-	2	2	6	-	WARRINGTON.
BOLTON.	184,533	11.3	13.3	7.9	9.0	56	32	6	7	-	-	-	-	-	-	-	3	1	3	6	-	BOLTON.
BURY.	56,410	4.6	10.2	12.9	11.1	23	12	1	7	-	-	-	-	-	-	-	-	-	1	1	1	BURY.
MANCHESTER.	770,397	11.0	11.0	11.3	11.1	359	164	33	34	1	-	-	-	4	1	10	1	7	12	63	-	MANCHESTER.
SALFORD.	235,239	8.9	11.7	10.2	10.9	122	49	13	7	-	-	-	-	-	1	6	1	2	3	17	-	SALFORD.
OLDHAM.	143,154	13.1	14.2	18.6	15.3	60	42	7	15	-	-	-	-	-	-	3	-	1	3	8	-	OLDHAM.
ROCHDALE.	93,639	14.5	12.3	11.7	7.8	28	14	-	3	-	-	-	-	-	-	1	-	1	3	1	-	ROCHDALE.
BURNLEY.	105,030	7.9	13.9	13.4	10.4	41	21	4	5	-	-	-	-	-	1	-	-	1	1	5	-	BURNLEY.
BLACKBURN.	131,012	12.3	12.7	13.5	9.2	39	23	6	7	-	-	-	-	-	1	2	-	1	1	5	-	BLACKBURN.
PRESTON.	121,950	7.7	10.3	10.3	15.0	51	35	12	6	-	-	-	-	-	-	8	1	-	-	5	-	PRESTON.
BLACKPOOL.	70,545	15.5	13.3	13.3	7.4	21	10	-	6	-	-	-	-	-	-	-	-	-	-	-	-	BLACKPOOL.
BARROW IN FURNESS.	76,561	4.8	6.1	6.1	12.9	34	19	6	9	-	-	-	-	-	-	-	-	1	2	2	2	BARROW IN FURNESS.
HUDDERSFIELD.	116,776	10.7	12.1	9.4	9.4	43	21	3	5	-	-	-	-	1	-	1	-	2	3	2	-	HUDDERSFIELD.
HALIFAX.	105,847	10.3	7.4	8.4	10.8	22	22	-	11	-	-	-	-	-	1	-	1	-	1	1	-	HALIFAX.
BRADFORD.	293,979	9.8	11.9	11.4	11.4	97	64	10	26	1	-	-	1	1	-	-	1	4	11	20	-	BRADFORD.
LEEDS.	449,212	9.9	11.5	10.2	10.1	206	87	20	28	-	-	-	1	2	1	7	-	2	11	19	-	LEEDS.
DEWSBURY.	55,080	14.2	14.2	18.0	17.0	22	18	4	8	-	-	-	-	-	-	1	-	-	-	5	-	DEWSBURY.
WAKEFIELD.	51,169	13.2	10.2	12.2	13.2	25	13	3	6	-	-	-	-	-	-	-	-	-	-	3	-	WAKEFIELD.
BARNSELEY.	53,739	11.6	14.6	14.6	15.5	34	16	2	3	-	-	-	-	-	-	2	4	-	-	1	-	BARNSELEY.

* See note † on first page of this return.

† Return for one sub-district outstanding. Average number of deaths equal to a rate of 0.5 per 1,000 civilian population.

TOWNS.		ESTIMATED		DEATH-RATES from all Causes.				Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended		Week ended	
--------	--	-----------	--	------------------------------	--	--	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--

* See note † on first page of this return.

* See note † on first page of this return.
† The populations are total populations and relate to 1921, those for Edinburgh and Glasgow being Census populations. Deaths and the death-rates in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week: those in Dublin corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

TABLE 2. LONDON.—Births and Deaths registered during the FORTY-SECOND Week of each of the Eleven Years, 1911-1921.

	1911.	1912.	1913.	1914.	1915.	1916.	1917.	1918.	1919.	1920.	1921.
Births (as registered).	2152	2093	2094	2086	1882	1955	1571	1463	1900	2142	1944
Males	1141	1083	1047	1067	952	1022	829	748	1009	1044	987
Females	1011	1010	1047	1019	930	933	742	715	891	1098	957
Deaths (of residents only).	1238	1453	1223	1273	1196	961*	1052*	1550*	1137*	851*	996*
Males	656	740	599	683	628	490	531	764	611	462	526
Females	582	713	624	590	568	471	521	786	526	389	470

* Deaths in civilian population only.

TABLE 3. LONDON.—BIRTHS and DEATHS REGISTERED, and CASES of INFECTIOUS SICKNESS in HOSPITALS. in the last THIRTEEN WEEKS.

	July 30.	Aug. 6.	Aug. 13.	Aug. 20.	Aug. 27.	Sept. 3.	Sept. 10.	Sept. 17.	Sept. 24.	Oct. 1.	Oct. 8.	Oct. 15.	Oct. 22.
Births (as registered)	2023	1823	2214	1948	2003	1893	1782	1918	1921	1910	1889	1885	1944
Deaths (of residents only).	846	822	872	1003	966	952	980	949	975	884	983	979	996
Under 1 year	128	166	186	225	235	268	230	204	184	184	185	177	170
1-2 years	29	38	36	43	44	50	38	41	39	28	38	25	35
2-5 "	19	24	13	21	15	11	19	23	25	17	32	21	25
5-10 "	20	30	20	23	21	22	15	24	33	24	27	25	18
10-15 "	12	11	8	9	9	10	14	14	9	12	22	20	14
15-20 "	15	21	24	18	20	15	17	21	27	8	13	19	19
20-25 "	19	25	17	27	21	19	18	19	21	23	18	20	28
25-35 "	41	43	62	50	32	34	45	53	44	35	42	35	43
35-45 "	55	56	50	61	56	56	62	68	67	56	67	62	75
45-55 "	104	87	87	111	109	103	89	90	114	100	101	115	106
55-65 "	133	98	137	119	130	104	126	122	114	117	123	150	141
65-75 "	155	110	123	152	134	136	166	133	149	155	156	158	159
75 years and upwards	116	113	109	144	140	124	141	137	149	125	159	152	163
Deaths from—													
Enteric fever	—	3	—	2	1	1	3	1	1	2	5	—	1
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	2	5	9	1	6	3	1	—	2	—	3	—	4
Scarlet fever	3	3	1	2	3	4	7	2	2	6	6	1	9
Whooping cough	6	7	5	13	23	8	13	14	10	13	14	8	8
Diphtheria	13	30	16	17	6	11	13	20	24	16	20	27	28
Diarrhoea and enteritis (under 2 years).	52	68	103	154	142	191	159	121	102	97	81	80	61
Pulmonary tuberculosis	66	77	82	86	55	54	78	80	74	64	73	74	91
Influenza	3	1	3	1	2	2	3	5	8	5	4	13	12
Pneumonia (all forms)	44	34	39	45	44	52	47	41	54	61	60	65	59
Bronchitis	25	12	24	28	26	20	30	34	35	38	41	45	46
Other dis. of resp. system	8	8	10	15	10	9	5	12	14	7	13	7	11
Dis. of circ. system	135	133	119	140	137	126	134	121	137	139	150	161	157
Violence	47	33	28	24	42	31	20	25	41	37	29	35	35
Inquest cases	77	73	73	69	86	70	64	68	89	82	85	96	83
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Enteric fever	28	28	31	34	32	34	37	40	38	40	40	42	34
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	49	54	59	60	48	37	37	37	28	21	19	26	27
Scarlet fever	3765	3717	3572	3523	3394	3433	3680	4003	4428	4887	5508	5978	6065
Whooping cough	10	23	36	40	41	41	45	59	50	48	44	41	38
Diphtheria	1979	1957	1879	1816	1740	1713	1773	1834	1947	2056	2247	2447	2625

* The Metropolitan Asylums Board and London Fever Hospitals. The figures do not refer to London exclusively.

TABLE 3A. 96 Great Towns.—DEATHS from INFLUENZA in the last THIRTEEN WEEKS.

	July 30.	Aug. 6.	Aug. 13.	Aug. 20.	Aug. 27.	Sept. 3.	Sept. 10.	Sept. 17.	Sept. 24.	Oct. 1.	Oct. 8.	Oct. 15.	Oct. 22.
Deaths from Influenza	25	14	15	9	12	17	21	27	22	37	34	49	46

TABLE 4. LONDON.—DEATHS REGISTERED in the FORTY-SECOND Week of the Year 1921.

CAUSES OF DEATH.	Deaths in the 42nd week of the year 1920.	DEATHS OF PERSONS OF THE AGES													
		ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-10 years.	10-15 years.	15-20 years.	20-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards.
ALL CAUSES	851	996	170	35	25	18	14	19	28	43	75	106	141	159	163
Enteric fever	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	-	4	1	2	1	-	-	-	-	-	-	-	-	-	-
Scarlet fever	6	9	-	4	2	-	1	1	-	1	-	-	-	-	-
Whooping cough	2	8	4	3	1	-	-	-	-	-	-	-	-	-	-
Diphtheria	14	28	2	4	9	10	2	-	-	1	-	-	-	-	-
Influenza	8	12	2	-	-	-	-	-	-	1	-	4	2	2	1
Erysipelas	1	2	1	-	-	-	-	-	-	-	-	-	1	-	-
Acute Poliomyelitis, Polioencephalitis.	?	1	-	-	-	-	1	-	-	-	-	-	-	-	-
Encephalitis lethargica	?	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal meningitis . . .	?	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Other endemic and epidemic diseases.	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Pyæmia and septicæmia	1	5	-	-	-	-	-	-	1	3	-	1	-	-	-
Tetanus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis:—															
Pulmonary tuberculosis	97	91	-	1	-	-	-	5	11	14	21	22	14	2	1
Tuberculous meningitis	12	10	1	1	3	2	1	2	-	-	-	-	-	-	-
Abdominal tuberculosis	3	4	3	-	-	-	-	-	-	-	-	-	-	1	-
Tuberculosis of the spine	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
Tuberculosis of the joints	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1
Tuberculosis of other organs . . .	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1
Disseminated tuberculosis . . .	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Venereal diseases	4	4	1	-	-	-	-	-	-	1	1	-	-	1	-
Cancer	92	118	-	-	1	-	-	-	-	1	8	23	33	32	20
Rheumatic fever	4	5	-	-	1	-	-	1	1	1	-	-	-	1	-
Diabetes	4	13	-	-	-	-	-	-	-	1	2	-	6	3	1
Anæmia, leucocythæmia	2	10	-	-	-	1	-	-	-	1	1	1	3	1	2
Other general diseases	6	10	1	1	-	-	-	1	-	-	3	-	1	3	-
Alcoholism	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic poisonings	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	3	2	1	-	1	-	-	-	-	-	-	-	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	30	41	-	-	-	-	-	-	1	-	2	5	5	12	16
Softening of brain	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1
Paralysis, without specified cause .	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1
Epilepsy	2	7	-	1	-	-	-	-	1	1	1	1	1	1	-
"Convulsions" (not puerperal) . .	7	4	4	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system .	22	23	3	-	-	1	-	1	-	1	5	4	2	5	1
Pericarditis	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Acute endocarditis	19	4	-	-	-	-	-	-	1	2	1	-	-	-	-
Other diseases of heart	108	109	-	-	-	2	2	-	3	2	3	14	22	31	30
Embolism and thrombosis (excluding cerebral).	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of circulatory system.	27	43	-	-	-	-	-	-	-	-	1	4	10	12	16
Diseases of the larynx	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis	37	46	3	1	-	-	-	-	-	1	2	4	12	9	14
Broncho-pneumonia	26	31	16	3	1	-	-	-	1	3	-	2	2	2	1
Lobar pneumonia	10	8	2	-	-	-	-	-	-	-	2	1	2	1	-
Pneumonia (type not distinguished)	12	20	2	1	-	-	1	-	-	-	3	4	1	5	3
Pleurisy	-	3	1	-	-	-	-	-	-	-	-	-	1	1	-
Pulmonary congestion, Pulmonary apoplexy.	3	5	-	-	-	-	-	-	-	-	-	-	-	3	2
Other diseases of respiratory system.	1	3	-	-	-	-	-	-	-	-	1	1	1	-	-

TABLE 5.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM							
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria*.	Diarrhoeal Diseases† (under 2 years).	Influenza.
LONDON†	4,531,971	1921. Oct. 22	1,944	996	11·5	1	-	4	9	8	28	61	12
CALCUTTA	896,067	Sept. 17	-	533§	30·8	?	-	?	?	?	?	?	25
BOMBAY	979,445	" 10	322	898§	47·7	2	2	-	-	-	-	79	15
MADRAS	522,951	" 10	374	397	59·5	1	2	1	?	6	-	46	-
CHRISTIANIA	2,847,229	{ 11 days Aug. 31 }	-	-	-	-	-	-	-	-	-	-	-
BRUSSELS	792,919	-	-	-	-	-	-	-	-	-	-	-	-
ANTWERP	340,852	Oct. 1	113	55	8·6	1	-	-	-	-	-	6	-
AMSTERDAM	681,434	" 8	288	116	8·9	1	-	-	-	2	1	1	-
COPENHAGEN	571,900	" 8	210	143	13·1	-	-	-	-	-	-	1	-
STOCKHOLM	419,788	" 1	124	63	7·8	-	-	-	-	-	1	2	-
GÖTHENBURG	205,547	Sept. 24	-	33	8·4	-	-	-	-	-	-	-	-
CHRISTIANIA	260,920	Oct. 8	94	46	9·2	-	-	-	-	-	-	3	-
BERLIN	1,951,000	" 1	462	348	9·3	1	?	-	1	1	2	12	3
BRÉS LAU	547,000	" 1	230	148	14·1	-	?	-	-	3	2	14	-
COLOGNE	666,000	" 1	258	126	9·8	-	?	-	-	2	4	11	1
DRESDEN	598,000	" 1	210	130	11·3	-	?	-	-	-	-	3	2
FRANKFORT- ON-MAIN.	469,000	" 1	145	74	8·2	-	?	-	-	-	-	1	-
HAMBURG	1,031,000	" 1	331	188	9·5	2	?	-	2	3	-	5	3
LEIPZIG	629,000	" 1	210	129	10·7	-	?	-	-	-	-	15	1
MUNICH	670,000	" 1	236	151	11·7	-	?	1	-	1	2	6	2
VIENNA	1,842,005	Sept. 24	367	440	12·5	4	-	1	1	3	-	14	-
PRAGUE AND SUBURBS.	676,454	" 17	237	143	10·2	5	-	-	-	-	-	9	-
BUDAPEST	933,000	July 30	338	363	20·2	3	?	2	4	1	-	58	1
CAIRO	765,200	Aug. 5	612	569	38·7	7	-	8	-	?	4	120	?
ALEXANDRIA	449,300	" 5	307	264	30·6	4	-	2	-	?	-	50	?
NEW YORK	5,751,859	Sept. 24	-	-	-	-	-	-	-	-	-	-	-
CHICAGO	2,780,655	Oct. 1	-	529	9·9	1	-	-	3	3	8	35	1
MONTEVIDEO	360,256	Aug. 6	219	182	19·2	-	-	-	-	-	2	-	7

Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Cities, Vienna, Prague and Suburbs, Budapest, and Montevideo.

The deaths in this column relate to *all ages* for Bombay, Madras, Christiania, and Budapest, and to *children under 1 year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

The estimated population and deaths refer to the civilian population only.

Including 5 deaths from *plague* in Bombay, and from *Asiatic cholera*, 8 deaths in Calcutta and 4 in Bombay.

TABLE 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 22nd October, 1921.

(Supplied by the Meteorological Office.)

TOWNS.	Temperature of Air.*				Rainfall in Milli- metres.†	TOWNS.	Temperature of Air.*				Rainfall in Milli- metres.†
	Highest.	Lowest.	Mean Maxi- mum.	Mean Mini- mum.			Highest.	Lowest.	Mean Maxi- mum.	Mean Mini- mum.	
LONDON (Greenwich)	76	37	67·3	46·7	9	BRADFORD	71	41	61·4	46·6	18
BRIGHTON	68	42	64·4	50·4	7	SHEFFIELD	70	40	62·7	47·9	15
PORTSMOUTH	69	42	65·1	50·0	13	YORK (Museum)	70	39	62·6	45·7	16
NORWICH (Eaton)	72	41	61·9	45·9	12	HULL (Pearson Park)	73	40	64·1	46·6	16
PLYMOUTH	68	45	64·4	51·1	7	TYNEMOUTH	65	40	59·1	48·0	38
BRISTOL (Clifton)	70	42	64·9	47·7	20	CARDIFF	69	41	62·3	47·7	21
BIRMINGHAM	72	42	62·1	46·6	17	EDINBURGH	-	Not	received.	-	-
NOTTINGHAM	73	40	62·7	45·6	21	GLASGOW	63·6	35·3	55·1	48·9	43
BIRKENHEAD (Bidston)	66	44	61·4	48·0	26	DUBLIN :—	-	-	-	-	-
MANCHESTER	72	39	63·4	47·3	21	Phoenix Park	-	Not	received.	-	-
BURNLEY	69	35	61·0	45·0	33	†Fitzwilliam Square	65·8	38·9	59·8	48·1	24
HUDDERSFIELD	73	41	63·4	46·9	17	BELFAST	-	Not	received.	-	-

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.

† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.

‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

DATE.		ELECTRICITY. (For explanation of symbols, see Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
OCTOBER 1921.					
SUNDAY	- 16	w.P. till 16h., s.P. generally till 21h., then w.P.	6·8	10·6	Cloudless till 16h.; thin cloud at times afterwards; mist and dew in morning, with thick fog 4h. to 10h.; dew at night.
MONDAY	- 17	w.P. generally, v.P. in afternoon.	9·0	10·6	Cloudless or nearly cloudless throughout; lunar halo till 1h.; dew morning and evening; low mist at night.
TUESDAY	- 18	w.P. generally, v.P. in afternoon.	9·3	10·5	Cloudless generally till 20h. 30m., then be- coming variably cloudy; mist and dew in morning.
WEDNESDAY	- 19	w.P. throughout	3·4	10·5	Variably cloudy till 5h.; overcast till 10h., with occasional rain; very cloudy generally till 18h., gradually becoming cloudless by 22h.; lunar halo and dew at night.
THURSDAY	- 20	w.P. till noon, loss of register afterwards.	0·2	10·4	Overcast generally with few very cloudy intervals; frequent slight rain from 11h.; misty at night.
FRIDAY	- 21	Loss of register till 10h., v.P. afterwards.	2·9	10·3	Overcast generally till noon, then variably cloudy with overcast intervals; rain till 2h.
SATURDAY	- 22	w.P. generally	2·9	10·2	Nearly overcast generally; fine intervals between 9h. and 11h. and between 14h. and 16h. 30m.; showers at 5h. 30m., 11h. 30m. to 12h. 30m., and heavier rain 17h. 30m. to 20h.; brisk wind from 14h.
No. of Col. - -		26	Sum 34·5	Sum 73·1	
			27	28	

The results apply to the civil day, or from midnight to midnight. The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level. Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables. The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916. In reading columns 9 and 24 it will be borne in mind that + indicates "higher," and - "lower," than the average. The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined. The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable. The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day. The reading of the barometer decreased generally from 30·27 in. at the beginning of the week to 29·88 in. by 5h. on 19th; increased to 30·02 in. by 9h. on 21st; decreased to 29·42 in. by 20h. on 22nd, and increased to 29·52 in. by midnight on the same day.
--

The results apply to the civil day, or from midnight to midnight.
The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "higher," and - "lower," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased generally from 30·27 in. at the beginning of the week to 29·88 in. by 5h. on 19th; increased to 30·02 in. by 9h. on 21st; decreased to 29·42 in. by 20h. on 22nd, and increased to 29·52 in. by midnight on the same day.

TABLE 8. LONDON.—DEATHS OF PERSONS BELONGING to the several METROPOLITAN BOROUGHs REGISTERED in the Week ended 15th October, 1921.

BOROUGHs.	Deaths from									Deaths of Infants under 1 Year of Age.
	ALL CAUSES.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Pulmonary Tuberculosis.	
COUNTY OF LONDON -	979	2	-	-	1	8	27	80	74	177
Western										
PADDINGTON . . .	41	-	-	-	-	-	-	3	3	4
KENSINGTON . . .	41	-	-	-	-	-	1	2	1	8
HAMMERSMITH . . .	30	-	-	-	-	-	-	3	5	6
FULHAM	30	-	-	-	-	-	-	-	3	4
CHELSEA	15	-	-	-	-	-	-	-	1	2
CITY OF WESTMINSTER .	29	-	-	-	-	1	1	6	2	7
Northern.										
ST. MARYLEBONE . . .	22	-	-	-	-	-	-	-	1	3
HAMPSTEAD	14	-	-	-	-	-	2	1	1	2
ST. PANCRAS	43	-	-	-	-	1	-	3	5	5
ISLINGTON	78	-	-	-	-	-	3	9	8	12
STOKE NEWINGTON . . .	9	-	-	-	-	-	3	-	-	1
HACKNEY	40	-	-	-	1	-	-	1	1	6
Central.										
HOLBORN	15	-	-	-	-	-	1	-	-	2
FINSBURY	21	-	-	-	-	2	1	-	-	2
CITY OF LONDON . . .	3	-	-	-	-	-	-	-	-	-
Eastern.										
SHOREDITCH	23	-	-	-	-	1	-	7	5	8
BETHNAL GREEN . . .	29	-	-	-	-	-	1	6	1	8
STEPNEY	67	-	-	-	-	-	3	3	4	8
POPLAR	35	-	-	-	-	-	-	6	4	9
Southern.										
SOUTHWARK	39	-	-	-	-	1	1	6	3	12
BERMONDSEY	36	-	-	-	-	-	2	3	3	8
LAMBETH	71	-	-	-	-	-	2	4	2	16
BATTERSEA	31	-	-	-	-	-	-	1	3	3
WANDSWORTH	60	1	-	-	-	2	1	4	3	14
CAMBERWELL	56	-	-	-	-	-	2	8	4	12
DEPTFORD	24	-	-	-	-	-	-	1	5	4
GREENWICH	21	-	-	-	-	-	2	1	3	4
LEWISHAM	31	1	-	-	-	-	-	2	2	4
WOOLWICH	25	-	-	-	-	-	1	-	1	3

The deaths in the above Table are, so far as concerns London as a whole, corrected by the exclusion of deaths of non-residents, and by the inclusion of those of residents occurring in the Outer Ring or in Metropolitan public institutions situated outside the County. As between individual Metropolitan Boroughs, however, correction is complete.

TABLE 9. LONDON.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED during the Week ended 15th October, 1921.*

BOROUGH.	ESTI- MATED CIVILIAN POPU- LATION, MID. 1920.†	Enteric Fever.	Malaria.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Pneumonia.	Erysipelas.	Cerebro-Spinal Fever.	Puerperal Fever.	Ophthalmia Neonatorum.	Polio- myelitis.	Dysentery.	Encephalitis Lethargica.	Anthrax.	Polio- encephalitis.	Cholera.
WESTERN.																		
Paddington . . .	149,673	-	-	-	-	37	11	5	2	-	-	-	-	-	-	-	-	-
Kensington . . .	164,177	-	-	-	-	39	10	3	3	-	-	1	-	-	-	-	-	-
Hammersmith . . .	136,200	-	1	-	-	39	9	3	-	-	1	1	-	-	-	-	-	-
Fulham . . .	158,621	-	-	-	-	20	7	2	2	-	-	-	-	-	-	-	-	-
Chelsea . . .	62,987	2	-	-	-	5	3	-	-	-	-	-	-	-	-	-	-	-
City of Westminster . . .	132,615	-	-	-	-	19	4	1	1	-	-	-	-	-	-	-	-	-
NORTHERN.																		
St. Marylebone . . .	101,856	1	-	-	-	24	1	2	1	-	-	1	-	-	-	-	-	-
Hampstead . . .	91,519	-	-	-	-	12	22	2	1	-	-	-	-	-	-	-	-	-
St. Pancras . . .	228,178	-	-	-	-	74	17	3	2	-	-	2	-	-	-	-	-	-
Islington . . .	335,907	1	-	-	-	153	44	1	3	-	-	2	-	-	-	-	-	-
Stoke Newington . . .	52,984	-	-	-	-	11	4	-	-	-	-	-	-	-	-	-	-	-
Hackney . . .	225,372	2	1	-	-	66	8	1	2	-	-	1	-	-	-	-	-	-
CENTRAL.																		
Holborn . . .	39,676	-	-	-	-	13	4	1	-	-	-	1	-	-	-	-	-	-
Finsbury . . .	78,291	-	-	-	-	23	17	3	-	-	-	-	-	-	-	-	-	-
City of London . . .	14,447	-	1	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-
EASTERN.																		
Shoreditch . . .	102,044	-	-	-	-	44	24	4	1	-	-	-	-	-	-	-	-	-
Bethnal Green . . .	114,471	-	-	-	-	37	8	3	6	-	-	-	-	-	-	-	-	-
Stepney . . .	241,770	-	-	-	-	47	38	7	6	-	-	1	-	-	-	-	-	-
Poplar . . .	159,766	-	-	-	-	59	8	6	1	-	1	1	-	-	-	-	-	-
SOUTHERN.																		
Southwark . . .	187,142	-	-	-	-	40	18	2	2	-	-	2	-	-	-	-	-	-
Bermondsey . . .	129,189	-	-	-	-	36	18	-	1	-	-	-	-	-	-	-	-	-
Lambeth . . .	293,572	-	-	-	-	59	13	7	3	-	-	-	-	-	-	-	-	-
Battersea . . .	165,664	-	-	-	-	60	20	7	-	-	-	-	-	-	-	-	-	-
Wandsworth . . .	346,990	1	-	-	-	54	24	4	5	-	-	1	-	-	-	-	-	-
Camberwell . . .	284,712	-	1	-	-	60	33	-	4	-	-	-	-	-	-	-	-	-
Deptford . . .	115,686	-	-	-	-	28	8	-	-	-	1	2	-	-	-	-	-	-
Greenwich . . .	102,408	-	-	-	-	21	14	1	-	-	-	-	-	1	-	-	-	-
Lewisham . . .	174,438	-	1	-	-	24	16	2	2	-	-	1	2	-	-	-	-	-
Woolwich . . .	141,666	-	1	-	-	24	14	6	-	-	-	-	-	-	-	-	-	-
TOTAL . . .	4,531,971	7	6	-	-	1137	417	76	48	-	3	17	2	1	-	-	-	-
AGES.																		
Ages 0-1 . . .		-	-	-	-	7	4	5	1	-	-	17	-	-	-	-	-	-
" 1-5 . . .		1	-	-	-	198	95	10	-	-	-	-	-	-	-	-	-	-
" 5- . . .		-	-	-	-	503	154	4	1	-	-	-	1	-	-	-	-	-
" 10- . . .		3	-	-	-	315	82	9	3	-	-	-	1	-	-	-	-	-
" 15- . . .		-	-	-	-	64	39	1	3	-	-	-	-	-	-	-	-	-
" 20- . . .		-	-	-	-	19	12	7	4	-	1	-	-	-	-	-	-	-
" 25- . . .		2	5	-	-	18	18	6	5	-	-	-	-	-	-	-	-	-
" 35- . . .		-	1	-	-	9	10	9	6	-	1	-	-	-	-	-	-	-
" 45- . . .		1	-	-	-	4	2	14	6	-	1	-	-	1	-	-	-	-
" 55- . . .		-	-	-	-	-	-	5	13	-	-	-	-	-	-	-	-	-
" 65- . . .		-	-	-	-	-	-	5	6	-	-	-	-	-	-	-	-	-
" 75 and upwards . . .		-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Age not stated . . .		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

† See note † on first page of this return.

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS AND DEATHS REGISTERED:—

LONDON AND

NINETY-FIVE OTHER GREAT TOWNS

~~~~~  
By Authority of the Registrar General.  
~~~~~

LONDON:

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from

H.M. STATIONERY OFFICE at the following addresses:

IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and

28, ABINGDON STREET, LONDON, S.W. 1;

37, PETER STREET, MANCHESTER;

1, ST. ANDREW'S CRESCENT, CARDIFF;

23, FORTH STREET EDINBURGH;

or from EASON AND SON, LTD., 40 and 41, LOWER SACKVILLE STREET, DUBLIN.

No. 43. VOL. LXXXII. 1921. WEEK ENDED SATURDAY, OCT. 29.
[Price 9d. Net.]

*General Register Office, Somerset House,
November 1st, 1921.*

NINETY-SIX GREAT TOWNS.

For the NINETY-SIX GREAT TOWNS of England and Wales, each of which had a population of 50,000 or over at the Census of 1911, the births registered last week numbered 7,903, and corresponded to an annual rate of 22·1 per 1,000. The deaths* among the civilian population only numbered 3,902, and corresponded to an annual rate of 11·0 per 1,000 of their aggregate civilian population, which is provisionally estimated† at 18,554,878 persons in the year 1920. In the three weeks ended October 8th, October 15th, and October 22nd, the rates had been 11·0, 10·4, and 10·8 respectively. The infant mortality was 86, against 95, 83, and 88 in the preceding three weeks. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks; it also shows for the week ended last Saturday the births and the deaths from certain individual causes. A column showing the number of deaths

* Corrected as far as possible for deaths of non residents and for those of residents occurring outside the area. Fully corrected figures will appear in the Registrar General's Annual Report.

† The estimates of population refer to the year 1920, and are based on the returns furnished under the scheme for rationing of food.

from influenza has been inserted in Table 1. The aggregate number of deaths from influenza in the 96 great towns in each of the last thirteen weeks is shown in Table 3A.

Measured by last week's mortality, the highest annual death-rates per 1,000 living were:—from *all causes*, 14·0 in Stoke-on-Trent and in Merthyr Tydfil, 14·7 in Northampton, 15·5 in Barnsley, 16·1 in Sunderland, and 17·1 in Oldham. No death from *small-pox* was registered in any of the ninety-six towns.

LONDON.* (The Administrative County, including the City of London.)

For LONDON there were 1,835 BIRTHS, corresponding to a rate of 21·0 per 1,000, and 955 DEATHS of civilians, corresponding to a rate of 11·0, as against 11·3, 11·3, and 11·5, per 1,000 in the three weeks ended October 8th, October 15th, and October 22nd. The death-rate in the four weeks ended last Saturday averaged 11·3 per 1,000. The infant mortality was 77, against 98, 94, and 87, in the preceding three weeks.

The deaths from *enteric fever*, which had been 5, 2, and 1 in the preceding three weeks, numbered 3, the average for the corresponding weeks of the previous five years being 1. The deaths from *measles*, which had been 3, 0, and 4 in the preceding three weeks, were 3 last week, and were 3 below the average. The deaths from *scarlet fever*, which had been 6, 1, and 9 in the preceding three weeks, fell last week to 4 and were equal to the average. The deaths from *whooping-cough*, which had been 14, 8, and 8 in the preceding three weeks, fell last week to 3, and were 2 below the average. The deaths from *diphtheria*, which had been 20, 27, and 28 in the preceding three weeks, fell last week to 24, but were 4 above the average; 4 deaths belonged to the Borough of Finsbury, and 3 each to Poplar, Camberwell and Woolwich. The deaths from *diarrhoea and enteritis under 2 years of age*, which had been 81, 80, and 61 in the preceding three weeks, further fell last week to 53, but were 14 above the average; 7 deaths belonged to Lambeth. The deaths from *influenza* numbered 11, as against 4, 13, and 12 in the preceding three weeks, and an average of 259.

Different forms of violence caused 38 deaths, of which 37 were the subject of coroners' inquests. Of these 38 deaths, 10 were cases of suicide, while the remaining 28 were attributed to other forms of violence. Five of these latter were referred to vehicles in the streets, 7 to burns or scalds, and 2 of infants under one year of age to suffocation in bed.

CASES OF INFECTIOUS DISEASE.†

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital, there were 31 cases of enteric fever, 31 of measles, 6,285 of scarlet fever, 33 of whooping-cough, and 2,814 of diphtheria under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as

* See note * on first page.

† The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

compared with those in the preceding three weeks, were as follows :—Of enteric fever, 4 cases, against 5, 4, and 3 ; of measles, 8 cases, against 4, 13, and 4 ; of scarlet fever, 967 cases, against 1,165, 1,091, and 887 ; of whooping-cough, 5 cases, against 3, 0, and 1 ; and of diphtheria, 461 cases, against 394, 451, and 501. Table 9, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the county during the week ended October 22nd, 1921.

TABLE 1.—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH-RATES in the Week ended Saturday, 29th October, 1921, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	ESTIMATED CIVILIAN POPULATION, MID. 1920.* (Provisional.)	DEATH RATES from all CAUSES.				Week ended 29th Oct., 1921.		The DEATHS in the Week include																
		Week ended				6.	7.	Deaths of		Deaths from								19.	20.	21.				
		8th Oct., 1921.	15th Oct., 1921.	22nd Oct., 1921.	29th Oct., 1921.			Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.				Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
96 GREAT TOWNS.	18,554,878	11.0	10.4	10.8	11.0	7,903	3,902	680	1,188	7	-	26	11	16	62	240	30	136	271	1319	27			
LONDON†	4,531,971	11.3	11.3	11.5	11.0	1,835	955	142	310	3	-	3	4	3	24	53	11	38	83	477	1			
CROYDON.	191,580	12.0	9.8	8.4	12.0	61	44	5	15	-	1	-	-	-	1	-	-	1	4	14	-			
WIMBLEDON.	62,174	9.2	9.2	9.2	5.0	19	6	-	4	-	-	-	-	-	-	-	-	-	1	1	-			
EALING.	76,129	6.2	7.5	5.5	12.3	21	18	2	6	-	-	-	-	-	-	1	-	1	1	2	-			
ACTON.	64,192	8.1	7.3	6.5	9.7	25	12	1	5	-	-	-	-	-	-	1	-	2	2	3	-			
WILLESDEN.	167,328	10.6	8.7	6.9	7.8	77	25	5	6	-	1	-	-	-	2	2	1	1	1	11	-			
HORNSEY.	98,107	5.8	8.5	10.1	12.8	26	24	1	11	-	-	-	-	-	1	-	-	2	2	9	-			
TOTTENHAM.	146,970	7.1	7.1	9.6	11.4	58	32	3	9	-	-	-	-	-	2	2	-	2	3	14	-			
EDMONTON.	73,529	7.8	10.6	9.9	7.1	43	10	2	1	-	-	-	-	-	1	-	-	1	1	5	-			
ENFIELD.	60,771	5.1	8.6	10.3	5.1	13	6	-	3	-	-	-	-	-	-	-	-	-	-	3	-			
WEST HAM.	289,440	11.7	7.7	12.7	11.8	131	68	9	13	-	1	-	-	-	1	2	1	2	4	31	-			
EAST HAM.	150,207	8.3	7.6	8.7	10.4	60	30	2	6	-	1	-	-	-	-	-	-	1	1	15	-			
LEYTON.	128,832	8.9	5.3	13.0	5.3	50	13	2	8	-	-	-	-	-	1	-	-	-	-	8	-			
WALTHAMSTOW.	132,771	7.5	11.8	12.2	8.2	51	21	2	5	-	-	-	1	-	-	-	-	1	2	7	-			
ILFORD.	82,693	5.7	6.9	7.6	6.9	24	11	-	5	-	-	-	-	-	1	-	-	1	2	4	-			
GILLINGHAM.	45,233	12.7	6.9	13.8	10.4	12	9	2	3	-	-	-	-	-	1	-	-	-	-	2	-			
HASTINGS.	59,972	12.2	11.3	11.3	13.0	14	15	1	10	-	-	-	-	-	-	-	-	-	-	1	-			
EASTBOURNE.	50,354	12.4	5.2	16.6	6.2	16	6	1	2	-	-	-	-	-	-	-	-	-	-	1	-			
BRIGHTON.	137,685	12.1	12.5	11.0	11.4	54	30	4	14	-	-	-	-	-	1	2	-	2	3	12	-			
PORTSMOUTH.	235,998	11.5	11.9	6.6	9.9	110	45	9	18	-	-	-	-	-	1	3	-	1	4	12	1			
BOURNEMOUTH.	85,919	10.9	4.9	10.9	9.1	23	15	3	5	-	-	-	-	-	-	1	-	1	1	2	-			
SOUTHAMPTON.	162,388	9.0	9.6	7.7	9.6	77	30	4	14	-	-	-	-	-	-	-	-	2	2	9	-			
READING.	95,006	8.2	12.1	7.1	9.9	31	18	2	8	-	-	-	-	-	-	1	-	2	2	4	-			
OXFORD.	59,963	7.8	8.7	9.6	7.0	24	8	-	5	-	-	-	-	-	-	-	-	1	1	1	-			
NORTHAMPTON.	92,483	5.6	6.8	7.9	14.7	37	26	6	6	-	-	-	-	-	-	2	-	-	1	4	-			
CAMBRIDGE.	60,154	11.3	7.8	11.3	7.8	17	9	-	3	-	-	-	-	-	-	-	-	2	2	1	1			

* See note † on first page of this return.

For Greater London *see* end of Table.

† These towns are included within the area of Greater London.

TABLE 1 (cont.).—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH-RATES in the Week ended Saturday, 29th October 1921, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	ESTIMATED CIVILIAN POPULATION, MID. 1920.* (Provisional.)	DEATH-RATES from all Causes.				Week ended 29th Oct., 1921.		The DEATHS in the Week include										TOWNS.					
		Week ended				BIRTHS.	DEATHS.	Deaths from															
		8th Oct., 1921.	15th Oct., 1921.	22nd Oct., 1921.	29th Oct., 1921.			Deaths of															
								Deaths of															
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.	Violence	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Cols.	
SOUTHEND ON SEA.	87,382	8.4	8.4	7.8	9.5	29	16	1	7	-	-	-	-	-	-	-	1	-	1	2	2	-	SOUTHEND ON SEA.
IPSWICH.	81,119	12.2	10.9	11.6	9.6	27	15	1	2	-	-	-	-	-	-	-	-	-	-	1	4	-	IPSWICH.
GREAT YARMOUTH.	55,193	14.2	18.9	10.4	11.3	26	12	3	6	-	-	-	-	-	-	-	1	-	1	2	2	-	GREAT YARMOUTH.
NORWICH.	124,774	12.5	7.5	13.8	10.0	47	24	2	8	-	-	-	-	-	-	-	-	-	-	-	4	-	NORWICH.
SWINDON.	53,580	9.7	7.8	2.9	7.8	34	8	1	3	-	-	-	-	-	-	-	-	-	-	-	1	-	SWINDON.
EXETER.	61,365	5.1	10.2	7.6	8.5	22	10	2	6	-	-	-	-	-	-	-	1	-	-	1	2	-	EXETER.
PLYMOUTH.	189,218	7.4	11.6	9.1	9.9	102	36	5	14	-	-	-	-	-	-	-	2	2	3	4	1	-	PLYMOUTH.
BATH.	68,546	15.2	9.1	15.2	7.6	31	10	-	8	-	-	-	-	-	-	-	-	-	-	-	6	-	BATH.
BRISTOL.	375,641	9.2	10.5	8.9	11.5	162	83	11	26	-	-	1	1	-	2	1	1	1	3	4	33	-	BRISTOL.
GLOUCESTER.	52,096	6.0	16.0	10.0	12.0	20	12	1	5	-	-	-	-	-	1	-	-	-	-	1	5	-	GLOUCESTER.
STOKE ON TRENT.	248,852	10.3	13.0	12.2	14.0	134	67	22	16	-	-	-	-	-	-	10	-	1	1	2	8	-	STOKE ON TRENT.
WOLVERHAMPTON.	102,324	11.7	10.2	10.2	10.2	42	20	6	5	-	-	-	-	-	-	4	2	-	-	1	4	-	WOLVERHAMPTON.
WALSALL.	96,419	12.4	13.0	8.7	9.7	39	18	5	3	-	-	-	-	-	-	2	-	1	1	2	9	-	WALSALL.
WEST BROMWICH.	72,684	9.3	10.8	11.5	11.5	31	16	6	3	-	-	-	1	-	-	2	-	1	1	2	5	1	WEST BROMWICH.
DUDLEY.	56,169	14.9	5.6	13.9	11.1	23	12	2	4	-	-	-	-	-	-	-	-	-	-	-	3	1	DUDLEY.
BIRMINGHAM.	895,915	10.9	8.8	10.6	10.0	401	172	28	49	-	-	-	2	2	1	6	3	-	8	9	57	4	BIRMINGHAM.
SMETHWICK.	75,027	6.3	7.6	6.3	7.6	27	11	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	SMETHWICK.
COVENTRY.	137,310	5.3	9.9	10.6	9.5	47	25	2	3	-	-	-	-	-	-	2	-	2	2	3	9	-	COVENTRY.
LEICESTER.	245,465	10.6	8.1	11.3	12.1	79	57	5	18	-	-	-	-	-	3	-	-	-	2	3	22	1	LEICESTER.
LINCOLN.	67,543	13.1	6.9	15.4	12.4	24	16	4	5	-	-	-	-	-	-	1	-	-	-	1	1	1	LINCOLN.
GRIMSBY.	81,953	12.7	10.2	12.7	9.5	45	15	4	4	-	-	-	-	-	-	-	-	2	2	2	3	-	GRIMSBY.
NOTTINGHAM.	267,886	9.0	6.2	10.5	11.3	111	58	15	19	-	-	-	-	-	-	8	-	2	2	3	17	-	NOTTINGHAM.
DERBY.	128,868	12.5	7.3	12.1	11.3	64	23	8	10	-	-	-	-	-	-	1	-	2	2	4	10	-	DERBY.

TABLE 1 (cont.).—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH-RATES in the Week ended Saturday, 29th October, 1921, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	ESTIMATED CIVILIAN POPULATION MID. 1920.* (Provisional.)	DEATH-RATES from all Causes.					Week ended 29th Oct., 1921.		The DEATHS in the Week include										TOWN .			
		Week ended					BIRTHS.	DEATHS.	Deaths from													
		8th Oct., 1921.	15th Oct., 1921.	22nd Oct., 1921.	29th Oct., 1921.	Deaths of																
						Infants under 1 Year of Age.			Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.	Violence.				
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
STOCKPORT	130,635	9.6	8.0	8.4	8.0	44	20	5	7	-	-	-	-	-	-	2	-	-	1	3	-	STOCKPORT.
BIRKENHEAD	153,951	12.9	8.8	8.1	8.5	67	25	3	5	-	-	-	-	-	-	2	-	4	7	12	-	BIRKENHEAD.
WALLASEY	99,226	10.5	10.0	8.4	8.9	34	17	5	4	-	-	-	-	-	1	1	-	1	1	5	-	WALLASEY.
LIVERPOOL	803,452	13.5	13.0	11.6	13.2	414	204	36	46	-	-	12	-	2	2	14	-	5	14	88	1	LIVERPOOL.
BOOTLE	80,029	10.4	9.1	9.8	12.4	35	19	5	5	-	-	-	-	-	2	2	-	-	-	6	-	BOOTLE.
ST. HELENS	104,822	13.9	7.5	11.4	11.9	65	24	7	3	-	-	-	-	-	-	3	-	-	-	5	1	ST. HELENS.
SOUTHPORT	72,939	8.6	11.4	10.7	7.9	21	11	2	6	-	-	-	-	-	-	1	-	-	-	2	-	SOUTHPORT.
WIGAN	90,866	12.6	10.3	17.8	11.5	52	20	5	4	-	-	-	-	-	-	3	-	-	-	5	-	WIGAN.
WARRINGTON	77,939	10.0	5.4	14.7	10.0	51	15	5	5	-	-	-	-	-	-	3	-	1	1	3	1	WARRINGTON.
BOLTON	184,533	13.3	7.9	9.0	13.6	59	48	7	10	-	-	-	-	1	2	2	-	2	3	11	-	BOLTON.
BURY	56,410	10.2	12.9	11.1	12.9	20	14	3	5	-	-	-	-	-	1	1	-	-	-	2	1	BURY.
MANCHESTER	770,597	11.0	11.3	11.1	11.5	294	170	28	43	-	-	1	-	1	1	9	3	4	6	50	2	MANCHESTER.
SALFORD	235,239	11.7	10.2	10.9	11.5	104	52	17	8	-	-	-	-	-	-	13	-	1	2	24	-	SALFORD.
OLDHAM	143,154	14.2	18.6	15.3	17.1	53	47	9	13	-	-	-	-	-	-	7	1	1	3	8	-	OLDHAM.
ROCHDALE	93,639	12.3	11.7	7.8	12.3	26	22	3	5	-	-	1	-	-	-	1	-	-	-	7	-	ROCHDALE.
BURNLEY	105,030	13.9	13.4	10.4	13.4	47	27	3	9	-	-	-	-	-	-	1	-	1	3	8	-	BURNLEY.
BLACKBURN	131,012	12.7	13.5	9.2	13.1	37	33	5	16	-	-	-	-	-	-	2	-	-	1	4	-	BLACKBURN.
PRESTON	121,950	10.3	10.3	15.0	12.4	50	29	4	11	-	-	-	-	-	-	-	-	1	2	8	1	PRESTON.
BLACKPOOL	70,545	13.3	13.3	7.4	11.1	23	15	1	7	-	-	-	-	-	-	-	-	1	1	2	1	BLACKPOOL.
BARROW IN FURNESS	76,561	6.1	6.1	12.9	12.9	37	19	6	2	-	-	-	-	-	-	-	-	-	-	2	-	BARROW IN FURNESS.
HUDDERSFIELD	116,776	12.1	9.4	9.4	11.2	53	25	5	5	1	-	-	-	-	-	1	1	-	-	5	-	HUDDERSFIELD.
HALEFAX	105,847	7.4	8.4	10.8	8.9	34	18	3	9	-	-	-	-	-	-	-	-	-	-	6	-	HALEFAX.
BRADFORD	293,979	11.9	11.4	11.4	10.6	116	60	10	25	-	-	1	-	-	-	-	-	1	4	11	-	BRADFORD.
LEEDS	449,212	11.5	10.2	10.1	10.6	200	91	13	34	-	-	-	1	-	1	6	1	2	5	33	-	LEEDS.
DEWSBURY	55,080	14.2	18.0	17.0	12.3	20	13	3	5	-	-	-	-	-	-	-	-	-	1	2	-	DEWSBURY.
WAKEFIELD	51,169	10.2	12.2	13.2	9.2	22	9	2	3	-	-	-	-	-	-	-	-	2	2	4	-	WAKEFIELD.
BARNLEY	53,739	14.6	14.6	15.5	15.5	32	16	2	5	-	-	-	-	-	-	1	1	1	1	2	-	BARNLEY.

TOWNS.		ESTIMATED CIVILIAN POPULATION, MID. 1920.* (Provisional).		DEATH-RATES from all Causes.					Week ended 29th Oct., 1921.		The DEATHS in the Week include										TOWNS			
		1.	Mid. 1920.* (Provisional).	Week ended				BIRTHS.	DEATHS.	Deaths from								Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.				
				8th Oct., 1921.	15th Oct., 1921.	22nd Oct., 1921.	29th Oct., 1921.			Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.						Violence.	
Cols.		1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.	
	SHEFFIELD	492,570	11.8	12.1	9.4	10.9	233	103	16	30	1	-	1	-	1	-	6	-	4	8	29	-	SHEFFIELD.	
	ROTHERHAM	71,785	12.3	6.5	10.9	6.5	34	9	2	2	-	-	-	-	1	-	-	-	1	1	1	-	ROTHERHAM.	
	YORK	77,501	20.9	20.9	12.1	10.1	37	15	2	6	-	-	-	-	1	-	1	-	-	1	3	-	YORK.	
	HULL	290,808	12.0	11.1	12.0	11.5	162	64	14	23	-	-	-	-	1	-	8	-	2	6	22	2	HULL.	
	MIDDLESBROUGH	132,208	11.4	9.9	12.6	11.8	68	30	15	7	-	-	1	-	-	-	7	-	1	3	6	-	MIDDLESBROUGH.	
	DARLINGTON	66,610	10.2	8.6	5.5	12.5	26	16	4	4	-	-	-	-	-	-	1	-	1	1	3	1	DARLINGTON.	
	STOCKTON ON TEES.	63,114	9.1	14.0	12.4	8.3	33	10	5	3	-	-	-	-	-	-	1	-	-	-	1	-	STOCKTON ON TEES.	
	WEST HARTLEPOOL.	68,126	12.2	8.4	13.0	11.5	38	15	5	3	1	-	1	-	-	-	3	-	-	1	4	1	WEST HARTLEPOOL.	
	SUNDERLAND	155,211	14.8	13.1	13.4	16.1	105	48	7	14	-	-	-	-	-	-	4	-	3	8	13	-	SUNDERLAND.	
	SOUTH SHIELDS	115,945	15.7	13.9	13.5	13.5	66	30	10	7	-	-	-	-	1	-	6	-	1	2	5	2	SOUTH SHIELDS.	
	GATESHEAD	128,309	14.2	10.6	11.8	10.6	65	26	5	9	-	-	-	-	-	-	1	-	1	1	7	1	GATESHEAD.	
	NEWCASTLE ON TYNE.	286,061	12.2	8.7	11.7	11.3	127	62	9	17	-	-	-	-	-	1	4	1	1	6	12	-	NEWCASTLE ON TYNE.	
	TYNEMOUTH	60,318	17.3	18.2	9.5	13.0	31	15	3	4	-	-	-	-	1	-	2	-	-	-	2	-	TYNEMOUTH.	
	CARLISLE	57,397	16.4	10.0	13.6	11.8	34	13	2	5	-	-	-	-	-	-	1	-	-	1	3	1	CARLISLE.	
	NEWPORT (MON.)	90,728	6.9	7.5	7.5	11.5	51	20	4	2	-	-	-	-	-	1	1	-	-	1	6	-	NEWPORT (MON.).	
	CARDIFF	212,582	5.2	7.6	10.3	7.8	90	32	6	7	-	-	-	-	-	-	1	-	1	1	4	-	CARDIFF.	
	RHONDDA	184,999	9.0	8.2	12.1	9.6	95	34	10	8	-	-	-	-	-	-	2	1	1	1	7	-	RHONDDA.	
	MERTHYR TYDFIL	74,493	9.8	11.2	11.2	14.0	37	20	8	2	-	-	-	-	-	1	-	-	-	-	4	-	MERTHYR TYDFIL.	
	ABERDARE	53,431	17.6	10.7	7.8	9.8	17	10	2	2	1	-	-	-	-	1	1	-	-	-	2	-	ABERDARE.	
	SWANSEA	167,218	9.4	8.1	7.5	12.5	68	40	6	14	-	-	-	-	-	1	3	-	-	1	6	-	SWANSEA.	
	GREATER LONDON	7,548,647	10.5	10.2	10.5	10.4	2913	1501	210	493	4	-	7	5	4	35	69	15	63	126	672	1	GREATER LONDON.	
	OUTER RING	3,016,076	9.2	8.6	9.2	9.4	1078	546	68	183	1	-	4	1	1	11	16	4	25	43	195	-	OUTER RING.	
	14 GREAT TOWNS IN OUTER RING.	1,734,723	8.9	8.3	9.8	9.6	659	320	34	97	-	-	4	1	-	10	8	2	14	24	127	-	14 GREAT TOWNS IN OUTER RING.	
	REMAINDER OF OUTER RING.	1,281,953	9.6	9.0	8.4	9.2	419	236	34	86	1	-	-	-	1	1	8	2	11	19	63	-	REMAINDER OF OUTER RING.	
	EDINBURGH†	420,281	12.2	10.3	13.8	12.8	171	103	6	45	-	-	-	-	-	-	-	1	6	?	?	?	EDINBURGH.†	
	GLASGOW†	1,034,069	13.6	13.5	12.4	13.5	526	268	61	72	-	-	-	1	-	2	11	2	15	?	?	?	GLASGOW.†	
	DUBLIN (Registra- tion Area).†	423,000	13.2	12.5	11.7	13.3	232	108	21	32	-	-	2	2	1	1	9	1	4	7	39	1	DUBLIN (Registra- tion Area).†	
	BELFAST†	420,000	12.9	10.1	14.0	15.6	230	126	23	33	1	-	-	-	1	1	10	4	-	3	30	4	BELFAST.†	

* See note † on first page of this return.

† The populations are total populations and relate to 1921, those for Edinburgh and Glasgow being Census populations. Deaths and the death-rates in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week: those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

TABLE 2. LONDON.—Births and Deaths registered during the FORTY-THIRD Week of each of the Eleven Years, 1911-1921.

	1911.	1912.	1913.	1914.	1915.	1916.	1917.	1918.	1919.	1920.	1921.
Births (as registered).	1994	2117	2021	2192	1811	2059	1460	1369	1894	2284	1835
Males -	1007	1081	1060	1177	950	1028	744	681	945	1105	933
Females -	987	1036	961	1015	861	1031	716	688	949	1179	902
Deaths (of residents only).	1132	1225	1184	1223	1226	1053*	1069*	2668*	1258*	933*	955
Males -	579	621	643	669	664	593	536	1219	672	524	492
Females -	553	604	541	554	562	460	533	1449	586	459	463

* Deaths in civilian population only.

TABLE 3. LONDON.—BIRTHS and DEATHS REGISTERED, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the last THIRTEEN WEEKS.

	Aug. 6.	Aug. 13.	Aug. 20.	Aug. 27.	Sept. 3.	Sept. 10.	Sept. 17.	Sept. 24.	Oct. 1.	Oct. 8.	Oct. 15.	Oct. 22.	Oct. 29.
Births (as registered) . . .	1823	2214	1948	2003	1893	1782	1918	1921	1910	1889	1885	1944	1835
Deaths (of residents only).	822	872	1003	966	952	980	949	975	884	983	979	996	955
Under 1 year	166	186	225	235	268	230	204	184	184	185	177	170	142
1-2 years	38	36	43	44	50	38	41	39	28	38	25	35	32
2-5 "	24	13	21	15	11	19	23	25	17	32	21	25	25
5-10 "	30	20	23	21	22	15	24	33	24	27	25	18	16
Age at Death { 10-15 "	11	8	9	9	10	14	14	9	12	22	20	14	7
15-20 "	21	24	18	20	15	17	21	27	8	13	19	19	23
20-25 "	25	17	27	21	19	18	19	21	23	18	20	28	21
25-35 "	43	62	50	32	34	45	53	44	35	42	35	43	51
35-45 "	56	50	61	56	56	62	68	67	56	67	62	75	75
45-55 "	87	87	111	109	103	89	90	114	100	101	115	106	119
55-65 "	98	137	119	130	104	126	122	114	117	123	150	141	134
65-75 "	110	123	152	134	136	166	133	149	155	156	158	159	151
75 years and upwards	113	109	144	140	124	141	137	149	125	159	152	163	159
Deaths from—													
Enteric fever	3	—	2	1	1	3	1	1	2	5	2	1	3
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	5	9	1	6	3	1	—	2	—	3	—	4	3
Scarlet fever	3	1	2	3	4	7	2	2	6	6	1	9	4
Whooping cough	7	5	13	23	8	13	14	10	13	14	8	8	3
Diphtheria	30	16	17	6	11	13	20	24	16	20	27	28	24
Diarrhœa and enteritis (under 2 years).	68	103	154	142	191	159	121	102	97	81	80	61	53
Pulmonary tuberculosis . . .	77	82	86	55	54	78	80	74	64	73	74	91	115
Influenza	1	3	1	2	2	3	5	8	5	4	13	12	11
Pneumonia (all forms) . . .	34	39	45	44	52	47	41	54	61	60	65	59	70
Bronchitis	12	24	28	26	20	30	34	35	38	41	45	46	58
Other dis. of resp. system . .	8	10	15	10	9	5	12	14	7	13	7	11	8
Dis. of circ. system . . .	133	119	140	137	126	134	121	137	139	150	161	157	141
Violence	33	28	24	42	31	20	25	41	37	29	35	35	38
Inquest cases	73	73	69	86	70	64	68	89	82	85	96	83	83

CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.

Enteric fever	28	31	34	32	34	37	40	38	40	40	42	34	31
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	54	59	60	48	37	37	37	28	21	19	26	27	31
Scarlet fever	3717	3572	3523	3394	3433	3680	4003	4428	4887	5508	5978	6067	6285
Whooping cough	23	36	40	41	41	45	59	50	48	44	41	38	33
Diphtheria	1957	1879	1816	1740	1713	1773	1834	1947	2056	2247	2447	2623	2814

* The Metropolitan Asylums Board and London Fever Hospitals. The figures do not refer to London exclusively.

TABLE 3A. 96 Great Towns.—DEATHS FROM INFLUENZA in the last THIRTEEN WEEKS

	Aug. 6.	Aug. 13.	Aug. 20.	Aug. 27.	Sept. 3.	Sept. 10.	Sept. 17.	Sept. 24.	Oct. 1.	Oct. 8.	Oct. 15.	Oct. 22.	Oct. 29.
Deaths from Influenza . . .	14	15	9	12	17	21	27	22	37	34	49	46	30

TABLE 4. LONDON.—DEATHS REGISTERED in the FORTY-THIRD Week of the Year 1921.

CAUSES OF DEATH.	Deaths in the 43rd week of the year 1920.	DEATHS of PERSONS of the AGES													
		ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-10 years.	10-15 years.	15-20 years.	20-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and up- wards.
ALL CAUSES	983	955	142	32	25	16	7	23	21	51	75	119	134	151	159
Enteric fever	1	3	-	-	-	1	-	-	-	1	-	1	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	1	3	1	-	1	-	-	-	-	-	-	-	-	-	-
Scarlet fever	3	4	-	-	1	1	-	1	1	1	-	-	-	-	-
Whooping cough	4	3	-	3	-	-	-	-	-	-	-	-	-	-	-
Diphtheria	18	24	-	4	10	6	2	1	-	1	-	-	-	-	-
Influenza	5	11	-	-	-	-	-	1	-	-	2	2	1	3	2
Erysipelas	2	2	2	-	-	-	-	-	-	-	-	-	-	-	-
Acute Poliomyelitis, Polioencepha- litis.	?	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	?	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal meningitis . . .	?	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other endemic and epidemic diseases.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pyæmia and septicæmia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Tuberculosis:—															
Pulmonary tuberculosis	103	115	1	1	-	-	-	11	11	25	21	19	19	7	-
Tuberculous meningitis	9	4	2	-	-	-	-	-	-	1	1	-	-	-	-
Abdominal tuberculosis	6	2	1	-	-	-	-	-	-	-	-	-	-	1	-
Tuberculosis of the spine	2	1	-	-	-	-	-	-	-	1	-	-	-	-	-
Tuberculosis of the joints	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of other organs . .	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Disseminated tuberculosis	5	3	1	-	1	-	-	-	-	-	1	-	-	-	-
Venereal diseases	1	7	4	-	-	-	-	-	-	-	2	-	1	-	-
Cancer	116	110	-	-	-	-	-	-	-	1	8	26	37	21	17
Rheumatic fever	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diabetes	7	10	-	-	-	-	1	-	-	1	1	1	1	4	1
Anæmia, leucocythæmia	3	9	-	-	-	-	-	1	-	-	3	2	2	1	-
Other general diseases	9	19	-	-	2	-	-	1	2	1	-	2	3	6	2
Alcoholism	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic poisonings	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Cerebral hæmorrhage, &c., Apoplexy	38	43	-	-	-	-	-	-	-	-	2	7	8	11	15
Softening of brain	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Paralysis, without specified cause .	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epilepsy	7	2	-	-	-	-	-	-	-	-	-	1	-	-	1
"Convulsions" (not puerperal) . .	5	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system .	17	20	-	-	1	-	-	1	1	2	3	7	3	2	-
Pericarditis	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute endocarditis	7	3	-	-	-	-	-	-	-	1	2	-	-	-	-
Other diseases of heart	117	98	-	-	-	1	-	1	1	4	7	10	18	28	28
Embolism and thrombosis (exclud- ing cerebral).	10	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Other diseases of circulatory system.	38	39	-	-	-	-	-	-	-	-	1	4	10	7	17
Diseases of the larynx	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis	58	58	2	1	1	-	-	-	-	2	1	4	4	20	23
Broncho-pneumonia	28	32	13	9	3	1	-	-	-	-	-	1	1	1	3
Lobar pneumonia	16	20	2	1	-	1	-	-	-	2	2	6	2	3	1
Pneumonia (type not distinguished)	16	18	4	-	-	-	-	-	-	2	2	2	1	4	3
Pleurisy	1	2	-	-	-	-	-	-	-	-	-	-	1	1	-
Pulmonary congestion, Pulmonary apoplexy.	2	2	-	-	-	-	-	-	-	-	-	-	1	1	-
Other diseases of respiratory system.	9	4	-	-	1	-	-	-	-	-	1	2	-	-	-

TABLE 4 (cont.) LONDON.—DEATHS REGISTERED in the FORTY-THIRD Week of the Year 1921.

CAUSES OF DEATH.	Deaths in the 43rd week of the year 1920.	DEATHS of PERSONS of the AGES													
		ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-10 years.	10-15 years.	15-20 years.	20-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and up- wards.
Diseases of the pharynx, Tonsillitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of stomach	6	4	1	-	-	-	-	-	-	-	-	1	1	1	-
Diarrhoea and enteritis	40	59	44	9	2	1	-	1	-	-	-	-	1	-	1
Appendicitis and typhlitis	7	4	-	-	-	-	1	-	1	-	-	-	1	1	-
Hernia and Intestina obstruction.	6	9	-	-	-	-	-	-	-	-	-	2	2	3	2
Cirrhosis of liver	6	8	-	-	-	-	-	-	-	-	1	1	2	2	2
Other diseases of liver	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Peritonitis (cause unknown)	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-
Other diseases of digestive system	3	4	-	-	-	-	-	-	-	-	-	2	2	-	-
Acute nephritis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic Bright's disease	26	25	-	-	-	-	-	-	-	1	5	5	4	7	3
Urinary calculi	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Uterine tumour (non-cancerous)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ovarian tumour ()	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of genito-urinary system.	16	20	-	-	-	-	-	1	1	-	1	2	3	4	8
Puerperal fever, &c.	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other causes incident to child-birth.	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Diseases of skin and cellular tissues.	3	7	2	-	-	-	-	-	-	-	-	1	1	-	3
Diseases of locomotor system	3	3	-	1	-	2	-	-	-	-	-	-	-	-	-
Congenital malformations	8	5	3	-	1	-	1	-	-	-	-	-	-	-	-
Premature birth	43	35	35	-	-	-	-	-	-	-	-	-	-	-	-
Debility, atrophy marasmus (In- fants).	20	14	14	-	-	-	-	-	-	-	-	-	-	-	-
Old age	43	34	-	-	-	-	-	-	-	-	-	-	-	9	25
ACCIDENT.															
Poisons or poisonous vapours.	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Conflagration	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Burns and scalds	5	7	2	2	1	1	-	-	-	1	-	-	-	-	-
Drowning	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suffocation in bed	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-
Other deaths by accident	22	18	1	-	-	1	1	3	-	-	3	4	1	2	2
Total deaths from accident	29	28	5	2	1	2	1	3	-	1	4	4	1	2	2
Included in above are deaths in connection with:—															
Railways	-	2	-	-	-	-	-	1	-	-	1	-	-	-	-
Vehicles and horses	8	5	1	-	-	-	1	2	-	-	-	-	1	-	-
Ships, boats, docks	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Building operations	1	2	-	-	-	-	-	-	-	-	1	1	-	-	-
VIOLENCE OTHER THAN ACCIDENTAL.															
Homicide	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	7	10	-	-	-	-	-	-	1	3	3	2	1	-	-
Execution	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other specified diseases	17	8	5	-	-	-	1	-	2	-	-	-	-	-	-
Ill-defined Causes	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-

TABLE 5.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM							
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria*	Diarrhoeal Diseases† (under 2 years).	Influenza.
LONDON† . .	4,531,971	1921. Oct. 29	1,835	955	11·0	3	-	3	4	3	24	53	11
CALCUTTA . .	896,067	Sept. 24	-	512§	29·7	?	-	?	?	?	?	?	26
BOMBAY . .	979,445	" 17	338	928§	49·3	5	-	-	-	-	-	80	14
MADRAS . .	522,951	" 17	381	399	39·7	3	6	1	?	1	-	38	1
PARIS . .	2,847,228	{ 11 days } Aug. 31	1,372	966	11·3	6	-	1	1	1	3	49	1
BRUSSELS . .	792,919	-	-	-	-	-	-	-	-	-	-	-	-
ANTWERP . .	340,852	Oct. 8	108	57	8·9	-	-	1	-	-	-	9	1
AMSTERDAM . .	681,434	" 15	255	115	8·8	2	-	-	-	2	-	1	-
COPENHAGEN . .	571,000	" 15	227	121	11·0	-	-	-	-	-	-	4	-
STOCKHOLM . .	419,788	" 8	124	79	9·8	-	-	-	1	-	-	-	-
GOTHENBURG . .	205,547	" 1	-	33	8·4	-	-	-	-	-	-	1	-
CHRISTIANIA . .	260,920	" 15	107	56	11·2	-	-	-	-	-	-	-	-
BERLIN . .	1,945,000	" 8	416	300	8·0	-	?	-	-	5	1	8	3
BRESLAU . .	547,000	" 8	238	165	15·7	1	?	-	-	4	1	11	1
COLOGNE . .	669,000	" 8	310	173	13·4	-	?	-	1	1	-	10	1
DRESDEN . .	600,000	" 8	174	144	12·5	1	?	-	-	-	1	2	1
FRANKFORT- ON-MAIN.	471,600	" 8	152	79	8·7	-	?	-	-	-	1	2	-
HAMBURG . .	1,031,000	" 8	347	195	9·8	2	?	-	2	1	1	3	1
LEIPZIG . .	630,000	" 8	225	151	12·5	-	?	-	-	-	1	14	2
MUNICH . .	670,000	" 8	-	-	-	-	-	-	-	-	-	-	-
VIENNA . .	1,842,005	" 1	474	502	14·2	5	-	-	-	2	3	14	-
PRAGUE AND SUBURBS.	676,454	Sept. 24	213	185	14·3	1	-	-	-	1	1	12	-
BUDAPEST . .	933,000	Aug. 6	342	322	17·9	2	?	1	6	1	-	49	1
CAIRO . .	765,200	" 12	589	574	39·0	7	-	9	-	?	6	111	?
ALEXANDRIA . .	449,300	" 12	260	257§	29·7	2	-	-	-	?	-	37	?
NEW YORK . .	5,751,859	Sept. 24	2,603	959	8·7	7	-	-	-	5	2	63	3
CHICAGO . .	2,780,655	Oct. 8	-	504	9·5	1	-	-	4	1	15	39	3
MONTVIDEO . .	360,256	Aug. 13	190	189	27·4	-	-	-	-	-	-	2	4

Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Cities, Vienna, Prague and Suburbs, Budapest, and Montevideo.
The deaths in this column relate to *all ages* for Bombay, Madras, Christiania, and Budapest, and to *children under 1 year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.
The estimated population and deaths refer to the civilian population only.
Including 2 deaths from *plague* in Alexandria, and 6 in Bombay, and from *Asiatic cholera*, 7 deaths in Calcutta and 3 in Bombay.

TABLE 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 29th October, 1921.
(Supplied by the Meteorological Office.)

TOWNS.	Temperature of Air.*				Rainfall in Milli- metres.†	TOWNS.	Temperature of Air.*				Rainfall in Milli- metres.†
	Highest.	Lowest.	Mean Maxi- mum.	Mean Mini- mum.			Highest.	Lowest.	Mean Maxi- mum.	Mean Mini- mum.	
LONDON (Greenwich) }	60	35	55·3	39·9	1	BRADFORD . .	58	33	55·0	42·0	0
BRIGHTON . .	61	37	57·0	43·7	8	SHEFFIELD . .	59	36	54·4	44·4	0
PORTSMOUTH . .	62	37	56·9	44·9	6	YORK (Museum) . .	62	35	56·9	42·7	0
NORWICH (Eaton) . .	61	38	55·3	41·9	4	HULL (Pearson Park)	62	35	56·1	42·0	0
PLYMOUTH . .	61	35	57·9	44·4	4	TYNEMOUTH . .	60	36	55·1	45·4	1
BRISTOL (Clifton) . .	58	32	54·1	40·1	8	CARDIFF . .	60	34	56·3	42·6	8
BIRMINGHAM . .	60	33	54·7	42·4	3	EDINBURGH . .	Not received.				
NOTTINGHAM . .	60	38	55·7	41·9	0	GLASGOW . .	58·3	30·5	54·4	43·0	3
BIRKENHEAD (Bidston) }	58	39	54·4	45·9	8	DUBLIN :—					
MANCHESTER . .	57	29	54·3	43·4	0·3	Phoenix Park . .	60·1	30·3	55·5	39·0	3
BURNLEY . .	58	25	54·0	38·9	1	†Fitzwilliam Square	57·1	35·9	54·4	44·0	2
HUDDERSFIELD . .	58	34	54·4	43·4	0	BELFAST . .	62·0	33·5	55·6	43·1	7

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.

† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.

‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

TABLE 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 29th October 1921.

[Under the Superintendence of the Astronomer Royal.]

1921. MONTH AND DAY.		Phases of the Moon.	BARO- METER. Mean daily reading (cor- rected and re- duced to 32° Fahren- heit).	TEMPERATURE.					Difference between the Air Temperature and Dew Point Temperature.			De- gree of Hu- mid- ity (Satu- ration equals 100).	TEMPERATURE.			Wind as deduced from Anemometers.				Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.				
				Of the Air.					Of the Dew point.	Mean daily value.			Of Radiation.	Highest in Sun's Rays.	Lowest on the Grass.	Osler's.		Robinson's.						
				High- est.	Low- est.	Daily Range.	Mean daily value.	De- parture from Average of 65 years.		General Direction.	Pressure on the Square Foot.					Horizontal Movement of the Air on each Day.	Depar- ture from Average of 50 years.							
																		A.M.	P.M.		Great- est.	Least, hourly obs.		
OCTOBER.			in.	°	°	°	°	°	°	°	°	°	°	lbs.	lbs.	lbs.	Miles.	Miles.	in.					
SUNDAY	-	23	29·784	48·3	39·1	9·2	42·5	- 5·6	35·0	7·5	13·0	4·4	75	88·0	31·8	56·1	NW. & WNW. N.	WNW. & N.	6·2	0·0	0·5	377	+ 117	0·02
MONDAY	-	24	30·212	49·2	36·3	12·9	42·9	- 5·0	33·7	9·2	13·9	3·8	70	86·6	30·5	55·9	N.	N.	3·7	0·0	0·4	345	+ 76	0·00
TUESDAY	-	25	30·318	55·6	34·5	21·1	46·6	- 1·1	41·7	4·9	9·5	2·3	83	75·0	28·4	55·6	WSW.	NNW. & NW.	1·3	0·0	0·0	176	- 102	0·00
WEDNESDAY	-	26	30·330	56·0	39·0	17·0	48·1	+ 0·5	47·7	0·4	4·7	0·0	99	59·5	33·3	55·3	Calm	Calm	0·2	0·0	0·0	84	- 202	0·00
THURSDAY	-	27	30·307	60·0	50·1	9·9	54·6	+ 7·1	48·1	6·5	11·3	0·0	79	80·5	39·1	55·1	Calm & NNW.	NNW. & N.	1·1	0·0	0·0	130	- 162	0·00
FRIDAY	-	28	30·263	57·8	39·0	18·8	48·9	+ 1·5	43·9	5·0	12·4	0·9	83	87·8	31·1	54·9	N., W. & NW.	NW.	1·9	0·0	0·1	250	- 46	0·00
SATURDAY	-	29	30·080	59·9	44·0	15·9	52·9	+ 5·6	43·7	9·2	14·3	2·2	71	86·4	34·0	54·8	W. & NW.	NW. & NNW.	3·8	0·0	0·4	369	+ 73	0·00
MEANS		-	30·186	55·3	40·3	15·0	48·1	+ 0·4	42·0	6·1	11·3	1·9	80	80·5	32·6	55·4	NNW.	NNW.	Sum 1731	Sum - 246	Sum 0·02
No. of Column		-	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE.		ELECTRICITY. (For explanation of symbols, see Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
OCTOBER 1921.					
SUNDAY	23	w.P. generally, a little w.N.	3.6	10.2	Overcast generally till 2h., becoming cloudless by 5h.; variably cloudy 8h. to 11h. 30m., then overcast till 18h., clearing to cloudless by 19h.; brisk wind till 5h.; rain 14h. to 16h. 30m. Cloudless generally; a little cloud about noon; hoar frost in morning; haze about 18h.
MONDAY	24	w.P. generally, a little v.P. about 18h.	7.6	10.1	Nearly cloudless till 3h. 30m., except for an overcast period about 2h.; overcast till 7h.; nearly cloudless till 10h., then overcast generally; misty through the day, slight fog at night; dew morning and evening.
TUESDAY	25	v.P. generally, v.N. at times.	0.8	10.1	Cloudless till 6h., but misty; foggy generally through the day; misty at night with dew.
WEDNESDAY	26	v.P. generally	0.0	10.0	Overcast till 11h., with mist and heavy dew; cloudy interval till 13h.; overcast till 16h.; very cloudy till 20h. 30m., clearing slowly to nearly cloudless by 22h.
THURSDAY	27	v.P. generally, v.N. at times.	1.0	10.0	Cloudless till 8h., but misty; sky veiled with thin cloud till 15h. 30m., then cloudless generally but hazy; dew morning and evening.
FRIDAY	28	w.P. generally	2.1	9.9	Cloudless generally with haze and dew till 7h., becoming overcast by 8h.; thin cloud prevalent from 11h. to 16h., then nearly cloudless.
SATURDAY	29	v.P. generally	2.0	9.8	
			Sum 17.1½	Sum 70.1	
			27	28	
No. of Col. . . .		26			

The results apply to the civil day, or from midnight to midnight. The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level. Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables. The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916. In reading columns 9 and 24 it will be borne in mind that + indicates "higher," and - "lower," than the average. The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined. The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable. The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day. The reading of the barometer increased generally from 29.52 in. at the beginning of the week to 30.36 in. by 10h. on 26th; decreased generally to 30.04 in. by 15h. on 29th, and was 30.06 in. at midnight on the same day.

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1903, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "higher," and - "lower," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased generally from 29.52 in. at the beginning of the week to 30.36 in. by 10h. on 26th; decreased generally to 30.04 in. by 15h. on 29th, and was 30.06 in. at midnight on the same day.

TABLE 8. LONDON.—DEATHS OF PERSONS BELONGING to the several METROPOLITAN BOROUGHs REGISTERED in the Week ended 22nd October, 1921.

BOROUGHs.	Deaths from									Deaths of Infants under 1 Year of Age.
	ALL CAUSES.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Pulmonary Tuberculosis.	
COUNTY OF LONDON -	996	1	-	4	9	8	23	61	91	170
Western.										
PADDINGTON . . .	19	-	-	-	-	1	-	2	1	2
KENSINGTON . . .	32	1	-	-	-	-	-	3	3	7
HAMMERSMITH . . .	39	-	-	-	1	-	1	5	3	10
FULHAM . . .	28	-	-	-	-	1	1	4	2	7
CHELSEA . . .	17	-	-	-	-	-	-	-	2	-
CITY OF WESTMINSTER .	26	-	-	-	-	-	-	1	-	2
Northern.										
ST. MARYLEBONE . . .	19	-	-	-	-	-	-	1	1	3
HAMPSTEAD . . .	18	-	-	-	-	-	1	-	2	1
ST. PANCRAS . . .	48	-	-	1	-	-	-	1	3	9
ISLINGTON . . .	91	-	-	-	2	2	2	7	7	14
STOKE NEWINGTON . . .	10	-	-	-	-	-	-	-	-	1
HACKNEY . . .	59	-	-	-	1	1	3	3	4	7
Central.										
HOLBORN . . .	7	-	-	-	-	-	-	-	1	1
FINSBURY . . .	21	-	-	-	-	-	2	-	1	2
CITY OF LONDON . . .	2	-	-	-	-	-	-	-	-	-
Eastern.										
SHOREDITCH . . .	28	-	-	-	-	-	1	7	2	14
BETHNAL GREEN . . .	26	-	-	1	-	-	-	3	2	7
STEPNEY . . .	64	-	-	-	1	-	9	4	5	16
POPLAR . . .	43	-	-	2	-	-	-	2	9	7
Southern.										
SOUTHWARK . . .	55	-	-	-	1	-	1	3	5	12
BERMONDSEY . . .	30	-	-	-	1	-	1	3	2	5
LAMBETH . . .	65	-	-	-	1	-	2	6	7	14
BATTERSEA . . .	30	-	-	-	1	-	2	1	3	2
WANDSWORTH . . .	65	-	-	-	-	1	-	3	8	9
CAMBERWELL . . .	50	-	-	-	-	1	-	2	3	9
DEPTFORD . . .	21	-	-	-	-	-	-	-	3	4
GREENWICH . . .	18	-	-	-	-	1	2	-	3	2
LEWISHAM . . .	41	-	-	-	-	-	-	-	3	3
WOOLWICH . . .	24	-	-	-	-	-	-	-	6	-

The deaths in the above Table are, so far as concerns London as a whole, corrected by the exclusion of deaths of non-residents, and by the inclusion of those of residents occurring in the Outer Ring or in Metropolitan public institutions situated outside the County. As between individual Metropolitan Boroughs, however, correction is complete.

TABLE 9. LONDON.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED during the Week ended 22nd October, 1921.*

Boroughs.	ESTI- MATED CIVILIAN POPU- LATION, MID. 1920.† (Provi- sional.)	Enteric Fever.	Malaria.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Pneumonia.	Erysipelas.	Cerebro-Spinal Fever.	Puerperal Fever.	Ophthalmia Neonatorum.	Polio- myelitis.	Dysentery.	Encephalitis Lethargica.	Anthrax.	Polio- encephalitis.	Cholera.
WESTERN.																		
Paddington . . .	149,673	-	-	-	-	38	10	1	2	-	-	-	-	-	1	-	-	-
Kensington . . .	164,177	1	-	-	-	27	13	-	-	-	-	-	-	-	1	-	-	-
Hammersmith . . .	136,200	-	-	-	-	32	10	1	1	-	-	-	-	-	-	-	-	-
Fulham . . .	158,621	-	1	-	-	46	25	1	2	-	1	-	-	-	-	-	-	-
Chelsea . . .	62,987	-	-	-	-	6	1	-	-	-	-	-	-	-	-	-	-	-
City of Westminster . . .	132,615	2	-	-	-	37	9	-	4	-	-	1	-	-	-	-	-	-
NORTHERN.																		
St. Marylebone . . .	101,856	-	-	-	-	21	5	1	-	-	-	-	-	-	-	-	-	-
Hampstead . . .	91,519	1	-	-	-	25	27	1	-	-	-	-	-	-	-	-	-	-
St. Pancras . . .	228,178	4	-	-	-	75	24	2	2	-	-	3	-	-	-	-	-	-
Islington . . .	335,907	-	-	-	-	118	43	2	2	-	2	1	-	-	-	-	-	-
Stoke Newington . . .	52,984	-	1	-	-	14	2	-	2	-	-	-	-	-	-	-	-	-
Hackney . . .	225,372	-	-	-	-	78	18	-	2	-	-	1	-	-	-	-	-	-
CENTRAL.																		
Holborn . . .	39,676	-	-	-	-	16	8	-	1	-	-	1	-	-	-	-	-	-
Finsbury . . .	78,291	-	-	-	-	24	17	-	2	-	1	-	-	-	-	-	-	-
City of London . . .	14,447	-	-	-	-	3	1	-	-	-	-	-	-	-	-	-	-	-
EASTERN.																		
Shoreditch . . .	102,044	-	-	-	-	25	14	2	2	-	-	-	-	-	-	-	-	-
Bethnal Green . . .	114,471	-	-	-	-	40	13	4	3	-	-	-	-	-	-	-	-	-
Stepney . . .	241,770	-	1	-	-	70	40	2	3	-	-	1	-	-	-	-	-	-
Poplar . . .	159,766	-	-	-	-	61	14	3	4	-	1	-	-	-	-	-	-	-
SOUTHERN.																		
Southwark . . .	187,142	-	-	-	-	40	21	5	6	-	1	1	-	-	-	-	-	-
Bermondsey . . .	129,189	-	-	-	-	34	37	-	5	-	-	-	-	-	-	-	-	-
Lambeth . . .	293,572	-	1	-	-	50	16	2	1	-	-	1	-	-	-	-	-	-
Battersea . . .	165,664	-	-	-	-	67	23	4	1	-	-	1	-	-	-	-	-	-
Wandsworth . . .	346,990	-	-	-	-	73	19	6	-	1	2	-	-	-	-	-	-	-
Camberwell . . .	284,712	1	1	-	-	78	21	1	2	-	-	-	-	-	-	-	-	-
Deptford . . .	115,636	-	-	-	-	24	8	-	1	-	-	-	2	-	-	-	-	-
Greenwich . . .	102,408	1	-	-	-	47	27	3	-	-	-	1	-	-	-	-	-	-
Lewisham . . .	174,438	-	-	-	-	23	10	1	-	-	1	1	-	-	-	-	-	-
Woolwich . . .	141,666	-	3	-	-	40	17	-	1	-	1	1	-	1	-	-	-	-
TOTAL . . .	4,531,971	10	8	-	-	1232	493	42	49	1	10	14	2	1	2	-	-	-
Age.																		
0-1 . . .		-	-	-	-	6	5	2	3	-	-	14	-	-	-	-	-	-
" 1-5 . . .		-	-	-	-	210	95	8	-	1	-	-	-	-	-	-	-	-
" 5- . . .		1	1	-	-	534	192	4	3	-	-	-	-	-	-	-	-	-
" 10- . . .		-	-	-	-	344	103	1	6	-	-	-	1	-	1	-	-	-
" 15- . . .		-	-	-	-	76	37	2	2	-	-	-	1	-	-	-	-	-
" 20- . . .		2	2	-	-	21	23	5	2	-	3	-	-	-	-	-	-	-
" 25- . . .		2	3	-	-	29	21	4	6	-	6	-	-	-	-	-	-	-
" 35- . . .		3	2	-	-	11	10	5	7	-	1	-	-	-	1	-	-	-
" 45- . . .		1	-	-	-	1	7	5	8	-	-	-	-	1	-	-	-	-
" 55- . . .		1	-	-	-	-	-	4	7	-	-	-	-	-	-	-	-	-
" 65- . . .		-	-	-	-	-	-	2	3	-	-	-	-	-	-	-	-	-
" 75 and upwards . . .		-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
Age not stated . . .		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

† See note † on first page of this return.

FOR OFFICIAL USE.

WEEKLY RETURN
OF
BIRTHS AND DEATHS REGISTERED:—
LONDON AND
NINETY-FIVE OTHER GREAT TOWNS

~~~~~  
By Authority of the Registrar General.  
~~~~~

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased through any Bookseller or directly from
H.M. STATIONERY OFFICE at the following addresses:
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and
28, ABINGDON STREET, LONDON, S.W. 1;
37, PETER STREET, MANCHESTER;
1, ST. ANDREW'S CRESCENT, CARDIFF;
23, FORTH STREET EDINBURGH;
or from EASON AND SON, LTD., 40 and 41, LOWER SACKVILLE STREET, DUBLIN.

No. 44. Vol. LXXXII. 1921. WEEK ENDED SATURDAY, NOV. 5.
[Price 9d. Net.]

*General Register Office, Somerset House,
November 8th, 1921*

NINETY-SIX GREAT TOWNS.

For the NINETY-SIX GREAT TOWNS of England and Wales, each of which had a population of 50,000 or over at the Census of 1911, the births registered last week numbered 7,439, and corresponded to an annual rate of 20·8 per 1,000. The deaths* among the civilian population only numbered 4,040, and corresponded to an annual rate of 11·4 per 1,000 of their aggregate civilian population, which is provisionally estimated† at 18,554,878 persons in the year 1920. In the three weeks ended October 15th, October 22nd, and October 29th, the rates had been 10·4, 10·8, and 11·0 respectively. The infant mortality was 92, against 83, 88, and 86 in the preceding three weeks. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks; it also shows for the week ended last Saturday the births and the deaths from certain individual causes. A column showing the number of deaths

* Corrected as far as possible for deaths of non residents and for those of residents occurring outside the area. Fully corrected figures will appear in the Registrar General's Annual Report.

† The estimates of population refer to the year 1920, and are based on the returns furnished under the scheme for rationing of food.

from influenza has been inserted in Table 1. The aggregate number of deaths from influenza in the 96 great towns in each of the last thirteen weeks is shown in Table 3A.

Measured by last week's mortality, the highest annual death-rates per 1,000 living were :—from *all causes*, 16·1 in Gillingham, 16·6 in Eastbourne, 16·8 in Plymouth, 17·0 in Gloucester, 18·9 in Merthyr Tydfil, and 21·5 in Sunderland. No death from *small-pox* was registered in any of the ninety-six towns.

LONDON.* (The Administrative County, including the City of London.)

For LONDON there were 1,813 BIRTHS, corresponding to a rate of 20·8 per 1,000, and 940 DEATHS of civilians, corresponding to a rate of 10·8, as against 11·3, 11·5, and 11·0, per 1,000 in the three weeks ended October 15th, October 22nd, and October 29th. The death-rate in the four weeks ended last Saturday averaged 11·2 per 1,000. The infant mortality was 79, against 94, 87, and 77, in the preceding three weeks.

The deaths from *enteric fever*, which had been 2, 1, and 3 in the preceding three weeks, numbered 4, the average for the corresponding weeks of the previous five years being 2. The deaths from *measles*, which had been 0, 4, and 3 in the preceding three weeks, were 4 last week, and were 5 below the average. The deaths from *scarlet fever*, which had been 1, 9, and 4 in the preceding three weeks, rose last week to 6 and were 3 above the average. The deaths from *whooping-cough*, which had been 8, 8, and 3 in the preceding three weeks, rose last week to 6, and were equal to the average. The deaths from *diphtheria*, which had been 27, 28, and 24 in the preceding three weeks, rose last week to 26, and were 7 above the average; 8 deaths belonged to the Borough of Stepney, and 3 to Woolwich. The deaths from *diarrhoea and enteritis under 2 years of age*, which had been 80, 61, and 53 in the preceding three weeks, were again 53 last week, and were 23 above the average; 7 deaths belonged to Islington and 5 to Hackney. The deaths from *influenza* numbered 6, as against 13, 12, and 11 in the preceding three weeks, and an average of 500.

Different forms of violence caused 35 deaths, all of which were the subject of coroners' inquests. Of these 35 deaths, 11 were cases of suicide, and 4 of homicide, while the remaining 20 were attributed to other forms of violence. Eight of these latter were referred to vehicles in the streets, 2 to burns or scalds, and 1 of an infant under one year of age to suffocation in bed.

CASES OF INFECTIOUS DISEASE.†

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital, there were 24 cases of enteric fever, 33 of measles, 6,305 of scarlet fever, 31 of whooping-cough, and 2,960 of diphtheria under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as

* See note * on first page.

† The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

compared with those in the preceding three weeks, were as follows :—Of enteric fever, 2 cases, against 4, 3, and 4 ; of measles, 9 cases, against 13, 4, and 8 ; of scarlet fever, 854 cases, against 1,091, 887, and 967 ; of whooping-cough, 3 cases, against 0, 1, and 5 ; and of diphtheria, 464 cases, against 451, 501, and 461. Table 9, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the county during the week ended October 29th, 1921.

TABLE 1.—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS,—BIRTHS and DEATHS REGISTERED, and DEATH-RATES in the Week ended Saturday, 5th November, 1921, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.		DEATH RATES from all Causes.		Week ended		Week ended 5th Nov. 1921.		Deaths of		Deaths from										Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
		Week ended				BIRTHS.	DEATHS.	Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.	Violence.					
		15th Oct., 1921.	22nd Oct., 1921.	29th Oct., 1921.	5th Nov., 1921.																		
ESTIMATED CIVILIAN POPULATION MID. 1920 * (Provisional.)	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.	
96 GREAT TOWNS.	18,554,878	10·4	10·8	11·0	11·4	7,439	4,040	685	1,279	9	-	31	18	24	61	194	33	140	307	1369	28	96 GREAT TOWNS.	
LONDON†	4,531,971	11·3	11·5	11·0	10·8	1,813	940	144	327	4	-	4	6	6	26	53	6	35	87	457	2	LONDON.†	
(CROYDON.	191,580	9·8	8·4	12·0	10·3	56	38	3	16	-	-	-	-	-	1	-	-	2	4	13	-	(CROYDON.	
WIMBLEDON.	62,174	9·2	9·2	5·0	9·2	17	11	1	2	-	-	-	-	-	1	-	-	1	1	5	-	WIMBLEDON.	
EALING.	76,129	7·5	5·5	12·3	11·0	20	16	2	7	-	-	-	-	-	1	-	-	1	3	5	-	EALING.	
ACTON.	64,192	7·3	6·5	9·7	9·7	20	12	3	1	-	-	-	-	-	-	1	-	-	-	1	-	ACTON.	
WILLESDEN.	167,328	8·7	6·9	7·8	8·4	50	27	5	3	-	-	-	-	-	1	-	-	2	2	11	-	WILLESDEN.	
HORNSEY.	98,107	8·5	10·1	12·8	8·5	19	16	-	6	-	-	-	-	-	-	-	-	2	2	5	-	HORNSEY.	
TOTTENHAM	146,970	7·1	9·6	11·4	8·2	50	23	5	4	-	-	-	1	-	2	-	-	-	3	6	-	TOTTENHAM.	
EDMONTON.	73,529	10·6	9·9	7·1	5·7	36	8	-	2	-	-	-	-	-	-	-	-	-	2	1	-	EDMONTON.	
ENFIELD.	60,771	8·6	10·3	5·1	8·6	19	10	1	4	-	-	-	-	-	-	-	-	-	-	4	-	ENFIELD.	
WEST HAM.	299,440	7·7	12·7	11·8	13·8	139	79	13	21	-	-	1	1	1	1	1	-	2	5	34	-	WEST HAM.	
EAST HAM.	150,207	7·6	8·7	10·4	12·8	43	37	4	11	-	-	-	-	-	1	1	-	1	1	21	-	EAST HAM.	
LEYTON.	128,832	5·3	13·0	5·3	9·3	36	23	6	9	-	-	-	-	-	-	1	-	-	1	13	-	LEYTON.	
WALTHAMSTOW	132,771	11·8	12·2	8·2	7·5	46	19	3	5	-	-	-	-	-	2	1	-	1	1	9	-	WALTHAMSTOW.	
(ILFORD.	82,693	6·9	7·6	6·9	12·6	24	20	1	8	-	-	-	-	-	-	-	-	-	-	6	-	(ILFORD.	
GILLINGHAM.	45,233	6·9	13·8	10·4	16·1	18	14	1	6	-	-	-	-	-	-	-	-	-	2	3	-	GILLINGHAM.	
HASTINGS.	59,972	11·3	11·3	13·0	9·6	13	11	-	5	-	-	-	-	-	-	-	-	-	1	1	-	HASTINGS.	
EASTBOURNE.	50,354	5·2	16·6	6·2	16·6	10	16	-	9	-	-	-	-	-	-	-	-	-	-	6	-	EASTBOURNE.	
BRIGHTON.	137,685	12·5	11·0	11·4	7·2	46	19	2	5	-	-	-	-	-	-	2	-	2	2	7	-	BRIGHTON.	
PORTSMOUTH.	235,998	11·9	6·6	9·9	12·4	104	56	11	20	-	-	-	-	-	1	-	-	1	7	15	-	PORTSMOUTH.	
BOURNEMOUTH.	85,919	4·9	10·9	9·1	13·4	19	22	1	11	-	-	-	-	-	-	-	-	-	-	2	-	BOURNEMOUTH.	
SOUTHAMPTON.	162,388	9·6	7·7	9·6	12·8	46	40	4	13	-	-	-	-	-	1	2	-	2	3	10	-	SOUTHAMPTON.	
READING.	95,006	12·1	7·1	9·9	9·9	37	18	2	10	-	-	-	-	-	-	-	-	-	1	5	-	READING.	
OXFORD.	59,963	8·7	9·6	7·0	7·8	27	9	-	2	-	-	-	-	-	-	-	-	-	-	3	-	OXFORD.	
NORTHAMPTON.	92,483	6·8	7·9	14·7	10·1	23	18	1	8	-	-	-	-	-	-	-	-	-	1	8	-	NORTHAMPTON.	
CAMBRIDGE.	60,154	7·8	11·3	7·8	6·1	18	7	1	4	-	-	-	-	-	-	-	-	-	-	1	-	CAMBRIDGE.	

in the week ended Saturday, 5th November 1921, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	ESTIMATED CIVILIAN POPULATION, MID. 1920.* (Provisional.)	DEATH-RATES from all Causes.				Week ended 5th Nov., 1921.		The DEATHS in the Week include										TOWNS.				
		Week ended				BIRTHS.	DEATHS.	Deaths of		Deaths from									Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	
								Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.	Violence						
		15th Oct., 1921.	22nd Oct., 1921.	29th Oct., 1921.	5th Nov., 1921.												Infants under 1 Year of Age.					Persons aged 65 Years and upwards.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
SOUTHEND ON SEA.	87,382	8.4	7.8	9.5	7.8	22	13	-	6	-	-	-	-	-	-	-	-	1	1	4	-	SOUTHEND ON SEA.
IPSWICH.	81,119	10.9	11.6	9.6	13.5	35	21	5	10	-	-	-	-	-	-	2	-	1	2	5	-	IPSWICH.
GREAT YARMOUTH.	55,193	18.9	10.4	11.3	11.3	23	12	-	4	1	-	-	-	-	-	-	-	2	3	2	-	GREAT YARMOUTH.
NORWICH.	124,774	7.5	13.8	10.0	8.8	50	21	1	9	1	-	-	-	-	-	-	-	2	4	4	-	NORWICH.
SWINDON.	53,580	7.8	2.9	7.8	3.9	20	4	-	2	-	-	-	-	-	-	-	1	2	2	-	-	SWINDON.
EXETER.	61,365	10.2	7.6	8.5	8.5	18	10	3	4	-	-	-	-	-	-	-	-	1	2	4	-	EXETER.
PLYMOUTH.	189,218	11.6	9.1	9.9	16.8	93	61	8	25	-	-	-	1	-	-	4	1	5	7	10	-	PLYMOUTH.
BATH.	68,546	9.1	15.2	7.6	5.3	17	7	-	6	-	-	-	-	-	-	-	-	-	-	1	-	BATH.
BRISTOL.	375,641	10.5	8.9	11.5	12.2	135	88	12	33	-	-	-	-	-	2	2	1	3	6	35	-	BRISTOL.
GLOUCESTER.	52,096	16.0	10.0	12.0	17.0	22	17	1	10	-	-	-	-	-	1	-	-	1	1	2	-	GLOUCESTER.
STOKE ON TRENT.	248,852	13.0	12.2	14.0	15.1	127	72	21	17	-	-	-	1	-	-	6	-	4	9	14	2	STOKE ON TRENT.
WOLVERHAMPTON.	102,324	10.2	10.2	10.2	12.2	40	24	4	8	-	-	-	-	-	1	2	-	1	1	13	-	WOLVERHAMPTON.
WALSALL.	96,419	13.0	8.7	9.7	14.1	54	26	6	8	-	-	-	-	-	-	3	-	2	4	4	-	WALSALL.
WEST BROMWICH.	72,684	10.8	11.5	11.5	9.3	40	13	4	4	-	-	-	-	-	1	1	1	-	-	-	-	WEST BROMWICH.
DUDLEY.	56,169	5.6	13.9	11.1	10.2	21	11	3	4	-	-	-	-	-	-	-	-	-	-	1	-	DUDLEY.
BIRMINGHAM.	895,915	8.8	10.6	10.0	10.5	410	181	31	59	-	-	-	-	4	1	6	1	5	5	69	7	BIRMINGHAM.
SMETHWICK.	75,027	7.6	6.3	7.6	4.9	31	7	1	3	-	-	-	-	-	-	-	-	-	-	2	-	SMETHWICK.
COVENTRY.	137,310	9.9	10.6	9.5	10.6	37	28	5	7	-	-	-	-	-	-	-	1	1	2	8	1	COVENTRY.
LEICESTER.	245,465	8.1	11.3	12.1	12.1	85	57	10	17	-	-	-	-	-	-	1	-	2	4	16	1	LEICESTER.
LINCOLN.	67,543	6.9	15.4	12.4	9.3	26	12	2	3	-	-	-	-	-	-	-	-	-	-	2	-	LINCOLN.
GRIMSBY.	81,953	10.2	12.7	9.5	11.5	27	18	4	4	-	-	-	-	-	-	2	-	1	2	5	-	GRIMSBY.
NOTTINGHAM.	267,836	6.2	10.5	11.3	13.6	99	70	12	16	-	-	-	-	-	2	1	-	4	6	18	1	NOTTINGHAM.
DERBY.	128,868	7.3	12.1	11.3	10.9	50	27	4	7	-	-	-	-	-	-	-	1	1	2	11	-	DERBY.

* See note † on first page of this return.

TOWNS.		ESTIMATED CIVILIAN POPULATION, MID. 1920.* (Provisional).	DEATH-RATES from all Causes.					Week ended 5th Nov., 1921.		The DEATHS in the Week include												
			Week ended					BIRTHS.	DEATHS.	Deaths of		Deaths from								Inquest Cases.	Deaths in Public Institutions.	Uncertified (Causes of Death.
			Week ended							Persons aged 65 Years and upwards.	Infants under 1 Year of Age.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.	Violence.			
			15th Oct., 1921.	22nd Oct., 1921.	29th Oct., 1921.	5th Nov., 1921.	10.															
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Towns

* See note † on first page of this return.

† The populations are total populations and relate to 1921, those for Edinburgh and Glasgow being Census populations. Deaths and the death-rates in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week: those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

TABLE 2. LONDON.—Births and Deaths registered during the FORTY-FOURTH Week of each of the Eleven Years, 1911-1921.

	1911.	1912.	1913.	1914.	1915.	1916.	1917.	1918.	1919.	1920.	1921.
Births (as registered).	2283	2216	2229	2075	1991	1811	1477	1454	1850	1927	1813
Males - - - - -	1164	1136	1155	1102	1033	921	759	745	972	997	919
Females - - - - -	1119	1080	1074	973	958	890	718	709	878	930	894
Deaths (of residents only).	1139	1219	1229	1202	1240	1054*	1058*	4285*	1103*	982*	940*
Males - - - - -	604	610	638	614	663	575	535	1814	547	525	480
Females - - - - -	535	609	591	588	577	479	523	2471	556	457	460

* Deaths in civilian population only.

TABLE 3. LONDON.—BIRTHS and DEATHS REGISTERED, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the last THIRTEEN WEEKS.

	Aug. 13.	Aug. 20.	Aug. 27.	Sept. 3.	Sept. 10.	Sept. 17.	Sept. 24.	Oct. 1.	Oct. 8.	Oct. 15.	Oct. 22.	Oct. 29.	Nov. 5.
Births (as registered) . .	2214	1948	2003	1893	1782	1918	1921	1910	1889	1885	1944	1835	1813
Deaths (of residents only).	872	1003	966	952	980	949	975	884	983	979	996	955	940
Under 1 year	186	225	235	268	230	204	184	184	185	177	170	142	144
1-2 years	36	43	44	50	38	41	39	28	38	25	35	32	29
2-5 "	13	21	15	11	19	23	25	17	32	21	25	25	19
5-10 "	20	23	21	22	15	24	33	24	27	25	18	16	40
Age at Death { 10-15 "	8	9	9	10	14	14	9	12	22	20	14	7	12
15-20 "	24	18	20	15	17	21	27	8	13	19	19	23	19
20-25 "	17	27	21	19	18	19	21	23	18	20	28	21	12
25-35 "	62	50	32	34	45	53	44	35	42	35	43	51	48
35-45 "	50	61	56	56	62	68	67	56	67	62	75	75	62
45-55 "	87	111	109	103	89	90	114	100	101	115	106	119	94
55-65 "	137	119	130	104	126	122	114	117	123	150	141	134	134
65-75 "	123	152	134	136	166	133	149	155	156	158	159	151	159
75 years and upwards	109	144	140	124	141	137	149	125	159	152	163	159	168
Deaths from—													
Enteric fever	-	2	1	1	3	1	1	2	5	2	1	3	4
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	9	1	6	3	1	-	2	-	3	-	4	3	4
Scarlet fever	1	2	3	4	7	2	2	6	6	1	9	4	6
Whooping cough	5	13	23	8	13	14	10	13	14	8	8	3	6
Diphtheria	16	17	6	11	13	20	24	16	20	27	28	24	26
Diarrhoea and enteritis (under 2 years).	103	154	142	191	159	121	102	97	81	80	61	53	53
Pulmonary tuberculosis . .	82	86	55	54	78	80	74	64	73	74	91	115	65
Influenza	3	1	2	2	3	5	8	5	4	13	12	11	6
Pneumonia (all forms) . .	39	45	44	52	47	41	54	61	60	65	59	70	67
Bronchitis	24	28	26	20	30	34	35	38	41	45	46	58	52
Other dis. of resp. system .	10	15	10	9	5	12	14	7	13	7	11	8	5
Dis. of circ. system . . .	119	140	137	126	134	121	137	139	150	161	157	141	155
Violence	28	24	42	31	20	25	41	37	29	35	35	38	35
Inquest cases	73	69	86	70	64	68	89	82	85	96	83	83	87

CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.

Enteric fever	31	34	32	34	37	40	38	40	40	42	34	31	24
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	59	60	48	37	37	37	28	21	19	26	27	31	33
Scarlet fever	3572	3523	3394	3433	3680	4003	4428	4887	5508	5978	6067	6285	6305
Whooping cough	36	40	41	41	45	59	50	48	44	41	38	33	31
Diphtheria	1879	1816	1740	1713	1773	1834	1947	2056	2247	2447	2623	2814	2960

* The Metropolitan Asylums Board and London Fever Hospitals. The figures do not refer to London exclusively.

TABLE 3A. 96 Great Towns.—DEATHS from INFLUENZA in the last THIRTEEN WEEKS.

	Aug. 13.	Aug. 20.	Aug. 27.	Sept. 3.	Sept. 10.	Sept. 17.	Sept. 24.	Oct. 1.	Oct. 8.	Oct. 15.	Oct. 22.	Oct. 29.	Nov. 5.
Deaths from Influenza . . .	15	9	12	17	21	27	22	37	34	49	46	30	32

TABLE 4. LONDON.—DEATHS REGISTERED in the FORTY-FOURTH Week of the Year 1921.

CAUSES OF DEATH.	Deaths in the 44th week of the year 1920.	DEATHS of PERSONS of the AGES													
		ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-10 years.	10-15 years.	15-20 years.	20-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards.
ALL CAUSES	982	940	144	29	19	40	12	19	12	48	62	94	134	159	168
Enteric fever	-	4	-	-	-	1	1	-	-	1	1	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	2	4	1	3	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever	3	6	-	-	-	6	-	-	-	-	-	-	-	-	-
Whooping cough	2	6	4	2	-	-	-	-	-	-	-	-	-	-	-
Diphtheria	25	26	1	4	8	12	-	1	-	-	-	-	-	-	-
Influenza	12	6	-	-	-	-	1	-	-	-	1	-	1	-	3
Erysipelas	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Acute Poliomyelitis, Polioencephalitis.	?	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	?	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal meningitis	?	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other endemic and epidemic diseases.	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Pyæmia and septicæmia	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-
Tetanus	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
Tuberculosis:—															
Pulmonary tuberculosis	100	65	-	1	-	-	1	6	6	16	10	13	9	2	1
Tuberculous meningitis	8	6	-	1	1	3	1	-	-	-	-	-	-	-	-
Abdominal tuberculosis	2	1	-	-	-	-	-	-	-	1	-	-	-	-	-
Tuberculosis of the spine	2	1	-	-	-	-	-	-	-	1	-	-	-	-	-
Tuberculosis of the joints	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of other organs	2	2	-	-	1	-	-	-	-	-	-	1	-	-	-
Disseminated tuberculosis	3	4	-	1	2	-	-	-	-	-	-	1	-	-	-
Venereal diseases	6	4	2	-	-	-	-	-	-	-	-	-	2	-	-
Cancer	109	112	-	-	-	-	-	-	1	3	7	14	34	34	19
Rheumatic fever	4	5	-	-	-	1	-	1	-	1	1	1	-	-	-
Diabetes	8	10	-	-	-	-	1	-	-	1	-	-	7	-	1
Anæmia, leucocythæmia	7	10	-	-	-	-	-	-	-	-	2	1	5	2	-
Other general diseases	7	8	1	1	-	-	-	1	-	-	1	1	1	1	1
Alcoholism	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic poisonings	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	4	4	1	-	-	1	1	-	-	-	-	-	1	-	-
Cerebral hæmorrhage, &c., Apoplexy	40	48	-	-	-	-	-	-	-	-	1	5	13	10	19
Softening of brain	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Paralysis, without specified cause	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epilepsy	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-
"Convulsions" (not puerperal)	5	4	4	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system	21	27	-	-	1	2	1	2	-	2	5	6	2	4	2
Pericarditis	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute endocarditis	4	8	-	-	-	-	2	2	-	1	1	-	1	1	-
Other diseases of heart	123	107	-	-	-	-	1	3	1	4	6	14	15	34	29
Embolism and thrombosis (excluding cerebral).	9	3	-	-	-	-	-	-	-	-	1	-	1	1	-
Other diseases of circulatory system.	40	37	-	-	-	-	-	-	-	-	1	2	6	10	18
Diseases of the larynx	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis	78	52	2	-	-	-	-	-	-	1	1	7	3	14	24
Broncho-pneumonia	31	35	10	5	5	1	-	1	-	-	1	2	1	2	7
Lobar pneumonia	19	21	1	-	1	1	-	1	1	1	4	2	4	4	1
Pneumonia (type not distinguished)	9	11	1	1	-	-	-	-	-	1	1	1	1	5	-
Pleurisy	4	2	-	-	-	-	-	-	-	-	-	-	-	2	-
Pulmonary congestion, Pulmonary apoplexy.	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Other diseases of respiratory system.	5	2	-	-	-	-	-	-	-	1	1	-	-	-	-

TABLE 5.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM							
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria* Diarrhoeal Diseases† (under 2 years).	Influenza.	
LONDON† . .	4,531,971	1921. Nov. 5	1,813	940	10·8	4	-	4	6	6	26	53	6
CALCUTTA . .	896,067	Oct. 1	-	-	-	-	-	-	-	-	-	-	-
BOMBAY . .	979,445	Sept. 24	422	953§	50·6	2	3	1	-	-	-	75	6
MADRAS . .	522,951	" 24	376	403	40·1	2	5	2	?	-	-	32	3
PARIS . .	2,847,229	{ 11 days } Sept. 10	1,254	922	11·8	4	-	4	-	-	3	58	1
BRUSSELS . .	792,919	- - -	-	-	-	-	-	-	-	-	-	-	-
ANTWERP . .	340,852	Oct. 15	106	57	8·9	1	-	-	-	-	-	6	-
AMSTERDAM . .	682,164	" 22	277	111	8·5	1	-	-	-	1	1	3	-
COPENHAGEN . .	571,000	" 22	233	113	10·3	-	-	-	-	-	-	1	1
STOCKHOLM . .	419,788	" 15	112	77	9·5	-	-	-	1	-	1	-	-
GOTHENBURG . .	205,547	" 8	-	40	10·1	1	-	-	-	-	-	-	-
CHRISTIANIA . .	260,920	" 22	77	55	11·0	-	-	-	-	-	-	-	-
BERLIN . .	1,945,000	" 15	474	412	11·0	-	?	-	1	4	-	12	3
BRESLAU . .	547,000	" 15	217	163	15·5	2	?	-	-	-	1	10	1
COLOGNE . .	669,000	" 15	271	174	13·5	3	?	-	-	2	1	7	4
DRESDEN . .	600,000	" 15	179	139	12·0	-	?	-	1	-	2	6	2
FRANKFORT- ON-MAIN.	471,000	" 15	135	79	8·7	-	?	-	-	-	1	3	-
HAMBURG . .	1,031,000	" 15	332	221	11·1	-	?	-	-	1	2	6	5
LEIPZIG . .	630,000	" 15	222	161	13·3	-	?	-	-	-	3	14	2
MUNICH . .	670,000	" 8	247	171	13·3	-	?	2	-	2	1	10	1
VIENNA . .	1,842,005	" 8	464	409	11·5	4	-	-	-	1	-	6	-
PRAGUE . .	676,454	" 1	277	203	15·6	3	-	-	-	1	-	10	-
SUBURBS. BUDAPEST . .	933,000	Aug. 13	435	314	17·5	4	?	-	3	1	1	40	-
CAIRO . .	765,200	" 19	690	555	37·7	7	-	4	-	?	3	86	?
ALEXANDRIA . .	449,300	" 19	328	273	31·6	-	-	-	-	?	-	50	?
NEW YORK . .	5,751,859	Oct. 1	2,625	1,044	9·5	-	-	-	1	7	6	62	5
CHICAGO . .	2,780,655	" 15	-	564	10·6	3	-	1	3	1	21	29	1
MONTEVIDEO . .	360,256	Aug. 20	215	147	21·3	2	-	-	-	-	-	1	8

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Cities, Vienna, Prague and Suburbs, Budapest, and Montevideo.

† The deaths in this column relate to *all ages* for Bombay, Madras, Christiania, and Budapest, and to *children under 1 year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

§ Including 5 deaths from *plague* in Bombay, and 1 death from *Asiatic cholera* in Bombay.

TABLE 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 5th November, 1921.
(Supplied by the Meteorological Office.)

TOWNS.	Temperature of Air.*				Rainfall in Milli- metres.†	TOWNS.	Temperature of Air.*				Rainfall in Milli- metres.‡
	Highest.	Lowest.	Mean Maxi- mum.	Mean Mini- mum.			Highest.	Lowest.	Mean Maxi- mum.	Mean Mini- mum.	
LONDON (Greenwich) }	58	39	56·0	44·7	32	BRADFORD . .	59	35	53·1	43·1	44
BRIGHTON . .	61	42	58·6	47·6	36	SHEFFIELD . .	59	37	53·9	43·1	35
PORTSMOUTH . .	62	42	59·7	47·0	30	YORK (Museum) . .	64	34	53·9	41·7	32
NORWICH (Southwell Lodge) }	57	32	52·9	42·2	29	HULL (Pearson Park)	65	33	55·0	39·9	22
PLYMOUTH . .	65	40	60·9	50·9	18	TYNEMOUTH . .	60	35	50·4	43·1	31
BRISTOL (Clifton) .	59	40	57·3	45·0	27	CARDIFF . .	61	39	58·1	44·4	35
BIRMINGHAM . .	60	39	54·4	42·6	35	EDINBURGH . .		Not	received.		
NOTTINGHAM . .	61	37	53·0	45·3	26	GLASGOW . .	55·9	35·5	49·9	42·0	27
BIRKENHEAD (Bidston) }	59	40	55·6	46·1	26	DUBLIN :— Phoenix Park . .		Not	received.		
MANCHESTER . .	59	40	54·1	44·0	41	†Fitzwilliam Square	58·1	44·1	56·8	45·8	28
BURNLEY . .	58	38	52·1	43·6	45	BELFAST . .	60·0	41·0	55·6	45·6	41
HUDDERSFIELD . .	59	36	52·9	42·9	36						

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.

† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R. Met.Soc., Dublin.

‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

TABLE 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 5th November 1921.

[Under the Superintendence of the Astronomer Royal.]

1921. MONTH AND DAY.		Phases of the Moon.	BARO- METER. Mean daily reading (cor- rected and re- duced to 32° Fahren- heit).	TEMPERATURE.					Difference between the Air Temperature and Dew Point Temperature.			De- gree of Hu- mid- ity (Satu- ration equals 100).		TEMPERATURE.			Wind as deduced from Anemometers.				Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.				
				Of the Air.				Of the Dew point.	Mean daily value.		De- parture from Average of 65 years.	Mean daily value.	Great- est.	Least.	Of Radiation. Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 4 feet below the Surface.	Osler's.		Robinson's.					
				High- est.	Low- est.	Daily Range.	Mean daily value.	General Direction.	P.M.	Great- est.								Least.	Mean of 24 of hourly obs.	Horizontal Movement of the Air on each Day.		Average of 50 years.	Miles.	Miles.	
OCTOBER.																									
SUNDAY	-	30	New	30.183	58.2	43.4	14.8	51.0	+ 3.8	46.9	4.1	8.0	1.7	86	72.0	31.8	54.7	NNW. & W.	Calm & WSW.	1.7	0.0	0.1	153	-141	0.00
MONDAY	-	31	..	30.125	58.0	39.2	18.8	50.9	+ 3.8	44.4	6.5	11.4	0.9	79	76.5	29.2	54.5	Calm & WSW.	WSW. & SW.	4.5	0.0	0.2	283	- 8	0.00
NOVEMBER.																									
TUESDAY	-	1	..	29.964	57.7	46.1	11.6	51.1	+ 4.1	42.7	8.4	12.7	5.4	73	60.5	40.0	54.3	WSW. & W.	N. & NNW.	5.5	0.0	0.6	431	+144	0.00
WEDNESDAY	-	2	..	29.941	47.9	43.8	4.1	45.7	- 1.1	43.5	2.2	10.3	0.0	92	57.0	42.5	54.1	WSW. & SW.	Calm & NE.	1.4	0.0	0.0	166	-118	0.53
THURSDAY	-	3	Greatest declination S.	29.697	57.1	42.2	14.9	49.2	+ 2.6	48.6	0.6	1.5	0.0	94	56.3	43.0	54.0	NNE. calm & SSW.	WSW. & NW.	0.9	0.0	0.0	178	-103	0.23
FRIDAY	-	4	..	29.435	58.0	48.5	9.5	53.4	+ 7.0	52.0	1.4	8.9	0.0	95	63.0	38.8	54.0	WNW. & SW.	Var. & NW.	3.5	0.0	0.1	235	- 44	0.30
SATURDAY	-	5	..	29.622	55.0	45.1	9.9	49.5	+ 3.4	40.2	9.3	14.1	3.1	70	98.6	37.9	53.7	WNW. & W.	W. & SW.	3.5	0.0	0.4	423	+144	0.01
MEANS	-	-	-	29.852	56.0	44.0	11.9	50.1	+ 3.4	45.5	4.6	9.6	1.6	85	69.1	37.6	54.2	WSW.		Sum 1869	Sum -126	Sum 1.07
No. of Column		-	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE.		ELECTRICITY. (For explanation of symbols, see Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
OCTOBER 1921.					
SUNDAY	30	s.P. generally	1.1	9.7	Cloudless till 3h.; nearly overcast till 5h.; partially cloudy generally till noon; very cloudy till 19h., then cloudless; misty from 10h.; heavy dew at night; clouding up after 23h. Nearly cloudless till 7h., with heavy dew; overcast or nearly overcast with few exceptions from 7h. 15m.; brisk wind from 22h. Overcast with slight exceptions; brisk wind till 11h.; slight rain about noon.
MONDAY	31	w.P. generally	0.2	9.7	
NOVEMBER. TUESDAY	1	w.P. till noon, s.P. afterwards.	0.0	9.6	
WEDNESDAY	2	w.P. generally, a little v.P. in afternoon.	0.0	9.6	Overcast throughout; rain or damping generally from 3h. 30m.
THURSDAY	3	w.P. generally	0.0	9.5	Overcast till 22h.; very few exceptions afterwards misty generally; frequent rain or damping till 22h.
FRIDAY	4	w.P. generally	0.0	9.5	Clearing to cloudless by 1h.; overcast again by 5h.; few breaks after 20h.; frequent rain between 7h. 30m. and 15h. 30m.; misty generally. Overcast generally till nearly 7h.; variably cloudy till 15h., then overcast generally; brisk wind 8h. to 16h. and after 21h.; rain and damping from 23h.
SATURDAY	5	w.P. till 9h., s.P. generally till 20h., then w.P.	5.0	9.4	
No. of Col.		26	Sum 6.3	Sum 67.0	28

The results apply to the civil day, or from midnight to midnight. The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level. Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables. The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1903, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916. In reading columns 9 and 24 it will be borne in mind that + indicates "higher," and - "lower," than the average. The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined. The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable. The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day. The reading of the barometer increased from 30.07 in. at the beginning of the week to 30.22 in. by 21h. on October 30th; decreased to 29.90 in. by 8h. on November 1st; increased to 30.07 in. by 22h. on the same day; decreased to 29.82 in. by 19h. on November 2nd; increased to 29.90 in. by 2h. on November 3rd; decreased to 29.35 in. by 15h. on November 4th; increased to 29.63 in. by 18h. on November 5th, and decreased to 29.43 in. by midnight on the same day.
--

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "higher," and - "lower," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 30.07 in. at the beginning of the week to 30.22 in. by 21h. on October 30th; decreased to 29.90 in. by 8h. on November 1st; increased to 30.07 in. by 22h. on the same day; decreased to 29.82 in. by 19h. on November 2nd; increased to 29.90 in. by 2h. on November 3rd; decreased to 29.35 in. by 15h. on November 4th; increased to 29.63 in. by 18h. on November 5th, and decreased to 29.43 in. by midnight on the same day.

TABLE 8. LONDON.—DEATHS of PERSONS BELONGING to the several METROPOLITAN BOROUGHs REGISTERED in the Week ended 29th October, 1921.

BOROUGHs.	Deaths from									Deaths of Infants under 1 Year of Age.
	ALL CAUSES.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Pulmonary Tuberculosis.	
COUNTY OF LONDON -	55	3	-	3	4	3	24	53	115	142
Western.										
PADDINGTON . . .	23	-	-	-	-	-	-	2	2	3
KENSINGTON . . .	39	-	-	-	-	-	-	1	8	2
HAMMERSMITH . . .	32	-	-	-	1	-	-	2	4	4
FULHAM . . .	23	-	-	-	-	-	-	2	3	5
CHELSEA . . .	19	-	-	-	-	-	-	1	1	1
CITY OF WESTMINSTER .	23	-	-	-	-	-	2	-	3	
Northern.										
ST. MARYLEBONE . . .	19	-	-	-	-	-	-	-	1	3
HAMPSTEAD . . .	23	-	-	-	-	-	1	1	2	1
ST. PANCRAS . . .	47	-	-	2	-	-	-	3	4	8
ISLINGTON . . .	63	-	-	-	1	-	-	3	8	8
STOKE NEWINGTON . . .	10	-	-	-	-	-	2	1	2	1
HACKNEY . . .	44	1	-	-	-	-	-	2	5	8
Central.										
HOLBORN . . .	10	-	-	-	-	-	-	-	1	2
FINSBURY . . .	28	-	-	-	-	-	4	2	5	2
CITY OF LONDON . . .	6	-	-	-	-	-	-	-	1	2
Eastern.										
SHOREDITCH . . .	24	-	-	-	-	-	1	1	2	7
BETHNAL GREEN . . .	30	-	-	-	-	1	-	3	6	6
STEPNEY . . .	53	-	-	1	-	-	1	2	9	14
POPLAR . . .	36	-	-	-	-	-	3	2	2	6
Southern.										
SOUTHWARK . . .	42	-	-	-	-	-	1	4	5	9
BERMONDSEY . . .	34	2	-	-	1	1	-	3	5	7
LAMBETH . . .	66	-	-	-	-	-	-	7	6	10
BATTERSEA . . .	38	-	-	-	-	-	2	1	6	9
WANDSWORTH . . .	53	-	-	-	-	1	1	2	9	4
CAMBERWELL . . .	50	-	-	-	1	-	3	3	4	7
DEPTFORD . . .	32	-	-	-	-	-	-	1	2	4
GREENWICH . . .	24	-	-	-	-	-	-	1	3	1
LEWISHAM . . .	28	-	-	-	-	-	-	1	3	3
WOOLWICH . . .	36	-	-	-	-	-	3	2	3	3

The deaths in the above Table are, so far as concerns London as a whole, corrected by the exclusion of deaths of non-residents, and by the inclusion of those of residents occurring in the Outer Ring or in Metropolitan public institutions situated outside the County. As between individual Metropolitan Boroughs, however, correction is complete.

TABLE 9. LONDON.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED during the Week ended 29th October, 1921.*

BOROUGH.	ESTI- MATED CIVILIAN POPU- LATION, MID. 1920.† (Provi- sional.)	Enteric Fever.	Malaria.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Pneumonia.	Erysipelas.	Cerebro-Spinal Fever.	Puerperal Fever.	Ophthalmia Neonatorum.	Poliomylitis.	Dysentery.	Encephalitis Lethargica.	Anthrax.	Polio- encephalitis.	Cholera.
WESTERN.																		
Paddington . . .	149,673	-	1	-	-	26	9	3	2	-	2	1	-	-	-	-	-	-
St. Pancras . . .	164,177	-	-	-	-	23	13	4	3	-	-	-	-	-	-	-	-	-
St. James's . . .	136,200	-	-	-	-	43	17	1	-	-	-	-	-	-	-	-	-	-
St. Marylebone . . .	158,621	-	-	-	-	29	14	1	1	-	-	-	-	-	-	-	-	-
St. George's . . .	62,987	-	-	-	-	5	4	1	-	-	-	-	-	-	-	-	-	-
City of Westminster . . .	132,615	-	-	-	-	26	6	-	4	-	-	1	-	-	-	-	-	-
NORTHERN.																		
St. Marylebone . . .	101,856	-	-	-	-	13	8	-	3	-	-	-	-	-	-	-	-	-
St. Pancras . . .	91,519	1	-	-	-	13	24	-	1	-	-	-	-	-	-	-	-	-
St. James's . . .	228,178	1	-	-	-	61	16	1	3	-	-	1	-	-	-	-	-	-
St. George's . . .	335,907	-	-	-	-	104	31	1	3	-	1	3	-	-	-	-	-	-
St. Marylebone . . .	52,984	-	-	-	-	15	7	-	1	-	-	1	-	-	-	-	-	-
St. George's . . .	225,372	-	-	-	-	48	18	-	1	-	-	-	-	-	-	-	-	-
CENTRAL.																		
St. George's . . .	39,676	-	-	-	-	4	2	-	2	-	-	1	-	-	-	-	-	-
St. George's . . .	78,291	-	-	-	-	24	22	1	2	-	-	1	-	-	-	-	-	-
City of London . . .	14,447	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
EASTERN.																		
St. George's . . .	102,044	1	-	-	-	33	12	2	2	-	1	1	-	-	-	-	-	-
St. George's . . .	114,471	-	-	-	-	24	9	4	4	-	-	-	-	-	1	-	-	-
St. George's . . .	241,770	1	-	-	-	45	37	2	3	-	1	-	-	-	-	-	-	-
St. George's . . .	159,766	-	-	-	-	44	37	2	2	-	-	-	-	-	-	-	-	-
SOUTHERN.																		
St. George's . . .	187,142	-	-	-	-	53	23	2	3	-	-	1	-	-	-	-	-	-
St. George's . . .	129,189	1	-	-	-	31	28	1	3	-	-	-	-	-	-	-	-	-
St. George's . . .	293,572	-	-	-	-	56	13	2	3	-	-	2	-	-	-	-	-	-
St. George's . . .	165,664	-	-	-	-	74	23	1	3	1	2	-	-	-	-	-	-	-
St. George's . . .	346,990	-	-	-	-	80	23	4	5	-	-	-	-	-	-	-	-	-
St. George's . . .	284,712	2	-	-	-	67	28	1	4	-	-	2	-	-	-	-	-	-
St. George's . . .	115,636	1	-	-	-	29	6	-	1	-	-	-	-	-	-	-	-	-
St. George's . . .	102,408	-	-	-	-	53	23	1	1	-	-	-	-	-	-	-	-	-
St. George's . . .	174,438	2	-	-	-	40	17	2	1	-	-	-	-	-	-	-	-	-
St. George's . . .	141,666	-	-	-	-	39	28	2	1	-	-	-	-	-	-	-	-	-
TOTAL	4,531,971	10	1	-	-	1102	504	39	63	1	7	15	-	-	1	-	-	-
AGES.																		
0-1		-	-	-	-	7	5	-	1	-	-	15	-	-	-	-	-	-
" 1-5		-	-	-	-	185	99	10	5	-	-	-	-	-	-	-	-	-
" 5-		2	-	-	-	500	210	-	2	-	-	-	-	-	-	-	-	-
" 10-		3	-	-	-	284	93	3	5	1	-	-	-	-	-	-	-	-
" 15-		-	-	-	-	67	35	2	4	-	-	-	-	-	-	-	-	-
" 20-		-	1	-	-	19	22	2	2	-	-	-	-	-	-	-	-	-
" 25-		2	-	-	-	23	26	4	5	-	6	-	-	-	-	-	-	-
" 35-		2	-	-	-	14	11	10	11	-	1	-	-	-	1	-	-	-
" 45-		1	-	-	-	2	3	2	17	-	-	-	-	-	-	-	-	-
" 55-		-	-	-	-	1	-	4	7	-	-	-	-	-	-	-	-	-
" 65-		-	-	-	-	-	-	1	4	-	-	-	-	-	-	-	-	-
" 75 and upwards		-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Age not stated		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

† See note † on first page of this return.

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS AND DEATHS REGISTERED:—

LONDON AND
NINETY-FIVE OTHER GREAT TOWNS

~~~~~  
By Authority of the Registrar General.  
~~~~~

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased through any Bookseller or directly from
H.M. STATIONERY OFFICE at the following addresses:
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and
28, ABINGDON STREET, LONDON, S.W. 1;
37, PETER STREET, MANCHESTER;
1, ST. ANDREW'S CRESCENT, CARDIFF;
23, FORTH STREET EDINBURGH;
or from EASON AND SON, LTD., 40 and 41, LOWER SACKVILLE STREET, DUBLIN.

No. 45. VOL. LXXXII. 1921. WEEK ENDED SATURDAY, NOV. 12.
[Price 9d. Net.]

*General Register Office, Somerset House,
November 15th, 1921*

NINETY-SIX GREAT TOWNS.

For the NINETY-SIX GREAT TOWNS of England and Wales, each of which had a population of 50,000 or over at the Census of 1911, the births registered last week numbered 7,978, and corresponded to an annual rate of 22·3 per 1,000. The deaths* among the civilian population only numbered 4,289, and corresponded to an annual rate of 12·1 per 1,000 of their aggregate civilian population, which is provisionally estimated† at 18,554,878 persons in the year 1920. In the three weeks ended October 22nd, October 29th, and November 5th, the rates had been 10·8, 11·0, and 11·4 respectively. The infant mortality was 76, against 88, 86, and 92 in the preceding three weeks. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks; it also shows for the week ended last Saturday the births and the deaths from certain individual causes. A column showing the number of deaths

* Corrected as far as possible for deaths of non-residents and for those of residents occurring outside the area. Fully corrected figures will appear in the Registrar General's Annual Report.

† The estimates of population refer to the year 1920, and are based on the returns furnished under the scheme for rationing of food.

from influenza has been inserted in Table 1. The aggregate number of deaths from influenza in the 96 great towns in each of the last thirteen weeks is shown in Table 3A.

Measured by last week's mortality, the highest annual death-rates per 1,000 living were :—from *all causes*, 16·1 in West Hartlepool, 16·2 in Acton, 16·8 in Salford, 17·0 in Great Yarmouth, 17·8 in Grimsby, and 18·3 in Wakefield. No death from *small-pox* was registered in any of the ninety-six towns.

LONDON.* (The Administrative County, including the City of London.)

For LONDON there were 1,869 BIRTHS, corresponding to a rate of 21·4 per 1,000, and 1,150 DEATHS of civilians, corresponding to a rate of 13·2, as against 11·5, 11·0, and 10·8 per 1,000 in the three weeks ended October 22nd, October 29th, and November 5th. The death-rate in the four weeks ended last Saturday averaged 11·6 per 1,000. The infant mortality was 66, against 87, 77, and 79, in the preceding three weeks.

There was no death from *enteric fever*, as against 1, 3, and 4 in the preceding three weeks, the average for the corresponding weeks of the previous five years being 1. The deaths from *measles*, which had been 4, 3, and 4 in the preceding three weeks, rose last week to 6, but were 4 below the average. The deaths from *scarlet fever*, which had been 9, 4, and 6 in the preceding three weeks, rose last week to 9 and were 6 above the average. The deaths from *whooping-cough*, which had been 8, 3, and 6 in the preceding three weeks, were 7 last week, and were 2 above the average. The deaths from *diphtheria*, which had been 28, 24, and 26, in the preceding three weeks, further rose last week to 40, and were 21 above the average; 5 deaths belonged to the Borough of Greenwich, 4 each to Fulham, Stepney, and Bermondsey, and 3 each to Finsbury and Poplar. The deaths from *diarrhoea, and enteritis under 2 years of age*, which had been 61, 53, and 53 in the preceding three weeks, fell last week to 26, and were equal to the average; 4 deaths belonged to Islington and 4 to Hackney. The deaths from *influenza* numbered 13, as against 12, 11, and 6 in the preceding three weeks, and an average of 4·96.

Different forms of violence caused 35 deaths, all of which were the subject of coroners' inquests. Of these 35 deaths, 7 were cases of suicide, while the remaining 28 were attributed to other forms of violence. Five of these latter were referred to vehicles in the streets, 2 to burns or scalds, 2 to drowning, and 2, including 1 of an infant under one year of age, to suffocation in bed.

CASES OF INFECTIOUS DISEASE.†

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital, there were 27 cases of enteric fever, 38 of measles, 6,233 of scarlet fever, 29 of whooping-cough, and 3,031 of diphtheria under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as

* See note * on first page.

† The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

compared with those in the preceding three weeks, were as follows :—Of enteric fever, 5 cases, against 3, 4, and 2; of measles, 8 cases, against 4, 8, and 9; of scarlet fever, 778 cases, against 887, 967, and 854; of whooping-cough, 4 cases, against 1, 5, and 3; and of diphtheria, 475 cases, against 501, 461, and 464. Table 9, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the county during the week ended November 5th, 1921.

TABLE 1.—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH-RATES in the Week ended Saturday, 12th November, 1921, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.		ESTIMATED CIVILIAN POPULATION, MID. 1920.* (Provisional.)		DEATH RATES from all Causes.					Week ended 12th Nov. 1921.		The DEATHS in the Week include										TOWNS.							
				Week ended					BIRTHS.	DEATHS.	Deaths of		Deaths from													Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
				22nd Oct., 1921.	29th Oct., 1921.	5th Nov., 1921.	12th Nov., 1921.	Infants under 1 Year of Age.			Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.	Violence.								
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.						
96 GREAT TOWNS.	18,554,878	10.8	11.0	11.4	12.1	7,978	4,289	608	1,417	6	-	18	22	30	66	146	44	148	314	1469	26	96 GREAT TOWNS.						
LONDON†	4,531,971	11.5	11.0	10.8	13.2	1,869	1,150	123	420	-	-	-	9	7	40	26	13	35	94	543	2	LONDON.†						
CROYDON.	191,580	8.4	12.0	10.3	9.8	61	36	2	15	-	-	1	-	-	-	-	-	1	3	11	-	CROYDON.						
WIMBLEDON.	62,174	9.2	5.0	9.2	14.3	23	17	1	8	-	-	-	-	-	-	-	1	-	2	2	-	WIMBLEDON.						
EALING.	76,129	5.5	12.3	11.0	10.3	25	15	3	4	-	-	-	-	-	1	1	-	1	1	3	-	EALING.						
ACTON.	64,192	6.5	9.7	9.7	16.2	27	20	4	4	-	-	-	-	-	2	2	-	1	1	11	-	ACTON.						
WILLESDEN.	167,328	6.9	7.8	8.4	9.7	63	31	2	8	-	-	-	-	-	-	-	-	-	2	12	-	WILLESDEN.						
HORNSEY.	98,107	10.1	12.8	8.5	10.6	26	20	1	5	-	-	-	1	-	-	1	-	-	2	7	-	HORNSEY.						
TOTTENHAM	146,970	9.6	11.4	8.2	9.6	47	27	1	10	-	-	-	-	-	2	1	-	2	4	12	-	TOTTENHAM.						
EDMONTON.	73,529	9.9	7.1	5.7	5.7	35	8	1	-	-	-	-	-	-	1	-	-	-	-	4	-	EDMONTON.						
ENFIELD.	60,771	10.3	5.1	8.6	6.9	26	8	-	3	-	-	-	-	-	-	-	-	1	1	2	-	ENFIELD.						
WEST HAM.	299,440	12.7	11.8	13.8	10.3	160	59	7	16	1	-	-	-	1	-	1	1	2	4	22	-	WEST HAM.						
EAST HAM.	150,207	8.7	10.4	12.8	9.4	66	27	3	9	-	-	-	-	-	-	-	-	1	1	14	-	EAST HAM.						
LEYTON.	128,832	13.0	5.3	9.3	10.9	49	27	3	10	-	-	-	1	-	-	-	1	-	2	7	-	LEYTON.						
WALTHAMSTOW	132,771	12.2	8.2	7.5	9.4	70	24	4	9	-	-	-	-	-	-	-	-	2	2	12	-	WALTHAMSTOW.						
ILFORD.	82,693	7.6	6.9	12.6	11.3	31	18	1	6	-	-	-	-	-	-	-	-	1	3	5	-	ILFORD.						
GILLINGHAM.	45,233	13.8	10.4	16.1	15.0	21	13	1	5	-	-	-	-	-	-	-	-	-	-	3	-	GILLINGHAM.						
HASTINGS.	59,972	11.3	13.0	9.6	13.0	11	15	-	13	-	-	-	-	-	-	-	-	4	4	3	-	HASTINGS.						
EASTBOURNE.	50,354	16.6	6.2	16.6	14.5	21	14	1	3	-	-	-	-	-	-	-	1	-	1	5	-	EASTBOURNE.						
BRIGHTON.	137,685	11.0	11.4	7.2	13.3	60	35	4	20	-	-	-	1	1	-	1	-	-	2	13	-	BRIGHTON.						
PORTSMOUTH.	235,998	6.6	9.9	12.4	11.5	84	52	5	20	-	-	-	1	-	1	2	-	1	4	11	-	PORTSMOUTH.						
BOURNEMOUTH.	85,919	10.9	9.1	13.4	9.1	16	15	1	8	-	-	-	-	-	-	-	-	-	-	2	-	BOURNEMOUTH.						
SOUTHAMPTON.	162,388	7.7	9.6	12.8	9.3	76	29	2	10	-	-	-	1	-	2	-	-	4	5	12	-	SOUTHAMPTON.						
READING.	95,006	7.1	9.9	9.9	7.7	45	14	1	7	-	-	-	-	-	-	-	1	-	-	2	-	READING.						
OXFORD.	59,963	9.6	7.0	7.8	8.7	17	10	-	6	-	-	-	-	-	-	-	-	-	2	3	-	OXFORD.						
NORTHAMPTON.	92,483	7.9	14.7	10.1	11.8	28	21	1	6	-	-	-	-	1	-	-	-	-	1	3	-	NORTHAMPTON.						
CAMBRIDGE.	60,154	11.3	7.8	6.1	6.9	19	8	-	5	-	-	-	-	-	-	-	-	-	-	2	-	CAMBRIDGE.						

* See note on first page of this return.

† For Greater London see end of Table.

‡ These towns are included within the area of Greater London.

TABLE 1 (cont.).—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH-RATES in the Week ended Saturday, 12th November 1921, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	The DEATHS in the Week include										Deaths of		Deaths from								Deaths in Public Institutions.		TOWNS.	
	Week ended		DEATH-RATES from all Causes.				Week ended		Deaths of		Deaths from								Inquest Cases.	Deaths in Public Institutions.	Uncertified (Causes of Death.			
	12th Nov., 1921.		Week ended				12th Nov., 1921.		Deaths of		Deaths from													
	1.	Cols.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.				18.		19.
ESTIMATED CIVILIAN POPULATION, MID. 1920.* (Provisional.)			22nd Oct., 1921.	29th Oct., 1921.	5th Nov., 1921.	12th Nov., 1921.			Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.	Violence					
SOUTHEND ON SEA.	87,332		7.8	9.5	7.8	10.1	31	17	2	5	-	-	-	-	-	-	1	2	-	-	5	-	-	SOUTHEND ON SEA.
IPSWICH.	81,119		11.6	9.6	13.5	9.6	29	15	2	6	-	-	-	-	-	-	-	-	2	4	4	-	-	IPSWICH.
GREAT YARMOUTH.	55,193		10.4	11.3	11.3	17.0	20	18	2	5	-	-	-	-	-	-	-	2	-	1	2	5	-	GREAT YARMOUTH.
NORWICH.	124,774		13.8	10.0	8.8	10.9	51	26	5	13	-	-	-	-	-	-	-	-	-	-	10	-	-	NORWICH.
SWINDON.	53,580		2.9	7.8	3.9	9.7	18	10	-	4	-	-	-	-	-	-	-	-	1	-	1	-	-	SWINDON.
EXETER.	61,365		7.6	8.5	8.5	12.7	32	15	1	6	-	-	-	-	-	-	-	-	-	1	2	-	-	EXETER.
PLYMOUTH.	189,218		9.1	9.9	16.8	14.3	79	52	7	24	-	-	-	-	-	-	-	1	-	2	9	-	-	PLYMOUTH.
BATH.	68,546		15.2	7.6	5.3	12.9	23	17	2	12	-	-	-	-	-	-	-	-	-	4	2	-	-	BATH.
BRISTOL.	375,641		8.9	11.5	12.2	11.7	158	84	12	28	-	-	-	-	-	-	2	3	3	7	33	-	-	BRISTOL.
GLOUCESTER.	52,096		10.0	12.0	17.0	9.0	23	9	1	2	1	-	-	-	-	-	-	-	-	-	3	-	-	GLOUCESTER.
STOKE ON TRENT.	248,852		12.2	14.0	15.1	15.3	144	73	14	14	-	-	-	1	1	2	-	7	-	3	15	-	-	STOKE ON TRENT.
WOLVERHAMPTON.	102,324		10.2	10.2	12.2	7.6	38	15	3	5	-	-	-	-	-	-	-	1	-	-	5	-	-	WOLVERHAMPTON.
WALSALL.	96,419		8.7	9.7	14.1	14.6	55	27	8	9	-	-	-	-	-	-	-	1	1	2	5	-	-	WALSALL.
WEST BROMWICH.	72,684		11.5	11.5	9.3	7.9	43	11	3	5	-	-	-	-	-	-	-	1	-	-	2	-	2	WEST BROMWICH.
DUDLEY.	56,169		13.9	11.1	10.2	13.0	24	14	3	2	-	-	-	-	-	-	-	-	1	1	3	-	-	DUDLEY.
BIRMINGHAM.	895,915		10.6	10.0	10.5	10.6	415	182	37	57	-	-	-	-	2	1	1	11	2	2	58	6	-	BIRMINGHAM.
SMETHWICK.	75,027		6.3	7.6	4.9	8.3	34	12	2	4	-	-	-	1	-	-	-	1	-	-	-	-	1	SMETHWICK.
COVENTRY.	137,310		10.6	9.5	10.6	8.7	50	23	4	6	-	-	-	-	1	-	-	1	-	1	4	-	-	COVENTRY.
LEICESTER.	245,465		11.3	12.1	12.1	11.7	93	55	7	16	-	-	-	-	-	1	1	-	-	3	23	-	-	LEICESTER.
LINCOLN.	67,543		15.4	12.4	9.3	6.9	36	9	-	3	-	-	-	-	-	-	-	-	-	1	-	-	-	LINCOLN.
GRIMSBY.	81,953		12.7	9.5	11.5	17.8	41	28	7	10	-	-	-	-	2	-	-	-	1	5	11	-	-	GRIMSBY.
NOTTINGHAM.	267,836		10.5	11.3	13.6	11.5	123	59	9	21	-	-	-	-	-	-	-	1	-	5	13	2	-	NOTTINGHAM.
DERBY.	128,868		12.1	11.3	10.9	8.9	45	22	3	7	-	-	-	-	-	-	-	-	-	-	12	-	-	DERBY.

* See note † on first page of this return.

TABLE 1 (cont.).—66 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH-RATES in the Week ended Saturday, 12th November, 1921, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	ESTIMATED CIVILIAN POPULATION MID. 1920.* (Provisional.)	DEATH-RATES from all Causes.					Week ended 12th Nov., 1921.		The DEATHS in the Week include										TOWNS			
		Week ended					BIRTHS.	DEATHS.	Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from											
		22nd Oct. 1921.	29th Oct., 1921.	5th Nov., 1921.	12th Nov., 1921.	Violence.																
						Enteric Fever.					Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.	Violence.		Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes or Death.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
STOCKPORT	130,635	8.4	8.0	10.8	11.2	47	28	5	9	-	-	-	-	-	-	1	1	2	3	9	-	STOCKPORT.
BIRKENHEAD	153,951	8.1	8.5	9.5	12.5	73	37	8	9	-	-	-	-	1	-	2	-	1	2	16	-	BIRKENHEAD.
WALLASEY	99,226	8.4	8.9	7.9	11.6	29	22	4	9	1	-	-	-	1	-	-	-	1	2	5	-	WALLASEY.
LIVERPOOL	803,452	11.6	13.2	13.3	14.0	422	215	34	54	-	-	10	-	3	2	7	-	6	16	98	1	LIVERPOOL.
BOOTLE	80,029	9.8	12.4	7.8	15.0	46	23	1	3	-	-	1	-	-	-	-	-	2	2	5	1	BOOTLE.
ST. HELENS	104,822	11.4	11.9	9.9	10.9	47	22	6	6	-	-	-	-	-	-	3	-	-	-	3	-	ST. HELENS.
SOUTHPORT	72,939	10.7	7.9	7.9	7.1	18	10	-	4	-	-	-	-	-	-	-	-	-	-	-	-	SOUTHPORT.
WIGAN	90,866	17.8	11.5	13.8	13.8	48	24	5	10	-	-	-	-	-	-	1	1	-	-	7	-	WIGAN.
WARRINGTON	77,939	14.7	10.0	6.7	10.0	35	15	4	3	-	-	-	-	1	-	1	-	-	-	4	-	WARRINGTON.
BOLTON	184,533	9.0	13.6	11.6	12.4	66	44	8	17	-	-	-	-	-	3	2	-	1	6	14	-	BOLTON.
BURY	56,410	11.1	12.9	8.3	12.0	18	13	4	3	-	-	-	-	-	-	-	-	-	-	3	1	BURY.
MANCHESTER	770,597	11.1	11.5	12.9	13.2	315	195	27	59	-	-	-	1	-	1	12	2	6	10	63	1	MANCHESTER.
SALFORD	235,239	10.9	11.5	14.4	16.8	119	76	14	22	2	-	-	2	-	-	5	-	3	5	28	-	SALFORD.
OLDHAM	143,154	15.3	17.1	12.7	13.8	68	38	3	12	-	-	-	-	-	-	-	1	3	5	9	-	OLDHAM.
ROCHDALE	93,639	7.8	12.3	10.6	11.1	32	20	4	3	-	-	-	-	-	-	1	-	-	-	10	-	ROCHDALE.
BURNLEY	105,030	10.4	13.4	13.4	10.4	35	21	6	8	-	-	-	-	1	-	-	-	1	1	4	-	BURNLEY.
BLACKBURN	131,012	9.2	13.1	11.5	12.3	45	31	4	8	-	-	-	-	1	-	3	1	-	-	12	1	BLACKBURN.
PRESTON	121,950	15.0	12.4	13.3	10.3	59	24	5	3	-	-	-	-	-	2	1	1	2	2	4	-	PRESTON.
BLACKPOOL	70,545	7.4	11.1	9.6	14.8	20	20	1	10	-	-	-	-	-	-	-	2	-	1	3	-	BLACKPOOL.
BARROW IN FURNESS	76,561	12.9	12.9	7.5	11.6	26	17	3	5	-	-	-	-	-	-	-	1	-	-	4	-	BARROW IN FURNESS.
HUDDERSFIELD	116,776	9.4	11.2	9.8	12.5	49	28	3	10	-	-	-	-	-	-	1	-	2	3	4	-	HUDDERSFIELD.
HALIFAX	105,847	10.8	8.9	11.8	11.8	32	24	4	11	-	-	-	-	-	-	-	-	-	1	11	-	HALIFAX.
BRADFORD	293,979	11.4	10.6	11.4	11.4	130	64	10	19	-	-	-	-	-	-	3	-	3	9	21	-	BRADFORD.
LEEDS	449,212	10.1	10.6	12.3	11.7	178	101	18	44	-	-	-	-	1	-	3	-	3	7	23	-	LEEDS.
DEWSBURY	55,080	17.0	12.3	14.2	14.2	28	15	2	4	-	-	-	-	1	-	2	-	-	1	4	-	DEWSBURY.
WAKEFIELD†	51,169	13.2	9.2	9.2	18.3	19	18	2	5	-	-	-	-	-	-	2	-	4	6	4	-	WAKEFIELD.†
BARNSELEY†	53,739	15.5	15.5	15.5	13.6	36	14	3	4	-	-	-	-	-	-	-	-	-	-	1	-	BARNSELEY.†

* See note + on first page of this return.
† The extension of the Boroughs of Wakefield and Barnsley on the 9th November 1921 will not be taken into account in the Weekly Returns until next year.

TOWNS.	CIVILIAN POPULATION, MID. 1920.* (Provisional).	Causes.				Week ended		Deaths of		Deaths from										Inquest Cases.	Deaths in Public Institutions.	Uncertified. Causes of Death.	TOWNS
		Week ended				12th Nov., 1921.		Persons aged under 1 Year of Age.	65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.	Violence.					
		22nd Oct., 1921.	29th Oct., 1921.	5th Nov., 1921.	12th Nov., 1921.	BIRTHS.	DEATHS.																
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.	
SHEFFIELD†	492,570	9·4	10·9	13·4	12·8	203	121	19	38	1	-	-	1	-	-	3	-	7	11	45	-	SHEFFIELD.†	
ROTHERHAM	71,785	10·9	6·5	9·4	15·3	26	21	6	5	-	-	-	1	-	-	2	2	1	1	8	1	ROTHERHAM.	
YORK	77,501	12·1	10·1	10·1	14·8	47	22	1	13	-	-	-	-	-	-	-	-	-	-	5	-	YORK.	
HULL	290,808	12·0	11·5	10·6	10·0	145	56	10	12	-	-	-	-	-	-	3	-	2	2	17	-	HULL.	
MIDDLESBROUGH	132,208	12·6	11·8	11·8	10·6	77	27	7	4	-	-	-	-	1	-	2	-	1	1	3	-	MIDDLESBROUGH.	
DARLINGTON	66,610	5·5	12·5	9·4	7·8	27	10	1	8	-	-	-	-	-	-	-	1	-	-	2	-	DARLINGTON.	
STOCKTON ON TEES	63,114	12·4	8·3	10·7	10·7	38	13	3	3	-	-	-	-	-	-	-	-	1	1	-	-	STOCKTON ON TEES.	
WEST HARTLEPOOL	68,126	13·0	11·5	13·0	16·1	32	21	3	5	-	-	-	-	-	-	2	1	2	3	3	-	WEST HARTLEPOOL.	
SUNDERLAND	155,211	13·4	16·1	21·5	13·8	96	41	11	8	-	-	-	-	-	-	1	-	2	4	12	1	SUNDERLAND.	
SOUTH SHIELDS†	115,945	13·5	13·5	11·7	13·0	60	29	6	7	-	-	-	-	1	-	1	2	-	-	4	1	SOUTH SHIELDS.†	
GATESHEAD	128,309	11·8	10·6	13·0	13·0	69	32	8	12	-	-	-	-	1	-	3	-	2	2	5	2	GATESHEAD.	
NEWCASTLE ON TYNE.	286,061	11·7	11·3	10·6	10·8	136	59	13	17	-	-	-	-	-	-	4	1	2	5	14	-	NEWCASTLE ON TYNE.	
TYNEMOUTH	60,318	9·5	13·0	12·1	11·2	19	13	4	2	-	-	-	-	1	-	-	-	-	-	1	1	TYNEMOUTH.	
CARLISLE	57,397	13·6	11·8	10·0	11·8	27	13	3	4	-	-	-	-	-	-	1	-	1	1	1	1	CARLISLE.	
NEWPORT (MON.)	90,728	7·5	11·5	10·9	8·6	51	15	-	3	-	-	-	-	-	1	-	-	1	2	4	-	NEWPORT (MON.).	
CARDIFF	212,582	10·3	7·8	7·6	10·3	83	42	7	7	-	-	-	-	-	1	4	-	4	6	9	-	CARDIFF.	
RHONDDA	184,999	12·1	9·6	9·9	8·5	77	30	6	7	-	-	-	1	-	-	-	-	1	1	4	1	RHONDDA.	
MERTHYR TYDFIL	74,493	11·2	14·0	18·9	15·4	36	22	1	6	-	-	-	-	-	-	1	-	-	-	5	-	MERTHYR TYDFIL.	
ABERDARE	53,431	7·8	9·8	12·7	6·8	38	7	-	4	-	-	-	-	-	-	-	-	2	1	2	-	ABERDARE.	
SWANSEA	167,218	7·5	12·5	11·5	9·4	70	30	5	4	-	-	-	-	-	-	1	-	1	2	5	-	SWANSEA.	
GREATER LONDON	7,548,647	10·5	10·4	10·4	12·1	2977	1755	185	630	2	-	7	11	10	47	36	20	58	142	753	2	GREATER LONDON.	
OUTER RING	3,016,676	9·2	9·4	9·8	10·5	1108	605	62	210	2	-	1	2	3	7	10	7	23	48	210	-	OUTER RING.	
14 GREAT TOWNS IN OUTER RING.	1,734,723	9·8	9·6	10·2	10·1	709	337	33	107	1	-	1	2	1	6	6	3	12	28	124	-	14 GREAT TOWNS IN OUTER RING.	
REMAINDER OF OUTER RING.	1,281,953	8·4	9·2	9·2	10·9	399	268	29	103	1	-	-	-	2	1	4	4	11	20	86	-	REMAINDER OF OUTER RING.	
EDINBURGH†	420,281	13·8	12·8	11·2	11·7	187	94	13	35	-	-	-	-	-	1	-	-	2	?	?	?	EDINBURGH.†	
GLASGOW†	1,034,069	12·4	13·5	13·5	12·6	495	250	43	50	-	-	1	1	-	4	7	-	13	?	?	?	GLASGOW.†	
DUBLIN (Registra- tion Area).†	423,000	11·7	13·3	11·2	12·3	197	100	18	30	-	-	-	-	-	1	3	1	3	3	33	-	DUBLIN (Registra- tion Area).†	
BELFAST†	420,000	14·0	15·6	15·0	14·0	222	113	21	29	1	-	-	-	1	1	4	-	3	3	35	-	BELFAST.†	

* See note † on first page of this return.

† The populations are total populations and relate to 1921, those for Edinburgh and Glasgow being Census populations. Deaths and the death-rates in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in the week: those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

‡ The extension of the Borough of Sheffield on the 9th November 1921, and of South Shields on the 1st November 1921, will not be taken into account in the Weekly Return until next year.

TABLE 2. LONDON.—Births and Deaths registered during the FORTY-FIFTH Week of each of the Eleven Years, 1911–1921.

	1911.	1912.	1913.	1914.	1915.	1916.	1917.	1918.	1919	1920.	1921.
Births (as registered).	2148	2320	2185	2088	1773	2117	1595	1354	2216	2057	1869
Males - - - - -	1089	1156	1112	1086	906	991	830	673	1161	1044	990
Females - - - - -	1059	1164	1073	1002	867	1126	765	681	1055	1013	879
Deaths (of residents only).	1108	1253	1128	1154	1494	1125*	1012*	4290*	1165*	1244*	1150*
Males - - - - -	558	631	579	583	778	592	528	1913	627	648	575
Females - - - - -	550	622	549	571	716	533	484	2377	538	596	575

* Deaths in civilian population only.

TABLE 3. LONDON.—BIRTHS and DEATHS REGISTERED, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the last THIRTEEN WEEKS.

	Aug. 20.	Aug. 27.	Sept. 3.	Sept. 10.	Sept. 17.	Sept. 24.	Oct. 1.	Oct. 8.	Oct. 15.	Oct. 22.	Oct. 29.	Nov. 5.	Nov. 12.
Births (as registered) - - -	1948	2003	1893	1782	1918	1921	1910	1889	1885	1944	1835	1813	1869
Deaths (of residents only).	1003	966	952	980	949	975	884	983	979	996	955	940	1150
Age													
Under 1 year - - - - -	225	235	268	230	204	184	184	185	177	170	142	144	123
1-2 years - - - - -	43	44	50	38	41	39	28	38	25	35	32	29	33
2-5 " - - - - -	21	15	11	19	23	25	17	32	21	25	25	19	25
5-10 " - - - - -	23	21	22	15	24	33	24	27	25	18	16	40	38
10-15 " - - - - -	9	9	10	14	14	9	12	22	20	14	7	12	17
15-20 " - - - - -	18	20	15	17	21	27	8	13	19	19	23	19	21
at													
20-25 " - - - - -	27	21	19	18	19	21	23	18	20	28	21	12	23
25-35 " - - - - -	50	32	34	45	53	44	35	42	35	43	51	48	59
Death													
35-45 " - - - - -	61	56	56	62	68	67	56	67	62	75	75	62	94
45-55 " - - - - -	111	109	103	89	90	114	100	101	115	106	119	94	145
55-65 " - - - - -	119	130	104	126	122	114	117	123	150	141	134	134	152
65-75 " - - - - -	152	134	136	166	133	149	155	156	158	159	151	159	204
75 years and upwards	144	140	124	141	137	149	125	159	152	163	159	168	216
Deaths from—													
Enteric fever - - - - -	2	1	1	3	1	1	2	5	2	1	3	4	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	1	6	3	1	-	2	-	3	-	4	3	4	6
Scarlet fever - - - - -	2	3	4	7	2	2	6	6	1	9	4	6	9
Whooping cough - - - - -	13	23	8	13	14	10	13	14	8	8	3	6	7
Diphtheria - - - - -	17	6	11	13	20	24	16	20	27	28	24	26	40
Diarrhoea and enteritis (under 2 years).	154	142	191	159	121	102	97	81	80	61	53	53	26
Pulmonary tuberculosis -	86	55	54	78	80	74	64	73	74	91	115	65	112
Influenza - - - - -	1	2	2	3	5	8	5	4	13	12	11	6	13
Pneumonia (all forms) -	45	44	52	47	41	54	61	60	65	59	70	67	83
Bronchitis - - - - -	28	26	20	30	34	35	38	41	45	46	58	52	96
Other dis. of resp. system	15	10	9	5	12	14	7	13	7	11	8	5	10
Dis. of circ. system - -	140	137	126	134	121	137	139	150	161	157	141	155	206
Violence - - - - -	24	42	31	20	25	41	37	29	35	35	38	35	35
Inquest cases - - - - -	69	86	70	64	68	89	82	85	96	83	83	87	94
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Enteric fever - - - - -	34	32	34	37	40	38	40	40	42	34	31	24	27
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	60	48	37	37	37	28	21	19	26	27	31	33	38
Scarlet fever - - - - -	3523	3394	3433	3680	4003	4428	4887	5508	5978	6067	6285	6305	6233
Whooping cough - - - - -	40	41	41	45	59	50	48	44	41	38	33	31	29
Diphtheria - - - - -	1816	1740	1713	1773	1834	1947	2056	2247	2447	2623	2814	2960	3031

* The Metropolitan Asylums Board and London Fever Hospitals. The figures do not refer to London exclusively.

TABLE 3A. 96 Great Towns.—DEATHS from INFLUENZA in the last THIRTEEN WEEKS.

	Aug. 20.	Aug. 27.	Sept. 3.	Sept. 10.	Sept. 17.	Sept. 24.	Oct. 1.	Oct. 8.	Oct. 15.	Oct. 22.	Oct. 29.	Nov. 5.	Nov. 12.
Deaths from Influenza - -	9	12	17	21	27	22	37	34	49	46	30	32	44

TABLE 4. LONDON.—DEATHS REGISTERED in the FORTY-FIFTH Week of the Year 1921.

CAUSES OF DEATH.	Deaths in the 45th week of the year 1920.	DEATHS of PERSONS of the AGES													
		ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-10 years.	10-15 years.	15-20 years.	20-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards.
ALL CAUSES	1244	1150	123	33	25	38	17	21	23	59	94	145	152	204	216
Enteric fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	2	6	2	3	1	-	-	-	-	-	-	-	-	-	-
Scarlet fever	7	9	1	1	-	6	-	-	-	-	-	1	-	-	-
Whooping cough	2	7	3	1	1	2	-	-	-	-	-	-	-	-	-
Diphtheria	26	40	1	7	10	18	4	-	-	-	-	-	-	-	-
Influenza	14	13	-	-	-	-	-	1	-	1	3	4	-	3	1
Erysipelas	-	4	-	-	-	-	-	-	-	-	-	1	-	2	1
Acute Poliomyelitis, Polioencephalitis.	?	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	?	1	-	-	-	-	-	-	-	-	-	1	-	-	-
Meningococcal meningitis . . .	?	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other endemic and epidemic diseases.	2	2	-	-	-	-	-	1	-	-	-	-	-	1	-
Pyæmia and septicæmia	-	2	-	-	-	-	-	-	-	-	-	-	1	1	-
Tetanus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis:—															
Pulmonary tuberculosis	124	112	-	-	1	-	-	6	13	28	20	24	13	6	1
Tuberculous meningitis	8	5	-	1	1	1	-	1	1	-	-	-	-	-	-
Abdominal tuberculosis	2	5	2	-	-	-	-	-	1	2	-	-	-	-	-
Tuberculosis of the spine	4	2	-	-	-	-	-	-	-	-	1	-	1	-	-
Tuberculosis of the joints	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Tuberculosis of other organs . . .	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-
Disseminated tuberculosis . . .	2	8	-	-	1	1	1	3	-	2	-	-	-	-	-
Venereal diseases	10	6	5	-	-	-	-	-	-	-	-	-	1	-	-
Cancer	129	130	-	1	-	-	1	-	1	-	11	20	39	34	23
Rheumatic fever	3	2	-	-	-	2	-	-	-	-	-	-	-	-	-
Diabetes	7	15	-	-	-	-	-	-	2	1	2	2	4	2	2
Anæmia, leucocythæmia	5	11	1	-	-	-	-	-	-	1	1	2	2	3	1
Other general diseases	11	11	2	1	1	-	-	-	-	1	2	3	-	1	-
Alcoholism	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic poisonings	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	3	4	2	1	-	-	-	-	-	1	-	-	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	51	54	-	-	-	-	-	-	-	-	2	7	10	19	16
Softening of brain	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Paralysis, without specified cause .	6	2	-	-	-	-	-	-	-	-	-	-	-	-	2
Epilepsy	3	4	-	-	-	-	1	-	-	2	1	-	-	-	-
"Convulsions" (not puerperal) . .	4	3	2	-	-	1	-	-	-	-	-	-	-	-	-
Other diseases of nervous system .	27	25	-	-	-	-	-	-	-	1	3	4	7	7	3
Pericarditis	-	5	-	-	-	1	-	-	-	-	1	2	1	-	-
Acute endocarditis	14	6	-	-	-	-	-	-	-	3	2	1	-	-	-
Other diseases of heart	168	143	-	-	1	-	3	3	3	3	7	16	19	46	42
Embolism and thrombosis (excluding cerebral).	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of circulatory system.	39	52	1	-	-	-	-	-	-	-	2	9	4	16	20
Diseases of the larynx	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis	157	96	1	1	-	-	-	1	-	1	2	10	16	25	39
Broncho-pneumonia	38	37	15	7	1	-	1	-	-	-	-	1	3	3	6
Lobar pneumonia	30	29	1	1	-	-	-	2	-	2	4	7	4	7	1
Pneumonia (type not distinguished)	20	17	-	-	2	2	-	-	-	-	3	2	3	4	1
Pleurisy	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Pulmonary congestion, Pulmonary apoplexy.	6	2	-	-	-	-	-	-	-	-	-	1	-	-	1
Other diseases of respiratory system.	17	7	1	-	-	-	1	-	-	-	-	2	1	1	1

TABLE 5.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM							
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria*	Diarrhoeal Diseases† (under 2 years).	Influenza.
LONDON† . .	4,531,971	1921. Nov. 12	1,869	1,150	13·2	-	-	6	9	7	40	26	13
ALBERTA . .	896,067	Oct. 1	-	506§	29·3	?	1	?	?	?	?	?	22
BOMBAY . .	979,445	" 1	422	863§	45·8	4	-	-	-	-	-	68	6
CALCUTTA . .	522,951	" 1	396	371	36·9	1	7	-	?	-	1	23	3
CHENNAI . .	2,847,229	{ 10 days Sept. 20 }	1,284	925	11·9	8	-	-	-	-	2	50	1
COLOMBO . .	792,919	- - -	-	-	-	-	-	-	-	-	-	-	-
DUBLIN . .	340,852	Oct. 22	108	71	11·1	-	-	-	-	2	-	18	-
AMSTERDAM . .	682,164	" 29	238	101	7·7	3	-	-	-	1	-	1	-
COPENHAGEN . .	571,000	" 29	185	94	8·6	-	-	-	-	-	-	-	-
STOCKHOLM . .	419,788	" 22	127	69	8·5	1	-	-	-	-	-	-	-
GOETENBURG . .	205,547	" 15	-	39	9·9	-	-	-	-	-	-	1	-
OSLO . .	260,920	" 29	74	39	7·8	1	-	-	-	-	1	-	-
PARIS . .	1,945,000	" 22	428	398	10·6	1	?	-	1	2	3	12	1
BRUSSELS . .	547,000	" 22	211	133	12·6	1	?	1	-	-	1	9	2
BERLIN . .	669,000	" 22	283	156	12·1	-	?	-	-	1	2	14	1
COPENHAGEN . .	600,000	" 22	183	124	10·7	-	?	-	-	-	-	1	4
ANTWERP . .	471,000	" 22	153	71	7·8	-	?	-	-	-	-	-	1
AMSTERDAM . .	1,031,000	" 22	326	243	12·3	1	?	-	1	-	1	3	2
BRUSSELS . .	630,000	" 22	202	163	13·4	-	?	-	-	1	3	15	2
COLOGNE . .	670,000	" 15	219	156	12·1	-	?	-	-	2	-	14	1
FRANKFURT . .	670,000	" 22	213	152	11·8	-	?	-	-	1	1	4	-
VIENNA . .	1,842,005	" 15	458	469	13·2	3	-	-	-	1	2	10	1
PRAGUE . .	676,454	" 8	273	198	15·3	1	-	-	-	-	-	15	-
BUDAPEST . .	933,000	Aug. 20	299	400	22·3	4	?	3	7	5	2	57	2
WARSAW . .	765,200	" 26	578	472	32·1	7	-	4	-	?	1	76	?
CONSTANTINOPLE . .	449,300	" 26	387	281§	32·5	3	-	-	-	?	-	45	?
NEW YORK . .	5,751,859	Oct. 8	2,469	996	9·0	4	-	-	-	7	4	49	6
MONTEVIDEO . .	2,780,655	" 22	-	577	10·8	2	-	-	1	2	13	23	1
BUENOS AIRES . .	360,256	Aug. 27	111	137	19·8	1	-	-	-	-	2	-	2

including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Cities, Vienna, Prague and
suburbs, Budapest, and Montevideo.

Deaths in this column relate to *all ages* for Bombay, Madras, Christiania, and Budapest, and to *children under
year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

Estimated population and deaths refer to the civilian population only.

Including 3 deaths from *plague* in Bombay and 1 in Alexandria, and 6 deaths from *Asiatic cholera* in Calcutta.

TABLE 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 12th November, 1921.
(Supplied by the Meteorological Office.)

TOWNS.	Temperature of Air.*				Rainfall in Milli- metres.†	TOWNS.	Temperature of Air.*				Rainfall in Milli- metres.†
	Highest.	Lowest.	Mean Maxi- mum.	Mean Mini- mum.			Highest.	Lowest.	Mean Maxi- mum.	Mean Mini- mum.	
LONDON (Greenwich) }	47	26	41·4	31·0	0	BRADFORD . .	45	20	40·7	27·6	0·4
NOTTINGHAM . .	50	30	44·1	33·9	0	SHEFFIELD . .	Not received.				
SMITH . .	49	30	44·1	34·6	3	YORK (Museum) . .	44	18	41·0	28·3	2
WICH (Eaton) . .	44	25	41·7	30·9	20	HULL (Pearson Park) . .	51	24	43·7	30·4	4
WIMBORNE . .	58	30	49·1	35·1	2	TYNEMOUTH . .	45	29	41·3	32·6	4
WOL (Clifton) . .	48	25	42·0	30·6	2	CARDIFF . .	55	26	44·3	31·0	2
WIMBORNE . .	52	26	42·0	30·4	1	EDINBURGH . .	Not received.				
WIMBORNE . .	46	21	41·3	29·6	0·3	GLASGOW . .	50·6	29·3	43·3	32·6	0
WIMBORNE (Bidston) }	46	29	41·4	33·0	9	DUBLIN :—	Not received.				
CHESTER . .	53	25	43·4	30·0	0	Phoenix Park . .	Not received.				
LEY . .	44	21	40·7	26·7	0·2	+Fitzwilliam Square . .	55·0	30·3	47·5	35·7	1
WIMBORNE . .	52	21	43·0	29·4	1	BELFAST . .	52·5	29·5	47·5	37·3	40

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.

† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.

‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

TABLE 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 12th November 1921.

[Under the Superintendence of the Astronomer Royal.]

1921.		Phases of the Moon.	BARO- METER. Mean daily reading (cor- rected and re- duced to 32° Fahren- heit).	TEMPERATURE.					Difference between the Air Temperature and Dew Point Temperature.			De- gree of Hu- mid- ity (Satu- ration equals 100).	TEMPERATURE.			Of Radiation.		Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers.				Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.					
MONTH AND DAY.	NOVEMBER.			Of the Air.			Of the Dew point.	De- parture from Average value, 65 years.		Mean daily value.	Great- est.		Highest in Sun's Rays.	Lowest on the Grass.	A.M.	P.M.	Osler's.		Robinson's.									
				High- est.	Low- est.	Daily Range.		Mean daily value.	De- parture from Average value, 65 years.								General Direction.		Pressure on the Square Foot.	Horizontal Movement of the Air on each Day.	Depart- ure from Average of 50 years.							
																						lbs.		lbs.	lbs.	lbs.	Miles.	Miles.
SUNDAY	-	6	in.	°	°	°	°	°	°	°	°	°	SW. & NW.	WNW.	21.8	0.0	1.4	626	+ 347	0.23								
MONDAY	-	7	First Quarter.	29.468	55.0	37.5	17.5	43.5	- 2.3	36.3	7.2	11.5	3.1	76	53.6	29.9	53.3	53.3	WNW. & NW. & N.	4.0	0.0	0.3	305	+ 23	0.00			
TUESDAY	-	8	Apogee	29.906	42.5	31.6	10.9	36.8	- 8.6	27.0	9.8	14.0	5.9	67	53.3	25.3	53.3	53.0	NW. & N.	6.1	0.0	0.5	364	+ 73	0.00			
WEDNESDAY	-	9	..	30.043	39.2	30.1	9.1	34.6	- 10.4	27.4	7.2	11.8	2.6	74	53.0	24.7	53.0	52.6	N. & calm	1.0	0.0	0.0	108	- 183	0.00			
THURSDAY	-	10	..	30.356	39.2	28.9	10.3	32.9	- 11.7	28.9	4.0	7.4	1.3	85	52.6	23.8	52.6	52.2	Calm	1.0	0.0	0.0	148	- 147	0.00			
FRIDAY	-	11	In Equator.	30.400	41.5	25.5	16.0	34.3	- 10.0	26.4	7.9	13.9	1.5	72	52.2	16.0	52.2	51.9	ESE., E. & ENE.	1.0	0.0	0.0	270	- 28	0.00			
SATURDAY	-	12	..	30.075	42.6	27.2	15.4	35.5	- 8.5	25.0	10.5	16.8	6.0	65	51.9	15.0	51.9	51.2	E. & NE.	3.8	0.0	0.2	127	- 172	0.00			
MEANS	-	-	-	29.989	37.1	27.1	10.0	32.8	- 10.9	27.3	5.5	6.7	0.0	80	51.2	21.4	51.2	52.5	NNW. & calm.	1.0	0.0	0.0	Sum 1948	Sum - 82	0.23			
No. of Column	-	3	-	30.034	42.4	29.7	12.7	35.8	- 8.9	28.3	7.4	11.6	2.9	74	22.3	22.3	52.5	17	N.	20	21	22	23	24	25

DATE.		ELECTRICITY. (For explanation of symbols, see Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
NOVEMBER 1921.					
SUNDAY	- 6	v.P. generally,	3.3	9.3	Overcast generally till 11h. 30m.; partially cloudy till 16h. 30m., then nearly cloudless; rain generally till 4h. 30m.; heavy at 4h.; brisk wind till 19h., rising to gale between 5h. and 11h. Cloudless generally, with haze or mist in forenoon; variably cloudy to overcast between 16h. and 20h. 30m.; hoar frost morning and evening. Cloudless or nearly cloudless till 16h.; overcast till 18h., then partially cloudy; hoar frost morning and evening; brisk wind 13h. to 14h. Nearly cloudless, but misty in forenoon; apparently nearly overcast afterwards, but foggy; hoar frost morning and evening.
MONDAY	- 7	s.P. generally	3.5	9.3	Cloudless with few slight exceptions; mist and hoar frost morning and evening.
TUESDAY	- 8	s.P. generally	5.9	9.2	Cloudless with hoar frost and slight mist till 10h.; cloudy generally till 15h., then overcast with few exceptions; slight snow 18h. 30m. to 21h., clearing after 23h. Cloudless generally till 7h., then becoming overcast with few exceptions; cloud thinning after 20h.; misty generally; hoar frost morning and evening.
WEDNESDAY	- 9	v.P. generally	0.6	9.2	
THURSDAY	10	s.P. throughout	8.0	9.1	
FRIDAY	- 11	s.P. generally	4.2	9.1	
SATURDAY	- 12	s.P. generally	0.0	9.0	
			Sum 25.5	Sum 64.2	
No. of Col.			27	28	

The results apply to the civil day, or from midnight to midnight.
The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.
Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.
The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1903, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.
In reading columns 9 and 24 it will be borne in mind that + indicates "higher," and - "lower," than the average.
The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.
The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.
The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.
The reading of the barometer decreased from 29.43 in. at the beginning of the week to 29.07 in. by 6h. on 6th; increased to 30.44 in. by 11h. on 10th, and decreased generally to 29.98 in. by midnight on 12th.

TABLE 8. LONDON.—DEATHS of PERSONS BELONGING to the several METROPOLITAN BOROUGHs REGISTERED in the Week ended 5th November, 1921.

BOROUGHs.	Deaths from									Deaths of Infants under 1 Year of Age.
	ALL CAUSES.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Pulmonary Tuberculosis.	
COUNTY OF LONDON .	£40	4	-	4	6	6	26	53	65	144
Western.										
PADDINGTON . . .	31	-	-	-	-	-	2	1	2	4
KENSINGTON . . .	38	1	-	-	-	-	-	3	1	6
HAMMERSMITH . . .	25	-	-	-	-	-	-	1	2	4
FULHAM	33	-	-	-	2	-	-	1	2	6
CHELSEA	11	-	-	-	-	-	-	1	-	1
CITY OF WESTMINSTER .	24	-	-	-	2	-	-	1	1	2
Northern.										
ST. MARYLEBONE . . .	34	-	-	-	-	-	1	4	-	4
HAMPSTEAD	22	-	-	-	-	-	2	-	1	2°
ST. PANCRAS	38	-	-	-	-	-	2	1	1	5
ISLINGTON	71	-	-	-	-	1	1	7	5	16
STOKE NEWINGTON . . .	11	-	-	-	-	-	-	1	2	1
HACKNEY	45	-	-	-	-	-	-	5	4	11
Central.										
HOLBORN	15	-	-	-	-	-	-	-	1	1
FINSBURY	16	-	-	-	-	-	-	2	2	4
CITY OF LONDON . . .	1	-	-	-	-	-	-	-	-	-
Eastern.										
SHOREDITCH	36	1	-	-	-	-	1	3	5	8
BETHNAL GREEN . . .	24	-	-	-	-	-	1	3	4	4
STEPNEY	61	-	-	1	-	-	8	3	4	9
POPLAR	44	-	-	1	-	1	-	-	2	8
Southern.										
SOUTHWARK	31	-	-	1	1	-	-	2	1	3
BERMONDSEY	28	-	-	-	-	-	1	3	2	7
LAMBETH	61	-	-	-	1	1	1	2	8	5
BATTERSEA	34	-	-	-	-	-	2	2	1	5
WANDSWORTH	55	-	-	1	-	1	-	1	6	6
CAMBERWELL	45	2	-	-	-	-	1	1	5	4
DEPTFORD	15	-	-	-	-	-	-	-	-	-
GREENWICH	30	-	-	-	-	-	-	3	3	7
LEWISHAM	33	-	-	-	-	1	-	1	-	4
WOOLWICH	28	-	-	-	-	1	3	1	-	7

The deaths in the above Table are, so far as concerns London as a whole, corrected by the exclusion of deaths of non-residents, and by the inclusion of those of residents occurring in the Outer Ring or in Metropolitan public institutions situated outside the County. As between individual Metropolitan Boroughs, however, correction is complete.

TABLE 9. LONDON.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED during the Week ended 5th November, 1921.*

Boroughs.	ESTI- MATED CIVILIAN POPU- LATION, MID. 1920.† (Provi- sional.)	Enteric Fever.	Malaria.	Continued Fever.	Small- pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Pneumonia.	Erysipelas.	Cerebro-Spinal Fever.	Puerperal Fever.	Ophthalmia Neonatorum.	Polio- myelitis.	Dysentery.	Encephalitis Lethargica.	Anthrax.	Polio- encephalitis.	Cholera.
WESTERN.																		
Paddington . . .	149,673	-	-	-	-	28	12	5	3	-	1	-	-	-	-	-	-	-
Kensington . . .	164,177	5	-	-	-	20	6	-	2	-	-	1	-	-	-	-	-	-
Hammersmith . . .	136,200	-	-	-	-	38	20	2	1	-	-	2	-	-	-	-	-	-
Fulham . . .	158,621	-	-	-	-	29	29	2	-	-	-	-	-	-	-	-	-	-
Chelsea . . .	62,987	1	-	-	-	11	3	1	1	-	-	1	-	-	-	-	-	-
City of Westminster . . .	132,615	-	-	-	-	27	8	2	1	-	-	1	-	-	1	-	-	-
NORTHERN.																		
St. Marylebone . . .	101,856	-	-	-	-	13	7	1	1	-	-	-	-	-	-	-	-	-
Hampstead . . .	91,519	-	-	-	-	11	17	-	-	-	-	-	-	-	-	-	-	-
St. Pancras . . .	228,178	2	-	-	-	65	29	2	3	-	-	3	1	-	-	-	-	-
Islington . . .	335,907	-	-	-	-	101	33	2	3	-	-	1	-	-	-	-	-	-
Stoke Newington . . .	52,984	-	-	-	-	12	11	-	-	-	-	-	-	-	-	-	-	-
Hackney . . .	225,372	-	-	-	-	53	24	-	1	-	-	1	-	-	-	-	-	-
CENTRAL.																		
Holborn . . .	39,676	-	-	-	-	6	5	1	-	-	-	-	-	-	-	-	-	-
Finsbury . . .	78,291	-	-	-	-	14	10	1	4	-	-	1	-	-	-	-	-	-
City of London . . .	14,447	-	-	-	-	4	1	1	-	-	-	-	-	-	-	-	-	-
EASTERN.																		
Shoreditch . . .	102,044	-	-	-	-	25	12	3	3	-	-	3	-	-	-	-	-	-
Bethnal Green . . .	114,471	-	2	-	-	29	6	1	4	-	-	-	-	-	-	-	-	-
Stepney . . .	241,770	-	-	-	-	43	48	7	4	-	1	1	-	-	-	-	-	-
Poplar . . .	159,766	-	-	-	-	34	15	8	3	-	-	1	-	-	-	-	-	-
SOUTHERN.																		
Southwark . . .	187,142	1	-	-	-	45	13	10	7	-	1	1	-	-	1	-	-	-
Bermondsey . . .	129,189	-	-	-	-	21	25	-	2	-	-	-	-	-	-	-	-	-
Lambeth . . .	293,572	-	-	-	-	64	17	2	5	-	1	2	-	-	1	-	-	-
Battersea . . .	165,664	-	-	-	-	74	26	4	3	-	-	2	-	-	-	-	-	-
Wandsworth . . .	346,990	1	-	-	-	73	17	4	2	-	-	3	1	-	-	-	-	-
Camberwell . . .	284,712	1	1	-	-	73	20	2	5	-	-	1	-	1	-	-	-	-
Deptford . . .	115,636	-	-	-	-	41	8	2	-	-	-	-	-	-	-	-	-	-
Greenwich . . .	102,408	2	-	-	-	48	19	2	4	-	-	1	-	-	-	-	-	-
Lewisham . . .	174,438	-	-	-	-	42	14	1	1	-	-	1	-	-	-	-	-	-
Woolwich . . .	141,666	-	-	-	-	44	21	-	-	-	-	-	-	-	-	-	-	-
TOTAL . . .	4,531,971	13	3	-	-	1088	476	66	63	-	4	27	2	1	3	-	-	-
AGES.																		
Ages 0-1 . . .		-	-	-	-	9	8	-	3	-	-	27	-	-	-	-	-	-
„ 1-5 . . .		-	-	-	-	189	93	16	4	-	-	-	1	-	-	-	-	-
„ 5- . . .		2	-	-	-	465	219	10	4	-	-	-	1	-	-	-	-	-
„ 10- . . .		4	-	-	-	298	81	2	5	-	-	-	-	-	-	-	-	-
„ 15- . . .		-	-	-	-	61	32	4	6	-	-	-	-	-	-	-	-	-
„ 20- . . .		3	-	-	-	20	14	5	4	-	-	-	-	-	1	-	-	-
„ 25- . . .		2	2	-	-	28	17	4	6	-	2	-	-	-	1	-	-	-
„ 35- . . .		1	1	-	-	15	11	4	5	-	1	-	-	-	1	-	-	-
„ 45- . . .		1	-	-	-	3	1	8	12	-	1	-	-	1	-	-	-	-
„ 55- . . .		-	-	-	-	-	-	9	6	-	-	-	-	-	-	-	-	-
„ 65- . . .		-	-	-	-	-	-	4	7	-	-	-	-	-	-	-	-	-
„ 75 and upwards . . .		-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Age not stated . . .		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

† See note † on first page of this return.

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS AND DEATHS REGISTERED:—

LONDON AND

NINETY-FIVE OTHER GREAT TOWNS

~~~~~  
By Authority of the Registrar General,  
~~~~~

LONDON:

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from

H.M. STATIONERY OFFICE at the following addresses:

IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and

28, ABINGDON STREET, LONDON, S.W. 1;

37, PETER STREET, MANCHESTER;

1, ST. ANDREW'S CRESCENT, CARDIFF;

23, FORTH STREET EDINBURGH;

from EASON AND SON, LTD., 40 and 41, LOWER SACKVILLE STREET, DUBLIN.

No. 46. VOL. LXXXII. 1921. WEEK ENDED SATURDAY, NOV. 19.
[Price 9d. Net.]

*General Register Office, Somerset House,
November 22nd, 1921.*

NINETY-SIX GREAT TOWNS.

For the NINETY-SIX GREAT TOWNS of England and Wales, each of which had a population of 50,000 or over at the Census of 1911, the births registered last week numbered 7,900, and corresponded to an annual rate of 22·1 per 1,000. The deaths* among the civilian population only numbered 5,202, and corresponded to an annual rate of 14·6 per 1,000 of their aggregate civilian population, which is provisionally estimated† at 18,554,878 persons in the year 1920. In the three weeks ended October 29th, November 5th, and November 12th, the rates had been 11·0, 11·4, and 12·1 respectively. The infant mortality was 84, against 86, 92, and 76 in the preceding three weeks. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks; it also shows for the week ended last Saturday the births and the deaths from certain individual causes. A column showing the number of deaths

* Corrected as far as possible for deaths of non-residents and for those of residents occurring outside the area. Fully corrected figures will appear in the Registrar General's Annual Report.

† The estimates of population refer to the year 1920, and are based on the returns furnished under the scheme for rationing of food.

from influenza has been inserted in Table 1. The aggregate number of deaths from influenza in the 96 great towns in each of the last thirteen weeks is shown in Table 3A.

Measured by last week's mortality, the highest annual death-rates per 1,000 living were :—from *all causes*, 18·4 in Liverpool and in Barrow-in-Furness, 18·9 in Burnley, 19·4 in Wakefield, 20·9 in Hastings, and 22·5 in Rotherham; from *measles*, 1·0 in Liverpool; and from *whooping-cough*, 1·2 in Gateshead and 1·3 in Bootle. No death from *small-pox* was registered in any of the ninety-six towns.

LONDON.* (The Administrative County, including the City of London.)

For LONDON there were 1,865 BIRTHS, corresponding to a rate of 21·4 per 1,000, and 1,435 DEATHS of civilians, corresponding to a rate of 16·5, as against 11·0, 10·8, and 13·2 per 1,000 in the three weeks ended October 29th, November 5th, and November 12th. The death-rate in the four weeks ended last Saturday averaged 12·9 per 1,000. The infant mortality was 69, against 77, 79, and 66, in the preceding three weeks.

There was one death from *enteric fever*, against 3, 4, and 0 in the preceding three weeks, the average for the corresponding weeks of the previous five years being 1. The deaths from *measles*, which had been 3, 4, and 6 in the preceding three weeks, further rose last week to 15, and were 2 above the average; 7 deaths belonged to the Borough of Poplar and 3 to St. Pancras. The deaths from *scarlet fever*, which had been 4, 6, and 9 in the preceding three weeks, fell last week to 4, but were 1 above the average. The deaths from *whooping-cough*, which had been 3, 6, and 7 in the preceding three weeks, fell last week to 5, and were equal to the average. The deaths from *diphtheria*, which had been 24, 26, and 40, in the preceding three weeks, fell last week to 36, but were 19 above the average; 4 deaths belonged to Camberwell, 4 to Stepney, and 3 each to Paddington, St. Pancras, Greenwich, and Woolwich. The deaths from *diarrhoea and enteritis under 2 years of age*, which had been 53, 53, and 26 in the preceding three weeks, further fell last week to 20, and were 3 below the average. The deaths from *influenza* numbered 17, as against 11, 6, and 13 in the preceding three weeks, and an average of 344.

Different forms of violence caused 33 deaths, of which 32 were the subject of coroners' inquests. Of these 33 deaths, 7 were cases of suicide, while the remaining 26 were attributed to other forms of violence. Nine of these latter were referred to vehicles in the streets, and 2 to burns or scalds.

CASES OF INFECTIOUS DISEASE.†

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital, there were 25 cases of enteric fever, 37 of measles, 6,132 of scarlet fever, 30 of whooping-cough, and 3,075 of diphtheria under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as

* See note * on first page.

† The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

compared with those in the preceding three weeks, were as follows :—Of enteric fever, 5 cases, against 4, 2, and 5 ; of measles, 9 cases, against 8, 9, and 8 ; of scarlet fever, 793 cases, against 967, 854, and 778 ; of whooping-cough, 1 case, against 5, 3, and 4 ; and of diphtheria, 401 cases, against 461, 464, and 475. Table 9, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the county during the week ended November 12th, 1921.

TABLE 1.—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS,—BIRTHS and DEATHS REGISTERED, and DEATH-RATES in the Week ended Saturday, 19th November, 1921, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	The DEATHS in the Week include										Week ended		DEATHS.		Cols.																					
	Deaths of										19th Nov. 1921.		BIRTHS.																							
	Deaths from										19th Nov., 1921.		Nov., 1921.																							
	Butteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Unverified Causes of Death.	5th.	12th		19th																				
																20th Oct., 1921.	Nov., 1921.	Nov., 1921.	19th Nov., 1921.																	
																Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	8.	9.	6.		7.														
																663	1,922	128	573	7,900	5,202	1,435	36	13	14	15	16	17	18	19	20	21	96 GREAT TOWNS. LONDON.†			
																5	17	5	17	83	36	1,865	24	13	14	36	1	1	3	2	5	2	2	(CROYDON.		
																-	7	-	7	24	13	1,865	24	13	14	36	1	1	3	2	5	2	2	WIMBLEDON.		
																-	5	-	5	13	14	1,865	13	13	14	36	1	1	3	2	5	2	2	EALING.		
																2	7	-	7	58	47	1,865	58	47	13	36	1	1	3	2	5	2	2	ACTON.		
																4	17	-	17	32	29	1,865	32	29	13	36	1	1	3	2	5	2	2	WILLESDEN.		
																1	19	-	19	66	36	1,865	66	36	13	36	1	1	3	2	5	2	2	HORNSEY.		
																4	13	-	13	23	19	1,865	23	19	4	36	1	1	3	2	5	2	2	TOTTENHAM.		
																2	5	-	5	20	13	1,865	20	13	2	36	1	1	3	2	5	2	2	EDMONTON.		
																4	6	-	6	13	13	1,865	13	13	4	36	1	1	3	2	5	2	2	ENFIELD.		
																12	24	-	24	82	82	1,865	82	82	12	36	1	1	3	2	5	2	2	WEST HAM.		
																6	12	-	12	40	40	1,865	40	40	6	36	1	1	3	2	5	2	2	EAST HAM.		
																3	11	-	11	31	31	1,865	31	31	3	45	1	1	3	2	5	2	2	EAST HAM.		
																4	13	-	13	39	39	1,865	39	39	4	40	1	1	3	2	5	2	2	LEYTON.		
																1	7	-	7	14	14	1,865	14	14	1	21	1	1	3	2	5	2	2	WALTHAMSTOW.		
																2	5	-	5	12	12	1,865	12	12	2	26	1	1	3	2	5	2	2	ILFORD.		
																-	17	-	17	24	24	1,865	24	24	-	15	1	1	3	2	5	2	2	GILLINGHAM.		
																1	6	-	6	14	14	1,865	14	14	-	12	1	1	3	2	5	2	2	HASTINGS.		
																1	20	-	20	37	37	1,865	37	37	-	42	1	1	3	2	5	2	2	EASTBOURNE.		
																5	29	-	29	61	61	1,865	61	61	-	98	5	5	3	2	5	2	2	BRIGHTON.		
																3	20	-	20	28	28	1,865	28	28	-	24	3	3	2	5	2	5	2	2	PORTSMOUTH.	
																6	9	-	9	32	32	1,865	32	32	-	59	6	6	3	2	5	2	5	2	BOURNEMOUTH.	
																-	17	-	17	26	26	1,865	26	26	-	32	-	-	1	1	1	1	1	1	SOUTHAMPTON.	
																8	8	-	8	12	12	1,865	12	12	-	15	-	-	1	1	1	1	1	1	1	READING.
																3	11	-	11	23	23	1,865	23	23	-	34	-	-	1	1	1	1	1	1	1	OXFORD.
																1	6	-	6	15	15	1,865	15	15	-	23	-	-	1	1	1	1	1	1	1	NORTHAMPTON.
																6	6	-	6	23	23	1,865	23	23	-	15	-	-	1	1	1	1	1	1	1	CAMBRIDGE.

* See note on first page of this return.

† For Greater London see end of Table.

‡ These towns are included within the area of Greater London.

TABLE 1 (cont.).—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH-RATES in the Week ended Saturday, 19th November 1921, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	ESTIMATED CIVILIAN POPULATION. Mid. 1920.* (Provisional.)	DEATH-RATES from all Causes.					Week ended 19th Nov., 1921.		The DEATHS in the Week include										TOWNS.			
		Week ended					19th Nov., 1921.		Deaths of Infants under 1 Year of Age.	Deaths from								Inquest Cases.		Deaths in Public Institutions.	Unidentified Causes of Death.	
							BIRTHS. DEATHS.			Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping (Cough).	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.					Violence
		29th Oct., 1921.	5th Nov., 1921.	12th Nov., 1921.	19th Nov., 1921.		BIRTHS.	DEATHS.														
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
SOUTHEND ON SEA.	87,382	9.5	7.8	10.1	11.3	36	19	2	9	-	-	-	-	-	-	-	-	-	-	2	2	SOUTHEND ON SEA.
IPSWICH.	81,119	9.6	13.5	9.6	8.4	34	13	-	8	-	-	-	-	-	-	-	1	-	-	2	-	IPSWICH.
GREAT YARMOUTH.	55,193	11.3	11.3	17.0	17.0	27	18	1	12	-	-	-	-	-	-	1	-	1	2	6	-	GREAT YARMOUTH.
NORWICH.	124,774	10.0	8.8	10.9	11.7	51	28	6	11	-	-	-	-	-	-	-	-	1	1	8	-	NORWICH.
SWINDON.	53,580	7.8	3.9	9.7	16.5	20	17	3	8	-	-	-	-	-	-	-	-	-	-	-	-	SWINDON.
EXETER.	61,365	8.5	8.5	12.7	13.6	25	16	2	8	-	-	-	-	-	-	-	-	1	1	5	-	EXETER.
PLYMOUTH.	189,218	9.9	16.8	14.3	12.7	83	46	3	23	-	-	-	-	-	-	1	-	-	1	7	-	PLYMOUTH.
BATH.	68,546	7.6	5.3	12.9	15.2	18	20	-	16	-	-	-	-	-	-	-	-	-	-	8	-	BATH.
BRISTOL.	375,641	11.5	12.2	11.7	13.2	144	95	11	45	-	-	1	1	-	6	1	-	2	4	28	-	BRISTOL.
GLOUCESTER.	52,096	12.0	17.0	9.0	13.0	13	13	1	7	-	-	-	-	-	-	-	-	-	-	2	-	GLOUCESTER.
STOKE ON TRENT.	243,852	14.0	15.1	15.3	15.7	130	75	20	10	2	-	-	-	-	-	4	1	3	6	20	-	STOKE ON TRENT.
WOLVERHAMPTON.	102,324	10.2	12.2	7.6	15.8	49	31	5	12	-	-	-	-	-	-	-	-	-	1	8	-	WOLVERHAMPTON.
WALSALL.	96,419	9.7	14.1	14.6	11.9	50	22	4	7	-	-	-	-	-	1	-	1	3	3	9	-	WALSALL.
WEST BROMWICH.	72,684	11.5	9.3	7.9	15.1	38	21	7	5	-	-	-	-	-	-	-	-	4	4	3	-	WEST BROMWICH.
DUDLEY.	56,169	11.1	10.2	13.0	14.9	29	16	2	7	-	-	-	-	-	-	-	1	1	1	-	-	DUDLEY.
BIRMINGHAM.	895,915	10.0	10.5	10.6	11.2	376	193	24	65	-	-	-	-	4	-	4	1	6	9	49	5	BIRMINGHAM.
SMETHWICK.	75,027	7.6	4.9	8.3	11.1	44	16	2	4	-	-	-	-	-	-	-	-	-	2	2	-	SMETHWICK.
COVENTRY.	137,310	9.5	10.6	8.7	11.0	4	29	4	10	-	-	-	-	-	-	-	-	-	-	8	-	COVENTRY.
LEICESTER.	245,465	12.1	12.1	11.7	13.0	98	61	6	21	-	-	-	-	-	3	-	-	-	4	13	1	LEICESTER.
LINCOLN.	67,543	12.4	9.3	6.9	16.2	29	21	4	11	-	-	-	-	1	-	-	1	1	1	1	-	LINCOLN.
GRIMSBY.	81,953	9.5	11.5	17.8	14.0	39	22	8	6	-	-	-	-	1	-	3	-	1	2	1	-	GRIMSBY.
NOTTINGHAM.	267,836	11.3	13.6	11.5	17.1	100	88	13	33	-	-	-	-	-	1	1	-	-	2	25	1	NOTTINGHAM.
DERBY.	128,868	11.3	10.9	8.9	17.4	56	43	5	24	-	-	-	-	2	-	2	-	-	1	7	-	DERBY.

* See note + on first page of this return.

TABLE 1 (cont.).—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH-RATES in the Week ended Saturday, 19th November, 1921, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	DEATH-RATES from all Causes.				Week ended 19th Nov., 1921.		The DEATHS in the Week include										TOWNS.			
	Week ended				19th Nov., 1921.		Deaths from													
	Causes.				Deaths of		Deaths in Public Institutions.													
	Causes.				Deaths of		Deaths in Public Institutions.													
	Causes.				Deaths of		Deaths in Public Institutions.													
ESTIMATED CIVILIAN POPULATION MID. 1920.* (Provisional.)	28th Oct., 1921.	5th Nov., 1921.	12th Nov., 1921.	19th Nov., 1921.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.
STOCKPORT	130,635	8.0	10.8	11.2	11.6	52	29	2	12	-	-	-	-	1	-	-	-	1	12	-
BIRKENHEAD	153,951	8.5	9.5	12.5	11.5	59	34	5	14	-	-	-	-	-	3	-	1	1	9	-
WALLASEY	99,226	8.9	7.9	11.6	13.7	33	26	3	11	-	-	-	-	1	1	-	1	2	5	-
LIVERPOOL	803,452	13.2	13.3	14.0	18.4	412	284	54	72	-	16	2	5	4	11	3	5	15	125	2
BOOTLE	80,029	12.4	7.8	15.0	15.0	32	23	3	9	-	1	-	2	1	1	-	-	-	6	-
ST. HELENS	104,822	11.9	9.9	10.9	17.9	50	36	8	7	-	-	-	-	-	-	-	-	-	3	4
SOUTHPORT	72,939	7.9	7.9	7.1	10.7	21	15	-	10	-	-	-	1	-	-	-	-	-	-	-
WIGAN	90,866	11.5	13.8	13.8	10.9	48	19	3	8	-	-	-	-	-	-	-	1	4	5	-
WARRINGTON	77,939	10.0	6.7	10.0	16.1	32	24	2	8	-	-	-	-	-	2	-	-	-	4	1
BOLTON	134,533	13.6	11.6	12.4	14.7	69	52	6	20	-	-	1	-	-	1	1	2	5	11	-
BURY	56,410	12.9	8.3	12.0	16.6	23	18	3	4	-	-	-	-	-	-	1	-	-	2	-
MANCHESTER	770,597	11.5	12.9	13.2	15.0	358	221	32	63	-	-	1	1	4	10	2	5	9	78	4
SALFORD	235,239	11.5	14.0	16.8	12.6	116	57	12	13	-	-	-	-	-	2	-	2	6	19	-
OLDHAM	143,154	17.1	12.7	13.8	18.2	58	50	6	14	-	-	-	-	-	1	-	1	6	4	-
ROCHDALE	98,639	12.3	10.6	11.1	16.1	32	29	4	8	-	1	1	-	-	1	1	2	2	11	-
BURNLEY	105,030	13.4	13.4	10.4	18.9	47	38	3	14	-	-	-	-	1	-	-	1	3	12	-
BLACKBURN	131,012	13.1	11.5	12.3	12.3	45	31	5	13	-	-	-	-	1	2	-	-	-	6	-
PRESTON	121,950	12.4	13.3	10.3	13.3	51	31	5	10	-	-	-	-	-	-	-	1	2	7	1
BLACKPOOL	70,545	11.1	9.6	14.8	16.3	18	22	2	12	-	-	-	-	-	-	-	-	-	3	2
BARROW IN FURNESS	76,561	12.9	7.5	11.6	18.4	30	27	7	8	-	-	-	-	-	-	-	-	-	8	-
HUDDERSFIELD	116,776	11.2	9.8	12.5	13.8	40	31	3	10	-	-	-	1	-	-	-	2	3	10	-
HALIFAX	105,847	8.9	11.8	11.8	16.3	34	33	-	15	-	-	-	1	1	-	-	-	2	9	-
BRADFORD	293,979	10.6	11.4	11.4	15.4	102	87	13	33	-	-	-	-	-	1	1	4	15	27	-
LEEDS	449,212	10.6	12.3	11.7	15.9	192	137	20	42	-	-	-	2	3	2	-	6	19	37	-
DEWSBURY	55,080	12.3	14.2	14.2	10.4	22	11	3	6	-	-	-	-	-	-	-	-	-	-	-
WAKEFIELD†	51,169	9.2	9.2	18.3	19.4	30	19	2	5	-	-	-	-	-	1	-	1	2	2	-
BARNSELEY†	53,739	15.5	15.5	13.6	17.5	25	18	3	11	-	-	-	-	-	-	2	-	1	3	-

*. See note + on first page of this return.
† The extension of the Boroughs of Wakefield and Barnsley on the 9th November 1921 will not be taken into account in the Weekly Returns until next year.

TOWNS.	ESTIMATED CIVILIAN POPULATION, MID. 1920.* (Provisional).	Causes.				Week ended 19th Nov., 1921.		Deaths of		Deaths from								Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS	
		Week ended				19th Nov., 1921.		Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.					Violence.
		29th Oct., 1921.	5th Nov., 1921.	12th Nov., 1921.	19th Nov., 1921.	BIRTHS.	DEATHS.															
		1.	2.	3.	4.	5.	6.	7.	8.													
SHEFFIELD†	492,570	10·9	13·4	12·8	13·3	250	126	20	36	-	-	-	-	-	-	4	4	2	8	36	-	SHEFFIELD.†
ROTHERHAM	71,785	6·5	9·4	15·3	22·5	44	31	7	7	-	-	-	-	-	-	-	5	2	3	5	-	ROTHERHAM.
YORK	77,501	10·1	10·1	14·8	14·1	29	21	2	6	-	-	-	-	-	-	-	-	-	2	4	-	YORK.
HULL	290,808	11·5	10·6	10·0	13·3	133	74	13	26	-	-	-	-	-	-	1	-	4	6	24	-	HULL.
MIDDLESBROUGH	132,208	11·8	11·8	10·6	16·2	83	41	10	10	-	-	-	-	2	-	2	-	1	2	7	1	MIDDLESBROUGH.
DARLINGTON	66,610	12·5	9·4	7·8	14·9	26	19	3	7	-	-	-	-	-	-	2	-	2	1	1	1	DARLINGTON.
STOCKTON ON TEES	63,114	8·3	10·7	10·7	9·1	28	11	1	5	-	-	-	-	-	-	-	1	-	-	1	2	STOCKTON ON TEES.
WEST HARTLEPOOL	68,126	11·5	13·0	16·1	13·8	28	18	2	9	-	1	-	-	1	-	-	-	1	2	3	1	WEST HARTLEPOOL.
SUNDERLAND	155,211	16·1	21·5	13·8	13·4	86	40	7	13	-	-	-	-	-	-	2	-	-	3	7	-	SUNDERLAND.
SOUTH SHIELDS†	115,945	13·5	11·7	13·0	15·3	61	34	7	11	-	-	-	-	-	-	3	-	-	1	6	2	SOUTH SHIELDS.†
GATESHEAD	128,309	10·6	13·0	13·0	17·1	75	42	9	7	-	-	-	-	3	-	2	-	2	4	13	3	GATESHEAD.
NEWCASTLE ON TYNE.	286,061	11·3	10·6	10·8	12·6	139	69	7	23	1	-	-	-	-	-	4	-	2	4	15	-	NEWCASTLE ON TYNE.
TYNEMOUTH	60,318	13·0	12·1	11·2	10·4	32	12	4	2	-	-	-	-	-	-	3	-	-	1	1	-	TYNEMOUTH.
CARLISLE	57,397	11·8	10·0	11·8	10·9	17	12	4	3	-	-	-	-	1	-	-	-	-	-	2	-	CARLISLE.
NEWPORT (MON.)	90,728	11·5	10·9	8·6	16·1	55	28	3	12	-	-	-	-	-	-	-	-	1	1	8	-	NEWPORT (MON.).
CARDIFF	212,582	7·8	7·6	10·3	10·5	79	43	7	10	-	-	-	-	1	-	2	-	1	3	13	-	CARDIFF.
RHONDDA	184,999	9·6	9·9	8·5	11·0	78	39	4	12	-	-	-	-	-	-	1	-	1	2	7	-	RHONDDA.
MERTHYR TYDFIL	74,493	14·0	18·9	15·4	16·1	44	23	4	11	-	-	-	-	-	-	2	-	1	1	2	-	MERTHYR TYDFIL.
ABERDARE	53,431	9·8	12·7	6·8	12·7	29	13	2	4	-	-	-	-	-	-	1	-	1	1	-	-	ABERDARE.
SWANSEA	167,218	12·5	11·5	9·4	11·2	88	36	7	10	-	-	-	-	1	-	1	-	-	1	7	-	SWANSEA.
GREATER LONDON	7,548,647	10·4	10·4	12·1	14·9	3041	2161	217	870	1	-	19	5	8	48	35	30	49	156	843	2	GREATER LONDON.
OUTER RING	3,016,676	9·4	9·8	10·5	12·5	1176	726	89	297	-	-	4	1	3	12	15	13	16	48	217	-	OUTER RING.
14 GREAT TOWNS IN OUTER RING.	1,734,723	9·6	10·2	10·1	12·8	680	426	48	163	-	-	1	1	-	4	7	6	7	29	144	-	14 GREAT TOWNS IN OUTER RING.
REMAINDER OF OUTER RING.	1,281,953	9·2	9·2	10·9	12·2	496	300	41	134	-	-	3	-	3	8	8	7	9	19	73	-	REMAINDER OF OUTER RING.
EDINBURGH†	420,281	12·8	11·2	11·7	17·4	163	140	16	56	-	-	-	-	1	-	2	-	8	?	?	?	EDINBURGH.†
GLASGOW†	1,034,069	13·5	13·5	12·6	15·7	569	312	45	91	1	-	-	2	2	2	13	4	14	?	?	?	GLASGOW.†
DUBLIN (Registra- tion Area).†	423,000	13·3	11·2	12·3	15·8	159	128	25	39	-	-	1	1	-	1	2	-	3	7	57	1	DUBLIN (Registra- tion Area).†
BELFAST†	420,000	15·6	15·0	14·0	16·3	201	131	20	37	1	-	-	-	-	-	2	2	4	4	24	6	BELFAST.†

* See note † on first page of this return.

† The populations are total populations and relate to 1921, those for Edinburgh and Glasgow being Census populations. Deaths and death-rates in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week: those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

‡ The extension of the Borough of Sheffield on the 9th November 1921, and of South Shields on the 1st November 1921, will not be taken into account in the Weekly Return until next year.

TABLE 2. LONDON.—Births and Deaths registered during the FORTY-SIXTH Week of each of the Eleven Years, 1911-1921.

	1911.	1912.	1913.	1914.	1915.	1916.	1917.	1918.	1919	1920.	1921.
Births (as registered).	2201	2102	1997	2011	1835	1832	1419	1342	2242	2011	1865
Males	1072	1023	987	1007	939	901	756	677	1153	1054	924
Females	1129	1079	1010	1004	896	931	663	665	1089	957	941
Deaths (of residents only).	1128	1249	1157	1264	1406	1154*	1014*	3396*	1099*	1138*	1435*
Males	585	666	600	656	733	586	542	1551	554	555	685
Females	543	583	557	608	673	568	472	1845	545	583	750

* Deaths in civilian population only.

TABLE 3. LONDON.—BIRTHS and DEATHS REGISTERED, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the last THIRTEEN WEEKS.

	Aug. 27.	Sept. 3.	Sept. 10.	Sept. 17.	Sept. 24.	Oct. 1.	Oct. 8.	Oct. 15.	Oct. 22.	Oct. 29.	Nov. 5.	Nov. 12.	Nov. 19.
Births (as registered)	2003	1893	1782	1918	1921	1910	1889	1885	1944	1835	1813	1869	1865
Deaths (of residents only).	966	952	980	949	975	884	983	979	996	955	940	1150	1435
Age													
Under 1 year	235	268	230	204	184	184	185	177	170	142	144	123	128
1-2 years	44	50	38	41	39	28	38	25	35	32	29	33	44
2-5 "	15	11	19	23	25	17	32	21	25	25	19	25	35
5-10 "	21	22	15	24	33	24	27	25	18	16	40	38	31
10-15 "	9	10	14	14	9	12	22	20	14	7	12	17	19
15-20 "	20	15	17	21	27	8	13	19	19	23	19	21	24
at													
20-25 "	21	19	18	19	21	23	18	20	28	21	12	23	28
25-35 "	32	34	45	53	44	35	42	35	43	51	48	59	59
Death													
35-45 "	56	56	62	68	67	56	67	62	75	75	62	94	102
45-55 "	109	103	89	90	114	100	101	115	106	119	94	145	153
55-65 "	130	104	126	122	114	117	123	150	141	134	134	152	239
65-75 "	134	136	166	133	149	155	156	158	159	151	159	204	278
75 years and upwards	140	124	141	137	149	125	159	152	163	159	168	216	295
Deaths from—													
Enteric fever	1	1	3	1	1	2	5	2	1	3	4	—	1
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	6	3	1	—	2	—	3	—	4	3	4	6	15
Scarlet fever	3	4	7	2	2	6	6	1	9	4	6	9	4
Whooping cough	23	8	13	14	10	13	14	8	8	3	6	7	5
Diphtheria	6	11	13	20	24	16	20	27	28	24	26	40	36
Diarrhoea and enteritis (under 2 years).	142	191	159	121	102	97	81	80	61	53	53	26	20
Pulmonary tuberculosis	55	54	78	80	74	64	73	74	91	115	65	112	139
Influenza	2	2	3	5	8	5	4	13	12	11	6	13	17
Pneumonia (all forms)	44	52	47	41	54	61	60	65	59	70	67	83	130
Bronchitis	26	20	30	34	35	38	41	45	46	58	52	96	202
Other dis. of resp. system	10	9	5	12	14	7	13	7	11	8	5	10	29
Dis. of circ. system	137	126	134	121	137	139	150	161	157	141	155	206	263
Violence	42	31	20	25	41	37	29	35	35	38	35	35	33
Inquest cases	86	70	64	68	89	82	85	96	83	83	87	94	108

CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.

Enteric fever	32	34	37	40	38	40	40	42	34	31	24	27	25
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	48	37	37	37	28	21	19	26	27	31	33	38	37
Scarlet fever	3394	3433	3680	4003	4428	4887	5508	5978	6067	6285	6305	6233	6132
Whooping cough	41	41	45	59	50	48	44	41	38	33	31	29	30
Diphtheria	1740	1713	1773	1834	1947	2056	2247	2447	2623	2814	2960	3031	3075

* The Metropolitan Asylums Board and London Fever Hospitals. The figures do not refer to London exclusively.

TABLE 3A. 96 Great Towns.—DEATHS from INFLUENZA in the last THIRTEEN WEEKS.

	Aug. 27.	Sept. 3.	Sept. 10.	Sept. 17.	Sept. 24.	Oct. 1.	Oct. 8.	Oct. 15.	Oct. 22.	Oct. 29.	Nov. 5.	Nov. 12.	Nov. 19.
Deaths from Influenza	12	17	21	27	22	37	34	49	46	30	32	44	59

TABLE 4. LONDON.—DEATHS REGISTERED in the FORTY-SIXTH Week of the Year 1921.

CAUSES OF DEATH.	Deaths in the 46th week of the year 1920.	DEATHS OF PERSONS OF THE AGES													
		ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-10 years.	10-15 years.	15-20 years.	20-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and up- wards.
ALL CAUSES	1138	1435	128	44	35	31	19	24	28	59	102	153	239	278	295
Enteric fever	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	2	15	1	9	5	-	-	-	-	-	-	-	-	-	-
Scarlet fever	7	4	-	-	2	1	-	-	-	1	-	-	-	-	-
Whooping cough	2	5	-	4	1	-	-	-	-	-	-	-	-	-	-
Diphtheria	20	36	4	3	10	15	3	1	-	-	-	-	-	-	-
Influenza	13	17	-	-	-	-	-	1	1	-	2	3	3	4	3
Erysipelas	2	3	-	-	-	-	-	-	-	-	-	1	1	-	1
Acute Poliomyelitis, Polioencepha- litis.	?	1	-	-	-	1	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	?	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Meningococcal meningitis . . .	?	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other endemic and epidemic diseases.	5	2	-	-	-	-	-	-	-	-	-	-	1	1	-
Pyæmia and septicæmia	-	4	-	-	-	-	1	-	-	-	1	-	-	-	2
Tetanus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis :—															
Pulmonary tuberculosis	94	139	-	1	-	-	3	12	16	25	32	23	21	6	-
Tuberculous meningitis	6	3	-	-	-	2	1	-	-	-	-	-	-	-	-
Abdominal tuberculosis	5	1	-	-	-	-	-	-	-	1	-	-	-	-	-
Tuberculosis of the spine	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of the joints	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-
Tuberculosis of other organs . . .	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1
Disseminated tuberculosis . . .	1	6	-	1	1	1	1	-	-	-	1	-	1	-	-
Venereal diseases	6	6	5	-	-	-	-	-	-	-	-	-	1	-	-
Cancer	117	136	-	-	-	1	-	-	-	2	9	24	44	39	17
Rheumatic fever	7	6	-	-	-	2	-	-	-	-	1	1	2	-	-
Diabetes	8	9	-	-	-	-	-	-	-	-	2	2	2	1	2
Anæmia, leucocythæmia	3	7	-	-	-	-	-	-	-	-	2	1	1	2	1
Other general diseases	9	15	-	1	-	-	-	2	-	-	-	3	1	3	5
Alcoholism	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic poisonings	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	5	6	3	-	-	1	-	-	-	1	1	-	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	30	52	-	-	-	-	-	-	-	1	2	4	16	13	16
Softening of brain	2	2	-	-	-	-	-	-	-	1	-	-	-	-	1
Paralysis, without specified cause .	4	2	-	-	-	-	-	-	-	-	-	-	-	1	1
Epilepsy	5	7	-	1	-	1	-	-	-	-	-	1	-	4	-
"Convulsions" (not puerperal) . .	8	3	2	-	1	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system .	23	21	-	-	2	1	1	-	-	1	1	4	7	1	3
Pericarditis	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Acute endocarditis	5	17	-	-	-	-	1	-	3	4	4	2	1	1	1
Other diseases of heart	137	186	-	-	-	-	1	3	2	4	6	20	36	61	53
Embolism and thrombosis (exclud- ing cerebral).	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of circulatory system.	38	59	-	-	-	-	-	-	-	-	1	5	15	19	19
Diseases of the larynx	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-
Bronchitis	138	202	7	-	2	-	-	-	-	1	9	18	35	50	80
Broncho-pneumonia	53	67	13	13	6	2	1	-	-	-	2	2	6	13	9
Lobar pneumonia	28	30	-	2	2	-	-	-	2	2	2	9	6	3	2
Pneumonia (type not distinguished)	30	33	3	3	1	1	-	2	1	4	2	4	4	3	5
Pleurisy	5	4	-	1	-	-	-	-	-	-	1	1	-	-	1
Pulmonary congestion Pulmonary apoplexy.	-	6	-	-	-	-	-	-	-	-	-	-	1	4	1
Other diseases of respiratory system.	13	18	-	-	-	-	-	1	-	1	1	3	6	5	1

TABLE 5.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM							
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria*	Diarrhoeal Diseases† (under 2 years).	Influenza.
LONDON† . .	4,531,971	1921. Nov. 19	1,865	1,435	16·5	1	-	15	4	5	36	20	17
CUTTACK . .	896,067	Oct. 8	-	573§	33·2	?	-	?	?	?	?	?	14
BOMBAY . .	979,445	" 8	416	923§	49·0	2	2	-	-	1	-	72	11
MADRAS . .	522,951	" 8	402	335	33·3	-	4	-	?	-	-	30	-
CHENNAI . .	2,847,229	{ 10 days } Sept. 30	-	-	-	-	-	-	-	-	-	-	-
COCHIN . .	792,919	- - -	-	-	-	-	-	-	-	-	-	-	-
AMSTERDAM .	340,852	Oct. 29	114	77	12·0	-	-	-	-	-	1	18	-
ROTTERDAM .	682,164	Nov. 5	256	124	9·5	-	-	-	-	3	3	2	-
COPENHAGEN .	571,000	" 5	249	115	10·5	-	-	-	-	-	-	4	-
STOCKHOLM .	419,788	Oct. 29	124	76	9·4	-	-	-	1	-	-	1	-
GOETENBURG .	205,547	" 22	-	41	10·4	-	-	-	-	-	-	-	1
CHRISTIANIA .	260,920	Nov. 5	89	49	9·8	1	-	-	-	-	-	2	-
PRAGUE . .	1,945,000	Oct. 29	448	473	12·6	7	?	1	2	1	1	16	2
BRATISLAVA .	547,000	" 29	213	152	14·4	-	?	-	-	1	2	10	1
BUDAPEST . .	669,000	" 29	290	174	13·5	1	?	-	-	3	2	20	1
OSLO . .	600,000	" 29	198	122	10·6	1	?	-	-	-	-	6	3
HAMBURG- HAMBURG .	471,000	" 29	150	91	10·0	1	?	-	1	1	-	1	1
BERLIN . .	1,031,000	" 29	280	205	10·3	1	?	-	2	-	1	5	3
VIENNA . .	630,000	" 29	244	126	10·4	-	?	-	-	-	2	5	1
PARIS . .	670,000	" 29	197	153	11·9	1	?	-	-	-	-	5	2
BOLOGNA . .	1,842,005	" 22	460	477	13·5	4	-	-	1	1	1	12	-
BRUSSELS . .	676,454	" 15	237	178	13·7	1	-	-	1	-	1	13	1
BUDAPEST . .	933,000	Aug. 27	434	300	16·7	15	?	1	3	2	1	29	-
CAIRO . .	765,200	Sept. 2	602	521	35·4	8	-	3	-	?	6	93	?
ALEXANDRIA .	449,300	" 2	335	310	35·9	3	-	1	-	?	-	51	?
NEW YORK . .	5,751,859	Oct. 15	2,480	1,019	9·2	3	-	-	1	4	11	36	5
CHICAGO . .	2,780,655	" 29	-	596	11·8	1	-	-	5	-	20	39	2
MONTEVIDEO .	359,698	Sept. 3	196	154	22·3	1	-	-	-	-	1	-	-

Including deaths from croup in Bombay, Madras, Paris, Antwerp, Amsterdam, Copenhagen, the German Cities, Vienna, Prague and Suburbs, Budapest, and Montevideo.
The deaths in this column relate to *all ages* for Bombay, Madras, Christiania, and Budapest, and to *children under 1 year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.
The estimated population and deaths refer to the civilian population only.
Including 3 deaths from *plague* in Bombay and 1 in Alexandria, and from *Asiatic cholera* 8 deaths in Calcutta and 1 in Bombay.
The Registration of Births in Bombay is incomplete.

TABLE 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 19th November, 1921.
(Supplied by the Meteorological Office.)

TOWNS.	Temperature of Air.*				Rainfall in Milli- metres.†	TOWNS.	Temperature of Air.*				Rainfall in Milli- metres.†
	Highest.	Lowest.	Mean Maxi- mum.	Mean Mini- mum.			Highest.	Lowest.	Mean Maxi- mum.	Mean Mini- mum.	
LONDON (Greenwich) }	50	25	45·3	34·7	7	BRADFORD . .	45	29	42·4	34·3	12
NOTTINGHAM .	51	31	48·7	38·9	8	SHEFFIELD . .	46	30	43·7	37·7	12
PLYMOUTH . .	52	26	49·0	40·1	15	YORK (Museum) .	48	29	44·7	38·0	5
LEICESTER (Eaton) .	49	29	45·4	36·0	0	HULL (Pearson Park)	48	35	46·0	39·6	13
PLYMOUTH . .	57	28	51·7	42·6	48	PLYMOUTH . .	49	29	45·0	39·3	23
NOTTINGHAM (Clifton) .	52	25	47·3	34·0	8	CARDIFF . .	56	26	47·3	36·3	19
LEICESTER . .	47	30	43·4	36·7	8	EDINBURGH . .	Not available.				
LEICESTER . .	47	29	44·0	37·0	8	GLASGOW . .	47·4	32·5	44·8	38·6	38
LEICESTER (Bidston) }	43	28	45·1	35·4	8	DUBLIN :—					
LEICESTER . .	48	26	45·4	38·0	7	Phoenix Park . .	53·0	29·0	49·5	36·4	8
LEICESTER . .	45	22	42·9	34·1	7	St. Fitzwilliam Square	51·4	37·9	49·8	41·3	17
LEICESTER . .	45	27	42·9	35·6	8	BELFAST . .	50·0	31·8	48·1	39·1	21

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.

† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R. Met. Soc., Dublin.

‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

§ Week ended 12th November :—Temperature 54·1°, 21·6°, 47·4°, 28·8°; Rainfall, 1 mm.

TABLE 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 19th November 1921.

[Under the Superintendence of the Astronomer Royal.]

1921. MONTH AND DAY.	Phases of the Moon.	BARO- METER. Mean daily reading (cor- rected and re- duced to 32° Fahren- heit).	TEMPERATURE.					Difference between the Air Temperature and Dew Point Temperature.			De- gree of Hu- mid- ity (Satu- ration equals 100).	TEMPERATURE.			Wind as deduced from Anemometers.				Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
			Of the Air.					Mean daily value.	Great- est.	Least.		Of Radiation.		Of the Earth 4 feet below the surface.	Osler's.		Robinson's.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
			High- est.	Low- est.	Daily Range.	Mean daily value.	De- parture from Average of 65 years.					Mean daily value.	Highest in Sun's Rays.		Lowest on the Grass.	A.M.	P.M.	Great- est.		Pressure on the Square Foot.		Horizontal Movement of the Air on each Day.	Depart- ure from Average of 50 years.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
NOVEMBER.		in.	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°

DATE.		ELECTRICITY. (For explanation of symbols, see Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
NOVEMBER 1921.					
SUNDAY	13	v.P. throughout	3.9	8.9	Thin cloud prevalent till 2h.; becoming cloudless by 4h.; little cloud from noon till 18h.; becoming overcast by 19h.; misty generally from 8h.; hoar frost in morning; occasional slight snow after 19h. Overcast till 2h.; cloudy generally with overcast intervals till 23h., then nearly cloudless; lunar halo about 19h.
MONDAY	14	v.P. throughout	1.2	8.9	Variably cloudy with hoar frost till 8h.; overcast and misty generally till 13h. 30m., damping at times; variably cloudy till 22h., then nearly cloudless; heavy dew at night. Nearly cloudless generally till 6h., with heavy dew, becoming overcast soon after 6h.; frequent damping or slight rain from 8h. 30m. to 17h. 30m.; afterwards rain generally. Overcast generally with few very cloudy intervals; rain till 5h.
TUESDAY	15	v.P. till noon, w.P. afterwards.	0.0	8.8	Overcast generally; few very cloudy intervals in afternoon.
WEDNESDAY	16	w.P. throughout	0.0	8.8	Overcast generally; few breaks between 13h. and 17h.
THURSDAY	17	w.P. generally	1.0	8.8	
FRIDAY	18	w.P. till 14h., v.P. afterwards.	0.2	8.7	
SATURDAY	19	w.P. throughout	0.0	8.6	
No. of Col.		26	Sum 6.3	Sum 61.5	
			27	28	

The results apply to the civil day, or from midnight to midnight. The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level. Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables. The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916. In reading columns 9 and 24 it will be borne in mind that + indicates "higher," and - "lower," than the average. The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined. The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable. The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day. The reading of the barometer decreased from 29.98 in. at the beginning of the week to 29.64 in. by 15h. on 16th; increased to 30.01 in. by 23h. on 17th; decreased to 29.84 in. by 6h. on 19th, and increased to 29.91 in. by midnight on the same day.

The results apply to the civil day, or from midnight to midnight.
The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.
Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.
The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.
In reading columns 9 and 24 it will be borne in mind that + indicates "higher," and - "lower," than the average.
The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.
The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.
The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.
The reading of the barometer decreased from 29.98 in. at the beginning of the week to 29.64 in. by 15h. on 16th; increased to 30.01 in. by 23h. on 17th; decreased to 29.84 in. by 6h. on 19th, and increased to 29.91 in. by midnight on the same day.

TABLE 3. LONDON.—DEATHS OF PERSONS BELONGING to the several METROPOLITAN BOROUGHs REGISTERED in the Week ended 12th November, 1921.

BOROUGHs.	Deaths from									Deaths of Infants under 1 Year of Age.
	ALL CAUSES.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Pulmonary Tuberculosis.	
COUNTY OF LONDON -	1150	-	-	6	9	7	40	26	112	123
Western										
PADDINGTON . . .	37	-	-	-	1	-	2	1	3	4
KENSINGTON . . .	53	-	-	-	-	-	-	1	6	7
HAMMERSMITH . . .	27	-	-	-	2	-	-	1	4	3
FULHAM	48	-	-	-	2	-	4	1	1	5
CHELSEA	20	-	-	-	-	-	-	-	1	1
CITY OF WESTMINSTER .	34	-	-	-	-	-	-	-	1	3
Northern.										
ST. MARYLEBONE . . .	24	-	-	-	-	-	-	-	2	1
HAMPSTEAD	17	-	-	-	-	-	-	-	-	2
ST. PANCRAS	60	-	-	-	-	-	2	2	6	7
ISLINGTON	77	-	-	-	-	-	2	4	7	8
STOKE NEWINGTON . . .	9	-	-	-	-	-	1	-	-	-
HACKNEY	55	-	-	-	1	-	1	4	5	8
Central.										
HOLBORN	15	-	-	-	-	-	-	1	2	2
FINSBURY	27	-	-	-	-	-	3	-	3	4
CITY OF LONDON . . .	3	-	-	-	-	-	-	-	-	-
Eastern.										
SHOREDITCH	29	-	-	-	-	-	-	3	4	6
BETHNAL GREEN . . .	39	-	-	1	-	-	-	1	5	2
STEPNEY	82	-	-	1	-	-	4	-	9	8
POPLAR	51	-	-	2	-	1	3	1	3	8
Southern.										
SOUTHWARK	49	-	-	1	-	1	1	1	11	7
BERMONDSEY	38	-	-	-	-	-	4	2	5	3
LAMBETH	73	-	-	-	-	2	-	3	4	6
BATTERSEA	37	-	-	-	1	1	1	-	3	6
WANDSWORTH	71	-	-	-	-	-	1	-	8	4
CAMBERWELL	51	-	-	-	-	1	2	-	6	4
DEPTFORD	34	-	-	-	-	-	1	-	5	8
GREENWICH	28	-	-	-	-	-	5	-	2	1
LEWISHAM	28	-	-	-	1	-	2	-	2	2
WOOLWICH	34	-	-	1	1	1	1	-	4	3

The deaths in the above Table are, so far as concerns London as a whole, corrected by the exclusion of deaths of non-residents, and by the inclusion of those of residents occurring in the Outer Ring or in Metropolitan public institutions situated outside the County. As between individual Metropolitan Boroughs, however, correction is complete.

TABLE 9. LONDON.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED during the Week ended 12th November, 1921.*

BOROUGHS.	ESTI- MATED CIVILIAN POPU- LATION, MID. 1920.† (Provi- sional.)	Enteric Fever.	Malaria.	Continued Fever.	Small- pox.	Scarlet Fever.	Diphtheria (including Membranous Group).	Pneumonia.	Erysipelas.	Cerebro-Spinal Fever.	Puerperal Fever.	Ophthalmia Neonatorum.	Poliomyelitis.	Dysentery.	Encephalitis Lethargica.	Anthrax.	Polio- encephalitis.	Cholera.
WESTERN.																		
Paddington	149,673	2	-	-	-	23	15	-	1	1	1	2	-	-	-	-	-	-
Kensington	164,177	2	-	-	-	24	8	3	2	-	-	1	-	-	-	-	-	-
Hammersmith	136,200	-	-	-	-	47	22	1	2	-	-	1	-	-	-	-	-	-
Fulham	158,621	1	-	-	-	36	27	6	1	-	-	-	-	-	-	-	-	-
Chelsea	62,987	1	-	-	-	7	2	-	-	-	-	-	-	-	1	-	-	-
City of Westminster .	132,615	-	-	-	-	22	9	2	-	-	-	-	-	-	-	-	-	-
NORTHERN.																		
St. Marylebone . . .	101,856	1	-	-	-	11	7	-	1	-	-	-	-	-	-	-	-	-
Hampstead	91,519	-	-	-	-	7	15	1	1	-	-	-	-	-	-	-	-	-
St. Pancras	228,178	-	1	-	-	43	25	5	7	-	1	-	-	-	-	-	-	-
Islington	335,907	-	-	-	-	94	45	-	2	-	-	-	-	-	-	-	-	-
Stoke Newington . . .	52,984	-	-	-	-	15	6	-	-	-	-	-	-	-	-	-	-	-
Hackney	225,372	-	-	-	-	53	16	-	1	-	-	-	-	-	-	-	-	-
CENTRAL.																		
Holborn	39,676	-	-	-	-	9	3	-	2	-	1	-	-	-	-	-	-	-
Finsbury	78,291	-	-	-	-	11	14	-	-	-	-	1	-	-	-	-	-	-
City of London . . .	14,447	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
EASTERN.																		
Shoreditch	102,044	-	-	-	-	17	15	2	3	-	-	1	-	-	-	-	-	-
Bethnal Green	114,471	-	-	-	-	20	11	6	-	-	-	-	-	-	1	-	-	-
Stepney	241,770	-	-	-	-	26	34	2	3	-	2	-	-	-	-	-	-	-
Poplar	159,766	-	-	-	-	46	23	11	3	-	-	1	-	-	-	-	-	-
SOUTHERN.																		
Southwark	187,142	1	-	-	-	26	11	3	1	-	-	2	-	-	-	-	-	-
Bermondsey	129,189	-	-	-	-	22	43	1	1	-	-	-	-	-	-	-	-	-
Lambeth	293,572	-	-	-	-	86	15	2	1	-	1	3	-	-	-	-	-	-
Battersea	165,664	1	1	-	-	51	21	5	-	-	-	-	1	-	-	-	-	-
Wandsworth	346,990	-	-	-	-	67	16	3	1	-	-	-	-	-	-	-	-	-
Camberwell	284,712	-	2	-	-	51	19	2	1	-	1	5	-	-	-	-	-	-
Deptford	115,636	-	-	-	-	27	1	1	-	-	-	1	-	-	-	-	-	-
Greenwich	102,408	-	-	-	-	55	21	-	1	-	-	-	-	-	-	-	-	-
Lewisham	174,438	-	-	-	-	46	16	1	3	-	-	-	-	-	-	-	-	-
Woolwich	141,666	-	-	-	-	47	11	3	-	1	-	-	-	-	-	-	-	-
TOTAL	4,531,971	9	4	-	-	990	471	60	38	2	7	18	1	-	2	-	-	-
Ages																		
0-1		-	-	-	-	5	9	5	1	2	-	18	-	-	-	-	-	-
" 1-5		-	-	-	-	177	92	12	1	-	-	-	-	-	-	-	-	-
" 5-		-	-	-	-	418	174	4	1	-	-	-	1	-	1	-	-	-
" 10-		1	-	-	-	264	95	1	3	-	-	-	-	-	-	-	-	-
" 15-		2	-	-	-	58	37	5	2	-	1	-	-	-	-	-	-	-
" 20-		1	-	-	-	23	16	1	2	-	2	-	-	-	-	-	-	-
" 25-		2	2	-	-	24	31	3	7	-	2	-	-	-	1	-	-	-
" 35-		1	2	-	-	16	13	11	6	-	2	-	-	-	-	-	-	-
" 45-		2	-	-	-	4	3	6	7	-	-	-	-	-	-	-	-	-
" 55-		-	-	-	-	1	1	3	3	-	-	-	-	-	-	-	-	-
" 65-		-	-	-	-	-	-	6	3	-	-	-	-	-	-	-	-	-
" 75 and upwards . .		-	-	-	-	-	-	3	2	-	-	-	-	-	-	-	-	-
Age not stated . . .		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.
† See note † on first page of this return.

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS AND DEATHS REGISTERED:—

**LONDON AND
NINETY-FIVE OTHER GREAT TOWNS**

~~~~~  
**By Authority of the Registrar General,**  
~~~~~

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased through any Bookseller or directly from
H.M. STATIONERY OFFICE at the following addresses:
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and
28, ABINGDON STREET, LONDON, S.W. 1;
37, PETER STREET, MANCHESTER;
1, ST. ANDREW'S CRESCENT, CARDIFF;
23, FORTH STREET EDINBURGH;
from EASON AND SON, LTD., 40 and 41, LOWER SACKVILLE STREET, DUBLIN.

No. 47. VOL. LXXXII. 1921. WEEK ENDED SATURDAY, NOV. 26.
[Price 9d. Net.]

*General Register Office, Somerset House,
November 29th, 1921.*

NINETY-SIX GREAT TOWNS.

For the NINETY-SIX GREAT TOWNS of England and Wales, each of which had a population of 50,000 or over at the Census of 1911, the births registered last week numbered 7,672, and corresponded to an annual rate of 21·5 per 1,000. The deaths* among the civilian population only numbered 5,061, and corresponded to an annual rate of 14·2 per 1,000 of their aggregate civilian population, which is provisionally estimated† at 18,554,878 persons in the year 1920. In the three weeks ended November 5th, November 12th and November 19th, the rates had been 11·4, 12·1, and 14·6 respectively. The infant mortality was 74, against 92, 76, and 84 in the preceding three weeks. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks; it also shows for the week ended last Saturday the births and the deaths from certain individual causes. A column showing the number of deaths

* Corrected as far as possible for deaths of non-residents and for those of residents occurring outside the area. Fully corrected figures will appear in the Registrar General's Annual Report.

† The estimates of population refer to the year 1920, and are based on the returns furnished under the scheme for rationing of food.

from influenza has been inserted in Table 1. The aggregate number of deaths from influenza in the 96 great towns in each of the last thirteen weeks is shown in Table 3A.

Measured by last week's mortality, the highest annual death-rates per 1,000 living were :—from *all causes*, 20·4 in Darlington, 20·7 in West Hartlepool, 20·9 in Carlisle, 21·4 in Dudley, and 22·1 in Exeter. No death from *small-pox* was registered in any of the ninety-six towns.

LONDON.* (The Administrative County, including the City of London.)

For LONDON there were 1,866 BIRTHS, corresponding to a rate of 21·4 per 1,000, and 1,325 DEATHS of civilians, corresponding to a rate of 15·2, as against 10·8, 13·2, and 16·5 per 1,000 in the three weeks ended November 5th, November 12th, and November 19th. The death-rate in the four weeks ended last Saturday averaged 13·9 per 1,000. The infant mortality was 57, against 79, 66, and 69, in the preceding three weeks.

There was one death from *enteric fever*, against 4, 0, and 1 in the preceding three weeks, the average for the corresponding weeks of the previous five years being 2. The deaths from *measles*, which had been 4, 6, and 15 in the preceding three weeks, fell last week to 9, and were 7 below the average; 3 deaths belonged to the Borough of St. Pancras. The deaths from *scarlet fever*, which had been 6, 9, and 4 in the preceding three weeks, rose last week to 9, and were 6 above the average. The deaths from *whooping-cough*, which had been 6, 7, and 5 in the preceding three weeks, rose last week to 9, and were 5 above the average. The deaths from *diphtheria*, which had been 26, 40, and 36 in the preceding three weeks, further fell last week to 30, but were 15 above the average; 8 deaths belonged to Woolwich, and 3 each to Islington and Stoke Newington. The deaths from *diarrhoea and enteritis under 2 years of age*, which had been 53, 26, and 20 in the preceding three weeks, were again 20 last week, the average being 19; 3 deaths belonged to Woolwich. The deaths from *influenza* numbered 26, as against 6, 13, and 17 in the preceding three weeks, and an average of 248.

Different forms of violence caused 37 deaths, of which 36 were the subject of coroners' inquests. Of these 37 deaths, 5 were cases of suicide, while the remaining 32 were attributed to other forms of violence. Ten of these latter were referred to vehicles in the streets, 3 to burns or scalds, 2 to drowning, and 1 of an infant under one year of age, to suffocation in bed.

CASES OF INFECTIOUS DISEASE.†

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital, there were 24 cases of enteric fever, 39 of measles, 6,073 of scarlet fever, 30 of whooping-cough, and 3,080 of diphtheria under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as

* See note * on first page.

† The figures represent persons notified as suffering from the several specified forms of infectious diseases: but in some of the cases the diagnosis is afterwards found to have been erroneous.

compared with those in the preceding three weeks, were as follows :—Of enteric fever, 4 cases, against 2, 5, and 5 ; of measles, 12 cases, against 9, 8, and 9 ; of scarlet fever, 832 cases, against 854, 778, and 793 ; of whooping-cough, 2 cases, against 3, 4, and 1 ; and of diphtheria, 394 cases, against 464, 475, and 401. Table 9, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the county during the week ended November 19th, 1921.

TABLE 1.—96 GREAT TOWNS GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH-RATES in the Week ended Saturday, 26th November, 1921, and DEATH-RATES in each of the preceding three Weeks.

The DEATHS in the Week include																						
TOWNS.	Week ended 26th Nov, 1921.			Deaths from										Deaths of			Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Cols.		
	BIRTHS. DEATHS.		5.	6.	7.	8.	9.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.					Violence.	
	5th Nov., 1921.	12th Nov., 1921.																				19th Nov., 1921.
ESTIMATED CIVILIAN POPULATION MID. 1920 * (Provisional.)	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	
96 GREAT TOWNS.	18,554,878	11·4	12·1	14·6	14·2	7,672	5,061	567	1,968	6	-	36	28	43	72	84	80	145	347	1,606	39	96 GREAT TOWNS.
LONDON†	4,531,971	10·8	13·2	16·5	15·2	1,866	1,325	106	571	1	-	9	9	9	30	20	26	37	108	588	2	LONDON.†
CRUYDON.	191,580	10·3	9·8	9·8	12·2	69	45	5	19	-	-	-	-	-	-	-	-	5	7	14	-	CRUYDON.
WIMBLEDON.	62,174	9·2	14·3	10·9	15·9	20	19	1	8	-	-	-	-	-	-	-	-	2	2	7	-	WIMBLEDON.
EALING.	76,129	11·0	10·3	9·6	11·0	27	16	1	6	-	-	-	2	-	1	2	-	-	-	3	-	EALING.
ACTON.	64,192	9·7	16·2	10·6	13·8	24	17	3	7	-	-	-	-	1	1	-	-	-	-	6	-	ACTON.
WILLESDEN.	167,328	8·4	9·7	14·6	15·9	53	51	7	22	-	-	-	-	-	2	-	3	2	5	19	-	WILLESDEN.
HORNSEY.	98,107	8·5	10·6	15·4	14·3	25	27	-	14	-	-	-	-	-	-	-	-	-	1	9	-	HORNSEY.
TOTTENHAM	146,970	8·2	9·6	12·8	15·6	61	44	4	21	-	-	-	-	-	-	-	-	-	-	20	-	TOTTENHAM.
EDMONTON.	73,529	5·7	5·7	13·5	14·2	35	20	-	10	-	-	-	-	-	1	-	-	1	2	13	-	EDMONTON.
ENFIELD.	66,771	8·6	6·9	11·2	12·9	13	15	1	8	-	-	-	-	-	1	-	-	-	-	6	-	ENFIELD.
WEST HAM.	299,440	13·8	10·3	14·3	14·8	147	85	12	35	-	-	-	-	-	1	1	3	2	8	36	-	WEST HAM.
EAST HAM.	150,207	12·8	9·4	13·9	11·5	47	33	4	16	-	-	-	-	-	1	-	1	1	4	10	-	EAST HAM.
LEYTON.	128,832	9·3	10·9	12·5	10·5	43	26	-	15	-	-	-	1	-	-	-	-	1	2	11	-	LEYTON.
WALTHAMSTOW	132,771	7·5	9·4	15·3	10·2	46	26	4	10	-	-	-	-	-	1	1	-	1	4	8	-	WALTHAMSTOW.
ILFORD.	82,693	12·6	11·3	8·8	11·3	22	18	3	9	-	-	-	-	-	-	-	-	-	1	5	-	ILFORD.
GILLINGHAM.	45,233	16·1	15·0	13·8	10·4	19	9	-	5	-	-	-	-	-	-	-	-	-	-	4	-	GILLINGHAM.
HASTINGS.	59,972	9·6	13·0	20·9	18·3	8	21	-	14	-	-	-	-	-	-	-	-	1	4	3	-	HASTINGS.
EASTBOURNE.	50,354	16·6	14·5	14·5	14·5	14	14	2	7	-	-	-	-	1	-	-	-	-	1	4	-	EASTBOURNE
BRIGHTON.	137,685	7·2	13·3	14·0	18·6	38	49	1	25	-	-	-	-	1	1	-	1	1	3	11	-	BRIGHTON.
PORTSMOUTH.	235,998	12·4	11·5	13·5	9·5	118	43	7	18	-	-	-	2	-	-	2	1	2	4	14	-	PORTSMOUTH.
BOURNEMOUTH.	85,919	13·4	9·1	17·0	12·1	36	20	-	10	-	-	-	-	-	-	-	1	1	2	5	-	BOURNEMOUTH
SOUTHAMPTON.	162,388	12·8	9·3	10·3	13·2	62	41	2	19	-	-	-	-	-	-	-	-	-	-	13	-	SOUTHAMPTON.
READING.	95,006	9·9	7·7	14·3	14·8	29	27	2	13	-	-	-	-	-	-	1	-	1	1	11	2	READING.
OXFORD.	59,963	7·8	8·7	10·4	13·0	24	15	1	9	-	-	-	-	-	-	-	-	-	1	1	-	OXFORD.
NORTHAMPTON.	92,483	10·1	11·8	13·0	11·8	29	21	1	8	-	-	-	-	-	-	-	-	-	1	2	-	NORTHAMPTON.
CAMBRIDGE.	60,154	6·1	6·9	13·0	8·7	13	10	-	7	-	-	-	-	-	-	-	-	-	-	5	-	CAMBRIDGE.

* See note † on first page of this return.

† For Greater London see end of Table.

‡ These towns are included within the area of Greater London.

TABLE 1 (cont.).—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH-RATES in the Week ended Saturday, 26th November 1921, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	ESTIMATED CIVILIAN POPULATION, MID. 1920.* (Provisional.)	DEATH-RATES from all Causes.					Week ended 26th Nov., 1921.		The DEATHS in the Week include										TOWNS.			
		Week ended					BIRTHS.	DEATHS.	Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from									Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
		Week ended									Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.	Violence.						
		5th Nov., 1921.	12th Nov., 1921.	19th Nov., 1921.	26th Nov., 1921.																	
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
SOUTHEND ON SEA.	87,382	7.8	10.1	11.3	16.7	30	28	2	15	-	-	-	-	-	-	-	-	-	-	6	1	SOUTHEND ON SEA.
IPSWICH . . .	81,119	13.5	9.6	8.4	9.6	31	15	-	5	-	-	-	-	-	-	-	-	-	1	3	-	IPSWICH.
GREAT YARMOUTH .	55,193	11.3	17.0	17.0	17.0	20	18	2	10	-	-	-	-	-	-	-	-	-	1	3	-	GREAT YARMOUTH.
NORWICH . . .	124,774	8.8	10.9	11.7	18.4	43	44	3	17	-	-	-	-	-	2	-	-	1	4	10	-	NORWICH.
SWINDON . . .	53,530	3.9	9.7	16.5	10.7	17	11	4	4	-	-	-	-	-	-	-	-	-	-	-	-	SWINDON.
EXETER . . .	61,365	8.5	12.7	13.6	22.1	26	26	2	12	-	-	-	-	-	-	-	-	-	-	8	-	EXETER.
PLYMOUTH . . .	189,218	16.8	14.3	12.7	13.5	81	49	6	23	-	-	-	-	-	1	1	1	1	1	12	-	PLYMOUTH.
BATH . . .	68,546	5.3	12.9	15.2	16.0	18	21	-	9	-	-	-	-	-	-	-	-	-	-	6	-	BATH.
BRISTOL . . .	375,641	12.2	11.7	13.2	14.0	136	101	6	51	-	-	3	-	-	4	-	2	4	7	36	-	BRISTOL.
GLOUCESTER . . .	52,096	17.0	9.0	13.0	20.0	25	20	2	11	-	-	-	-	-	-	1	-	1	1	2	-	GLOUCESTER.
STOKE ON TRENT .	248,852	15.1	15.3	15.7	15.9	118	76	8	24	-	-	-	-	1	1	1	-	1	2	15	-	STOKE ON TRENT.
WOLVERHAMPTON .	102,324	12.2	7.6	15.8	12.7	60	25	2	10	-	-	-	-	-	-	1	-	1	-	9	-	WOLVERHAMPTON.
WALSALL . . .	96,419	14.1	14.6	11.9	9.7	30	18	2	7	-	-	-	-	-	-	1	-	1	4	5	-	WALSALL.
WEST BROMWICH .	72,684	9.3	7.9	15.1	15.1	33	21	3	3	-	-	-	1	-	1	-	-	-	-	4	1	WEST BROMWICH.
DUDLEY . . .	56,169	10.2	13.0	14.9	21.4	33	23	3	5	-	-	-	-	2	1	2	1	1	1	1	1	DUDLEY.
BIRMINGHAM . . .	895,915	10.5	10.6	11.2	11.8	421	203	29	80	1	-	-	3	6	-	3	1	6	9	64	9	BIRMINGHAM.
SMETHWICK . . .	75,027	4.9	8.3	11.1	11.8	30	17	2	5	-	-	-	1	1	-	-	-	1	2	1	-	SMETHWICK.
COVENTRY . . .	137,319	10.6	8.7	11.0	6.1	45	16	1	6	-	-	-	-	-	1	-	1	-	-	2	-	COVENTRY.
LEICESTER . . .	245,465	12.1	11.7	13.0	10.2	82	48	1	24	-	-	-	1	-	-	-	1	-	2	10	-	LEICESTER.
LINCOLN . . .	67,543	9.3	6.9	16.2	16.2	24	21	-	12	-	-	-	-	-	-	-	-	-	1	3	-	LINCOLN.
GRIMSBY . . .	81,953	11.5	17.8	14.0	13.4	29	21	4	7	-	-	-	-	-	1	-	-	1	2	6	2	GRIMSBY.
NOTTINGHAM . . .	267,836	13.6	11.5	17.1	19.7	114	101	15	42	-	-	-	-	-	-	1	1	4	7	27	3	NOTTINGHAM.
DERBY . . .	128,868	10.9	8.9	17.4	15.0	46	37	1	19	-	-	-	-	-	-	-	1	-	3	9	-	DERBY.

* See note † on first page of this return.

TOWNS.	ESTIMATED CIVILIAN POPULATION, MID. 1920.* (Provisional).	Causes.				Week ended		Deaths of		Deaths from										Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS
		Week ended				26th Nov., 1921.		Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from													
		5th Nov., 1921.	12th Nov., 1921.	19th Nov., 1921.	26th Nov., 1921.	BIRTHS.	DEATHS.			Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.	Violence.					
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.	
SHEFFIELD†	492,570	13·4	12·8	13·3	13·2	214	125	16	43	-	-	-	2	-	-	3	3	1	7	36	-	SHEFFIELD.†	
ROTHERHAM	71,785	9·4	15·3	22·5	17·4	31	24	3	4	-	-	-	-	-	-	-	6	-	-	4	-	ROTHERHAM.	
YORK	77,501	10·1	14·8	14·1	16·8	34	25	2	12	-	-	-	-	-	-	-	-	2	3	9	-	YORK.	
HULL	290,808	10·6	10·0	13·3	15·4	123	86	13	22	-	-	-	-	2	2	1	1	2	4	25	1	HULL.	
MIDDLESBROUGH	132,208	11·8	10·6	16·2	19·3	95	49	14	11	-	-	-	-	-	-	5	1	1	2	10	2	MIDDLESBROUGH.	
DARLINGTON	66,610	9·4	7·8	14·9	20·4	31	26	5	8	-	-	-	-	-	-	1	-	-	-	6	-	DARLINGTON.	
STOCKTON ON TEES.	63,114	10·7	10·7	9·1	11·6	36	14	3	5	-	-	-	-	-	2	2	-	-	-	2	-	STOCKTON ON TEES.	
WEST HARTLEPOOL.	68,126	13·0	16·1	13·8	20·7	48	27	4	8	-	-	-	1	-	-	-	-	-	-	5	2	WEST HARTLEPOOL.	
SUNDERLAND	155,211	21·5	13·8	13·4	16·1	108	48	7	15	-	-	-	-	1	-	3	-	2	5	10	-	SUNDERLAND.	
SOUTH SHIELDS†	115,945	11·7	13·0	15·3	16·6	56	37	5	15	-	-	-	-	-	1	1	-	-	-	5	-	SOUTH SHIELDS.†	
GATESHEAD	128,309	13·0	13·0	17·1	11·4	72	28	2	5	-	-	-	-	1	-	1	-	2	2	4	1	GATESHEAD.	
NEWCASTLE ON TYNE.	286,061	10·6	10·8	12·6	13·9	137	76	19	20	-	-	-	-	1	-	1	2	1	7	18	-	NEWCASTLE ON TYNE.	
TYNEMOUTH	60,318	12·1	11·2	10·4	19·9	27	23	2	5	-	-	-	-	1	2	1	-	1	1	4	-	TYNEMOUTH.	
CARLISLE	57,397	10·0	11·8	10·9	20·9	23	23	3	8	-	-	-	-	-	-	-	1	-	1	5	1	CARLISLE.	
NEWPORT (MON.)	90,728	10·9	8·6	16·1	7·5	42	13	2	7	-	-	-	-	-	-	2	-	3	2	2	-	NEWPORT (MON.).	
CARDIFF	212,582	7·6	10·3	10·5	13·5	86	55	14	16	-	-	-	-	1	2	2	-	3	7	17	-	CARDIFF.	
RHONDDA	184,999	9·9	8·5	11·0	7·6	71	27	6	5	-	-	-	-	-	2	1	-	1	1	1	1	RHONDDA.	
MERTHYR TYDFIL	74,493	18·9	15·4	16·1	14·7	39	21	4	9	-	-	-	-	-	-	2	-	1	1	2	-	MERTHYR TYDFIL.	
ABERDARE	53,431	12·7	6·8	12·7	15·6	29	16	5	2	-	-	-	-	-	-	-	-	1	1	1	1	ABERDARE.	
SWANSEA	167,218	11·5	9·4	11·2	11·8	68	38	5	17	-	-	-	-	-	1	-	-	1	1	-	-	SWANSEA.	
GREATER LONDON	7,548,647	10·4	12·1	14·9	14·2	2875	2060	170	900	1	-	10	12	13	41	28	39	59	159	836	2	GREATER LONDON.	
OUTER RING	3,016,676	9·8	10·5	12·5	12·7	1009	735	64	329	-	-	1	3	4	11	8	13	22	51	248	-	OUTER RING.	
14 GREAT TOWNS IN OUTER RING.	1,734,723	10·2	10·1	12·8	13·3	632	442	45	200	-	-	-	3	1	8	4	8	15	36	167	-	14 GREAT TOWNS IN OUTER RING.	
REMAINDER OF OUTER RING.	1,281,953	9·2	10·9	12·2	11·9	377	293	19	129	-	-	1	-	3	3	4	5	7	15	81	-	REMAINDER OF OUTER RING.	
EDINBURGH†	420,281	11·2	11·7	17·4	16·9	153	136	20	49	-	-	-	3	1	2	-	1	10	?	?	?	EDINBURGH.†	
GLASGOW†	1,034,069	13·5	12·6	15·7	14·8	525	293	58	77	-	-	3	-	1	1	11	1	14	?	?	?	GLASGOW.†	
DUBLIN (Registra- tion Area).†	423,000	11·2	12·3	15·8	14·9	210	121	18	39	-	-	1	2	2	2	4	1	4	5	43	3	DUBLIN (Registra- tion Area).†	
BELFAST†	420,000	15·0	14·0	16·3	12·5	186	101	17	27	2	-	-	-	-	1	2	3	4	2	25	-	BELFAST.†	

* See note † on first page of this return.

† The populations are total populations and relate to 1921, those for Edinburgh and Glasgow being Census populations. Deaths and the death-rates in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week: those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

‡ The extension of the Borough of Sheffield on the 9th November 1921, and of South Shields on the 1st November 1921, will not be taken into account in the Weekly Return until next year.

TABLE 2. LONDON.—Births and Deaths registered during the FORTY-SEVENTH Week of each of the Eleven Years, 1911-1921.

	1911.	1912.	1913.	1914.	1915.	1916.	1917.	1918.	1919.	1920.	1921.
Births (as registered).	2056	2124	2113	2047	1849	1800	1441	1418	2223	1900	1866
Males	1062	1094	1078	1027	923	931	726	729	1141	1001	971
Females	994	1030	1035	1020	926	869	715	689	1082	899	895
Deaths (of residents only).	1145	1354	1169	1424	1483	1307*	1068*	2840*	1132*	1178*	1325*
Males	603	684	598	692	747	681	534	1382	574	628	666
Females	542	670	571	732	736	626	534	1458	558	550	659

* Deaths in civilian population only.

TABLE 3. LONDON.—BIRTHS and DEATHS REGISTERED, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the last THIRTEEN WEEKS.

	Sept. 3.	Sept. 10.	Sept. 17.	Sept. 24.	Oct. 1.	Oct. 8.	Oct. 15.	Oct. 22.	Oct. 29.	Nov. 5.	Nov. 12.	Nov. 19.	Nov. 26.
Births (as registered) . . .	1893	1782	1918	1921	1910	1889	1885	1944	1835	1813	1869	1865	1866
Deaths (of residents only).	952	980	949	975	884	983	979	996	955	940	1150	1435	1325
Age													
Under 1 year	268	230	204	184	184	185	177	170	142	144	123	128	106
1-2 years	50	38	41	39	28	38	25	35	32	29	33	44	34
2-5 "	11	19	23	25	17	32	21	25	25	19	25	35	36
5-10 "	22	15	24	33	24	27	25	18	16	40	38	31	33
10-15 "	10	14	14	9	12	22	20	14	7	12	17	19	17
15-20 "	15	17	21	27	8	13	19	19	23	19	21	24	28
at													
20-25 "	19	18	19	21	23	18	20	28	21	12	23	28	24
25-35 "	34	45	53	44	35	42	35	43	51	48	59	59	41
Death													
35-45 "	56	62	68	67	56	67	62	75	75	62	94	101	82
45-55 "	103	89	90	114	100	101	115	106	119	94	145	153	175
55-65 "	104	126	122	114	117	123	150	141	134	134	152	240	178
65-75 "	136	166	133	149	155	156	158	159	151	159	204	278	287
75 years and upwards	124	141	137	149	125	159	152	163	159	168	216	295	284
Deaths from—													
Enteric fever	1	3	1	1	2	5	2	1	3	4	—	1	1
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	3	1	—	2	—	3	—	4	3	4	6	15	9
Scarlet fever	4	7	2	2	6	6	1	9	4	6	9	4	9
Whooping cough	8	13	14	10	13	14	8	8	3	6	7	5	9
Diphtheria	11	13	20	24	16	20	27	28	24	26	40	36	30
Diarrhoea and enteritis (under 2 years).	191	159	121	102	97	81	80	61	53	53	26	20	20
Pulmonary tuberculosis	54	78	80	74	64	73	74	91	115	65	112	139	126
Influenza	2	3	5	8	5	4	13	12	11	6	13	17	26
Pneumonia (all forms)	52	47	41	54	61	60	65	59	70	67	83	130	132
Bronchitis	20	30	34	35	38	41	45	46	58	52	96	202	208
Other dis. of resp. system	9	5	12	14	7	13	7	11	8	5	10	29	26
Dis. of circ. system	126	134	121	137	139	150	161	157	141	155	206	263	215
Violence	31	20	25	41	37	29	35	35	38	35	35	33	37
Inquest cases	70	64	68	89	82	85	96	83	83	87	94	108	108

CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.

Enteric fever	34	37	40	38	40	40	42	34	31	24	27	25	24
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	37	37	37	28	21	19	26	27	31	33	38	37	39
Scarlet fever	3433	3680	4003	4428	4887	5508	5978	6067	6285	6305	6233	6132	6073
Whooping cough	41	45	59	50	48	44	41	38	33	31	29	30	30
Diphtheria	1713	1773	1834	1947	2056	2247	2447	2623	2814	2960	3031	3076	3080

* The Metropolitan Asylums Board and London Fever Hospitals. The figures do not refer to London exclusively.

TABLE 3A. 96 Great Towns.—DEATHS from INFLUENZA in the last THIRTEEN WEEKS.

	Sept. 3.	Sept. 10.	Sept. 17.	Sept. 24.	Oct. 1.	Oct. 8.	Oct. 15.	Oct. 22.	Oct. 29.	Nov. 5.	Nov. 12.	Nov. 19.	Nov. 26.
Deaths from Influenza . . .	17	21	27	22	37	34	49	46	30	32	44	59	80

TABLE 4. LONDON.—DEATHS REGISTERED in the FORTY-SEVENTH Week of the Year 1921.

CAUSES OF DEATH.	Deaths in the 47th week of the year 1920.	DEATHS OF PERSONS OF THE AGES													
		ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-10 years.	10-15 years.	15-20 years.	20-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and up- wards.
ALL CAUSES	1178	1325	106	34	36	33	17	28	24	41	82	175	178	287	284
Enteric fever	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	4	9	2	2	5	-	-	-	-	-	-	-	-	-	-
Scarlet fever	7	9	-	-	2	5	1	-	-	1	-	-	-	-	-
Whooping cough	3	9	-	4	5	-	-	-	-	-	-	-	-	-	-
Diphtheria	21	30	3	5	9	11	2	-	-	-	-	-	-	-	-
Influenza	15	26	-	1	-	-	-	-	1	1	1	5	5	4	8
Erysipelas	6	1	-	-	-	-	-	-	-	-	-	1	-	-	-
Acute Poliomyelitis, Polioencepha- litis.	?	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	?	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Meningococcal meningitis . . .	?	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other endemic and epidemic diseases.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pyæmia and septicæmia	4	1	-	-	-	-	-	-	1	-	-	-	-	-	-
Tetanus	-	3	2	-	-	-	-	1	-	-	-	-	-	-	-
Tuberculosis :—															
Pulmonary tuberculosis	119	126	-	1	1	-	-	16	14	18	25	35	11	4	1
Tuberculous meningitis	8	5	-	1	2	1	1	-	-	-	-	-	-	-	-
Abdominal tuberculosis	6	4	2	-	-	-	-	-	-	-	-	1	1	-	-
Tuberculosis of the spine	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of the joints	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of other organs . .	2	2	-	-	-	-	-	1	-	-	-	1	-	-	-
Disseminated tuberculosis . . .	1	6	-	-	2	1	-	1	-	-	1	1	-	-	-
Venereal diseases	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Cancer	99	99	-	-	-	-	-	-	-	1	7	22	29	23	17
Rheumatic fever	3	5	-	-	-	-	1	-	-	-	-	1	2	-	1
Diabetes	13	9	-	-	-	-	1	-	-	1	2	2	2	1	-
Anæmia, leucocythæmia	8	6	-	-	-	-	1	-	-	-	-	3	-	1	1
Other general diseases	10	22	1	-	-	1	1	-	-	3	1	2	5	6	2
Alcoholism	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic poisonings	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	2	6	1	2	-	2	-	-	-	-	-	-	1	-	-
Cerebral hæmorrhage, &c., Apoplexy	49	61	-	-	-	-	1	-	-	1	1	7	15	17	19
Softening of brain	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
Paralysis, without specified cause .	7	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Epilepsy	2	2	-	-	-	-	-	-	-	-	-	1	-	-	1
"Convulsions" (not puerperal) . .	3	5	5	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system .	16	22	-	-	-	-	-	-	-	1	3	11	2	5	-
Pericarditis	2	2	-	-	-	-	-	-	-	1	-	-	1	-	-
Acute endocarditis	5	8	-	-	-	1	1	2	1	-	2	1	-	-	-
Other diseases of heart	146	159	-	1	-	-	1	1	4	2	5	24	16	64	41
Embolism and thrombosis (exclud- ing cerebral).	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of circulatory system.	39	46	-	-	-	-	-	-	-	-	3	-	6	16	21
Diseases of the larynx	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis	154	208	3	5	1	-	-	-	-	4	5	15	37	66	72
Broncho-pneumonia	54	53	9	6	3	1	-	-	-	-	2	5	3	14	10
Lobar pneumonia	26	43	1	1	2	3	2	-	2	3	4	8	7	5	5
Pneumonia (type not distinguished)	24	36	2	-	-	1	2	1	-	1	6	4	7	6	6
Pleurisy	3	3	1	-	-	-	-	-	-	-	-	-	1	-	1
Pulmonary congestion Pulmonary apoplexy.	3	8	1	-	-	-	-	-	-	-	-	-	-	2	5
Other diseases of respiratory system.	12	15	-	-	-	-	-	-	-	-	1	1	4	6	3

TABLE 5.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM							
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria* Diarrhoeal Diseases† (under 2 years).	Influenza.	
MONTPELIER . .	4,531,971	1921. Nov. 26	1,866	1,325	15·2	1	-	9	9	9	30	20	26
MUMBAI . .	896,067	Oct. 15	-	492§	28·5	?	-	?	?	?	?	?	13
MADRAS . .	979,445	" 15	407	842§	44·7	3	-	1	-	-	-	68	11
MADRAS . .	522,951	" 15	419	379	37·7	2	4	-	?	1	-	27	1
MADRID . .	2,847,229	{ 10 days } { Sept. 30 }	-	-	-	-	-	-	-	-	-	-	-
BRUSSELS . .	792,919	- - -	-	-	-	-	-	-	-	-	-	-	-
AMSTERDAM . .	340,852	Nov. 5	146	48	7·5	-	-	-	-	1	-	7	-
AMSTERDAM . .	682,904	" 12	290	135	10·3	-	-	-	-	-	3	-	1
COPENHAGEN . .	571,000	" 12	225	118	10·8	-	-	-	-	-	-	2	1
STOCKHOLM . .	419,788	" 5	104	79	9·8	-	-	-	-	-	-	-	-
GOETTERBURG . .	205,547	Oct. 29	-	33	8·4	1	-	-	-	-	1	-	-
CHRISTIANIA . .	260,920	Nov. 12	91	57	11·4	-	-	-	-	-	-	-	-
BERLIN . .	1,945,000	" 5	476	424	11·3	1	?	-	3	5	1	10	2
BRUSSELS . .	547,000	" 5	216	118	11·2	-	?	1	-	1	2	9	1
PARIS . .	669,000	" 5	283	147	11·4	-	?	-	-	-	4	6	3
VIENNA . .	600,000	" 5	187	148	12·8	-	?	-	1	1	-	1	1
FRANKFORT-ON-MAIN . .	471,000	" 5	130	81	8·9	1	?	-	-	-	-	4	3
AMSTERDAM . .	1,031,000	" 5	296	209	10·5	-	?	-	1	-	-	6	3
PRAGUE . .	630,000	" 5	193	143	11·8	1	?	-	-	1	2	5	3
BRATISLAVA . .	670,000	" 5	-	-	-	-	-	-	-	-	-	-	-
VIENNA . .	1,842,005	Oct. 29	410	433	12·2	7	-	-	3	2	1	8	-
MONTEVIDEO . .	676,454	" 22	234	158	12·2	2	-	-	-	1	2	15	-
BUDAPEST . .	933,000	Sept. 3	346	307	17·1	10	?	-	4	2	-	44	-
CAIRO . .	765,200	" 9	601	430	29·2	4	-	2	-	?	6	62	?
ALEXANDRIA . .	449,300	" 9	298	295§	34·1	5	-	-	-	?	1	44	?
NEW YORK . .	5,751,859	Oct. 22	2,699	1,211	11·0	4	-	1	2	4	14	42	4
CHICAGO . .	2,780,655	Nov. 5	-	553	10·4	1	-	1	3	1	16	32	3
SANTO DOMINGO . .	359,698	Sept. 10	215	130	18·8	-	-	-	-	-	3	-	-

Including deaths from croup in Bombay, Madras, Paris, Antwerp, Amsterdam, Copenhagen, the German Cities, Vienna, Prague and Suburbs, Budapest, and Montevideo.
 The deaths in this column relate to *all ages* for Bombay, Madras, Christiania, and Budapest, and to *children under 1 year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.
 The estimated population and deaths refer to the civilian population only.
 Including 1 death from *plague* in Alexandria and 2 in Bombay, and from *Asiatic cholera* 8 deaths in Calcutta and 2 in Bombay.
 The Registration of Births in Bombay is incomplete.

TABLE 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 26th November, 1921.
(Supplied by the Meteorological Office.)

TOWNS.	Temperature of Air.*				Rainfall in Milli- metres.†	TOWNS.	Temperature of Air.*				Rainfall in Milli- metres.†
	Highest.	Lowest.	Mean Maxi- mum.	Mean Mini- mum.			Highest.	Lowest.	Mean Maxi- mum.	Mean Mini- mum.	
LONDON (Greenwich)	57	29	44·1	34·9	4	BRADFORD	46	33	41·4	35·9	3
NOTTINGHAM	57	36	49·0	41·2	5	SHEFFIELD	49	33	43·0	36·3	4
PLYMOUTH	55	35	49·4	41·3	4	YORK (Museum)	50	31	44·0	36·9	3
LEWIS (Eaton)	52	23	45·4	34·4	0	HULL (Pearson Park)	50	30	46·0	36·4	6
PLYMOUTH	60	42	54·7	47·6	15	TYNEMOUTH	48	36	44·4	39·7	6
STOL (Clifton)	56	36	46·4	39·6	3	CARDIFF	52	33	45·4	38·4	7
BIRMINGHAM	53	30	44·1	35·9	0	EDINBURGH	Not received.				
NOTTINGHAM	52	33	44·4	36·3	2	GLASGOW	54·5	33·1	46·3	38·8	17
KENHEAD (Bidston)	50	31	43·9	37·0	7	DUBLIN:—					
MANCHESTER	57	28	48·0	37·9	6	Phoenix Park	57·7	31·8	52·5	43·6	10
LEWIS	54	29	44·7	36·0	3	§ Fitzwilliam Square	56·0	39·1	52·0	46·6	9
RODERSFIELD	46	33	41·7	35·9	4	BELFAST	56·0	40·0	50·4	44·3	15

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.

† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.

‡ 1 millimetre = '04 inch nearly; 1 inch = 25·4 millimetres exactly.

TABLE 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 26th November 1921.

[Under the Superintendence of the Astronomer Royal.]

1921. MONTH AND DAY.		Phases of the Moon.	BARO- METER. Mean daily reading (cor- rected and re- duced to 32° Fahren- heit).	TEMPERATURE.					Difference between the Air Temperature and Dew Point Temperature.			De- gres of Hu- mid- ity (Satu- ration equals 100).	TEMPERATURE.			Wind as deduced from Anemometers.				Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
				Of the Air.					Of the Dew point.		Mean Great- est.		Of Radiation.		General Direction.		Pressure on the Square Foot.		Robinson's.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
				High- est.	Low- est.	Daily Range.	Mean daily value.	De- parture from Average of 65 years.	Mean daily value.	Mean Great- est.	Highest in Sun's Rays.		Lowest on the Grass.	Of the Earth 4 feet below the Surface.	A.M.	P.M.	Great- est.	Least. hourly obs.	Horizontal Movement of the Air on each Day.		Depar- ture from Average of 50 years.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
NOVEMBER.				in.	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°

DATE.		ELECTRICITY. (For explanation of symbols, see Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
NOVEMBER 1921.					
SUNDAY	- 20	m.P. generally	0·0	8·6	Overcast throughout.
MONDAY	- 21	w.P. generally	0·0	8·6	Overcast throughout; frequent rain and occasional sleet from 8h. 30m. to 17h. 30m.; damping 23h.
TUESDAY	- 22	w.P. generally	0·3	8·5	Overcast or nearly overcast generally but cloud occasionally thin; nearly cloudless 16h. 30m. to 18h. and after 22h. 30m., but misty generally; rain till 4h.; solar halo 11h. to 15h.; very heavy dew at night.
WEDNESDAY	- 23	w.P. till 11h., s.P. afterwards.	5·4	8·5	Nearly cloudless generally till 11h., with thin cloud at times; variably cloudy till 17h., then cloudless; misty morning and evening; heavy dew in morning.
THURSDAY	- 24	s.P. generally, a little v.P. about noon.	4·7	8·4	Cloudless generally till 7h. 30m.; thin cloud prevalent till 17h.; cloudless generally afterwards; hoar frost in morning; mist and heavy dew at night.
FRIDAY	- 25	w.P. throughout	0·1	8·4	Foggy throughout; overcast generally from 2h. with fine interval 14h. to 15h. 30m.; heavy dew morning and evening.
SATURDAY	- 26	w.P. throughout	0·0	8·3	Very foggy till 16h. 30m.; semi-visible 13h. 30m. to 14h. 30m.; cloudless with slight fog and hoar frost after 16h. 30m.; fog increasing 21h. to 23h.
No. of Col.		26	Sum 10·5	Sum 59·3	
			27	28	

The results apply to the civil day, or from midnight to midnight.
The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.
Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.
The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.
In reading columns 9 and 24 it will be borne in mind that + indicates "higher," and - "lower," than the average.
The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.
The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.
The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.
The reading of the barometer increased generally from 29·91 in. at the beginning of the week to 30·14 in. by 22h. on 22nd; decreased to 29·84 in. by 15h. on 26th, and increased to 29·89 in. by midnight on the same day.

TABLE 8. LONDON.—DEATHS OF PERSONS BELONGING to the several METROPOLITAN BOROUGHs REGISTERED in the Week ended 19th November, 1921.

BOROUGHs.	Deaths from									Deaths of Infants under 1 Year of Age.
	ALL CAUSES.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Pulmonary Tuberculosis.	
COUNTY OF LONDON -	1435	1	-	15	4	5	36	20	139	128
Western.										
PADDINGTON . . .	45	-	-	-	-	-	3	1	2	5
KENSINGTON . . .	72	-	-	-	-	-	-	2	8	6
HAMMERSMITH . . .	38	-	-	-	-	-	-	-	1	6
FULHAM	42	-	-	-	-	1	-	-	9	4
CHELSEA	28	-	-	-	-	-	2	-	1	2
CITY OF WESTMINSTER .	43	-	-	-	-	-	-	-	5	1
Northern.										
ST. MARYLEBONE . . .	34	-	-	-	1	-	-	1	2	1
HAMPSTEAD	19	-	-	-	-	-	1	-	3	2
ST. PANCRAS	67	-	-	3	-	-	3	1	8	3
ISLINGTON	129	-	-	1	-	-	2	-	11	12
STOKE NEWINGTON . . .	20	-	-	-	-	-	-	-	-	2
HACKNEY	61	-	-	-	-	-	1	-	6	2
Central.										
HOLBORN	16	-	-	-	-	-	-	-	2	-
FINSBURY	34	-	-	-	-	-	1	1	8	3
CITY OF LONDON . . .	7	-	-	-	-	-	-	-	-	-
Eastern.										
SHOREDITCH	43	-	-	-	-	1	2	1	4	4
BETHNAL GREEN . . .	36	-	-	-	-	-	-	2	4	2
STEPNEY	78	-	-	1	-	-	4	4	8	7
POPLAR	64	-	-	7	1	1	1	-	4	3
Southern.										
SOUTHWARK	69	-	-	1	-	-	1	1	12	7
BERMONDSEY	41	-	-	-	-	-	1	3	4	15
LAMBETH	95	-	-	2	1	1	1	1	7	8
BATTERSEA	49	-	-	-	-	1	1	-	5	5
WANDSWORTH	83	-	-	-	-	-	1	1	4	6
CAMBERWELL	82	1	-	-	-	-	4	1	7	12
DEPTFORD	31	-	-	-	-	-	-	-	2	4
GREENWICH	29	-	-	-	-	-	3	-	3	5
LEWISHAM	40	-	-	-	1	-	1	-	3	1
WOOLWICH	40	-	-	-	-	-	3	-	6	-

The deaths in the above Table are, so far as concerns London as a whole, corrected by the exclusion of deaths of non-residents, and by the inclusion of those of residents occurring in the Outer Ring or in Metropolitan public institutions situated outside the County. As between individual Metropolitan Boroughs, however, correction is complete.

TABLE 9. LONDON.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED during the Week ended 19th November, 1921.*

BOROUGH.	ESTI- MATED CIVILIAN POPU- LATION, MID. 1920.†	Enteric Fever.	Malaria.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Pneumonia.	Erysipelas.	Cerebro-Spinal Fever.	Puerperal Fever.	Ophthalmia Neonatorum.	Poliomyelitis.	Dysentery.	Encephalitis Lethargica.	Anthrax.	Polio- encephalitis.	Cholera.
WESTERN.																		
Paddington . . .	149,673	-	-	-	-	26	11	-	2	-	-	-	-	-	-	-	-	-
Kensington . . .	164,177	-	-	-	-	23	7	1	2	-	-	-	-	-	-	-	-	-
Hammersmith . . .	136,200	-	-	-	-	34	13	4	1	-	-	-	-	-	-	-	-	-
Fulham . . .	158,621	-	-	-	-	36	8	1	-	-	-	1	-	-	-	-	-	-
Chelsea . . .	62,987	-	-	-	-	6	3	-	-	-	1	-	-	-	1	-	-	-
City of Westminster . . .	132,615	-	-	-	-	21	3	2	-	-	-	-	-	-	-	-	-	-
NORTHERN.																		
St. Marylebone . . .	101,856	-	-	-	-	13	6	-	1	-	-	-	-	-	-	-	-	-
Hampstead . . .	91,519	-	-	-	-	12	22	1	-	-	-	-	-	-	-	-	-	-
St. Pancras . . .	228,178	1	-	-	-	70	27	5	1	-	-	1	-	-	-	-	-	-
Islington . . .	335,907	-	-	-	-	102	42	1	3	1	-	1	-	-	-	-	-	-
Stoke Newington . . .	52,984	-	-	-	-	9	3	-	-	-	-	-	-	-	-	-	-	-
Hackney . . .	225,372	-	-	-	-	42	10	1	3	-	1	-	-	-	-	-	-	-
CENTRAL.																		
Holborn . . .	39,676	-	-	-	-	5	4	2	-	-	-	-	-	-	-	-	-	-
Finsbury . . .	78,291	-	-	-	-	12	6	1	2	-	-	-	-	-	-	-	-	-
City of London . . .	14,447	-	-	-	-	4	1	-	-	-	-	-	-	-	-	-	-	-
EASTERN.																		
Shoreditch . . .	102,044	-	-	-	-	17	19	5	1	-	-	-	-	-	1	-	-	-
Bethnal Green . . .	114,471	-	-	-	-	9	10	3	3	-	-	-	-	-	-	-	-	-
Stepney . . .	241,770	1	1	-	-	25	43	7	-	-	1	1	-	-	-	-	-	-
Poplar . . .	159,766	-	-	-	-	31	13	12	2	-	1	-	-	-	-	-	-	-
SOUTHERN.																		
Southwark . . .	187,142	-	-	-	-	32	19	1	6	1	2	-	-	-	-	-	-	-
Bermondsey . . .	129,189	1	-	-	-	21	14	-	-	-	-	-	-	-	-	-	-	-
Lambeth . . .	293,572	-	1	-	-	58	15	4	3	-	-	-	-	-	-	-	-	-
Battersea . . .	165,664	-	1	-	-	66	26	9	3	-	-	1	-	-	-	-	-	-
Wandsworth . . .	346,990	1	-	-	-	62	16	7	6	-	1	4	-	-	-	-	-	-
Camberwell . . .	284,712	1	-	-	-	63	23	1	3	-	-	2	-	-	-	-	-	-
Deptford . . .	115,636	-	-	-	-	34	9	2	1	-	-	1	-	-	-	-	-	-
Greenwich . . .	102,408	1	-	-	-	37	19	2	2	-	-	-	-	-	-	-	-	-
Lewisham . . .	174,438	1	-	-	-	55	20	1	1	-	-	-	-	-	-	-	-	-
Woolwich . . .	141,666	-	1	-	-	24	24	6	1	-	-	1	-	-	-	-	-	-
TOTAL . . .	4,531,971	7	4	-	-	949	436	79	47	2	7	13	-	-	2	-	-	-
Ages 0-1 . . .		-	-	-	-	13	4	7	-	2	-	13	-	-	-	-	-	-
„ 1-5 . . .		-	-	-	-	160	79	19	-	-	-	-	-	-	1	-	-	-
„ 5- . . .		-	-	-	-	416	168	4	2	-	-	-	-	-	-	-	-	-
„ 10- . . .		1	-	-	-	225	88	2	3	-	-	-	-	-	-	-	-	-
„ 15- . . .		1	-	-	-	72	40	2	5	-	-	-	-	-	-	-	-	-
„ 20- . . .		2	1	-	-	21	20	3	-	-	1	-	-	-	-	-	-	-
„ 25- . . .		-	1	-	-	25	25	5	8	-	5	-	-	-	-	-	-	-
„ 35- . . .		1	1	-	-	12	7	11	11	-	1	-	-	-	1	-	-	-
„ 45- . . .		2	1	-	-	5	5	10	9	-	-	-	-	-	-	-	-	-
„ 55- . . .		-	-	-	-	-	-	7	5	-	-	-	-	-	-	-	-	-
„ 65- . . .		-	-	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-
„ 75 and upwards . . .		-	-	-	-	-	-	5	4	-	-	-	-	-	-	-	-	-
Age not stated . . .		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

† See note † on first page of this return.

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS AND DEATHS REGISTERED:—

LONDON AND

NINETY-FIVE OTHER GREAT TOWNS

~~~~~  
By Authority of the Registrar General,  
~~~~~

LONDON :

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from

H.M. STATIONERY OFFICE at the following addresses:

IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and

28, ABINGDON STREET, LONDON, S.W. 1;

37, PETER STREET, MANCHESTER;

1, ST. ANDREW'S CRESCENT, CARDIFF;

23, FORTH STREET EDINBURGH;

from EASON AND SON, LTD., 40 and 41, LOWER SACKVILLE STREET, DUBLIN.

No. 48. Vol. LXXXII. 1921. WEEK ENDED SATURDAY, DEC. 3.
[Price 9d. Net.]

*General Register Office, Somerset House,
December 6th, 1921.*

NINETY-SIX GREAT TOWNS.

For the NINETY-SIX GREAT TOWNS of England and Wales, each of which had a population of 50,000 or over at the Census of 1911, the births registered last week numbered 7,506, and corresponded to an annual rate of 21·0 per 1,000. The deaths* among the civilian population only numbered 5,377, and corresponded to an annual rate of 15·1 per 1,000 of their aggregate civilian population, which is provisionally estimated† at 18,554,878 persons in the year 1920. In the three weeks ended November 12th, November 19th and November 26th, the rates had been 12·1, 14·6, and 14·2 respectively. The infant mortality was 86, against 76, 84, and 74 in the preceding three weeks. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks; it also shows for the week ended last Saturday the births and the deaths from certain individual causes. A column showing the number of deaths

* Corrected as far as possible for deaths of non-residents and for those of residents occurring outside the area. Fully corrected figures will appear in the Registrar General's Annual Report.

† The estimates of population refer to the year 1920, and are based on the returns furnished under the scheme for rationing of food.

from influenza has been inserted in Table 1. The aggregate number of deaths from influenza in the 96 great towns in each of the last thirteen weeks is shown in Table 3A.

Measured by last week's mortality, the highest annual death-rates per 1,000 living were :—from *all causes*, 19·5 in Leeds, 19·7 in Eastbourne, 20·0 in Blackpool, 20·9 in Norwich, 22·4 in Wakefield, and 37·8 in Rotherham; from *measles*, 1·0 in Liverpool; and from *influenza*, 10·9 in Rotherham. No death from *small-pox* was registered in any of the ninety-six towns.

LONDON.* (The Administrative County, including the City of London.)

For LONDON there were 1,771 BIRTHS, corresponding to a rate of 20·3 per 1,000, and 1,601 DEATHS of civilians, corresponding to a rate of 18·4, as against 13·2, 16·5, and 15·2 per 1,000 in the three weeks ended November 12th, November 19th, and November 26th. The death-rate in the four weeks ended last Saturday averaged 15·8 per 1,000. The infant mortality was 78, against 66, 69, and 57, in the preceding three weeks.

The deaths from *enteric fever*, which had been 0, 1, and 1 in the preceding three weeks, numbered 3, the average for the corresponding weeks of the previous five years being 0. The deaths from *measles*, which had been 6, 15, and 9 in the preceding three weeks, were again 9 last week, and were 8 below the average; 3 deaths belonged to the Borough of St. Pancras. The deaths from *scarlet fever*, which had been 9, 4, and 9 in the preceding three weeks, fell last week to 7, but were 3 above the average. The deaths from *whooping-cough*, which had been 7, 5, and 9 in the preceding three weeks, rose last week to 13, and were 7 above the average. The deaths from *diphtheria*, which had been 40, 36, and 30 in the preceding three weeks, rose last week to 33, and were 16 above the average; 5 deaths belonged to Stepney, and 4 each to Hampstead and Poplar. The deaths from *diarrhoea and enteritis under 2 years of age*, which had been 26, 20, and 20 in the preceding three weeks, fell last week to 16, and were 5 below the average; 4 deaths belonged to Greenwich. The deaths from *influenza* numbered 29, as against 13, 17, and 26 in the preceding three weeks, and an average of 204.

Different forms of violence caused 33 deaths, all of which were the subject of coroners' inquests. Of these 33 deaths, 8 were cases of suicide, while the remaining 25 were attributed to other forms of violence. Four of these latter were referred to vehicles in the streets, 4 to burns or scalds, 2 to drowning, and 1, of an infant under one year of age, to suffocation in bed.

CASES OF INFECTIOUS DISEASE.†

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital, there were 21 cases of enteric fever, 48 of measles, 6,007 of scarlet fever, 28 of whooping-cough, and 3,093 of diphtheria under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as

* See note * on first page.

† The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

compared with those in the preceding three weeks, were as follows :—Of enteric fever, 3 cases, against 5, 5, and 4 ; of measles, 15 cases, against 8, 9, and 12 ; of scarlet fever, 837 cases, against 778, 793, and 832 ; of whooping-cough, 0 case, against 4, 1, and 2 ; and of diphtheria, 372 cases, against 475, 401, and 394. Table 9, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the county during the week ended November 26th, 1921.

TABLE 1.—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS,—BIRTHS and DEATHS REGISTERED, and DEATH-RATES in the Week ended Saturday, 3rd December, 1921, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	ESTIMATED CIVILIAN POPULATION MID. 1920 * (Provisional.)	DEATH RATES from all Causes.					Week ended 3rd Dec. 1921.		The DEATHS in the Week include										TOWNS.					
		Week ended					BIRTHS.	DEATHS.	Deaths of															
		12th Nov., 1921.	19th Nov., 1921.	26th Nov., 1921.	3rd Dec., 1921.	2.			3.	4.	5.	6.	7.	Deaths from										
														Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.		Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.
96 GREAT TOWNS.	18,554,878	12.1	14.6	14.2	15.1	7,506	5,377	648	2,076	11	-	30	20	48	71	77	128	138	340	1,716	39	21.	Cols.	96 GREAT TOWNS.
LONDON†	4,531,971	13.2	16.5	15.2	18.4	1,771	1,601	138	676	3	-	9	7	13	33	16	29	33	118	698	8	-	LONDON.†	
(CROYDON.	191,580	9.8	9.8	12.2	11.4	49	42	-	27	-	-	-	-	-	1	-	2	-	4	10	-	-	(CROYDON.	
WIMBLEDON.	62,174	14.3	10.9	15.9	9.2	9	11	-	5	-	-	-	-	-	1	-	-	-	-	5	-	-	WIMBLEDON.	
EALING.	76,129	10.3	9.6	11.0	19.2	26	28	3	17	1	-	-	-	-	2	-	1	-	-	7	-	-	EALING.	
ACTON.	64,192	16.2	10.6	13.8	17.9	18	22	-	11	-	-	-	-	-	-	-	-	1	3	4	-	-	ACTON.	
WILLESDEN.	167,328	9.7	14.6	15.9	12.2	54	39	7	13	1	-	-	-	1	1	-	1	-	1	9	-	-	WILLESDEN.	
HORNSEY.	98,107	10.6	15.4	14.3	9.6	19	18	-	12	-	-	-	-	-	-	-	-	-	-	1	-	-	HORNSEY.	
TOTTENHAM	146,970	9.6	12.8	15.6	13.8	53	39	4	15	-	-	-	-	-	1	1	1	3	4	16	-	-	TOTTENHAM.	
EDMONTON.	73,529	5.7	13.5	14.2	7.1	28	10	2	4	-	-	-	-	1	-	1	-	-	1	5	-	-	EDMONTON.	
ENFIELD.	60,771	6.9	11.2	12.9	7.7	17	9	2	5	-	-	-	-	-	-	-	-	2	2	1	-	-	ENFIELD.	
WEST HAM.	299,440	10.3	14.3	14.8	14.6	143	84	13	33	-	-	-	-	-	2	-	-	2	7	33	-	-	WEST HAM.	
EAST HAM.	150,207	9.4	13.9	11.5	12.5	37	36	3	13	-	-	-	-	-	1	1	-	1	3	8	-	-	EAST HAM.	
LEYTON.	128,832	10.9	12.5	10.5	16.2	33	40	6	15	-	-	-	-	-	1	-	-	2	2	16	-	-	LEYTON.	
WALTHAMSTOW.	132,771	9.4	15.3	10.2	9.0	41	23	3	14	-	-	-	-	-	-	-	-	-	1	9	-	-	WALTHAMSTOW.	
ILFORD.	82,693	11.3	8.8	11.3	11.3	32	18	1	9	-	-	-	-	-	-	-	-	-	1	5	-	-	ILFORD.	
GILLINGHAM.	45,233	15.0	13.8	10.4	12.7	27	11	-	4	-	-	-	-	-	1	-	1	-	-	3	-	-	GILLINGHAM.	
HASTINGS.	59,972	13.0	20.9	18.3	13.0	13	15	1	10	-	-	-	-	-	-	-	-	-	-	3	-	-	HASTINGS.	
EASTBOURNE.	50,354	14.5	14.5	14.5	19.7	14	19	-	10	-	-	-	-	1	-	-	-	-	-	4	-	-	EASTBOURNE	
BRIGHTON.	137,685	13.3	14.0	18.6	15.9	40	42	2	20	-	-	-	-	-	-	-	-	1	1	17	-	-	BRIGHTON.	
PORTSMOUTH.	235,998	11.5	13.5	9.5	15.5	92	70	6	34	-	-	-	-	-	-	-	2	3	9	20	1	-	PORTSMOUTH.	
BOURNEMOUTH.	85,919	9.1	17.0	12.1	15.2	15	25	5	12	1	-	-	-	-	-	-	-	-	-	4	-	-	BOURNEMOUTH	
SOUTHAMPTON.	162,388	9.3	10.3	13.2	11.6	67	36	5	14	-	-	-	-	-	1	-	-	-	1	7	-	-	SOUTHAMPTON.	
READING.	95,006	7.7	14.3	14.8	9.9	23	18	2	14	-	-	-	-	-	-	1	-	-	-	4	-	-	READING.	
OXFORD.	59,963	8.7	10.4	13.0	8.7	15	10	2	4	-	-	-	-	-	-	-	1	-	-	2	-	-	OXFORD.	
NORTHAMPTON.	92,483	11.8	13.0	11.8	10.7	28	19	5	4	-	-	-	-	-	-	-	-	-	-	4	-	-	NORTHAMPTON.	
CAMBRIDGE.	60,154	6.9	13.0	8.7	13.9	17	16	-	11	-	-	-	-	-	-	-	1	-	1	6	-	-	CAMBRIDGE.	

† For Greater London see end of Table. ‡ These towns are included within the area of Greater London.

TABLE 1 (cont.).—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH-RATES in the Week ended Saturday, 3rd December 1921, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	ESTIMATED CIVILIAN POPULATION, MID. 1920.* (Provisional.)	DEATH-RATES from all Causes.					Week ended 3rd Dec., 1921.		The DEATHS in the Week include										TOWNS.			
		Week ended					BIRTHS.	DEATHS.	Deaths of											Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
		Week ended							Deaths from													
		12th Nov., 1921.	19th Nov., 1921.	26th Nov., 1921.	3rd Dec., 1921.				Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.	Violence.					
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
SOUTHEND ON SEA.	87,332	10.1	11.3	16.7	19.1	30	32	2	14	-	-	-	-	-	-	-	1	-	-	3	-	SOUTHEND ON SEA.
IPSWICH.	81,119	9.6	8.4	9.6	16.7	27	26	2	18	-	-	-	-	-	-	-	2	-	4	7	-	IPSWICH.
GREAT YARMOUTH.	55,193	17.0	17.0	17.0	11.3	21	12	-	7	-	-	-	-	-	-	-	-	-	-	4	-	GREAT YARMOUTH.
NORWICH.	124,774	10.9	11.7	18.4	20.9	51	50	7	18	-	-	-	-	2	-	-	1	2	5	12	-	NORWICH.
SWINDON.	53,580	9.7	16.5	10.7	10.7	25	11	-	5	-	-	-	-	-	-	-	-	1	2	1	-	SWINDON.
EXETER.	61,365	12.7	13.6	22.1	11.9	25	14	3	9	-	-	-	-	-	-	-	-	-	1	1	-	EXETER.
PLYMOUTH.	189,218	14.3	12.7	13.5	11.0	73	40	7	19	-	-	-	1	-	-	1	-	-	4	9	-	PLYMOUTH.
BATH.	68,546	12.9	15.2	16.0	15.2	15	20	1	12	-	-	-	-	-	-	-	-	-	-	5	-	BATH.
BRISTOL.	375,641	11.7	13.2	14.0	10.4	170	75	10	24	-	-	1	-	-	5	1	1	5	10	27	-	BRISTOL.
GLOUCESTER.	52,096	9.0	13.0	20.0	17.0	22	17	4	5	-	-	-	-	-	-	-	-	-	1	4	-	GLOUCESTER.
STOKE ON TRENT.	248,852	15.3	15.7	15.9	19.3	136	92	27	16	-	-	-	-	2	1	3	2	3	3	21	-	STOKE ON TRENT.
WOLVERHAMPTON.	102,324	7.6	15.8	12.7	10.2	35	20	2	8	-	-	-	-	-	-	1	1	1	1	4	-	WOLVERHAMPTON.
WALSALL.	96,419	14.6	11.9	9.7	14.6	58	27	4	12	-	-	-	-	-	-	-	-	3	5	8	-	WALSALL.
WEST BROMWICH.	72,684	7.9	15.1	15.1	13.6	41	19	6	3	-	-	-	-	-	1	-	-	-	1	4	-	WEST BROMWICH.
DUDLEY.	56,169	13.0	14.9	21.4	8.4	33	9	3	4	-	-	-	-	-	-	1	-	-	-	3	-	DUDLEY.
BIRMINGHAM.	895,915	10.6	11.2	11.8	12.0	347	207	16	84	-	-	-	1	2	-	-	5	9	10	67	7	BIRMINGHAM.
SMETHWICK.	75,027	8.3	11.1	11.8	9.0	22	13	2	5	-	-	-	-	1	-	-	-	-	1	2	1	SMETHWICK.
COVENTRY.	137,310	8.7	11.0	6.1	9.9	44	26	6	7	-	-	-	-	-	1	1	-	1	2	8	1	COVENTRY.
LEICESTER.	245,465	11.7	13.0	10.2	13.8	70	65	3	30	-	-	-	-	-	-	-	1	-	1	16	-	LEICESTER.
LINCOLN.	67,543	6.9	16.2	16.2	10.8	30	14	3	4	-	-	-	-	-	-	-	2	1	1	5	-	LINCOLN.
GRIMSBY.	31,953	17.8	14.0	13.4	10.8	45	17	6	5	-	-	-	-	-	-	1	1	2	3	2	1	GRIMSBY.
NOTTINGHAM.	267,836	11.5	17.1	19.7	13.4	85	69	9	24	-	-	-	-	-	-	1	3	3	3	13	-	NOTTINGHAM.
DERBY.	128,868	8.9	17.4	15.0	10.5	60	26	3	12	1	-	-	-	-	-	-	1	1	3	6	-	DERBY.

* See note i on first page of this return.

TABLE 1 (cont).—46 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH-RATES in the Week ended Saturday, 3rd December, 1921, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	ESTIMATED CIVILIAN POPULATION MID. 1920.* (Provisional.)	DEATH-RATES from all Causes.					Week ended 3rd Dec., 1921.		The DEATHS in the Week include										TOWNS			
		Week ended					BIRTHS.	DEATHS.	Deaths of		Deaths from									Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes or Death.
		12th Nov., 1921.	19th Nov., 1921.	26th Nov., 1921.	3rd Dec., 1921.	Persons aged 65 Years and upwards.			Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.	Violence.					
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
STOCKPORT	130,635	11·2	11·6	17·2	17·2	51	43	6	13	-	-	-	-	-	1	1	-	-	1	10	-	STOCKPORT.
BIRKENHEAD	153,951	12·5	11·5	11·2	11·9	69	35	6	10	-	-	-	-	-	-	1	-	1	3	13	-	BIRKENHEAD.
WALLASEY	99,226	11·6	13·7	10·0	8·9	26	17	-	8	-	-	-	-	-	1	-	-	-	-	2	-	WALLASEY.
LIVERPOOL	803,452	14·0	18·4	15·4	15·3	433	235	36	61	3	4	16	3	4	2	5	1	2	11	100	4	LIVERPOOL.
BOOTLE	80,029	15·0	15·0	15·6	13·0	51	20	4	7	-	-	-	-	-	1	1	1	-	-	6	1	BOOTLE.
ST. HELENS	104,822	10·9	17·9	9·5	10·9	51	22	4	5	-	-	-	-	-	1	-	-	2	2	10	-	ST. HELENS.
SOUTHPORT	72,939	7·1	10·7	15·0	15·7	21	22	1	12	-	-	-	-	-	-	-	1	-	-	3	-	SOUTHPORT.
WIGAN	90,866	13·8	10·9	14·3	14·3	50	25	-	11	1	-	-	2	-	-	-	1	-	2	5	-	WIGAN.
WARRINGTON	77,939	10·0	16·1	10·0	12·7	36	19	1	6	1	-	-	-	-	-	1	2	1	1	7	1	WARRINGTON.
BOLTON	184,533	12·4	14·7	12·2	12·7	71	45	6	15	-	-	-	-	2	-	-	2	2	4	18	-	BOLTON.
BURY	56,410	12·0	16·6	12·9	16·6	16	18	2	7	-	-	-	-	-	-	-	-	2	2	4	-	BURY.
MANCHESTER	770,597	13·2	15·0	13·9	15·0	340	222	34	69	-	-	-	3	1	2	12	6	9	12	77	2	MANCHESTER.
SALFORD	235,239	16·8	12·6	13·5	13·7	96	62	9	20	-	-	-	1	2	-	3	1	2	5	18	-	SALFORD.
OLDHAM	143,154	13·8	18·2	17·8	17·8	59	49	10	16	-	-	-	-	1	-	1	2	1	3	12	-	OLDHAM.
ROCHDALE	93,639	11·1	16·1	17·8	12·8	43	23	4	10	-	-	-	-	-	-	-	1	-	1	11	-	ROCHDALE.
BURNLEY	105,030	10·4	18·9	11·9	16·4	45	33	5	12	-	-	-	-	-	-	-	-	2	4	5	-	BURNLEY.
BLACKBURN	131,012	12·3	12·3	17·5	14·3	49	36	6	13	-	-	-	-	3	-	1	1	2	4	8	-	BLACKBURN.
PRESTON	121,950	10·3	13·3	11·5	13·7	52	32	6	9	-	-	-	-	-	-	-	2	2	2	5	1	PRESTON.
BLACKPOOL	70,545	14·8	16·3	14·0	20·0	31	27	3	13	-	-	-	-	-	-	-	-	-	-	2	-	BLACKPOOL.
BARROW IN FURNESS	76,561	11·6	18·4	15·0	10·9	25	16	2	5	-	-	-	-	-	-	-	1	-	-	2	-	BARROW IN FURNESS.
HUDDERSFIELD	116,776	12·5	13·8	11·2	16·5	32	37	1	14	1	-	-	-	-	2	-	1	-	-	4	-	HUDDERSFIELD.
HALIFAX	105,847	11·8	16·3	14·8	16·7	31	34	1	15	-	-	-	-	-	-	-	-	1	1	2	-	HALIFAX.
BRADFORD	293,979	11·4	15·4	13·5	12·8	99	72	14	26	-	-	-	-	1	-	-	-	-	1	24	-	BRADFORD.
LEEDS	449,212	11·7	15·9	15·6	19·5	195	168	21	58	-	-	-	-	7	2	3	5	6	16	36	-	LEEDS.
DEWSBURY	55,080	14·2	10·4	12·3	18·9	19	20	3	4	-	-	1	-	-	-	-	1	-	-	1	-	DEWSBURY.
WAKEFIELD†	51,169	18·3	19·4	18·3	22·4	20	22	3	9	-	-	-	-	-	-	-	2	1	4	3	-	WAKEFIELD.†
BARNSELEY†	53,739	13·6	17·5	10·7	19·4	32	20	5	4	-	-	-	-	-	-	-	1	1	2	3	-	BARNSELEY.†

* See note † on first page of this return. † A Decade on the 6th November 1921 will not be taken into account in the Weekly Returns until next year.

TOWNS.		ESTIMATED CIVILIAN POPULATION, MID. 1920.* (Provisional).		DEATH-RATES from all Causes.				Week ended 3rd Dec., 1921.		Deaths from										Deaths in Public Institutions.		Uncertified Causes of Death.	TOWNS
				Week ended				BIRTHS. DEATHS.		Deaths of		Deaths from								Deaths in Public Institutions.		Uncertified Causes of Death.	
				Causes.																			
				12th Nov., 1921.	19th Nov., 1921.	26th Nov., 1921.	3rd Dec., 1921.																
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	20.	21.	Cols.	
SHEFFIELD.†	492,570	12·8	13·3	13·2	15·7	197	148	22	57	-	-	1	-	2	-	-	4	14	5	9	46	-	SHEFFIELD.†
ROTHERHAM	71,785	15·3	22·5	17·4	37·8	49	52	10	14	-	-	-	-	1	-	-	1	15	-	2	11	1	ROTHERHAM.
YORK	77,501	14·8	14·1	16·8	14·8	36	22	1	8	-	-	-	-	-	-	-	-	-	1	1	7	-	YORK.
HULL	290,808	10·0	13·3	15·4	12·4	128	69	11	32	-	-	-	-	1	-	-	-	-	2	2	14	-	HULL.
MIDDLESBROUGH	132,208	10·6	16·2	19·3	14·2	69	36	7	11	-	-	2	-	-	-	-	2	-	-	-	3	-	MIDDLESBROUGH.
DARLINGTON	66,610	7·8	14·9	20·4	14·9	21	19	4	5	1	-	-	-	-	-	-	1	-	1	1	4	-	DARLINGTON.
STOCKTON ON TEES	63,114	10·7	9·1	11·6	14·9	36	18	2	7	-	-	-	-	-	-	-	-	-	1	1	7	-	STOCKTON ON TEES.
WEST HARTLEPOOL	68,126	16·1	13·8	20·7	15·3	35	20	3	10	-	-	-	-	-	-	-	2	1	1	2	8	-	WEST HARTLEPOOL.
SUNDERLAND	155,211	13·8	13·4	16·1	14·1	80	42	5	17	-	-	-	-	-	-	-	-	-	-	1	9	1	SUNDERLAND.
SOUTH SHIELDS†	115,945	13·0	15·3	16·6	18·0	65	40	8	11	-	-	-	-	-	-	-	-	2	2	3	7	3	SOUTH SHIELDS.†
GATESHEAD	128,309	13·0	17·1	11·4	15·8	68	39	7	10	-	-	-	-	-	-	-	1	-	-	-	7	2	GATESHEAD.
NEWCASTLE ON TYNE.	286,061	10·8	12·6	13·9	14·8	138	81	9	33	-	-	-	-	-	-	-	1	-	6	23	-	-	NEWCASTLE ON TYNE.
TYNEMOUTH	60,318	11·2	10·4	19·9	12·1	32	14	2	3	-	-	-	-	-	-	-	1	-	-	-	8	-	TYNEMOUTH.
CARLISLE	57,397	11·8	10·9	20·9	16·4	22	18	2	10	-	-	-	-	-	2	-	-	-	-	-	4	-	CARLISLE.
NEWPORT (MON.)	90,728	8·6	16·1	7·5	12·1	41	21	2	5	-	-	-	-	-	-	-	-	-	1	1	2	-	NEWPORT (MON.).
CARDIFF	212,582	10·3	10·5	13·5	12·3	77	50	6	12	-	-	-	-	-	2	-	-	-	3	5	14	-	CARDIFF.
RHONDDA	184,999	8·5	11·0	7·6	9·9	96	35	8	7	-	-	-	-	-	1	-	3	-	2	2	3	3	RHONDDA.
MERTHYR TYDFIL	74,493	15·4	16·1	14·7	14·7	38	21	5	4	-	-	-	-	-	-	-	-	-	1	1	3	-	MERTHYR TYDFIL.
ABERDARE	53,431	6·8	12·7	15·6	12·7	17	13	2	2	-	-	-	1	-	-	-	-	-	-	-	-	-	ABERDARE.
SWANSEA	167,218	9·4	11·2	11·8	13·4	72	43	3	15	-	-	-	-	-	1	-	-	1	2	2	12	-	SWANSEA.
GREATER LONDON	7,548,647	12·1	14·9	14·2	16·4	2716	2367	201	1030	6	-	9	9	16	47	21	40	52	165	928	9	9	GREATER LONDON.
OUTER RING	3,016,676	10·5	12·5	12·7	13·2	945	766	63	354	3	-	-	2	3	14	5	11	19	47	230	1	1	OUTER RING.
14 GREAT TOWNS IN OUTER RING.	1,734,723	10·1	12·8	13·3	12·6	559	419	44	193	2	-	-	-	2	10	3	5	11	29	129	-	-	14 GREAT TOWNS IN OUTER RING.
REMAINDER OF OUTER RING.	1,281,953	10·9	12·2	12·0	14·1	386	347	19	161	1	-	-	2	1	4	2	6	8	18	101	1	1	REMAINDER OF OUTER RING.
EDINBURGH†	420,281	11·7	17·4	16·9	12·9	157	104	14	41	-	-	-	1	1	-	-	6	3	9	9	9	9	EDINBURGH.†
GLASGOW†	1,034,069	12·6	15·7	14·8	16·4	527	326	50	94	-	-	2	2	1	2	4	3	15	9	9	9	9	GLASGOW.†
DUBLIN (Registration Area).†	423,000	12·3	15·8	14·9	14·1	233	114	21	34	-	-	-	-	-	1	5	-	2	4	49	4	4	DUBLIN (Registration Area).†
BELFAST†	420,000	14·0	16·3	12·5	12·4	190	100	15	31	-	-	-	-	-	-	1	1	5	7	27	2	2	BELFAST.†

* See note † on first page of this return.

* See note † on first page of this return.
† The populations are total populations and relate to 1921, those for Edinburgh and Glasgow being Census populations. Deaths and the death-rates in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week: those in Dublin and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

† The extension of the Borough of Sheffield on the 9th November 1921, and of South Shields on the 1st November 1921, will not be taken into account in the Weekly Returns until next year.

TABLE 2. LONDON.—Births and Deaths registered during the FORTY-EIGHTH Week of each of the Eleven Years, 1911-1921.

	1911.	1912.	1913.	1914.	1915.	1916.	1917.	1918.	1919	1920.	1921.
Births (as registered).	2097	1960	2179	1914	1698	1832	1345	1434	2308	1921	1771
Males -	1058	977	1098	990	810	923	694	745	1190	977	929
Females -	1039	983	1081	924	888	909	651	689	1118	944	842
Deaths (of residents only).	1306	1255	1223	1324	1698*	1380	974*	2535*	1104*	1091*	1601*
Males -	672	642	607	677	853	707	494	1213	557	565	794
Females -	634	613	616	647	845	673	480	1322	547	526	807

* Deaths in civilian population only.

TABLE 3. LONDON.—BIRTHS and DEATHS REGISTERED, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the last THIRTEEN WEEKS.

	Sept. 10.	Sept. 17.	Sept. 24.	Oct. 1.	Oct. 8.	Oct. 15.	Oct. 22.	Oct. 29.	Nov. 5.	Nov. 12.	Nov. 19.	Nov. 26.	Dec. 3.
Births (as registered)	1782	1918	1921	1910	1869	1885	1944	1835	1813	1869	1865	1866	1771
Deaths (of residents only).	980	949	975	884	983	979	996	955	940	1150	1435	1324	1601
Age													
at													
Death													
Under 1 year	230	204	184	184	185	177	170	142	144	123	128	106	138
1-2 years	38	41	39	28	38	25	35	32	29	33	44	34	47
2-5 "	19	23	25	17	32	21	25	25	19	25	35	36	42
5-10 "	15	24	33	24	27	25	18	16	40	38	31	32	30
10-15 "	14	14	9	12	22	20	14	7	12	17	19	17	17
15-20 "	17	21	27	8	13	19	19	23	19	21	24	23	23
20-25 "	18	19	21	23	18	20	28	21	12	23	28	24	31
25-35 "	45	53	44	35	42	35	43	51	48	59	59	41	69
35-45 "	62	68	67	56	67	62	75	75	62	94	101	82	99
45-55 "	89	90	114	100	101	115	106	119	94	145	153	175	179
55-65 "	126	122	114	117	123	150	141	134	134	152	240	178	250
65-75 "	166	133	149	155	156	158	159	151	159	204	278	287	343
75 years and upwards	141	137	149	125	159	152	163	159	168	216	295	284	333
Deaths from—													
Enteric fever	3	1	1	2	5	2	1	3	4	-	1	1	3
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	1	-	2	-	3	-	4	3	4	6	15	9	9
Scarlet fever	7	2	2	6	6	1	9	4	6	9	4	9	7
Whooping cough	13	14	10	13	14	8	8	3	6	7	5	9	13
Diphtheria	13	20	24	16	20	27	28	24	26	40	36	30	33
Diarrhoea and enteritis (under 2 years).	159	121	102	97	81	80	61	53	53	26	20	20	16
Pulmonary tuberculosis	78	80	74	64	73	74	91	115	65	112	139	126	141
Influenza	3	5	8	5	4	13	12	11	6	13	17	26	29
Pneumonia (all forms)	47	41	54	61	60	65	59	70	67	83	130	132	184
Bronchitis	30	34	35	38	41	45	46	58	52	96	202	208	293
Other dis. of resp. system	5	12	14	7	13	7	11	8	5	10	29	26	27
Dis. of circ. system	134	121	137	139	150	161	157	141	155	206	263	215	281
Violence	20	25	41	37	29	35	35	38	35	35	33	37	33
Inquest cases	64	68	89	82	85	96	83	83	87	94	108	108	118
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Enteric fever	37	40	38	40	40	42	34	31	24	27	25	24	21
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	37	37	28	21	19	26	27	31	33	38	37	39	48
Scarlet fever	3680	4003	4428	4887	5508	5978	6067	6285	6305	6233	6132	6073	6007
Whooping cough	45	59	50	48	44	41	38	33	31	29	30	30	28
Diphtheria	1773	1834	1947	2056	2247	2447	2623	2814	2960	3031	3076	3080	3093

* The Metropolitan Asylums Board and London Fever Hospitals. The figures do not refer to London exclusively.

TABLE 3A. 96 Great Towns.—DEATHS from INFLUENZA in the last THIRTEEN WEEKS.

	Sept. 10.	Sept. 17.	Sept. 24.	Oct. 1.	Oct. 8.	Oct. 15.	Oct. 22.	Oct. 29.	Nov. 5.	Nov. 12.	Nov. 19.	Nov. 26.	Dec. 3.
Deaths from Influenza	21	27	22	37	34	49	46	30	32	44	59	80	128

TABLE 4. LONDON.—DEATHS REGISTERED in the FORTY-EIGHTH Week of the Year 1921.

CAUSES OF DEATH.	Deaths in the 48th week of the year 1920.	DEATHS OF PERSONS OF THE AGES													
		ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-10 years.	10-15 years.	15-20 years.	20-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards.
ALL CAUSES	1091	1601	138	47	42	30	17	23	31	69	99	179	250	343	333
Enteric fever	-	3	-	-	-	-	-	-	-	-	1	2	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	-	9	1	4	4	-	-	-	-	-	-	-	-	-	-
Scarlet fever	4	7	1	1	2	1	1	-	-	1	-	-	-	-	-
Whooping cough	3	13	1	8	3	1	-	-	-	-	-	-	-	-	-
Diphtheria	22	33	-	7	10	11	4	1	-	-	-	-	-	-	-
Influenza	13	29	-	-	1	1	-	-	1	1	3	6	6	6	4
Erysipelas	7	7	3	-	1	-	-	1	-	-	1	-	1	-	-
Acute Poliomyelitis, Polioencephalitis.	?	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	?	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal meningitis . . .	?	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other endemic and epidemic diseases.	1	5	1	-	1	-	-	-	-	1	-	-	-	2	-
Pyæmia and septicæmia	1	2	-	1	-	-	-	-	-	-	1	-	-	-	-
Tetanus	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
Tuberculosis :—															
Pulmonary tuberculosis	103	141	1	-	1	1	3	12	14	27	29	32	15	5	1
Tuberculous meningitis	5	4	-	1	1	2	-	-	-	-	-	-	-	-	-
Abdominal tuberculosis	-	4	2	-	-	1	-	-	1	-	-	-	-	-	-
Tuberculosis of the spine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of the joints	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of other organs . .	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Disseminated tuberculosis . . .	1	4	-	-	-	1	-	-	1	-	1	-	-	1	-
Venereal diseases	5	2	-	-	-	-	-	-	-	-	-	2	-	-	-
Cancer	107	94	-	-	-	-	-	-	1	-	6	12	30	27	18
Rheumatic fever	5	3	-	-	1	-	1	-	-	-	1	-	-	-	-
Diabetes	8	10	-	-	-	-	-	1	-	-	1	2	1	2	3
Anæmia, leucocythæmia	3	7	-	-	1	-	1	-	-	-	-	3	2	-	-
Other general diseases	6	15	1	1	-	-	-	-	-	-	2	1	5	4	1
Alcoholism	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic poisonings	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	7	4	2	-	-	-	1	-	-	-	-	-	1	-	-
Cerebral hæmorrhage, &c., Apoplexy	39	74	-	-	-	-	-	-	-	-	-	6	18	30	20
Softening of brain	1	3	-	-	-	-	-	-	-	-	-	-	-	2	1
Paralysis, without specified cause .	5	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Epilepsy	3	3	-	-	-	-	-	-	-	1	-	-	-	1	1
"Convulsions" (not puerperal) . .	6	6	5	1	-	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system .	27	22	1	-	-	1	-	1	-	2	3	6	6	1	1
Pericarditis	-	2	-	-	-	1	-	-	-	-	-	-	-	-	1
Acute endocarditis	6	10	-	-	-	-	1	-	-	4	3	1	1	-	-
Other diseases of heart	120	214	-	-	-	-	1	5	2	7	8	23	46	61	61
Embolism and thrombosis (excluding cerebral).	13	1	-	-	-	-	-	-	-	-	-	1	-	-	-
Other diseases of circulatory system.	38	54	-	-	-	-	-	-	-	-	-	4	6	17	27
Diseases of the larynx	-	3	-	1	1	1	-	-	-	-	-	-	-	-	-
Bronchitis	149	293	5	1	3	-	-	-	2	3	16	30	51	83	99
Broncho-pneumonia	52	96	18	15	6	4	-	-	1	1	2	8	13	18	9
Lobar pneumonia	29	48	1	2	-	-	-	-	-	3	6	12	10	10	4
Pneumonia (type not distinguished)	25	40	4	1	1	1	1	-	-	1	2	7	8	10	4
Pleurisy	4	1	-	-	-	-	-	-	-	-	-	-	-	-	1
Pulmonary congestion Pulmonary apoplexy.	2	4	1	-	1	-	-	-	-	-	1	-	-	1	-
Other diseases of respiratory system.	12	19	-	-	-	-	-	-	-	1	-	2	6	8	2

TABLE 4 (cont.) LONDON.—DEATHS REGISTERED in the FORTY-EIGHTH Week of the Year 1921.

CAUSES OF DEATH.	Deaths in the 48th week of the year 1920.	DEATHS of PERSONS of the AGES													
		ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-10 years.	10-15 years.	15-20 years.	20-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and up wards.
Diseases of the pharynx, Tonsillitis	1	2	-	-	-	1	-	-	-	-	-	1	-	-	-
Diseases of stomach	7	10	3	-	-	-	-	-	-	-	4	1	-	1	1
Diarrhoea and enteritis	21	19	15	1	1	-	-	-	-	-	-	-	-	1	1
Appendicitis and typhlitis	6	5	-	-	-	1	-	-	1	2	-	-	1	-	-
Hernia and Intestina obstruction.	10	3	-	-	1	-	-	-	-	1	-	1	-	-	-
Cirrhosis of liver	6	4	-	-	-	-	-	-	-	-	-	1	2	-	1
Other diseases of liver	3	2	-	-	-	-	-	-	-	-	-	1	1	-	-
Peritonitis (cause unknown)	-	2	-	-	-	-	-	-	-	1	-	-	-	1	-
Other diseases of digestive system	4	4	-	-	-	-	-	-	-	-	-	2	1	1	-
Acute nephritis	1	3	-	-	-	-	-	-	-	-	1	2	-	-	-
Chronic Bright's disease	27	29	-	-	-	-	1	-	-	-	2	3	9	10	4
Urinary calculi	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Uterine tumour (non-cancerous)	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ovarian tumour (. . . .)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of genito-urinary system.	8	16	-	-	-	-	-	-	1	1	2	2	2	6	2
Puerperal fever, &c. . . .	2	7	-	-	-	-	-	-	1	4	2	-	-	-	-
Other causes incident to child-birth.	2	4	-	-	-	-	-	-	1	3	-	-	-	-	-
Diseases of skin and cellular tissues.	11	13	1	-	-	-	-	-	3	2	-	-	-	5	2
Diseases of locomotor system	1	3	-	2	-	-	1	-	-	-	-	-	-	-	-
Congenital malformations	8	7	7	-	-	-	-	-	-	-	-	-	-	-	-
Premature birth	22	44	44	-	-	-	-	-	-	-	-	-	-	-	-
Debility, atrophy marasmus (Infants).	21	11	11	-	-	-	-	-	-	-	-	-	-	-	-
Old age	49	78	-	-	-	-	-	-	-	-	-	-	1	19	58
ACCIDENT.															
Poisons or poisonous vapours. . . .	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Conflagration	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Burns and scalds	6	4	1	-	1	-	-	-	1	-	-	-	1	-	-
Drowning	1	2	1	-	-	-	-	-	-	-	-	1	-	-	-
Suffocation in bed	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Other deaths by accident	18	18	-	-	1	-	-	1	-	-	1	2	1	5	6
Total deaths from accident	29	25	3	-	2	-	-	1	1	2	-	2	3	5	6
Included in above are deaths in connection with:—															
Railways	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	4	4	-	-	-	-	-	1	-	-	-	-	-	3	-
Ships, boats, docks	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Building operations	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIOLENCE OTHER THAN ACCIDENTAL.															
Homicide	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	5	8	-	-	-	-	-	-	-	-	1	2	3	2	-
Execution	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other specified diseases	13	8	6	-	-	-	-	-	-	-	-	-	-	2	-
Ill-defined Causes	-	3	-	-	-	1	-	-	-	-	-	1	1	-	-

TABLE 5.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM							
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria*	Diarrhoeal Diseases† (under 2 years).	Influenza.
LONDON†	4,531,971	1921. Dec. 3	1,771	1,601	18·4	3	-	9	7	13	33	16	29
Calcutta	896,067	Oct. 22	-	505§	29·2	?	2	?	?	?	?	?	15
Bombay	979,445	" 22	429	874§	47·4	3	-	-	-	-	-	65	3
Madras	522,951	" 22	433	353	31·1	1	1	-	?	3	-	23	3
Paris	2,847,229	{ 10 days Sept. 30 }	1,281	916	11·7	4	-	1	-	-	4	47	-
Amstels	792,919	-	-	-	-	-	-	-	-	-	-	-	-
Antwerp	340,852	Nov. 12	117	56	8·7	1	-	-	1	-	-	6	1
Amsterdam	682,904	" 19	281	175	13·4	-	-	-	-	3	1	1	-
Copenhagen	571,000	" 19	231	108	9·9	-	-	-	-	-	2	2	-
Stockholm	419,788	" 12	133	91	11·3	1	-	-	1	-	-	-	-
Gothenburg	205,547	" 5	-	26	6·6	-	-	-	-	-	-	1	-
Christiania	260,920	" 19	82	54	10·8	-	-	-	-	-	-	-	-
Berlin	1,945,000	" 12	478	453	12·1	2	?	-	3	1	4	5	-
Breslau	547,000	" 12	212	156	14·8	-	?	2	-	-	1	7	1
Logne	669,000	" 12	281	158	12·3	-	?	-	2	2	-	9	5
Esden	600,000	" 12	182	136	11·8	-	?	-	-	-	1	-	1
Hankfort- on-Main.	471,000	" 12	127	90	9·9	-	?	-	-	2	1	1	1
Lomburg	1,031,000	" 12	284	241	12·1	1	?	-	-	1	7	7	2
Leipzig	630,000	" 12	222	163	13·4	-	?	-	-	-	-	5	2
Nurnich	670,000	" 12	209	136	10·6	-	?	1	-	-	-	4	3
Vienna	1,842,005	" 5	561	470	13·3	1	-	-	1	1	1	17	1
Prague and Suburbs.	676,454	Oct. 29	267	166	12·8	2	-	-	1	-	2	10	1
Budapest	933,000	Sept. 10	339	304	16·9	7	?	3	9	2	4	27	1
Cairo	765,200	" 16	653	413	28·1	2	-	-	-	?	2	48	?
Alexandria	449,306	" 16	316	239§	27·7	3	-	-	-	?	1	39	?
New York	5,751,859	Oct. 29	2,413	1,177	10·7	2	-	1	2	4	10	39	7
Chicago	2,780,655	Nov. 12	-	537	10·1	1	-	-	1	1	20	29	1
Montevideo	359,698	Sept. 17	176	137	19·8	-	-	-	-	-	1	-	2

including deaths from croup in Bombay, Madras, Paris, Antwerp, Amsterdam, Copenhagen, the German Cities, Vienna, Prague and Suburbs, Budapest, and Montevideo.

The deaths in this column relate to *all ages* for Bombay, Madras, Christiania, and Budapest, and to *children under 1 year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

The estimated population and deaths refer to the civilian population only.

including 2 deaths from *plague* in Alexandria and 4 in Bombay, and from *Asiatic cholera* 3 deaths in Calcutta.

The registration of births in Bombay is incomplete.

TABLE 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 3rd December, 1921.

(Supplied by the Meteorological Office.)

TOWNS.	Temperature of Air.*				Rainfall in Milli- metres.†	TOWNS.	Temperature of Air.*				Rainfall in Milli- metres.†
	Highest.	Lowest.	Mean Maxi- mum.	Mean Mini- mum.			Highest.	Lowest.	Mean Maxi- mum.	Mean Mini- mum.	
LONDON (Greenwich)	45	28	40·3	31·0	8	BRADFORD	50	31	41·4	33·1	5
BRIGHTON	49	33	44·4	26·8	5	SHEFFIELD	51	30	43·1	35·4	4
PORTSMOUTH	53	35	46·1	38·9	14	YORK (Museum)	47	26	43·7	33·7	2
DERBY (Eaton)	43	23	38·9	29·6	3	HULL (Pearson Park)	47	28	43·7	35·4	2
PLYMOUTH	55	36	50·6	44·7	18	TYNEMOUTH	48	34	44·3	39·9	0·4
BISTOL (Clifton)	50	34	45·4	35·9	24	CARDIFF	50	33	43·9	36·6	22
BIRMINGHAM	50	28	41·4	33·7	6	EDINBURGH	Not receive d.				
NOTTINGHAM	52	29	41·9	35·0	3	GLASGOW	51·0	29·6	44·6	37·2	6
LEICESTER (Bidston)	51	30	43·6	34·9	2	DUBLIN:—					
MANCHESTER	52	30	45·0	36·6	4	Phoenix Park	56·0	29·9	50·2	40·2	13
DENLEY	49	27	42·6	33·6	2	§Fitzwilliam Square	56·0	38·7	50·4	43·5	17
RODDERSFIELD	46	31	41·3	34·1	6	BELFAST	54·0	39·0	43·9	43·5	4

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.

† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.

‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

DATE.		ELECTRICITY. (For explanation of symbols, see Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
NOVEMBER 1921.					
SUNDAY	- 27	w.P. throughout	0·2	8·3	Cloudless till 2h.; very foggy afterwards; sun visible about 15h.; hoar frost morning and evening.
MONDAY	- 28	w.P. generally, v.P. from 15h. to 18h.	4·5	8·2	Thick fog with hoar frost in morning; fog clearing from 10h.; nearly cloudless till 18h., becoming overcast and misty about 19h.; rain from 23h.
TUESDAY	- 29	v.P. generally	0·0	8·2	Nearly overcast generally; nearly cloudless 15h. 30m. to 19h. 30m. and about 22h.; hoar frost at night; mist in morning with slight rain at 7h.
WEDNESDAY	- 30	w.P. throughout	1·7	8·2	Overcast generally till 13h.; nearly cloud- less from 14h. to 18h.; apparently overcast by 18h. 30m. with slight fog.
THURSDAY	1	w.P. throughout	0·0	8·1	Overcast generally; slight break about 18h.; fog about 4h.; rain from 4h. till 9h.; rain or damping generally till 17h., and occasional damping afterwards.
FRIDAY	- 2	w.P. throughout	0·0	8·1	Overcast throughout; slight rain or damp- ing generally from 4h. 30m. to noon and damping occasionally afterwards.
SATURDAY	- 3	w.P. throughout	0·0	8·1	Overcast with few exceptions; brisk wind 9h. to 10h.
No. of Col. . .		26	Sum 6·4	Sum 57·2	
			27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "higher," and - "lower," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·89 in. at the beginning of the week to 29·94 in. by 23h. on November 27th; decreased to 29·44 in. by 14h. on December 1st, and increased to 29·98 in. by midnight on December 3rd.

TABLE 8. LONDON.—DEATHS of PERSONS BELONGING to the several METROPOLITAN BOROUGHs REGISTERED in the Week ended 26th November, 1921.

BOROUGHs.	Deaths from									Deaths of Infants under 1 Year of Age.
	ALL CAUSES.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Pulmonary Tuberculosis.	
COUNTY OF LONDON -	1324	1	-	9	9	9	30	20	126	106
Western										
PADDINGTON - . . .	33	-	-	-	-	-	-	1	2	3
KENSINGTON - . . .	56	1	-	-	-	-	-	2	2	6
HAMMERSMITH - . . .	46	-	-	-	1	-	-	-	4	4
FULHAM -	44	-	-	-	-	-	-	1	3	4
CHELSEA -	18	-	-	-	-	-	-	-	1	1
CITY OF WESTMINSTER -	36	-	-	-	-	-	-	-	4	3
Northern.										
ST. MARYLEBONE - . .	34	-	-	-	-	-	1	1	4	1
HAMPSTEAD -	25	-	-	-	-	-	-	1	-	-
ST. PANCRAS -	79	-	-	3	-	-	1	1	5	6
ISLINGTON -	115	-	-	-	2	-	3	1	8	6
STOKE NEWINGTON - . .	18	-	-	-	-	-	3	-	-	3
HACKNEY -	68	-	-	-	-	-	-	-	11	2
Central.										
HOLBORN -	16	-	-	-	-	-	-	1	3	-
FINSBURY -	18	-	-	-	-	-	-	-	1	1
CITY OF LONDON - . .	5	-	-	-	-	-	-	-	1	1
Eastern.										
SHOREDITCH -	43	-	-	-	-	-	1	-	3	6
BETHNAL GREEN - . . .	31	-	-	1	-	-	1	1	6	4
STEPNEY -	89	-	-	-	-	2	2	1	7	9
POPLAR -	38	-	-	2	1	1	1	1	6	4
Southern.										
SOUTHWARK -	48	-	-	-	1	-	-	-	6	5
BERMONDSEY -	46	-	-	-	-	2	2	-	3	1
LAMBETH -	80	-	-	2	-	1	2	-	13	3
BATTERSEA -	35	-	-	-	-	1	2	1	3	1
WANDSWORTH -	89	-	-	-	2	1	1	2	7	6
CAMBERWELL -	71	-	-	-	1	-	1	1	5	10
DEPTFORD -	30	-	-	-	-	1	-	-	5	6
GREENWICH -	22	-	-	1	-	-	-	-	6	2
LEWISHAM -	42	-	-	-	1	-	1	1	5	1
WOOLWICH -	49	-	-	-	-	-	8	3	2	7

The deaths in the above Table are, so far as concerns London as a whole, corrected by the exclusion of deaths of non-residents, and by the inclusion of those of residents occurring in the Outer Ring or in Metropolitan public institutions situated outside the County. As between individual Metropolitan Boroughs, however, correction is complete.

TABLE 9. LONDON.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED during the Week ended 26th November, 1921.*

BOROUGHs.	ESTI- MATED CIVILIAN POPU- LATION, MID. 1920.† (Provi- sional.)	Enteric Fever.	Malaria.	Continued Fever.	Small- pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Pneumonia.	Erysipelas.	Cerebro-Spinal Fever.	Puerperal Fever.	Ophthalmia Neonatorum.	Poliomyelitis.	Dysentery.	Encephalitis Lethargica.	Anthrax.	Polio- encephalitis.	Cholera.
WESTERN.																		
Paddington . . .	149,673	-	-	-	-	25	29	5	3	-	-	1	-	-	-	-	-	-
Kensington . . .	164,177	-	-	-	-	24	9	1	-	-	-	-	-	-	-	-	-	-
Hammersmith . . .	136,200	-	-	-	-	25	10	4	2	-	-	-	-	-	-	-	-	-
Fulham . . .	158,621	-	-	-	-	31	10	9	3	-	-	-	-	-	-	-	-	-
Chelsea . . .	62,987	-	-	-	-	8	3	2	1	-	-	-	-	-	-	-	-	-
City of Westminster . . .	132,615	-	-	-	-	14	3	2	-	-	-	-	-	-	-	-	-	-
NORTHERN.																		
St. Marylebone . . .	101,856	-	-	-	-	19	6	-	-	-	-	-	-	-	-	-	-	-
Hampstead . . .	91,519	1	-	-	-	7	23	-	1	-	-	-	-	-	-	-	-	-
St. Pancras . . .	228,178	-	-	-	-	63	21	10	2	-	-	2	-	-	-	-	-	-
Islington . . .	335,907	1	-	-	-	94	32	4	3	-	-	2	-	-	-	-	-	-
Stoke Newington . . .	52,984	-	-	-	-	12	9	-	-	-	-	-	-	-	-	-	-	-
Hackney . . .	225,372	1	-	-	-	40	18	4	3	-	-	-	-	-	-	-	-	-
CENTRAL.																		
Holborn . . .	39,676	-	-	-	-	11	4	2	-	-	-	-	-	-	-	-	-	-
Finsbury . . .	78,291	-	-	-	-	20	3	3	2	-	-	-	-	-	-	-	-	-
City of London . . .	14,447	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-
EASTERN.																		
Shoreditch . . .	102,044	-	-	-	-	19	6	6	2	-	1	1	-	-	-	-	-	-
Bethnal Green . . .	114,471	-	1	-	-	12	12	8	2	-	2	1	-	-	-	-	-	-
Stepney . . .	241,770	-	-	-	-	18	33	7	8	-	-	-	-	-	-	-	-	-
Poplar . . .	159,766	-	-	-	-	34	11	7	2	-	-	-	-	-	-	-	-	-
SOUTHERN.																		
Southwark . . .	187,142	-	-	-	-	36	14	5	3	-	-	3	-	-	-	-	-	-
Bermondsey . . .	129,189	-	-	-	-	21	22	1	1	-	-	-	-	-	-	-	-	-
Lambeth . . .	293,572	-	1	-	-	58	20	4	9	-	-	-	-	-	1	-	-	-
Battersea . . .	165,664	-	-	-	-	56	18	5	1	-	-	2	-	-	-	-	-	-
Wandsworth . . .	346,990	2	-	-	-	75	20	11	3	-	1	1	-	-	-	-	-	-
Camberwell . . .	284,712	-	1	-	-	58	29	-	4	1	1	-	-	-	-	-	-	-
Deptford . . .	115,636	-	-	-	-	30	10	-	3	-	-	-	-	-	-	-	-	-
Greenwich . . .	102,408	-	-	-	-	34	19	8	2	-	1	-	-	-	-	-	-	-
Lewisham . . .	174,438	-	-	-	-	37	12	2	-	-	-	-	-	-	-	-	-	-
Woolwich . . .	141,666	-	-	-	-	43	28	12	4	-	-	-	-	-	-	-	-	-
TOTAL . . .	4,531,971	5	3	-	-	924	434	123	66	1	6	13	-	-	1	-	-	-
AGES.																		
0-1 . . .		-	-	-	-	6	6	7	2	-	-	13	-	-	-	-	-	-
" 1-5 . . .		-	-	-	-	162	102	28	2	1	-	-	-	-	-	-	-	-
" 5- . . .		1	-	-	-	366	163	9	1	-	-	-	-	-	-	-	-	-
" 10- . . .		1	-	-	-	253	70	2	5	-	-	-	-	-	-	-	-	-
" 15- . . .		-	-	-	-	64	27	8	8	-	-	-	-	-	-	-	-	-
" 20- . . .		1	-	-	-	29	27	8	3	-	1	-	-	-	-	-	-	-
" 25- . . .		-	2	-	-	28	23	18	6	-	2	-	-	-	-	-	-	-
" 35- . . .		1	1	-	-	13	8	16	8	-	2	-	-	-	-	-	-	-
" 45- . . .		1	-	-	-	2	4	11	15	-	1	-	-	-	-	-	-	-
" 55- . . .		-	-	-	-	1	3	7	9	-	-	-	-	-	1	-	-	-
" 65- . . .		-	-	-	-	-	1	5	4	-	-	-	-	-	-	-	-	-
" 75 and upwards . . .		-	-	-	-	-	-	4	3	-	-	-	-	-	-	-	-	-
Age not stated . . .		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

† See note † on first page of this return.

LONDON EC
OFFICIAL
PAID
DEC 8
3 30 PM
1981

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS AND DEATHS REGISTERED:—

**LONDON AND
NINETY-FIVE OTHER GREAT TOWNS**

~~~~~  
**By Authority of the Registrar General.**  
~~~~~

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased through any Bookseller or directly from
H.M. STATIONERY OFFICE at the following addresses:
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and
28, ABINGDON STREET, LONDON, S.W. 1;
37, PETER STREET, MANCHESTER;
1, ST. ANDREW'S CRESCENT, CARDIFF;
23, FORTH STREET EDINBURGH;
from EASON AND SON, LTD., 40 and 41, LOWER SACKVILLE STREET, DUBLIN.

No. 49. VOL. LXXXII. 1921. WEEK ENDED SATURDAY, DEC. 10.
[Price 9d. Net.]

*General Register Office, Somerset House,
December 13th, 1921.*

NINETY-SIX GREAT TOWNS.

For the NINETY-SIX GREAT TOWNS of England and Wales, each of which had a population of 50,000 or over at the Census of 1911, the births registered last week numbered 8,184, and corresponded to an annual rate of 22·9 per 1,000. The deaths* among the civilian population only numbered 5,373, and corresponded to an annual rate of 15·1 per 1,000 of their aggregate civilian population, which is provisionally estimated† at 18,554,878 persons in the year 1920. In the three weeks ended November 19th, November 26th and December 3rd, the rates had been 14·6, 14·2, and 15·1 respectively. The infant mortality was 76, against 84, 74, and 86 in the three preceding weeks. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks; it also shows for the week ended last Saturday the births and the deaths from certain individual causes. A column showing the number of deaths

* Corrected as far as possible for deaths of non-residents and for those of residents occurring outside the area. Fully corrected figures will appear in the Registrar General's Annual Report.

† The estimates of population refer to the year 1920, and are based on the returns furnished under the scheme for rationing of food.

from influenza has been inserted in Table 1. The aggregate number of deaths from influenza in the 96 great towns in each of the last thirteen weeks is shown in Table 3A.

Measured by last week's mortality, the highest annual death-rates per 1,000 living were:—from *all causes*, 20·8 in Leeds, 21·8 in Rotherham, 22·4 in Sheffield, 25·6 in Dewsbury, 32·0 in Barnsley, and 33·6 in Wakefield; from *whooping cough*, 1·2 in Leeds, 1·9 in Dewsbury, 2·6 in Bootle, and 2·9 in Barnsley; from *diphtheria* 2·1 in Edmonton and from *influenza*, 3·3 in Sheffield and 10·2 in Rotherham. No death from *small-pox* was registered in any of the ninety-six towns.

LONDON.* (The Administrative County, including the City of London.)

For LONDON there were 2,020 BIRTHS, corresponding to a rate of 23·1 per 1,000, and 1,383 DEATHS of civilians, corresponding to a rate of 15·9, as against 16·5, 15·2, and 18·4 per 1,000 in the three weeks ended November 19th, November 26th, and December 3rd. The death-rate in the four weeks ended last Saturday averaged 16·5 per 1,000. The infant mortality was 67, against 69, 57, and 78, in the three preceding weeks.

The deaths from *enteric fever*, which had been 1, 1, and 3 in the preceding three weeks, numbered 2, the average for the corresponding weeks of the previous five years being 1. The deaths from *measles*, which had been 15, 9, and 9 in the preceding three weeks, were 8, and were 8 below the average; 3 deaths belonged to the Borough of Stepney. The deaths from *scarlet fever*, which had been 4, 9, and 7 in the preceding three weeks, were again 7, and were 3 above the average. The deaths from *whooping-cough*, which had been 5, 9, and 13 in the preceding three weeks, fell to 8, but were 2 above the average. The deaths from *diphtheria*, which had been 36, 30, and 33 in the preceding three weeks, fell to 31, but were 12 above the average; 5 deaths belonged to Stepney, 4 to Southwark, and 3 each to Hackney, Poplar, and Battersea. The deaths from *diarrhoea and enteritis under 2 years of age*, which had been 20, 20, and 16 in the preceding three weeks, further fell to 11, and were 6 below the average. The deaths from *influenza* numbered 14, as against 17, 26, and 29 in the preceding three weeks, and an average of 150.

Different forms of violence caused 32 deaths, all of which were the subject of coroners' inquests. Of these 32 deaths, 5 were cases of suicide, and 1 of homicide, while the remaining 26 were attributed to other forms of violence. Seven of these latter were referred to vehicles in the streets, 5 to burns and scalds, and 2, of infants under one year of age, to suffocation in bed.

CASES OF INFECTIOUS DISEASE.†

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital, there were 23 cases of enteric fever, 58 of measles, 5,834 of scarlet fever, 26 of whooping-cough, and 3,071 of diphtheria under treatment in these hospitals

* See note * on first page.

† The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows :—Of enteric fever, 4 cases, against 5, 4, and 3; of measles, 15 cases, against 9, 12, and 15; of scarlet fever, 699 cases, against 793, 832, and 837; of whooping-cough, 0 case, against 1, 2, and 0; and of diphtheria, 370 cases, against 401, 394, and 372. Table 9, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the county during the week ended December 3rd, 1921.

TABLE 1.—96 GREAT TOWNS GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH-RATES in the Week ended Saturday, 10th December, 1921, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	ESTIMATED CIVILIAN POPULATION, MID. 1920.* (Provisional.)	DEATH-RATES from all Causes.					Week ended		10th Dec. 1921.		The DEATHS in the Week include										TOWNS.				
		1. Col.	Week ended				6.	7.	8.	9.	Deaths from											18.	19.	20.	21.
			19th Nov., 1921.	26th Nov., 1921.	3rd Dec., 1921.	10th Dec., 1921.					Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.	Violence.							
																			Enteric Fever.						
96 GREAT TOWNS.	18,554,878	14.6	14.2	15.1	15.1	8,184	5,373	623	1,956	6	-	31	25	57	58	84	149	153	370	1,684	35	96 GREAT TOWNS.			
LONDON†	4,531,971	16.5	15.2	18.4	15.9	2,020	1,383	135	556	2	-	8	7	8	31	11	14	32	95	608	3	LONDON.†			
(CROYDON.	191,580	9.8	12.2	11.4	14.4	88	53	3	26	1	-	-	-	-	-	-	1	-	4	18	-	(CROYDON.			
WIMBLEDON.	62,174	10.9	15.9	9.2	12.6	17	15	-	10	-	-	-	-	-	-	-	1	-	2	4	-	WIMBLEDON.			
EALING.	76,129	9.6	11.0	19.2	13.7	22	20	-	9	-	-	-	-	-	-	-	1	-	-	4	-	EALING.			
ACTON.	64,192	10.6	13.8	17.9	13.0	19	16	-	6	-	-	-	-	-	-	-	-	-	-	5	-	ACTON.			
WILLESDEN.	167,328	14.6	15.9	12.2	14.0	82	45	6	15	-	-	-	-	-	-	-	-	2	5	14	-	WILLESDEN.			
HORNSEY.	98,107	15.4	14.3	9.6	10.6	29	20	-	12	-	-	-	-	-	-	-	1	-	-	5	-	HORNSEY.			
TOTTENHAM.	146,970	12.8	15.6	13.8	12.8	59	36	2	12	-	-	-	-	-	-	-	1	1	1	12	-	TOTTENHAM.			
EDMONTON.	73,529	13.5	14.2	7.1	14.9	32	21	3	7	-	-	-	-	-	3	-	1	-	1	7	-	EDMONTON.			
ENFIELD.	60,771	11.2	12.9	7.7	10.3	21	12	2	5	-	-	-	-	-	-	-	1	-	1	2	-	ENFIELD.			
WEST HAM.	299,440	14.3	14.8	14.6	13.6	172	78	11	29	-	-	-	-	3	-	1	1	4	5	24	-	WEST HAM.			
EAST HAM.	150,207	13.9	11.5	12.5	11.1	58	32	2	12	-	-	-	-	1	-	-	1	-	4	9	-	EAST HAM.			
LEYTON.	128,832	12.5	10.5	16.2	11.3	50	28	2	9	-	-	-	-	2	-	-	1	-	-	9	-	LEYTON.			
WALTHAMSTOW.	132,771	15.3	10.2	9.0	13.0.	53	33	4	14	-	-	-	-	-	-	1	1	2	4	10	-	WALTHAMSTOW.			
ILFORD.	82,693	8.8	11.3	11.3	12.0	37	19	1	8	-	-	-	-	-	-	-	2	1	2	5	-	ILFORD.			
GILLINGHAM.	45,233	13.8	10.4	12.7	19.6	25	17	1	6	-	-	-	-	-	1	-	-	1	1	6	-	GILLINGHAM.			
HASTINGS.	59,972	20.9	18.3	13.0	18.3	18	21	-	16	-	-	-	-	-	-	-	-	1	2	4	-	HASTINGS.			
EASTBOURNE.	50,354	14.5	14.5	19.7	11.4	12	11	-	9	-	-	-	-	-	-	-	-	-	1	3	-	EASTBOURNE.			
BRIGHTON.	137,685	14.0	18.6	15.9	13.3	46	35	4	16	-	-	-	-	-	-	-	1	-	3	11	-	BRIGHTON.			
PORTSMOUTH.	235,998	13.5	9.5	15.5	14.6	103	66	7	23	-	-	-	-	-	1	5	1	4	5	18	1	PORTSMOUTH.			
BOURNEMOUTH.	85,919	17.0	12.1	15.2	18.8	24	31	4	17	-	-	-	-	-	-	-	-	-	2	4	-	BOURNEMOUTH.			
SOUTHAMPTON.	162,388	10.3	13.2	11.6	12.8	75	40	2	12	-	-	-	-	-	1	1	-	-	1	11	-	SOUTHAMPTON.			
READING.	95,006	14.3	14.8	9.9	12.1	28	22	1	12	-	-	-	-	-	-	1	-	2	2	3	-	READING.			
OXFORD.	59,963	10.4	13.0	8.7	6.1	19	7	-	4	-	-	-	-	-	-	-	-	-	-	1	-	OXFORD.			
NORTHAMPTON.	92,483	13.0	11.8	10.7	13.0	49	23	5	11	-	-	-	-	-	1	-	-	-	1	3	-	NORTHAMPTON.			
CAMBRIDGE.	60,154	13.0	8.7	13.9	7.8	21	9	1	7	-	-	-	-	-	-	-	-	-	-	3	-	CAMBRIDGE.			

* See note † on first page of this return.

† For Greater London see end of Table.

‡ These towns are included within the area of Greater London.

TABLE 1 (cont.).—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH-RATES in the Week ended Saturday, 10th December 1921, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	ESTIMATED CIVILIAN POPULATION, MID. 1920.* (Provisional.)	DEATH-RATES from all Causes.					Week ended 10th Dec., 1921.		The DEATHS in the Week include										Deaths in Public Inquest Cases.					Deaths in Public Institutions.		Uncertified Causes of Death.	TOWNS.																							
		Week ended					BIRTHS.	DEATHS.	Deaths from								Violence.	Influenza.	Diphtheria.	Whooping Cough.	Scarlet Fever.	Measles.	Small-pox.	Typhoid Fever.	Persons aged under 1 Year of Age.	Persons aged 65 Years and upwards.		Typhoid Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.	Violence.	19.	20.	21.												
		Week ended							Deaths from																														Typhoid Fever.	Persons aged under 1 Year of Age.	Persons aged 65 Years and upwards.	Typhoid Fever.	Measles.	Small-pox.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.	Violence.
		19th Nov., 1921.	26th Nov., 1921.	3rd Dec., 1921.	10th Dec., 1921.				2.	3.	4.	5.	6.	7.	8.	9.																																		
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.																												
SOUTHEND ON SEA.	87,332	11.3	16.7	19.1	12.5	23	21	4	11	-	-	-	-	-	-	-	-	-	-	3	2	SOUTHEND ON SEA.																												
IPSWICH.	81,119	8.4	9.6	16.7	7.7	23	12	1	5	-	-	-	-	-	-	-	-	1	1	4	-	IPSWICH.																												
GREAT YARMOUTH.	55,193	17.0	17.0	11.3	14.2	16	15	1	10	-	-	-	-	-	-	-	-	-	-	3	-	GREAT YARMOUTH.																												
NORWICH.	124,774	11.7	18.4	20.9	13.8	57	33	2	17	-	-	-	-	-	-	-	-	2	3	6	-	NORWICH.																												
SWINDON.	53,580	16.5	10.7	10.7	13.6	18	14	2	3	-	-	-	1	-	-	-	-	-	2	2	-	SWINDON.																												
EXETER.	61,365	13.6	22.1	11.9	10.2	34	12	-	6	-	-	-	-	-	-	-	-	1	1	2	-	EXETER.																												
PLYMOUTH.	189,218	12.7	13.5	11.0	20.7	90	75	6	32	-	-	-	-	1	-	2	1	2	7	15	-	PLYMOUTH.																												
BATH.	68,546	15.2	16.0	15.2	9.9	15	13	1	9	-	-	-	-	1	-	-	-	-	1	2	-	BATH.																												
BRISTOL.	375,641	13.2	14.0	10.4	16.0	158	115	10	42	-	-	1	1	-	7	2	4	5	16	48	-	BRISTOL.																												
GLOUCESTER.	52,096	13.0	20.0	17.0	14.0	22	14	1	8	-	-	-	-	1	-	-	-	-	-	4	-	GLOUCESTER.																												
STOKE ON TRENT.	248,852	15.7	15.9	19.3	18.4	132	88	18	26	-	-	-	1	3	-	4	3	-	2	17	2	STOKE ON TRENT.																												
WOLVERHAMPTON.	102,324	15.8	12.7	10.2	11.2	55	22	4	9	-	-	-	-	-	-	-	-	-	-	4	-	WOLVERHAMPTON.																												
WALSALL.	96,419	11.9	9.7	14.6	13.5	49	25	5	6	-	-	-	-	-	1	-	2	1	2	2	-	WALSALL.																												
WEST BROMWICH.	72,684	15.1	15.1	13.6	12.2	38	17	4	7	-	-	-	-	-	-	1	-	-	-	2	2	WEST BROMWICH.																												
DUDLEY.	56,169	14.9	21.4	8.4	7.4	32	8	-	2	-	-	-	-	-	-	1	1	-	-	1	-	DUDLEY.																												
BIRMINGHAM.	895,915	11.2	11.8	12.0	11.3	439	194	23	67	-	-	-	-	2	-	6	6	7	8	58	7	BIRMINGHAM.																												
SMETHWICK.	75,027	11.1	11.8	9.0	9.0	32	13	3	7	-	-	-	-	-	-	2	1	-	-	1	-	SMETHWICK.																												
COVENTRY.	137,310	11.0	6.1	9.9	12.5	55	33	4	12	-	-	-	-	-	-	1	2	2	2	9	1	COVENTRY.																												
LEICESTER.	245,465	13.0	10.2	13.8	14.4	82	68	5	31	-	-	-	-	-	1	-	2	1	2	20	1	LEICESTER.																												
LINCOLN.	67,543	16.2	16.2	10.8	10.8	30	14	2	8	-	-	-	-	-	-	1	-	-	1	3	-	LINCOLN.																												
GRIMSBY.	31,953	14.0	13.4	10.8	15.9	33	25	3	7	-	-	-	-	1	-	1	-	2	2	4	-	GRIMSBY.																												
NOTTINGHAM.	267,836	17.1	19.7	13.4	19.3	113	99	10	33	-	-	-	-	-	1	1	3	4	5	29	1	NOTTINGHAM.																												
DERBY.	128,868	17.4	15.0	10.5	11.7	54	29	2	11	-	-	-	-	-	-	1	1	1	6	8	-	DERBY.																												

* See note † on first page of this return.

TABLE 1 (cont.).—98 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH-RATES in the Week ended Saturday, 10th December, 1921, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	ESTIMATED CIVILIAN POPULATION MID. 1920.* (Provisional.)	DEATH-RATES from all Causes.				Week ended 10th Dec., 1921.		The DEATHS in the Week include											TOWNS.			
		Week ended				6.	7.	Deaths of		Deaths from								19.		20.	21.	
		19th Nov. 1921.	26th Nov., 1921.	3rd Dec., 1921.	10th Dec., 1921.			Persons aged of Age. under 1 Year	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.					Violence.
Cols.	1.	2.	3.	4.	5.			8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
STOCKPORT . . .	130,635	11·6	17·2	17·2	15·2	58	38	2	13	-	-	-	-	1	-	-	1	1	1	16	-	STOCKPORT.
BIRKENHEAD . . .	153,951	11·5	11·2	11·9	13·2	65	39	5	13	-	-	1	-	2	-	1	1	5	5	14	-	BIRKENHEAD.
WALLASEY . . .	99,226	13·7	10·0	8·9	15·8	19	30	4	8	-	-	-	1	-	-	2	1	2	3	9	-	WALLASEY.
LIVERPOOL . . .	803,452	18·4	15·4	15·3	19·0	431	292	39	67	-	-	18	3	6	2	8	-	10	27	122	2	LIVERPOOL.
BOOTLE . . .	80,029	15·0	15·6	13·0	16·3	37	25	7	7	-	-	-	-	4	-	1	-	1	1	5	-	BOOTLE.
ST. HELENS . . .	104,822	17·9	9·5	10·9	14·4	53	29	5	9	-	-	-	-	-	-	-	-	-	-	3	1	ST. HELENS.
SOUTHPORT . . .	72,939	10·7	15·0	15·7	7·9	21	11	-	7	-	-	-	-	-	-	-	-	-	-	3	-	SOUTHPORT.
WIGAN . . .	90,866	10·9	14·3	14·3	20·1	41	35	8	8	-	-	-	1	-	-	-	3	-	2	4	-	WIGAN.
WARRINGTON . . .	77,939	16·1	10·0	12·7	13·4	35	20	4	6	-	-	-	-	-	-	-	-	1	1	4	-	WARRINGTON.
BOLTON . . .	184,533	14·7	12·2	12·7	13·8	54	49	2	26	-	-	-	-	-	-	-	2	-	1	15	-	BOLTON.
BURY . . .	56,410	16·6	12·9	16·6	13·9	26	15	1	6	-	-	-	-	-	-	-	-	2	3	5	-	BURY.
MANCHESTER . . .	770,597	15·0	13·9	15·0	15·9	333	235	28	66	-	-	-	1	-	2	9	7	5	10	98	2	MANCHESTER.
SALFORD . . .	235,239	12·6	13·5	13·7	16·8	121	76	11	28	2	-	-	1	-	-	-	3	5	12	25	-	SALFORD.
OLDHAM . . .	143,154	18·2	17·8	17·8	16·4	49	45	2	16	-	-	-	1	-	1	-	-	-	2	9	-	OLDHAM.
ROCHDALE . . .	93,639	16·1	17·8	12·8	18·4	27	33	2	15	-	-	1	-	-	-	1	-	2	5	7	-	ROCHDALE.
BURNLEY . . .	105,030	18·9	11·9	16·4	15·9	37	32	4	10	-	-	-	-	-	-	-	-	4	4	6	-	BURNLEY.
BLACKBURN . . .	131,012	12·3	17·5	14·3	14·3	54	36	4	15	-	-	-	-	-	-	-	-	2	2	7	-	BLACKBURN.
PRESTON . . .	121,950	13·3	11·5	13·7	12·8	51	30	5	11	-	-	-	-	-	-	-	-	-	-	3	1	PRESTON.
BLACKPOOL . . .	70,545	16·3	14·0	20·0	18·5	16	25	-	13	-	-	-	-	-	-	-	-	1	1	3	1	BLACKPOOL.
BARROW IN FURNESS . . .	76,561	18·4	15·0	10·9	10·9	32	16	1	6	-	-	-	-	-	-	-	1	1	1	3	-	BARROW IN FURNESS.
HUDDERSFIELD . . .	116,776	13·8	11·2	16·5	17·9	40	40	1	17	-	-	-	-	-	-	-	3	1	2	5	-	HUDDERSFIELD.
HALIFAX . . .	105,847	16·3	14·8	16·7	13·3	31	27	-	13	-	-	-	-	-	-	-	-	1	2	8	-	HALIFAX.
BRADFORD . . .	293,979	15·4	13·5	12·8	13·3	107	75	7	28	-	-	-	2	-	-	-	1	3	8	26	-	BRADFORD.
LEEDS . . .	449,212	15·9	15·6	19·5	20·8	184	179	23	44	-	-	-	1	10	-	-	14	9	17	27	-	LEEDS.
DEWSBURY . . .	55,080	10·4	12·3	18·9	25·6	22	27	8	8	-	-	-	-	2	-	-	1	1	2	4	-	DEWSBURY.
WAKEFIELD† . . .	51,169	19·4	18·3	22·4	33·6	27	33	6	11	-	-	-	-	-	-	-	2	-	2	11	-	WAKEFIELD.†
BARNSELEY† . . .	53,739	17·5	10·7	19·4	32·0	29	33	8	6	-	-	-	-	3	-	-	2	1	4	4	-	BARNSELEY.†

* See note + on first page of this return.
† The extension of the Boroughs of Wakefield and Barnsley on the 9th November 1921 will not be taken into account in the Weekly Returns until next year.

TOWNS.	ESTIMATED CIVILIAN POPULATION, MID. 1920.* (Provisional).†	Causes.				Week ended		Deaths of		Deaths from								Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS		
		Week ended				10th Dec., 1921.		Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from												
		19th Nov., 1921.	26th Nov., 1921.	3rd Dec., 1921.	10th Dec., 1921.	BIRTHS.	DEATHS.			Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.				Violence.	
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
SHEFFIELD†	492,570	13.3	13.2	15.7	22.4	217	213	26	67	-	-	2	-	-	-	2	31	6	13	59	-	SHEFFIELD.†
ROTHERHAM	71,785	22.5	17.4	37.8	21.8	37	30	6	7	-	-	-	-	-	-	-	14	-	-	3	3	ROTHERHAM.
YORK	77,501	14.1	16.8	14.8	12.1	37	18	-	12	-	-	-	-	-	-	-	1	-	-	7	-	YORK.
HULL	290,808	13.3	15.4	12.4	12.2	140	68	6	20	-	-	-	-	-	-	2	-	4	5	23	-	HULL.
MIDDLESBROUGH	132,208	16.2	19.3	14.2	11.0	93	28	10	4	-	-	-	-	2	-	-	-	1	2	6	-	MIDDLESBROUGH.
DARLINGTON	66,610	14.9	20.4	14.9	11.7	19	15	3	4	-	-	-	-	-	-	1	1	-	1	1	-	DARLINGTON.
STOCKTON ON TEES.	63,114	9.1	11.6	14.9	15.7	48	19	2	7	-	-	-	-	1	-	-	-	-	-	2	-	STOCKTON ON TEES.
WEST HARTLEPOOL.	68,126	13.8	20.7	15.3	16.1	29	21	2	8	-	-	-	-	-	-	1	1	-	-	5	-	WEST HARTLEPOOL.
SUNDERLAND	155,211	13.4	16.1	14.1	16.5	88	49	7	21	-	-	-	-	-	-	1	-	2	5	11	-	SUNDERLAND.
SOUTH SHIELDS†	115,945	15.3	16.6	18.0	11.2	56	25	5	8	-	-	-	-	-	-	1	-	1	1	11	1	SOUTH SHIELDS.†
GATESHEAD	128,309	17.1	11.4	15.8	13.8	64	34	9	7	-	-	-	-	2	-	1	-	1	-	11	1	GATESHEAD.
NEWCASTLE ON TYNE.	286,061	12.6	13.9	14.8	12.9	136	71	13	28	-	-	-	-	-	-	-	1	-	3	12	-	NEWCASTLE ON TYNE.
TYNEMOUTH	60,318	10.4	19.9	12.1	13.0	20	15	2	6	-	-	-	-	-	-	-	-	-	-	3	1	TYNEMOUTH.
CARLISLE	57,397	10.9	20.9	16.4	10.9	14	12	2	4	-	-	-	-	-	-	1	-	-	-	1	1	CARLISLE.
NEWPORT (MON.)	90,728	16.1	7.5	12.1	14.4	44	25	2	8	-	-	-	1	-	-	-	-	-	1	8	-	NEWPORT (MON.).
CARDIFF	212,582	10.5	13.5	12.3	9.8	110	40	13	7	-	-	-	1	-	1	3	1	-	4	9	-	CARDIFF.
RHONDDA.	184,999	11.0	7.6	9.9	11.8	90	42	10	5	-	-	-	-	-	2	2	1	2	2	5	1	RHONDDA.
MERTHYR TYDFIL	74,493	16.1	14.7	14.7	14.0	71	20	3	4	-	-	-	-	1	-	-	-	3	4	6	-	MERTHYR TYDFIL.
ABERDARE	53,431	12.7	15.6	12.7	18.5	22	19	3	5	-	-	-	-	-	-	2	-	1	1	3	-	ABERDARE.
SWANSEA	167,218	11.2	11.8	13.4	10.0	70	32	5	15	1	-	-	-	-	-	2	-	2	7	2	-	SWANSEA.
GREATER LONDON	7,548,647	14.9	14.2	16.4	14.5	3255	2097	191	872	3	-	8	9	14	40	16	35	54	149	818	3	GREATER LONDON.
OUTER RING	3,016,676	12.5	12.7	13.2	12.3	1235	714	56	316	1	-	-	2	6	9	5	21	22	54	210	-	OUTER RING.
14 GREAT TOWNS IN OUTER RING.	1,734,723	12.8	13.3	12.6	12.9	739	428	36	174	1	-	-	1	6	5	2	13	10	29	123	-	14 GREAT TOWNS IN OUTER RING.
REMAINDER OF OUTER RING.	1,281,953	12.2	12.0	14.1	11.6	496	286	20	142	-	-	-	1	-	4	3	8	12	25	82	-	REMAINDER OF OUTER RING.
EDINBURGH†	420,281	17.4	16.9	12.9	17.5	154	141	16	58	-	-	-	1	1	2	1	1	5	?	?	?	EDINBURGH.†
GLASGOW†	1,034,069	15.7	14.8	16.4	16.4	559	325	59	92	-	-	4	-	-	4	5	3	15	?	?	?	GLASGOW.†
DUBLIN (Registra- tion Area).†	423,000	15.8	14.9	14.1	18.0	222	146	26	34	-	-	6	-	-	-	4	2	2	6	53	2	DUBLIN (Registra- tion Area).†
BELFAST†	420,000	16.3	12.5	12.4	12.0	262	97	10	28	1	-	-	1	-	-	2	1	3	3	26	1	BELFAST.†

* See note † on first page of this return.

† The populations are total populations and relate to 1921, those for Edinburgh and Glasgow being Census populations. Deaths and the death-rates in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week: those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

‡ The extension of the Borough of Sheffield on the 9th November 1921, and of South Shields on the 1st November 1921, will not be taken into account in the Weekly Returns until next year.

TABLE 2. LONDON.—**Births** and **Deaths** registered during the FORTY-NINTH Week of each of the Eleven Years, 1911-1921.

	1911.	1912.	1913.	1914.	1915.	1916.	1917.	1918.	1919	1920.	1921.
Births (as registered).	2097	1960	2179	1914	1978	1773	1258	1514	2113	1902	2021
Males	1058	977	1098	990	982	912	651	784	1070	1022	1011
Females	1039	983	1081	924	996	861	607	730	1043	880	1010
Deaths (of residents only).	1306	1255	1223	1324	1547*	1683*	1064*	2007*	1119*	1078*	1381
Males	672	642	607	677	798	824	566	1014	579	560	651
Females	634	613	616	647	749	859	498	993	540	518	729

* Deaths in civilian population only.

TABLE 3. LONDON.—**BIRTHS** and **DEATHS** REGISTERED, and **CASES** of **INFECTIOUS SICKNESS** in **HOSPITALS**, in the last **THIRTEEN WEEKS**.

	Sept. 17.	Sept. 24.	Oct. 1.	Oct. 8.	Oct. 15.	Oct. 22.	Oct. 29.	Nov. 5.	Nov. 12.	Nov. 19.	Nov. 26.	Dec. 3.	Dec. 10.
Births (as registered) . . .	1918	1921	1910	1889	1885	1944	1835	1813	1869	1865	1866	1771	2021
Deaths (of residents only).	949	975	884	983	979	996	955	940	1150	1435	1324	1601	1381
Under 1 year	204	184	184	185	177	170	142	144	123	128	106	138	131
1-2 years	41	39	28	38	25	35	32	29	33	44	34	47	51
2-5 "	23	25	17	32	21	25	25	19	25	35	36	42	38
5-10 "	24	33	24	27	25	18	16	40	38	31	32	30	31
Age at Death { 10-15 "	14	9	12	22	20	14	7	12	17	19	17	17	11
15-20 "	21	27	8	13	19	19	23	19	21	24	28	23	21
20-25 "	19	21	23	18	20	28	21	12	23	28	24	31	11
25-35 "	53	44	35	42	35	43	51	48	59	59	41	69	51
35-45 "	68	67	56	67	62	75	75	62	94	101	82	99	81
45-55 "	90	114	100	101	115	106	119	94	145	153	175	179	151
55-65 "	122	114	117	123	150	141	134	134	152	240	178	250	221
65-75 "	133	149	155	156	158	159	151	159	204	278	287	343	261
75 years and upwards . . .	137	149	125	159	152	163	159	168	216	295	284	333	291
Deaths from—													
Enteric fever	1	1	2	5	2	1	3	4	-	1	1	3	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	-	2	-	3	-	4	3	4	6	15	9	9	-
Scarlet fever	2	2	6	6	1	9	4	6	9	4	9	7	-
Whooping cough	14	10	13	14	8	8	3	6	7	5	9	13	-
Diphtheria	20	24	16	20	27	28	24	26	40	36	30	33	-
Diarrhoea and enteritis (under 2 years).	121	102	97	81	80	61	53	53	26	20	20	16	-
Pulmonary tuberculosis . .	80	74	64	73	74	91	115	65	112	139	126	141	-
Influenza	5	8	5	4	13	12	11	6	13	17	26	29	-
Pneumonia (all forms) . . .	41	54	61	60	65	59	70	67	83	130	132	184	11
Bronchitis	34	35	38	41	45	46	58	52	96	202	208	293	20
Other dis. of resp. system . .	12	14	7	13	7	11	8	5	10	29	26	27	-
Dis. of circ. system	121	137	139	150	161	157	141	155	206	263	215	281	23
Violence	25	41	37	29	35	35	38	35	35	33	37	33	-
Inquest cases	68	89	82	85	96	83	83	87	94	108	108	118	-

CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.

Enteric fever	40	38	40	40	42	34	31	24	27	25	24	21	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	37	28	21	19	26	27	31	33	38	37	39	48	-
Scarlet fever	4003	4428	4887	5508	5978	6067	6285	6305	6233	6132	6073	6007	581
Whooping cough	59	50	48	44	41	38	33	31	29	30	30	28	-
Diphtheria	1834	1947	2056	2247	2447	2623	2814	2960	3031	3076	3080	3093	301

* The Metropolitan Asylums Board and London Fever Hospitals. The figures do not refer to London exclusive.

TABLE 3A. **96 Great Towns**.—**DEATHS** from **INFLUENZA** in the last **THIRTEEN WEEKS**.

	Sept. 17.	Sept. 24.	Oct. 1.	Oct. 8.	Oct. 15.	Oct. 22.	Oct. 29.	Nov. 5.	Nov. 12.	Nov. 19.	Nov. 26.	Dec. 3.	Dec. 10.
Deaths from Influenza . . .	27	22	37	34	49	46	30	32	44	59	80	128	1

TABLE 4. LONDON.—DEATHS REGISTERED in the FORTY-NINTH Week of the Year 1921.

CAUSES OF DEATH.	Deaths in the 49th week of the year 1920.	DEATHS of PERSONS of the AGES													
		ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-10 years.	10-15 years.	15-20 years.	20-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards.
ALL CAUSES	1078	1383	135	54	33	33	17	20	19	57	80	159	220	260	296
Enteric fever	-	2	-	-	-	-	-	-	-	1	1	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	3	8	-	3	3	2	-	-	-	-	-	-	-	-	-
Scarlet fever	6	7	-	1	1	3	1	-	1	-	-	-	-	-	-
Whooping cough	3	8	1	6	1	-	-	-	-	-	-	-	-	-	-
Diphtheria	22	31	-	5	8	13	2	1	-	1	1	-	-	-	-
Influenza	13	14	-	-	-	-	-	1	-	3	2	1	2	3	2
Erysipelas	3	3	1	-	-	-	-	-	-	-	-	1	1	-	-
Acute Poliomyelitis, Polioencephalitis.	?	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	?	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal meningitis . . .	?	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Other endemic and epidemic diseases.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pyæmia and septicæmia	4	2	1	-	-	-	-	-	-	1	-	-	-	-	-
Tetanus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis:—															
Pulmonary tuberculosis	81	89	-	1	-	1	-	8	10	17	19	15	15	3	-
Tuberculous meningitis	7	2	-	-	-	2	-	-	-	-	-	-	-	-	-
Abdominal tuberculosis	3	4	-	1	1	1	-	-	-	-	-	1	-	-	-
Tuberculosis of the spine	2	2	-	-	-	-	-	1	-	-	-	-	-	1	-
Tuberculosis of the joints	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of other organs . .	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Disseminated tuberculosis	4	6	3	1	-	-	1	-	-	-	-	-	1	-	-
Venereal diseases	6	8	5	-	-	-	-	-	-	-	2	1	-	-	-
Cancer	106	119	1	-	-	-	-	1	1	1	7	26	35	28	19
Rheumatic fever	6	4	-	-	1	-	2	-	-	-	-	-	-	-	1
Diabetes	8	9	-	-	-	-	-	-	-	-	2	3	1	2	1
Anæmia, leucocythæmia	9	9	-	-	-	-	-	-	1	-	-	2	2	3	1
Other general diseases	9	19	1	1	1	-	-	-	-	1	2	3	2	6	2
Alcoholism	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic poisonings	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	10	4	1	-	1	-	-	-	-	-	1	1	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	45	63	-	-	-	-	-	-	-	-	1	7	16	22	17
Softening of brain	-	4	-	-	-	-	-	-	-	-	-	-	2	1	1
Paralysis, without specified cause .	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epilepsy	2	4	-	-	1	-	-	-	-	-	3	-	-	-	-
"Convulsions" (not puerperal) . .	4	6	4	2	-	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system .	24	24	-	-	-	1	-	1	-	1	6	6	5	2	2
Pericarditis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute endocarditis	5	7	-	-	-	-	-	2	1	2	2	-	-	-	-
Other diseases of heart	121	158	-	-	-	1	4	-	-	6	2	22	34	50	39
Embolism and thrombosis (excluding cerebral).	6	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Other diseases of circulatory system.	31	67	-	-	-	1	-	-	-	-	-	6	11	14	35
Diseases of the larynx	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis	118	204	7	2	1	-	-	-	-	1	6	16	30	55	86
Broncho-pneumonia	61	91	18	18	6	1	-	-	-	2	1	6	8	17	14
Lobar pneumonia	24	40	-	2	1	2	1	-	-	3	5	10	6	8	2
Pneumonia (type not distinguished)	31	46	5	7	3	-	-	-	1	3	3	7	8	1	8
Pleurisy	2	2	1	-	-	-	-	-	-	-	1	-	-	-	-
Pulmonary congestion Pulmonary apoplexy.	2	6	2	-	-	-	-	-	-	-	-	-	1	-	3
Other diseases of respiratory system.	8	20	-	-	-	-	1	-	-	1	1	3	5	5	4

TABLE 4 (cont.) LONDON.—DEATHS REGISTERED in the FORTY-NINTH Week of the Year 1921.

CAUSES OF DEATH.	Deaths in the 49th week of the year 1920.	DEATHS OF PERSONS OF the AGES													
		ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-10 years.	10-15 years.	15-20 years.	20-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards.
Diseases of the pharynx, Tonsillitis	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of stomach	12	8	1	-	-	-	-	-	-	2	3	2	-	-	-
Diarrhoea and enteritis	22	19	9	2	1	-	-	-	1	1	1	3	1	1	1
Appendicitis and typhlitis	5	5	-	-	-	1	1	1	-	1	-	-	-	-	-
Hernia and Intestina obstruction.	5	16	1	-	1	-	-	1	1	-	-	5	4	2	2
Cirrhosis of liver	6	5	-	-	-	-	-	-	-	-	1	1	2	1	1
Other diseases of liver	3	8	-	-	1	-	-	-	-	-	2	1	2	2	2
Peritonitis (cause unknown)	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of digestive system	2	4	1	1	-	-	-	-	-	-	1	1	-	-	-
Acute nephritis	2	4	-	-	-	-	-	-	1	1	-	1	1	-	-
Chronic Bright's disease	25	29	-	-	-	-	-	-	4	-	5	11	8	1	1
Urinary calculi	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Uterine tumour (non-cancerous)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ovarian tumour (-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of genito-urinary system.	9	10	2	-	-	1	-	-	-	-	1	1	1	4	4
Puerperal fever, &c.	4	2	-	-	-	-	-	-	1	1	-	-	-	-	-
Other causes incident to child-birth.	1	6	-	-	-	-	-	2	2	2	-	-	-	-	-
Diseases of skin and cellular tissues.	6	10	2	-	-	-	-	1	1	-	-	1	1	4	4
Diseases of locomotor system	2	2	-	-	-	2	-	-	-	-	-	-	-	-	-
Congenital malformations	7	7	7	-	-	-	-	-	-	-	-	-	-	-	-
Premature birth	38	33	33	-	-	-	-	-	-	-	-	-	-	-	-
Debility, atrophy marasmus (Infants).	23	15	15	-	-	-	-	-	-	-	-	-	-	-	-
Old age	53	53	-	-	-	-	-	-	-	-	-	-	10	43	43
ACCIDENT.															
Poisons or poisonous vapours.	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
Conflagration	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Burns and scalds	6	5	-	1	-	-	-	-	-	1	-	-	3	-	-
Drowning	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suffocation in bed	2	2	2	-	-	-	-	-	-	-	-	-	-	-	-
Other deaths by accident	23	18	1	-	2	1	1	-	-	-	1	6	5	1	1
Total deaths from accident	33	26	2	1	1	2	1	1	1	1	1	6	8	1	1
Included in above are deaths in connection with:—															
Railways	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-
Vehicles and horses	8	7	-	-	2	1	-	-	-	-	-	1	3	-	-
Ships, boats, docks	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Building operations	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIOLENCE OTHER THAN ACCIDENTAL.															
Homicide	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Suicide	5	5	-	-	-	-	-	-	-	1	2	1	1	-	-
Execution	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other specified diseases	14	19	10	-	-	1	1	1	-	3	-	2	1	-	-
Ill-defined Causes	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 5.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM							
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria*	Diarrhoeal Diseases† (under 2 years).	Influenza.
ENGLAND	4,531,971	1921. Dec. 10	2,020	1,383	15·9	2	-	8	7	8	31	11	14
MANCHESTER	896,067	Nov. 5	-	611§	35·5	-	-	-	-	-	-	-	18
LONDON	979,445	Oct. 29	472	849	45·1	8	-	-	-	-	-	59	10
BOMBAY	522,951	" 29	330	289	28·7	-	5	-	-	2	-	14	1
CALCUTTA	2,847,229	{ 10 days } Oct. 10	1,377	1,064	13·5	4	-	1	-	-	5	55	2
COLOMBO	792,919	- - -	-	-	-	-	-	-	-	-	-	-	-
CEYLON	340,852	Nov. 19	121	78	12·1	1	-	-	-	-	3	7	1
AMSTERDAM	682,951	" 26	308	174	12·8	2	-	-	-	3	-	1	1
COPENHAGEN	571,000	" 26	245	116	10·6	-	-	-	-	-	-	1	-
STOCKHOLM	419,788	" 19	129	78	9·7	1	-	-	-	-	-	1	-
GOTHENBURG	205,547	" 11	-	40	10·1	-	-	-	-	1	-	-	-
OSLO	260,920	" 26	103	39	7·8	-	-	1	-	-	-	-	-
PARIS	1,945,000	" 19	453	521	13·9	-	-	-	-	3	3	10	1
BRUSSELS	547,000	" 19	224	182	17·3	-	-	1	-	2	2	7	3
BERLIN	669,000	" 19	259	191	14·8	1	-	-	1	1	1	8	4
VIENNA	600,000	" 19	190	162	14·0	-	-	-	1	1	1	1	1
BOLOGNA	471,000	" 19	-	-	-	-	-	-	-	-	-	-	-
MILAN	1,031,000	" 19	353	225	11·3	-	-	-	-	4	5	5	1
BARCELONA	630,000	" 19	213	149	12·3	-	-	-	-	-	2	4	2
VALPARAISO	670,000	" 19	208	160	12·4	-	-	-	1	1	2	5	-
SAO PAULO	1,842,005	" 12	482	469	13·2	4	-	-	-	2	-	16	1
BOGOTA	676,454	" 5	231	159	12·3	2	-	1	-	-	1	7	2
CHICAGO	933,000	Sept. 17	393	327	18·2	14	?	1	8	1	2	29	-
NEW YORK	765,200	" 23	678	371	25·2	4	-	-	-	?	4	42	?
ALEXANDRIA	449,300	" 23	379	242§	28·0	3	-	-	-	?	-	39	-
BUENOS AIRES	5,751,859	Nov. 5	2,586	1,124	10·2	3	-	2	-	11	2	71	3
MONTEVIDEO	2,780,655	" 19	-	557	10·4	1	-	-	6	-	16	13	-
SAO PAULO	359,698	Sept. 24	174	126	18·3	3	-	-	-	-	1	1	2

including deaths from group in Bombay, Madras, Paris, Antwerp, Amsterdam, Copenhagen, the German Cities, Vienna, Prague and Suburbs, Budapest, and Montevideo.

Deaths in this column relate to *all ages* for Bombay, Madras, Christiania, and Bucarest, and to *children under 1 year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

Estimated population and deaths refer to the civilian population only.

including 1 death from *plague* in Alexandria, and from *Asiatic cholera* 5 deaths in Calcutta.

Registration of births in Bombay is incomplete.

TABLE 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 10th December, 1921.

(Supplied by the Meteorological Office.)

TOWNS.	Temperature of Air.*				Rainfall in Milli- metres.†	TOWNS.	Temperature of Air.*				Rainfall in Milli- metres.†
	Highest.	Lowest.	Mean Maxi- mum.	Mean Mini- mum.			Highest.	Lowest.	Mean Maxi- mum.	Mean Mini- mum.	
LONDON (Greenwich)	54	29	50·0	39·7	0	BRADFORD	54	28	49·9	40·1	13
MANCHESTER	55	31	48·1	41·9	2	SHEFFIELD	57	26	50·6	41·3	11
LIVERPOOL	55	32	50·7	42·6	2	YORK (Museum)	55	24	49·0	40·3	6
GLASGOW	54	25	49·0	38·1	1	HULL (Pearson Park)	54	27	50·3	39·9	4
EDINBURGH	55	30	51·3	45·1	5	TYNEMOUTH	55	31	51·0	43·4	5
GLASGOW (Clifton)	57	30	50·1	40·7	2	CARDIFF	54	31	48·9	42·4	3
GLASGOW	54	27	48·1	39·9	1	EDINBURGH	54·0	32·0	51·4	43·3	4
GLASGOW	55	26	48·4	39·7	7	GLASGOW	53·5	29·7	51·4	40·6	22
GLASGOW (Bidston)	56	28	50·7	41·0	3	DUBLIN:—	No t received.				4
GLASGOW	54	27	49·7	40·4	18	Phoenix Park					
GLASGOW	53	26	48·6	40·1	26	†Fitzwilliam Square	56·1	31·3	53·7	45·9	4
GLASGOW	54	25	49·0	41·4	18	BELFAST	56·0	38·0	52·9	41·4	18

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.

† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.

‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

TABLE 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 10th December 1921.

[Under the Superintendence of the Astronomer Royal.]

1921.		Phases of the Moon.	BARO- METER. Mean daily reading (cor- rected and re- duced to 32° Fahren- heit).	TEMPERATURE.					Difference between the Air Temperature and Dew Point Temperature.		De- gree of Hu- idity (Satu- ration equals 100).	TEMPERATURE.			Wind as deduced from Anemometers.				Rain collected in a Gauge whose receiving surface 5 inches above the Ground																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
MONTH AND DAY.	DECEMBER.			Of the Air.				Of the Dew point.	Of Radiation.			Of the Earth 4 feet below the Surface.	Osler's.		Robinson's.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
				High- est.	Low- est.	Daily Range.	Mean daily value.	De- parture from Average of 65 years.	Mean daily value.	Mean Great- est.			Highest in Sun's Rays.	Lowest on the Grass.	A.M.	P.M.	Great- est.	Pressure on the Square Foot.		Horizontal Movement of the Air on each Day.	Depart- ture from Average of 50 years.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
			in.	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°

DATE.		ELECTRICITY. (For explanation of symbols, see Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
DECEMBER 1921.					
SUNDAY	- 4	w.P. till 11h., v.P. afterwards.	0·2	8·0	Overcast generally.
MONDAY	- 5	v.P. till noon, w.P. afterwards.	0·0	8·0	Overcast throughout.
TUESDAY	- 6	w.P. throughout	0·4	8·0	Overcast with very slight exceptions; misty generally.
WEDNESDAY	- 7	w.P. throughout	0·5	8·0	Overcast till 13h.; cloudy generally till 17h. 30m., then overcast generally; misty in morning.
THURSDAY	- 8	w.P. throughout	0·0	7·9	Overcast with few exceptions; sun visible at times through cloud; damping at times in early morning; misty during the day; solar halo about noon; dew in evening.
FRIDAY	- 9	w.P. throughout	0·0	7·9	Overcast with few exceptions; cloud frequently thin; misty in daytime; dew at night.
SATURDAY	- 10	w.P. throughout	0·0	7·9	Overcast with very slight exceptions; misty generally with dew.
To. of Col.		26	Sum 1·1	Sum 55·7	
			27	28	

The results apply to the civil day, or from midnight to midnight. The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level. Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables. The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916. In reading columns 9 and 24 it will be borne in mind that + indicates "higher," and - "lower," than the average. The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined. The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable. The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day. The reading of the barometer increased from 29·98 in. at the beginning of the week to 30·17 in. by 10h. on 5th; decreased to 29·97 in. by 5h. on 7th; increased to 30·11 in. by midnight on the same day; decreased to 29·99 in. by 14h. on 8th; increased to 30·14 in. by 19h. on 9th, and decreased to 29·95 in. by midnight on 10th.

The results apply to the civil day, or from midnight to midnight. The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "higher," and - "lower," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·98 in. at the beginning of the week to 30·17 in. by 10h. on 5th; decreased to 29·97 in. by 5h. on 7th; increased to 30·11 in. by midnight on the same day; decreased to 29·99 in. by 14h. on 8th; increased to 30·14 in. by 19h. on 9th, and decreased to 29·95 in. by midnight on 10th.

TABLE 8. LONDON.—DEATHS OF PERSONS BELONGING to the several METROPOLITAN BOROUGHs REGISTERED in the Week ended 3rd December, 1921.

BOROUGHs.	ALL CAUSES.	Deaths from								Deaths of Infants under 1 Year of Age.
		Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Pulmonary Tuberculosis.	
COUNTY OF LONDON -	1601	3	-	9	7	13	33	16	141	138
Western										
PADDINGTON . . .	51	1	-	-	-	1	1	2	3	4
KENSINGTON . . .	78	-	-	-	-	-	-	-	2	5
HAMMERSMITH . . .	45	1	-	-	-	-	-	-	5	4
FULHAM . . .	49	-	-	1	-	-	1	-	2	3
CHELSEA . . .	28	-	-	-	-	-	-	-	2	4
CITY OF WESTMINSTER .	50	-	-	-	-	-	-	-	7	3
Northern.										
ST. MARYLEBONE . . .	25	-	-	-	-	-	1	-	1	-
HAMPSTEAD . . .	24	-	-	-	-	1	4	-	2	-
ST. PANCRAS . . .	88	-	-	3	1	1	1	-	7	8
ISLINGTON . . .	125	-	-	-	-	-	3	3	16	11
STOKE NEWINGTON . . .	15	-	-	-	-	-	-	-	1	1
HACKNEY . . .	89	-	-	-	1	1	-	1	9	9
Central.										
HOLBORN . . .	11	-	-	-	-	-	-	-	1	-
FINSBURY . . .	44	-	-	-	1	-	-	-	6	1
CITY OF LONDON . . .	5	-	-	-	-	-	-	-	-	-
Eastern.										
SHOREDITCH . . .	38	-	-	-	-	-	-	-	7	4
BETHNAL GREEN . . .	45	-	-	-	-	1	2	1	5	9
STEPNEY . . .	89	-	-	1	-	1	5	1	7	11
POPLAR . . .	59	-	-	2	-	1	4	-	5	6
Southern.										
SOUTHWARK . . .	84	-	-	-	1	-	-	-	7	7
BERMONDSEY . . .	44	-	-	1	1	2	-	-	3	3
LAMBETH . . .	104	-	-	1	1	-	3	2	10	8
BATTERSEA . . .	45	-	-	-	-	1	2	1	6	9
WANDSWORTH . . .	108	-	-	-	1	-	2	-	8	6
CAMBERWELL . . .	85	-	-	-	-	2	1	-	9	7
DEPTFORD . . .	40	-	-	-	-	-	-	-	2	1
GREENWICH . . .	35	-	-	-	-	1	1	4	1	6
LEWISHAM . . .	55	1	-	-	-	-	-	-	6	2
WOOLWICH . . .	43	-	-	-	-	-	2	1	1	6

The deaths in the above Table are, so far as concerns London as a whole, corrected by the exclusion of deaths of non-residents, and by the inclusion of those of residents occurring in the Outer Ring or in Metropolitan public institutions situated outside the County. As between individual Metropolitan Boroughs, however, correction is complete.

TABLE 9. LONDON.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED during the Week ended 3rd December, 1921.*

BOROUGH.	ESTI- MATED CIVILIAN POPU- LATION, MID. 1920.† (Provi- sional.)	Enteric Fever.	Malaria.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Pneumonia.	Erysipelas.	Cerebro-Spinal Fever.	Puerperal Fever.	Ophthalmia Neonatorum.	Poliomyelitis.	Dysentery.	Encephalitis Lethargica.	Anthrax.	Polio- encephalitis.	Cholera.
WESTERN.																		
Paddington . . .	149,673	1	-	-	-	14	9	3	1	-	1	-	-	1	-	-	-	-
Kensington . . .	164,177	-	-	-	-	23	7	6	1	-	-	1	-	-	-	-	-	-
Hammersmith . . .	136,200	-	-	-	-	38	7	9	2	-	-	1	-	-	-	-	-	-
Fulham . . .	158,621	-	-	-	-	15	13	9	3	-	-	-	-	-	-	-	-	-
Chelsea . . .	62,987	1	-	-	-	8	2	1	-	-	-	-	-	-	-	-	-	-
City of Westminster . . .	132,615	-	-	-	-	20	3	3	-	-	1	-	-	-	-	-	-	-
NORTHERN.																		
St. Marylebone . . .	101,856	-	-	-	-	16	6	-	1	-	-	-	-	-	-	-	-	-
Hampstead . . .	91,519	-	-	-	-	13	13	4	2	-	-	-	-	-	-	-	-	-
St. Pancras . . .	228,178	-	1	-	-	46	22	9	1	-	1	4	-	-	1	-	-	-
Islington . . .	335,907	1	-	-	-	59	34	1	4	-	-	1	-	-	-	-	-	-
Stoke Newington . . .	52,984	-	-	-	-	8	2	-	1	-	-	-	-	-	-	-	-	-
Hackney . . .	223,372	-	-	-	-	40	15	1	2	-	1	1	-	-	-	-	-	-
CENTRAL.																		
Holborn . . .	39,676	-	-	-	-	5	2	2	-	-	-	-	-	-	-	-	-	-
Finsbury . . .	78,291	-	-	-	-	14	10	1	4	-	-	1	-	-	-	-	-	-
City of London . . .	14,447	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
EASTERN.																		
Shoreditch . . .	102,044	-	-	-	-	14	7	9	1	-	-	1	-	-	-	-	-	-
Bethnal Green . . .	114,471	-	1	-	-	17	7	1	3	-	-	-	-	-	-	-	-	-
Stepney . . .	241,770	-	-	-	-	15	31	6	2	-	-	1	-	-	-	-	-	-
Poplar . . .	159,766	-	-	-	-	25	11	6	6	-	-	-	-	-	-	-	-	-
SOUTHERN.																		
Southwark . . .	187,142	1	-	-	-	29	16	10	3	-	2	1	-	-	2	-	-	-
Bermondsey . . .	129,189	-	-	-	-	17	27	4	1	-	-	-	-	-	-	-	-	-
Lambeth . . .	293,572	-	-	-	-	53	18	3	4	-	-	-	-	-	-	-	-	-
Battersea . . .	165,664	-	-	-	-	39	21	17	2	-	2	-	-	-	-	-	-	-
Wandsworth . . .	346,990	-	-	-	-	48	22	9	1	-	-	1	-	-	1	-	-	-
Camberwell . . .	284,712	-	-	-	-	55	19	1	2	-	-	1	-	-	-	-	-	-
Deptford . . .	115,636	-	1	-	-	36	5	1	1	-	-	-	-	-	-	-	-	-
Greenwich . . .	102,408	-	-	-	-	25	38	8	3	-	-	1	-	-	-	-	-	-
Lewisham . . .	174,438	-	-	-	-	49	19	1	3	1	-	-	-	-	-	-	-	-
Woolwich . . .	141,666	-	-	-	-	36	18	7	4	-	2	-	-	-	-	-	-	-
TOTAL . . .	4,531,971	4	3	-	-	779	404	132	58	1	10	15	-	1	4	-	-	-
Ages																		
0-1 . . .		-	-	-	-	6	5	3	2	-	-	15	-	-	-	-	-	-
" 1-5 . . .		-	-	-	-	128	93	26	1	-	-	-	-	-	-	-	-	-
" 5- . . .		-	-	-	-	341	163	7	2	-	-	-	-	-	-	-	-	-
" 10- . . .		2	-	-	-	187	81	4	3	-	-	-	-	-	-	-	-	-
" 15- . . .		-	-	-	-	54	25	12	6	-	-	-	-	-	-	-	-	-
" 20- . . .		2	-	-	-	29	14	6	4	-	1	-	-	-	1	-	-	-
" 25- . . .		-	-	-	-	20	17	19	6	1	5	-	-	-	-	-	-	-
" 35- . . .		-	2	-	-	11	3	24	9	-	4	-	-	1	-	-	-	-
" 45- . . .		-	1	-	-	3	3	15	13	-	-	-	-	-	2	-	-	-
" 55- . . .		-	-	-	-	-	-	8	6	-	-	-	-	-	1	-	-	-
" 65- . . .		-	-	-	-	-	-	6	6	-	-	-	-	-	-	-	-	-
" 75 and upwards . . .		-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
Age not stated . . .		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

† See note † on first page of this return.

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS AND DEATHS REGISTERED:—

LONDON AND

NINETY-FIVE OTHER GREAT TOWNS

~~~~~  
By Authority of the Registrar General,  
~~~~~

LONDON:

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from

H.M. STATIONERY OFFICE at the following addresses:

IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and

28, ABINGDON STREET, LONDON, S.W. 1;

37, PETER STREET, MANCHESTER;

1, ST. ANDREW'S CRESCENT, CARDIFF;

23, FORTH STREET EDINBURGH;

from EASON AND SON, LTD., 40 and 41, LOWER SACKVILLE STREET, DUBLIN.

No. 50. Vol. LXXXII. 1921. WEEK ENDED SATURDAY, DEC. 17.
[Price 9d. Net.]

*General Register Office, Somerset House,
December 20th, 1921.*

NINETY-SIX GREAT TOWNS.

For the NINETY-SIX GREAT TOWNS of England and Wales, each of which had a population of 50,000 or over at the Census of 1911, the births registered last week numbered 7,899, and corresponded to an annual rate of 22·1 per 1,000. The deaths* among the civilian population only numbered 5,108, and corresponded to an annual rate of 14·4 per 1,000 of their aggregate civilian population, which is provisionally estimated† at 18,554,878 persons in the year 1920. In the three weeks ended November 26th December 3rd and December 10th, the rates had been 14·2, 15·1, and 15·1 respectively. The infant mortality was 81, against 74, 86, and 76 in the three preceding weeks. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks; it also shows for the week ended last Saturday the births and the deaths from certain individual causes. A column showing the number of deaths

* Corrected as far as possible for deaths of non-residents and for those of residents occurring outside the area. Fully corrected figures will appear in the Registrar General's Annual Report.

† The estimates of population refer to the year 1920, and are based on the returns furnished under the scheme for rationing of food.

from influenza has been inserted in Table 1. The aggregate number of deaths from influenza in the 96 great towns in each of the last thirteen weeks is shown in Table 3A.

Measured by last week's mortality, the highest annual death-rates per 1,000 living were :—from *all causes*, 21·1 in Sheffield, 21·3 in Barnsley, 24·7 in Leeds, 26·1 in Rotherham, and 30·6 in Wakefield; from *measles*, 1·4 in Birkenhead and in Liverpool; from *whooping cough*, 1·0 in West Ham, and 1·3 in Grimsby and in Bootle; and from *influenza*, 4·1 in Leeds, 4·2 in Sheffield, 5·1 in Wakefield, and 8·0 in Rotherham. No death from *small-pox* was registered in any of the ninety-six towns.

LONDON.* (The Administrative County, including the City of London.)

For LONDON there were 1,904 BIRTHS, corresponding to a rate of 21·8 per 1,000, and 1,279 DEATHS of civilians, corresponding to a rate of 14·7, as against 15·2, 18·4, and 15·9 per 1,000 in the three weeks ended November 26th, December 3rd, and December 10th. The death-rate in the four weeks ended last Saturday averaged 16·1 per 1,000. The infant mortality was 66, against 57, 78, and 67, in the three preceding weeks.

The deaths from *enteric fever*, which had been 1, 3, and 2 in the preceding three weeks, numbered 2, the average for the corresponding weeks of the previous five years being 1. The deaths from *measles*, which had been 9, 9, and 8 in the preceding three weeks, rose to 14, the average being 13; 6 deaths belonged to the Borough of Poplar. The deaths from *scarlet fever*, which had been 9, 7, and 7 in the preceding three weeks, rose to 9, and were 5 above the average. The deaths from *whooping-cough*, which had been 9, 13, and 8 in the preceding three weeks, rose to 20, and were 10 above the average; 4 deaths belonged to Lambeth, and 3 each to Stepney and Southwark. The deaths from *diphtheria*, which had been 30, 33, and 31 in the preceding three weeks, fell to 26, but were 8 in excess of the average; 6 deaths belonged to Bermondsey, 4 to Poplar, and 3 to Hackney. The deaths from *diarrhoea and enteritis under 2 years of age*, which had been 20, 16, and 11 in the preceding three weeks, rose to 16, but were 3 below the average; 3 deaths belonged to Lambeth. The deaths from *influenza* numbered 43, as against 26, 29, and 14 in the preceding three weeks, and an average of 90.

Different forms of violence caused 30 deaths, of which 29 were the subject of coroners' inquests. Of these 30 deaths, 9 were cases of suicide, and 21 were attributed to other forms of violence. Five of these latter were referred to vehicles in the streets, 3 to burns and scalds, and 2, of infants under one year of age, to suffocation in bed.

CASES OF INFECTIOUS DISEASE.†

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital, there were 16 cases of enteric fever, 53 of measles, 5,627 of scarlet fever, 22 of whooping-cough, and 3,071 of diphtheria under treatment in these hospitals

* See note * on first page.

† The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows :—Of enteric fever, 3 cases, against 4, 3, and 4 ; of measles, 5 cases, against 12, 15, and 15 ; of scarlet fever, 667 cases, against 832, 837, and 699 ; of whooping-cough, 0 case, against 2, 0, and 0 ; and of diphtheria, 386 cases, against 394, 372, and 370. Table 9, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the county during the week ended December 10th, 1921.

TABLE 1.—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH-RATES in the Week ended Saturday, 17th December, 1921, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	ESTIMATED CIVILIAN POPULATION, MID. 1920 * (Provisional.)	DEATH RATE S from all Causes.					Week ended 17th Dec. 1921.		The DEATHS in the Week include										TOWNS.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
		Week ended					BIRTHS.	DEATHS.	Deaths of		Deaths from									Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
		26th Nov., 1921.	3rd Dec., 1921.	10th Dec., 1921.	17th Dec., 1921.	1.			2.	3.	4.	5.	6.	7.	8.	9.	10.	11.					12.	13.	14.	15.	16.	17.	18.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
																														Persons aged under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.	Violence.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
96 GREAT TOWNS.	18,554,878	14.2	15.1	15.1	14.4	7,899	5,108	641	1,787	5	50	33	59	70	69	212	157	344	1,629	35	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2

* Mid. 1920 figures are included within the area of Greater London.

TABLE 1 (cont.).—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH-RATES in the Week ended Saturday, 17th December 1921, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	ESTIMATED CIVILIAN POPULATION. MID. 1920.* (Provisional.)	DEATH-RATES from all Causes.					Week ended 17th Dec., 1921.		The DEATHS in the Week include										TOWNS.			
		Week ended					BIRTHS.	DEATHS.	Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from									Inquest Cases.	Deaths in Public Institutions.	Uncertified (Causes of Death.
		Week ended									Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.	Violence.				
		26th Nov., 1921.	3rd Dec., 1921.	10th Dec., 1921.	17th Dec., 1921.																	
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
SOUTHEND ON SEA.	87,332	16.7	19.1	12.5	7.8	32	13	1	6	-	-	-	-	-	-	-	-	-	2	1	-	SOUTHEND ON SEA.
IPSWICH.	81,119	9.6	16.7	7.7	9.6	27	15	1	7	-	-	-	-	-	-	-	-	1	1	4	-	IPSWICH.
GREAT YARMOUTH.	55,193	17.0	11.3	14.2	10.4	21	11	2	6	-	-	-	-	-	-	-	-	-	-	1	-	GREAT YARMOUTH.
NORWICH.	124,774	18.4	20.9	13.8	10.4	50	25	2	15	-	-	-	-	-	-	-	-	2	3	10	-	NORWICH.
SWINDON.	53,580	10.7	10.7	13.6	11.7	20	12	1	4	-	-	-	-	-	-	-	-	-	-	2	-	SWINDON.
EXETER.	61,365	22.1	11.9	10.2	11.9	19	14	-	8	-	-	-	1	-	-	-	-	-	-	5	-	EXETER.
PLYMOUTH.	189,218	13.5	11.0	20.7	15.7	81	57	5	24	-	-	-	-	-	2	-	-	2	7	8	-	PLYMOUTH.
BATH.	68,546	16.0	15.2	9.9	11.4	16	15	-	12	-	-	-	-	-	-	-	-	-	1	1	-	BATH.
BRISTOL.	375,641	14.0	10.4	16.0	12.5	142	90	12	29	-	-	3	2	-	7	2	1	4	7	26	-	BRISTOL.
GLOUCESTER.	52,096	20.0	17.0	14.0	13.0	21	13	3	5	-	-	-	-	-	1	-	1	-	2	3	-	GLOUCESTER.
STOKE ON TRENT.	243,852	15.9	19.3	18.4	18.9	151	90	20	21	2	-	-	1	3	-	1	5	1	2	16	2	STOKE ON TRENT.
WOLVERHAMPTON.	102,324	12.7	10.2	11.2	13.8	36	27	2	13	-	-	-	-	-	-	-	-	1	1	5	-	WOLVERHAMPTON.
WALSALL.	96,419	9.7	14.6	13.5	13.0	51	24	1	12	-	-	-	-	-	-	-	-	2	5	3	-	WALSALL.
WEST BROMWICH.	72,684	15.1	13.6	12.2	16.5	53	23	3	10	-	-	-	-	-	-	-	-	2	2	5	3	WEST BROMWICH.
DUDLEY.	56,169	21.4	8.4	7.4	10.2	42	11	2	6	-	-	-	-	-	-	-	-	1	3	1	-	DUDLEY.
BIRMINGHAM.	895,915	11.8	12.0	11.3	10.7	412	184	25	62	-	-	-	-	5	1	6	3	2	3	66	7	BIRMINGHAM.
SMETHWICK.	75,027	11.8	9.0	9.0	8.3	27	12	2	5	-	-	-	-	-	-	1	-	-	-	2	-	SMETHWICK.
COVENTRY.	137,310	6.1	9.9	12.5	10.3	44	27	3	8	-	-	-	-	-	-	-	-	1	1	9	1	COVENTRY.
LEICESTER.	245,465	10.2	13.8	14.4	11.9	68	56	6	19	-	-	-	-	-	-	1	1	1	3	13	2	LEICESTER.
LINCOLN.	67,543	16.2	10.8	10.8	15.4	23	20	2	9	-	-	-	-	-	-	-	1	-	-	3	-	LINCOLN.
GRIMSBY.	81,953	13.4	10.8	15.9	14.0	39	22	7	8	-	-	-	-	2	-	-	-	-	1	2	-	GRIMSBY.
NOTTINGHAM.	267,836	19.7	13.4	19.3	19.7	128	101	8	38	-	-	-	-	1	1	2	11	3	5	36	1	NOTTINGHAM.
DERBY.	128,868	15.0	10.5	11.7	19.8	43	49	4	23	-	-	-	-	-	-	2	4	1	2	6	-	DERBY.

* See note † on first page of this return.

TABLE 1 (cont.)—6 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH-RATES in the Week ended Saturday, 17th December, 1921, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	DEATH-RATES from all Causes.				Week ended 17th Dec., 1921.		The DEATHS in the Week include										Inquest Cases.		Deaths in Public Institutions.	Uncertified Causes or Death.	TOWNS.				
	Week ended				BIRTHS.	DEATHS.	Deaths from										Violence.	Deaths in Public Institutions.				Uncertified Causes or Death.			
	Week ended						Deaths from																Violence.	Deaths in Public Institutions.	Uncertified Causes or Death.
	26th Nov., 1921.	3rd Dec., 1921.	10th Dec., 1921.	17th Dec., 1921.			Deaths of under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.									
1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.				
STOCKPORT	17.2	17.2	15.2	14.8	55	37	8	10	-	-	-	-	-	2	2	1	-	1	12	-	STOCKPORT.				
BIRKENHEAD	11.2	11.9	13.2	11.5	55	34	2	10	-	-	4	-	-	-	-	-	1	2	9	-	BIRKENHEAD.				
WALLASEY	10.0	8.9	15.8	8.9	29	17	1	7	-	-	-	-	-	2	1	-	-	-	2	-	WALLASEY.				
LIVERPOOL	15.4	15.3	19.0	15.4	368	237	43	63	-	-	22	3	5	-	5	4	10	18	93	3	LIVERPOOL.				
BOOTLE	15.6	13.0	16.3	12.4	38	19	4	3	-	-	1	-	2	1	-	1	-	-	6	-	BOOTLE.				
ST. HELENS	9.5	10.9	14.4	14.4	63	29	1	9	-	-	-	-	-	-	1	1	1	1	10	-	ST. HELENS.				
SOUTHPORT	15.0	15.7	7.9	15.0	19	21	4	13	-	-	-	-	-	-	-	-	1	1	4	-	SOUTHPORT.				
WIGAN	14.3	14.3	20.1	14.9	55	26	8	4	-	-	-	1	-	-	-	1	-	4	5	-	WIGAN.				
WARRINGTON	10.0	12.7	13.4	14.7	34	22	1	5	-	-	-	-	-	-	-	3	-	-	4	-	WARRINGTON.				
BOLTON	12.2	12.7	13.8	14.4	77	51	5	17	-	-	1	-	1	-	-	1	2	5	12	-	BOLTON.				
BURY	12.9	16.6	13.9	15.7	22	17	1	5	-	-	-	-	-	-	1	-	2	2	2	-	BURY.				
MANCHESTER	13.9	15.0	15.9	16.3	339	241	34	65	-	-	-	6	2	2	8	6	9	16	87	2	MANCHESTER.				
SALFORD	13.5	13.7	16.8	16.6	114	75	10	21	-	-	-	-	2	-	2	2	2	5	27	-	SALFORD.				
OLDHAM	17.8	17.8	16.4	18.9	60	52	5	15	-	-	-	-	-	-	-	1	3	6	9	-	OLDHAM.				
ROCHDALE	17.8	12.8	18.4	15.6	28	28	2	8	-	-	2	-	-	1	-	-	1	3	7	1	ROCHDALE.				
BURNLEY	11.9	16.4	15.9	13.9	37	28	4	7	-	-	-	-	1	1	-	-	-	1	4	-	BURNLEY.				
BLACKBURN	17.5	14.3	14.3	12.3	48	31	3	9	-	-	-	-	-	1	-	-	3	4	11	-	BLACKBURN.				
PRESTON	11.5	13.7	12.8	13.7	54	32	5	12	-	-	-	-	-	-	-	1	1	2	9	-	PRESTON.				
BLACKPOOL	14.0	20.0	18.5	12.6	22	17	1	10	-	-	-	-	-	-	-	-	1	1	3	2	BLACKPOOL.				
BARROW IN FURNESS	15.0	10.9	10.9	8.2	39	12	2	5	-	-	-	-	-	-	1	-	-	-	3	2	BARROW IN FURNESS.				
HUDDERSFIELD	11.2	16.5	17.9	13.8	35	31	3	11	-	-	-	-	-	-	-	1	1	1	6	-	HUDDERSFIELD.				
HALIFAX	14.8	16.7	13.3	16.3	26	33	3	18	-	-	-	-	-	-	-	-	3	5	5	-	HALIFAX.				
BRADFORD	13.5	12.8	13.3	17.2	103	97	10	36	-	-	-	1	-	1	-	7	5	11	28	-	BRADFORD.				
LEEDS	15.6	19.5	20.8	24.7	190	213	25	60	-	-	-	-	3	3	1	35	8	20	39	-	LEEDS.				
DEWSBURY	12.3	18.9	25.6	18.0	20	19	4	3	-	-	-	1	1	-	-	1	-	1	4	-	DEWSBURY.				
WAKEFIELD†	18.3	22.4	33.6	30.6	25	30	8	11	-	-	-	-	-	-	1	5	-	-	3	-	WAKEFIELD.†				
BARNSELEY†	10.7	19.4	32.0	21.3	38	22	3	7	-	-	-	-	1	-	-	2	1	2	3	-	BARNSELEY.†				

* See note † on first page of this return.

TOWNS.	CIVILIAN POPULATION, MID. 1920.* (Provisional).	Week ended				Week ended 17th Dec., 1921.		Deaths of		Deaths from										Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS
		Causes.				17th Dec., 1921.		Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.	Violence.					
		26th Nov., 1921.	3rd Dec., 1921.	10th Dec., 1921.	17th Dec., 1921.	BIRTHS.	DEATHS.																
	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.	
SHEFFIELD.†	492,570	13·2	15·7	22·4	21·1	243	199	26	64	-	-	1	-	-	-	1	40	3	6	57	-	SHEFFIELD.†	
ROTHERHAM	71,785	17·4	37·8	21·8	26·1	36	36	5	15	-	-	-	-	-	-	1	11	1	1	11	1	ROTHERHAM.	
YORK	77,501	16·8	14·8	12·1	12·1	41	18	4	5	-	-	-	-	1	-	-	-	-	-	2	-	YORK.	
HULL	290,808	15·4	12·4	12·2	10·9	142	61	15	15	-	-	-	-	-	-	2	-	2	8	17	-	HULL.	
MIDDLESBROUGH	132,208	19·3	14·2	11·0	17·0	83	43	13	11	-	-	-	-	1	-	2	-	3	4	10	-	MIDDLESBROUGH.	
DARLINGTON	66,610	20·4	14·9	11·7	17·2	30	22	5	8	-	-	-	-	-	-	1	-	-	-	1	2	DARLINGTON.	
STOCKTON ON TEES.	63,114	11·6	14·9	15·7	13·2	38	16	2	3	-	-	-	1	-	-	-	-	1	1	3	-	STOCKTON ON TEES.	
WEST HARTLEPOOL.	68,126	20·7	15·3	16·1	13·0	34	17	3	6	-	-	1	1	-	-	-	-	1	2	6	-	WEST HARTLEPOOL.	
SUNDERLAND	155,211	16·1	14·1	16·5	11·8	82	35	7	12	-	-	-	-	-	-	1	-	-	2	6	-	SUNDERLAND.	
SOUTH SHIELDS.†	115,945	16·6	18·0	11·2	13·9	63	31	4	9	-	-	-	-	-	-	-	1	1	2	4	-	SOUTH SHIELDS.†	
GATESHEAD.	128,399	11·4	15·8	13·8	13·4	60	33	6	6	-	-	-	-	-	-	-	-	1	2	8	-	GATESHEAD.	
NEWCASTLE ON TYNE.	286,061	13·9	14·8	12·9	12·8	150	70	10	18	-	-	-	1	1	-	2	2	3	8	22	-	NEWCASTLE ON TYNE.	
TYNEMOUTH	60,318	19·9	12·1	13·0	11·2	36	13	4	-	-	-	-	-	-	-	-	1	-	-	1	1	TYNEMOUTH.	
CARLISLE	57,397	20·9	16·4	10·9	9·1	17	10	1	5	-	-	-	-	-	-	-	-	-	-	3	-	CARLISLE.	
NEWPORT (MON.)	90,728	7·5	12·1	14·4	8·6	42	15	2	6	-	-	-	-	-	-	-	-	-	-	6	-	NEWPORT (MON.).	
CARDIFF	212,522	13·5	12·3	9·8	13·2	90	54	10	18	-	-	-	1	-	-	-	1	-	6	10	-	CARDIFF.	
RHONDDA	184,999	7·6	9·9	11·8	7·6	98	27	2	8	-	-	-	1	-	2	-	2	1	1	3	-	RHONDDA.	
MERTHYR TYDFIL.	74,493	14·7	14·7	14·0	18·2	44	26	3	9	-	-	-	-	-	1	-	-	-	1	4	-	MERTHYR TYDFIL.	
ABERDARE	53,431	15·6	12·7	18·5	11·7	32	12	2	2	-	-	-	2	-	-	1	-	2	2	1	-	ABERDARE.	
SWANSEA	167,218	11·8	13·4	10·0	9·7	63	31	5	12	-	-	-	-	-	-	-	-	2	6	6	-	SWANSEA.	
GREATER LONDON	7,548,647	14·2	16·4	14·5	13·7	3016	1990	200	778	2	-	15	12	28	40	22	62	59	134	827	2	GREATER LONDON.	
OUTER RING	3,016,676	12·7	13·2	12·3	12·3	1112	711	75	296	-	-	1	3	8	14	6	19	29	54	234	-	OUTER RING.	
14 GREAT TOWNS IN OUTER RING.	1,734,723	13·3	12·6	12·9	12·9	674	430	53	166	-	-	1	1	7	11	3	9	17	33	158	-	14 GREAT TOWNS IN OUTER RING.	
REMAINDER OF OUTER RING.	1,281,953	12·0	14·1	11·6	11·4	438	281	22	130	-	-	-	2	1	3	3	10	12	21	76	-	REMAINDER OF OUTER RING.	
EDINBURGH.†	420,231	16·9	12·9	17·5	11·5	173	93	14	38	-	-	-	-	1	-	1	3	3	?	?	?	EDINBURGH.†	
GLASGOW.†	1,034,069	14·8	16·4	16·4	14·6	541	290	59	82	-	-	12	-	2	2	5	3	12	?	?	?	GLASGOW.†	
DUBLIN (Registration Area).†	423,000	14·9	14·1	18·0	23·1	178	187	29	41	-	-	11	-	2	2	4	3	2	7	65	2	DUBLIN (Registration Area).†	
BELFAST.†	420,000	12·5	12·4	12·0	10·3	191	83	12	20	-	-	-	1	-	-	1	1	4	4	27	2	BELFAST.†	

* See note † on first page of this return.

† The populations are total populations and relate to 1921, those for Edinburgh and Glasgow being Census populations. Deaths and the death-rates in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week: those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

‡ The extension of the Borough of Sheffield on the 9th November 1921, and of South Shields on the 1st November 1921, will not be taken into account in the Weekly Returns until next year.

TABLE 2. LONDON.—Births and Deaths registered during the FIFTIETH Week of each of the Eleven Years, 1911-1921.

	1911.	1912.	1913.	1914.	1915.	1916.	1917.	1918.	1919	1920.	1921.
Births (as registered).	2146	2165	2147	2113	1783	1771	1315	1417	2676	1793	1904
Males	1114	1103	1098	1083	911	919	677	758	1378	868	957
Females	1032	1062	1049	1030	872	852	638	659	1298	925	947
Deaths (of residents only).	1390	1412	1230	1424	1417*	1810*	1111*	1403*	1036*	1335*	1279*
Males	712	720	633	759	730	889	588	665	543	691	625
Females	678	692	597	665	687	921	523	738	493	644	654

* Deaths in civilian population only.

TABLE 3. LONDON.—BIRTHS and DEATHS REGISTERED, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the last THIRTEEN WEEKS.

	Sept. 24.	Oct. 1.	Oct. 8.	Oct. 15.	Oct. 22.	Oct. 29.	Nov. 5.	Nov. 12.	Nov. 19.	Nov. 26.	Dec. 3.	Dec. 10.	Dec. 17.
Births (as registered)	1921	1910	1889	1885	1944	1835	1813	1869	1865	1866	1771	2020	1904
Deaths (of residents only).	975	884	983	979	996	955	940	1150	1435	1324	1601	1383	1279
Age	<div>Under 1 year184184185177170142144123128106138135125</div> <div>1-2 years39283825353229334434475456</div> <div>2-5 "25173221252519253536423341</div> <div>5-10 "33242725181640383132303327</div> <div>10-15 "912222014712171917171711</div> <div>15-20 "2781319192319212428232021</div> <div>at 20-25 "21231820282112232824311925</div> <div>25-35 "44354235435148595941695755</div> <div>35-45 "675667627575629410182998096</div> <div>45-55 "11410010111510611994145153175179159151</div> <div>55-65 "114117123150141134134152240178250220189</div> <div>65-75 "149155156158159151159204278287343260229</div> <div>75 years and upwards149125159152163159168216295284333296253</div>												
Death	<div>Under 1 year184184185177170142144123128106138135125</div> <div>1-2 years39283825353229334434475456</div> <div>2-5 "25173221252519253536423341</div> <div>5-10 "33242725181640383132303327</div> <div>10-15 "912222014712171917171711</div> <div>15-20 "2781319192319212428232021</div> <div>at 20-25 "21231820282112232824311925</div> <div>25-35 "44354235435148595941695755</div> <div>35-45 "675667627575629410182998096</div> <div>45-55 "11410010111510611994145153175179159151</div> <div>55-65 "114117123150141134134152240178250220189</div> <div>65-75 "149155156158159151159204278287343260229</div> <div>75 years and upwards149125159152163159168216295284333296253</div>												
Deaths from—													
Enteric fever	1	2	5	2	1	3	4	-	1	1	3	2	2
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	2	-	3	-	4	3	4	6	15	9	9	8	14
Scarlet fever	2	6	6	1	9	4	6	9	4	9	7	7	9
Whooping cough	10	13	14	8	8	3	6	7	5	9	13	8	20
Diphtheria	24	16	20	27	28	24	26	40	36	30	33	31	26
Diarrhoea and enteritis (under 2 years).	102	97	81	80	61	53	53	26	20	20	16	11	16
Pulmonary tuberculosis	74	64	73	74	91	115	65	112	139	126	141	89	91
Influenza	8	5	4	13	12	11	6	13	17	26	29	14	43
Pneumonia (all forms)	54	61	60	65	59	70	67	83	130	132	184	177	139
Bronchitis	35	38	41	45	46	58	52	96	202	208	293	204	182
Other dis. of resp. system	14	7	13	7	11	8	5	10	29	26	27	28	24
Dis. of circ. system	137	139	150	161	157	141	155	206	263	215	281	233	203
Violence	41	37	29	35	35	38	35	35	33	37	33	32	30
Inquest cases	89	82	85	96	83	83	87	94	108	108	118	95	80
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Enteric fever	38	40	40	42	34	31	24	27	25	24	21	23	16
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	28	21	19	26	27	31	33	38	37	39	48	58	53
Scarlet fever	4428	4887	5508	5978	6067	6285	6305	6233	6132	6073	6007	5834	5627
Whooping cough	50	48	44	41	38	33	31	29	30	30	28	26	22
Diphtheria	1947	2056	2247	2447	2623	2814	2960	3031	3076	3080	3093	3071	3071

* The Metropolitan Asylums Board and London Fever Hospitals. The figures do not refer to London exclusively.

TABLE 3A. 96 Great Towns.—DEATHS from INFLUENZA in the last THIRTEEN WEEKS.

	Sept. 24.	Oct. 1.	Oct. 8.	Oct. 15.	Oct. 22.	Oct. 29.	Nov. 5.	Nov. 12.	Nov. 19.	Nov. 26.	Dec. 3.	Dec. 10.	Dec. 17.
Deaths from Influenza	22	37	34	49	46	30	32	44	59	80	128	149	212

TABLE 4. LONDON.—DEATHS REGISTERED in the FIFTIETH Week of the Year 1921.

CAUSES OF DEATH.	Deaths in the 50th week of the year 1920.	DEATHS OF PERSONS OF THE AGES													
		ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-10 years.	10-15 years.	15-20 years.	20-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and up- wards.
ALL CAUSES	1335	1279	125	56	41	27	11	21	25	55	96	151	189	229	253
Enteric fever	-	2	-	-	-	-	-	-	1	-	1	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	-	14	3	9	2	-	-	-	-	-	-	-	-	-	-
Scarlet fever	11	9	1	-	2	5	-	-	-	-	-	-	1	-	-
Whooping cough	7	20	8	8	2	2	-	-	-	-	-	-	-	-	-
Diphtheria	25	26	1	2	11	10	1	-	-	-	1	-	-	-	-
Influenza	21	43	-	3	-	1	-	2	4	4	4	4	5	10	6
Erysipelas	1	3	-	-	-	-	-	-	-	1	-	1	-	-	1
Acute Poliomyelitis, Polioencepha- litis.	?	1	-	-	-	-	-	1	-	-	-	-	-	-	-
Encephalitis lethargica	?	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal meningitis . . .	?	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other endemic and epidemic diseases.	1	2	-	-	-	-	-	-	-	1	-	-	1	-	-
Pyæmia and septicæmia	2	2	-	-	-	-	-	-	-	-	1	-	-	1	-
Tetanus	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis:—															
Pulmonary tuberculosis	95	91	-	-	-	1	2	5	11	17	26	21	7	1	-
Tuberculous meningitis	6	6	1	2	2	1	-	-	-	-	-	-	-	-	-
Abdominal tuberculosis	1	3	-	-	-	1	1	-	-	-	-	-	1	-	-
Tuberculosis of the spine	3	3	-	-	-	-	-	1	-	-	-	-	2	-	-
Tuberculosis of the joints	4	2	-	-	-	-	1	-	-	-	-	-	1	-	-
Tuberculosis of other organs . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Disseminated tuberculosis . . .	-	5	1	1	-	-	-	1	1	-	-	-	1	-	-
Venereal diseases	6	2	-	-	-	-	-	-	-	-	-	1	-	1	-
Cancer	107	118	-	-	-	-	-	-	-	5	10	22	33	35	13
Rheumatic fever	3	4	-	-	1	1	-	2	-	-	-	-	-	-	-
Diabetes	8	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Anæmia, leucocythæmia	5	6	-	-	-	-	-	-	-	1	1	2	1	-	1
Other general diseases	15	9	-	-	2	-	-	-	-	-	-	1	2	1	3
Alcoholism	-	2	-	-	-	-	-	-	-	-	1	1	-	-	-
Chronic poisonings	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	4	5	1	1	-	1	-	-	-	-	-	1	1	-	-
Cerebral hæmorrhage, &c., Apoplexy	62	54	-	-	-	-	-	-	-	-	1	3	10	16	24
Softening of brain	1	3	-	-	-	-	-	-	-	-	-	1	-	1	1
Paralysis, without specified cause .	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epilepsy	4	1	-	-	-	-	-	-	1	-	-	-	-	-	-
"Convulsions" (not puerperal) . .	5	7	5	2	-	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system .	37	27	-	-	1	-	1	-	-	1	1	13	4	5	1
Pericarditis	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute endocarditis	9	3	-	-	-	-	-	-	-	-	1	1	1	-	-
Other diseases of heart	156	153	-	-	1	2	1	6	1	-	9	16	37	39	41
Embolism and thrombosis (exclud- ing cerebral).	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of circulatory system.	36	47	-	-	-	-	-	-	-	1	1	5	9	7	24
Diseases of the larynx	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis	189	182	10	1	1	-	-	-	-	1	7	12	28	60	62
Broncho-pneumonia	89	66	14	19	10	-	1	-	-	1	1	1	3	10	6
Lobar pneumonia	28	36	-	3	-	-	-	2	1	5	7	9	4	3	2
Pneumonia (type not distinguished)	32	37	3	3	-	-	-	1	3	3	4	7	5	6	2
Pleurisy	3	5	-	-	-	-	-	-	-	1	1	1	1	-	1
Pulmonary congestion Pulmonary apoplexy.	1	3	1	-	-	-	-	-	-	-	-	-	-	1	1
Other diseases of respiratory system.	13	16	-	-	-	-	-	-	-	1	-	4	4	5	2

TABLE 5.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS. of Stillborn.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM							
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria*	Diarrhoeal Diseases† (under 2 years).	Influenza.
LONDON† . .	4,531,971	1921. Dec. 17	1,904	1,279	14·7	2	-	14	9	20	26	16	43
BOMBAY . .	896,067	Nov. 12	-	535§	31·0	-	2	-	-	-	-	-	11
MADRAS . .	979,445	" 5	400	843	44·7	6	1	-	-	-	-	55	7
CHENNAI . .	522,951	" 12	458	789§	41·9	3	-	-	-	-	-	51	8
COCHIN . .	2,847,229	" 5	439	359	35·7	1	4	-	-	-	-	30	1
CEYLON . .		" 12	418	324	32·3	1	4	-	-	-	-	21	1
INDIA . .		{ 10 days Oct. 20 }	-	-	-	-	-	-	-	-	-	-	-
PARIS . .	792,919	Nov. 26	115	79	12·3	-	-	1	-	-	-	4	-
BRUSSELS . .	340,852	Dec. 3	105	84	13·1	-	-	1	1	-	-	5	1
AMSTERDAM . .	682,811	" 3	309	213	16·3	-	-	-	-	6	1	1	-
COPENHAGEN . .	562,000	" 3	221	110	10·2	-	-	-	-	-	1	3	-
STOCKHOLM . .	419,788	Nov. 26	131	87	10·8	-	-	-	-	1	-	1	-
GOTHENBURG . .	205,547	" 19	-	26	6·6	-	-	-	-	1	-	1	-
CHRISTIANIA . .	260,920	" 26	-	41	10·4	-	-	-	-	-	1	-	-
OSLO . .		Dec. 3	70	55	11·0	-	-	-	-	-	-	-	-
BERLIN . .	1,945,000	Nov. 26	458	420	11·2	-	?	-	-	2	1	5	2
VIENNA . .	547,000	" 26	220	168	16·0	-	?	-	-	-	1	6	3
PRAGUE . .	669,000	" 26	263	164	12·8	-	?	-	-	1	2	7	3
BUDAPEST . .	600,000	" 26	191	153	13·3	2	?	-	2	1	2	1	-
MONTEVIDEO . .	471,000	" 19	161	94	10·4	1	?	-	-	1	-	-	1
BUENOS AIRES . .		" 26	155	70	7·7	-	?	-	-	1	1	1	1
SAO PAULO . .	1,031,000	" 26	316	265	13·4	-	?	1	1	1	1	4	1
RIO DE JANEIRO . .	230,000	" 26	210	157	13·0	-	?	1	-	-	2	4	1
LYON . .	670,000	" 26	203	175	13·6	-	?	1	-	1	-	7	1
PARIS . .	1,842,005	" 19	456	514	14·5	2	-	-	1	1	1	8	-
BRUSSELS . .	676,454	" 12	234	168	12·9	-	-	1	1	1	1	5	1
AMSTERDAM . .		" 19	218	155	12·0	-	-	-	-	-	-	7	2
COLOGNE . .	933,000	Sept. 24	391	308	17·2	16	-	-	7	1	4	31	-
BERLIN . .	765,200	" 30	665	347	23·6	7	-	1	-	?	4	40	?
VIENNA . .		Oct. 7	685	317	21·5	5	-	-	-	?	4	40	?
PRAGUE . .	449,300	Sept. 30	320	228§	26·4	5	-	-	-	?	1	27	?
STOCKHOLM . .		Oct. 7	365	207§	24·0	1	-	-	-	?	-	28	?
OSLO . .	5,751,859	Nov. 19	2,724	1,229	11·0	3	-	2	2	3	15	18	9
PARIS . .	2,780,655	" 26	-	540	10·1	-	1	-	5	-	17	20	2
BRUSSELS . .	359,698	Oct. 1	-	-	-	-	-	-	-	-	-	-	-

Including deaths from croup in Bombay, Madras, Paris, Antwerp, Amsterdam, Copenhagen, the German Cities, Vienna, Prague and Suburbs, Budapest, and Montevideo.
 The deaths in this column relate to *all ages* for Bombay, Madras, Christiania, and Bucarest, and to *children under 1 year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.
 The estimated population and deaths refer to the civilian population only.
 Including 2 deaths from *plague* in Alexandria in each week and 2 in Bombay, and from *Asiatic cholera* 3 deaths in Calcutta.
 The registration of births in Bombay is incomplete.

TABLE 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 17th December, 1921.
(Supplied by the Meteorological Office.)

TOWNS.	Temperature of Air.*				Rainfall in Milli- metres.†	TOWNS.	Temperature of Air.*				Rainfall in Milli- metres.†
	Highest.	Lowest.	Mean Maxi- mum.	Mean Mini- mum.			Highest.	Lowest.	Mean Maxi- mum.	Mean Mini- mum.	
LONDON (Greenwich) }	55	32	49·3	38·6	8	BRADFORD . .	52	32	48·0	40·0	5
HEATHTON . .	55	34	49·9	43·1	17	SHEFFIELD . .	53	35	49·4	40·7	6
PLYMOUTH . .	56	35	50·3	41·6	5	YORK (Museum) .	55	35	49·3	40·7	2
WICH (Eaton) .	54	31	48·1	37·0	7	HULL (Pearson Park)	52	33	48·9	37·6	3
PLYMOUTH . .	55	35	52·4	41·3	7	TYNEMOUTH . .	54	38	49·6	41·9	3
STOL (Clifton) .	52	33	48·6	36·4	12	CARDIFF . .	54	34	50·0	39·6	9
MANCHESTER .	55	34	48·0	39·0	8	EDINBURGH . .	52·0	36·0	48·7	39·1	1
LIVERPOOL . .	55	32	49·4	40·1	7	GLASGOW . .	No t received.				
KENHEAD (Bidston) }	53	40	49·7	42·1	7	DUBLIN :—					
CHESTER . .	53	34	48·7	39·3	12	Phoenix Park .	53·7	33·8	51·3	41·0	4
WIDENLEY . .	51	29	47·9	36·9	11	†Fitzwilliam Square	54·2	38·9	51·6	42·5	2
ROCHESTER . .	52	33	48·4	39·4	4	BELFAST . .	54·0	35·5	51·4	42·0	12

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.

† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.

‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

TABLE 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 17th December 1921.

[Under the Superintendence of the Astronomer Royal.]

1921.		Phases of the Moon.	BARO- METER.	TEMPERATURE.					Difference between the Air Temperature and Dew Point Temperature.			De- gree of Hu- mid- ity (Satu- ration equals 100).	TEMPERATURE.		Wind as deduced from Anemometers.					Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
MONTH AND DAY.	Of the Air,				Of the Dew point.	Mean Great- est.		Of Radiation.	Of the Earth 4 feet below the Surface.	Oster's.			Robinson's.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
	High- est.			Low- est.	Daily Range.	Mean daily value.	De- parture from Average of 65 years.			Mean daily value.	Least.		General Direction.	A.M.	P.M.	Great- est.	Least. Square Foot.	Horizontal Movement of the Air on each Day.	Depar- ture from Average of 50 years.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
DECEMBER.				in.	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°</

DATE.		ELECTRICITY. (For explanation of symbols, see Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
DECEMBER 1921.					
SUNDAY	- 11	w.P. throughout	0·0	7·9	Overcast with very slight exceptions; slight mist generally; damping or slight rain between noon and 16h. 30m.
MONDAY	- 12	w.P. generally	0·0	7·8	Overcast with slight exceptions; misty generally; cloud thin at times.
TUESDAY	- 13	w.P. generally	1·6	7·8	Overcast generally till 11h., becoming nearly cloudless soon after noon; misty generally; rain from 3h. 15h. to about 9h; haze and dew at night.
WEDNESDAY	- 14	w.P. generally	0·0	7·8	Nearly cloudless with hoar frost at first; foggy from 3h. 30m. clearing after 10h.; overcast generally by 9h.; slight rain 16h. 30m. and from 20h. 30m.
THURSDAY	- 15	w.P. generally	0·0	7·8	Overcast with slight exceptions; misty generally; frequent damping and occasional rain between 6h. and 18h. 30m.
FRIDAY	- 16	w.P. generally	0·0	7·8	Overcast with very slight exceptions; misty in morning; occasional slight rain or damping between 10h. 30m. and 19h. 30m.
SATURDAY	- 17	w.P. throughout	4·0	7·8	Overcast generally till 10h.; few clouds till 19h., then overcast generally; brisk wind from 7h. to 17h.
No. of Col. . . .		26	Sum 5·6	Sum 54·7	
			27	28	

The results apply to the civil day, or from midnight to midnight.
The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.
Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.
The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1903, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.
In reading columns 9 and 24 it will be borne in mind that + indicates "higher," and - "lower," than the average.
The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.
The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.
The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.
The reading of the barometer decreased from 29·95 in. at the beginning of the week to 29·86 in. by 6h. on 11th; increased to 30·25 in. by 10h. on 12th; decreased to 30·08 in. by 6h. on 13th; increased to 30·22 in. by midnight on the same day; decreased to 29·64 in. by 5h. on 15th; increased to 30·01 in. by 9h. on 16th; decreased to 29·74 in. by 8h. on 17h. and increased to 29·86 in. by midnight on the same day.

The results apply to the civil day, or from midnight to midnight.
The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "higher," and - "lower," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·95 in. at the beginning of the week to 29·86 in. by 6h. on 11th; increased to 30·25 in. by 10h. on 12th; decreased to 30·08 in. by 6h. on 13th; increased to 30·22 in. by midnight on the same day; decreased to 29·64 in. by 5h. on 15th; increased to 30·01 in. by 9h. on 16th; decreased to 29·74 in. by 8h. on 17h. and increased to 29·86 in. by midnight on the same day.

TABLE 8. LONDON.—DEATHS OF PERSONS BELONGING to the several METROPOLITAN BOROUGHs REGISTERED in the Week ended 17th December, 1921.

BOROUGHs.	Deaths from									Deaths of Infants under 1 Year of Age.
	ALL CAUSES.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Pulmonary Tuberculosis.	
COUNTY OF LONDON -	1383	2	-	8	7	8	31	11	89	135
Western										
PADDINGTON . . .	35	-	-	-	-	-	-	1	3	2
KENSINGTON . . .	60	-	-	-	-	1	-	2	2	3
HAMMERSMITH . . .	39	-	-	-	-	-	-	-	1	6
FULHAM . . .	40	-	-	-	-	-	1	-	2	4
CHELSEA . . .	23	-	-	-	-	-	-	-	1	-
CITY OF WESTMINSTER .	36	-	-	-	-	-	-	-	1	1
Northern.										
ST. MARYLEBONE . . .	30	-	-	-	-	-	-	-	1	-
HAMPSTEAD . . .	30	-	-	-	1	-	-	1	1	3
ST. PANCRAS . . .	80	-	-	1	-	-	2	-	7	6
ISLINGTON . . .	105	-	-	1	1	1	1	-	8	9
STOKE NEWINGTON . . .	21	-	-	-	-	-	-	-	1	3
HACKNEY . . .	61	-	-	-	-	1	3	-	5	5
Central.										
HOLBORN . . .	16	-	-	-	-	-	-	-	2	1
FINSBURY . . .	34	-	-	-	-	1	-	1	1	5
CITY OF LONDON . . .	5	-	-	-	-	-	-	-	-	-
Eastern.										
SHOREDITCH . . .	32	-	-	-	-	-	1	-	2	2
BETHNAL GREEN . . .	42	1	-	2	-	-	2	-	-	4
STEPNEY . . .	87	1	-	3	1	-	5	1	8	12
POPLAR . . .	56	-	-	1	-	2	3	-	4	6
Southern.										
SOUTHWARK . . .	63	-	-	-	-	1	4	1	4	10
BERMONDSEY . . .	35	-	-	-	-	-	1	-	2	6
LAMBETH . . .	93	-	-	-	-	-	2	1	3	13
BATTERSEA . . .	51	-	-	-	-	-	3	2	7	2
WANDSWORTH . . .	70	-	-	-	2	-	-	-	6	5
CAMBERWELL . . .	76	-	-	-	1	-	2	-	2	10
DEPTFORD . . .	46	-	-	-	1	-	-	-	4	6
GREENWICH . . .	31	-	-	-	-	1	1	1	1	1
LEWISHAM . . .	48	-	-	-	-	-	-	-	7	3
WOOLWICH . . .	38	-	-	-	-	-	-	-	3	7

The deaths in the above Table are, so far as concerns London as a whole, corrected by the exclusion of deaths of non-residents, and by the inclusion of those of residents occurring in the Outer Ring or in Metropolitan public institutions situated outside the County. As between individual Metropolitan Boroughs, however, correction is complete.

TABLE 9. LONDON.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED during the Week ended 10th December, 1921.*

BOROUGHs.	ESTI- MATED CIVILIAN POPU- LATION, MID. 1920.† (Provi- sional.)	Enteric Fever.	Malaria.	Continued Fever.	Small- pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Pneumonia.	Erysipelas.	Cerebro-Spinal Fever.	Puerperal Fever.	Ophthalmia Neonatorum.	Poliomyelitis.	Dysentery.	Encephalitis Lethargica.	Anthrax.	Polio- encephalitis.	Cholera.
WESTERN.																		
Paddington	149,673	-	-	-	-	12	7	2	4	-	1	-	-	-	-	1	-	-
Kensington	164,177	-	-	-	-	17	8	2	4	-	1	-	-	-	-	-	-	-
Hammersmith	136,200	-	-	-	-	31	8	4	3	-	-	-	-	-	-	-	-	-
Fulham	158,621	-	-	-	-	19	11	11	2	-	2	-	-	-	-	-	-	-
Chelsea	62,987	-	-	-	-	3	-	1	-	-	-	-	-	-	-	-	-	-
City of Westminster .	132,615	2	-	-	-	16	7	7	3	-	-	1	-	-	-	-	-	-
NORTHERN.																		
St. Marylebone . . .	101,856	-	-	-	-	12	5	1	1	-	-	-	1	-	-	-	-	-
Hampstead	91,519	-	-	-	-	15	8	-	1	-	-	-	-	-	-	-	-	-
St. Pancras	228,178	-	-	-	-	44	16	3	-	-	-	1	-	-	-	-	-	-
Islington	335,907	-	1	-	-	54	37	3	5	-	3	3	-	-	-	-	-	-
Stoke Newington . . .	52,984	-	-	-	-	6	-	-	1	-	-	-	-	-	-	-	-	-
Hackney	225,372	-	-	-	-	36	11	6	1	-	-	-	-	-	-	-	-	-
CENTRAL.																		
Holborn	39,676	-	-	-	-	5	1	2	-	-	-	-	-	-	-	-	-	-
Finsbury	78,291	-	-	-	-	8	4	-	5	-	-	1	-	-	-	-	-	-
City of London . . .	14,447	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
EASTERN.																		
Shoreditch	102,044	-	-	-	-	15	18	3	2	-	-	-	-	-	-	-	-	-
Bethnal Green	114,471	1	-	-	-	11	11	5	3	-	-	-	-	-	-	-	-	-
Stepney	241,770	1	-	-	-	12	22	7	4	-	-	3	-	-	1	-	-	-
Poplar	159,766	-	-	-	-	22	25	9	5	-	1	-	-	-	-	-	-	-
SOUTHERN.																		
Southwark	187,142	1	-	-	-	26	12	7	4	-	-	1	-	-	-	-	-	-
Bermondsey	129,189	-	-	-	-	10	37	-	1	-	-	1	-	-	-	-	-	-
Lambeth	293,572	-	-	-	-	45	9	1	7	-	-	1	-	-	-	-	-	-
Battersea	165,664	-	-	-	-	32	22	9	4	-	-	1	-	-	-	-	-	-
Wandsworth	346,990	-	-	-	-	64	23	13	-	-	-	1	-	-	1	-	-	-
Camberwell	284,712	-	-	-	-	58	18	1	1	-	-	-	-	-	-	-	-	-
Deptford	115,636	1	-	-	-	23	5	4	5	-	-	-	1	-	-	-	-	-
Greenwich	102,408	-	-	-	-	23	31	6	1	-	-	1	-	-	-	-	-	-
Lewisham	174,438	-	-	-	-	35	12	3	1	-	1	-	-	-	-	-	-	-
Woolwich	141,666	-	-	-	-	29	6	3	2	-	-	-	-	-	-	-	-	-
TOTAL	4,531,971	6	1	-	-	684	374	113	70	-	9	15	2	-	2	1	-	-
Ages 0-1		-	-	-	-	5	3	2	2	-	-	15	-	-	-	-	-	-
„ 1-5		1	-	-	-	129	107	22	1	-	-	-	-	-	-	-	-	-
„ 5-		-	-	-	-	282	146	14	3	-	-	-	1	-	-	-	-	-
„ 10-		-	-	-	-	169	65	3	4	-	-	-	1	-	-	-	-	-
„ 15-		-	-	-	-	34	21	3	7	-	-	-	-	-	-	-	-	-
„ 20-		3	-	-	-	24	9	6	1	-	1	-	-	-	-	-	-	-
„ 25-		1	-	-	-	22	14	15	8	-	7	-	-	-	1	-	-	-
„ 35-		1	1	-	-	16	7	18	15	-	1	-	-	-	-	1	-	-
„ 45-		-	-	-	-	2	2	12	13	-	-	-	-	-	-	-	-	-
„ 55-		-	-	-	-	1	-	5	10	-	-	-	-	-	1	-	-	-
„ 65-		-	-	-	-	-	-	7	1	-	-	-	-	-	-	-	-	-
„ 75 and upwards . .		-	-	-	-	-	-	6	5	-	-	-	-	-	-	-	-	-
Age not stated . . .		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

† See note † on first page of this return.

FOR OFFICIAL USE.

WEEKLY RETURN

OF

**BIRTHS AND DEATHS REGISTERED:—
LONDON AND
NINETY-FIVE OTHER GREAT TOWNS**

~~~~~  
By Authority of the Registrar General.  
~~~~~

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased through any Bookseller or directly from
H.M. STATIONERY OFFICE at the following addresses:
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and
28, ABINGDON STREET, LONDON, S.W. 1;
37, PETER STREET, MANCHESTER;
1, ST. ANDREW'S CRESCENT, CARDIFF;
23, FORTH STREET EDINBURGH;
from EASON AND SON, LTD., 40 and 41, LOWER SACKVILLE STREET, DUBLIN.

No. 51. VOL. LXXXII. 1921. WEEK ENDED SATURDAY, DEC. 24.
[Price 9d. Net.]

*General Register Office, Somerset House,
December 28th, 1921.*

NINETY-SIX GREAT TOWNS.

For the NINETY-SIX GREAT TOWNS of England and Wales, each of which had a population of 50,000 or over at the Census of 1911, the births registered last week numbered 7,572, and corresponded to an annual rate of 21·2 per 1,000. The deaths* among the civilian population only numbered 5,212, and corresponded to an annual rate of 14·6 per 1,000 of their aggregate civilian population, which is provisionally estimated† at 18,554,878 persons in the year 1920. In the three weeks ended December 3rd, December 10th and December 17th, the rates had been 15·1, 15·1, and 14·4 respectively. The infant mortality was 87, against 86, 76, and 81 in the three preceding weeks. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks; it also shows for the week ended last Saturday the births and the deaths from certain individual causes. A column showing the number of deaths

* Corrected as far as possible for deaths of non-residents and for those of residents occurring outside the area. Fully corrected figures will appear in the Registrar General's Annual Report.

† The estimates of population refer to the year 1920, and are based on the returns furnished under the scheme for rationing of food.

from influenza has been inserted in Table 1. The aggregate number of deaths from influenza in the 96 great towns in each of the last thirteen weeks is shown in Table 3A.

Measured by last week's mortality, the highest annual death-rates per 1,000 living were :—from *all causes*, 23·8 in Nottingham, 24·5 in Leeds, 25·2 in Stoke-on-Trent, 25·6 in Dewsbury, and 37·7 in Wakefield; from *measles*, 1·9 in Liverpool and 2·2 in Rochdale; from *whooping cough*, 1·2 in Middlesbrough, 1·3 in Grimsby and in Leeds, 1·9 in Barnsley, and 2·0 in Wakefield; and from *influenza*, 3·2 in Sheffield, 3·3 in Leeds, and 6·6 in Dewsbury. No death from *small-pox* was registered in any of the ninety-six towns.

LONDON.* (The Administrative County, including the City of London.)

For LONDON there were 1,841 BIRTHS, corresponding to a rate of 21·1 per 1,000, and 1,395 DEATHS of civilians, corresponding to a rate of 16·1, as against 18·4, 15·9 and 14·7 per 1,000 in the three weeks ended December 3rd, December 10th, and December 17th. The death-rate in the four weeks ended last Saturday averaged 16·3 per 1,000. The infant mortality was 77, against 78, 67, and 66, in the three preceding weeks.

No death from *enteric fever* was registered last week, against 3, 2, and 2 in the preceding three weeks, and an average of 2 for the corresponding weeks of the previous five years. The deaths from *measles*, which had been 9, 8, and 14 in the preceding three weeks, fell to 7, and were 9 below the average. The deaths from *scarlet fever*, which had been 7, 7, and 9 in the preceding three weeks, fell to 7, but were 4 above the average. The deaths from *whooping-cough*, which had been 13, 8, and 20 in the preceding three weeks, rose to 26, and were 15 in excess of the average; 6 deaths belonged to the Borough of Lambeth, and 3 each to Hammersmith and Poplar. The deaths from *diphtheria*, which had been 33, 31, and 26 in the preceding three weeks, rose to 36, and were 16 above the average; 6 deaths belonged to Islington, and 4 each to St. Marylebone, Stepney and Bermondsey. The deaths from *diarrhoea and enteritis under 2 years of age*, which had been 16, 11, and 16 in the preceding three weeks, rose to 19, the average being 18; 3 deaths belonged to Hammersmith, and 3 to Camberwell. The deaths from *influenza* numbered 54, as against 29, 14, and 43 in the preceding three weeks, and an average of 63.

Different forms of violence caused 37 deaths, all of which were the subject of coroners' inquests. Of these 37 deaths, 7 were cases of suicide, while the remaining 30 were attributed to other forms of violence. Four of these latter were referred to vehicles in the streets, 6 to burns and scalds, 5 to drowning, and 1 of an infant under one year of age to suffocation in bed.

CASES OF INFECTIOUS DISEASE.†

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital, there were 17 cases of enteric fever, 49 of measles, 5,304 of scarlet fever, 24 of whooping-

* See note * on first page.

† The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

cough, and 3,101 of diphtheria under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows :—Of enteric fever, 2 cases, against 3, 4, and 3 ; of measles, 11 cases, against 15, 15, and 5 ; of scarlet fever, 600 cases, against 837, 699, and 667 ; of whooping-cough, 2 cases, against 0, 0, and 0 ; and of diphtheria, 413 cases, against 372, 370, and 386. Table 9, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the county during the week ended December 17th, 1921.

TABLE 1.—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH-RATES in the Week ended Saturday, 24th December, 1921, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	DEATH RATES from all Causes.				Week ended		Deaths of										Deaths from								Inquest Cases.				Deaths in Public Institutions.		Unverified Causes of Death.	TOWNS.
	ESTIMATED CIVILIAN POPULATION. MID. 1920.* (Provisional).	Week ended				6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.										
		Week ended																														
		3rd Dec., 1921.	10th Dec., 1921.	17th Dec., 1921.	24th Dec., 1921.																		BIRTHS.	DEATHS.								
1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.											
96 GREAT TOWNS.	18,554,878	15.1	15.1	14.4	14.6	7,572	5,212	661	1,713	6	47	17	78	79	74	237	180	379	1,672	33	96 GREAT TOWNS.											
LONDON†	4,531,971	18.4	15.9	14.7	16.1	1,841	1,395	142	501	-	7	7	26	36	19	54	37	117	653	2	LONDON.†											
CROYDON.	191,580	11.4	14.4	15.2	12.2	63	45	4	11	-	1	-	1	1	-	-	6	8	10	-	CROYDON.											
WIMBLEDON.	62,174	9.2	12.6	8.4	7.5	18	9	2	6	-	-	-	-	-	-	-	-	1	4	-	WIMBLEDON.											
EALING.	76,129	19.2	13.7	13.0	11.0	26	16	-	5	1	-	-	-	1	-	1	-	1	5	-	EALING.											
ACTON.	64,192	17.9	13.0	17.1	12.2	17	15	1	7	-	-	-	-	1	-	1	-	-	3	-	ACTON.											
WILLESDEN.	167,328	12.2	14.0	13.4	13.4	43	43	2	19	-	-	-	-	4	-	3	1	1	20	-	WILLESDEN.											
HORNSEY.	98,107	9.6	10.6	10.6	12.8	16	24	-	9	-	-	-	-	2	-	-	3	3	10	-	HORNSEY.											
TOTTENHAM	146,970	13.8	12.8	11.7	11.0	54	31	3	8	-	-	-	-	1	-	-	2	4	14	-	TOTTENHAM.											
EDMONTON	73,529	7.1	14.9	13.5	10.6	30	15	2	2	-	-	-	-	-	-	-	1	3	7	-	EDMONTON.											
ENFIELD	60,771	7.7	10.3	13.7	6.0	16	7	1	2	-	-	-	-	-	-	-	-	-	3	-	ENFIELD.											
WEST HAM	299,440	14.6	13.6	14.8	14.5	166	83	10	24	-	-	-	4	-	-	2	2	3	29	-	WEST HAM.											
EAST HAM	150,207	12.5	11.1	11.8	15.6	47	45	2	17	-	-	-	-	-	1	4	-	1	13	-	EAST HAM.											
LEYTON	128,832	16.2	11.3	10.5	8.1	35	20	1	6	-	-	-	-	-	-	-	1	1	9	-	LEYTON.											
WALTHAMSTOW	132,771	9.0	13.0	11.4	8.2	49	21	4	5	-	-	-	-	-	-	1	-	3	7	-	WALTHAMSTOW.											
ILFORD.	82,693	11.3	12.0	12.0	8.8	14	14	3	6	-	-	-	-	-	-	-	-	-	2	1	ILFORD.											
GILLINGHAM	45,233	12.7	19.6	9.2	18.4	23	16	1	5	-	-	-	-	1	-	-	-	2	3	1	GILLINGHAM.											
HASTINGS.	59,972	13.0	18.3	13.9	14.8	15	17	-	9	-	-	-	-	-	-	1	-	-	5	-	HASTINGS.											
EASTBOURNE	50,354	19.7	11.4	8.3	14.5	11	14	1	4	-	-	-	-	-	1	1	-	-	1	-	EASTBOURNE.											
BRIGHTON.	137,685	15.9	13.3	14.0	8.7	39	23	3	11	-	-	-	-	-	-	1	-	-	7	-	BRIGHTON.											
PORTSMOUTH	235,998	15.5	14.6	13.5	14.1	94	64	8	27	-	-	-	-	2	-	2	2	7	26	1	PORTSMOUTH.											
BOURNEMOUTH.	85,919	15.2	18.8	9.7	14.6	18	24	1	10	-	-	-	-	-	-	-	1	1	2	-	BOURNEMOUTH.											
SOUTHAMPTON	162,388	11.6	12.8	9.0	13.2	57	41	3	21	-	-	-	-	-	-	-	-	2	16	-	SOUTHAMPTON.											
READING	95,006	9.9	12.1	11.0	11.0	28	20	1	14	-	-	-	-	-	-	-	-	-	4	2	READING.											
OXFORD	59,963	8.7	6.1	11.3	10.4	10	12	1	10	-	-	-	-	-	-	1	-	1	2	-	OXFORD.											
NORTHAMPTON	92,483	10.7	13.0	14.7	11.8	33	21	6	7	-	-	-	-	-	1	-	-	2	3	1	NORTHAMPTON.											
CAMBRIDGE	60,154	13.9	7.8	13.0	12.1	25	14	-	11	-	-	-	-	-	-	1	1	1	2	-	CAMBRIDGE.											

+ For Greater London see end of Table

TABLE 1 (cont.).—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH-RATES in the Week ended Saturday, 24th December 1921, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	The DEATHS in the Week include										Week ended 24th Dec., 1921.		DEATH-RATES from all Causes.				ESTIMATED CIVILIAN POPULATION, MID. 1920.* (Provisional.)	Cols.	TOWNS.																																																																																																																																																																																																																																																																																																																																																																																																																																
	Deaths from Deaths of Infants under 1 Year of Age. Persons aged 65 Years and upwards.										BIRTHS.		DEATHS.		Week ended																																																																																																																																																																																																																																																																																																																																																																																																																																				
															Deaths in Public Institutions.					Uncertified Causes of Death.		Week ended																																																																																																																																																																																																																																																																																																																																																																																																																													
															Deaths from					Deaths from				Deaths from				Deaths from																																																																																																																																																																																																																																																																																																																																																																																																																							
Deaths from										Deaths of Infants under 1 Year of Age.		Deaths of Persons aged 65 Years and upwards.		Deaths from				Deaths of Infants under 1 Year of Age.		Deaths of Persons aged 65 Years and upwards.		Deaths from		Deaths of Infants under 1 Year of Age.		Deaths of Persons aged 65 Years and upwards.		Deaths from		Deaths of Infants under 1 Year of Age.		Deaths of Persons aged 65 Years and upwards.		Deaths from		Deaths of Infants under 1 Year of Age.		Deaths of Persons aged 65 Years and upwards.		Deaths from		Deaths of Infants under 1 Year of Age.		Deaths of Persons aged 65 Years and upwards.		Deaths from		Deaths of Infants under 1 Year of Age.		Deaths of Persons aged 65 Years and upwards.		Deaths from		Deaths of Infants under 1 Year of Age.		Deaths of Persons aged 65 Years and upwards.		Deaths from		Deaths of Infants under 1 Year of Age.		Deaths of Persons aged 65 Years and upwards.		Deaths from		Deaths of Infants under 1 Year of Age.		Deaths of Persons aged 65 Years and upwards.		Deaths from		Deaths of Infants under 1 Year of Age.		Deaths of Persons aged 65 Years and upwards.		Deaths from		Deaths of Infants under 1 Year of Age.		Deaths of Persons aged 65 Years and upwards.		Deaths from		Deaths of Infants under 1 Year of Age.		Deaths of Persons aged 65 Years and upwards.		Deaths from		Deaths of Infants under 1 Year of Age.		Deaths of Persons aged 65 Years and upwards.		Deaths from		Deaths of Infants under 1 Year of Age.		Deaths of Persons aged 65 Years and upwards.		Deaths from		Deaths of Infants under 1 Year of Age.		Deaths of Persons aged 65 Years and upwards.		Deaths from		Deaths of Infants under 1 Year of Age.		Deaths of Persons aged 65 Years and upwards.		Deaths from		Deaths of Infants under 1 Year of Age.		Deaths of Persons aged 65 Years and upwards.		Deaths from		Deaths of Infants under 1 Year of Age.		Deaths of Persons aged 65 Years and upwards.		Deaths from		Deaths of Infants under 1 Year of Age.		Deaths of Persons aged 65 Years and upwards.		Deaths from		Deaths of Infants under 1 Year of Age.		Deaths of Persons aged 65 Years and upwards.		Deaths from		Deaths of Infants under 1 Year of Age.		Deaths of Persons aged 65 Years and upwards.		Deaths from		Deaths of Infants under 1 Year of Age.		Deaths of Persons aged 65 Years and upwards.		Deaths from		Deaths of Infants under 1 Year of Age.		Deaths of Persons aged 65 Years and upwards.		Deaths from		Deaths of Infants under 1 Year of Age.		Deaths of Persons aged 65 Years and upwards.		Deaths from		Deaths of Infants under 1 Year of Age.		Deaths of Persons aged 65 Years and upwards.		Deaths from		Deaths of Infants under 1 Year of Age.		Deaths of Persons aged 65 Years and upwards.		Deaths from		Deaths of Infants under 1 Year of Age.		Deaths of Persons aged 65 Years and upwards.		Deaths from		Deaths of Infants under 1 Year of Age.		Deaths of Persons aged 65 Years and upwards.		Deaths from		Deaths of Infants under 1 Year of Age.		Deaths of Persons aged 65 Years and upwards.		Deaths from		Deaths of Infants under 1 Year of Age.		Deaths of Persons aged 65 Years and upwards.		Deaths from		Deaths of Infants under 1 Year of Age.		Deaths of Persons aged 65 Years and upwards.		Deaths from		Deaths of Infants under 1 Year of Age.		Deaths of Persons aged 65 Years and upwards.		Deaths from		Deaths of Infants under 1 Year of Age.		Deaths of Persons aged 65 Years and upwards.		Deaths from		Deaths of Infants under 1 Year of Age.		Deaths of Persons aged 65 Years and upwards.		Deaths from		Deaths of Infants under 1 Year of Age.		Deaths of Persons aged 65 Years and upwards.		Deaths from		Deaths of Infants under 1 Year of Age.		Deaths of Persons aged 65 Years and upwards.		Deaths from		Deaths of Infants under 1 Year of Age.		Deaths of Persons aged 65 Years and upwards.		Deaths from		Deaths of Infants under 1 Year of Age.		Deaths of Persons aged 65 Years and upwards.		Deaths from		Deaths of Infants under 1 Year of Age.		Deaths of Persons aged 65 Years and upwards.		Deaths from		Deaths of Infants under 1 Year of Age.		Deaths of Persons aged 65 Years and upwards.		Deaths from		Deaths of Infants under 1 Year of Age.		Deaths of Persons aged 65 Years and upwards.		Deaths from		Deaths of Infants under 1 Year of Age.		Deaths of Persons aged 65 Years and upwards.		Deaths from		Deaths of Infants under 1 Year of Age.		Deaths of Persons aged 65 Years and upwards.		Deaths from		Deaths of Infants under 1 Year of Age.		Deaths of Persons aged 65 Years and upwards.		Deaths from		Deaths of Infants under 1 Year of Age.		Deaths of Persons aged 65 Years and upwards.		Deaths from		Deaths of Infants under 1 Year of Age.		Deaths of Persons aged 65 Years and upwards.		Deaths from		Deaths of Infants under 1 Year of Age.		Deaths of Persons aged 65 Years and upwards.		Deaths from		Deaths of Infants under 1 Year of Age.		Deaths of Persons aged 65 Years and upwards.		Deaths from		Deaths of Infants under 1 Year of Age.		Deaths of Persons aged 65 Years and upwards.		Deaths from		Deaths of Infants under 1 Year of Age.		Deaths of Persons aged 65 Years and upwards.		Deaths from		Deaths of Infants under 1 Year of Age.		Deaths of Persons aged 65 Years and upwards.		Deaths from		Deaths of Infants under 1 Year of Age.		Deaths of Persons aged 65 Years and upwards.		Deaths from		Deaths of Infants under 1 Year of Age.		Deaths of Persons aged 65 Years and upwards.		Deaths from		Deaths of Infants under 1 Year of Age.		Deaths of Persons aged 65 Years and upwards.		Deaths from		Deaths of Infants under 1 Year of Age.		Deaths of Persons aged 65 Years and upwards.		Deaths from		Deaths of Infants under 1 Year of Age.		Deaths of Persons aged 65 Years and upwards.		Deaths from		Deaths of Infants under 1 Year of Age.		Deaths of Persons aged 65 Years and upwards.		Deaths from		Deaths of Infants under 1 Year of Age.		Deaths of Persons aged 65 Years and upwards.		Deaths from		Deaths of Infants under 1 Year of Age.		Deaths of Persons aged 65 Years and upwards.		Deaths from		Deaths of Infants under 1 Year of Age.		Deaths of Persons aged 65 Years and upwards.		Deaths from		Deaths of Infants under 1 Year of Age.		Deaths of Persons aged 65 Years and upwards.		Deaths from		Deaths of Infants under 1 Year of Age.		Deaths of Persons aged 65 Years and upwards.		Deaths from		Deaths of Infants under 1 Year of Age.		Deaths of Persons aged 65 Years and upwards.		Deaths from		Deaths of Infants under 1 Year of Age.		Deaths of Persons aged 65 Years and upwards.		Deaths from		Deaths of Infants under 1 Year of Age.		Deaths of Persons aged 65 Years and upwards.		Deaths from		Deaths of Infants under 1 Year of Age.		Deaths of Persons aged 65 Years and upwards.		Deaths from		Deaths of Infants under 1 Year of Age.		Deaths of Persons aged 65 Years and upwards.		Deaths from		Deaths of Infants under 1 Year of Age.		Deaths of Persons aged 65 Years and upwards.		Deaths from		Deaths of Infants under 1 Year of Age.		Deaths of Persons aged 65 Years and upwards.		Deaths from		Deaths of Infants under 1 Year of Age.		Deaths of Persons aged 6	

* See note † on first page of this return.

TABLE 1 (cont.)—GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH-RATES in the Week ended Saturday, 24th December, 1921, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	ESTIMATED CIVILIAN POPULATION MID. 1920.* (Provisional.)	DEATH-RATES from all Causes.					Week ended 24th Dec., 1921.		The DEATHS in the Week include														
		Week ended					BIRTHS.	DEATHS.	Deaths of		Deaths from										Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes or Death.
		3rd Dec., 1921.	10th Dec., 1921.	17th Dec., 1921.	24th Dec., 1921.	8.			9.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.	Violence.					
																			10.	11.			
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.	
STOCKPORT	130,635	17.2	15.2	14.8	11.6	50	29	4	11	-	-	-	-	1	-	-	1	-	-	9	-	STOCKPORT.	
BIRKENHEAD	153,951	11.9	13.2	11.5	10.2	72	30	4	12	-	-	2	-	1	-	1	-	2	4	5	-	BIRKENHEAD.	
WALLASEY	99,226	8.9	15.8	8.9	10.0	23	19	2	5	-	-	-	-	-	1	-	1	-	-	2	-	WALLASEY.	
LIVERPOOL	803,452	15.3	19.0	15.4	15.1	383	233	50	45	-	-	29	3	3	1	8	4	11	18	106	2	LIVERPOOL.	
BOOTLE	80,029	13.0	16.3	12.4	8.5	25	13	1	1	-	-	-	-	1	-	-	-	1	1	3	-	BOOTLE.	
ST. HELENS	104,822	10.9	14.4	14.4	8.0	54	16	4	4	-	-	-	-	-	-	-	-	-	-	3	-	ST. HELENS.	
SOUTHPORT	72,939	15.7	7.9	15.0	12.2	18	17	1	10	-	-	-	-	-	-	-	1	1	1	5	-	SOUTHPORT.	
WIGAN	90,866	14.3	20.1	14.9	12.1	53	21	3	1	-	-	-	-	-	-	-	-	1	2	6	-	WIGAN.	
WARRINGTON	77,939	12.7	13.4	14.7	8.0	30	12	3	4	-	-	-	-	-	-	1	-	-	-	2	-	WARRINGTON.	
BOLTON	184,533	12.7	13.8	14.4	15.8	81	56	6	21	1	-	-	1	-	-	-	6	3	5	13	-	BOLTON.	
BURY	56,410	16.6	13.9	15.7	15.7	23	17	1	6	-	-	-	-	-	-	-	2	-	-	2	-	BURY.	
MANCHESTER	770,597	15.0	15.9	16.3	14.3	309	211	27	51	-	-	-	1	4	1	4	10	7	13	66	2	MANCHESTER.	
SALFORD	235,239	13.7	16.8	16.6	13.5	98	61	5	10	2	-	-	-	-	1	1	1	1	3	23	-	SALFORD.	
OLDHAM	143,154	17.8	16.4	18.9	18.2	54	50	12	13	-	-	-	1	-	-	-	1	1	5	11	-	OLDHAM.	
ROCHDALE	93,639	12.8	18.4	15.6	17.3	24	31	7	6	-	-	4	-	-	-	1	-	3	5	12	-	ROCHDALE.	
BURNLEY	105,030	16.4	15.9	13.9	22.8	35	46	6	14	-	-	-	-	1	-	2	4	1	1	14	-	BURNLEY.	
BLACKBURN	131,012	14.3	14.3	12.3	11.1	42	28	3	7	-	-	-	-	-	-	-	-	3	5	6	-	BLACKBURN.	
PRESTON	121,950	13.7	12.8	13.7	12.8	48	30	4	13	-	-	-	-	-	2	-	4	2	2	10	-	PRESTON.	
BLACKPOOL	70,545	20.0	18.5	12.6	10.3	22	14	-	1	-	-	-	-	-	-	-	-	2	2	4	-	BLACKPOOL.	
BARROW IN FURNESS	76,561	10.9	10.9	8.2	12.3	35	18	2	8	-	-	-	-	-	1	-	-	-	-	5	1	BARROW IN FURNESS.	
HUDDERSFIELD	116,776	16.5	17.9	13.8	21.0	36	47	6	14	-	-	-	-	1	-	-	2	1	1	4	-	HUDDERSFIELD.	
HALIFAX	105,847	16.7	13.3	16.3	13.3	27	27	1	12	-	-	-	-	-	-	-	1	3	4	4	-	HALIFAX.	
BRADFORD	293,979	12.8	13.3	17.2	16.7	95	94	8	34	-	-	-	-	2	2	-	8	1	11	26	-	BRADFORD.	
LEEDS	449,212	19.5	20.8	24.7	24.5	201	211	23	62	-	-	-	-	11	1	3	28	8	17	34	-	LEEDS.	
DEWSBURY	55,080	18.9	25.6	18.0	25.6	24	27	2	11	-	-	-	-	-	-	-	7	1	3	6	-	DEWSBURY.	
WAKEFIELD†	51,169	22.4	33.6	30.6	37.7	31	37	7	11	-	-	-	-	2	-	1	2	1	3	8	-	WAKEFIELD.†	
BARNSELEY†	53,738	19.4	32.0	21.3	15.5	29	16	2	-	-	-	-	-	2	-	1	1	-	-	1	-	BARNSELEY.†	

TOWNS.	ESTIMATED CIVILIAN POPULATION, MID. 1920.* (Provisional).†	Causes.				Week ended 24th Dec., 1921.		Deaths of		Deaths from								Inquest Cases.		Deaths in Public Institutions.		Uncertified Causes of Death.		TOWNS																
		Week ended				24th Dec., 1921.		Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.	Violence.	19.	20.	21.	Cols.																		
		BIRTHS.				DEATHS.																																		
		3rd Dec., 1921.	10th Dec., 1921.	17th Dec., 1921.	24th Dec., 1921.	6.	7.																																	
	1.	2.	3.	4.	5.		8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.																				
SHEFFIELD†	492,570	15·7	22·4	21·1	21·1	218	199	26	61	-	1	-	1	2	3	30	3	10	53	-	SHEFFIELD.†																			
ROTHERHAM	71,785	37·8	21·8	26·1	8·0	40	11	3	4	-	-	-	-	-	-	2	1	1	4	-	ROTHERHAM.																			
YORK	77,501	14·8	12·1	12·1	17·5	30	26	2	14	-	-	-	-	-	-	-	3	4	6	-	YORK.																			
HULL	290,808	12·4	12·2	10·9	13·8	126	77	9	27	-	-	-	-	3	-	1	6	6	22	1	HULL.																			
MIDDLESBROUGH	132,208	14·2	11·0	17·0	20·9	83	53	13	5	-	-	-	-	-	2	2	1	1	4	-	MIDDLESBROUGH.																			
DARLINGTON	66,610	14·9	11·7	17·2	11·7	30	15	5	6	-	-	-	-	-	-	-	-	-	1	2	DARLINGTON.																			
STOCKTON ON TEES.	63,114	14·9	15·7	13·2	18·2	34	22	3	4	-	-	-	-	-	-	-	1	1	2	2	STOCKTON ON TEES.																			
WEST HARTLEPOOL.	68,126	15·3	16·1	13·0	15·3	37	20	1	5	-	-	-	-	-	-	1	-	-	4	-	WEST HARTLEPOOL.																			
SUNDERLAND	155,211	14·1	16·5	11·8	12·8	95	38	5	12	-	1	-	-	-	2	-	2	4	14	-	SUNDERLAND.																			
SOUTH SHIELDS†	115,945	18·0	11·2	13·9	13·5	73	30	8	14	-	-	-	-	-	-	-	1	1	7	-	SOUTH SHIELDS.†																			
GATESHEAD	128,309	15·8	13·8	13·4	11·8	54	29	6	7	-	-	-	-	-	2	-	2	2	7	3	GATESHEAD.																			
NEWCASTLE ON TYNE.	286,061	14·8	12·9	12·8	13·3	127	73	15	22	-	-	-	3	-	-	-	2	4	23	-	NEWCASTLE ON TYNE.																			
TYNEMOUTH	60,318	12·1	13·0	11·2	13·0	40	15	2	7	-	-	-	-	-	-	-	-	-	2	-	TYNEMOUTH.																			
CARLISLE	57,397	16·4	10·9	9·1	5·5	14	6	-	4	-	-	-	-	-	-	-	-	-	3	-	CARLISLE.																			
NEWPORT (MON.)	90,728	12·1	14·4	8·6	10·9	29	19	4	6	-	-	-	-	-	-	1	2	4	2	-	NEWPORT (MON.).																			
CARDIFF	212,582	12·3	9·8	13·2	11·0	92	45	9	6	-	-	-	-	2	-	-	2	7	10	-	CARDIFF.																			
RHONDDA	184,999	9·9	11·8	7·6	8·2	67	29	3	8	-	-	-	-	-	-	1	-	-	1	-	RHONDDA.																			
MERTHYR TYDFIL	74,493	14·7	14·0	18·2	20·3	58	29	2	6	-	-	-	-	-	-	-	1	1	5	-	MERTHYR TYDFIL.																			
ABERDARE	53,431	12·7	18·5	11·7	12·7	29	13	4	2	-	-	-	-	-	-	-	1	1	-	-	ABERDARE.																			
SWANSEA	167,218	13·4	10·0	9·7	7·8	72	25	2	12	-	-	-	-	-	-	1	-	2	-	1	SWANSEA.																			
GREATER LONDON	7,548,647	16·4	14·5	13·7	14·3	2530	2075	200	750	2	10	8	33	53	22	82	64	169	862	4	GREATER LONDON.																			
OUTER RING	3,016,676	13·2	12·3	12·3	11·8	989	680	58	249	2	3	1	7	17	3	28	27	52	209	2	OUTER RING.																			
14 GREAT TOWNS IN OUTER RING.	1,734,723	12·6	12·9	12·9	11·7	594	388	35	127	1	1	-	6	10	1	12	16	29	136	1	14 GREAT TOWNS IN OUTER RING.																			
REMAINDER OF OUTER RING.	1,281,953	14·1	11·6	11·4	11·9	395	292	23	122	1	2	1	1	7	2	16	11	23	73	1	REMAINDER OF OUTER RING.																			
EDINBURGH†	420,281	12·9	17·5	11·5	14·0	161	113	20	41	-	-	-	-	2	2	1	7	?	?	?	EDINBURGH.†																			
GLASGOW†	1,034,069	16·4	16·4	14·6	14·8	573	294	63	67	1	25	2	2	3	2	4	12	?	?	?	GLASGOW.†																			
DUBLIN (Registra- tion Area).†	423,000	14·1	18·0	23·1	24·2	138	196	35	45	-	12	-	1	2	7	8	3	5	71	3	DUBLIN (Registra- tion Area).†																			
BELFAST†	420,000	12·4	12·0	10·3	11·8	162	95	19	21	-	-	-	-	-	3	1	3	3	28	3	BELFAST.†																			

* See note † on first page of this return.
† The populations are total populations and relate to 1921, those for Edinburgh and Glasgow being Census populations. Deaths and the death-rates in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week: those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.
‡ The extension of the Borough of Sheffield on the 9th November 1921, and of South Shields on the 1st November 1921, will not be taken into account in the Weekly Returns until next year.

TABLE 2. LONDON.—Births and Deaths registered during the FIFTY-FIRST Week of each of the Eleven Years, 1911-1921.

	1911.	1912.	1913.	1914.	1915.	1916.	1917.	1918.	1919.	1920.	1921.
Births (as registered).	2006	2197	1988	1420	1512	1687	1202	1336	2519	1733	1841
Males	1024	1137	970	719	781	861	628	656	1287	887	951
Females	982	1060	1018	701	731	826	574	680	1232	846	890
Deaths (of residents only).	1362	1251	1277	1108	1346	2028*	1385*	1239*	1180*	1279*	1395*
Males	694	642	666	573	678	1001	738	633	581	638	717
Females	668	609	611	535	668	1027	647	606	599	641	678

* Deaths in civilian population only.

TABLE 3. LONDON.—BIRTHS and DEATHS REGISTERED, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the last THIRTEEN WEEKS.

	Oct. 1.	Oct. 8.	Oct. 15.	Oct. 22.	Oct. 29.	Nov. 5.	Nov. 12.	Nov. 19.	Nov. 26.	Dec. 3.	Dec. 10.	Dec. 17.	Dec. 24.
Births (as registered)	1910	1889	1885	1944	1835	1813	1869	1865	1866	1771	2020	1904	1841
Deaths (of residents only).	884	983	979	996	955	940	1150	1435	1324	1601	1383	1279	1395
Age													
Under 1 year	184	185	177	170	142	144	123	128	106	138	135	125	142
1-2 years	28	38	25	35	32	29	33	44	34	47	54	56	83
2-5 "	17	32	21	25	25	19	25	35	36	42	33	41	50
5-10 "	24	27	25	18	16	40	38	31	32	30	33	27	31
10-15 "	12	22	20	14	7	12	17	19	17	17	17	11	22
15-20 "	8	13	19	19	23	19	21	24	28	23	20	21	24
at													
20-25 "	23	18	20	28	21	12	23	28	24	31	19	25	30
25-35 "	35	42	35	43	51	48	59	59	41	69	57	55	76
Death													
35-45 "	56	67	62	75	75	62	94	101	82	99	80	96	107
45-55 "	100	101	115	106	119	94	145	153	175	179	159	151	138
55-65 "	117	123	150	141	134	134	152	240	178	250	220	189	191
65-75 "	155	156	158	159	151	159	204	278	287	343	260	229	250
75 years and upwards	125	159	152	163	159	168	216	295	284	333	296	253	251
Deaths from—													
Enteric fever	2	5	2	1	3	4	—	1	1	3	2	2	—
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	—	3	—	4	3	4	6	15	9	9	8	14	7
Scarlet fever	6	6	1	9	4	6	9	4	9	7	7	9	7
Whooping cough	13	14	8	8	3	6	7	5	9	13	8	20	26
Diphtheria	16	20	27	28	24	26	40	36	30	33	31	26	36
Diarrhoea and enteritis (under 2 years).	97	81	80	61	53	53	26	20	20	16	11	16	19
Pulmonary tuberculosis	64	73	74	91	115	65	112	139	126	141	89	91	100
Influenza	5	4	13	12	11	6	13	17	26	29	14	43	54
Pneumonia (all forms)	61	60	65	59	70	67	83	130	132	184	177	139	197
Bronchitis	38	41	45	46	58	52	96	202	208	293	204	182	146
Other dis. of resp. system	7	13	7	11	8	5	10	29	26	27	28	24	15
Dis. of circ. system	139	150	161	157	141	155	206	263	215	281	233	203	227
Violence	37	29	35	35	38	35	35	33	37	33	32	30	37
Inquest cases	82	85	96	83	83	87	94	108	108	118	95	80	117

CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.

Enteric fever	40	40	42	34	31	24	27	25	24	21	23	16	17
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	21	19	26	27	31	33	38	37	39	48	58	53	49
Scarlet fever	4887	5508	5978	6067	6285	6305	6233	6132	6073	6007	5834	5627	5,304
Whooping cough	48	44	41	38	33	31	29	30	30	28	26	22	24
Diphtheria	2056	2247	2447	2623	2814	2960	3031	3076	3080	3093	3071	3071	3,101

* The Metropolitan Asylums Board and London Fever Hospitals. The figures do not refer to London exclusively.

TABLE 3A. 96 Great Towns.—DEATHS from INFLUENZA in the last THIRTEEN WEEKS

	Oct. 1.	Oct. 8.	Oct. 15.	Oct. 22.	Oct. 29.	Nov. 5.	Nov. 12.	Nov. 19.	Nov. 26.	Dec. 3.	Dec. 10.	Dec. 17.	Dec. 24.
Deaths from Influenza	37	34	49	46	30	32	44	59	80	128	149	212	237

TABLE 4. LONDON.—DEATHS REGISTERED in the FIFTY-FIRST Week of the Year 1921.

CAUSES OF DEATH.	Deaths in the 51st week of the year 1920.	DEATHS of PERSONS of the AGES													
		ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-10 years.	10-15 years.	15-20 years.	20-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and up-wards.
ALL CAUSES	1279	1395	142	83	50	31	22	24	30	76	107	138	191	250	25
Enteric fever	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	4	7	-	5	1	1	-	-	-	-	-	-	-	-	-
Scarlet fever	5	7	-	1	3	2	1	-	-	-	-	-	-	-	-
Whooping cough	2	26	4	18	3	1	-	-	-	-	-	-	-	-	-
Diphtheria	27	36	3	6	15	10	2	-	-	-	-	-	-	-	-
Influenza	14	54	2	2	1	-	-	5	1	8	5	10	5	11	4
Erysipelas	-	2	-	-	-	-	-	-	1	-	-	1	-	-	-
Acute Poliomyelitis, Polioencephalitis.	?	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	?	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal meningitis . . .	?	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Other endemic and epidemic diseases.	3	1	-	-	-	-	-	-	-	-	-	1	-	-	-
Pyæmia and septicæmia	1	2	-	1	-	-	-	-	-	1	-	-	-	-	-
Tetanus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis :—															
Pulmonary tuberculosis	101	100	-	1	-	1	-	7	9	26	21	18	12	4	1
Tuberculous meningitis	4	3	1	-	1	1	-	-	-	-	-	-	-	-	-
Abdominal tuberculosis	4	3	-	-	1	-	-	1	-	1	-	-	-	-	-
Tuberculosis of the spine	1	3	-	-	-	-	1	-	-	-	1	1	-	-	-
Tuberculosis of the joints	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of other organs . .	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Disseminated tuberculosis . . .	2	3	-	-	-	-	-	1	-	-	1	-	1	-	-
Venereal diseases	1	4	4	-	-	-	-	-	-	-	-	-	-	-	-
Cancer	111	105	-	-	1	-	1	-	-	-	7	16	37	33	10
Rheumatic fever	6	6	-	-	-	2	-	-	-	1	-	-	-	1	-
Diabetes	5	9	-	-	-	-	1	-	-	1	-	-	1	6	-
Anæmia, leucocythæmia	5	10	-	-	-	1	-	1	1	-	-	1	4	1	1
Other general diseases	12	21	1	-	1	-	-	-	-	2	2	2	1	8	4
Alcoholism	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Chronic poisonings	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	4	6	2	1	1	-	1	-	1	-	-	-	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	56	46	-	-	-	-	-	-	-	-	-	3	6	16	21
Softening of brain	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Paralysis, without specified cause .	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epilepsy	4	2	-	-	-	-	-	-	-	1	-	1	-	-	-
"Convulsions" (not puerperal) . .	10	12	11	1	-	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system .	33	35	-	2	3	1	-	-	-	1	6	9	6	4	3
Pericarditis	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-
Acute endocarditis	8	11	1	-	-	-	3	-	-	4	2	-	1	-	-
Other diseases of heart	139	165	-	-	-	-	-	2	4	5	9	17	33	47	48
Embolism and thrombosis (excluding cerebral).	12	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Other diseases of circulatory system.	49	49	1	-	-	-	-	-	-	1	2	4	10	17	14
Diseases of the larynx	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Bronchitis	175	146	5	4	2	1	-	-	2	-	4	14	24	45	45
Broncho-pneumonia	92	99	21	30	9	1	2	-	1	2	10	4	9	5	5
Lobar pneumonia	44	48	1	2	-	-	-	2	2	8	12	10	3	5	3
Pneumonia (type not distinguished)	29	50	7	1	2	2	1	3	1	4	6	2	10	7	4
Pleurisy	2	3	-	-	-	-	-	-	-	1	-	1	-	1	-
Pulmonary congestion Pulmonary apoplexy.	3	3	-	-	-	-	-	-	-	-	-	-	-	1	2
Other diseases of respiratory system.	9	8	-	-	-	-	1	-	-	-	1	4	1	-	1

TABLE 5.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM							
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria*	Diarrhoeal Diseases† (under 2 years).	Influenza.
LONDON† . .	4,531,971	1921. Dec. 24	1,841	1,395	16·1	-	-	7	7	26	36	19	54
Calcutta . .	896,067	Nov. 19	-	578§	33·5	-	3	-	-	-	-	-	12
Bombay . .	979,445	" 19	311	790	41·9	4	-	-	-	1	-	41	5
Madras . .	522,951	" 19	403	402	39·9	2	2	2	?	1	-	26	-
Paris . .	2,847,229	{ 10 days } Oct. 20 }	1,244	964	12·4	4	-	-	2	2	4	55	-
Amsterdam . .	792,919	-	-	-	-	-	-	-	-	-	-	-	-
Antwerp . .	340,852	Dec. 10	107	93	14·4	1	-	1	-	2	1	5	1
London . .	682,811	" 3	309	213	16·3	-	-	-	-	6	1	1	-
Copenhagen . .	562,000	" 10	234	134	12·4	-	-	1	-	-	2	-	-
Stockholm . .	419,788	" 3	93	96	11·9	-	-	-	-	-	1	-	-
Göteborg . .	205,547	{ " 3 } " 10 }	-	37	9·4	-	-	-	-	-	-	1	-
Christiania . .	260,920	" 10	99	49	7·3	-	-	1	-	1	2	-	-
Berlin . .	1,945,000	" 3	463	482	12·9	-	?	-	2	5	4	6	2
Breslau . .	547,000	" 3	228	202	19·2	1	?	1	1	2	1	5	2
Cologne . .	669,000	" 3	287	203	15·8	-	?	-	-	1	2	4	3
Edinburgh . .	600,000	"	185	173	15·0	-	?	1	1	-	2	3	6
Frankfurt-on-Main .	471,000	" 3	140	89	9·8	-	?	-	-	2	-	1	3
Hamburg . .	1,031,000	" 3	277	306	15·4	-	?	-	2	1	1	6	6
Leipzig . .	630,000	" 3	216	160	13·2	-	?	-	-	1	-	2	1
Munich . .	670,000	" 3	220	174	13·5	-	?	1	-	1	-	3	1
Venna . .	1,842,005	{ Nov. 26 } Dec. 3 }	588	521	14·7	2	-	-	-	-	1	7	1
Vienna . .	676,454	Nov. 26	587	516	14·6	1	-	-	-	2	2	14	-
Prague . .	933,000	Oct. 1	227	198	15·3	2	-	-	-	-	1	8	1
Suburbs . .	933,000	Oct. 1	357	331	18·4	9	-	-	17	1	1	36	1
Budapest . .	765,200	{ " 14 } " 21 }	662	325	22·1	3	-	-	-	?	8	28	?
Bombay . .	449,300	" 21	749	322	21·9	4	-	-	-	?	2	26	?
Alexandria . .	449,300	{ " 14 } " 21 }	374	241§	27·9	3	-	-	-	?	1	33	?
London . .	5,751,859	Nov. 26	350	211	24·4	1	-	-	-	?	-	28	?
New York . .	2,780,655	Dec. 3	2,432	1,184	10·8	3	-	2	2	4	11	22	2
Chicago . .	359,698	" 1	-	-	-	-	-	-	-	-	-	-	-
Montevideo . .	359,698	" 1	-	-	-	-	-	-	-	-	-	-	-

including deaths from croup in Bombay, Madras, Paris, Antwerp, Amsterdam, Copenhagen, the German Cities, Vienna, Prague and Suburbs, Budapest, and Montevideo.
 The deaths in this column relate to *all ages* for Bombay, Madras, Christiania, and Bucarest, and to *children under 1 year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.
 The estimated population and deaths refer to the civilian population only.
 including 1 death from *plague* in Alexandria, and from *Asiatic cholera* 5 deaths in Calcutta.
 The registration of births in Bombay is incomplete.)

TABLE 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 24th December, 1921.
(Supplied by the Meteorological Office.)

TOWNS.	Temperature of Air.*				Rainfall in Milli- metres.†	TOWNS.	Temperature of Air.*				Rainfall in Milli- metres.†
	Highest.	Lowest.	Mean Maxi- mum.	Mean Mini- mum.			Highest.	Lowest.	Mean Maxi- mum.	Mean Mini- mum.	
LONDON (Greenwich) }	56	33	51·1	43·9	10	BRADFORD . .	53	29	49·3	39·9	31
BRIGHTON . .	53	32	51·0	44·9	24	SHEFFIELD . .	-	Not	receive d.	-	-
PORTSMOUTH . .	56	32	52·1	43·9	12	YORK (Museum) .	55	31	49·9	39·7	14
NOTTINGHAM (Eaton) .	54	32	50·0	42·4	17	HULL (Pearson Park)	55	31	49·3	38·9	21
PLYMOUTH . .	55	34	52·0	44·0	18	TYNEMOUTH . .	54	31	46·1	37·1	15
Bristol (Clifton) .	53	30	50·1	42·1	25	CARDIFF . .	54	31	50·0	40·9	24
BIRMINGHAM . .	53	30	48·6	39·7	21	EDINBURGH . .	53·0	31·0	47·7	35·6	32
NOTTINGHAM . .	54	33	48·6	43·1	5	GLASGOW . .	52·7	30·6	48·7	38·6	40
BRISTOL (Bidston) }	56	37	50·7	43·0	31	DUBLIN :—	-	-	-	-	-
MANCHESTER . .	-	Not	receive d.	-	-	Phoenix Park .	55·2	27·6	50·5	38·6	19
BURNLEY . .	53	24	49·1	38·3	47	†Fitzwilliam Square	56·1	32·1	51·1	41·0	14
WUDERSFIELD . .	54	30	49·0	39·9	48	BELFAST . .	55·0	34·0	51·6	40·2	18

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.

† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R. Met.Soc., Dublin.

‡ 1 millimetre = '04 inch nearly; 1 inch = 25·4 millimetres exactly.

TABLE 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 24th December 1921.

[Under the Superintendence of the Astronomer Royal.]

1921.		Phases of the Moon.	BARO- METER. Mean daily reading (cor- rected and re- duced to 32° Fahren- heit).	TEMPERATURE.						Difference between the Air Temperature and Dew Point Temperature.			De- gree of Hu- mid- ity (Satu- ration equals 100).	TEMPERATURE.		Wind as deduced from Anemometers.					Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
MONTH AND DAY.	Of the Air.			Of the Dew point.	Of Radiation.		Of the Earth 4 feet below the Surface.	Osler's.		Robinson's.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
	High- est.				Low- est.	Daily Range.		Mean daily value.	De- parture from Average of 65 years.	General Direction.	Great- est.	Pressure on the Square Foot.		Horizontal Movement of the Air on each Day.	Depart- ture from Average of 50 years.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
DECEMBER.				°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°</

DATE.		ELECTRICITY. (For explanation of symbols, see Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
DECEMBER 1921.					
SUNDAY	- 18	w.P. generally	2.4	7.8	Overcast till 5h.; variably cloudy with overcast intervals till 16h., then overcast generally; brisk wind till 5h. and from noon to 17h. Overcast with slight exceptions; brisk wind from 5h.
MONDAY	- 19	w.P. throughout	0.1	7.8	Overcast generally till 8h. 30m.; partially cloudy till noon, then nearly cloudless except for a very cloudy interval about 18h.; brisk wind morning and evening; rain about 2h.
TUESDAY	- 20	w.P. till 10h., s.P. generally till 21h., then w.P.	4.9	7.7	Few clouds till 2h., then overcast generally till 18h., with few cloudy intervals; variably cloudy to overcast after 18h.; brisk wind generally.
WEDNESDAY	- 21	w.P. generally	0.5	7.7	Overcast with few bright intervals till 16h. 30m.; variably cloudy with cloudless intervals till 22h., then cloudless; brisk wind till 1h., from 9h. to 15h. and after 22h.; rain between 12h. 30m. and 16h.
THURSDAY	- 22	w.P. generally	0.7	7.7	Nearly cloudless till 5h.; variably cloudy till 11h.; overcast or nearly overcast till 21h., becoming cloudless by 23h.; brisk wind till 3h.; mist in morning; rain about 7h., and occasional showers 17h. 30m. to 20h. 30m.
FRIDAY	- 23	v.P. throughout	1.6	7.7	Cloudless with hoar frost till after noon, becoming overcast generally by 14h.; frequent rain or damping from 22h.
SATURDAY	- 24	s.P. generally	3.5	7.7	
			Sum 13.7	Sum 54.1	
			27	28	
No. of Col.		26			

The results apply to the civil day, or from midnight to midnight. The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level. Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables. The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916. In reading columns 9 and 24 it will be borne in mind that + indicates "higher," and - "lower," than the average. The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined. The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable. The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day. The reading of the barometer increased from 29.86 in. at the beginning of the week to 29.94 in. by 10h. on 15th; decreased to 29.53 in. by 4h. on 20th; increased to 29.85 in. by midnight on the same day; decreased to 29.35 in. by 20h. on 22nd; increased to 30.12 in. by 18h. on 24th, and decreased to 30.05 in. by midnight on the same day.

The results apply to the civil day, or from midnight to midnight.
 The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.
 Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.
 The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.
 In reading columns 9 and 24 it will be borne in mind that + indicates "higher," and - "lower," than the average.
 The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.
 The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.
 The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.
 The reading of the barometer increased from 29.86 in. at the beginning of the week to 29.94 in. by 10h. on 18th; decreased to 29.53 in. by 4h. on 20th; increased to 29.85 in. by midnight on the same day; decreased to 29.35 in. by 20h. on 22nd; increased to 30.12 in. by 18h. on 24th, and decreased to 30.05 in. by midnight on the same day.

TABLE 8. LONDON.—DEATHS OF PERSONS BELONGING to the several METROPOLITAN BOROUGHs REGISTERED in the Week ended 17th December, 1921.

BOROUGHs.	Deaths from									Deaths of Infants under 1 Year of Age.
	ALL CAUSES.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Pulmonary Tuberculosis.	
COUNTY OF LONDON .	1279	2	-	14	9	20	26	16	91	125
Western										
PADDINGTON . . .	48	-	-	-	-	-	-	-	2	2
KENSINGTON . . .	71	-	-	-	1	-	-	2	3	5
HAMMERSMITH . . .	43	-	-	-	-	-	2	-	5	4
FULHAM	40	-	-	-	-	1	1	1	3	8
CHELSEA	22	-	-	-	-	-	-	-	-	1
CITY OF WESTMINSTER .	41	-	-	-	-	-	-	2	2	6
Northern.										
ST. MARYLEBONE . . .	31	-	-	-	-	-	-	-	2	2
HAMPSTEAD	29	-	-	-	-	-	2	-	2	3
ST. PANCRAS	70	-	-	2	-	1	-	1	7	5
ISLINGTON	81	-	-	1	1	-	1	-	5	6
STOKE NEWINGTON . . .	13	-	-	-	-	-	-	-	-	2
HACKNEY	54	-	-	-	-	-	3	1	4	4
Central.										
HOLBORN	13	-	-	-	-	-	-	-	1	1
FINSBURY	19	-	-	-	1	-	-	-	-	5
CITY OF LONDON . . .	6	-	-	-	-	-	-	-	-	1
Eastern.										
SHOREDITCH	33	-	-	-	-	-	1	1	6	6
BETHNAL GREEN . . .	28	-	-	2	-	2	1	1	-	3
STEPNEY	82	-	-	2	-	3	-	1	5	9
POPLAR	38	-	-	6	1	1	4	-	1	7
Southern.										
SOUTHWARK	63	-	-	-	-	3	1	2	7	5
BERMONDSEY	42	-	-	-	2	1	6	-	1	4
LAMBETH	94	-	-	1	-	4	-	3	5	10
BATTERSEA	41	-	-	-	-	-	1	-	4	3
WANDSWORTH	76	1	-	-	1	-	1	1	8	5
CAMBERWELL	77	-	-	-	1	2	2	-	11	7
DEPTFORD	17	1	-	-	-	1	-	-	1	2
GREENWICH	30	-	-	-	-	-	-	-	3	5
LEWISHAM	38	-	-	-	-	1	-	-	1	2
WOOLWICH	39	-	-	-	1	-	-	-	2	2

The deaths in the above Table are, so far as concerns London as a whole, corrected by the exclusion of deaths of non-residents, and by the inclusion of those of residents occurring in the Outer Ring or in Metropolitan public institutions situated outside the County. As between individual Metropolitan Boroughs, however, correction is complete.

TABLE 9. LONDON.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED during the Week ended 17th December, 1921.*

BOROUGHs.	ESTI- MATED CIVILIAN POPU- LATION, MID. 1920.† (Provi- sional.)	Enteric Fever.	Malaria.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Pneumonia.	Erysipelas.	Cerebro-Spinal Fever.	Puerperal Fever.	Ophthalmia Neonatorum.	Poliomyelitis.	Dysentery.	Encephalitis Lethargica.	Anthrax.	Polio- encephalitis.	Cholera.
WESTERN.																		
Paddington . . .	149,673	-	-	-	-	12	6	7	1	-	1	-	-	-	-	-	1	-
Kensington . . .	164,177	-	-	-	-	15	8	8	5	-	-	-	-	-	-	-	-	-
Hammersmith . . .	136,200	-	-	-	-	27	10	4	2	-	1	-	-	-	-	-	-	-
Fulham . . .	158,621	-	-	-	-	22	20	16	2	-	-	-	-	-	-	-	-	-
Chelsea . . .	62,987	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-	-
City of Westminster . . .	132,615	1	-	-	-	10	9	3	-	-	-	1	-	-	-	-	-	-
NORTHERN.																		
St. Marylebone . . .	101,856	-	-	-	-	8	7	5	1	-	-	-	-	-	-	-	-	-
Hampstead . . .	91,519	-	-	-	-	16	13	2	4	-	-	-	-	-	1	-	-	-
St. Pancras . . .	228,178	1	-	-	-	44	16	9	2	-	-	-	-	-	-	-	-	-
Islington . . .	335,907	1	-	-	-	62	37	2	2	-	-	2	-	-	-	-	-	-
Stoke Newington . . .	52,984	-	-	-	-	7	1	-	-	-	-	-	-	-	-	-	-	-
Hackney . . .	225,372	2	-	-	-	35	17	2	-	-	-	-	-	-	-	-	-	-
CENTRAL.																		
Holborn . . .	39,676	1	-	-	-	6	3	2	-	-	-	-	-	-	-	-	-	-
Finsbury . . .	78,291	-	-	-	-	6	1	2	8	-	-	-	-	-	-	-	-	-
City of London . . .	14,447	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
EASTERN.																		
Shoreditch . . .	102,044	-	-	-	-	8	15	13	1	-	1	3	-	-	-	-	-	-
Bethnal Green . . .	114,471	-	-	-	-	11	28	4	1	-	-	3	-	-	-	-	-	-
Stepney . . .	241,770	-	-	-	-	23	36	6	5	1	-	1	-	-	-	-	-	-
Poplar . . .	159,766	-	-	-	-	30	21	13	3	-	-	1	-	-	-	-	-	-
SOUTHERN.																		
Southwark . . .	187,142	-	-	-	-	18	14	6	2	-	-	-	-	-	-	1	-	-
Bermondsey . . .	129,189	-	-	-	-	9	21	-	1	-	1	-	-	-	-	-	-	-
Lambeth . . .	293,572	-	-	-	-	62	15	4	2	-	1	-	-	-	-	-	-	-
Battersea . . .	165,664	-	-	-	-	36	31	9	1	-	-	-	-	-	-	-	-	-
Wandsworth . . .	346,990	-	-	-	-	59	23	15	3	-	-	1	-	-	-	-	-	-
Camberwell . . .	284,712	1	2	-	-	55	20	5	1	1	1	-	-	-	-	-	-	-
Deptford . . .	115,636	-	-	-	-	11	9	3	2	-	-	-	-	-	-	-	-	-
Greenwich . . .	102,408	-	-	-	-	13	16	2	2	-	2	-	-	-	-	-	-	-
Lewisham . . .	174,438	-	-	-	-	49	12	3	1	-	-	-	-	-	-	-	-	-
Woolwich . . .	141,666	-	-	-	-	32	19	5	3	-	-	2	-	-	-	-	-	-
TOTAL . . .	4,531,971	7	2	-	-	689	432	150	55	2	8	15	-	-	1	1	1	-
Ages 0-1 . . .		-	-	-	-	7	7	6	3	-	-	15	-	-	-	-	-	-
" 1-5 . . .		1	-	-	-	130	117	23	-	2	-	-	-	-	-	-	-	-
" 5- . . .		2	-	-	-	282	164	13	2	-	-	-	-	-	-	-	1	-
" 10- . . .		1	-	-	-	164	61	3	7	-	-	-	-	-	1	-	-	-
" 15- . . .		1	-	-	-	45	31	6	5	-	-	-	-	-	-	-	-	-
" 20- . . .		-	1	-	-	26	17	11	1	-	-	-	-	-	-	-	-	-
" 25- . . .		1	1	-	-	26	22	20	6	-	5	-	-	-	-	-	-	-
" 35- . . .		1	-	-	-	8	8	21	10	-	3	-	-	-	-	1	-	-
" 45- . . .		-	-	-	-	1	5	17	10	-	-	-	-	-	-	-	-	-
" 55- . . .		-	-	-	-	-	-	13	6	-	-	-	-	-	-	-	-	-
" 65- . . .		-	-	-	-	-	-	10	4	-	-	-	-	-	-	-	-	-
" 75 and upwards . . .		-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-
Age not stated . . .		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

† See note † on first page of this return.

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS AND DEATHS REGISTERED:-

LONDON AND

NINETY-FIVE OTHER GREAT TOWNS

~~~~~  
By Authority of the Registrar General,  
~~~~~

LONDON:

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
H.M. STATIONERY OFFICE at the following addresses:

IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and

28, ABINGDON STREET, LONDON, S.W. 1;

37, PETER STREET, MANCHESTER;

1, ST. ANDREW'S CRESCENT, CARDIFF;

23, FORTH STREET EDINBURGH;

from EASON AND SON, LTD., 40 and 41, LOWER SACKVILLE STREET, DUBLIN.

No. 52. VOL. LXXXII. 1921. WEEK ENDED SATURDAY, DEC. 31.
[Price 9d. Net.]

*General Register Office, Somerset House,
January 3rd, 1922.*

NINETY-SIX GREAT TOWNS.

For the NINETY-SIX GREAT TOWNS of England and Wales, each of which had a population of 50,000 or over at the Census of 1911, the births registered last week numbered 6,548, and corresponded to an annual rate of 18·3 per 1,000. The deaths* among the civilian population only numbered 5,659, and corresponded to an annual rate of 15·9 per 1,000 of their aggregate civilian population, which is provisionally estimated† at 18,554,878 persons in the year 1920. In the three weeks ended December 10th, December 17th, and December 24th, the rates had been 15·1, 14·4, and 14·6 respectively. The infant mortality was 107, against 76, 81, and 87 in the three preceding weeks. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks; it also shows for the week ended last Saturday the births and the deaths from certain individual causes. A column showing the number of deaths from influenza has been inserted in Table 1. The aggregate number

* Corrected as far as possible for deaths of non-residents and for those of residents occurring outside the area. Fully corrected figures will appear in the Registrar General's Annual Report.

† The estimates of population refer to the year 1920, and are based on the returns furnished under the scheme for rationing of food.

of deaths from influenza in the 96 great towns in each of the last thirteen weeks is shown in Table 3A.

Measured by last week's mortality, the highest annual death-rates per 1,000 living were :—from *all causes*, 24·1 in Huddersfield, 24·3 in Burnley and in Barnsley, 27·0 in West Ham, 27·4 in Stoke-on-Trent, 30·3 in Dewsbury, and 33·1 in Middlesbrough; from *measles*, 1·9 in Liverpool; from *whooping-cough*, 1·3 in Stoke-on-Trent and in Huddersfield, 2·5 in Grimsby, and 2·9 in Barnsley; from *diphtheria*, 1·1 in Tottenham, 1·4 in Ealing and in Barrow-in-Furness, and 2·3 in Gillingham; and from *influenza*, 4·5 in West Ham and in Burnley, and 6·9 in Stoke-on-Trent. No death from *small-pox* was registered in any of the ninety-six towns.

LONDON.* (The Administrative County, including the City of London.)

For LONDON there were 1,571 BIRTHS, corresponding to a rate of 18·0 per 1,000, and 1,607 DEATHS of civilians, corresponding to a rate of 18·5, as against 15·9, 14·7, and 16·1 per 1,000 in the three weeks ended December 10th, December 17th, and December 24th. The death-rate in the four weeks ended last Saturday averaged 16·3 per 1,000. The infant mortality was 108, against 67, 66, and 77 in the three preceding weeks.

There was 1 death from *enteric fever*, as against 2, 2, and 0 in the preceding three weeks, the average for the corresponding weeks of the previous five years being 1. The deaths from *measles*, which had been 8, 14, and 7 in the preceding three weeks, rose again last week to 26, and were 9 above the average; 6 deaths belonged to the Borough of Bethnal Green, 4 to Lambeth, 3 to St. Pancras, and 3 to Islington. The deaths from *scarlet fever*, which had been 7, 9, and 7 in the preceding three weeks, rose last week to 11, and were 8 above the average; 3 deaths belonged to Camberwell. The deaths from *whooping-cough*, which had been 8, 20, and 26 in the preceding three weeks, further rose last week to 38, and were 27 above the average; 8 deaths belonged to Fulham and 4 each to Stepney and to Southwark. The deaths from *diphtheria*, which had been 31, 26, and 36 in the preceding three weeks, further rose last week to 46, and were 29 above the average; 9 deaths belonged to Stepney, 5 to Bermondsey, and 3 each to St. Pancras and Camberwell. The deaths from *diarrhoea and enteritis under 2 years of age*, which had been 11, 16, and 19 in the preceding three weeks, fell last week to 8, and were 12 below the average. The deaths from *influenza* numbered 151, as against 14, 43, and 54 in the preceding three weeks, and an average of 47.

Different forms of violence caused 52 deaths, all of which were the subject of coroners' inquests. Of these 52 deaths, 11 were cases of suicide and 2 of homicide, while the remaining 39 were attributed to other forms of violence. Ten of these latter were referred to vehicles in the streets, 5 to burns or scalds, and 7, including 6 of infants under one year of age, to suffocation in bed.

CASES OF INFECTIOUS DISEASE.†

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital, there were 18 cases of

* See note * on first page.

† The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

enteric fever, 1 of small-pox, 46 of measles, 5,356 of scarlet fever, 23 of whooping-cough, and 3,190 of diphtheria under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows :—Of enteric fever, 3 cases, against 4, 3, and 2 ; of small-pox, 1 case against 0, 0, and 0 ; of measles, 6 cases, against 15, 5, and 11 ; of scarlet fever, 566 cases, against 699, 667, and 600 ; of whooping-cough, 0 case, against 0, 0, and 2 ; and of diphtheria, 400 cases, against 370, 386, and 413. Table 9, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the county during the week ended December 24th, 1921.

TABLE 1.—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH-RATES in the Week ended Saturday, 31st December, 1921, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.		DEATH RATES from all Causes.				Week ended 31st Dec. 1921.		Deaths of		Deaths from								The DEATHS in the Week include				TOWNS.	
		Week ended				BIRTHS.	DEATHS.	Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Unclassified Causes of Death.		
		10th Dec., 1921.	17th Dec., 1921.	24th Dec., 1921.	31st Dec., 1921.																		
1.		2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.	
96 GREAT TOWNS.		15.1	14.4	14.6	15.9	6,548	5,659	699	1,864	4	-	68	26	98	92	56	418	143	363	1,704	41	96 GREAT TOWNS.	
LONDON†		15.9	14.7	16.1	18.5	1,571	1,607	169	539	1	-	26	11	38	46	8	151	52	133	694	-	LONDON.†	
(CROYDON.		14.4	15.2	12.2	13.9	51	51	4	26	-	-	1	-	-	-	-	1	2	8	10	-	(CROYDON.	
WIMBLEDON.		12.6	8.4	7.5	10.9	11	13	1	5	-	-	-	-	-	-	-	2	-	1	1	-	WIMBLEDON.	
EALING.		13.7	13.0	11.0	11.6	19	17	1	8	-	-	-	-	-	2	-	1	-	-	-	-	EALING.	
ACTON.		13.0	17.1	12.2	9.7	22	12	1	6	-	-	-	-	-	-	-	1	-	-	1	-	ACTON.	
WILLESDEN.		14.0	13.4	13.4	14.3	36	46	7	11	-	-	-	1	1	3	1	4	-	1	15	-	WILLESDEN.	
HORNSEY.		10.6	10.6	12.8	12.2	27	23	3	7	-	-	-	-	-	-	-	2	2	3	6	-	HORNSEY.	
TOTTENHAM		12.8	11.7	11.0	16.0	43	45	5	16	-	-	-	-	1	3	1	4	-	-	22	-	TOTTENHAM.	
{ EDMONTON.		14.9	13.5	10.6	15.6	27	22	3	10	-	-	-	-	-	1	-	1	-	2	4	-	{ EDMONTON.	
ENFIELD.		10.3	13.7	6.0	13.7	18	16	2	6	-	-	-	-	-	-	2	-	1	1	6	-	ENFIELD.	
WEST HAM.		13.6	14.8	14.5	27.0	143	155	23	30	-	-	2	-	8	3	1	26	3	3	27	-	WEST HAM.	
EAST HAM.		11.1	11.8	15.6	18.7	38	54	5	19	-	-	1	-	-	-	2	9	1	6	14	-	EAST HAM.	
LEYTON.		11.3	10.5	8.1	10.1	47	25	2	12	-	-	-	-	-	1	-	-	-	2	7	-	LEYTON.	
WALTHAMSTOW.		13.0	11.4	8.2	14.1	36	36	2	13	-	-	-	-	1	1	-	-	-	3	10	-	WALTHAMSTOW.	
{ ILFORD.		12.0	12.0	8.8	13.9	22	22	2	6	-	-	-	-	-	-	-	1	-	-	5	-	{ ILFORD.	
GILLINGHAM.		19.6	9.2	18.4	20.8	19	18	2	9	-	-	-	-	-	2	-	1	-	-	2	-	GILLINGHAM.	
HASTINGS.		18.3	13.9	14.8	12.2	15	14	-	7	-	-	-	-	-	-	-	-	-	1	1	-	HASTINGS.	
EASTBOURNE.		11.4	8.3	14.5	11.4	13	11	3	5	-	-	-	-	-	-	-	1	-	-	2	-	EASTBOURNE.	
BRIGHTON.		13.3	14.0	8.7	13.3	42	35	-	16	-	-	-	-	-	1	-	1	-	-	9	-	BRIGHTON.	
PORTSMOUTH.		14.6	13.5	14.1	12.4	82	56	5	22	-	-	-	-	1	1	1	-	1	5	16	1	PORTSMOUTH.	
BOURNEMOUTH.		18.8	9.7	14.6	9.7	19	16	-	9	-	-	-	-	-	-	-	-	-	-	1	-	BOURNEMOUTH.	
SOUTHAMPTON.		12.8	9.0	13.2	13.8	55	43	3	25	-	-	-	-	1	-	-	4	1	3	7	-	SOUTHAMPTON.	
READING.		12.1	11.0	11.0	11.5	23	21	-	11	-	-	-	-	1	-	-	2	1	1	8	-	READING.	
OXFORD.		6.1	11.3	10.4	8.7	18	10	-	5	-	-	-	-	-	-	-	-	-	-	-	-	OXFORD.	
NORTHAMPTON.		13.0	14.7	11.8	10.1	25	18	-	7	-	-	-	-	-	-	-	1	1	1	5	-	NORTHAMPTON.	
CAMBRIDGE.		7.8	13.0	12.1	10.4	19	12	-	11	-	-	-	-	-	-	-	1	1	-	2	-	CAMBRIDGE.	

* See note † on first page of this return.

† For Greater London see end of Table.

‡ These towns are included within the area of Greater London.

TABLE 1 (cont.).—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH-RATES in the Week ended Saturday, 31st December 1921, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	ESTIMATED CIVILIAN POPULATION, MID. 1920.* (Provisional.)	DEATH-RATES from all Causes.				Week ended 31st Dec., 1921.		The DEATHS in the Week include										TOWNS.				
		Week ended				BIRTHS.	DEATHS.	Deaths of		Deaths from									Inquest Cases.	Deaths in Public Institutions.	Uncertified (Causes of Death.	
								Persons aged 65 Years and upwards.														
		10th Dec., 1921.	17th Dec., 1921.	24th Dec., 1921.	31st Dec., 1921.				Infants under 1 Year of Age.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.					Violence.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
SOUTHEND ON SEA.	87,332	12.5	7.8	9.0	13.1	23	22	1	11	-	-	-	-	-	-	-	3	-	-	2	1	SOUTHEND ON SEA.
IPSWICH.	81,119	7.7	9.6	16.7	13.5	29	21	1	8	-	-	-	-	-	-	-	1	-	3	1	-	IPSWICH.
GREAT YARMOUTH.	55,193	14.2	10.4	15.1	13.2	17	14	2	8	-	-	-	-	-	-	-	-	-	1	3	-	GREAT YARMOUTH.
NORWICH.	124,774	13.8	10.4	13.8	7.9	51	19	6	5	-	-	-	-	-	2	-	-	1	2	8	-	NORWICH.
SWINDON.	53,580	13.6	11.7	7.8	11.7	12	12	-	9	-	-	-	1	-	-	-	1	-	-	2	-	SWINDON.
EXETER.	61,365	10.2	11.9	5.1	8.5	15	10	2	6	-	-	-	-	-	-	-	-	-	1	2	-	EXETER.
PLYMOUTH.	189,218	20.7	15.7	16.0	12.4	65	45	3	24	-	-	-	-	-	-	2	2	1	6	7	-	PLYMOUTH.
BATH.	68,546	9.9	11.4	11.4	13.7	22	18	1	12	-	-	-	-	-	-	-	1	1	1	6	-	BATH.
BRISTOL.	375,641	16.0	12.5	11.8	12.4	126	89	8	33	-	-	-	-	-	3	-	1	4	11	30	-	BRISTOL.
GLOUCESTER.	52,096	14.0	13.0	14.0	19.0	18	19	4	8	-	-	-	-	-	-	-	-	-	-	3	-	GLOUCESTER.
STOKE ON TRENT.	243,852	18.4	18.9	25.2	27.4	113	131	21	19	-	-	-	2	6	2	2	33	3	7	20	2	STOKE ON TRENT.
WOLVERHAMPTON.	102,324	11.2	13.8	12.7	20.9	34	41	6	13	-	-	-	1	1	-	-	-	-	-	9	-	WOLVERHAMPTON.
WALSALL.	96,419	13.5	13.0	13.0	13.0	45	24	-	9	-	-	-	-	-	1	-	2	1	1	4	-	WALSALL.
WEST BROMWICH.	72,684	12.2	16.5	12.2	8.6	39	12	3	4	-	-	-	-	-	-	-	-	-	-	1	-	WEST BROMWICH.
DUDLEY.	56,169	7.4	10.2	14.9	12.1	25	13	2	5	-	-	-	-	-	-	1	-	-	1	2	-	DUDLEY.
BIRMINGHAM.	895,915	11.3	10.7	10.9	12.7	292	219	31	83	1	-	-	2	8	1	1	4	6	8	66	12	BIRMINGHAM.
SMETHWICK.	75,027	9.0	8.3	8.3	7.6	30	11	1	4	-	-	-	-	-	-	-	-	-	-	2	1	SMETHWICK.
COVENTRY.	137,310	12.5	10.3	11.0	11.4	35	30	3	10	-	-	-	-	-	-	-	1	-	-	8	-	COVENTRY.
LEICESTER.	245,465	14.4	11.9	11.3	11.7	77	55	4	26	-	-	-	-	-	-	-	1	1	3	14	-	LEICESTER.
LINCOLN.	67,543	10.8	15.4	11.6	12.4	20	16	1	7	-	-	-	-	-	-	-	2	-	-	2	-	LINCOLN.
GRIMSBY.	81,953	15.9	14.0	17.2	17.8	29	28	9	8	-	-	-	-	4	-	1	2	-	1	2	1	GRIMSBY.
NOTTINGHAM.	267,686	19.3	19.7	23.8	21.6	87	111	16	35	-	-	-	-	-	-	2	13	1	3	31	1	NOTTINGHAM.
DERBY.	128,868	11.7	19.8	22.3	21.4	63	53	5	20	-	-	-	1	-	-	-	9	-	2	17	-	DERBY.

* See note † on first page of this return.

TABLE 1 (cont.).—40 GREAT TOWNS, GREATER LONDON, and FOUR SCOTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH-RATES in the Week ended Saturday, 31st December, 1921, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	ESTIMATED CIVILIAN POPULATION MID. 1920.* (Provisional.)	DEATH-RATES from all Causes.					Week ended 31st Dec., 1921.		Deaths of		Deaths from										Inquest Cases.			Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS
							BIRTHS.	DEATHS.	Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.	Violence.							
		10th Dec., 1921.	17th Dec., 1921.	24th Dec., 1921.	31st Dec., 1921.															6.	7.	8.	9.			
STOCKPORT	139,635	15.2	14.8	11.6	10.8	36	27	4	11	-	-	-	-	-	-	-	1	2	3	9	-	STOCKPORT.				
BIRKENHEAD	153,951	13.2	11.5	10.2	10.8	49	32	8	6	-	-	-	-	1	1	1	2	1	2	11	-	BIRKENHEAD.				
WALLASEY	99,226	15.8	8.9	10.0	10.5	25	20	2	8	-	-	-	-	-	1	1	-	1	2	5	-	WALLASEY.				
LIVERPOOL	803,452	19.0	15.4	15.1	16.7	376	258	55	63	-	30	1	1	2	2	8	3	6	14	108	1	LIVERPOOL.				
BOOTLE	80,029	16.3	12.4	8.5	14.3	51	22	3	4	-	2	-	-	1	-	-	-	1	1	5	1	BOOTLE.				
ST. HELENS	104,822	14.4	14.4	8.0	8.5	40	17	4	5	-	-	-	-	-	-	1	-	1	1	2	-	ST. HELENS.				
SOUTHPORT	72,939	7.9	15.0	12.2	13.6	20	19	3	7	-	-	-	-	-	-	-	-	2	2	4	-	SOUTHPORT.				
WIGAN	90,866	20.1	14.9	12.1	15.5	49	27	3	9	-	-	1	-	-	1	1	-	-	-	7	-	WIGAN.				
WARRINGTON	77,939	13.4	14.7	8.0	12.0	29	18	2	5	-	-	-	-	-	-	-	-	1	1	9	-	WARRINGTON.				
BOLTON	184,533	13.8	14.4	15.8	17.8	49	63	7	26	-	-	-	-	-	1	-	7	1	4	5	-	BOLTON.				
BURY	56,410	13.9	15.7	15.7	20.3	28	22	1	10	-	-	-	-	-	-	-	-	-	1	4	-	BURY.				
MANCHESTER	770,597	15.9	16.3	14.3	15.5	273	229	32	62	-	1	3	1	2	2	6	14	10	15	72	2	MANCHESTER.				
SALFORD	235,239	16.8	16.6	13.5	19.9	93	90	15	18	-	-	-	-	2	2	3	10	1	5	27	-	SALFORD.				
OLDHAM	143,154	16.4	18.9	18.2	15.7	59	43	3	12	-	-	-	-	-	-	-	2	-	3	5	-	OLDHAM.				
ROCHDALE	93,639	18.4	15.6	17.3	11.7	33	21	3	6	-	1	-	-	-	-	-	-	-	1	5	-	ROCHDALE.				
BURNLEY	105,030	15.9	13.9	22.8	24.3	30	49	6	10	-	-	-	-	-	-	-	9	1	6	6	-	BURNLEY.				
BLACKBURN	131,012	14.3	12.3	11.1	13.5	50	34	9	10	-	1	-	1	-	-	1	1	-	1	7	-	BLACKBURN.				
PRESTON	121,950	12.8	13.7	12.8	13.3	35	31	5	11	-	-	-	-	-	-	-	3	1	2	4	2	PRESTON.				
BLACKPOOL	70,545	18.5	12.6	10.3	10.3	9	14	-	6	-	-	-	-	-	-	-	-	-	-	1	1	BLACKPOOL.				
BARROW IN FURNESS	76,561	10.9	8.2	12.3	10.9	37	16	2	3	-	-	-	-	-	2	-	-	1	1	5	3	BARROW IN FURNESS.				
HUDDERSFIELD	116,776	17.9	13.8	21.0	24.1	26	54	3	16	-	-	-	-	-	1	-	4	1	1	9	-	HUDDERSFIELD.				
HALIFAX	105,847	13.3	16.3	13.3	13.8	25	28	3	11	-	-	-	-	-	-	-	1	1	2	6	-	HALIFAX.				
BRADFORD	293,979	13.3	17.2	16.7	19.5	81	110	8	40	-	-	-	-	-	1	-	12	-	5	33	-	BRADFORD.				
LEEDS	449,212	20.8	24.7	24.5	22.9	164	197	23	70	-	-	-	-	7	-	-	14	3	12	36	-	LEEDS.				
DEWSBURY	55,080	25.6	18.0	25.6	30.3	14	32	3	9	-	-	-	-	-	-	-	4	-	-	8	1	DEWSBURY.				
WAKEFIELD†	51,169	33.6	30.6	37.7	21.4	17	21	3	7	-	-	-	-	-	-	1	1	1	2	2	-	WAKEFIELD.†				
BARNSELEY†	53,739	32.0	21.3	15.5	24.3	13	25	3	8	-	-	-	-	3	1	-	1	1	2	9	-	BARNSELEY.†				

* See note ^a on first page of this return.
† The extension of the Boroughs of Wakefield and Barnsley on the 9th November 1921 will not be taken into account in the Weekly Returns until next year.

TOWNS.	CIVILIAN POPULATION, MID. 1920 * (Provisional). ^a	Week ended					31st Dec., 1921.		Deaths of		Deaths from								Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS	
		Week ended					BIRTHS. DEATHS.		Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.				Violence.
		10th Dec., 1921.	17th Dec., 1921.	24th Dec., 1921.	31st Dec., 1921.	2.	3.	4.														
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
SHEFFIELD.†	492,570	22.4	21.1	21.1	14.7	165	139	13	45	-	-	2	-	-	-	-	19	2	9	48	-	SHEFFIELD.†
ROTHERHAM	71,785	21.8	26.1	8.0	16.7	30	23	4	4	-	-	-	-	-	-	-	2	1	1	8	-	ROTHERHAM.
YORK	77,501	12.1	12.1	17.5	8.7	33	13	3	4	-	-	-	-	-	-	1	1	-	-	3	-	YORK.
HULL	290,808	12.2	10.9	13.8	14.3	111	80	9	28	-	-	-	-	1	-	1	3	2	3	26	2	HULL.
MIDDLESBROUGH	132,208	11.0	17.0	20.9	33.1	56	24	14	14	-	-	-	-	-	-	3	5	-	2	8	-	MIDDLESBROUGH.
DARLINGTON	66,610	11.7	17.2	11.7	11.0	22	14	4	4	-	-	-	-	-	-	-	-	1	1	2	1	DARLINGTON.
STOCKTON ON TEES	63,114	15.7	13.2	18.2	22.3	31	27	6	8	-	-	-	-	-	-	1	3	-	-	1	-	STOCKTON ON TEES.
WEST HARTLEPOOL	68,126	16.1	13.0	15.3	11.5	21	15	1	4	-	-	-	-	-	-	-	1	-	1	3	-	WEST HARTLEPOOL.
SUNDERLAND	155,211	16.5	11.8	12.8	12.1	85	36	5	15	-	-	1	-	-	-	-	-	2	5	7	-	SUNDERLAND.
SOUTH SHIELDS†	115,945	11.2	13.9	13.5	18.0	67	40	8	9	-	-	-	-	-	-	1	1	-	1	7	5	SOUTH SHIELDS.†
GATESHEAD	128,309	13.8	13.4	11.8	10.6	39	26	8	7	-	-	-	-	1	1	-	1	1	1	4	1	GATESHEAD.
NEWCASTLE ON TYNE.	286,061	12.9	12.8	13.3	9.3	134	51	7	16	-	-	-	-	3	-	-	1	4	6	19	-	NEWCASTLE ON TYNE.
TYNEMOUTH	60,318	13.0	11.2	13.0	13.0	24	15	4	3	-	-	-	1	-	-	-	1	-	-	3	2	TYNEMOUTH.
CARLISLE	57,397	10.9	9.1	5.5	11.8	18	13	1	1	-	-	-	-	1	1	-	-	3	9	4	-	CARLISLE.
NEWPORT (MON.)	90,728	14.4	8.6	10.9	10.3	37	18	3	4	-	-	-	-	-	-	1	-	1	1	5	-	NEWPORT (MON.).
CARDIFF	212,582	9.8	13.2	11.0	12.3	75	50	7	15	-	-	-	-	-	1	-	1	2	6	14	-	CARDIFF.
RHONDDA	184,999	11.8	7.6	8.2	8.7	84	31	7	4	-	-	-	1	-	1	-	-	-	-	3	-	RHONDDA.
MERTHYR TYDFIL	74,493	14.0	18.2	20.3	12.6	34	18	4	7	-	-	-	-	-	-	-	-	2	2	6	-	MERTHYR TYDFIL.
ABERDARE	53,431	18.5	11.7	12.7	8.8	7	9	2	2	-	-	-	-	-	-	-	-	-	-	-	-	ABERDARE.
SWANSEA	167,218	10.0	9.7	7.8	8.4	56	27	3	9	1	-	-	-	-	-	-	-	-	1	2	-	SWANSEA.
GREATER LONDON	7,548,647	14.5	13.7	14.3	16.7	2450	2420	255	826	2	-	31	16	51	67	16	224	65	172	910	-	GREATER LONDON.
OUTER RING	3,016,676	12.3	12.3	11.8	14.1	879	813	86	287	1	-	5	5	13	21	8	73	13	39	216	-	OUTER RING.
14 GREAT TOWNS IN OUTER RING.	1,734,723	12.9	12.9	11.7	16.1	540	537	61	175	-	-	4	1	11	14	7	52	9	30	138	-	14 GREAT TOWNS IN OUTER RING.
REMAINDER OF OUTER RING.	1,281,953	11.6	11.4	11.9	11.2	339	276	25	112	1	-	1	4	2	7	1	21	4	9	78	-	REMAINDER OF OUTER RING.
EDINBURGH†	420,281	17.5	11.5	14.0	13.0	176	105	11	47	-	-	-	-	3	-	1	2	4	?	?	?	EDINBURGH.†
GLASGOW†	1,034,069	16.4	14.6	14.8	18.2	580	360	73	72	-	-	34	1	3	6	6	5	18	?	?	?	GLASGOW.†
DUBLIN (Registra- tion Area).†	423,000	18.0	23.1	24.2	30.8	166	250	35	52	-	-	10	-	3	3	4	24	3	8	79	3	DUBLIN (Registra- tion Area).†
BELFAST†	420,006	12.0	10.3	12.3	12.7	177	102	20	20	-	-	-	-	-	1	-	5	2	2	30	2	BELFAST.†

* See note † on first page of this return.

† The populations are total populations and relate to 1921, those for Edinburgh and Glasgow being Census populations. Deaths and the death-rates in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week: those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

‡ The extension of the Borough of Sheffield on the 9th November 1921, and of South Shields on the 1st November 1921, will not be taken into account in the Weekly Returns until next year.

TABLE 2. LONDON.—Births and Deaths registered during the FIFTY-SECOND Week of each of the Eleven Years, 1911-1921.

	1911.	1912.	1913.	1914.	1915.	1916.	1917.	1918.	1919	1920.	1921.
Births (as registered).	1864	1434	1345	2422	1841	1342	1039	787	1318	2030	1571
Males	994	740	729	1238	923	729	523	391	678	1000	819
Females	870	694	616	1164	918	613	516	396	640	1030	752
Deaths (of residents only).	1324	1245	1215	2049	1503	1962*	1742*	1068*	815*	1382*	1607
Males	701	636	623	1044	749	947	858	537	407	704	794
Females	623	609	592	1005	754	1015	884	531	408	678	813

* Deaths in civilian population only.

TABLE 3. LONDON.—BIRTHS and DEATHS REGISTERED, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the last THIRTEEN WEEKS.

	Oct. 8.	Oct. 15.	Oct. 22.	Oct. 29.	Nov. 5.	Nov. 12.	Nov. 19.	Nov. 26.	Dec. 3.	Dec. 10.	Dec. 17.	Dec. 24.	Dec. 31.
Births (as registered) . . .	1889	1885	1944	1835	1813	1809	1865	1866	1771	2020	1904	1841	1571
Deaths (of residents only).	983	979	996	955	940	1150	1435	1324	1601	1383	1279	1395	1607
Age													
Under 1 year	185	177	170	142	144	123	128	106	138	135	125	142	169
1-2 years	33	25	35	32	29	33	44	34	47	54	56	83	96
2-5 "	32	21	25	25	19	25	35	36	42	33	41	50	80
5-10 "	27	25	18	16	40	38	31	32	30	33	27	31	27
10-15 "	22	20	14	7	12	17	19	17	17	17	11	22	21
15-20 "	13	19	19	23	19	21	24	28	23	20	21	24	36
20-25 "	18	20	28	21	12	23	28	24	31	19	25	30	36
25-35 "	42	35	43	51	48	59	59	41	69	57	55	76	93
35-45 "	67	62	75	75	62	94	101	82	99	80	96	107	125
45-55 "	101	115	106	119	94	145	153	175	179	159	151	138	181
55-65 "	123	150	141	134	134	152	240	178	250	220	189	191	204
65-75 "	156	158	159	151	159	204	278	287	343	260	229	250	305
75 years and upwards	159	152	163	159	168	216	295	284	333	296	253	251	234
Deaths from—													
Enteric fever	5	2	1	3	4	-	1	1	3	2	2	-	1
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	3	-	4	3	4	6	15	9	9	8	14	7	26
Scarlet fever	6	1	9	4	6	9	4	9	7	7	9	7	11
Whooping cough	14	8	8	3	6	7	5	9	13	8	20	26	38
Diphtheria	20	27	28	24	26	40	36	30	33	31	26	36	46
Diarrhoea and enteritis (under 2 years).	81	80	61	53	53	26	20	20	16	11	16	19	8
Pulmonary tuberculosis . .	73	74	91	115	65	112	139	126	141	89	91	100	104
Influenza	4	13	12	11	6	13	17	26	29	14	43	54	151
Pneumonia (all forms) . . .	60	65	59	70	67	83	130	132	184	177	139	197	226
Bronchitis	41	45	46	58	52	96	202	208	293	204	182	146	192
Other dis. of resp. system . .	13	7	11	8	5	10	29	26	27	28	24	15	19
Dis. of circ. system	150	161	157	141	155	206	263	215	281	233	203	227	246
Violence	29	35	35	38	35	35	33	37	33	32	30	37	52
Inquest cases	85	96	83	83	87	94	108	108	118	95	80	117	133

CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.

Enteric fever	40	42	34	31	24	27	25	24	21	23	16	17	18
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	1
Measles	19	26	27	31	33	38	37	39	48	58	53	49	46
Scarlet fever	5508	5978	6067	6285	6305	6233	6132	6073	6007	5834	5627	5304	5356
Whooping cough	44	41	38	33	31	29	30	30	28	26	22	24	23
Diphtheria	2247	2447	2623	2814	2960	3031	3076	3080	3093	3071	3071	3101	3190

* The Metropolitan Asylums Board and London Fever Hospitals. The figures do not refer to London exclusively.

TABLE 3A. 96 Great Towns.—DEATHS from INFLUENZA in the last THIRTEEN WEEKS.

	Oct. 8.	Oct. 15.	Oct. 22.	Oct. 29.	Nov. 5.	Nov. 12.	Nov. 19.	Nov. 26.	Dec. 3.	Dec. 10.	Dec. 17.	Dec. 24.	Dec. 31.
Deaths from Influenza . . .	34	49	46	30	32	44	59	80	128	149	212	237	418

TABLE 4. LONDON.—DEATHS REGISTERED in the FIFTY-SECOND Week of the Year 1921.

CAUSES OF DEATH.	Deaths in the 52nd week of the year 1920.	DEATHS of PERSONS of the AGES													
		ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-10 years.	10-15 years.	15-20 years.	20-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and up- wards.
ALL CAUSES	1382	1607	169	96	80	27	21	36	36	93	125	181	204	305	234
Enteric fever	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Small-pox	-	26	3	13	10	-	-	-	-	-	-	-	-	-	-
Measles	-	11	-	2	2	1	5	-	1	-	-	-	-	-	-
Scarlet fever	8	38	11	16	10	1	-	-	-	-	-	-	-	-	-
Whooping cough	4	46	4	10	16	13	1	-	1	-	-	1	-	-	-
Diphtheria	22	151	4	2	5	2	3	7	6	24	18	23	23	20	14
Influenza	20	10	2	-	-	-	-	-	-	-	1	4	2	1	-
Erysipelas	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute Poliomyelitis, Polioencepha- litis.	?	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	?	1	-	-	-	-	-	1	-	-	-	-	-	-	-
Meningococcal meningitis	?	2	-	-	-	-	1	-	-	-	-	1	-	-	-
Other endemic and epidemic diseases.	-	2	1	-	-	-	-	-	-	-	-	-	-	-	1
Pyæmia and septicæmia	1	2	-	-	-	-	-	1	-	-	-	-	-	-	1
Tetanus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis :—															
Pulmonary tuberculosis	90	104	1	-	1	1	3	10	10	18	24	19	11	5	1
Tuberculous meningitis	8	15	1	8	2	1	1	1	1	-	-	-	-	-	-
Abdominal tuberculosis	4	3	-	-	-	-	-	-	-	1	1	-	-	1	-
Tuberculosis of the spine	-	2	-	-	-	-	-	-	-	1	-	-	-	-	1
Tuberculosis of the joints	1	1	-	-	-	-	-	-	-	1	-	-	-	-	1
Tuberculosis of other organs	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1
Disseminated tuberculosis	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1
Venereal diseases	2	9	5	-	-	1	-	-	-	-	2	1	-	-	-
Cancer	111	88	-	1	-	-	-	-	-	1	7	18	24	31	6
Rheumatic fever	5	3	-	-	-	-	-	-	-	-	1	1	-	1	-
Diabetes	7	8	-	-	-	-	-	1	-	-	-	3	2	1	1
Anæmia, leucocythæmia	7	5	1	-	-	-	-	-	1	-	-	2	-	1	-
Other general diseases	10	19	-	1	1	-	-	-	1	1	1	2	4	7	1
Alcoholism	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Chronic poisonings	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	9	3	-	1	1	-	-	-	-	-	1	-	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	72	54	-	-	-	-	-	-	1	1	1	8	10	16	17
Softening of brain	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1
Paralysis, without specified cause	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epilepsy	7	5	-	-	-	-	1	2	-	-	-	1	-	-	1
"Convulsions" (not puerperal)	12	8	4	2	2	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system	27	29	-	-	-	-	-	-	-	-	10	7	4	5	3
Pericarditis	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Acute endocarditis	9	7	-	-	-	-	-	-	3	2	1	-	-	-	1
Other diseases of heart	151	192	-	-	-	-	1	5	1	6	11	21	46	67	34
Embolism and thrombosis (exclud- ing cerebral).	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of circulatory system.	37	46	-	-	-	-	-	-	-	-	2	2	5	18	19
Diseases of the larynx	3	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Bronchitis	165	192	12	3	2	-	-	-	1	3	9	19	32	58	53
Broncho-pneumonia	106	122	41	28	16	1	1	1	1	2	5	4	1	14	8
Lobar pneumonia	35	45	2	1	2	2	1	2	2	8	4	8	6	3	4
Pneumonia (type not distinguished)	30	59	4	4	4	1	-	3	1	7	8	9	10	6	2
Pleurisy	4	6	1	-	1	-	-	-	-	-	1	1	2	-	-
Pulmonary congestion Pulmonary apoplexy.	7	5	1	-	-	-	-	-	-	-	1	-	1	1	1
Other diseases of respiratory system.	13	7	-	-	-	-	-	1	-	3	1	-	2	-	-

TABLE 5.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM							
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria*	Diarrhoeal Diseases† (under 2 years).	Influenza.
LONDON† . .	4,531,971	1921. Dec. 31	1,571	1,607	18·5	1	-	26	11	33	46	8	151
BOMBAY . .	896,067	Nov. 26	-	592§	34·3	?	2	-	-	-	-	-	7
MADRAS . .	979,445	" 26	361	866	46·0	2	-	1	-	-	1	63	7
CHENNAI . .	522,951	" 26	413	357	35·5	1	6	2	?	-	-	29	-
COCHIN . .	2,847,229	{ 11 days } { Oct. 31 }	1,421	1,181	13·8	8	-	-	-	1	3	66	1
CEYLON . .	792,919	-	-	-	-	-	-	-	-	-	-	-	-
TRINIDAD . .	340,852	Dec. 17	107	71	11·1	-	-	1	-	1	-	3	-
AMSTERDAM . .	683,400	" 10	270	243	18·6	-	-	-	-	2	-	-	1
AMSTERDAM . .	683,400	" 17	272	213	16·5	1	-	-	-	5	-	2	3
COPENHAGEN . .	562,000	" 17	202	151	14·0	-	-	-	-	-	-	2	-
STOCKHOLM . .	419,788	" 10	103	90	11·1	-	-	-	-	1	-	-	1
GÖTEBORG . .	205,547	" 10	-	29	7·3	-	-	-	-	-	-	-	1
OSLO . .	260,920	" 17	103	64	12·8	-	-	-	-	-	-	1	-
PARIS . .	1,945,000	" 10	455	481	12·9	-	?	1	-	4	2	4	2
BRUSSELS . .	547,000	" 10	220	169	16·1	1	?	1	-	2	4	4	10
BERLIN . .	669,000	" 10	254	212	16·5	3	?	-	-	-	1	6	1
VIENNA . .	600,000	" 10	192	194	16·8	1	?	1	2	-	-	4	-
PRAGUE . .	471,000	" 10	148	95	10·5	-	?	-	-	2	-	1	3
ANTWERP . .	1,031,000	" 10	369	223	11·2	-	?	1	-	1	2	2	4
AMSTERDAM . .	630,000	" 10	209	183	15·1	-	?	1	-	1	1	5	4
BRUSSELS . .	670,000	" 10	193	204	15·8	-	?	1	-	-	-	5	6
VIENNA . .	1,842,005	" 3	587	516	14·6	1	-	-	-	2	2	14	-
PARIS . .	676,454	Nov. 26	227	198	15·3	2	-	-	-	-	1	8	1
BRUSSELS . .	933,000	Oct. 8	396	324	18·1	11	?	-	12	3	3	27	-
AMSTERDAM . .	765,200	" 28	707	297	20·2	1	-	-	-	?	3	35	?
BRUSSELS . .	449,300	" 28	394	189§	21·9	-	-	-	-	?	1	22	?
AMSTERDAM . .	5,751,859	Dec. 3	2,551	1,153	10·5	1	-	-	2	5	9	13	7
BOMBAY . .	2,780,655	" 3	-	610	11·4	-	-	1	5	2	10	10	-
CHENNAI . .	358,353	{ Oct. 1	165	108	19·5	-	-	-	1	-	-	1	-
COCHIN . .		" 8	179	139	19·6	-	-	-	-	-	-	2	2

Including deaths from croup in Bombay, Madras, Paris, Antwerp, Amsterdam, Copenhagen, the German Cities, Vienna, Prague and Suburbs, Budapest, and Montevideo.
 Deaths in this column relate to all ages for Bombay, Madras, Christiania, and Bucarest, and to children under year of age for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.
 Estimated population and deaths refer to the civilian population only.
 Including 1 death from *plague* in Alexandria, and from *Asiatic cholera* 13 deaths in Calcutta.
 Registration of births in Bombay is incomplete.

TABLE 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 31st December, 1921.
(Supplied by the Meteorological Office.)

TOWNS.	Temperature of Air.*				Rainfall in Milli- metres.†	TOWNS.	Temperature of Air.*				Rainfall in Milli- metres.†
	Highest.	Lowest.	Mean Maxi- mum.	Mean Mini- mum.			Highest.	Lowest.	Mean Maxi- mum.	Mean Mini- mum.	
LONDON (Greenwich) }	57	29	52·3	36·6	10	BRADFORD . .	53	29	49·0	35·6	73
NOTTINGHAM . .	54	32	51·0	40·0	15	SHEFFIELD . .	55	34	49·4	37·3	68
SMITH . .	55	31	52·3	41·1	14	YORK (Museum) .	54	31	49·7	37·1	23
WICH (Eaton) .	58	28	50·3	35·6	23	HULL (Pearson Park)	54	32	51·0	35·6	29
MOUTH . .	55	33	52·6	41·7	17	TYNEMOUTH . .	54	35	47·6	37·6	18
STOL (Clifton) .	55	31	51·0	38·4	23	CARDIFF . .	53	33	50·4	37·4	26
INGHAM . .	56	32	49·9	36·3	20	EDINBURGH . .	54·0	34·0	46·0	36·4	42
INGHAM . .	56	29	49·0	37·7	23	GLASGOW . .		Not	received.		
LENHEAD (Bidston) }	57	35	51·9	39·3	37	DUBLIN :—					
CHESTER . .	55	31	50·0	37·6	48	Phoenix Park .	56·9	33·7	50·8	37·1	38
NLEY . .	52	25	49·3	35·1	80	† Fitzwilliam Square	57·1	38·0	51·2	39·4	40
DEERSFIELD . .	53	36	47·4	38·1	94	BELFAST . .	55·0	30·4	50·8	36·3	30

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.

† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.

‡ 1 millimetre = ·04 inch nearly ; 1 inch = 25·4 millimetres exactly.

TABLE 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 31st December 1921.

[Under the Superintendence of the Astronomer Royal.]

1921.		Phases of the Moon.	BARO- METEK.		TEMPERATURE.						Difference between the Air Temperature and Dew Point Temperature.		TEMPERATURE.		Wind as deduced from Anemometers.				Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.						
MONTH AND DAY.	Mean daily reading (cor- rected and re- duced to 32° Fahren- heit).		Of the Air.				Of the Dew point.		De- gree mid- ity (Satu- ration equals 100).	Of Radiation.	TEMPERATURE.		Oster's.		Robinson's.										
			High- est.	Low- est.	Daily Range.	Mean daily value.	De- parture from Average of 65 years.	Mean daily value.			Mean Great- est. value.	Least.	Of the Earth 4 feet below the surface.	A.M.	P.M.	General Direction.	Pressure on the Square Foot.	Horizontal Movement of the Air on each Day.		Depar- ture from Average of 50 years.					
DECEMBER.			in.	°	°	°	°	°	°	°	°	°	°	lbs.	lbs.	Miles.	Miles.	in.							
SUNDAY	25	..	29.870	50.7	31.8	18.9	42.3	+ 3.9	39.6	2.7	6.0	0.0	90	51.3	27.8	47.5	SSW. SW. & N.	N. & calm	4.0	0.0	0.3	305	+	9	0.03
MONDAY	26	..	29.963	50.2	29.3	20.9	40.6	+ 2.0	37.4	3.2	7.5	0.0	89	62.5	27.5	47.0	Calm & SSW.	SSW.	4.9	0.0	0.4	358	+	50	0.01
TUESDAY	27	..	29.746	53.9	44.1	9.8	48.3	+ 9.5	42.7	5.6	8.9	1.8	81	66.6	35.9	46.9	SW. & W.	SW. & SSW.	6.1	0.0	0.6	474	+	153	0.19
WEDNESDAY	28	Greatest declination S.	29.592	57.4	39.2	18.2	48.7	+ 9.8	40.8	7.9	11.6	4.2	74	57.9	30.9	47.0	SW. & WSW.	W.	14.3	0.0	1.6	75.7	+	427	0.05
THURSDAY	29	New	29.967	45.1	37.4	7.7	41.2	+ 2.2	34.0	7.2	10.6	5.9	76	60.8	30.0	46.9	W. & WSW.	WNW. & W.	6.5	0.0	0.4	418	+	83	0.00
FRIDAY	30	..	29.651	53.9	36.8	17.1	47.6	+ 8.7	41.1	6.5	10.8	4.8	78	62.0	30.0	46.8	WSW. & SW.	WSW. & W.	16.2	0.0	1.4	715	+	380	0.09
SATURDAY	31	..	30.153	49.1	38.7	10.4	42.6	+ 3.9	33.8	8.8	11.3	5.4	71	55.2	30.3	46.6	N. & NNW.	NW. & WSW.	11.0	0.0	0.8	467	+	136	0.00
MEANS	-	-	29.849	51.5	36.8	14.7	44.5	+ 5.7	38.5	6.0	9.5	3.2	80	59.5	30.3	47.0	WSW.		Sum 3494	Sum +1238	Sum 0.42	
No. of Column	-	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	

DATE.		ELECTRICITY. (For explanation of symbols, see Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
DECEMBER 1921.					
SUNDAY	- 25	v.P. throughout	0.0	7.8	Overcast with frequent rain or damping till noon; very cloudy till 18h. 30m.; cloudless but misty 19h. to 22h., then overcast; gloom at 10h. 30m.
MONDAY	- 26	v.P. throughout	3.0	7.8	Foggy till about 9h.; nearly cloudless 9h. 30m. to 12h. 30m., then overcast generally; frequent damping or slight rain; brisk wind from 16h.
TUESDAY	- 27	w.P. generally	1.9	7.8	Overcast with rain or damping generally till 5h. 30m.; nearly cloudless till 8h.; very cloudy generally till 20h., then overcast; brisk wind till 5h. and after 22h.; damping from 23h.
WEDNESDAY	- 28	w.P. till noon, s.P. afterwards.	1.6	7.8	Overcast generally till noon, becoming nearly cloudless by 13h.; damping at times till 9h., and slight rain till 13h.; brisk wind generally rising to gale between 3h. and 10h.
THURSDAY	- 29	s.P. till 2h., and 15h. to 20h., v.P. otherwise.	1.0	7.8	Cloudless with hoar frost till 4h.; very cloudy generally till 16h.; cloudless till 22h. 45m., then cloudy; solar halo in forenoon; brisk wind 14h. to 18h.
FRIDAY	- 30	w.P. generally	0.0	7.8	Becoming overcast by 1h., clearing partially about 19h.; nearly cloudless at times after 20h.; overcast by 23h.; frequent rain; brisk wind from 6h. rising to gale about 14h.
SATURDAY	- 31	v.P. throughout	0.6	7.8	Overcast with fine intervals till 8h.; variably cloudy and hazy till 15h., then nearly cloudless, but with thin cloud prevalent 17h. to 20h.; gale till 1h.; brisk wind till 3h.; slight rain at 6h.; solar halo at 11h.
			Sum 8.1	Sum 54.6	
			27	28	
No. of Col. -		26			

The results apply to the civil day, or from midnight to midnight. The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1903, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "higher," and - "lower," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 30.05 in. at the beginning of the week to 29.79 in. by 10h. on 25th; increased to 30.07 in. by 3h. on 26th; decreased to 29.62 in. by 4h. on 27th; increased generally to 30.23 in. by midnight on 29th; decreased to 29.34 in. by 23h. on 30th; increased to 30.27 in. by 20h. on 31st, and decreased to 30.24 in. by midnight on the same day.

TABLE 8. LONDON.—DEATHS OF PERSONS BELONGING to the several METROPOLITAN BOROUGHs REGISTERED in the Week ended 24th December, 1921.

BOROUGHs.	ALL CAUSES.	Deaths from								Deaths of Infants under 1 Year of Age.
		Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Pulmonary Tuberculosis.	
COUNTY OF LONDON -	1395	-	-	7	7	26	36	19	100	142
Western										
PADDINGTON . . .	39	-	-	-	-	-	-	1	-	6
KENSINGTON . . .	67	-	-	-	1	-	-	2	2	8
HAMMERSMITH . . .	41	-	-	-	-	3	1	3	2	6
FULHAM . . .	47	-	-	-	-	2	1	1	3	6
CHELSEA . . .	15	-	-	-	-	-	-	-	1	1
CITY OF WESTMINSTER .	43	-	-	-	1	-	1	-	2	3
Northern.										
ST. MARYLEBONE . . .	54	-	-	-	-	-	4	2	6	9
HAMPSTEAD . . .	30	-	-	-	1	-	2	-	2	1
ST. PANCRAS . . .	79	-	-	1	-	2	2	1	9	3
ISLINGTON . . .	125	-	-	2	2	-	6	1	11	9
STOKE NEWINGTON . . .	13	-	-	-	-	-	-	-	1	1
HACKNEY . . .	52	-	-	-	1	-	-	-	2	3
Central.										
HOLBORN . . .	12	-	-	-	-	1	-	-	1	1
FINSBURY . . .	20	-	-	-	-	-	-	1	2	4
CITY OF LONDON . . .	5	-	-	-	-	-	-	-	-	-
Eastern.										
SHOREDITCH . . .	34	-	-	-	-	-	2	-	3	7
BETHNAL GREEN . . .	40	-	-	1	-	2	1	-	2	6
STEPNEY . . .	57	-	-	-	-	2	4	1	6	8
POPLAR . . .	44	-	-	1	1	3	1	1	3	6
Southern.										
SOUTHWARK . . .	69	-	-	-	-	1	2	1	9	11
BERMONDSEY . . .	38	-	-	-	-	1	4	-	2	5
LAMBETH . . .	107	-	-	1	-	6	1	-	3	12
BATTERSEA . . .	59	-	-	-	-	1	-	-	4	4
WANDSWORTH . . .	89	-	-	1	-	-	2	-	3	6
CAMBERWELL . . .	82	-	-	-	-	1	1	3	12	9
DEPTFORD . . .	22	-	-	-	-	-	-	-	1	3
GREENWICH . . .	28	-	-	-	-	-	-	-	2	1
LEWISHAM . . .	41	-	-	-	-	-	-	-	4	-
WOOLWICH . . .	43	-	-	-	-	1	1	1	2	3

The deaths in the above Table are, so far as concerns London as a whole, corrected by the exclusion of deaths of non-residents, and by the inclusion of those of residents occurring in the Outer Ring or in Metropolitan public institutions situated outside the County. As between individual Metropolitan Boroughs, however, correction is complete.

TABLE 9. LONDON.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED during the Week ended 24th December, 1921 *

BOROUGH.	ESTI- MATED CIVILIAN POPU- LATION, MID. 1920.† (Provi- sional.)	Enteric Fever.	Malaria.	Continued Fever.	Small- pox.	Scarlet Fever.	Diphtheria (including Membranous Group).	Pneumonia.	Erysipelas.	Cerebro-Spinal Fever.	Puerperal Fever.	Ophthalmia Neonatorum.	Polio- myelitis.	Dysentery.	Encephalitis Lethargica.	Anthrax.	Polio- encephalitis.	Cholera.
WESTERN.																		
Paddington . . .	149,673	-	-	-	-	19	9	13	3	-	-	-	-	-	-	-	-	-
Kensington . . .	164,177	-	-	-	-	17	11	10	1	1	-	-	-	-	1	-	-	-
Hammersmith . . .	136,200	-	-	-	-	34	14	12	1	-	-	-	-	-	-	-	-	-
Fulham . . .	158,621	-	-	-	-	22	13	18	4	-	-	-	-	-	-	-	-	-
Chelsea . . .	62,987	-	-	-	-	3	1	-	-	-	-	2	-	-	-	-	-	-
City of Westminster . . .	132,615	-	-	-	-	9	1	4	1	-	-	-	-	-	-	-	-	-
NORTHERN.																		
St. Marylebone . . .	101,856	-	-	-	-	7	10	4	3	-	-	-	-	-	-	-	-	-
Hampstead . . .	91,519	-	1	-	-	12	17	1	-	-	-	-	-	-	-	-	-	-
St. Pancras . . .	228,178	-	-	-	-	55	17	7	1	-	-	-	-	-	-	-	-	-
Islington . . .	335,907	-	1	-	-	51	30	4	1	-	-	-	1	-	-	-	-	-
Stoke Newington . . .	52,984	-	-	-	-	15	-	-	-	-	-	-	-	-	-	-	-	-
Hackney . . .	225,372	-	-	-	-	33	10	1	1	-	2	1	-	-	-	-	-	-
CENTRAL.																		
Holborn . . .	39,676	1	-	-	-	3	-	6	1	-	-	1	-	-	-	-	-	-
Finsbury . . .	78,291	-	-	-	-	6	3	1	2	-	-	-	-	-	-	-	-	-
City of London . . .	14,447	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-
EASTERN.																		
Shoreditch . . .	102,044	-	-	-	-	10	15	8	1	-	-	-	-	-	-	-	-	-
Bethnal Green . . .	114,471	-	-	-	-	10	11	4	2	-	-	3	-	-	-	-	-	-
Stepney . . .	241,770	-	-	-	-	23	27	9	1	-	-	3	-	-	-	-	-	-
Poplar . . .	159,766	1	-	-	-	25	20	7	3	-	-	-	-	-	-	-	-	-
SOUTHERN.																		
Southwark . . .	187,142	1	-	-	-	18	14	17	1	-	-	1	-	-	1	-	-	-
Bermondsey . . .	129,189	-	-	-	-	11	30	1	-	-	-	-	-	-	-	-	-	-
Lambeth . . .	293,572	-	-	-	-	57	16	9	4	-	-	1	-	-	-	-	-	-
Battersea . . .	165,664	1	-	-	-	30	32	15	3	-	-	3	-	-	-	-	-	-
Wandsworth . . .	346,990	-	-	-	-	41	18	14	3	-	-	-	-	1	-	-	-	-
Camberwell . . .	284,712	-	-	-	-	54	20	4	2	1	-	-	-	-	-	-	-	-
Deptford . . .	115,636	-	-	-	-	16	10	1	2	-	-	1	-	-	-	-	-	-
Greenwich . . .	102,408	-	-	-	-	15	18	3	2	-	1	-	-	-	-	-	-	-
Lewisham . . .	174,438	-	-	-	-	33	14	3	2	-	-	-	-	-	-	-	-	-
Woolwich . . .	141,666	-	-	-	-	31	16	10	1	-	-	-	-	-	-	-	-	-
TOTAL . . .	4,531,971	4	2	-	-	661	397	188	46	2	-	16	1	1	2	-	-	-
Ages																		
0-1 . . .		-	-	-	-	8	7	7	1	1	-	16	-	-	-	-	-	-
" 1-5 . . .		-	-	-	-	135	115	33	1	-	-	-	-	-	-	-	-	-
" 5- . . .		1	-	-	-	287	158	8	-	-	-	-	-	-	1	-	-	-
" 10- . . .		1	-	-	-	151	52	2	1	-	-	-	-	-	-	-	-	-
" 15- . . .		-	-	-	-	33	18	11	1	-	-	-	1	-	-	-	-	-
" 20- . . .		-	-	-	-	16	21	17	2	-	-	-	-	-	-	-	-	-
" 25- . . .		-	1	-	-	19	15	34	6	-	2	-	-	1	-	-	-	-
" 35- . . .		2	1	-	-	11	7	23	8	-	1	-	-	-	-	-	-	-
" 45- . . .		-	-	-	-	1	4	25	9	-	-	-	-	-	-	-	-	-
" 55- . . .		-	-	-	-	-	-	10	5	1	-	-	-	-	-	-	-	-
" 65- . . .		-	-	-	-	-	-	10	10	-	-	-	-	-	-	-	-	-
" 75 and upwards . . .		-	-	-	-	-	-	3	2	-	-	-	-	-	1	-	-	-
Age not stated . . .		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

† See note † on first page of this return.

LONDON EC
OFFICIAL
PAID

JAN 5
4 30 PM
1922